



Spare parts for the professional sector: **Cooking equipment**



Suitable for:

A.D.



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

A.D.



Suitable for:

Electrical cables

3050228 POWER SUPPLY CABLE 2100 m m
4 wires 2.5 mm²



A.D. 130.016

Electronic boards

7150571 ELECTRONIC CIRCUIT BOARD RELAY 70x60 mm



A.D. 240.004

Energy regulators


2111902 ENERGY REGULATOR
contacts 240V 13A
temperature max 125°C
D-shaped pin \varnothing 6x4.6 mm



A.D. 140.007

A.D. 140.008

3350024 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction



A.D. 140.006

3350089 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4,6 mm
double rotation sense
for FRY TOP
for GLASS-CERAMIC HOB



A.D. 140.006.1

3350090 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for GLASS-CERAMIC HOB



A.D. 140.007.1



Equipment, complete

3235048 COOKING HOB SUPPORT 1 FLAME 2500W
external dimensions 320x350x80 mm



A.D. 999.1477.1

3350090 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin ø 6x4.6 mm
for GLASS-CERAMIC HOB



A.D. 140.007.1

3221137 INDICATOR LIGHT ORANGE 250V
head ø 14 mm - hole ø 12 mm - 120°C



A.D. 150.010

3541054 KNOB BLACK ø 52 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for GLASS-CERAMIC HOB




A.D. 700.006

3313126 ADJUSTABLE FOOT CHROME PLATED ø 25 mm
with fixed screw M8x20 mm



A.D. 260.027

3314011 GLASS-CERAMIC SMOOTH PLATE 310x280x4 mm



A.D. 300.639

3221718 INDICATOR LIGHT RESIDUE HEAT 250V
head ø 12 mm - hole ø 13 mm
wire connection length 600 mm
for GLASS-CERAMIC HOB



A.D. 150.011

3311083 RADIANT HEATING ELEMENT OCTAGON. ø 250mm
2500W 230V
faston electrical connections - with cables
complete with power setting
for glass-ceramic hob



A.D. 100.298



Suitable for:

3235047 COOKING HOB SUPPORT 2 FLAMES 4300W
external dimensions 500x450x80 mm



A.D. 999.003

3350090 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin ø 6x4.6 mm
for GLASS-CERAMIC HOB



A.D. 140.007.1

3221137 INDICATOR LIGHT ORANGE 250V
head ø 14 mm - hole ø 12 mm - 120°C



A.D. 150.010

3541053 KNOB BLACK ø 52 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for FRY TOP
for GLASS-CERAMIC HOB



A.D. 700.007

A.D.



Suitable for:

3350089 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin ø 6x4,6 mm
double rotation sense
for FRY TOP
for GLASS-CERAMIC HOB



A.D. 140.006.1

3314009 GLASS-CERAMIC PLATE 493x345x4 mm



A.D. 300.231

3221718 INDICATOR LIGHT RESIDUE HEAT 250V
head ø 12 mm - hole ø 13 mm
wire connection length 600 mm
for GLASS-CERAMIC HOB



A.D. 150.011

3541054 KNOB BLACK ø 52 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for GLASS-CERAMIC HOB



A.D. 700.006



Suitable for:

5073926 RADIANT HEATING ELEMENT OCTAGON. ø 200mm
1800W 230V
faston electrical connectors - with cables
complete with power adjuster
for glass-ceramic hob



A.D. 100.499

A.D.




Suitable for:

3311083 RADIANT HEATING ELEMENT OCTAGON. ø 250mm
2500W 230V
faston electrical connections - with cables
complete with power setting
for glass-ceramic hob



A.D. 100.298

3235063 GLASS-CERAMIC FRY TOP GROOVED 2500W
external dimensions 500x450x80 mm



A.D. 999.1446

3350089 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin ø 6x4,6 mm
double rotation sense
for FRY TOP
for GLASS-CERAMIC HOB



A.D. 140.006.1

3314007 GLASS-CERAMIC FRY TOP GROOVED
external dimensions 492x335x4.5 mm



A.D. 300.365

3221137 INDICATOR LIGHT ORANGE 250V
head ø 14 mm - hole ø 12 mm - 120°C



A.D. 150.010

3541053 KNOB BLACK ø 52 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for FRY TOP
for GLASS-CERAMIC HOB



A.D. 700.007

3511001 RADIANT HEATING ELEM 2500W 230V
length 450 mm - width 275 mm
complete with cables
for FRY TOP SMOOTH-GROOVED



A.D. 100.105



Suitable for:

3235049 GLASS-CERAMIC FRY TOP SMOOTH 2500W
external dimensions 500x450x80 mm



A.D. 999.017

3314008 GLASS-CERAMIC FRY TOP SMOOTH
external dimensions 492x335x4 mm



A.D. 300.240

3541053 KNOB BLACK ø 52 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for FRY TOP
for GLASS-CERAMIC HOB



A.D. 700.007

3235065 INDUCTION HOB SUPPORT 5000W 400V
external dimensions 400x500x105 mm



A.D. 999.1934

3541052 BLACK KNOB ø 62 mm INDUCTION-MIN-MAX
D-shaped hole 6x4.6 mm
for INDUCTION HOB 1 FLAME
for INDUCTION HOB WOK 1 FLAME



A.D. 140.065

A.D.



Suitable for:

3350089 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin ø 6x4,6 mm
double rotation sense
for FRY TOP
for GLASS-CERAMIC HOB



A.D. 140.006.1

3221137 INDICATOR LIGHT ORANGE 250V
head ø 14 mm - hole ø 12 mm - 120°C



A.D. 150.010

3511001 RADIANT HEATING ELEM 2500W 230V
length 450 mm - width 275 mm
complete with cables
for FRY TOP SMOOTH-GROOVED



A.D. 100.105

3313126 ADJUSTABLE FOOT CHROME PLATED ø 25 mm
with fixed screw M8x20 mm



A.D. 260.027

3350091 DIGITAL POTENTIOMETER
temperature max 85°C
D-shaped pin ø 6x4,6 mm
double rotating sense
for INDUCTION HOB 1 FLAME 5kW 400V
for INDUCTION HOB WOK 1 FLAME 5kW 400V




A.D. 340.319



Suitable for:

3314010 GLASS-CERAMIC INDUCTION SMOOTH PLATE
external dimensions 390x320x4 mm
for SMOOTH INDUCTION HOB 1 FLAME



A.D. 300.621

3221717 INDICATOR LIGHT TRANSPARENT 12V
head \varnothing 15 mm - hole \varnothing 10 mm - 120°C
M faston 6.3x0.8 mm



A.D. 150.022

3050228 POWER SUPPLY CABLE 2100 mm
4 wires 2.5 mm²



A.D. 130.016

3235066 INDUCTION HOB WOK SUPPORT 5000W 400V
external dimensions 400x500x160 mm



A.D. 999.1936

3541052 BLACK KNOB \varnothing 62 mm INDUCTION-MIN-MAX
D-shaped hole 6x4.6 mm
for INDUCTION HOB 1 FLAME
for INDUCTION HOB WOK 1 FLAME



A.D. 140.065

A.D.



Suitable for:

3160546 GREASE FILTER ALUMINIUM 271x268x9 mm
for INDUCTION HOB 1 FLAME 5kW 400V
for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 260.022

3075003 INDUCTION GENERATOR HOB-WOK 5kW 400V
50/60Hz
for INDUCTION HOB WOK



A.D. 340.149

3313126 ADJUSTABLE FOOT CHROME PLATED \varnothing 25 mm
with fixed screw M8x20 mm



A.D. 260.027

3075004 COIL FOR INDUCTION HOB WOK \varnothing 300 mm
for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 340.318



Suitable for:

3520015 CUVETTE GLASS ø 300 mm
for INDUCTION HOB WOK 1 FLAME



A.D. 300.156

3160546 GREASE FILTER ALUMINIUM 271x268x9 mm
for INDUCTION HOB 1 FLAME 5kW 400V
for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 260.022

3075002 INDUCTION GENERATOR WOK 5kW 400V
50/60Hz
for INDUCTION HOB WOK



A.D. 340.134

3235064 PANINIWARMER PLATE GROOVED 2200W
external dimensions 450x450x130 mm



A.D. 999.579

A.D.



Suitable for:

3350091 DIGITAL POTENTIOMETER
temperature max 85°C
D-shaped pin ø 6x4,6 mm
double totating sense
for INDUCTION HOB 1 FLAME 5kW 400V
for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 340.319

3221717 INDICATOR LIGHT TRANSPARENT 12V
head ø 15 mm - hole ø 10 mm - 120°C
M faston 6.3x0.8 mm



A.D. 150.022

3050228 POWER SUPPLY CABLE 2100 mm
4 wires 2.5 mm²



A.D. 130.016

Feet

3313126 ADJUSTABLE FOOT CHROME PLATED ø 25 mm
with fixed screw M8x20 mm



A.D. 260.027

Filters

- 3160546 GREASE FILTER ALUMINIUM 271x268x9 mm**
for INDUCTION HOB 1 FLAME 5kW 400V
for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 260.022

Glasses

- 3520015 CUVETTE GLASS ø 300 mm**
for INDUCTION HOB WOK 1 FLAME



A.D. 300.156

Glues

- 3392012 BLACK SEALING NOVASIL S56 310 ml**
max operating temperature +265°C
HIGHLY ADHESIVE AND SEALING
suitable for GLASS-CERAMIC RANGE



A.D. 250.002


Heating elements

- 5053519 HEATING ELEMENT OF SILICONE 1000W 230V**
length 400 mm - width 270 mm
complete with automatic reset thermostat
complete with cables
operating environment: dry



A.D.

- 5073664 HEATING ELEMENT OF SILICONE 400W 230V**
length 430 mm - width 430 mm
with thermostat with automatic reset
with cables



A.D. 100.097



Suitable for:

A.D.



5056751 SILICONE HEATING ELEMENT 1500W 230V
length 440 mm - width 530 mm
with thermostat with automatic reset
complete with cables



A.D.

Suitable for:

5038216 SILICONE HEATING ELEMENT 250W 230V
length 470 mm - width 295 mm
with thermostat with automatic reset
complete with cables




A.D.

5087776 SILICONE HEATING ELEMENT 600W 230V
length 450 mm - width 250 mm
with thermostat with automatic reset
complete with cables



A.D.

5084041 SILICONE HEATING ELEMENT 800W 230V
length 580 mm - width 480 mm
complete with thermostat with automatic reset
complete with cables



A.D. 100.144

Indicator lights

3221137 INDICATOR LIGHT ORANGE 250V
head \varnothing 14 mm - hole \varnothing 12 mm - 120°C



A.D. 150.010

3221718 INDICATOR LIGHT RESIDUE HEAT 250V
head \varnothing 12 mm - hole \varnothing 13 mm
wire connection length 600 mm
for GLASS-CERAMIC HOB



A.D. 150.011

3221717 INDICATOR LIGHT TRANSPARENT 12V
head \varnothing 15 mm - hole \varnothing 10 mm - 120°C
M faston 6.3x0.8 mm



A.D. 150.022

Induction coils

3075004 COIL FOR INDUCTION HOB WOK ø 300 mm
for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 340.318

3075003 INDUCTION GENERATOR HOB-WOK 5kW 400V
50/60Hz
for INDUCTION HOB WOK



A.D. 340.149

3075002 INDUCTION GENERATOR WOK 5kW 400V
50/60Hz
for INDUCTION HOB WOK



A.D. 340.134

Knobs

3541052 BLACK KNOB ø 62 mm INDUCTION-MIN-MAX
D-shaped hole 6x4.6 mm
for INDUCTION HOB 1 FLAME
for INDUCTION HOB WOK 1 FLAME



A.D. 140.065

3541053 KNOB BLACK ø 52 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for FRY TOP
for GLASS-CERAMIC HOB



A.D. 700.007

3541054 KNOB BLACK ø 52 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for GLASS-CERAMIC HOB



A.D. 700.006



Suitable for:

A.D.



Suitable for:

Potentiometers

- 3350091 DIGITAL POTENTIOMETER**
 temperature max 85°C
 D-shaped pin \varnothing 6x4,6 mm
 double totating sense
 for INDUCTION HOB 1 FLAME 5kW 400V
 for INDUCTION HOB WOK 1 FLAME 5kW 400V



A.D. 340.319

Radiant heating elements

- 3511001 RADIANT HEATING ELEM 2500W 230V**
 length 450 mm - width 275 mm
 complete with cables
 for FRY TOP SMOOTH-GROOVED




A.D. 100.105

- 5073926 RADIANT HEATING ELEMENT OCTAGON. \varnothing 200mm**
 1800W 230V
 faston electrical connectors - with cables
 complete with power adjuster
 for glass-ceramic hob



A.D. 100.499


- 5027899 RADIANT HEATING ELEMENT OCTAGON. \varnothing 230mm**
 2100W 230V
 faston electrical connections - with cables
 complete with power adjuster
 for glass-ceramic cooking top



A.D. 100.026


A.D. 100.382

- 5034637 RADIANT HEATING ELEMENT OCTAGON. \varnothing 230mm**
 2400W 230V
 faston electrical connections - with cables
 complete with power adjuster
 for glass-ceramic cooking top



A.D. 100.154

- 7101798 RADIANT HEATING ELEMENT OCTAGON. \varnothing 230mm**
 2500W 230V
 faston terminal block
 complete with power setting
 for glass-ceramic cooking hob



A.D.

- 3311083 RADIANT HEATING ELEMENT OCTAGON. \varnothing 250mm**
 2500W 230V
 faston electrical connections - with cables
 complete with power setting
 for glass-ceramic hob



A.D. 100.298

5070141 **RADIANT HEATING ELEMENT OCTAGON. \varnothing 250mm**
 2500W 230V
 faston electrical connections - with cables
 complete with power adjuster
 for glass-ceramic cooking top



A.D. 100.548.2

Suitable for:

3455404 **RADIANT HEATING ELEMENT OCTAGON. \varnothing 300mm**
 3400/1400W 230V
 faston electrical connections - with cables
 complete with power adjuster
 for glass-ceramic cooking top



A.D. 100.299

5031142 **RADIANT HEATING ELEMENT OCTAGON. \varnothing 300mm**
 3400/1300W 230V
 faston electrical connections - with cables
 complete with power adjuster
 for glass-ceramic cooking top



A.D. 100.381

5059940 **RADIANT HEATING ELEMENT OCTAGON. \varnothing 300mm**
 4000W 400V
 faston electrical connections - with cables
 complete with power adjuster
 for glass-ceramic cooking top



A.D. 100.335.1

5075582 **RADIANT HEATING ELEMENT OCTAGON. \varnothing 300mm**
 3400W 230V
 faston electrical connections - with cables
 complete with power adjuster
 for glass-ceramic cooking top




A.D. 100.355

7150596 **RADIANT HEATING ELEMENT OCTAGON. \varnothing 300mm**
 3400W 230V
 electrical faston connections
 complete energy setting
 for ceramic glasse cooking top



A.D.

3311079 **RADIANT HEATING ELEMENT OCTAGON. \varnothing 165 mm**
 1200W 230V
 faston electrical connections - with cables
 complete with power setting
 for glass-ceramic cooking top



A.D. 100.498

5086268 **RADIANT HEATING ELEMENT 1000W 230V**
 length 265 mm - width 365 mm
 faston electric connections



A.D.




Suitable for:

5034037 RADIANT HEATING ELEMENT 10000W 400/415V
length 510 mm - width 310 mm
terminal block electric connections




A.D.

5054473 RADIANT HEATING ELEMENT 1050W 230V
length 250 mm - width 310 mm
height 35 mm - complete with cables



A.D.

7150273 RADIANT HEATING ELEMENT 1500W 230V
length 300 mm - width 250 mm
faston electrical connections



A.D. 100.1012

3855033 RADIANT HEATING ELEMENT 3500W 400V
length 417 mm - width 275 mm
faston electrical connections



A.D. 100.1010

7108776 RADIANT HEATING ELEMENT 3500W 400V
length 415 mm - width 275 mm
faston electric connections



A.D.

A.D.



Suitable for:

5056805 RADIANT HEATING ELEMENT 10000W 400/415V
length 480 mm - width 280 mm
terminal block electric connections



A.D.

3755653 RADIANT HEATING ELEMENT 1500W 230V
length 455 mm - width 195 mm
complete with cables



A.D. 100.100

5053678 RADIANT HEATING ELEMENT 2500W 230V
length 190 mm - width 250 mm
complete with cables



A.D. 100.511

5065717 RADIANT HEATING ELEMENT 3500W 400V
length 180 mm - width 240 mm
height 160 mm - complete with cables



A.D. 100.660

40C8477 RADIANT HEATING ELEMENT 3900W 230V
length 320 mm - width 455 mm
complete with cables



A.D. 100.1018



Suitable for:

5059323 RADIANT HEATING ELEMENT 4000W 400/415V
length 450 mm - width 270 mm
terminal block electric connections



A.D. 100.1022

Suitable for:

40C8476 RADIANT HEATING ELEMENT 4200W 230/400V
length 320 mm - width 455 mm
complete with cables




A.D. 100.1017

5090163 RADIANT HEATING ELEMENT 4500W 400V
length 162 mm - width 400 mm
height 177 mm - with cables



A.D. 100.745

5093880 RADIANT HEATING ELEMENT 4500W 400V
length 162 mm - width 400 mm
height 182 mm - complete with cables




A.D. 100.656

7100214 RADIANT HEATING ELEMENT 4500W 400V
length 300 mm - width 300 mm
complete with cables




A.D. 100.1032

5035922 RADIANT HEATING ELEMENT 500W 230V
length 215 mm - width 225 mm
height 33 mm - electrical screw couplings



A.D. 100.1011.1

5033236 RADIANT HEATING ELEMENT 5000W 400/415V
length 605 mm - width 240 mm
screw terminal box




A.D. 100.1019

5052700 RADIANT HEATING ELEMENT 5000W 400/415V
length 607 mm - width 290 mm
electrical screw couplings




A.D. 100.1021

5083822 RADIANT HEATING ELEMENT 5000W 400/415V
length 380 mm - width 300 mm
terminal block electric connections



A.D. 100.1025

40C7625 RADIANT HEATING ELEMENT 6000W 230V
length 405 mm - width 255 mm



A.D. 100.1015




Suitable for:

A.D.




5033270 RADIANT HEATING ELEMENT 6000W 400/415V
length 335 mm - width 310 mm
terminal block electric connections



A.D. 100.1020


Suitable for:

40C8351 RADIANT HEATING ELEMENT 6480W 230V
length 550 mm - width 320 mm
complete with cables




A.D. 100.1016

3755809 RADIANT HEATING ELEMENT 750W 230V
length 225 mm - width 225 mm
height 30 mm - faston electrical connections



A.D.

5034048 RADIANT HEATING ELEMENT 750W 230V
length 215 mm - width 225 mm
height 33 mm - electrical screw couplings




A.D. 100.1011

5070419 RADIANT HEATING ELEMENT 750W 230V UPPER
length 265 mm - width 237 mm
height 30 mm - faston electrical connections




A.D.

5019794 RADIANT HEATING ELEMENT 7500W 400V
length 280 mm - width 400 mm
complete with cables



A.D. 100.436

3755480 RADIANT HEATING ELEMENT 850W 230V
length 265 mm - width 235 mm
faston electrical connections



A.D.

5068805 RADIANT HEATING ELEMENT 8500W 230/400V
length 420 mm - width 550 mm
complete with cables



A.D. 100.1023

3855094 RESISTENZA RADIANTE 10000W 230V
lunghezza 520 mm - larghezza 310 mm



A.D. 100.1024

Refractory tiles

3314007 GLASS-CERAMIC FRY TOP GROOVED
external dimensions 492x335x4.5 mm




A.D. 300.365

3314008 GLASS-CERAMIC FRY TOP SMOOTH
external dimensions 492x335x4 mm




A.D. 300.240

3314010 GLASS-CERAMIC INDUCTION SMOOTH PLATE
external dimensions 390x320x4 mm
for SMOOTH INDUCTION HOB 1 FLAME




A.D. 300.621

3314009 GLASS-CERAMIC PLATE 493x345x4 mm



A.D. 300.231

3314011 GLASS-CERAMIC SMOOTH PLATE 310x280x4 mm



A.D. 300.639

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com