



Spare parts for the professional sector: Cooking equipment



Suitable for:

ALBA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ALBA



Suitable for:


Burners, flame spreaders and accessories

3025284 FLAME SPREADER \varnothing 105 mm



ALBA 203312841005

3025290 NOZZLE HOLDER FOR PIPE \varnothing 12 mm
complete with nuts and olives
thread connection for hose M20x1.5 mm
tapered nozzle M11x1 mm
fastening fitting M15x1 mm



3025289 AERATION REGULATOR
internal \varnothing 42 mm - external \varnothing 45 mm
height 50 mm



Cables for piezo igniters

3001028 IGNITION LEAD 500 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for sparking plug



ALBA 341500024004

Clamps

3449452 HOSE CLAMP 16-25
for pipes \varnothing 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ALBA 11807

3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ALBA 11806

Suitable for:

Suitable for:

- 3449465 HOSE CLAMP 30-45**
 for pipes \varnothing 30÷45 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



ALBA 11809

Contactors

- 3446214 CONTACTOR LOVATO BG09T4A**
 4KW 400V 9A - 4 normally open contacts
 coil 230V 50/60Hz



ALBA 15086

ALBA 15086/F

Drain taps and accessories

- 3356173 DRAIN TAP \varnothing 1"1/2F**
 complete with food grease tube
 GASKET SEAL
 fixed connection \varnothing 1"1/2F
 made of STAINLESS steel
 IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004
 FOODSAFE



ALBA 541933101088

- 3356162 \varnothing 1"1/2F DRAIN TAP REPAIR SET**
 for drain tap



- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



- 1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature $-45^{\circ}/+120^{\circ}$
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline





Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



ALBA



Suitable for:

3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to +120°C
 from +50°C to +120 °C the grease becomes oily



Electric hot plates

3311054 ELECTRIC HOT PLATE 2600W 400V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



ALBA 541524400220

3311063 ELECTRIC HOT PLATE 3000W 400V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



ALBA 00040000010

Electrical capacitors

3068019 CAPACITOR DUCATI ENERGIA 12,5µF
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connection 6.35x0.8 mm
 ø 36xh70 mm



ALBA 15081

3068014 CAPACITOR DUCATI ENERGIA 8µF
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connection 6.35x0.8 mm
 ø 32xh55 mm



ALBA 16043

3068081 CAPACITOR ELECTRICAL 12.5µF
 450V 50/60Hz - ø 35xh71 mm



ALBA 15081

3068079 CAPACITOR ELECTRICAL 8µF
 450V 50/60Hz - ø 30xh71 mm




ALBA 16043



Electrical gas valves and accessories

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 maximum gas inlet pressure 60 mbar
 max.gas outlet pressure adjustment range 7÷50 mbar
 outlet gas pressure setting range min.2÷45 mbar
 room temperature 0÷60°C
 power supply 230V 30A rectified



ALBA 42270000007


2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M



3030001 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 2 wires
 for sit valve 824 NOVA-826 NOVA-836 TANDEM



3020083 FITTING AND OLIVE \varnothing 4 mm



3348041 OLIVE FOR PIPE \varnothing 16 mm
 for model PEL 23




2100724 COIL 24V
 for valve 830 TANDEM-836 TANDEM




3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



3526292 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 3 wires
 for sit valve 830-836 TANDEM



3020084 FITTING AND OLIVE \varnothing 6 mm



ALBA 319700958031



Suitable for:


ALBA



Suitable for:

Electronic boxes

2111963 CONTROL BLOX 503 EFD FOR TANDEM
mod. SIT - 220/240V 50/60Hz 7VA



ALBA 42270000009

Energy regulators

3350026 ENERGY REGULATOR
contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing 6 \times 4.6$ mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



ALBA 405611100089

Feet

3313005 ADJUSTABLE S/STEEL FOOT $\varnothing 2''$ x h 135 mm
with fixed screw M12x40 mm
adjustable height 135÷200 mm



ALBA 15116

Fittings

3349346 NICHEL-PL.HOSE-END FITTING $\varnothing 1/4''$ M $\varnothing 12$



ALBA 12005




Gas valves and accessories

3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR




ALBA 541910500631

3526258 EUROSIT VALVE FOR FRYER 110÷190°C
with new knob
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x200 mm
RoHS certificated




ALBA 541910500630

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



3020084 FITTING AND OLIVE \varnothing 6 mm



ALBA 319700958031

3526127 FLANGE FOR EXTENSION



3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR



ALBA 541910500631

3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm





Suitable for:


5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



3523949 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges



ALBA 405309000710

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



ALBA



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M




2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523047 LID MINISIT






Suitable for:

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523051 SENSING ELEMENT MINISIT 110 \div 190 $^{\circ}$ C
capillary length 1050 mm
bulb \varnothing 6x105 mm



ALBA

Suitable for:

3523061 NUT \varnothing 1/4"x6 mm




3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm





Suitable for:

ALBA




3526130 VALVE 630 EUROSIT OVEN 100÷340°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm




ALBA 541910630310


4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



3526677 EXTENSION FOR EUROSIT VALVE
 D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



ALBA 319700958031

3526127 FLANGE FOR EXTENSION



Suitable for:

3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR




ALBA 541910500631


3526129 CLASP \varnothing 3x14 mm
 UNI 6873 - DIN 1481 - ISO 8752



3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
 thread \varnothing 3/8" M - M16x1 mm





Suitable for:

3526128 **KNOB EXTENSION LENGTH 34 mm**
D-shaped pin \varnothing 8x6.5 mm




ALBA



Suitable for:

3526125 **KNOB EXTENSION LENGTH 44 mm**
D-shaped pin \varnothing 8x6.5 mm



5050401 **OLIVE FOR PIPE \varnothing 10 mm**
external \varnothing 13 mm - height 8 mm



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
for model PEL 22-24-25




3001111 **PIEZO IGNITER EUROSIT**
M faston \varnothing 2.4 mm



3020079 **PIPE FITTING \varnothing 12 mm**
thread \varnothing 3/8" M



3526123 **RUBBER PROTECTION FOR EUROSIT VALVE**



Heating elements

3755856 **HEATING ELEMENT 10200W 230/400V**
length 300 mm - width 180 mm
coupling M54 - complete with cables
with two holes for bulb
complete with OR gaskets



3186697 **O-RING 0159 EPDM**
ring thickness 3.53 mm - internal \varnothing 55.56 mm



ALBA 541524700008

3186601 **O-RING 04200 EPDM**
ring thickness 3.53 mm - internal \varnothing 50.39 mm



3755652 **RING NUT 1"-3/4" FOR HEATING ELEMENT**





Suitable for:

ALBA



3755661 HEATING ELEMENT 15000W 230V
 length 300 mm - width 285 mm
 connection M54x1.5 mm - complete with cables
 complete with OR gaskets
 with two holes per bulb



ALBA 541524000007

3186601 O-RING 04200 EPDM
 ring thickness 3.53 mm - internal \varnothing 50.39 mm



1186715 O-RING 0159 VITON
 ring thickness 3.53 mm - internal \varnothing 55.56 mm



3786459 O-RING 04200 VITON
 ring thickness 3.53 mm - internal \varnothing 50.39 mm



3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



3755489 HEATING ELEMENT 6800W 230V
 length 300 mm - width 110 mm
 connection M54x1.5 mm - with cables
 with O-rings



ALBA 541524000006

3186601 O-RING 04200 EPDM
 ring thickness 3.53 mm - internal \varnothing 50.39 mm



3186697 O-RING 0159 EPDM
 ring thickness 3.53 mm - internal \varnothing 55.56 mm



3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT





Ignitors

- 3001007 PIEZO IGNITER**
 a \varnothing 22 mm hole is needed for the assembly
 faston M \varnothing 2.4 mm



ALBA 541922045000

Indicator lights

- 3221132 INDICATOR LIGHT GREEN 230V**
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



ALBA 347561183522

ALBA 347561183600

- 3221095 INDICATOR LIGHT ORANGE 230V**
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



ALBA 347561183523

ALBA 347561183610

Interference suppression filters

- 3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL**
 0.47 μ F



ALBA 15149

Ironmongery (screws,nuts,washers)

- 1528631 CYLINDER HEAD SCREW M4x8**
 stainless steel - cross recessed
 UNI 7687 - DIN 7985 - ISO 7045



ALBA 11121

- 3743145 FLAT WASHER M8**
 internal/external \varnothing 8.4/16 mm - thickness 1.6 mm
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ALBA 11185

ALBA 11611

- 3528215 HEXAGONAL NUT LOW M4**
 st./steel - UNI 5589 - DIN 936 - ISO 4035



ALBA 11703

- 3060069 HEXAGONAL NUT M8 MEDIUM**
 stainless steel - UNI 5588 - DIN 934 - ISO 4032



ALBA 11702



Suitable for:

ALBA



1528030 MID HEXAGONAL NUT M6
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ALBA 11706

Suitable for:
5013975 SCREWS NO HEAD WITH HEXAGON SOCKET M5x20
stainless steel - cone-shaped edge
UNI 5927 - DIN 914 - ISO 4027



ALBA 11501

3053163 SELF-LOCKING HEXAGON NUT M6
stainless steel - with nylon built-in ring
UNI 7473 - DIN 982 - ISO 7040



ALBA 11721

Microswitches, mechanical

3240407 MICROSWITCH KIT 16A 250V
2 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



ALBA 10704

3240568 MICROSWITCH CROUZET EF83161.3
1NO+NC 16A 250V
complete with roll lever 28 mm



Nozzles

3500040 GAS JET M9x1 ø 0.85 mm



ALBA 541910060085

3500043 GAS JET M9x1 ø 1.10 mm



ALBA 000007042707

ALBA 541910060110

3500046 GAS JET M9x1 ø 1.25 mm



ALBA 541910060130

3500050 GAS JET M9x1 ø 1.80 mm



ALBA 000007042750

ALBA 541910060170

Suitable for:

Suitable for:

3500051 GAS JET M9x1 \varnothing 1.90 mm



ALBA 000007042716

O-Ring and ORM gaskets

1186304 O-RING 0112 EPDM
ring thickness 2.62 mm - internal \varnothing 9.92 mm



ALBA 13003

3186184 O-RING 0147 EPDM
ring thickness 3.53 mm - internal \varnothing 42.86 mm



ALBA 13008

1186421 O-RING 02018 EPDM
ring thickness 1.78 mm - internal \varnothing 4.48 mm



ALBA 13016

1186411 O-RING 02031 EPDM
ring thickness 1.78 mm - internal \varnothing 7.66 mm



ALBA 13002

1186352 O-RING 02050 EPDM
ring thickness 1.78 mm - internal \varnothing 12.42 mm



ALBA 13017

3243382 O-RING 02087 EPDM
ring thickness 1.78 mm - internal \varnothing 21.95 mm



ALBA 13018

3186244 O-RING 03125 EPDM
ring thickness 2.62 mm - internal \varnothing 31.42 mm



ALBA 13000

3243250 O-RING 03137 EPDM
ring thickness 2.62 mm - internal \varnothing 34.60 mm
for motor mixer flange



ALBA 13004



Suitable for:

ALBA



3243389 O-RING 03162 EPDM
ring thickness 2.62 mm - internal \varnothing 40.95 mm



ALBA 13006

3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



ALBA 13005


3186014 O-RING 06225 EPDM \varnothing 67 mm
ring thickness 5.34 mm - internal \varnothing 56.52 mm



ALBA 13015

Pilot burners and accessories

3020084 FITTING AND OLIVE \varnothing 6 mm



ALBA 319700958031

3020054 PILOT JET \varnothing 0.20 mm



ALBA 541933977028

3020202 PILOT JET \varnothing 0.27 mm



ALBA 541933977270

3020055 PILOT JET \varnothing 0.35 mm



ALBA 541933977031

3020043 PILOT JET \varnothing 0.36 mm



ALBA 541933977115

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



ALBA 541933290080


3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm





Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



3020113 OLIVE FOR PIPE \varnothing 4 mm



3020114 OLIVE FOR PIPE \varnothing 6 mm



3020042 PILOT JET \varnothing 0.19 mm



ALBA



Suitable for:

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



ALBA 541910055036

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



**3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**



**3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25**



3020201 PILOT JET \varnothing 0.14 mm



3020542 PILOT JET \varnothing 0.20 mm






Suitable for:

5047578 PILOT JET \varnothing 0.24 mm



2102405 PILOT JET \varnothing 0.35 mm



3020543 PILOT JET \varnothing 0.38 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



ALBA 541910500054

ALBA

Suitable for:

3020202 PILOT JET \varnothing 0.27 mm



ALBA 541933977270

3020043 PILOT JET \varnothing 0.36 mm



ALBA 541933977115

5022050 PILOT JET \varnothing 0.50 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020104 BRACKET CLAMP 3 POSITIONS





Suitable for:


3020103 BRACKET 3 POSITIONS



3020110 DEFLECTOR 3 FLAMES



3020083 FITTING AND OLIVE ø 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND ø 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020294 IGNITION PLUG ROUND ø 7x44 mm
M faston M4x1 mm
overall length 67 mm



ALBA

Suitable for:


3020109 DEFLECTOR 2 FLAMES



5048713 DEFLECTOR 3 FLAMES



3020084 FITTING AND OLIVE ø 6 mm



ALBA 319700958031

3001003 IGNITION PLUG ROUND ø 7x44 mm
M faston M4x1 mm
overall length 65 mm



ALBA 541910055036

3020124 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 52 mm





Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



ALBA

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm



3020054 PILOT JET \varnothing 0.20 mm



ALBA 541933977028

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm





Suitable for:

3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



ALBA

Suitable for:

3020105 PILOT WITH 0.20 mm \varnothing JET




3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



Radiant heating elements

3311170 RADIANT HEATING ELEM. \varnothing 230mm 2100W 230V

faston electric connections
complete with energy adjuster
for glass-ceramic cooking top





Suitable for:

ALBA



Suitable for:

Relays

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



ALBA 15620

Safety groups for pans and spare parts


3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



ALBA 388411221358


Selector switches

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ALBA 345355300002

3057022 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ALBA 345362103751

3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ALBA 345355000000



Solenoid valves

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ALBA 10703

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

3120204 **OUTLET ADJUSTER ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 25%



ALBA



Suitable for:

3120009 **SOLEN. VALVE ELBI TYPE 351 1 WAY 180°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



3120019 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 15%



ALBA 30001000

3120021 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 12 L/min - tolerance +/- 15%



3120022 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 16 L/min - tolerance +/- 15%



3120037 **ADJUSTER FOR OUTLET ELBI GREEN**
flow rate 0.25 L/min - tolerance +/- 25%



3120201 **ADJUSTER FOR OUTLET ELBI GREY**
flow rate 4.7 L/min - tolerance +/- 25%



3120016 **ADJUSTER FOR OUTLET ELBI NEUTRAL**
flow rate 1.2 L/min - tolerance +/- 25%



3120017 **ADJUSTER FOR OUTLET ELBI ORANGE**
flow rate 2.5 L/min - tolerance +/- 25%



3120015 **ADJUSTER FOR OUTLET ELBI RED**
flow rate 0.5 L/min - tolerance +/- 25%



3120203 **ADJUSTER FOR OUTLET ELBI WHITE**
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ALBA



Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120368 SOLENOID VALVE ODE \varnothing 3/4" FF 220/230V
for steam - NC
max temperature 140°C
max differential pressure 25 bar
coil '220/230V 50Hz - flowrate 140 L/min




3120374 coil ODE BDA08024DS 24V 50/60Hz 8W
width 30 mm - height 39 mm
length 42 mm



ALBA 40565200000

1120820 COIL ODE BDA08223DS 220/230V 50/60Hz
14.5 VA
width 30 mm - height 39 mm
length 42 mm



3120034 CONNECTOR LARGE F-FITTING
for coils



Spark generators

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



ALBA 405309772016



Suitable for:

ALBA



Suitable for:

Sparking and detection plugs

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



ALBA 541910055036

3020068 ROUND IGNITION PLUG \varnothing 7x44 mm
square coupling
faston M M4x1 mm
overall length 63 mm



ALBA 541910055709

Taps for tank refilling

3358009 WATER INLET TAP \varnothing 1/2"FF



ALBA 551413035030

ALBA 551413035031

3241826 TAP KNOB



Telethermometers


3441011 TELE-THERMOMETER BLACK 56x25 mm 0-120°C
plastic case
capillary length 1500 mm
bulb \varnothing 6x15 mm



ALBA 1050005

Terminal blocks

3247016 TERMINAL BLOCK 3-POLES FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ALBA 500550

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V




ALBA 500551



Thermocouples and accessories

3440015 INTERRUPTION CONNECTOR M9x1



ALBA 541910000400

3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1




ALBA 541100427760

3440064 NUT FOR THERMOCOUPLE M8x1



3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS CONNECTOR M8x1



3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ALBA 541933290088

ALBA 541933290091

3440037 THERMOCOUPLE SIT M9x1 100 cm.



ALBA 541933290088

ALBA 541933290091

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ALBA 541933290088

ALBA 541933290091

3440080 THERMOCOUPLE SIT M9x1 40 cm.



ALBA 541933290082

ALBA 541933290231

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS





Suitable for:

ALBA



3440049 THERMOCOUPLE SIT M9X1 75 cm



ALBA 541933290750

Suitable for:

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS




Thermostats

3444974 SINGLE-PHASE THERMOSTAT 100-615°C
complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 16A 250V
bulb \varnothing 4x230 mm



ALBA 405611100083

3444736 SINGLE-PHASE THERMOSTAT 130°C
with manual reset
capillary length 850 mm - 16A 230V
bulb \varnothing 6x130 mm




ALBA 405611100076

3444199 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
complete with wiring
covered capillary length 850 mm - 16A 230V
bulb \varnothing 4x120 mm - with adapter nipple bland M9x1



ALBA 405611000091

3444019 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 16A 250V
bulb \varnothing 6x130 mm




ALBA 405611100073

3444663 SINGLE-PHASE THERMOSTAT 50-195°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2300 mm
bulb \varnothing 4x160 mm



ALBA 405611100088

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1010 mm - 16A 250V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1



ALBA 345353000006

3444307 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1



ALBA 405611000007

3444506 THREE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x150 mm




ALBA 405611100087



Suitable for:

3444592 THREE-PHASE THERMOSTAT 340°C
with manual reset
capillary length 1190 mm
bulb \varnothing 4x128 mm



ALBA 405611100084

ALBA



Suitable for:

3444251 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb \varnothing 3x220 mm



ALBA 405611100074

ALBA 405611100082

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com