



Spare parts for the professional sector:  
**Cooking equipment**



Suitable for:

**ALPENINOX**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# ALPENINOX



Suitable for:

## Air regulators

**4051774 ADJUSTER AIR**  
internal  $\varnothing$  23 mm - external  $\varnothing$  26 mm  
height 42 mm



ALPENINOX 051774

**3020239 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  22 mm  
height 42 mm



ALPENINOX 051389

**3025055 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 40 mm



ALPENINOX 052116

**3025056 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 43 mm



ALPENINOX 053448

**3025057 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  21 mm  
height 31 mm  
for old series



ALPENINOX 026217

**3352013 AERATION REGULATOR**  
internal  $\varnothing$  20 mm - external  $\varnothing$  22 mm  
height 42 mm



ALPENINOX 052207

**3352018 AERATION REGULATOR**  
internal  $\varnothing$  16 mm - external  $\varnothing$  18 mm  
height 42 mm



ALPENINOX 025009

ALPENINOX 052062

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
internal hole  $\varnothing$  10 mm  
height 13 mm - 8 holes



ALPENINOX 054039

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ALPENINOX 057251





## Axial motor fans

**3240519 AXIAL FAN EBM 4656N**  
 230V 50Hz 19W 2650rpm  
 119x119x38 mm  
 ball bearing



ALPENINOX 0W5643

ALPENINOX 099678


**3805036 CABLE FOR AXIAL MOTOR FAN**  
 cable length 1500 mm



**3805037 CABLE FOR AXIAL MOTOR FAN**  
 cable length 2000 mm



**3240600 FAN GRID 119x119 mm**  
 distance between mounting holes 145 mm




**3240515 AXIAL FAN EBM 8556N**  
 230V 50Hz 12W 2800rpm  
 80x80x38 mm  
 ball bearing



ALPENINOX 083528

**3240612 FAN GRID 80x80 mm**  
 distance between mounting holes 95 mm



**3240501 AXIAL FAN SUNON 120x120x38 mm**  
 ball bearings  
 230V 50/60Hz 22W 2850rpm  
 DP200A 2123XBT.GN



ALPENINOX 0C1478

ALPENINOX 0C4106

ALPENINOX 0C4423

ALPENINOX 0E2261

ALPENINOX 002656

ALPENINOX 002690

ALPENINOX 058855

ALPENINOX 087945

**3805037 CABLE FOR AXIAL MOTOR FAN**  
 cable length 2000 mm



**3240502 AXIAL FAN SUNON 80x80x25 mm**  
 ball bearings  
 230V 50/60Hz 14W 2450rpm  
 SF23080AT-2082HBL.GN



ALPENINOX 006125



Suitable for:

# ALPENINOX



Suitable for:

## Ball valves and accessories

**3356169 WATER BALL VALVE  $\varnothing$  3/8"FF**

ball valve  
PN 40 full flow heavy series  
DIN - DVGW approved  
aluminium lever



ALPENINOX 056843

**3525017 CAP FOR BALLCOCK VALVE  $\varnothing$  25x22 mm**

hole  $\varnothing$  10x7 mm



ALPENINOX 0A2563

**3525019 EXTENSION FOR BALLCOCK VALVE  $\varnothing$  10x8 mm**



ALPENINOX 0A2135

**3526691 WATER VALVE  $\varnothing$  1/2"MF**

ball valve  
heavy series with PN 25 total passage  
aluminium lever



ALPENINOX 004486

**3526693 WATER VALVE  $\varnothing$  1"MF**

ball valve  
heavy series with PN 25 total passage  
aluminium lever



ALPENINOX 056617

**5030274 CROSS FITTING OF CAST IRON  $\varnothing$  1" F**



**5005304 DRAIN TAP EXTENSION 73 mm**



**5005303 DRAIN TAP LEVER**

length 140 mm





Suitable for:

5003313 ELBOW FITTING OF CAST IRON  $\varnothing$  1"F



5023502 ELBOW FITTING OF CAST IRON 4 WAYS  $\varnothing$  1"F



5030273 FITTING OF CAST IRON  $\varnothing$  1"MM



3526184 WATER VALVE 3/8"MF

ballcock valve  
heavy series with complete pass-through PN 40  
aluminium lever



ALPENINOX 0A5258

# ALPENINOX




Suitable for:

5061849 ELBOW FITTING OF CAST IRON  $\varnothing$  1"F



5033656 FITTING OF BRASS  $\varnothing$  1"MF



## Bearings

3061018 BEARING  $\varnothing$  22 mm  
internal  $\varnothing$  6 mm - height 13 mm  
for LIFTING CART



ALPENINOX OPE735


ALPENINOX 032309

9063043 BEARING 6003 DDU NSK  
external  $\varnothing$  35mm - internal  $\varnothing$  17mm - thickness 10mm



ALPENINOX 0U0282

9063012 BEARING 6004 DDU NSK  
external  $\varnothing$  42mm - internal  $\varnothing$  20mm - thickness 12mm



ALPENINOX 0K4559

ALPENINOX 089921

D063031 BEARING 6004-2RS SKF  
 $\varnothing$  extern 42 mm -  $\varnothing$  intern 20 mm - thickness 12 mm  
single box packaging






Suitable for:

# ALPENINOX




**9063007 BEARING 6005 DDU NSK**  
 external  $\varnothing$  47mm - internal  $\varnothing$  25mm - thickness 12mm  
 for OEM KNEADER F201/1-VE201/2  
 for FIMAR KNEADER IM25-IM38  
 for FIMAR PLANETARY IP10-IP20  
 for SIRMAN BONE BAND SAW S03100



ALPENINOX 0KQ350


**1063005 BEARING 6201 DDU NSK**  
 external  $\varnothing$  32mm - internal  $\varnothing$  12mm - thickness 10mm



ALPENINOX 0D5346

ALPENINOX 072019

**D063049 BEARING 6201-2RS SKF**  
 $\varnothing$  extern 32 mm -  $\varnothing$  intern 12mm - thickness 10mm  
 single box packaging



ALPENINOX 0D7113

ALPENINOX 0D7339

**3063005 BEARING 6202 DDU NSK**  
 external  $\varnothing$  35mm - internal  $\varnothing$  15mm - thickness 11mm



ALPENINOX 0D0035

ALPENINOX 072751

**1063911 BEARING 6202 ZZ NSK**  
 external  $\varnothing$  35 mm-internal  $\varnothing$  15 mm-thickness 11 mm



ALPENINOX 056820

**D063050 BEARING 6202-2RS SKF**  
 single box packaging



ALPENINOX 0D0035

ALPENINOX 072751

**3063017 BEARING 6203 DDU NSK**  
 external  $\varnothing$  40mm - internal  $\varnothing$  17mm - thickness 12mm



ALPENINOX 0D0821

ALPENINOX 0D5458

ALPENINOX 0KJ007

**D063040 BEARING 6203-ZZ SKF**  
 external  $\varnothing$  40mm - internal  $\varnothing$  17mm - thickness 12mm  
 single box packaging



ALPENINOX 0KC263

**1063901 BEARING 6204 DDU NSK**  
 external  $\varnothing$  47mm - internal  $\varnothing$  20mm - thickness 14mm




ALPENINOX 0KQ395

ALPENINOX 045726

ALPENINOX 065048

**D063052 BEARING 6204-2RS SKF**  
 single box packaging



ALPENINOX 0H2694

ALPENINOX 065048

ALPENINOX 0KQ395


ALPENINOX 045726



Suitable for:


Suitable for:

**9063003 BEARING 6303 DDU NSK**  
external  $\varnothing$  47mm - internal  $\varnothing$  17mm - thickness 14mm



ALPENINOX 0K1590

**9063004 BEARING 6304 DDU NSK**  
external  $\varnothing$  52mm - internal  $\varnothing$  21mm - height 15mm



ALPENINOX 0KQ393

**3063158 BEARING 6304-2RSH SKF**  
external  $\varnothing$  52 mm - internal  $\varnothing$  21 mm - height 15 mm



**3063030 ROLLER PAIR FOR DOOR**  
bearing  $\varnothing$  22 mm - plate size 85x65 mm  
for TABLE - CUPBOARD



ALPENINOX 031074

ALPENINOX 031087

**40PE116 SLIDING DOOR ROLLER RH**  
 $\varnothing$  bearing 22 mm - plate size 64x35 mm



ALPENINOX 0PE116

**3063025 SLIDING DOOR ROLLER RH-LH**  
 $\varnothing$  bearing 22 mm - plate size 64x30 mm  
for TABLE - CUPBOARD



ALPENINOX 033886

**3063026 SLIDING DOOR ROLLER RH-LH**  
 $\varnothing$  bearing 22 mm - plate size 64x30 mm  
for TABLE - CUPBOARD



ALPENINOX 033885

**3522023 THRUST BEARING 51102**  
external  $\varnothing$  28 mm - internal  $\varnothing$  15 mm - thickn.9 mm



ALPENINOX 056821

**40PE326 WHEEL FOR FLAP RH**  
 $\varnothing$  bearing 22 mm - plate dimensions 64x35 mm



ALPENINOX 0PE326

ALPENINOX 0PE815



Suitable for:


# ALPENINOX



Suitable for:

## Belts

**4002148 BELT MULTIGRIP PJ 356 H14 5 GROOVES**



ALPENINOX 002148

## Burners, flame spreaders and accessories

**3025003 BURNER ø 102 mm**



ALPENINOX 052120

ALPENINOX 058183

**3025302 BURNER ø 120 mm**



ALPENINOX 004279

**3025406 BURNER ø 120 mm**



ALPENINOX

**3025005 BURNER ø 122 mm**



ALPENINOX 052118

ALPENINOX 058184

**3025024 BURNER ø 180 mm**



ALPENINOX 052376

**4059374 BURNER ø 180 mm**



ALPENINOX 059374

**3025027 BURNER ø 200 mm  
for floor SOLID TOP RANGE**



ALPENINOX 0HB190

ALPENINOX 026641

**3025001 BURNER ø 83 mm**



ALPENINOX 052119

ALPENINOX 058182

**3025133 BURNER BASE ø 100 mm 10Kw**



ALPENINOX 0C0126

**3025148 BURNER BASE ø 60 mm 6Kw**



ALPENINOX 0C0127

**3025364 BURNER BOWL ø 78 mm**

ALPENINOX 004977

**3025295 BURNER CAP ø 120 mm**

ALPENINOX 004280

**3025302 BURNER ø 120 mm**

ALPENINOX 004279

**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe ø 10 mm

ALPENINOX 059375


**3025303 BURNER CAP ø 120 mm**

ALPENINOX 054193

Suitable for:

**3025055 AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 40 mm

ALPENINOX 052116

**3025278 BURNER DISC**

ALPENINOX 054536


**3025055 AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 40 mm

ALPENINOX 052116



Suitable for:

**3025278 BURNER DISC**



ALPENINOX 054536

# ALPENINOX




Suitable for:

**3025278 BURNER DISC**



ALPENINOX 054536

**3025560 BURNER GASKET**  
dimensions  $\varnothing$  71x45x1 mm



ALPENINOX 0K1340

**3025233 BURNER HEAD  $\varnothing$  100 mm**



ALPENINOX 054092

**3025238 BURNER HEAD  $\varnothing$  103 mm**  
series with conical connection



ALPENINOX 002462

**3025241 BURNER HEAD  $\varnothing$  123 mm**  
series with conical connection



ALPENINOX 002463


ALPENINOX 059212

**3025231 BURNER HEAD  $\varnothing$  70 mm**




ALPENINOX 054091

**3025235 BURNER HEAD  $\varnothing$  84 mm**  
series with conical connection



ALPENINOX 002461

**3025399 BURNER R LOFRA NARDI**  
 $\varnothing$  94 mm, 1° serie



ALPENINOX

**3025011 BURNER RING  $\varnothing$  100 mm**



ALPENINOX 056748

**3025008 BURNER RING  $\varnothing$  70 mm**



ALPENINOX 054095

ALPENINOX 056747





Suitable for:

Suitable for:

**3025025 DISC ø 82 mm**



ALPENINOX 052374

**3025012 FLAME SPREADER ø 100 mm**



ALPENINOX 002443  
ALPENINOX 058560

ALPENINOX 054098


ALPENINOX 055562

**3025056 AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 43 mm




ALPENINOX 053448

**3186027 BURNER GASKET/GAS BOIL.TOP-SNACK SER.**



ALPENINOX 054094

**3025011 BURNER RING ø 100 mm**



ALPENINOX 056748

**3025233 BURNER HEAD ø 100 mm**



ALPENINOX 054092

**3025245 SPARKING PLUG SUPPORT PLATE**



ALPENINOX 056746

ALPENINOX 058331

**3025134 FLAME SPREADER ø 100 mm 10KW**



ALPENINOX 0C0128

**3186317 O-RING 02131 RED SILICONE**  
ring thickness 1.78 mm - internal ø 33.05 mm  
for pod punch



ALPENINOX 0C0188

**3025133 BURNER BASE ø 100 mm 10Kw**



ALPENINOX 0C0126

**3025132 VENTURI F/FLAME SPREADER 100 mm 10kW**



ALPENINOX 0C0133



Suitable for:

3025135 VENTURI SUPPORT 6-10Kw



# ALPENINOX



Suitable for:

ALPENINOX 0C0124

3025004 FLAME SPREADER  $\varnothing$  102 mm



ALPENINOX 025864

ALPENINOX 052123

ALPENINOX 058186

3025003 BURNER  $\varnothing$  102 mm



ALPENINOX 052120

ALPENINOX 058183

3025803 NOZZLE HOLDER BURNER  
pipe fitting inlet M16x1.5 mm  
with fastening coupling M20x1.5 mm  
with hole for nozzle M10x1 mm



ALPENINOX 002187

5051870 FLAME SPREADER  $\varnothing$  114 mm



ALPENINOX 0H6321

3025055 AERATION REGULATOR  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 40 mm



ALPENINOX 052116

3025238 BURNER HEAD  $\varnothing$  103 mm  
series with conical connection



ALPENINOX 002462

3025240 VENTURI F/FLAME SPREADER  $\varnothing$  103 mm  
series with conical connection



ALPENINOX 002459

3025825 AIR REGULATOR  
internal  $\varnothing$  23 mm - external  $\varnothing$  25 mm  
height 100 mm





Suitable for:

**3025822 BURNER  $\varnothing$  114 mm**



**3025823 VENTURI LONG PIPE FLAME SPREADER 114 mm**



# ALPENINOX




Suitable for:

**3025820 BURNER GASKET 127x107 mm**



**3025363 FLAME SPREADER  $\varnothing$  120 mm**



ALPENINOX 004975

**3025364 BURNER BOWL  $\varnothing$  78 mm**



ALPENINOX 004977

**3025362 FLAME SPREADER ASSY.  $\varnothing$  120 mm**



ALPENINOX 004974

**3025575 FLAME SPREADER  $\varnothing$  120 mm**



ALPENINOX

**3025406 BURNER  $\varnothing$  120 mm**



ALPENINOX

**3025575 FLAME SPREADER  $\varnothing$  120 mm**



ALPENINOX



Suitable for:

# ALPENINOX



**3025006 FLAME SPREADER  $\varnothing$  122 mm**



ALPENINOX 002441  
ALPENINOX 059253

ALPENINOX 052121

ALPENINOX 058187

Suitable for:

**3025055 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 40 mm



ALPENINOX 052116

**3025005 BURNER  $\varnothing$  122 mm**



ALPENINOX 052118

ALPENINOX 058184


**3025241 BURNER HEAD  $\varnothing$  123 mm**  
series with conical connection



ALPENINOX 002463

ALPENINOX 059212

**3025803 NOZZLE HOLDER BURNER**  
pipe fitting inlet M16x1.5 mm  
with fastening coupling M20x1.5 mm  
with hole for nozzle M10x1 mm



ALPENINOX 002187

**3025244 SPACER FOR FLAME SPREADER 123 mm**



ALPENINOX 002197

**3025243 VENTURI F/FLAME SPREADER 123 mm**  
series with conical connection



ALPENINOX 002460

**3025026 FLAME SPREADER  $\varnothing$  180 mm**



ALPENINOX 052377

**4051774 ADJUSTER AIR**  
internal  $\varnothing$  23 mm - external  $\varnothing$  26 mm  
height 42 mm



ALPENINOX 051774





Suitable for:

**3025024 BURNER ø 180 mm**



ALPENINOX 052376

**3025025 DISC ø 82 mm**



ALPENINOX 052374

**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe ø 10 mm



ALPENINOX 059375

**3025028 FLAME SPREADER ø 200 mm**  
for floor SOLID TOP RANGE old series



ALPENINOX 026643

**3025163 FLAME SPREADER ø 60 mm**



ALPENINOX 0C0129

# ALPENINOX



Suitable for:

**4059374 BURNER ø 180 mm**



ALPENINOX 059374

**3025234 FLAME SPREADER TILE 180 mm**



ALPENINOX 052500

**3025027 BURNER ø 200 mm**  
for floor SOLID TOP RANGE



ALPENINOX 0HB190

ALPENINOX 026641

**3025148 BURNER BASE ø 60 mm 6Kw**



ALPENINOX 0C0127



Suitable for:

**3186317 O-RING 02131 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  33.05 mm  
for pod punch



ALPENINOX 0C0188

**3025135 VENTURI SUPPORT 6-10Kw**



ALPENINOX 0C0124

**3025232 FLAME SPREADER  $\varnothing$  70 mm**



ALPENINOX 002442  
ALPENINOX 058559

ALPENINOX 054097

ALPENINOX 055563

**3186026 BURNER GASKET FOR COOKING TOP**



ALPENINOX 054093

**3025008 BURNER RING  $\varnothing$  70 mm**



ALPENINOX 054095

ALPENINOX 056747

**3025176 FLAME SPREADER  $\varnothing$  80 mm**




ALPENINOX 055108

# ALPENINOX



Suitable for:

**3025136 VENTURI F/FLAME SPREADER 60 mm 6kW**



ALPENINOX 0C0125

**3025056 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 43 mm



ALPENINOX 053448

**3025231 BURNER HEAD  $\varnothing$  70 mm**



ALPENINOX 054091

**3025245 SPARKING PLUG SUPPORT PLATE**



ALPENINOX 056746

ALPENINOX 058331




Suitable for:

# ALPENINOX



**3025002 FLAME SPREADER  $\varnothing$  83 mm**



ALPENINOX 002439  
ALPENINOX 059203

ALPENINOX 052122  
ALPENINOX 059241

ALPENINOX 058185

Suitable for:

**3025055 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 40 mm



ALPENINOX 052116


**3025001 BURNER  $\varnothing$  83 mm**



ALPENINOX 052119


ALPENINOX 058182

**3025235 BURNER HEAD  $\varnothing$  84 mm**  
series with conical connection



ALPENINOX 002461

**3025803 NOZZLE HOLDER BURNER**  
pipe fitting inlet M16x1.5 mm  
with fastening coupling M20x1.5 mm  
with hole for nozzle M10x1 mm




ALPENINOX 002187

**3025237 VENTURI F/FLAME SPREADER 84 mm**  
series with conical connection




ALPENINOX 002458

**3025361 FLAME SPREADER  $\varnothing$  90 mm**



ALPENINOX 004973

**3025399 BURNER R LOFRA NARDI**  
 $\varnothing$  94 mm, 1° serie



ALPENINOX

**3025364 BURNER BOWL  $\varnothing$  78 mm**



ALPENINOX 004977

**3025574 FLAME SPREADER  $\varnothing$  90 mm**



ALPENINOX



Suitable for:

3025360 VENTURI ASSY.  $\varnothing$  90 mm



ALPENINOX 004972

3025574 FLAME SPREADER  $\varnothing$  90 mm



ALPENINOX

3025234 FLAME SPREADER TILE 180 mm



ALPENINOX 052500

3025244 SPACER FOR FLAME SPREADER 123 mm



ALPENINOX 002197

3025360 VENTURI ASSY.  $\varnothing$  90 mm



ALPENINOX 004972

3025132 VENTURI F/FLAME SPREADER 100 mm 10kW



ALPENINOX 0C0133

# ALPENINOX



Suitable for:

3025362 FLAME SPREADER ASSY.  $\varnothing$  120 mm



ALPENINOX 004974

3025803 NOZZLE HOLDER BURNER  
pipe fitting inlet M16x1.5 mm  
with fastening coupling M20x1.5 mm  
with hole for nozzle M10x1 mm



ALPENINOX 002187

3025245 SPARKING PLUG SUPPORT PLATE



ALPENINOX 056746

ALPENINOX 058831

3025240 VENTURI F/FLAME SPREADER  $\varnothing$  103 mm  
series with conical connection



ALPENINOX 002459

3025243 VENTURI F/FLAME SPREADER 123 mm  
series with conical connection



ALPENINOX 002460






# ALPENINOX



Suitable for:

**3025136 VENTURI F/FLAME SPREADER 60 mm 6kW**



ALPENINOX 0C0125

Suitable for:

**3025237 VENTURI F/FLAME SPREADER 84 mm series with conical connection**



ALPENINOX 002458

**3025135 VENTURI SUPPORT 6-10Kw**



ALPENINOX 0C0124

## Cables for piezo igniters

**3001002 IGNITION LEAD 1000 mm**  
with faston 6.35x0.8 mm for ignition  
with faston  $\varnothing$  4 mm for ignition plug



ALPENINOX 054273

**3001016 IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



ALPENINOX 002544  
ALPENINOX 059146

ALPENINOX 006514  
ALPENINOX 059842

ALPENINOX 058494

**3001019 IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  2.4 mm for electrode



ALPENINOX 005559

**40G2976 IGNITION LEAD 1000 mm**  
with faston 2.8x0.8 mm for ignition  
with faston  $\varnothing$  2.4 mm for plug



ALPENINOX 0G2976

**40C7190 IGNITION LEAD 1550 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for ignition plug



ALPENINOX 0C7190

ALPENINOX 0G4357

**3001027 IGNITION LEAD 500 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  2.4 mm for plug



ALPENINOX 0C0298



Suitable for:

**3001028 IGNITION LEAD 500 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for sparking plug



ALPENINOX 059578

Suitable for:

**3001018 IGNITION LEAD 600 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



ALPENINOX 004943

## Castors, rollers and accessories

**3346091 CASTOR FIXED PLATE**  
with STAINLESS STEEL supports  
polypropylene nucleus  
ring of thermoplastic rubber  
dimension  $\varnothing$  160x38 - capacity 100 Kg  
fixing plate 140x110 mm



ALPENINOX 032148

**3346090 CASTOR SWIVEL PLATE WITH BRAKE**  
with STAINLESS STEEL supports  
polypropylene nucleus - thermoplastic rubber ring  
dimension  $\varnothing$  160x38 mm - capacity 100 Kg  
fixing plate 140x110 mm  
distance between holes 105-80 mm



ALPENINOX 032146

**3346125 CASTOR SWIVEL PLATE WITH BRAKE**  
with ZINC PLATED supports - polypropylene nucleus  
synthetic rubber ring  
dimension  $\varnothing$  125x30 mm - load capacity 100 kg  
fixing plate 95x70 mm  
distance between holes 70-50 mm



ALPENINOX 0S0123

**3346172 CASTOR SWIVEL WITH BRAKE**  
with ZINC PLATED supports - polypropylene nucleus  
synthetic rubber ring  
dimension  $\varnothing$  125x30 mm - load capacity 100 kg  
pin hole  $\varnothing$  13 mm



ALPENINOX 0D0151

**3346122 CASTOR SWIVEL WITH PIN**  
with ZINC PLATED supports - polypropylene nucleus  
synthetic rubber ring  
dimension  $\varnothing$  125x30 mm - load capacity 100 kg  
threaded pin M12 - height 30 mm



ALPENINOX 031751

Suitable for:

- 3346152 CASTOR SWIVEL WITH PIN**  
with ZINC PLATED supports - polypropylene nucleus  
synthetic rubber ring  
dimension  $\varnothing$  125x30 mm - load capacity 100 kg  
pipe pin 40x40 mm



ALPENINOX 0S0129


- 3346162 EXPANDER FOR SQUARE PIPE 20x20 mm**



- 3346196 EXPANDER FOR SQUARE PIPE 36-40 mm**



- 3346157 SQUARE PIPE FLARER 36x36 mm**



ALPENINOX 033655

- 3346164 CASTOR SWIVEL WITH PIN**  
with ZINC PLATED supports - polypropylene nucleus  
synthetic rubber ring  
dimension  $\varnothing$  125x30 mm - load capacity 100 kg  
square pipe pin 20x20 mm



ALPENINOX 0S0128

- 3346162 EXPANDER FOR SQUARE PIPE 20x20 mm**



Suitable for:

- 3528001 CYLINDER HEAD SCREW M10x80**  
burnished iron alloy - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762



- 3346163 EXPANDER FOR SQUARE PIPE 29x29 mm**




- 3346156 SQUARE PIPE FLARER 25x25 mm**



- 3528001 CYLINDER HEAD SCREW M10x80**  
burnished iron alloy - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762



- 3346163 EXPANDER FOR SQUARE PIPE 29x29 mm**






Suitable for:

**3346196 EXPANDER FOR SQUARE PIPE 36-40 mm**



**3346157 SQUARE PIPE FLARER 36x36 mm**



ALPENINOX 033655

**3346166 CASTOR SWIVEL WITH PIN**  
with ZINC PLATED supports - polypropylene nucleus  
synthetic rubber ring  
dimension  $\varnothing$  125x30 mm - load capacity 100 kg  
pin for pipe  $\varnothing$  22 mm



ALPENINOX 0S0127

**3346159 EXPANDER FOR ROUND PIPE  $\varnothing$  18 mm**



**3346161 EXPANDER FOR ROUND PIPE  $\varnothing$  30 mm**



**3346158 ROUND PIPE FLARER  $\varnothing$  25 mm**




# ALPENINOX



Suitable for:

**3346156 SQUARE PIPE FLARER 25x25 mm**



**3528001 CYLINDER HEAD SCREW M10x80**  
burnished iron alloy - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762



**3346160 EXPANDER FOR ROUND PIPE  $\varnothing$  20 mm**



**3346211 ROUND PIPE FLARER  $\varnothing$  22 mm**



- 3346120 CASTOR SWIVEL WITH PIN AND BRAKE**  
 with ZINC PLATED supports - polypropylene nucleus  
 synthetic rubber ring  
 dimension  $\varnothing$  125x30 mm - load capacity 100 kg  
 threaded pin M12 - height 30 mm



ALPENINOX 031752

- 3346123 CASTOR SWIVEL WITH PIN AND BRAKE**  
 with ZINC PLATED supports - polypropylene nucleus  
 synthetic rubber ring  
 dimension  $\varnothing$  125x30 mm - load capacity 100 kg  
 pin for pipe  $\varnothing$  21.7÷24.5 mm



ALPENINOX 0S0124

- 3346159 EXPANDER FOR ROUND PIPE  $\varnothing$  18 mm**



- 3346161 EXPANDER FOR ROUND PIPE  $\varnothing$  30 mm**



- 3346158 ROUND PIPE FLARER  $\varnothing$  25 mm**



- 3528001 CYLINDER HEAD SCREW M10x80**  
 burnished iron alloy - with hexagon socket  
 UNI 5931 - DIN 912 - ISO 4762



- 3346160 EXPANDER FOR ROUND PIPE  $\varnothing$  20 mm**



- 3346211 ROUND PIPE FLARER  $\varnothing$  22 mm**







Suitable for:

# ALPENINOX



**3346155 CASTOR SWIVEL WITH PIN AND BRAKE**  
 with ZINC PLATED supports - polypropylene nucleus  
 synthetic rubber ring  
 dimension  $\varnothing$  125x30 mm - load capacity 100 kg  
 pin for pipe 40x40 mm



ALPENINOX 0S0126

**3346162 EXPANDER FOR SQUARE PIPE 20x20 mm**



**3346196 EXPANDER FOR SQUARE PIPE 36-40 mm**



**3346157 SQUARE PIPE FLARER 36x36 mm**



ALPENINOX 033655

**3346165 CASTOR SWIVEL WITH PIN AND BRAKE**  
 with ZINC PLATED supports - polypropylene nucleus  
 synthetic rubber ring  
 dimension  $\varnothing$  125x30 mm - load capacity 100 kg  
 pin for square pipe 20x20 mm



ALPENINOX 0S0125

ALPENINOX 032031

**3346162 EXPANDER FOR SQUARE PIPE 20x20 mm**




**3528001 CYLINDER HEAD SCREW M10x80**  
 burnished iron alloy - with hexagon socket  
 UNI 5931 - DIN 912 - ISO 4762



**3346163 EXPANDER FOR SQUARE PIPE 29x29 mm**



**3346156 SQUARE PIPE FLARER 25x25 mm**



**3528001 CYLINDER HEAD SCREW M10x80**  
 burnished iron alloy - with hexagon socket  
 UNI 5931 - DIN 912 - ISO 4762



**3346163 EXPANDER FOR SQUARE PIPE 29x29 mm**





Suitable for:

**3346196 EXPANDER FOR SQUARE PIPE 36-40 mm**



**3346157 SQUARE PIPE FLARER 36x36 mm**




ALPENINOX 033655

# ALPENINOX



Suitable for:

**3346156 SQUARE PIPE FLARER 25x25 mm**




**3346119 CASTOR SWIVEL WITH PLATE**  
with ZINC PLATED supports - polypropylene nucleus  
synthetic rubber ring  
dimension  $\varnothing$  125x30 mm - load capacity 100 kg  
fixing plate 95x70 mm  
distance between holes 70-50 mm



ALPENINOX 0S0122

**3346157 SQUARE PIPE FLARER 36x36 mm**



ALPENINOX 033655

## Circlips

**3063027 SEEGER RING E-25**  
in steel for springs C60  
internal  $\varnothing$  23.2 mm - thickness 1.2 mm  
UNI 7435 - DIN 471



ALPENINOX 0KQ499

## Clamps

**3449405 DOUBLE-WIRE CLAMP 9.8-10.4 - 100 PCS**  
for hoses  $\varnothing$  9.8÷10.4 mm



ALPENINOX 0E5993

ALPENINOX 0L0815

**3449451 HOSE CLAMP 10-16**  
for pipes  $\varnothing$  10÷16 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



ALPENINOX 0L0266



Suitable for:

# ALPENINOX



Suitable for:

**3449462 HOSE CLAMP 12-20**  
 for pipes  $\varnothing$  12÷20 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ALPENINOX 0U1043

ALPENINOX 048126

ALPENINOX 049888

**3449466 HOSE CLAMP 16-27**  
 for pipes  $\varnothing$  16÷27 mm  
 made of stainless steel AISI 304  
 height 12 mm and screw E7  
 suitable for food industry



ALPENINOX 0E5120

ALPENINOX 0E900

**3449464 HOSE CLAMP 20-32**  
 for pipes  $\varnothing$  20÷32 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ALPENINOX 0E1166

**3449453 HOSE CLAMP 25-40**  
 for pipes  $\varnothing$  25÷40 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ALPENINOX 047578

**3449454 HOSE CLAMP 32-50**  
 for pipes  $\varnothing$  32÷50 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ALPENINOX 0KB302

ALPENINOX 046878

**3449455 HOSE CLAMP 40-60**  
 for pipes  $\varnothing$  40÷60 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ALPENINOX 0L0193

ALPENINOX 072583

**3449456 HOSE CLAMP 50-70**  
 for pipes  $\varnothing$  50÷70 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ALPENINOX 0E1358

ALPENINOX 0K8983

ALPENINOX 046855

**3449457 HOSE CLAMP 60-80**  
 for pipes  $\varnothing$  60÷80 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ALPENINOX 0E0992

ALPENINOX 046853

Suitable for:

**3449476 HOSE CLAMP 70-90**  
for pipes  $\varnothing$  70÷90 mm  
made of stainless steel AISI 304  
height 12 mm and screw E7  
suitable for food industry



ALPENINOX 0E1354

ALPENINOX 0K1583

ALPENINOX 0W1RLG

Suitable for:

**3449461 HOSE CLAMP 8-12**  
for pipes  $\varnothing$  8÷12 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



ALPENINOX 046946

ALPENINOX 048224

## Column faucets

**3359682 COLUMN FAUCET 84319**  
oil reserve valve assembly  
nozzle  $\varnothing$  20x240 mm  
mounting hole  $\varnothing$  27 mm  
connection  $\varnothing$  1/2" M  
overall height 555 mm  
rod length 435 mm



ALPENINOX 206158

ALPENINOX 216036

**3359793 OIL BATH TAP WORM**  
for knobs type Z medium - type P  $\varnothing$  32 mm  
ACTIVE cross type - ACTIVE lever type



**3359820 SPOUT TYPE S  $\varnothing$  20x250 mm**



**3359780 Z TYPE MIDDLE SIZE KNOB**



## Contact thermostats


**3444607 CONTACT THERMOSTAT 110°C**  
with manual reset



ALPENINOX 048287

ALPENINOX 048887

**1444511 CONTACT THERMOSTAT 130°C**  
manual reset - 16A 250V



ALPENINOX 0PE031

**40W4595 CONTACT THERMOSTAT 195°C**



ALPENINOX 0W4595

**3443048 CONTACT THERMOSTAT 210°C**  
with manual reset



ALPENINOX 003329




Suitable for:

# ALPENINOX



**40KL023 CONTACT THERMOSTAT 210°C**  
with automatic reset



ALPENINOX OKL023

Suitable for:

**3443028 SAFETY THERMOSTAT 120°C**  
with manual reset  
per BOILER



ALPENINOX OC6155

## Contactors

**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
10A - 1 NO contact  
screw connection



ALPENINOX OC4704

ALPENINOX 046995

**3454070 CONTACTOR ABB AF09-30-10-11**  
9A 400V 4Kw - coil 24/60V 50/60Hz  
3 NO contacts  
1 NO auxiliary contact




ALPENINOX 0D2044

**3454048 CONTACTOR ABB AF09-30-10-13**  
9A 400V 4Kw - coil 100/250V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



ALPENINOX 033108

**3446223 CONTACTOR AEG LS02K400**  
6A 400V 2.2Kw - coil 230V 50/60Hz  
4 normally open contacts



ALPENINOX 004159

**3351214 CONTACTOR AEG LS4K 9A 400V 4Kw**  
coil 400V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



ALPENINOX OKQ380

**3446516 AUXILIARY CONTACT AEG HS7K01**  
10A  
1 normally closed contact



**3454032 AUXILIARY CONTACT AEG HS7K10**  
1 NO contact







Suitable for:

**40C7622 CONTACTOR BENEDIKT/JAGER K3-10NA00-40**  
 10A 400V 4Kw - coil 230V 50/60Hz  
 4 normally open contacts



ALPENINOX 0C7622

Suitable for:

**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
 10A - 1 NO contact  
 screw connection



ALPENINOX 0C4704

ALPENINOX 046995

**3454001 CONTACTOR BENEDIKT/JAGER K3-10ND01**  
 10A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact



ALPENINOX 0E3757

ALPENINOX 0L0285

ALPENINOX 047048

**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
 10A - 1 NO contact  
 screw connection



ALPENINOX 0C4704

ALPENINOX 046995

ALPENINOX 048825

ALPENINOX 072319

**3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10**  
 10A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact




ALPENINOX 0HN519

ALPENINOX 082986

ALPENINOX 088477

**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
 10A - 1 NO contact  
 screw connection



ALPENINOX 0C4704

ALPENINOX 046995

**3446510 CONTACTOR BENEDIKT/JAGER K3-14ND10**  
 14A 400V 5.5Kw - coil 24V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



ALPENINOX 0E0020

ALPENINOX 0E1291

ALPENINOX 0K3968

ALPENINOX 0L0360

ALPENINOX 046994

**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
 10A - 1 NO contact  
 screw connection



ALPENINOX 0C4704

ALPENINOX 046995

**3454053 CONTACTOR BENEDIKT/JAGER K3-18ND10**  
 18A 400V 7.5Kw - coil 220/240V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



ALPENINOX 003598

ALPENINOX 006879

**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
 10A - 1 NO contact  
 screw connection



ALPENINOX 0C4704

ALPENINOX 046995



Suitable for:

**4007080 CONTACTOR BENEDIKT/JAGER K3-32A00**  
 32A 15Kw 400V - coil 220/240V-230/264V 50/60Hz  
 3 contacts NO



ALPENINOX 007080

Suitable for:

**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
 10A - 1 NO contact  
 screw connection



ALPENINOX 0C4704

ALPENINOX 046995

**4007104 CONTACTOR BENEDIKT/JAGER K3-40A00**  
 40A 400V 18.5Kw - coil 220/240V-230/264V 50/60Hz  
 3 contacts NO



ALPENINOX 007104

**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
 10A - 1 NO contact  
 screw connection



ALPENINOX 0C4704

ALPENINOX 046995

**3446561 CONTACTOR LOVATO BF0910A**  
 coil 9A 230V 50/60Hz 4.2Kw  
 3 normally open contacts  
 1 normally open auxiliary contact



ALPENINOX 003027

ALPENINOX 004206

**3446227 AUXILIARY CONTACT LOVATO G218**  
 10A  
 1 contact NO  
 1 contact NC



**3454022 CONTACTOR LOVATO BF1201A**  
 coil 12A 230V 50/60Hz 5.7Kw  
 3 normally closed contacts  
 1 normally closed auxiliary contact



ALPENINOX 0KD792

**3446227 AUXILIARY CONTACT LOVATO G218**  
 10A  
 1 contact NO  
 1 contact NC



**3446506 CONTACTOR LOVATO BF2510A**  
 25A 400V 12.5Kw  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



ALPENINOX 0K4938

ALPENINOX 054928

**3446227 AUXILIARY CONTACT LOVATO G218**  
 10A  
 1 contact NO  
 1 contact NC



Suitable for:


**3446552 CONTACTOR LOVATO BG0610A**  
 coil 6A 230V 50/60Hz 2.2Kw  
 3 normally open contacts  
 1 normally open auxiliary contact



ALPENINOX 086215

Suitable for:

**3446214 CONTACTOR LOVATO BG09T4A**  
 4KW 400V 9A - 4 normally open contacts  
 coil 230V 50/60Hz



ALPENINOX

**3446557 CONTACTOR LOVATO BG0901A**  
 coil 9A 230V 50/60Hz 4Kw  
 3 normally open contacts  
 1 normally closed auxiliary contact



ALPENINOX 086169

**3446556 CONTACTOR LOVATO BG0910A**  
 coil 9A 230V 50/60Hz 4Kw  
 3 normally open contacts  
 1 normally open auxiliary contact



ALPENINOX 048519

ALPENINOX 054544

ALPENINOX 075796

**3446227 AUXILIARY CONTACT LOVATO G218**  
 10A  
 1 contact NO  
 1 contact NC



**3351019 THERMAL RELAY ABB TF42**  
 7.6÷10A  
 1 normally open contact  
 1 normally closed contact



ALPENINOX 0U0199

## Controllers and changeover switches

**3322257 CONTROLLER 11902F3 2 CAMS**  
 230V 50/60Hz - cycle 144 minutes  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0CA557

ALPENINOX 055366



Suitable for:

# ALPENINOX



Suitable for:

## Cooking baskets and accessories

**3055145 FALSE BOTTOM 500x290x110 mm**  
for round baskets  
made of STAINLESS steel



ALPENINOX 056922

**3055318 HANDGRIP PROTECTION**



ALPENINOX 002272

**3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1**



ALPENINOX 057728

**3055124 PASTA COOKER BASKET ø 146x180 mm**  
made of stainless steel



ALPENINOX 056918

**3055123 PASTA COOKER BASKET ø 170x180 mm**  
made of stainless steel



ALPENINOX 056917

**3055337 PASTA COOKER BASKET 140x140x205 mm LEFT**  
made of STAINLESS STEEL



ALPENINOX 005806

**3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1**



ALPENINOX 057728

**3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1**





# ALPENINOX



Suitable for:


**3055338 PASTA COOKER BASKET 140x140x205 mm RIGHT**  
made of STAINLESS STEEL



ALPENINOX 005807

Suitable for:

**3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1**



ALPENINOX 057728

**3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1**



**3055339 PASTA COOKER BASKET 145x290x205 mm**  
made of stainless steel



ALPENINOX 0C6290(1PZ)

ALPENINOX 005808

**3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1**



ALPENINOX 057728

**3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1**



**3055144 PASTA COOKER BASKET 150x275x180 mm**  
made of stainless steel



ALPENINOX 056919

**3055332 PASTA COOKER BASKET 175x115x130 mm**  
made of stainless steel



ALPENINOX 006886

**3055331 PASTA COOKER BASKET 230x180x270 mm**  
made of stainless steel



ALPENINOX 004875

**3055336 PASTA COOKER BASKET 285x160x215 mm**  
stainless steel



ALPENINOX 0G2326





# ALPENINOX



Suitable for:

**3055122 PASTA COOKER BASKET 285x165x210 mm**  
made of stainless steel



ALPENINOX 0C1340

ALPENINOX 056915

Suitable for:

**3055121 PASTA COOKER BASKET 290x240x210 mm**  
made of stainless steel



ALPENINOX 0C1339

ALPENINOX 056916

**3055349 PASTA COOKER BASKET 360x115x270 mm**  
made of stainless steel



ALPENINOX 004873

**3055265 PASTA COOKER BASKET 360x230x240 mm**  
made of STAINLESS steel



ALPENINOX 004874

**3055120 PASTA COOKER BASKET 480x285x215 mm**  
made of stainless steel



ALPENINOX 0C1341

ALPENINOX 056920

**3055319 SPINDLE FOR KNOB**



ALPENINOX 053705

## Detergents

**3092248 DETERGENT RAPID GREASE 1L - 4PZ**  
degreasing detergent for grills and hot plates  
it can be used on hot surfaces  
please see the attached documentation for use



ALPENINOX 0S1195

**3092004 SPRAYER**



**3092214 DETERGENT STAINLESS STEEL SPRAY 500 ml**  
to restore stainless steel surfaces  
protects and polishes surfaces  
please see the attached documentation for use



ALPENINOX 0S0314

ALPENINOX 0S0995



## Drain assembly

- 3316010 BRASS DRAIN ASSEMBLY  $\varnothing$  1"1/2**  
external  $\varnothing$  67 mm - internal  $\varnothing$  40 mm  
connection  $\varnothing$  47 mm



ALPENINOX 0S1310

- 3316126 DRAIN ASSEMBLY**  
external  $\varnothing$  45 mm - internal  $\varnothing$  30 mm  
connection  $\varnothing$  36 mm



ALPENINOX 032244

- 4032461 DRAIN PIPE ST. STEEL  $\varnothing$  25x120 mm**  
outlet  $\varnothing$  3/4" M



ALPENINOX 032461

- 4032460 FLAT GASKET EPDM  $\varnothing$  44x36x3 mm**



ALPENINOX 032460

- 3448225 OVERFLOW PIPE  $\varnothing$  30x110 mm**  
made of stainless steel



ALPENINOX 032246

- 3316125 DRAIN ASSEMBLY M36**



ALPENINOX 032245

- 3316124 DRAIN PIPE ST. STEEL  $\varnothing$  25x500 mm**  
outlet  $\varnothing$  3/4" M



ALPENINOX 032238

- 3186343 O-RING 02106 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  26.70 mm



ALPENINOX 033462

- 40PE016 OVERFLOW PIPE  $\varnothing$  30x112 mm**  
of stainless steel



ALPENINOX 0PE016



Suitable for:

# ALPENINOX



**3316011 DRAIN ASSEMBLY  $\varnothing$  2" COMPLETE**  
height 31.5 mm - overflow pipe  $\varnothing$  49.1 mm  
external  $\varnothing$  74 mm  
complete with gasket and fastening nut



ALPENINOX 0S1317

ALPENINOX 069317

ALPENINOX 069816

Suitable for:

**3316125 DRAIN ASSEMBLY M36**



ALPENINOX 032245

**3316132 DRAIN ASSEMBLY NUT  $\varnothing$  36 mm**



ALPENINOX 050287

**4032461 DRAIN PIPE ST. STEEL  $\varnothing$  25x120 mm**  
outlet  $\varnothing$  3/4"M



ALPENINOX 032461

**3316124 DRAIN PIPE ST. STEEL  $\varnothing$  25x500 mm**  
outlet  $\varnothing$  3/4"M



ALPENINOX 032238

**3316013 ST. STEEL/PLASTIC DRAIN ASSEMBLY  $\varnothing$  2"**  
external  $\varnothing$  70 mm - internal  $\varnothing$  50 mm  
connection  $\varnothing$  59 mm



ALPENINOX 0S1319

**3316012 ST. STEEL/PLASTIC DRAIN ASSEMBLY  $\varnothing$  1"1/2**  
external  $\varnothing$  70 mm - internal  $\varnothing$  50 mm  
connection  $\varnothing$  47 mm



ALPENINOX 0S1318

## Drain hoses


**3356090 DRAIN TAP FITTING  $\varnothing$  1"MM**  
side output  $\varnothing$  30 mm - coupling height 106 mm



ALPENINOX 0C5090

ALPENINOX 004728

**3356017 FITTING DRAIN TAP  $\varnothing$  1"MM**  
side exit  $\varnothing$  30 mm - bracket 89x70x50 mm  
distance between holes 70 mm-coupling height 80 mm



ALPENINOX 056884

Suitable for:

Suitable for:

**4059522 FITTING DRAIN TAP  $\varnothing$  1"MM**  
 side outlet  $\varnothing$  30 mm - bracket 88x35 mm  
 distance between holes 70 mm - coupling height 130



ALPENINOX 059522


## Drain plugs

**3448229 OVERFLOW PIPE  $\varnothing$  20x140 mm**  
 made of chrome plated brass  
 fitting  $\varnothing$  30 mm



ALPENINOX 050301

**3448236 OVERFLOW PIPE  $\varnothing$  20x85 mm**  
 out of STAINLESS STEEL



ALPENINOX 0A5181

**3448225 OVERFLOW PIPE  $\varnothing$  30x110 mm**  
 made of stainless steel



ALPENINOX 032246

**40PE016 OVERFLOW PIPE  $\varnothing$  30x112 mm**  
 of stainless steel



ALPENINOX 0PE016

## Drain taps and accessories

**3526671 BALL VALVE  $\varnothing$  1/2"FF**



ALPENINOX 002033

ALPENINOX 050302

**3526178 BALLCOCK VALVE 1" MF**




ALPENINOX 0A5439

**3359136 BRACKET FOR ROD**



ALPENINOX 003378

**3356048 DRAIN BALL TAP 3/4"MF**



ALPENINOX 0C9535

ALPENINOX 005927

ALPENINOX 005948



# ALPENINOX



Suitable for:

**3356016 DRAIN NIPPLE  $\varnothing$  2"x80 mm**  
in brass



ALPENINOX 0A2393

Suitable for:

**3356092 DRAIN OFF TAP DIA 3/4 F.**  
TECO BLOCK safety handle  
tap body in brass CW617N UNI 12165  
chrome plated superficial finish  
Hostaform handle with metal core  
operating temperature 120°C max  
operating pressure 4 bar max




ALPENINOX 0C2669

**40C2670 DRAIN TAP  $\varnothing$  1/2"F**  
TECO BLOCK safety handle  
brass tap body CW617N UNI 12165  
polished chrome-plated surface finishing  
Hostaform handle with metal core  
operating temperature 120°C max  
operating pressure 4 bar max



ALPENINOX 0C2670

**3356064 DRAIN TAP  $\varnothing$  1/2"MF**  
internal exit  $\varnothing$  15 mm



ALPENINOX 058610

**3356004 DRAIN TAP  $\varnothing$  1"F**  
TAPERED SEAL - fixed connection  $\varnothing$  1"F  
for BOILING PAN



ALPENINOX 0S0109

**3186009 ASBESTOS FREE FLAT GASKET  $\varnothing$  45x33x2 mm**



ALPENINOX 0E2240

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline







Suitable for:

**3356029 HANDLE FOR DRAIN TAP**  
for drain tap  $\varnothing$  3/4" and 1"



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from  $-10^{\circ}\text{C}$  up to  $+120^{\circ}\text{C}$   
from  $+50^{\circ}\text{C}$  to  $+120^{\circ}\text{C}$  the grease becomes oily



# ALPENINOX



Suitable for:

**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



**3356089 DRAIN TAP  $\varnothing$  1"F**  
internal outlet  $\varnothing$  25 mm



ALPENINOX 00688

**3356066 DRAIN TAP LEVER 310 mm**



ALPENINOX 00689

**3359135 DRAIN TAP  $\varnothing$  1"FF**



ALPENINOX 05685

**3359136 BRACKET FOR ROD**



ALPENINOX 00378

**5023594 CAST IRON FITTING  $\varnothing$  1"MF**



ALPENINOX 006962

**3356090 DRAIN TAP FITTING  $\varnothing$  1"MM**  
side output  $\varnothing$  30 mm - coupling height 106 mm



ALPENINOX 0C5090

ALPENINOX 004728




Suitable for:

**3359132 DRAIN TAP KNOB BLACK 94 m m**  
square hole 8x8 mm



ALPENINOX 056887

**3356017 FITTING DRAIN TAP ø 1"MM**  
side exit ø 30 mm - bracket 89x70x50 mm  
distance between holes 70 mm-coupling height 80 mm



ALPENINOX 056884

**3359185 LEVER FOR DRAIN TAP 190 mm**



ALPENINOX 056985

**3356171 DRAIN TAP ø 1"1/2F**  
complete with food grease tube  
GASKET SEAL  
flanged connection with screw fastening ø 47 mm  
made of STAINLESS steel  
COMPLIANT WITH THE EUROPEAN REGULATION 1935/2004  
SUITABLE FOR USE IN CONTACT WITH FOOD



ALPENINOX 0H6412

# ALPENINOX



Suitable for:

**3359134 DRAIN TAP LEVER 160 mm**  
square pin 8x8 mm



ALPENINOX 003829

**4059522 FITTING DRAIN TAP ø 1"MM**  
side outlet ø 30 mm - bracket 88x35 mm  
distance between holes 70 mm - coupling height 130



ALPENINOX 059522

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660





Suitable for:

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**

food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



# ALPENINOX



Suitable for:

**5078364 TAP REPAIR KIT ø 1"1/2F**

for drain tap



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**

length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



**3180039 VASELINE WURTH 750 g**

for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from -10°C up to +120°C  
from +50°C to +120 °C the grease becomes oily



**3356173 DRAIN TAP ø 1"1/2F**

complete with food grease tube  
GASKET SEAL  
fixed connection ø 1"1/2F  
made of STAINLESS steel  
IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004  
FOODSAFE



**3356162 ø 1"1/2F DRAIN TAP REPAIR SET**

for drain tap





Suitable for:

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
 length 50 mt  
 suitable to hot and cold drinking water, gas  
 replaces pastes, hemp and sealing tapes  
 it allows the repositioning of couplings  
 in compliance with the latest regulations  
 Drinking water (Italian certification by C.S.A.,  
 according to standard KTW and WRC approved)  
 gas - water IMQ-UNICIG.  
 compliant with UNI EN 51-2 class Arp  
 approved by DVGW and DIN 30660



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
 length 150 metri  
 suitable for hot / cold drinking water. gas  
 replaces pastes, hemp and sealing tapes  
 it allows the correct replacement of fittings  
 compliant with the latest regulatory requirements  
 Drinking water (C.S.A. italian certified.  
 in line with KTW standard and WRC approved )  
 IMQ-UNICIG gas-water,  
 compliant with UNI EN 51-2 class Arp  
 DVGW and DIN 30660 approved



**3356007 DRAIN TAP ø 1"1/2F TECNO**  
 TAPERED SEAL - swivel nut ø 1"1/2F  
 with gasket  
 for BOILING PAN



ALPENINOX OS0107  
ALPENINOX 002520

ALPENINOX OS0110

ALPENINOX OS1037

# ALPENINOX



Suitable for:

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature -45°/+120°  
 beige color - NSF H1 certified  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline



**3180039 VASELINE WUERTH 750 g**  
 for lubrication of food processing machines  
 it protects chromed and rubber parts from  
 weather factors, moisture resistant,  
 operating temperature from -10°C up to +120°C  
 from +50°C to +120 °C the grease becomes oily



**3186240 ASBESTOS FREE FLAT GASKET ø 46x38x2 mm**  
 for drain tap ø 1"1/2





Suitable for:

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
 length 50 mt  
 suitable to hot and cold drinking water, gas  
 replaces pastes, hemp and sealing tapes  
 it allows the repositioning of couplings  
 in compliance with the latest regulations  
 Drinking water (Italian certification by C.S.A.,  
 according to standard KTW and WRC approved)  
 gas - water IMQ-UNICIG.  
 compliant with UNI EN 51-2 class Arp  
 approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature -45°/+120°  
 beige color - NSF H1 certified  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline



**3356128 PIN ø 5x30 mm**  
 complete with blind nut



**3180039 VASELINE WUERTH 750 g**  
 for lubrication of food processing machines  
 it protects chromed and rubber parts from  
 weather factors, moisture resistant,  
 operating temperature from -10°C up to +120°C  
 from +50°C to +120 °C the grease becomes oily



## ALPENINOX



Suitable for:

**3186199 GASKET INTERNAL EPDM FOR TAPS**  
 NSF certified  
 for DRAIN TAP ø 1"1/4 and 1"1/2



**3242189 HANDGRIP FOR DRAIN TAP**  
 for DRAIN TAP ø 1"1/2F e 1"1/4F



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
 length 150 metri  
 suitable for hot / cold drinking water. gas  
 replaces pastes, hemp and sealing tapes  
 it allows the correct replacement of fittings  
 compliant with the latest regulatory requirements  
 Drinking water (C.S.A. italian certified.  
 in line with KTW standard and WRC approved )  
 IMQ-UNICIG gas-water,  
 compliant with UNI EN 51-2 class Arp  
 DVGW and DIN 30660 approved





Suitable for:

# ALPENINOX



**3356005 DRAIN TAP ø 1"1/4F TECNO**  
TAPERED SEAL - fixed connection ø 1"1/4F  
with gasket  
for BOILING PAN



ALPENINOX OS0136

**3356010 ESCUTCHEON FOR DRAIN TAP ø 1"1/4**



**3186199 GASKET INTERNAL EPDM FOR TAPS**  
NSF certified  
for DRAIN TAP ø 1"1/4 and 1"1/2



**3242189 HANDGRIP FOR DRAIN TAP**  
for DRAIN TAP ø 1"1/2F e 1"1/4F



**3186240 ASBESTOS FREE FLAT GASKET ø 46x38x2 mm**  
for drain tap ø 1"1/2



**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



**3356128 PIN ø 5x30 mm**  
complete with blind nut







Suitable for:

**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
 length 150 metri  
 suitable for hot / cold drinking water. gas  
 replaces pastes, hemp and sealing tapes  
 it allows the correct replacement of fittings  
 compliant with the latest regulatory requirements  
 Drinking water (C.S.A. italian certified.  
 in line with KTW standard and WRC approved )  
 IMQ-UNICIG gas-water,  
 compliant with UNI EN 51-2 class Arp  
 DVGW and DIN 30660 approved



# ALPENINOX



Suitable for:

**3180039 VASELINE WUERTH 750 g**  
 for lubrication of food processing machines  
 it protects chromed and rubber parts from  
 weather factors, moisture resistant,  
 operating temperature from -10°C up to +120°C  
 from +50°C to +120 °C the grease becomes oily



**3356073 DRAIN TAP Ø 2" F TECNO**  
 GASKET SEAL - with swivel nut Ø 2" F  
 with safety lock  
 for BOILING PAN



**3242190 DRAIN TAP HANDGRIP**  
 for DRAIN TAP Ø 2" OLD MODEL  
 AND FOR TECNO NEW MODEL



ALPENINOX 004850

**3356012 ESCUTCHEON FOR DRAIN TAP Ø 2"**



**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
 length 50 mt  
 suitable to hot and cold drinking water, gas  
 replaces pastes, hemp and sealing tapes  
 it allows the repositioning of couplings  
 in compliance with the latest regulations  
 Drinking water (Italian certification by C.S.A.,  
 according to standard KTW and WRC approved)  
 gas - water IMQ-UNICIG.  
 compliant with UNI EN 51-2 class Arp  
 approved by DVGW and DIN 30660



**5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm**  
 for drain tap Ø 2"



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature -45°/+120°  
 beige color - NSF H1 certified  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline





Suitable for:

**3186241 O-RING 06212 VITON**  
ring thickness 5.34 mm - internal  $\varnothing$  53.34 mm  
for DRAIN TAP  $\varnothing$  2" OLD MODEL AND  
TECNO NEW MODEL



ALPENINOX 0S0286

**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



# ALPENINOX



Suitable for:

**3356128 PIN  $\varnothing$  5x30 mm**  
complete with blind nut



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from -10°C up to +120°C  
from +50°C to +120 °C the grease becomes oily



**3356149 DRAIN TAP  $\varnothing$  2"F TECNO**  
BRASS CAP - with swivel nut  $\varnothing$  2"F



ALPENINOX 0S0135

ALPENINOX 0S0285

ALPENINOX 008027

**3356101 CAP FOR DRAIN TAP**  
for DRAIN TAP  $\varnothing$  2" OLD MODEL



**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
for drain tap  $\varnothing$  2" old model



ALPENINOX 004986

ALPENINOX 020279

**3356016 DRAIN NIPPLE  $\varnothing$  2"x80 mm**  
in brass



ALPENINOX 0A2393

**3242190 DRAIN TAP HANDGRIP**  
for DRAIN TAP  $\varnothing$  2" OLD MODEL  
AND FOR TECNO NEW MODEL



**3356012 ESCUTCHEON FOR DRAIN TAP  $\varnothing$  2"**





Suitable for:

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
 length 50 mt  
 suitable to hot and cold drinking water, gas  
 replaces pastes, hemp and sealing tapes  
 it allows the repositioning of couplings  
 in compliance with the latest regulations  
 Drinking water (Italian certification by C.S.A.,  
 according to standard KTW and WRC approved)  
 gas - water IMQ-UNICIG.  
 compliant with UNI EN 51-2 class Arp  
 approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature -45°/+120°  
 beige color - NSF H1 certified  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline



**3356128 PIN  $\varnothing$  5x30 mm**  
 complete with blind nut



## ALPENINOX



Suitable for:

**5015573 GASKET FLAT ASBE. FREE  $\varnothing$  61x48x2 mm**  
 for drain tap  $\varnothing$  2"



**3186241 O-RING 06212 VITON**  
 ring thickness 5.34 mm - internal  $\varnothing$  53.34 mm  
 for DRAIN TAP  $\varnothing$  2" OLD MODEL AND  
 TECNO NEW MODEL



ALPENINOX OS0286

**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
 length 150 metri  
 suitable for hot / cold drinking water. gas  
 replaces pastes, hemp and sealing tapes  
 it allows the correct replacement of fittings  
 compliant with the latest regulatory requirements  
 Drinking water (C.S.A. italian certified.  
 in line with KTW standard and WRC approved )  
 IMQ-UNICIG gas-water,  
 compliant with UNI EN 51-2 class Arp  
 DVGW and DIN 30660 approved





Suitable for:

**3180039 VASELINE WUERTH 750 g**

for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from -10°C up to +120°C  
from +50°C to +120 °C the grease becomes oily



# ALPENINOX



Suitable for:


**3356051 DRAIN TAP ø 3/4" F**



ALPENINOX 003433

ALPENINOX 055085

**3356054 DRAIN TAP ø 3/4" F**  
upper lever fitting  
outlet internal ø 22 mm



ALPENINOX 058113

**3356053 DRAIN TAP HANDLE ø 17x40 mm**  
thread M8



ALPENINOX 058111

**3356167 LEVER FOR DRAIN TAP 65 mm**  
thread M8x0.75




ALPENINOX OPR659

**3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**  
ø 22 mm - length 210 mm - bayonet coupling  
for TECNOINOX BAIN-MARIE-FRYER



**3356088 DRAIN TAP ø 3/4" FF**



ALPENINOX 005917

ALPENINOX 005919

**3356090 DRAIN TAP FITTING ø 1" MM**  
side output ø 30 mm - coupling height 106 mm



ALPENINOX 0C5090

ALPENINOX 004728



Suitable for:

**3359132 DRAIN TAP KNOB BLACK 94 mm square hole 8x8 mm**



ALPENINOX 056887

**40C0722 FITTING CAST IRON  $\varnothing$  1"F-3/4"M**



ALPENINOX 0C0722

**3359137 DRAIN TAP  $\varnothing$  3/4"FF**



ALPENINOX 056114

**3356067 DRAIN TAP LEVER 200 mm**



ALPENINOX 003377

**3356053 DRAIN TAP HANDLE  $\varnothing$  17x40 mm thread M8**



ALPENINOX 058111

**3359134 DRAIN TAP LEVER 160 mm square pin 8x8 mm**



ALPENINOX 003829

# ALPENINOX



Suitable for:

**3526185 DRAIN TAP LEVER 200 mm square pin 8x8 mm**



ALPENINOX 0C0563

**3359136 BRACKET FOR ROD**



ALPENINOX 003378

**3359132 DRAIN TAP KNOB BLACK 94 mm square hole 8x8 mm**



ALPENINOX 056887

**3356067 DRAIN TAP LEVER 200 mm**



ALPENINOX 003377



Suitable for:

**3526185 DRAIN TAP LEVER 200 mm**  
square pin 8x8 mm



ALPENINOX 0C0563

Suitable for:

**3356066 DRAIN TAP LEVER 310 mm**



ALPENINOX 006689

**3356022 DRAIN TAP M60x2 mm**  
TAPERED SEAL  
thread external  $\varnothing$  60 mm  
thread pitch 2 mm  
internal hole  $\varnothing$  40 mm  
for BOILING PAN



ALPENINOX 0S0112

ALPENINOX 017215

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature  $-45^{\circ}/+120^{\circ}$   
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from  $-10^{\circ}\text{C}$  up to  $+120^{\circ}\text{C}$   
from  $+50^{\circ}\text{C}$  to  $+120^{\circ}\text{C}$  the grease becomes oily







Suitable for:

Suitable for:

**3356024 DRAIN TAP M78x3 mm**  
 TAPERED SEAL  
 thread external  $\varnothing$  78 mm  
 thread pitch 3 mm  
 internal hole  $\varnothing$  59.5 mm  
 for BOILING PAN



ALPENINOX 0S0138

ALPENINOX 053159

**3356032 DRAIN TAP HANDLE**  
 for DRAIN TAP 78x3 mm



**3356041 DRAIN TAP WASHER  $\varnothing$  1"1/2**  
 for drain tap  $\varnothing$  2" swivel nut and 78x3



**5015573 GASKET FLAT ASBE. FREE  $\varnothing$  61x48x2 mm**  
 for drain tap  $\varnothing$  2"



**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
 for drain tap  $\varnothing$  2" old model



ALPENINOX 004986

ALPENINOX 020279

**3356034 DRAIN TAP RING NUT  $\varnothing$  2"**  
 for drain tap  $\varnothing$  2" and swivel nut 78x3 mm



**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
 length 50 mt  
 suitable to hot and cold drinking water, gas  
 replaces pastes, hemp and sealing tapes  
 it allows the repositioning of couplings  
 in compliance with the latest regulations  
 Drinking water (Italian certification by C.S.A.,  
 according to standard KTW and WRC approved)  
 gas - water IMQ-UNICIG.  
 compliant with UNI EN 51-2 class Arp  
 approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature  $-45^{\circ}/+120^{\circ}$   
 beige color - NSF H1 certified  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline





Suitable for:

**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
 length 150 metri  
 suitable for hot / cold drinking water. gas  
 replaces pastes, hemp and sealing tapes  
 it allows the correct replacement of fittings  
 compliant with the latest regulatory requirements  
 Drinking water (C.S.A. italian certified.  
 in line with KTW standard and WRC approved )  
 IMQ-UNICIG gas-water,  
 compliant with UNI EN 51-2 class Arp  
 DVGW and DIN 30660 approved



# ALPENINOX



Suitable for:

**3180039 VASELINE WUERTH 750 g**  
 for lubrication of food processing machines  
 it protects chromed and rubber parts from  
 weather factors, moisture resistant,  
 operating temperature from -10°C up to +120°C  
 from +50°C to +120 °C the grease becomes oily



**3356023 DRAIN TAP 68x3 mm**  
 TAPERED SEAL  
 thread external  $\varnothing$  68 mm  
 thread pitch 3 mm  
 internal hole  $\varnothing$  50 mm  
 for BOILING PAN



**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
 length 50 mt  
 suitable to hot and cold drinking water, gas  
 replaces pastes, hemp and sealing tapes  
 it allows the repositioning of couplings  
 in compliance with the latest regulations  
 Drinking water (Italian certification by C.S.A.,  
 according to standard KTW and WRC approved)  
 gas - water IMQ-UNICIG.  
 compliant with UNI EN 51-2 class Arp  
 approved by DVGW and DIN 30660



ALPENINOX 052907

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature -45°/+120°  
 beige color - NSF H1 certified  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline



**3242189 HANDGRIP FOR DRAIN TAP**  
 for DRAIN TAP  $\varnothing$  1"1/2F e 1"1/4F





Suitable for:

**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
 length 150 metri  
 suitable for hot / cold drinking water. gas  
 replaces pastes, hemp and sealing tapes  
 it allows the correct replacement of fittings  
 compliant with the latest regulatory requirements  
 Drinking water (C.S.A. italian certified.  
 in line with KTW standard and WRC approved )  
 IMQ-UNICIG gas-water,  
 compliant with UNI EN 51-2 class Arp  
 DVGW and DIN 30660 approved



# ALPENINOX



Suitable for:

**3180039 VASELINE WUERTH 750 g**  
 for lubrication of food processing machines  
 it protects chromed and rubber parts from  
 weather factors, moisture resistant,  
 operating temperature from -10°C up to +120°C  
 from +50°C to +120 °C the grease becomes oily



**3526632 GAS/WATER BALLCOCK VALVE ø 3/4"FF**  
 heavy series with PN 40 total passage  
 DIN - DVGW approved  
 aluminium throttle



ALPENINOX 0K7222

**3356078 BUSHING ø 11x20 mm**



**5009883 OIL DRAIN PIPE WITH SAFETY DEVICE**  
 ø 22 mm - length 210 mm - bayonet coupling



**3241275 BLACK KNOB**  
 square hole: 7x7mm



**3356077 CLASP ø 3.5x30 mm**  
 UNI 6873 - DIN 1481 - ISO 8752



**3526673 GAS/WATER VALVE ø 1"FF**  
 ball valve  
 heavy series with PN 40 total passage  
 aluminium lever



**3356078 BUSHING ø 11x20 mm**



ALPENINOX 0A2071

ALPENINOX 004384

ALPENINOX 004729



Suitable for:

**5023594 CAST IRON FITTING  $\varnothing$  1"MF**



ALPENINOX 006962

**3356138 DRAIN TAP FITTING  $\varnothing$  1"MM**  
 $\varnothing$  side outlet 28 mm - bracket 68x40x19 mm  
fitting height 100 mm



**3242049 DRAIN TAP HANDLE 140 mm**  
square hole 6x6 mm



**5036175 DRAIN TAP MANIFOLD**  
2 top connections  $\varnothing$  1"MM - 2 top connections  $\varnothing$  33  
1 bottom connection  $\varnothing$  1"MM  
width 295 mm - overall length 114 mm  
distance between holes 275 mm



**7100207 HEADLESS SCREW HEXAGONAL M5x8**  
stainless steel - conical top  
UNI 5927 - DIN 914 - ISO 4027



# ALPENINOX



Suitable for:

**5031496 DRAIN PIPE  $\varnothing$  1"MM**  
length 195 mm




**5028002 DRAIN TAP FITTING  $\varnothing$  1"MM**  
side exit  $\varnothing$  30 mm - bracket 80x30 mm  
distance between holes 60 mm - coupling height 100



**3242280 DRAIN TAP KNOB BLACK 79 mm**  
square hole 6x6 mm



**5033656 FITTING OF BRASS  $\varnothing$  1"MF**



**5011612 LEVER DRAIN TAP 250 mm**  
square pin 6x6 mm





Suitable for:

**3359185 LEVER FOR DRAIN TAP 190 mm**



ALPENINOX 056985

**40G2389 WATER BALL VALVE KIT  $\varnothing$  1"MF with bracket**



ALPENINOX 0G2389

Suitable for:

**3356167 LEVER FOR DRAIN TAP 65 mm thread M8x0.75**



ALPENINOX 0PR659

**3526672 WATER VALVE  $\varnothing$  3/4"FF ballcock valve heavy series with PN 40 total passage aluminium lever**



ALPENINOX 0H6527

## Drip trays

**3015002 BURNER DRIP TRAY  $\varnothing$  102 mm**  
external dimensions 345x360 mm  
internal hole  $\varnothing$  125 mm



ALPENINOX 052103

**3015003 BURNER DRIP TRAY  $\varnothing$  123 mm**  
external dimensions 345x360 mm  
internal hole  $\varnothing$  145 mm



ALPENINOX 052104

**3015001 BURNER DRIP TRAY  $\varnothing$  83 mm**  
external dimensions 345x360 mm  
internal hole  $\varnothing$  105 mm



ALPENINOX 052102

## Electric hot plates

**3311092 ELECTRIC HOT PLATE  $\varnothing$  145 mm 1500W 230V**  
terminal block electric connections  
with STAINLESS steel edge 8 mm  
for electric cooking top




ALPENINOX 053406

ALPENINOX 053607

ALPENINOX 058104

**3311096 ELECTRIC HOT PLATE  $\varnothing$  180 mm 2000W 230V**  
terminal block electric connections  
with STAINLESS steel edge 8 mm  
for electric cooking top



ALPENINOX 004914




Suitable for:

# ALPENINOX



**2111541 ELECTRIC HOT PLATE ø 220 mm 2000W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ALPENINOX 050724

Suitable for:

**3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ALPENINOX 053407

ALPENINOX 053606

**3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ALPENINOX 003931

**3311053 ELECTRIC HOT PLATE 2600W 230V**  
dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ALPENINOX 0A2198

ALPENINOX 0A2199

ALPENINOX 006220

**40C6244 ELECTRIC HOT PLATE 2600W 440V**  
dimensions 220x220 mm  
screw terminal block  
with STAINLESS steel rim



ALPENINOX 0C6244

ALPENINOX 034442

**3311062 ELECTRIC HOT PLATE 3000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ALPENINOX 0A2020

ALPENINOX 0K6680

ALPENINOX 052196

ALPENINOX 052198

**3311063 ELECTRIC HOT PLATE 3000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ALPENINOX 0K4756

ALPENINOX 052197

**3311064 ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ALPENINOX 052199

ALPENINOX 052201



Suitable for:

**3311048 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
for electric cooking top



ALPENINOX

Suitable for:

**3311065 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ALPENINOX 052200

**2110843 ELECTRIC HOT PLATE 4000W 440V**  
dimensions 300x300 mm  
screw terminal box  
with stainless STEEL edge  
for electric cooking top



ALPENINOX 002524

**4003929 ELECTRIC PLATE 2600W 440V ø 220 mm**  
terminal block electric connections  
with stainless STEEL edge  
for pot stove electric



ALPENINOX 003929

**4004014 HOTPLATE**  
attacchi elettrici a vite  
con bordo in acciaio INOX  
per piano di cottura elettrico



ALPENINOX 004014

## Electrical cables

**3050025 SPIRAL CABLE 750 mm**  
3 wires 1.5 mm<sup>2</sup>  
overall length 3000 mm



ALPENINOX 0A3010



Suitable for:

# ALPENINOX



Suitable for:

## Electrical capacitors

**3068016 CAPACITOR DUCATI ENERGIA 10µF**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connector 6.35x0.8 mm  
 ø 36xh58 mm



ALPENINOX 0U0403

ALPENINOX 056148

**3068019 CAPACITOR DUCATI ENERGIA 12,5µF**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 ø 36xh70 mm



ALPENINOX 037269

ALPENINOX 047541

ALPENINOX 047883

**3068024 CAPACITOR DUCATI ENERGIA 16µF**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connector 6.35x0.8 mm  
 ø 36xh70 mm




ALPENINOX 0A2914

ALPENINOX 0C1187


ALPENINOX 0H6812

**3068002 CAPACITOR DUCATI ENERGIA 2,5µF**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 ø 28xh55 mm



ALPENINOX 0E0174

**3068027 CAPACITOR DUCATI ENERGIA 20µF**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connector 6.35x0.8 mm  
 ø 40xh70 mm



ALPENINOX 0H1044

ALPENINOX 047744

**3068008 CAPACITOR DUCATI ENERGIA 5µF**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 ø 28xh55 mm



ALPENINOX 0K9108

ALPENINOX 037268

**3240552 CAPACITOR DUCATI ENERGIA 5µF WITH CABLE**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 1-pole cables L=150 mm  
 ø 32xh55 mm



ALPENINOX 083406

**3068010 CAPACITOR DUCATI ENERGIA 6,3µF**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 ø 32xh55 mm



ALPENINOX 049260

Suitable for:

Suitable for:

**3068014 CAPACITOR DUCATI ENERGIA 8μF**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 ø 32xh55 mm



ALPENINOX 049126

**3068080 CAPACITOR ELECTRICAL 10μF**  
 450V 50/60Hz - ø 30xh71 mm



ALPENINOX 000403

ALPENINOX 056148

**3068081 CAPACITOR ELECTRICAL 12.5μF**  
 450V 50/60Hz - ø 35xh71 mm



ALPENINOX 037269

ALPENINOX 047541

ALPENINOX 047883

**3068083 CAPACITOR ELECTRICAL 16μF**  
 450V 50/60Hz - ø 35xh71 mm



ALPENINOX 0A2914

ALPENINOX 0C1187

ALPENINOX 0H6812

**3068093 CAPACITOR ELECTRICAL 2.5μF**  
 450V 50/60Hz - ø 30xh51 mm



ALPENINOX 0E0174

**3068084 CAPACITOR ELECTRICAL 20μF**  
 450V 50/60Hz - ø 40xh71 mm



ALPENINOX 0H1044

ALPENINOX 047744


**3068096 CAPACITOR ELECTRICAL 5μF**  
 450V 50/60Hz - ø 30xh51 mm



ALPENINOX 0K9108

ALPENINOX 037268

**3068097 CAPACITOR ELECTRICAL 6.3μF**  
 450V 50/60Hz - ø 30xh51 mm



ALPENINOX 049260

**3068078 CAPACITOR ELECTRICAL 6μF**  
 450V 50/60Hz - ø 30xh51 mm



ALPENINOX 0KQ378

**3068079 CAPACITOR ELECTRICAL 8μF**  
 450V 50/60Hz - ø 30xh71 mm



ALPENINOX 049126



Suitable for:

**3068143 CAPACITOR WITH CABLE 5µF**  
450V 50/60Hz - ø 30xh51 mm - cables L=200 mm



ALPENINOX 083406

Suitable for:

**3068152 CAPACITOR 12µF**  
450V 50/60Hz - ø 35xh71 mm



ALPENINOX 0KQ446

## Electrical gas valves and accessories

**3526270 VALVE 820 NOVA EXTENSION**  
D shaft ø 10x8 mm



ALPENINOX 004667

**3526137 BUTTON FOR ELETTROSIT VALVE 46 mm**



ALPENINOX 053820

ALPENINOX 053992

**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ALPENINOX 0K3020

**3526142 DOUBLE COIL FOR VALVE**  
220V 50Hz  
for VALVE 830 TANDEM-836 TANDEM



ALPENINOX 002452

**3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm**  
for switching on/off buttons



ALPENINOX 051281

ALPENINOX 055805

**3241141 EXTENSION FOR 820 NOVA VALVE**  
D-shaped pin 10x8 mm



ALPENINOX 059305

**3526066 HONEYWELL VALVE V4400C ø 3/4"FF 220V**  
inlet ø 3/4" F - outlet ø 3/4" F  
thermocouple connection ASA pitch  
maximum gas inlet pressure 60 mbar  
room temperature 0÷70°C  
power supply 230V 50Hz



ALPENINOX 057340

**3526077 ELBOW FLANGE ø 1/2" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



# ALPENINOX



Suitable for:

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526136 SPRING FOR PUSH-BUTTON**



**3440200 THERMOPILE WITH TWIN LEAD  $\varnothing$  9x65 mm**  
cable length 800 mm - with coupling M11X1



ALPENINOX 053819

ALPENINOX 002607

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

**3526085 VALVE 810 ELETTROSIT  $\varnothing$  3/4" FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3 ÷ 18 mbar  
ambient temperature 0 ÷ 60°C  
power supply 230V 50Hz  
pilot connection and LATERAL thermocouple



**3526100 COIL 220V**  
for VALVE ELETTROSIT



ALPENINOX



Suitable for:

**3526108 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for ELETTROSIT VALVE



**3526107 FLANGE STRAIGHT  $\varnothing$  3/4" F**  
with screws and OR  
for ELETTROSIT VALVE



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

**3526086 VALVE 810 ELETTROSIT  $\varnothing$  3/4" FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3 ÷ 18 mbar  
ambient temperature 0 ÷ 60°C  
power supply 230V 50Hz  
pilot connection and LOWER thermocouple



ALPENINOX 0A2035

**3526108 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for ELETTROSIT VALVE



# ALPENINOX



Suitable for:

**3526106 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for ELETTROSIT VALVE



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3526100 COIL 220V**  
for VALVE ELETTROSIT



**3526106 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for ELETTROSIT VALVE







Suitable for:

**3526107 FLANGE STRAIGHT  $\varnothing$  3/4" F**  
with screws and OR  
for ELETTROSIT VALVE



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



# ALPENINOX



Suitable for:

**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



ALPENINOX 054539

ALPENINOX 056601

**3526087 VALVE 810 ELETTROSIT  $\varnothing$  3/4" FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3 ÷ 18 mbar  
ambient temperature 0 ÷ 60°C  
power supply 24V 50Hz  
pilot connection and LOWER thermocouple



**3526108 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for ELETTROSIT VALVE



ALPENINOX 054437

**3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm**  
for switching on/off buttons



**3526106 FLANGE STRAIGHT  $\varnothing$  1/2" F**  
with screws and OR  
for ELETTROSIT VALVE



ALPENINOX 051281

ALPENINOX 055805

**3526107 FLANGE STRAIGHT  $\varnothing$  3/4" F**  
with screws and OR  
for ELETTROSIT VALVE



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm





Suitable for:

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



# ALPENINOX



Suitable for:

ALPENINOX 054539

ALPENINOX 056601

**3526090 VALVE 810 ELETTROSIT  $\varnothing$  3/4"FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3 ÷ 18 mbar  
ambient temperature 0 ÷ 60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



ALPENINOX 057543

**3526100 COIL 220V**  
for VALVE ELETTROSIT



**3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm**  
for switching on/off buttons



ALPENINOX 051281

ALPENINOX 055805

**3526107 FLANGE STRAIGHT  $\varnothing$  3/4" F**  
with screws and OR  
for ELETTROSIT VALVE



**3526137 BUTTON FOR ELETTROSIT VALVE 46 mm**



ALPENINOX 053820

ALPENINOX 053992

**3526108 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for ELETTROSIT VALVE



**3526106 FLANGE STRAIGHT  $\varnothing$  1/2" F**  
with screws and OR  
for ELETTROSIT VALVE



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm





Suitable for:

**3526136 SPRING FOR PUSH-BUTTON**



ALPENINOX 053819

**3526079 VALVE 820 NOVA  $\phi$  1/2"FF**  
inlet  $\phi$  1/2" F - outlet  $\phi$  1/2" F  
thermocouple fitting M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure setting range  
3÷30 mbar  
room temperature 0÷70°C  
power supply 230V 50Hz



ALPENINOX 055446

**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ALPENINOX 0K3020

**3526099 COIL 24V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526078 ELBOW FLANGE  $\phi$  3/4" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



# ALPENINOX



Suitable for:

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

**3526270 VALVE 820 NOVA EXTENSION**  
D shaft  $\phi$  10x8 mm



ALPENINOX 004667

**2100054 COIL 220V 60Hz**  
for VALVE 820 NOVA-822 NOVA-828 NOVA



**3526077 ELBOW FLANGE  $\phi$  1/2" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526102 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:

**5047586 EXTENSION FOR VALVE 820 NOVA**  
D-shaped pin  $\varnothing$  10x8 mm



# ALPENINOX




Suitable for:

**3241141 EXTENSION FOR 820 NOVA VALVE**  
D-shaped pin 10x8 mm




**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 059305

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052833

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



ALPENINOX 052834

**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3241142 KNOB GASKET  $\varnothing$  44 mm**



**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



ALPENINOX 059326

**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm




ALPENINOX 056589

**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**5017951 PROTECTION RUBBER VALVE 820-824 NOVA**  
 $\varnothing$  external 50 mm -  $\varnothing$  internal 20 mm  
depth 1 mm





Suitable for:

**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm



# ALPENINOX



Suitable for:

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

**3526269 VALVE 820 NOVA EXTENSION**  
D shaft  $\varnothing$  10x8 mm



ALPENINOX 002790

**3526179 VALVE 820 NOVA  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple connection M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure adjustment range  
5÷50 mbar  
ambient temperature 0÷70°C  
power supply 220V 50Hz



ALPENINOX 002903

**3526270 VALVE 820 NOVA EXTENSION**  
D shaft  $\varnothing$  10x8 mm



ALPENINOX 004667

**3241429 BLACK KNOB  $\varnothing$  30 mm SILK-SCREEN PRINTED**



ALPENINOX 003704

ALPENINOX 056452

**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ALPENINOX 0K3020

**2100054 COIL 220V 60Hz**  
for VALVE 820 NOVA-822 NOVA-828 NOVA



**3526099 COIL 24V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA







Suitable for:

**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



# ALPENINOX



Suitable for:

**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P




**3526102 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




**5047586 EXTENSION FOR VALVE 820 NOVA**  
D-shaped pin  $\varnothing$  10x8 mm



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052833

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



ALPENINOX 052834


**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



ALPENINOX 056589

**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA







Suitable for:

**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm



# ALPENINOX



Suitable for:


**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

**40C2408 VALVE 820 NOVA  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple connection M9x1  
gas max. inlet pressure 60 mbar  
outlet pressure range setting  
5÷50 mbar  
room temperature 0÷70°C  
power supply 24V 50Hz



ALPENINOX 0C2408

**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ALPENINOX 0K3020

**2100054 COIL 220V 60Hz**  
for VALVE 820 NOVA-822 NOVA-828 NOVA



**3526099 COIL 24V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P




**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526102 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**




ALPENINOX 052833



Suitable for:

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



ALPENINOX 056589

**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



# ALPENINOX



Suitable for:

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

Suitable for:

**3526300 VALVE 820 NOVA mV  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure range setting  
 outlet 5÷50 mbar  
 room temperature 0÷70°C  
 double wire thermopile power supply  
 (TPTH - TH terminal)  
 thermostat connection (TPTH - TH terminal)  
 suitable to replace the ITT valve  
 UB67 model



ALPENINOX 002606


**2100054 COIL 220V 60Hz**  
 for VALVE 820 NOVA-822 NOVA-828 NOVA



**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



Suitable for:

**3526270 VALVE 820 NOVA EXTENSION**  
 D shaft  $\varnothing$  10x8 mm



ALPENINOX 004667


**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



**5047586 EXTENSION FOR VALVE 820 NOVA**  
 D-shaped pin  $\varnothing$  10x8 mm



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm




**3526269 VALVE 820 NOVA EXTENSION**  
D shaft  $\varnothing$  10x8 mm



ALPENINOX 002790

**3526361 VALVE 822 NOVA  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple fitting M10x1  
maximum gas inlet pressure 60 mbar  
outlet pressure setting range  
3÷30 mbar  
ambient temperature 0÷60°C  
power supply 230V 50Hz




ALPENINOX 059473

# ALPENINOX



Suitable for:

**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



ALPENINOX 056589

**3440200 THERMOPILE WITH TWIN LEAD  $\varnothing$  9x65 mm**  
cable length 800 mm - with coupling M11X1



ALPENINOX 002607

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ALPENINOX 054539

ALPENINOX 056601

**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ALPENINOX 0K3020



Suitable for:

**2100054 COIL 220V 60Hz**  
for VALVE 820 NOVA-822 NOVA-828 NOVA



# ALPENINOX



Suitable for:

**3526099 COIL 24V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P




**3526102 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052833

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



ALPENINOX 052834

**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**2110316 MAGNETIC COIL**  
220/240V 50Hz  
for VALVE 822 NOVA-824 NOVA-826 NOVA  
for VALVE 827 NOVA-828 NOVAMIX





Suitable for:

**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



# ALPENINOX



Suitable for:


**3526141 VALVE 830 TANDEM  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple fitting M10x1  
maximum gas inlet pressure 60 mbar  
outlet gas pressure setting range 3 ÷ 50 mbar  
room temperature 0 ÷ 60°C  
power supply 230V 50Hz



ALPENINOX 002340

ALPENINOX 005897

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M




ALPENINOX 052668

**3526292 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for sit valve 830-836 TANDEM




**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**2100724 COIL 24V**  
for valve 830 TANDEM-836 TANDEM



**3526142 DOUBLE COIL FOR VALVE**  
220V 50Hz  
for VALVE 830 TANDEM-836 TANDEM



ALPENINOX 002452

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817




Suitable for:

**3526268 VALVE 830 TANDEM  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 maximum gas inlet pressure 60 mbar  
 outlet pressure adjustment range  
 3÷50 mbar  
 power supply 24V 60Hz



ALPENINOX 005526

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
 thread  $\varnothing$  1/2"M




ALPENINOX 052668

**3526292 ELECTRIC COUPLING WITH CABLE**  
 cable length 1000 mm - 3 wires  
 for sit valve 830-836 TANDEM



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**40K5838 VALVE 830 TANDEM  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 thermocouple connection M10x1  
 gas inlet maximum pressure 60 mbar  
 outlet gas pressure setting rang 3÷50 mbar  
 ambient temperature 0÷60°C  
 power supply 220/240V 50Hz



ALPENINOX 0K5838

Suitable for:

**2100724 COIL 24V**  
 for valve 830 TANDEM-836 TANDEM




**3526142 DOUBLE COIL FOR VALVE**  
 220V 50Hz  
 for VALVE 830 TANDEM-836 TANDEM



ALPENINOX 002452

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
 for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

**2100724 COIL 24V**  
 for valve 830 TANDEM-836 TANDEM





Suitable for:

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M




ALPENINOX 052668

**3526292 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for sit valve 830-836 TANDEM




**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**3526140 VALVE 836 TANDEM  $\varnothing$  1/2" FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
maximum gas inlet pressure 60 mbar  
max. gas outlet pressure adjustment range 7÷50 mbar  
outlet gas pressure setting range min. 2÷45 mbar  
room temperature 0÷60°C  
power supply 230V 30A rectified



ALPENINOX 002714

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M



ALPENINOX 052668

# ALPENINOX



Suitable for:

**3526142 DOUBLE COIL FOR VALVE**  
220V 50Hz  
for VALVE 830 TANDEM-836 TANDEM



ALPENINOX 002452

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23




ALPENINOX 052671

ALPENINOX 054817

**2100724 COIL 24V**  
for valve 830 TANDEM-836 TANDEM



**3526142 DOUBLE COIL FOR VALVE**  
220V 50Hz  
for VALVE 830 TANDEM-836 TANDEM



ALPENINOX 002452




Suitable for:

**3030001 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 2 wires  
for sit valve 824 NOVA-826 NOVA-836 TANDEM



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

**2101040 VALVE 840 SIGMA  $\varnothing$  3/4"MM**  
inlet  $\varnothing$  3/4" M - outlet  $\varnothing$  3/4" M  
gas inlet max pressure 60 mbar  
pressure calibration field outlet  
2÷50 mbar  
ambient temperature 0÷60°C  
power supply 230V 50Hz



ALPENINOX 005757

**5076905 DOUBLE COIL FOR VALVE**  
220V 60Hz  
for VALVE 840 SIGMA-845 SIGMA-848 SIGMA



# ALPENINOX




Suitable for:

**3526292 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for sit valve 830-836 TANDEM



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**2110618 DOUBLE COIL FOR VALVE**  
230V 50Hz  
for VALVE 840 SIGMA-848 SIGMA



**2102658 ELECTRIC COUPLING WITH CABLE**  
cable length 550 mm - 4 wires  
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
for valve sit 848 SIGMA





Suitable for:

**5068646 ELECTRIC COUPLING WITH CABLE**  
cable length 1100 mm - 3 threads  
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
for valve sit 848 SIGMA



**5095069 LOCKING NUT OLIVE  $\varnothing$  3/4"**  
pipe  $\varnothing$  16 mm  
for VALVE 840 SIGMA-848 SIGMA



**5095070 OLIVE FOR PIPE  $\varnothing$  16 mm**



**2102533 VALVE 840 SIGMA  $\varnothing$  3/4"MM**  
inlet  $\varnothing$  3/4" M - outlet  $\varnothing$  3/4" M  
gas inlet maximum pressure 60 mbar  
calibration range of outlet pressure  
2÷50 mbar  
ambient temperature 0÷60°C  
power supply



ALPENINOX OG2763

**5076905 DOUBLE COIL FOR VALVE**  
220V 60Hz  
for VALVE 840 SIGMA-845 SIGMA-848 SIGMA



# ALPENINOX



Suitable for:  
**5095072 HOSE  $\varnothing$  1/2" M-3/4" F**




**5095073 MANICOTTO IN OTTONE  $\varnothing$  1/2" MF**  
entrata  $\varnothing$  3/4" M - uscita  $\varnothing$  3/4" M  
pressione massima di ingresso gas 60 mbar  
campo di taratura della pressione di uscita  
2÷50 mbar  
temperatura ambiente 0÷60°C  
alimentazione 230V 50Hz



**5095071 SEALING GASKET  $\varnothing$  17x24x1.5 mm**



**2110618 DOUBLE COIL FOR VALVE**  
230V 50Hz  
for VALVE 840 SIGMA-848 SIGMA




**2102658 ELECTRIC COUPLING WITH CABLE**  
cable length 550 mm - 4 wires  
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
for valve sit 848 SIGMA





Suitable for:

**5068646 ELECTRIC COUPLING WITH CABLE**  
cable length 1100 mm - 3 threads  
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
for valve sit 848 SIGMA



**5095069 LOCKING NUT OLIVE  $\varnothing$  3/4"**  
pipe  $\varnothing$  16 mm  
for VALVE 840 SIGMA-848 SIGMA



**5095070 OLIVE FOR PIPE  $\varnothing$  16 mm**



# ALPENINOX



Suitable for:


**5095072 HOSE  $\varnothing$  1/2"M-3/4"F**



**5095073 MANICOTTO IN OTTONE  $\varnothing$  1/2"MF**  
entrata  $\varnothing$  3/4"M - uscita  $\varnothing$  3/4"M  
pressione massima di ingresso gas 60 mbar  
campo di taratura della pressione di uscita  
2÷50 mbar  
temperatura ambiente 0÷60°C  
alimentazione 230V 50Hz



**5095071 SEALING GASKET  $\varnothing$  17x24x1.5 mm**



## Electronic boards

**3390086 BOARD DISPLAY 185x50 mm**



ALPENINOX 087481

**40K5147 CIRCUIT BOARD DISPLAY 295x98 mm**  
two D-shaped pins  $\varnothing$  6x4.6 mm



ALPENINOX 0K5147

**7102850 CIRCUIT BOARD CONTROLS 328x96 mm**



ALPENINOX 0C6364

ALPENINOX 006803

**40D6702 CONTROL ELECTRONIC BOARD 150x75 mm**



ALPENINOX 0D6702





# ALPENINOX



Suitable for:


**3390382 CONTROL ELECTRONIC BOARD 183x50 mm**  
cable length 600 mm



ALPENINOX 0C1897

Suitable for:

**40D7209 CONTROL PC BOARD KIT 170x60 mm**




ALPENINOX 0D7209

**40D6711 CONTROL PC BOARD 150x75 mm**



ALPENINOX 0D6711


**40C9758 CONTROL PC BOARD 295x98 mm**  
three D-shaped pins  $\varnothing$  6x4,6 mm



ALPENINOX 0C9758

ALPENINOX 0K5148

**40G6209 ELECTRONIC BOARD 125x75mm**  
plate dimensions 183x95 mm



ALPENINOX 0G4603

ALPENINOX 0G6209

ALPENINOX 0K5145

**5062966 ELECTRONIC BOARD 400V 148x90 mm**  
for INDUCTION HOB



ALPENINOX 0G3520

**40K4885 ELECTRONIC CONTROL BOARD 140x75 mm**




ALPENINOX 0K4885

**7102296 MOTHERBOARD 160x120 mm**



ALPENINOX 0C6362

**40G2337 MOTHERBOARD 220x170 mm**



ALPENINOX 0G2337

ALPENINOX 0G2629

**40G4209 MOTHERBOARD 335x110 mm**



ALPENINOX 0G4209

ALPENINOX 0K4409

**40C9995 THERMOCOUPLES ELECTRONIC BOARD 106x60 mm**



ALPENINOX 0C7416

ALPENINOX 0C9995

**40PE275 USER INTERFACE CONTROL BOARD KIT**  
includes:  
1 temperature electronic controller 90x73 mm  
1 probe NTC length 1500 mm - bulb  $\varnothing$  5x15 mm



ALPENINOX 0PE275






## Electronic boxes

**3091020 CONTROL BOX SM191.1**  
model BRAHMA - 230V 50/60Hz 7VA



ALPENINOX 0A5167

**3526402 CONTROL BOX S4560A1008**  
model HONEYWELL - 220/240V 50Hz 10VA



ALPENINOX 0E1499

ALPENINOX 002351

**2101103 CONTROL BOX 577 DBC**  
model SIT - 220/240V 50/60Hz 20VA



ALPENINOX 0G3480

**40C8189 CONTROL BOX 579 DBC**  
model SIT - 220/240V 50/60Hz 12VA



ALPENINOX 0C8189

## Electronic controllers

**3445375 CONTROLLER ELIWELL ID PLUS 902**  
230V 50/60Hz  
1 relay output 8A for compressor  
1 selectable NTC/PTC/PT1000 probe (not included)  
1 programmable digital/temperature input  
TTL input for copy card connection  
front dimension 74x32xdepth 59 mm  
mounting hole 71x29 mm



ALPENINOX 0S0295

**3445157 PROBE NTC PVC 1500 mm**  
probe 2 wires - temperature range -30°+80°C  
bulb ø 6x40 mm



**3445156 PROBE NTC PVC 3000 mm**  
temperature range -30+80°C  
bulb ø 6x40 mm



**3445028 PROBE NTC PVC 4000 mm**  
temperature field -30+80°C  
bulb ø 6x20 mm



**3445167 PROBE NTC TPE IP68 1500 mm**  
temperature range -50+110°C  
bulb ø 5x20 mm watertight



**3445335 PROBE NTC TPE IP68 3000 mm**  
temperature range -50+110°C  
bulb ø 5x20 mm watertight



ALPENINOX 087832

ALPENINOX 092176



Suitable for:

**3445184 PROBE NTC TPE STEEL IP68 1500 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



# ALPENINOX



Suitable for:

**3445154 PROBE NTC TPE STEEL IP68 3000 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



**3445379 PROBE PT1000 IP68 1500 mm**  
temperature range -50+110°C  
bulb ø 6x20 mm watertight



**3445380 PROBE PT1000 IP68 3000 mm**  
temperature range -50+110°C  
bulb ø 6x20 mm watertight



**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



**3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



ALPENINOX 0S0302

ALPENINOX 083583

**3445913 SILICONE PROBE NTC 1500 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



**3445155 SILICONE PROBE NTC 3000 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



**3445183 SILICONE PTC PROBE 3000 mm**  
2-wire probe temperature range -55+150°C  
bulb ø 6x40 mm



**3445959 SILICONE PTC PROBE 5000 mm**  
temperature range -55+150°C  
bulb ø 6x40 mm





Suitable for:

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



ALPENINOX 0A2269  
ALPENINOX 083833

ALPENINOX 004120

ALPENINOX 082378

# ALPENINOX



Suitable for:

**3445111 TRANSFORMER 24V/12V 3VA**  
 primary tension 24Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0÷60°C  
 screw terminal block  
 IMQ approved



**3445399 CONTROLLER ELIWELL ID PLUS 902**  
 12Vac/dc  
 1 relay output 8A for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 TTL input for copy card connection  
 front dimension 74x32x59 mm  
 mounting hole 71x29 mm



ALPENINOX 0S0296  
ALPENINOX 082484

ALPENINOX 082388

ALPENINOX 082396

**3445157 PROBE NTC PVC 1500 mm**  
 probe 2 wires - temperature range -30°+80°C  
 bulb ø 6x40 mm



**3445156 PROBE NTC PVC 3000 mm**  
 temperature range -30+80°C  
 bulb ø 6x40 mm



**3445028 PROBE NTC PVC 4000 mm**  
 temperature field -30+80°C  
 bulb ø 6x20 mm



**3445167 PROBE NTC TPE IP68 1500 mm**  
 temperature range -50+110°C  
 bulb ø 5x20 mm watertight



ALPENINOX 087832

ALPENINOX 092176

**3445335 PROBE NTC TPE IP68 3000 mm**  
 temperature range -50+110°C  
 bulb ø 5x20 mm watertight





Suitable for:

**3445184 PROBE NTC TPE STEEL IP68 1500 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



# ALPENINOX



Suitable for:

**3445154 PROBE NTC TPE STEEL IP68 3000 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



**3445379 PROBE PT1000 IP68 1500 mm**  
temperature range -50+110°C  
bulb ø 6x20 mm watertight



**3445380 PROBE PT1000 IP68 3000 mm**  
temperature range -50+110°C  
bulb ø 6x20 mm watertight



**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



**3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



ALPENINOX 0S0302

ALPENINOX 083583

**3445913 SILICONE PROBE NTC 1500 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



**3445155 SILICONE PROBE NTC 3000 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



**3445183 SILICONE PTC PROBE 3000 mm**  
2-wire probe temperature range -55+150°C  
bulb ø 6x40 mm



**3445959 SILICONE PTC PROBE 5000 mm**  
temperature range -55+150°C  
bulb ø 6x40 mm





Suitable for:

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



ALPENINOX 0A2269  
ALPENINOX 083833

ALPENINOX 004120

ALPENINOX 082378

# ALPENINOX



Suitable for:

**3445111 TRANSFORMER 24V/12V 3VA**  
 primary tension 24Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0÷60°C  
 screw terminal block  
 IMQ approved



**3445376 CONTROLLER ELIWELL ID PLUS 961**  
 230V 50/60Hz  
 1 relay output 2Hp for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 pause defrosting  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm



ALPENINOX 0S0786

ALPENINOX 0S1453

ALPENINOX 089903

**3445157 PROBE NTC PVC 1500 mm**  
 probe 2 wires - temperature range -30°+80°C  
 bulb ø 6x40 mm



**3445156 PROBE NTC PVC 3000 mm**  
 temperature range -30+80°C  
 bulb ø 6x40 mm



**3445028 PROBE NTC PVC 4000 mm**  
 temperature field -30+80°C  
 bulb ø 6x20 mm



**3445167 PROBE NTC TPE IP68 1500 mm**  
 temperature range -50+110°C  
 bulb ø 5x20 mm watertight



ALPENINOX 087832

ALPENINOX 092176

**3445335 PROBE NTC TPE IP68 3000 mm**  
 temperature range -50+110°C  
 bulb ø 5x20 mm watertight





Suitable for:

**3445184 PROBE NTC TPE STEEL IP68 1500 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



# ALPENINOX



Suitable for:

**3445154 PROBE NTC TPE STEEL IP68 3000 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



**3445379 PROBE PT1000 IP68 1500 mm**  
temperature range -50+110°C  
bulb ø 6x20 mm watertight



**3445380 PROBE PT1000 IP68 3000 mm**  
temperature range -50+110°C  
bulb ø 6x20 mm watertight



**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



**3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



ALPENINOX 0S0302

ALPENINOX 083583

**3445913 SILICONE PROBE NTC 1500 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



**3445155 SILICONE PROBE NTC 3000 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



**3445183 SILICONE PTC PROBE 3000 mm**  
2-wire probe temperature range -55+150°C  
bulb ø 6x40 mm



**3445959 SILICONE PTC PROBE 5000 mm**  
temperature range -55+150°C  
bulb ø 6x40 mm







Suitable for:

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



ALPENINOX 0A2269  
ALPENINOX 083833

ALPENINOX 004120

ALPENINOX 082378

# ALPENINOX



Suitable for:

**3445111 TRANSFORMER 24V/12V 3VA**  
 primary tension 24Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0÷60°C  
 screw terminal block  
 IMQ approved



**7104861 DIGITAL THERMOMETER ELIWELL EM300 NTC**  
 power supply 230V  
 thermometer setting range -50+110°C  
 room temperature -5+55°C  
 NTC type probe (not included)  
 connections with screw terminal box  
 front dimensions 76x35x70 mm  
 mounting hole 71x29mm



ALPENINOX 0S0790

**3445157 PROBE NTC PVC 1500 mm**  
 probe 2 wires - temperature range -30°+80°C  
 bulb ø 6x40 mm



**3445156 PROBE NTC PVC 3000 mm**  
 temperature range -30+80°C  
 bulb ø 6x40 mm



**3445028 PROBE NTC PVC 4000 mm**  
 temperature field -30+80°C  
 bulb ø 6x20 mm



**3445167 PROBE NTC TPE IP68 1500 mm**  
 temperature range -50+110°C  
 bulb ø 5x20 mm watertight



ALPENINOX 087832

ALPENINOX 092176

**3445335 PROBE NTC TPE IP68 3000 mm**  
 temperature range -50+110°C  
 bulb ø 5x20 mm watertight





Suitable for:

**3445184 PROBE NTC TPE STEEL IP68 1500 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



# ALPENINOX



Suitable for:

**3445154 PROBE NTC TPE STEEL IP68 3000 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



**3445398 SILICONE PROBE NTC 1500 mm**  
2-wire probe temperature range -50+120°C  
bulb ø 6x50 mm



**3445913 SILICONE PROBE NTC 1500 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



**3445155 SILICONE PROBE NTC 3000 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



ALPENINOX 0A2269  
ALPENINOX 083833

ALPENINOX 004120

ALPENINOX 082378

**3445111 TRANSFORMER 24V/12V 3VA**  
primary tension 24Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0±60°C  
screw terminal block  
IMQ approved





**3445073 THERMOSTAT EVK411 TCJ**  
 power supply 12Vca/dc 1.5VA  
 thermostat setting range 0+600°C  
 ON-OFF control with one actuation point only  
 1 changeover relay output 16A  
 alarm buzzer  
 access to configuration parameters through  
 password - TTL serial port  
 room temperature 0+60°C  
 thermocouple TCJ type probe (not included)  
 connections by screw terminal block  
 front dimensions 74x32x65 mm  
 mounting hole 71x29mm



ALPENINOX 004109

ALPENINOX 053540

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



ALPENINOX 0A2269

ALPENINOX 004120

ALPENINOX 082378

ALPENINOX 083833

**3445109 PROBE TCJ VETROTEX 3000 mm**  
 2-wire probe temperature range 0+600°C  
 temperature cable max 350°C  
 error limit  $\pm 0.75\%$  below 0°C  
 response time 30 sec  
 bulb  $\varnothing$  6x100 mm



ALPENINOX 004116

**3445111 TRANSFORMER 24V/12V 3VA**  
 primary tension 24Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0 $\div$ 60°C  
 screw terminal block  
 IMQ approved



**3445019 THERMOSTAT ICPLUS902 PT100/TCJ/TCK**  
 power supply 24V  
 thermostat setting range -150+1350°C  
 control with 1 actuation point  
 1 changeover relay output 8(4)A 250V  
 serial port for data exchange  
 ambient temperature -5 $\div$ 55°C  
 PT100-TCJ-TCK probe (not included)  
 connections by screw terminal block  
 front dimensions 78x37x64 mm  
 mounting hole 71x29mm



ALPENINOX 0C3421

ALPENINOX 006154

ALPENINOX 054796

**3445117 PROBE PT100 VETROTEX 3000 mm**  
 3-wire probe temperature range 0+350°C  
 bulb  $\varnothing$  6x100 mm





Suitable for:

**3445109 PROBE TCJ VETROTEX 3000 mm**  
2-wire probe temperature range 0+600°C  
temperature cable max 350°C  
error limit ±0.75% below 0°C  
response time 30 sec  
bulb ø 6x100 mm



ALPENINOX 004116

**3445145 TEMPERATURE PROBE PT100 1400 mm**  
2-wire probe  
bulb ø 4x40 mm



ALPENINOX 006155

**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



ALPENINOX 0A2269

ALPENINOX 004120

ALPENINOX 082378

ALPENINOX 083833

# ALPENINOX



Suitable for:

**3445112 PROBE TCK VETROTEX 3000 mm**  
2-wire probe temperature range 0+350°C  
error limits ±2% above 0°C  
30 seconds response time  
bulb ø 6x100 mm



**3397140 THERMOCOUPLE PROBE TCK 3000 mm**  
2 wires - temperature -40+1150°C  
bulb ø 6x140 mm



**3445111 TRANSFORMER 24V/12V 3VA**  
primary tension 24Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0÷60°C  
screw terminal block  
IMQ approved



**3446209 TIMER EWTS950 LX 12Vac**  
1 exchange relay outlet 8(3)A 250V  
thermostat display range:  
9999h, 99h and 59', 99'and 59", 99"and 99 cents  
operating range 0÷55°C  
voltage 12Vca/dc  
connections with screw terminal  
dimensions 74x32x60 mm  
mounting hole 71x29 mm



ALPENINOX 0C1281

ALPENINOX 003814



## Energy regulators

**3350026 ENERGY REGULATOR**  
 contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS




ALPENINOX 0A2482  
 ALPENINOX 005270

ALPENINOX 0C1605  
 ALPENINOX 026861

ALPENINOX 0K8611  
 ALPENINOX 055016

**3350035 ENERGY REGULATOR**  
 contact capacity 230V 13A  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0C6530

## Feet

**3313003 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 130 mm**  
 with rectangular flange 100x90 mm  
 adjustable height 130÷190 mm



ALPENINOX 057536

**3313036 ADJUSTABLE S/STEEL FOOT  $\varnothing$  30 mm**  
 for tubular 40x40 mm  
 adjustable height 33÷95 mm



ALPENINOX 032550

**3313045 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 125 MM**  
 with square flange 74x74x2.5 mm  
 adjustable height 125÷235 mm



ALPENINOX 048579

**3313058 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 140 MM**  
 with fixed screw M10x25 mm  
 adjustable height 140÷240 mm



ALPENINOX 0C0204

**4026806 FOOT RUBBER  $\varnothing$  17x20 mm**  
 with fixed screw M6x16 mm  
 overall height 37 mm



ALPENINOX 026806

**3313001 STAINLESS STEEL FOOT  $\varnothing$  2" x h 125 mm**



ALPENINOX 053792



Suitable for:


# ALPENINOX



Suitable for:

## Filters

**3160500 PAN FILTER S/STEEL**



ALPENINOX 027114

**3160265 STAINLESS STEEL DRAIN FILTER ø 50 mm**



ALPENINOX 004836

**3160234 SUPPORT FOR FILTER**



ALPENINOX 054905

**3160234 SUPPORT FOR FILTER**



ALPENINOX 054905

**3160462 WATER FILTER ø 1/2"FF**



ALPENINOX 054450

ALPENINOX 067392

**3160007 WATER FILTER ø 3/4"FF**



ALPENINOX 0C4113

ALPENINOX 0KL216

ALPENINOX 0W2538

ALPENINOX 068121

## Fittings

**5023594 CAST IRON FITTING ø 1"MF**



ALPENINOX 006962

**40C0722 FITTING CAST IRON ø 1" F-3/4" M**



ALPENINOX 0C0722






# ALPENINOX



Suitable for:

**3349588 LEVEL PIPE FITTING  $\varnothing$  3/8" M**  
for hose  $\varnothing$  10 mm



ALPENINOX 002188

**3186340 O-RING 03037 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  9.19 mm



ALPENINOX 002923

ALPENINOX 069550

**3349346 NICHEL-PL.HOSE-END FITTING  $\varnothing$  1/4" M  $\varnothing$  12**



ALPENINOX 0C1626

**3349319 NICHEL-PLATED FITTING  $\varnothing$  1/4" M-1/4" M**



ALPENINOX 006350

Suitable for:

**4002986 LEVEL GLASS  $\varnothing$  10x77 mm**



ALPENINOX 002986

**3349347 NICHEL-PL.HOSE-END FITTING  $\varnothing$  3/8" M  $\varnothing$  12**



ALPENINOX 0PRG27


**3349357 NICHEL-PLATED FITTING  $\varnothing$  3/4" M-3/4" M**



ALPENINOX 0W3306


## Fryer baskets and accessories

**4054505 FALSE BOTTOM MESH COMPLETE 395x345 mm**  
height 85 mm  
made of chrome-plated iron



ALPENINOX 054505

**4006130 FALSE BOTTOM MESH 390x295 mm**  
made of chrome-plated iron



ALPENINOX 006130



# ALPENINOX



Suitable for:

**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



ALPENINOX 058158

**3055298 FRYER BASKET 260x270x120 mm**  
made of chrome-plated iron



ALPENINOX 052683

**3055333 FRYER BASKET 265x210x110 mm**  
made of chrome-plated iron



ALPENINOX 005704

**3055207 FRYER BASKET 270x185x120 mm**  
made of chrome-plated iron



ALPENINOX 058157

**3055076 FRYER BASKET 290x280x120 mm**  
made of chrome-plated iron



ALPENINOX 0A2603


Suitable for:

**3055180 FRYER BASKET 260x135x120 mm**  
made of chrome-plated iron



ALPENINOX 053206

**3055315 FRYER BASKET 260x270x120 mm**  
made of chrome-plated iron



ALPENINOX 004499

**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



ALPENINOX 058158

**3055314 FRYER BASKET 325x225x120 mm**  
made of chrome-plated iron



ALPENINOX 005933



# ALPENINOX



Suitable for:

**4054960 FRYER BASKET 325x225x120 mm**  
made of chrome-plated iron



ALPENINOX 054960

Suitable for:

**3055335 FRYER BASKET 325x225x90 mm**  
made of chrome-plated iron



ALPENINOX 004492

**3055181 FRYER BASKET 330x105x125 mm**  
in chrome-plated iron



ALPENINOX 054948

**3055317 FRYER BASKET 330x140x140 mm**  
made of chrome-plated iron



ALPENINOX 006133

**3055316 FRYER BASKET 330x285x140 mm**  
made of chrome-plated iron



ALPENINOX 006539

**3055205 FRYER BASKET 333x338x120 mm**  
made of chrome-plated iron  
for new series



ALPENINOX 059307

**3055196 FRYER BASKET 340x160x150 mm**  
made of chrome-plated iron



ALPENINOX 052290

**3055206 FRYER BASKET 335x160x120 mm**  
in chrome-plated iron  
for new series



ALPENINOX 059327

## Fuses

**3049003 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 100mA



ALPENINOX 086338

**3049005 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 160mA



ALPENINOX 002820




# ALPENINOX



Suitable for:

**3049012 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 800mA



ALPENINOX\_0C2301

Suitable for:

**3049068 QUICK ACTING FUSE  $\varnothing$  10x38 mm - 10 PCS**  
500V 1A



ALPENINOX\_048995

ALPENINOX\_048995\_10PZ

**3049040 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 250mA



**3049041 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 315mA



ALPENINOX\_002920

ALPENINOX\_0W3499

ALPENINOX\_005032

ALPENINOX\_4005032

**3049042 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 400mA



**3049044 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 630mA



ALPENINOX\_002750

ALPENINOX\_0W5452

ALPENINOX\_058871

**3049046 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 1A



**3049049 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 2A



ALPENINOX\_0W5451

ALPENINOX\_0A8438

**3049052 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 4A



**3049127 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 16A



ALPENINOX\_057783

ALPENINOX\_005136

**Gas burners****3020144 BRASS NUT M15x1**

ALPENINOX 020997

**3023189 BURNER  $\varnothing$  40x380 mm**  
overall length 430 mm  
made of stainless steel

ALPENINOX 003326

**3023193 BURNER  $\varnothing$  40x480 mm**  
overall length 535 mm  
made of stainless steel

ALPENINOX 004258

**3023214 BURNER  $\varnothing$  40x600 mm**  
overall length 650 mm  
made of stainless steel

ALPENINOX 059809

**3023149 BURNER  $\varnothing$  40x620 mm**  
overall length 735 mm  
made of stainless steel

ALPENINOX 059221

**3023197 NOZZLE HOLDER FOR BURNER  $\varnothing$  10 mm**  
internal thread M10x1 - external thread M15x1

ALPENINOX 059250

**3023215 BURNER  $\varnothing$  40x480 mm**  
overall length 530 mm  
made of stainless steel

ALPENINOX 054117

**3023197 NOZZLE HOLDER FOR BURNER  $\varnothing$  10 mm**  
internal thread M10x1 - external thread M15x1

ALPENINOX 059250

**3023197 NOZZLE HOLDER FOR BURNER  $\varnothing$  10 mm**  
internal thread M10x1 - external thread M15x1

ALPENINOX 059250




Suitable for:

# ALPENINOX



**3023188** BURNER  $\varnothing$  50x330 mm  
overall length 400 mm  
made of STAINLESS steel



ALPENINOX 004847

**3023197** NOZZLE HOLDER FOR BURNER  $\varnothing$  10 mm  
internal thread M10x1 - external thread M15x1



ALPENINOX 059250

**3023190** BURNER  $\varnothing$  50x330 mm  
overall length 440 mm  
made of STAINLESS STEEL



ALPENINOX 0C0743

**3023196** BURNER  $\varnothing$  50x345 mm  
overall length 400 mm  
made of STAINLESS STEEL



ALPENINOX 004726

**3023197** NOZZLE HOLDER FOR BURNER  $\varnothing$  10 mm  
internal thread M10x1 - external thread M15x1



ALPENINOX 059250

Suitable for:

**3023202** AIR ADJUSTER  $\varnothing$  40 mm  
internal hole  $\varnothing$  10 mm  
height 13 mm - 8 holes



ALPENINOX 054039

**3023202** AIR ADJUSTER  $\varnothing$  40 mm  
internal hole  $\varnothing$  10 mm  
height 13 mm - 8 holes



ALPENINOX 054039

**3023202** AIR ADJUSTER  $\varnothing$  40 mm  
internal hole  $\varnothing$  10 mm  
height 13 mm - 8 holes



ALPENINOX 054039



Suitable for:

**3023204 BURNER  $\varnothing$  50x390 mm**  
overall length 445 mm  
made of stainless steel



ALPENINOX 005929

**3023197 NOZZLE HOLDER FOR BURNER  $\varnothing$  10 mm**  
internal thread M10x1 - external thread M15x1



ALPENINOX 059250

**3023203 BURNER  $\varnothing$  50x410 mm**  
overall length 475 mm  
made of stainless steel



ALPENINOX 006127

**3023213 BURNER  $\varnothing$  50x500 mm**  
overall length 560 mm  
made of stainless steel



ALPENINOX 002513

**3023198 BURNER LH 585x220 mm**  
made of chrome-plated iron



ALPENINOX 003780

Suitable for:

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
internal hole  $\varnothing$  10 mm  
height 13 mm - 8 holes



ALPENINOX 054039

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
internal hole  $\varnothing$  10 mm  
height 13 mm - 8 holes



ALPENINOX 054039

**3023197 NOZZLE HOLDER FOR BURNER  $\varnothing$  10 mm**  
internal thread M10x1 - external thread M15x1



ALPENINOX 059250

**3023200 BURNER RH 585x220 mm**  
made of chrome-plated iron



ALPENINOX 003779



Suitable for:

# ALPENINOX




**3023046 BURNER 400x175 mm**  
made of stainless steel



ALPENINOX 052855

Suitable for:

**4050874 MIXING CHAMBER 80x107x40 mm**  
made of chrome-plated iron  
bracket 107x40x2 mm  
distance between holes fixing 87 mm



ALPENINOX 050874

**3023106 BURNER 435x200 mm**  
made of stainless steel




ALPENINOX 056655

**3020239 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  22 mm  
height 42 mm



ALPENINOX 051389

**4050874 MIXING CHAMBER 80x107x40 mm**  
made of chrome-plated iron  
bracket 107x40x2 mm  
distance between holes fixing 87 mm



ALPENINOX 050874

**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe  $\varnothing$  10 mm



ALPENINOX 059375

**5022030 BURNER 470x200 mm**  
made of STAINLESS STEEL



ALPENINOX 005656

**3023210 BURNER 530x195 mm**  
made of chrome-plated iron



ALPENINOX 004591

**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe  $\varnothing$  10 mm



ALPENINOX 059375



# ALPENINOX



Suitable for:

**3023212 BURNER 545x240 mm**  
made of STAINLESS steel



ALPENINOX 059523

Suitable for:

**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe  $\varnothing$  10 mm



ALPENINOX 059375

**3023223 BURNER 550x670 mm**  
made of chrome-plated iron



ALPENINOX 0A5166

**3023334 BURNER 550x830 mm**  
made of chrome-plated iron



ALPENINOX 059624

**4003634 BURNER 570x450 mm**  
made of chrome-plated iron



ALPENINOX 003634

**40C0700 BURNER 580x545 mm**  
made of chrome-plated iron



ALPENINOX 0C0700

**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe  $\varnothing$  10 mm



ALPENINOX 059375

**3023160 BURNER 600x220 mm**  
made of stainless steel



ALPENINOX 002358

**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe  $\varnothing$  10 mm



ALPENINOX 059375



Suitable for:

# ALPENINOX



**4051296 BURNER 630x595 mm**  
made of STAINLESS steel



ALPENINOX 051296

**3023219 BURNER 645x190 mm**  
made of chrome-plated iron



ALPENINOX 0A5124

**3023191 BURNER 685x190 mm**  
made of chrome-plated iron



ALPENINOX 006650

**3023197 NOZZLE HOLDER FOR BURNER  $\varnothing$  10 mm**  
internal thread M10x1 - external thread M15x1



ALPENINOX 059250

**3023042 BURNER 690x395 mm**  
made of STAINLESS steel



ALPENINOX 052717

Suitable for:

**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe  $\varnothing$  10 mm



ALPENINOX 059375

**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe  $\varnothing$  10 mm



ALPENINOX 059375

**3352018 AERATION REGULATOR**  
internal  $\varnothing$  16 mm - external  $\varnothing$  18 mm  
height 42 mm



ALPENINOX 025009

ALPENINOX 052062



Suitable for:

**40C0701 BURNER 695x585 mm**  
made of chrome-plated iron



ALPENINOX 0C0701

Suitable for:

**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe  $\varnothing$  10 mm



ALPENINOX 059375

**3023209 BURNER 720x290 mm**  
made of stainless steel



ALPENINOX 0C0490

**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe  $\varnothing$  10 mm



ALPENINOX 059375

**3023183 BURNER 735x505 mm**  
made of stainless steel




ALPENINOX 059506

**3023182 FIREPROOF 505x200 mm**



ALPENINOX 054119

**4050874 MIXING CHAMBER 80x107x40 mm**  
made of chrome-plated iron  
bracket 107x40x2 mm  
distance between holes fixing 87 mm



ALPENINOX 050874

**3020145 NOZZLE HOLDER FOR BURNER**  
nozzle thread M15x1 mm  
with fastening coupling M15x1 mm -  $\varnothing$  tubo 10 mm



ALPENINOX 020988

ALPENINOX 051948

**3020144 BRASS NUT M15x1**



ALPENINOX 020997



Suitable for:

# ALPENINOX



**4059375 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
threaded nozzle M10x1 mm  
external thread M15x1 mm  
pipe  $\varnothing$  10 mm



ALPENINOX 059375

Suitable for:

**3023197 NOZZLE HOLDER FOR BURNER  $\varnothing$  10 mm**  
internal thread M10x1 - external thread M15x1



ALPENINOX 059250

**3023195 VERTICAL BURNER 265x50 mm**  
made of stainless steel



ALPENINOX 059297

## Gas hoses

**3449228 COPPER PIPE 1x4 mm - 25 mt**



ALPENINOX 0C1547

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



ALPENINOX 046755

**3449628 COPPER PIPE 1x4 mm - 5 mt**



ALPENINOX 0C1547

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25




ALPENINOX 052127





Suitable for:

**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



ALPENINOX 046755

# ALPENINOX



Suitable for:

**3449582 GAS HOSE  $\varnothing$  1/2"FF 1000 mm**  
made of steel AISI 316L  
max temperature 60°C - max pressure 0.5 bar  
resistance to 6 bar internal pressure  
resistance in case of fire 30 minutes at 650°C  
flow rate efficiency 2.2 m<sup>3</sup>/h  
in compliance w/the EUROPEAN CERTIFICATION EN14800



ALPENINOX 0S1005

**3449585 GAS HOSE  $\varnothing$  1/2"FF 2000 mm**  
made of steel AISI 316L  
max temperature 60°C - max pressure 0.5 bar  
resistance to 6 bar internal pressure  
resistance in case of fire 30 minutes at 650°C  
flow rate efficiency 2.2 m<sup>3</sup>/h  
in compliance w/the EUROPEAN CERTIFICATION EN14800



ALPENINOX 0S1003

**3449572 GAS HOSE  $\varnothing$  1/2"MF 1000 mm**  
made of steel AISI 316L  
max temperature 60°C - max pressure 0.5 bar  
resistance to 6 bar internal pressure  
resistance in case of fire 30 minutes at 650°C  
flow rate efficiency 2.2 m<sup>3</sup>/h  
in compliance w/the EUROPEAN CERTIFICATION EN14800



ALPENINOX 0S1006

**3449584 GAS HOSE  $\varnothing$  1/2"FF 1500 mm**  
made of steel AISI 316L  
max temperature 60°C - max pressure 0.5 bar  
resistance to 6 bar internal pressure  
resistance in case of fire 30 minutes at 650°C  
flow rate efficiency 2.2 m<sup>3</sup>/h  
in compliance w/the EUROPEAN CERTIFICATION EN14800



ALPENINOX 0S1008

**3449580 GAS HOSE  $\varnothing$  1/2"FF 500 mm**  
made of steel AISI 316L  
max temperature 60°C - max pressure 0.5 bar  
resistance to 6 bar internal pressure  
resistance in case of fire 30 minutes at 650°C  
flow rate efficiency 2.2 m<sup>3</sup>/h  
in compliance w/the EUROPEAN CERTIFICATION EN14800



ALPENINOX 0S1026

**3449574 GAS HOSE  $\varnothing$  1/2"MF 1500 mm**  
made of steel AISI 316L  
max temperature 60°C - max pressure 0.5 bar  
resistance to 6 bar internal pressure  
resistance in case of fire 30 minutes at 650°C  
flow rate efficiency 2.2 m<sup>3</sup>/h  
in compliance w/the EUROPEAN CERTIFICATION EN14800



ALPENINOX 0S1007




# ALPENINOX



Suitable for:

**3449575 GAS HOSE  $\varnothing$  1/2"MF 2000 mm**  
 made of steel AISI 316L  
 max temperature 60°C - max pressure 0.5 bar  
 resistance to 6 bar internal pressure  
 resistance in case of fire 30 minutes at 650°C  
 flow rate efficiency 2.2 m<sup>3</sup>/h  
 in compliance w/the EUROPEAN CERTIFICATION EN14800



ALPENINOX OS1015

**3449070 PILOT PIPE  $\varnothing$  4 mm**  
 for cooking hob HC/G410-HC/G810



ALPENINOX 005561

**40C0151 PILOT PIPE  $\varnothing$  4 mm**  
 for COOKING HOB series N700-N900  
 for SOLID TOP RANGE series N700-N900



ALPENINOX 0C0151

**4006249 PILOT PIPE  $\varnothing$  4 mm**



ALPENINOX 006249

**4006263 PIPE FOR GAS TAP  $\varnothing$  10 mm**



ALPENINOX 006263

Suitable for:

**3449570 GAS HOSE  $\varnothing$  1/2"MF 500 mm**  
 made of steel AISI 316L  
 max temperature 60°C - max pressure 0.5 bar  
 resistance to 6 bar internal pressure  
 resistance in case of fire 30 minutes at 650°C  
 flow rate efficiency 2.2 m<sup>3</sup>/h  
 in compliance w/the EUROPEAN CERTIFICATION EN14800



ALPENINOX OS1025

**3449078 PILOT PIPE  $\varnothing$  4 mm**  
 for cooking hob N700-N900



ALPENINOX 0C0152

**40C0702 PILOT PIPE  $\varnothing$  4 mm**



ALPENINOX 0C0702

**40C0206 PIPE FOR GAS TAP  $\varnothing$  10 mm**



ALPENINOX 0C0206

**7101735 PIPE FOR GAS TAP  $\varnothing$  10 mm**



ALPENINOX 0C0207



## Gas taps and accessories

**4002900** BY-PASS SCREW  $\varnothing$  0.45 mm FOR MOD. 20/21  
thread M5x0.5



ALPENINOX 002900

**5016310** BY-PASS SCREW  $\varnothing$  0.45 mm FOR MOD. 22  
thread M6x0.5



ALPENINOX 004261

**4002925** BY-PASS SCREW  $\varnothing$  0.50 mm FOR MOD. 20/21  
thread M5x0.5



ALPENINOX 002925

**5015533** BY-PASS SCREW  $\varnothing$  0.55 mm FOR MOD. 20/21  
thread M5x0.5



ALPENINOX 002911

**5046716** BY-PASS SCREW  $\varnothing$  0.60 mm FOR MOD. 20/21  
thread M5x0.5



ALPENINOX 002904

**5017441** BY-PASS SCREW  $\varnothing$  0.70 mm FOR MOD. 20/21  
thread M5x0.5



ALPENINOX 002908

**4002769** BY-PASS SCREW  $\varnothing$  0.75 mm FOR MOD. 20/21  
thread M5x0.5



ALPENINOX 002769

**5008380** BY-PASS SCREW  $\varnothing$  0.80 mm FOR MOD. 20/21  
thread M5x0.5



ALPENINOX 0G4101

ALPENINOX 002899

**4002926** BY-PASS SCREW  $\varnothing$  0.90 mm FOR MOD. 20/21  
thread M5x0.5



ALPENINOX 002926

**4052605** BY-PASS SCREW  $\varnothing$  0.90 mm FOR MOD. 22  
thread M6x0.5



ALPENINOX 052605



Suitable for:

# ALPENINOX



**4002909 BY-PASS SCREW  $\varnothing$  0.95 mm FOR MOD. 20/21**  
thread M5x0.5



ALPENINOX 002909

**4002902 BY-PASS SCREW  $\varnothing$  1.05 mm FOR MOD. 20/21**  
thread M5x0.5



ALPENINOX 002902

**4056742 BY-PASS SCREW  $\varnothing$  1.10 mm FOR MOD. 22**  
thread M6x0.5



ALPENINOX 056742

**4002927 BY-PASS SCREW  $\varnothing$  1.15 mm FOR MOD. 20/21**  
thread M5x0.5



ALPENINOX 002927

**5053754 BY-PASS SCREW  $\varnothing$  1.30 mm FOR MOD. 20/21**  
thread M5x0.5



ALPENINOX 002928

**4003182 BY-PASS SCREW  $\varnothing$  1.40 mm FOR MOD. 20/21**  
thread M5x0.5



ALPENINOX 003182

**4002976 BY-PASS SCREW  $\varnothing$  1.40 mm FOR MOD. 22**  
thread M6x0.5



ALPENINOX 002976

**4002994 BY-PASS SCREW  $\varnothing$  1.45 mm FOR MOD. 20/21**  
thread M5x0.5



ALPENINOX 002994

**4006193 BY-PASS SCREW  $\varnothing$  1.60 mm FOR MOD. 20/21**  
thread M5x0.5



ALPENINOX 006193

**4003372 BY-PASS SCREW  $\varnothing$  1.70 mm FOR MOD. 22**  
thread M6x0.5




ALPENINOX 0C6428

ALPENINOX 003372



Suitable for:

**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 26 mm  
for model PEL 22



ALPENINOX 056597

Suitable for:

**3348062 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 35 mm  
for model PEL 23




ALPENINOX 059853

**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S



ALPENINOX 059854

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S




ALPENINOX 002185

**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22




ALPENINOX 0S0053

**3348248 FLANGE HORIZONTAL M22x1 mm**




ALPENINOX

**3348063 GAS TAP SABAF**  
without pilot flame  
flange pipe connection  $\varnothing$  16 mm  
outlet fitting  $\varnothing$  1/4" M  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  8x6.5 mm



ALPENINOX 004956

**3348015 GAS TAP 20/N**  
with pilot flame  
fittings M16x1.5 mm  
with flow regulator  
D-shaped pin  $\varnothing$  8x6.5 mm



ALPENINOX 054166

**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S



ALPENINOX 059854



Suitable for:

**3348058** **MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



# ALPENINOX



Suitable for:


**3348059** **MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182022** **MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3182011** **MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348044** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 056595

**3348036** **OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25




ALPENINOX 060325

**3348037** **OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3348043** **PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ALPENINOX 020992

**3348029** **PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 0A2125

**3020078** **PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 052125

ALPENINOX 003859





Suitable for:

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



# ALPENINOX



Suitable for:

**3348014 GAS TAP 20/S**  
without pilot flame  
fittings  $\varnothing$  M16x1.5mm  
thermocouple fitting M8x1  
D-shaped pin  $\varnothing$  8x6.5mm




ALPENINOX 0A2163  
ALPENINOX 054629

ALPENINOX 054109

ALPENINOX 054628

**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S



ALPENINOX 059854

**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22




**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325

ALPENINOX 056595

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127



Suitable for:

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm




# ALPENINOX



Suitable for:

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25




ALPENINOX 0A2125

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 003859

**3348075 GAS TAP 20/S**  
without pilot flame  
fittings M16x1.5 mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped long pin  $\varnothing$  8x6.5 mm




ALPENINOX 004237

**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S



ALPENINOX 059854

**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22





Suitable for:

**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm




# ALPENINOX



Suitable for:

**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3240282 MICROSWITCH BITRON TYPE 209**  
0.5A 250V



ALPENINOX 004241

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ALPENINOX 0A2125

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 003859

ALPENINOX 056595

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm





Suitable for:

**3250097 SPRING FOR TAP MICROSWITCH  $\varnothing$  10x14 mm**  
for SOLID TOP RANGE series PR700



ALPENINOX 004243

# ALPENINOX



Suitable for:

**3348077 WASHER FOR TAP KNOB**



ALPENINOX 004242

**3348016 GAS TAP 21/S**  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  8x6.5 mm




ALPENINOX 004961

**3348085 BUSH FOR TAP**



**3348220 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S




ALPENINOX 002185


**7102841 BODY FITTING TAP**  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348219 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348221 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/17,5 mm upper/lower  
for model PEL 21




**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S





Suitable for:

**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

# ALPENINOX



Suitable for:

**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110




ALPENINOX 056595

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ALPENINOX 0A2125



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# ALPENINOX



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

**3348074** GAS TAP 21/S  
with pilot flame  
flange pipe connection  $\varnothing$  21 mm  
outlet fittings  $\varnothing$  M16x1.5mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  8x6.5 mm



ALPENINOX 0C0205

**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348221** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/17,5 mm upper/lower  
for model PEL 21




**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348021** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22 mm  
for model PEL 21S




ALPENINOX 002185





Suitable for:

**3348238** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348236** FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059** MAGNET PROTECTION NUT M9x1  
thread M18x1mm  
for model PEL 20-21-22



**3182011** MAGNETIC UNIT PEL SMALL HEAD  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ALPENINOX 056595

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25




ALPENINOX 052127

# ALPENINOX



Suitable for:

**3348243** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058** MAGNET PROTECTION NUT M8x1  
thread M18x1 mm  
for model PEL 20-21-22



**3182022** MAGNETIC GROUP PEL SMALL HEAD  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25




ALPENINOX 020992



Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ALPENINOX 0A2125

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

**3348076** GAS TAP 21/S  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
with flow regulator  
thermocouple connection M8x1 mm  
D-shaped pin  $\varnothing$  8x6.5 mm




ALPENINOX 0A2169

ALPENINOX 059367

ALPENINOX 059460

**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348221** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/17,5 mm upper/lower  
for model PEL 21



# ALPENINOX



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125


**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348021** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22 mm  
for model PEL 21S




ALPENINOX 002185



Suitable for:

**3348238** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348236** FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059** MAGNET PROTECTION NUT M9x1  
thread M18x1mm  
for model PEL 20-21-22



**3182011** MAGNETIC UNIT PEL SMALL HEAD  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ALPENINOX 056595

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25




ALPENINOX 052127

# ALPENINOX



Suitable for:

**3348243** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058** MAGNET PROTECTION NUT M8x1  
thread M18x1 mm  
for model PEL 20-21-22



**3182022** MAGNETIC GROUP PEL SMALL HEAD  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25



ALPENINOX 020992



Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ALPENINOX 0A2125

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




ALPENINOX 003859

**3348079** GAS TAP 21/S  
with pilot flame  
fittings  $\varnothing$  M16x1.5 mm  
thermocouple connection M8x1  
D-shaped long pin  $\varnothing$  8x6.5 mm




ALPENINOX 004282

**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348221** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/17,5 mm upper/lower  
for model PEL 21



# ALPENINOX



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125


**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348021** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22 mm  
for model PEL 21S




ALPENINOX 002185



Suitable for:

**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ALPENINOX 056595

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25




ALPENINOX 052127

# ALPENINOX



Suitable for:

**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25




ALPENINOX 020992





Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ALPENINOX 0A2125

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

**40G4441** GAS TAP 21/S  
with pilot flame  
flange connection pipe  $\varnothing$  21 mm  
outlet fitting M16x1.5 mm  
with flow regulator  
thermocouple connection M8x1  
pin length 45/19 mm  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0G4441

**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348221** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/17,5 mm upper/lower  
for model PEL 21



# ALPENINOX



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348021** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22 mm  
for model PEL 21S




ALPENINOX 002185





Suitable for:

**3348238** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348236** FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059** MAGNET PROTECTION NUT M9x1  
thread M18x1mm  
for model PEL 20-21-22



**3182011** MAGNETIC UNIT PEL SMALL HEAD  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ALPENINOX 056595

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



ALPENINOX 052127

# ALPENINOX



Suitable for:

**3348243** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058** MAGNET PROTECTION NUT M8x1  
thread M18x1 mm  
for model PEL 20-21-22



**3182022** MAGNETIC GROUP PEL SMALL HEAD  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25




ALPENINOX 020992



Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ALPENINOX 0A2125

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




ALPENINOX 003859

**40KI367** GAS TAP 21/S  
with pilot flame  
flange connection pipe  $\varnothing$  21 mm  
outlet fitting M16x1.5 mm  
with flow regulator  
thermocouple connection M8x1  
pin length 45/19 mm  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0K1367

**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348221** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/17,5 mm upper/lower  
for model PEL 21



# ALPENINOX



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348021** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22 mm  
for model PEL 21S




ALPENINOX 002185



Suitable for:

**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ALPENINOX 056595

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25




ALPENINOX 052127

# ALPENINOX



Suitable for:

**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25




ALPENINOX 020992



Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25




ALPENINOX 0A2125

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

**3348004** GAS TAP 22N/V  
with pilot flame  
with vertical flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
D-shaped pin  $\varnothing$  10x8 mm




ALPENINOX 052145

**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22



ALPENINOX 056597

**3348231** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 35/21 mm upper/lower  
for model PEL 22



# ALPENINOX



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25




ALPENINOX 052125


**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




**3348229** CAP WITH PIN  $\varnothing$  10 mm  
pin length 31 mm  
for model PEL 22S/O



**3348019** CAP WITH PIN  $\varnothing$  10x9 mm  
pin length 26 mm  
for model PEL 22




**3348232** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 39/7 mm upper/lower  
for model PEL 22





Suitable for:


**3348213** **FLANGE  $\varnothing$  12/10 mm**  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S



**3348025** **FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214** **FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059** **MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021** **MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



# ALPENINOX




Suitable for:

**3348023** **FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



ALPENINOX 0S0053

**3348024** **FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058** **MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009** **MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ALPENINOX 056594

**3348038** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



ALPENINOX 052128





Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



# ALPENINOX



Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22




**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 050670


**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 003859




**3348002 GAS TAP 22S/O**  
 with pilot flame  
 with horizontal flange  
 fittings  $\varnothing$  M20x1.5mm  
 with flow regulator  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  10x8 mm



ALPENINOX 0M0883


ALPENINOX 0S0595

**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 26 mm  
 for model PEL 22



ALPENINOX 056597


**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
 pin length 26 mm  
 for model PEL 22



**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 39/7 mm upper/lower  
 for model PEL 22



**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22



ALPENINOX 0S0053

**3348229 CAP WITH PIN  $\varnothing$  10 mm**  
 pin length 31 mm  
 for model PEL 22S/O



**3348245 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 34/26 mm upper/lower  
 for model PEL 22S



**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 35/21 mm upper/lower  
 for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
 without adjustment  
 thread M20x1.5 mm  
 for model PEL 22S




**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22





Suitable for:


**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ALPENINOX 056594

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



ALPENINOX 052128

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

# ALPENINOX



Suitable for:

**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992



Suitable for:

**3348230** PIN FOT GAS TAP  $\varnothing$  6x4.6 mm  
pin length 45/20 mm rh/lh  
for model PEL 22




# ALPENINOX



Suitable for:

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 050670

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



ALPENINOX 003859

**3348005** GAS TAP 22S/O  
with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5 mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  10x8 mm



**3348229** CAP WITH PIN  $\varnothing$  10 mm  
pin length 31 mm  
for model PEL 22S/O



ALPENINOX 0A2001

**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22



**3348245** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 34/26 mm upper/lower  
for model PEL 22S




ALPENINOX 056597




Suitable for:


**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
pin length 26 mm  
for model PEL 22



**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 39/7 mm upper/lower  
for model PEL 22




**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



ALPENINOX OS0053

**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



# ALPENINOX




Suitable for:

**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 35/21 mm upper/lower  
for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S



**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22





# ALPENINOX



Suitable for:

**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ALPENINOX 056594

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



ALPENINOX 052128

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22




**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 050670

Suitable for:

**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374

ALPENINOX 027478

ALPENINOX 050682

ALPENINOX 054979

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125





Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

# ALPENINOX



Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




**40K5756** GAS TAP 22S/O  
with pilot flame  
with horizontal flange  
fittings M20x1.5 mm  
with flow regulator  
thermocouple connection M8x1 mm  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0K5756

**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22




ALPENINOX 056597

**3348019** CAP WITH PIN  $\varnothing$  10x9 mm  
pin length 26 mm  
for model PEL 22



**3348232** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 39/7 mm upper/lower  
for model PEL 22



**3348229** CAP WITH PIN  $\varnothing$  10 mm  
pin length 31 mm  
for model PEL 22S/O



**3348245** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 34/26 mm upper/lower  
for model PEL 22S



**3348231** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 35/21 mm upper/lower  
for model PEL 22



**3348213** FLANGE  $\varnothing$  12/10 mm  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S








Suitable for:

**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



ALPENINOX 0S0053

**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ALPENINOX 056594

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



ALPENINOX 052128

# ALPENINOX



Suitable for:

**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682



Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25




ALPENINOX 050670

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 003859

**2110454 GAS TAP 22S/V**  
with pilot flame  
with vertical flange  
fittings M20x1.5 mm  
with flow regulator  
thermocouple fitting M8x1  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0K5757

# ALPENINOX



Suitable for:

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm




**3348229 CAP WITH PIN  $\varnothing$  10 mm**  
pin length 31 mm  
for model PEL 22S/O





Suitable for:

**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 26 mm  
for model PEL 22




ALPENINOX 056597

**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
pin length 26 mm  
for model PEL 22



**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 39/7 mm upper/lower  
for model PEL 22




**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



ALPENINOX 0S0053

**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



# ALPENINOX



Suitable for:


**3348245 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 34/26 mm upper/lower  
for model PEL 22S



**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 35/21 mm upper/lower  
for model PEL 22




**3348213 FLANGE  $\varnothing$  12/10 mm**  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S



**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S





Suitable for:

**3348058** **MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



# ALPENINOX



Suitable for:

**3348059** **MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182009** **MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



**3182021** **MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



ALPENINOX 056594

**3348038** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



**3020082** **OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 052128

ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3348036** **OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3348037** **OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25




ALPENINOX 052127

**3348230** **PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22



ALPENINOX 020992

**3348031** **PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124



Suitable for:

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25




ALPENINOX 050670

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

**3348003** GAS TAP 22S/V  
with pilot flame  
with vertical flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm



ALPENINOX 0C0489

ALPENINOX 0C6758

ALPENINOX 052432

ALPENINOX 053152


ALPENINOX 052146

**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22



ALPENINOX 056597

**3348019** CAP WITH PIN  $\varnothing$  10x9 mm  
pin length 26 mm  
for model PEL 22



# ALPENINOX



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348229** CAP WITH PIN  $\varnothing$  10 mm  
pin length 31 mm  
for model PEL 22S/O



**3348245** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 34/26 mm upper/lower  
for model PEL 22S



**3348231** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 35/21 mm upper/lower  
for model PEL 22








Suitable for:

**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 39/7 mm upper/lower  
for model PEL 22




**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



ALPENINOX 0S0053

**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm




# ALPENINOX



Suitable for:

**3348213 FLANGE  $\varnothing$  12/10 mm**  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S



**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ALPENINOX 056594

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



ALPENINOX 052128





Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



# ALPENINOX



Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 050670

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 003859



Suitable for:

# ALPENINOX




**3348200 GAS TAP 22S/V**  
 with pilot flame  
 with vertical flange  
 fittings  $\varnothing$  M20x1.5 mm  
 with flow regulator  
 thermocouple connection M8x1  
 pin  $\varnothing$  10 mm




ALPENINOX

**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 26 mm  
 for model PEL 22



ALPENINOX 056597

**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
 pin length 26 mm  
 for model PEL 22



Suitable for:

**3348229 CAP WITH PIN  $\varnothing$  10 mm**  
 pin length 31 mm  
 for model PEL 22S/0



**3348245 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 34/26 mm upper/lower  
 for model PEL 22S




**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 35/21 mm upper/lower  
 for model PEL 22




**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 39/7 mm upper/lower  
 for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
 without adjustment  
 thread M20x1.5 mm  
 for model PEL 22S



**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22



**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22



ALPENINOX 0S0053



Suitable for:


**3348024** FLANGE VERTICAL  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



**3348058** MAGNET PROTECTION NUT M8x1  
thread M18x1 mm  
for model PEL 20-21-22



**3182009** MAGNETIC UNIT PEL BIG HEAD  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ALPENINOX 056594

**3348038** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 22-24-25



ALPENINOX 052128

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



ALPENINOX 052127

# ALPENINOX



Suitable for:

**3348214** FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm  
thread M20x1.5 mm  
for model PEL 22S



**3348059** MAGNET PROTECTION NUT M9x1  
thread M18x1mm  
for model PEL 20-21-22



**3182021** MAGNETIC UNIT PEL LARGE HEAD  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082** OLIVE FOR PIPE  $\varnothing$  12 mm  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25



ALPENINOX 020992



Suitable for:

**3348230** PIN FOT GAS TAP  $\varnothing$  6x4.6 mm  
pin length 45/20 mm rh/lh  
for model PEL 22




# ALPENINOX



Suitable for:

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 050670

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



ALPENINOX 003859

**40C0489** GAS TAP 22S/V  
with pilot flame  
with vertical flange  
fittings M20x1.5 mm  
with flow regulator  
thermocouple fitting M9x1  
D-shaped pin  $\varnothing$  10x8 mm



**3348229** CAP WITH PIN  $\varnothing$  10 mm  
pin length 31 mm  
for model PEL 22S/0



ALPENINOX 0C0489


ALPENINOX 0C7371

ALPENINOX 0C8647

**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22



**3348245** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 34/26 mm upper/lower  
for model PEL 22S



ALPENINOX 056597




Suitable for:


**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
pin length 26 mm  
for model PEL 22



**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 39/7 mm upper/lower  
for model PEL 22




**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



ALPENINOX OS0053

**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22




# ALPENINOX




Suitable for:

**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 35/21 mm upper/lower  
for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S



**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22







Suitable for:

**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ALPENINOX 056594

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



ALPENINOX 052128

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 050670

# ALPENINOX



Suitable for:

**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374

ALPENINOX 027478

ALPENINOX 050682


ALPENINOX 054979

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125





Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

# ALPENINOX




Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348011** GAS TAP 23S/O  
with pilot flame  
with horizontal flange  
inlet fitting M28x1.5mm  
outlet fitting M24x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm




ALPENINOX 054811

ALPENINOX 059505

**3348060** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 25 mm  
for model PEL 23




**3348062** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 35 mm  
for model PEL 23




ALPENINOX 059853


**3348027** FLANGE HORIZONTAL  $\varnothing$  12/16 mm  
thread M24x1.5 mm  
for model PEL 23



**3348237** FLANGE HORIZONTAL  $\varnothing$  12/16 mm  
without adjustment  
thread M24x1.5 mm  
for model PEL 23



**3348028** FLANGE VERTICAL  $\varnothing$  12/16 mm  
thread M24x1.5  
for model PEL 23



**3348040** OLIVE FOR PIPE  $\varnothing$  12 mm  
for model PEL 23



**3348041** OLIVE FOR PIPE  $\varnothing$  16 mm  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817



Suitable for:

**3348042 OLIVE FOR PIPE  $\varnothing$  20 mm**  
for model PEL 23



ALPENINOX 054815

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

**3348033 PIPE FITTING  $\varnothing$  12 mm**  
thread M24x1.5  
for model PEL 23



**3348035 PIPE FITTING  $\varnothing$  20 mm**  
thread M28x1.5  
for model PEL 23



ALPENINOX 054814

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 003859

# ALPENINOX



Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3182020 PEL MAGNETIC GROUP**  
head  $\varnothing$  24 mm - end  $\varnothing$  18 mm - length 59 mm  
thermocouple fitting M9x1  
for tap PEL model 23S



ALPENINOX 056596

**3348034 PIPE FITTING  $\varnothing$  16 mm**  
thread M24x1.5  
for model PEL 23



ALPENINOX 054816

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm




**3348012 GAS TAP 23S/O**  
 with pilot flame  
 with horizontal flange  
 inlet fitting M28x1.5mm  
 outlet connection M24x1.5mm  
 with flow regulator  
 thermocouple connection M10x1  
 D-shaped pin  $\varnothing$  10x8 mm




ALPENINOX 0A2146

**3348062 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 35 mm  
 for model PEL 23



ALPENINOX 059853

**3348237 FLANGE HORIZONTAL  $\varnothing$  12/16 mm**  
 without adjustment  
 thread M24x1.5 mm  
 for model PEL 23



**3182010 MAGNETIC UNIT PEL**  
 head  $\varnothing$  24 mm - end piece  $\varnothing$  18 mm - length 59 mm  
 thermocouple coupling M10x1  
 for PEL tap model 23



**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
 for model PEL 23



ALPENINOX 052671

ALPENINOX 054817


**3348060 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 25 mm  
 for model PEL 23



**3348027 FLANGE HORIZONTAL  $\varnothing$  12/16 mm**  
 thread M24x1.5 mm  
 for model PEL 23



**3348028 FLANGE VERTICAL  $\varnothing$  12/16 mm**  
 thread M24x1.5  
 for model PEL 23



**3348040 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 for model PEL 23



**3348042 OLIVE FOR PIPE  $\varnothing$  20 mm**  
 for model PEL 23



ALPENINOX 054815



Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3348033 PIPE FITTING  $\varnothing$  12 mm**  
thread M24x1.5  
for model PEL 23



**3348035 PIPE FITTING  $\varnothing$  20 mm**  
thread M28x1.5  
for model PEL 23




ALPENINOX 054814

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 003859

**4005466 GAS TAP 23S/O**  
with pilot flame  
with horizontal flange  
inlet fitting M28x1.5 mm  
outlet coupling M24x1.5 mm  
without flow regulator  
thermocouple fitting M9x1  
D-shaped pin  $\varnothing$  10x8 mm



ALPENINOX 005466

# ALPENINOX



Suitable for:

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

**3348034 PIPE FITTING  $\varnothing$  16 mm**  
thread M24x1.5  
for model PEL 23



ALPENINOX 054816

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



**3348060 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 25 mm  
for model PEL 23






Suitable for:

**3348062 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 35 mm  
for model PEL 23



ALPENINOX 059853

**3348237 FLANGE HORIZONTAL  $\varnothing$  12/16 mm**  
without adjustment  
thread M24x1.5 mm  
for model PEL 23



**3348040 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 23



**3348042 OLIVE FOR PIPE  $\varnothing$  20 mm**  
for model PEL 23



ALPENINOX 054815

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

# ALPENINOX




Suitable for:

**3348027 FLANGE HORIZONTAL  $\varnothing$  12/16 mm**  
thread M24x1.5 mm  
for model PEL 23



**3348028 FLANGE VERTICAL  $\varnothing$  12/16 mm**  
thread M24x1.5  
for model PEL 23



**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3182020 PEL MAGNETIC GROUP**  
head  $\varnothing$  24 mm - end  $\varnothing$  18 mm - length 59 mm  
thermocouple fitting M9x1  
for tap PEL model 23S




ALPENINOX 056596





Suitable for:

**3348033** PIPE FITTING  $\varnothing$  12 mm  
thread M24x1.5  
for model PEL 23



# ALPENINOX



Suitable for:

**3348034** PIPE FITTING  $\varnothing$  16 mm  
thread M24x1.5  
for model PEL 23



**3348035** PIPE FITTING  $\varnothing$  20 mm  
thread M28x1.5  
for model PEL 23



ALPENINOX 054816

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 054814

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



ALPENINOX 003859

**3348038** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 22-24-25



**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



ALPENINOX 052128

ALPENINOX 060325

**3348041** OLIVE FOR PIPE  $\varnothing$  16 mm  
for model PEL 23



**3348042** OLIVE FOR PIPE  $\varnothing$  20 mm  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

ALPENINOX 054815



Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

Suitable for:

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ALPENINOX 0A2125

**3348250 PIPE FITTING  $\varnothing$  10 mm**  
thread M17x1 mm



ALPENINOX

**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 050670

**3348034 PIPE FITTING  $\varnothing$  16 mm**  
thread M24x1.5  
for model PEL 23



ALPENINOX 054816

**3348035 PIPE FITTING  $\varnothing$  20 mm**  
thread M28x1.5  
for model PEL 23



ALPENINOX 054814

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**4002993 SCREW BY-PASS  $\varnothing$  1.80 mm FOR MODEL 22**  
thread M6x0.5



ALPENINOX 002993



Suitable for:

# ALPENINOX



Suitable for:

**3348077 WASHER FOR TAP KNOB**



ALPENINOX 004242

## Gas valves and accessories

**3523065 CAP FOR GAS VALVE MERTIK  $\varnothing$  3/8"**  
with OR




ALPENINOX 0C0625

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



ALPENINOX 056009

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2"M



ALPENINOX 052668

**3241435 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm



ALPENINOX 0C8571

ALPENINOX 004491

**3526126 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm



ALPENINOX 003391

**3526131 EUROSIT VALVE FOR FRYER 110÷190°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure setting range  
3÷18 mbar outlet  
ambient temperature 0÷120°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x200 mm



ALPENINOX 003334

ALPENINOX 004947

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR





Suitable for:

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR




ALPENINOX 056009

**3526126 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm



ALPENINOX 003391

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8"M



**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8"M - M16x1 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374

ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

# ALPENINOX

Suitable for:


**3241435 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm




ALPENINOX 0C8571

ALPENINOX 004491

**3526677 EXTENSION FOR EUROSIT VALVE**  
D-shaped pin  $\varnothing$  10x8 mm



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**3526127 FLANGE FOR EXTENSION**



ALPENINOX 058773

**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm





Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M




# ALPENINOX



Suitable for:

**3526123** RUBBER PROTECTION FOR EUROSIT VALVE



**3526127** FLANGE FOR EXTENSION



**3523053**

**GAS VALVE MERTIK 100÷340°C**  
model GV31T-C1A7AGK0-003  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
complete with ignition cable length 1250 mm  
capillary length 720 mm  
bulb  $\varnothing$  4x65 mm  
D-shaped pin 8x6.5 mm




ALPENINOX 058773

ALPENINOX 0C0209

ALPENINOX 0C5247

**3523055** **GAS VALVE MERTIK 100÷340°C**  
model GV30T-C3A7A2K6E0/1  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
complete with ignition cable length 880 mm  
capillary length 720 mm  
bulb  $\varnothing$  4x65 mm  
D-shaped pin 8x6.5 mm



**3523065**

**CAP FOR GAS VALVE MERTIK  $\varnothing$  3/8"**  
with OR



ALPENINOX 0C5246

ALPENINOX 006692

ALPENINOX 0C0625

**4056009** **CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



**3186666**

**KNOB GASKET  $\varnothing$  38x27x5 mm**



ALPENINOX 056009

ALPENINOX 006465

Suitable for:

Suitable for:

**3523056 GAS VALVE MERTIK 100÷340°C**  
 model GV30T-C3A7A2K6E0  
 inlet  $\varnothing$  3/8"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 complete with ignition cable length 900 mm  
 capillary length 720 mm  
 bulb  $\varnothing$  4x65 mm  
 D-shaped pin 8x6.5 mm



ALPENINOX 0C5245

ALPENINOX 006460

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR




ALPENINOX 056009

**3186666 KNOB GASKET  $\varnothing$  38x27x5 mm**



ALPENINOX 006465

**40G5266 GAS VALVE MERTIK 100÷340°C**  
 model GV31T-C3A7A2K0-004  
 inlet  $\varnothing$  3/8"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 complete with ignition cable length 900 mm  
 capillary length 720 mm  
 bulb  $\varnothing$  4x65 mm  
 D-shaped pin 8x6.5 mm



ALPENINOX 0G5266

**3523054 GAS VALVE MERTIK 110÷190°C**  
 model GV31T-C5AXE2K0E0  
 inlet  $\varnothing$  3/8"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 complete with ignition cable length 840 mm  
 capillary length 720 mm  
 bulb  $\varnothing$  4x165 mm  
 D-shaped pin 8x6.5 mm



ALPENINOX 0C0624

ALPENINOX 0C5248

ALPENINOX 006574

ALPENINOX 0G2636

**3241709 ADAPTER FOR KNOB  $\varnothing$  27 mm**  
 D-shaped hole 8x6.5 mm




ALPENINOX 0C5400



Suitable for:

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR




ALPENINOX 056009

# ALPENINOX



Suitable for:

**3523057 GAS VALVE MERTIK 30 $\div$ 110 $^{\circ}$ C**  
model GV31T-C2ALA2K0-001  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple fitting M9x1  
max gas inlet pressure 50 mbar  
complete with cable for ignition length 900 mm  
capillary length 730 mm  
stuffing gland fitting M8x1  
with tank sealing fitting  $\varnothing$  1/4"  
bulb  $\varnothing$  6x115 mm  
D-shaped pin 8x6.5 mm



ALPENINOX 0C0444

ALPENINOX 0C5249

**3241709 ADAPTER FOR KNOB  $\varnothing$  27 mm**  
D-shaped hole 8x6.5 mm



ALPENINOX 0C5400

**3526125 KNOB EXTENSION LENGTH 44 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm



ALPENINOX 002130


**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



ALPENINOX 029648

ALPENINOX 054268

**3523019 MINISIT VALVE FOR FOOD-WARMER 30 $\div$ 100 $^{\circ}$ C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0 $\div$ 60 $^{\circ}$ C  
capillary length 1050 mm  
bulb  $\varnothing$  5x125 mm  
with an elbow flange  $\varnothing$  3/8" F



ALPENINOX

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M



ALPENINOX 052668





Suitable for:

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



ALPENINOX 029648


ALPENINOX 054268

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ALPENINOX 056587

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

# ALPENINOX




Suitable for:

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR



**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817



Suitable for:

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm




# ALPENINOX



Suitable for:

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



ALPENINOX 0C8410


ALPENINOX 051567

ALPENINOX 054269

**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**3523039 SENSING ELEMENT MINISIT 30  $\div$  100°C**  
capillary length 1050 mm  
bulb  $\varnothing$  5x125 mm



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



ALPENINOX 056646

**3523919 MINISIT VALVE FOR FOOD-WARMER 30  $\div$  100°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0  $\div$  60°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x125 mm  
without cover. knob and flanges



**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M



ALPENINOX 052431

ALPENINOX 053210

ALPENINOX 052668

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8" F**  
with screws and OR





Suitable for:

**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



ALPENINOX 029648


ALPENINOX 054268

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ALPENINOX 056587

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374

ALPENINOX 027478

ALPENINOX 050682

ALPENINOX 054979

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm




# ALPENINOX



Suitable for:

**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325


**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



ALPENINOX 0C8410

ALPENINOX 051567

ALPENINOX 054269



Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



# ALPENINOX




Suitable for:

**3523036** REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**3523039** SENSING ELEMENT MINISIT 30  $\div$  100°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x125 mm



**5058320** TUBE NUT FITTING  $\varnothing$  10 mm  
thread M14x1,5 mm



ALPENINOX 056646

**3523033** MINISIT VALVE FOR FRYER 110  $\div$  190°C  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0  $\div$  60°C  
with screw for gas outlet pressure regulation  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm  
with an elbow flange  $\varnothing$  3/8" F



**2100757** CONNECTION FOR OLIVE  $\varnothing$  16 mm  
thread  $\varnothing$  1/2" M



ALPENINOX

**3523038** ELBOW FLANGE MINISIT  $\varnothing$  1/2" F  
with screws and OR



ALPENINOX 052668


**3523037** ELBOW FLANGE MINISIT  $\varnothing$  3/8" F  
with screws and OR



**3523035** KNOB MINISIT BLACK  $\varnothing$  37 mm



**3523047** LID MINISIT



ALPENINOX 029648

ALPENINOX 054268




Suitable for:

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ALPENINOX 056587

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



# ALPENINOX



Suitable for:

**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325


**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



ALPENINOX 0C8410

ALPENINOX 051567

ALPENINOX 054269

**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange









Suitable for:

**3523051 SENSING ELEMENT MINISIT 110±190°C**  
capillary length 1050 mm  
bulb ø 6x105 mm



ALPENINOX 056590

**3523049 MINISIT VALVE FOR FRYER 110±190°C**  
inlet ø 1/2"F - outlet ø 3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0±60°C  
capillary length 1050 mm  
bulb ø 6x105 mm  
with an elbow flange ø 3/8"F



ALPENINOX 056688

**3523038 ELBOW FLANGE MINISIT ø 1/2"**  
with screws and OR



**3523035 KNOB MINISIT BLACK ø 37 mm**



ALPENINOX 029648

ALPENINOX 054268

**3182003 MAGNETIC UNIT SIT**  
head ø 25 mm - end piece ø 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ALPENINOX 056587

# ALPENINOX



Suitable for:

**5058320 TUBE NUT FITTING ø 10 mm**  
thread M14x1,5 mm



**2100757 CONNECTION FOR OLIVE ø 16 mm**  
thread ø 1/2"M




ALPENINOX 052668

**3523037 ELBOW FLANGE MINISIT ø 3/8"**  
with screws and OR



**3523047 LID MINISIT**



**3523061 NUT ø 1/4"x6 mm**








Suitable for:

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



# ALPENINOX



Suitable for:

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 060325

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

ALPENINOX 052671

ALPENINOX 054817


**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**3523051 SENSING ELEMENT MINISIT 110  $\div$  190°C**  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



ALPENINOX 056590

**3523949 MINISIT VALVE FOR FRYER 110  $\div$  190°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0  $\div$  60°C  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm  
supplied without lid knob and flanges



**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M



ALPENINOX 003855

ALPENINOX 052668



Suitable for:

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



ALPENINOX 029648


ALPENINOX 054268

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ALPENINOX 056587

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374

ALPENINOX 027478

ALPENINOX 054979

ALPENINOX 050682

# ALPENINOX




Suitable for:

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR



**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817



Suitable for:

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



# ALPENINOX



Suitable for:

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



ALPENINOX 0C8410

ALPENINOX 051567

ALPENINOX 054269

**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**3523051 SENSING ELEMENT MINISIT 110  $\div$  190°C**  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm




**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



ALPENINOX 056590

**3523024 MINISIT VALVE FOR FRYER 50  $\div$  190°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0  $\div$  60°C  
length capillary 1200 mm  
bulb  $\varnothing$  5x95 mm  
with an elbow flange  $\varnothing$  1/2" F



**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M



ALPENINOX

ALPENINOX 052668

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8" F**  
with screws and OR





Suitable for:

**3523035 KNOB MINISIT BLACK ø 37 mm**



ALPENINOX 029648


ALPENINOX 054268

**3182003 MAGNETIC UNIT SIT**  
head ø 25 mm - end piece ø 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ALPENINOX 056587

**3523060 OIL SEAL FITTING ø 6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE ø 12 mm**  
for model PEL 22-24-25



ALPENINOX 004374

ALPENINOX 027478

ALPENINOX 050682

ALPENINOX 054979

**3001070 PIEZO IGNITER MINISIT**  
a ø 22 mm hole is required for the assembly  
faston M ø 2.4 mm




# ALPENINOX



Suitable for:

**3523047 LID MINISIT**



**3523061 NUT ø 1/4"x6 mm**



**3348044 OLIVE FOR PIPE ø 10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348041 OLIVE FOR PIPE ø 16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



ALPENINOX 0C8410

ALPENINOX 051567

ALPENINOX 054269



Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M




**3523042** SENSING ELEMENT MINISIT 50÷190°C  
capillary length 1200 mm  
bulb  $\varnothing$  5x95 mm



ALPENINOX 056591

**3523923** MINISIT VALVE FOR FRYER 50÷190°C  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
length capillary 1200 mm  
bulb  $\varnothing$  5x95 mm  
without cover, knob and flanges



ALPENINOX 026824

ALPENINOX 054267

**3523038** ELBOW FLANGE MINISIT  $\varnothing$  1/2" F  
with screws and OR



**3523035** KNOB MINISIT BLACK  $\varnothing$  37 mm



ALPENINOX 029648

ALPENINOX 054268

# ALPENINOX



Suitable for:

**3523036** REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**5058320** TUBE NUT FITTING  $\varnothing$  10 mm  
thread M14x1,5 mm



**2100757** CONNECTION FOR OLIVE  $\varnothing$  16 mm  
thread  $\varnothing$  1/2" M




ALPENINOX 052668

**3523037** ELBOW FLANGE MINISIT  $\varnothing$  3/8" F  
with screws and OR



**3523047** LID MINISIT








Suitable for:

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ALPENINOX 056587

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



# ALPENINOX



Suitable for:

**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325


**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



ALPENINOX 0C8410

ALPENINOX 051567

ALPENINOX 054269

**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange







Suitable for:

**3523042 SENSING ELEMENT MINISIT 50÷190°C**  
capillary length 1200 mm  
bulb ø 5x95 mm



ALPENINOX 056591

# ALPENINOX




Suitable for:

**5058320 TUBE NUT FITTING ø 10 mm**  
thread M14x1,5 mm




**3523040 SENSING ELEMENT MINISIT 100÷340°C**  
capillary length 1050 mm  
bulb ø 5x70 mm



ALPENINOX 056592

**3523048 SENSING ELEMENT MINISIT 100÷340°C**  
stainless steel capillary length 1050 mm  
bulb ø 4x72 mm



ALPENINOX 056593

**3523051 SENSING ELEMENT MINISIT 110÷190°C**  
capillary length 1050 mm  
bulb ø 6x105 mm




ALPENINOX 056590

**3523039 SENSING ELEMENT MINISIT 30÷100°C**  
capillary length 1050 mm  
bulb ø 5x125 mm



ALPENINOX 056646

**3523042 SENSING ELEMENT MINISIT 50÷190°C**  
capillary length 1200 mm  
bulb ø 5x95 mm



ALPENINOX 056591

**3523004 VALVE B3C ø 3/8" M 1/4" F**  
with pilot outlet  
inlet ø 3/8" M - outlet ø 1/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷80°C  
90° inlet and outlet for valves



ALPENINOX 025846

**3182005 MAGNETIC UNIT SIT**  
head ø 19 mm - end piece ø 14.5 mm - length 47 mm  
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ALPENINOX 056588



Suitable for:

# ALPENINOX



**3523005 VALVE B3C  $\varnothing$  3/8"MM**  
 with pilot burner outlet  
 inlet  $\varnothing$  3/8" M - outlet  $\varnothing$  3/8" M  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷80°C  
 inlet and outlet at 90 degree for valves



ALPENINOX 026489

ALPENINOX 057989

Suitable for:

**3182005 MAGNETIC UNIT SIT**  
 head  $\varnothing$  19 mm - end piece  $\varnothing$  14.5 mm - length 47 mm  
 for valve SIT B3-BABYSIT-SIMPOSIT-COMPOSIT



ALPENINOX 056588

**3523933 VALVE MINISIT FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷80°C  
 with screw for gas outlet pressure regulation  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 without cover. knob and flanges



ALPENINOX 052952

ALPENINOX 056689

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
 thread  $\varnothing$  1/2" M



ALPENINOX 052688

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
 with screws and OR




**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
 with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



**3523047 LID MINISIT**



ALPENINOX 029648

ALPENINOX 054268

**3182003 MAGNETIC UNIT SIT**  
 head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
 for valve SIT AC2 - VR8-MINISIT



**3523061 NUT  $\varnothing$  1/4"x6 mm**




ALPENINOX 056587



Suitable for:

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



# ALPENINOX



Suitable for:

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 060325

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682


ALPENINOX 052671

ALPENINOX 054817

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



ALPENINOX 0C8410

ALPENINOX 051567

ALPENINOX 054269


**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**3523051 SENSING ELEMENT MINISIT 110  $\div$  190°C**  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



ALPENINOX 056590



Suitable for:

# ALPENINOX



**3523010 VALVE 440 D3  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 room temperature 0÷80°C  
 with thread for ring nut under the push-button



ALPENINOX 050106

Suitable for:

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**3523011 VALVE 440 D3  $\varnothing$  3/4"FF**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 room temperature 0÷80°C  
 with thread for ring nut under the push-button



ALPENINOX 026888

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**3526134 VALVE 630 EUROSIT FRY TOP 40÷280°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure calibration range  
 outlet 3÷18 mbar  
 ambient temperature 0÷80°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm



ALPENINOX 058772

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR



**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR



ALPENINOX 056009

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**




ALPENINOX 052833



Suitable for:

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**3526127 FLANGE FOR EXTENSION**



ALPENINOX 058773


**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



# ALPENINOX



Suitable for:

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M



**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M







Suitable for:

# ALPENINOX



**3526133 VALVE 630 EUROSIT FRY TOP 60÷300°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure calibration range:  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm




ALPENINOX 058772

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR



ALPENINOX 056009

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8" M



**5021481 GAS OUTLET VALVE FITTING**  
 thread  $\varnothing$  3/8" M - M16x1 mm



Suitable for:

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR




**3526126 EUROSIT VALVE EXTENSION**  
 D shaft  $\varnothing$  10x8 mm



ALPENINOX 003391

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**3526127 FLANGE FOR EXTENSION**



ALPENINOX 058773

**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 external  $\varnothing$  13 mm - height 8 mm







Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



# ALPENINOX




Suitable for:

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



**2102563 VALVE 630 EUROSIT OVEN 100÷340°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M10x1  
maximum gas inlet pressure 50 mbar  
calibration field of outlet  
pressure 3÷18 mbar  
ambient temperature 0÷80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm




ALPENINOX 0C8183

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR



**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR




ALPENINOX 056009

**3526129 CLASP  $\varnothing$  3x14 mm**  
UNI 6873 - DIN 1481 - ISO 8752



**3526677 EXTENSION FOR EUROSIT VALVE**  
D-shaped pin  $\varnothing$  10x8 mm



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**




ALPENINOX 052833



Suitable for:

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**3526127 FLANGE FOR EXTENSION**



ALPENINOX 058773

**3526128 KNOB EXTENSION LENGTH 34 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm




**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



# ALPENINOX



Suitable for:

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M



**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



**3526125 KNOB EXTENSION LENGTH 44 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm



ALPENINOX 002130

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



**3526139 VALVE 630 EUROSIT OVEN 80÷320°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 capillary length 1000 mm  
 bulb  $\varnothing$  4x72 mm




ALPENINOX 0C6235

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR



ALPENINOX 056009

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**3526127 FLANGE FOR EXTENSION**



ALPENINOX 058773

**3526121 KNOB EXTENSION LENGTH 62 mm**  
 D shaft  $\varnothing$  8x6.5 mm




Suitable for:

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8" M



**5021481 GAS OUTLET VALVE FITTING**  
 thread  $\varnothing$  3/8" M - M16x1 mm



**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 external  $\varnothing$  13 mm - height 8 mm





Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



# ALPENINOX




Suitable for:

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



**3523020 VALVE 710 MINISIT OVEN 100 $\pm$ 340°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0 $\pm$ 60°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm  
with an elbow flange  $\varnothing$  3/8" F



ALPENINOX 052068

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M



ALPENINOX 052668

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8" F**  
with screws and OR




**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



ALPENINOX 029648

ALPENINOX 054268

**3523047 LID MINISIT**






Suitable for:

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ALPENINOX 056587

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



# ALPENINOX



Suitable for:

**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325


**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



ALPENINOX 0C8410

ALPENINOX 051567

ALPENINOX 054269

**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange








Suitable for:

**3523040 SENSING ELEMENT MINISIT 100±340°C**  
capillary length 1050 mm  
bulb ø 5x70 mm



ALPENINOX 056592

# ALPENINOX



Suitable for:

**5058320 TUBE NUT FITTING ø 10 mm**  
thread M14x1,5 mm



**3523032 VALVE 710 MINISIT OVEN 100±340°C**  
inlet ø 1/2"F - outlet ø 3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0±60°C  
stainless steel capillary length 1050 mm  
bulb ø 4x72 mm  
with an elbow flange ø 3/8"F



ALPENINOX

**3523038 ELBOW FLANGE MINISIT ø 1/2"**  
with screws and OR



**3523035 KNOB MINISIT BLACK ø 37 mm**



ALPENINOX 029648

ALPENINOX 054268

**3182003 MAGNETIC UNIT SIT**  
head ø 25 mm - end piece ø 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ALPENINOX 056587

**2100757 CONNECTION FOR OLIVE ø 16 mm**  
thread ø 1/2"M




ALPENINOX 052668

**3523037 ELBOW FLANGE MINISIT ø 3/8"**  
with screws and OR



**3523047 LID MINISIT**



**3523061 NUT ø 1/4"x6 mm**








Suitable for:

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



# ALPENINOX



Suitable for:

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 060325

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682


ALPENINOX 052671

ALPENINOX 054817

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



ALPENINOX 0C8410

ALPENINOX 051567

ALPENINOX 054269


**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**3523048 SENSING ELEMENT MINISIT 100 $\pm$ 340°C**  
stainless steel capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



ALPENINOX 056593



Suitable for:

# ALPENINOX



**3523920 VALVE 710 MINISIT OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x70 mm  
 without cover, knob and flanges



ALPENINOX 056833

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2"F**  
 with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



ALPENINOX 029648


ALPENINOX 054268

**3182003 MAGNETIC UNIT SIT**  
 head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
 for valve SIT AC2 - VR8-MINISIT



ALPENINOX 056587

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
 internal thread M10x0.75 - external thread M14x1.5



**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
 thread  $\varnothing$  1/2"M




ALPENINOX 052668

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
 with screws and OR



**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 for model PEL 20-21-24-25



ALPENINOX 060325



Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

# ALPENINOX



Suitable for:

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



ALPENINOX 008410

ALPENINOX 051567

ALPENINOX 054269


**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**3523040 SENSING ELEMENT MINISIT 100  $\div$  340°C**  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



ALPENINOX 056592

**3523932 VALVE 710 MINISIT OVEN 100  $\div$  340°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0  $\div$  80°C  
stainless steel capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm  
without cover, knob and flanges



ALPENINOX 053193

ALPENINOX 053289

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M



ALPENINOX 052668



Suitable for:

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



ALPENINOX 029648


ALPENINOX 054268

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ALPENINOX 056587

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374

ALPENINOX 027478

ALPENINOX 050682

ALPENINOX 054979

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



ALPENINOX 0C8410

ALPENINOX 051567

ALPENINOX 054269

# ALPENINOX




Suitable for:

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR



**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



ALPENINOX 052671

ALPENINOX 054817

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M





Suitable for:

**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8"F -  $\varnothing$  1/2"F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8"F - external thread  $\varnothing$  1/2"F  
for MINISIT flange



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



# ALPENINOX



Suitable for:

**3523048 SENSING ELEMENT MINISIT 100÷340°C**  
stainless steel capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm



ALPENINOX 056593

## Gaskets and seals

**4059675 ASBESTOS FREE FLAT GASKET  $\varnothing$  65x50x2 mm**



ALPENINOX 059675

**40L3189 ADHESIVE GASKET 9x5 mm**  
SOLD PER LINEAR METRE



ALPENINOX 0L0113

ALPENINOX 0L3189

**4054029 ALUMINIUM GASKET  $\varnothing$  14x10x1.5 mm**



ALPENINOX 054029

**3186138 ASBESTOS FREE FLAT GASKET  $\varnothing$  30x21x2 mm**



ALPENINOX 0E5122

ALPENINOX 0L2402

**4051553 ASBESTOS FREE FLAT GASKET  $\varnothing$  39x30x2 mm**



ALPENINOX 051553

**3186009 ASBESTOS FREE FLAT GASKET  $\varnothing$  45x33x2 mm**



ALPENINOX 0E2240





# ALPENINOX



Suitable for:

**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
for drain tap  $\varnothing$  2" old model



ALPENINOX 004986

ALPENINOX 020279

Suitable for:

**4054724 ASBESTOS FREE FLAT GASKET  $\varnothing$  72x60x3 mm**




ALPENINOX 054724

**3186341 ASBESTOS FREE FLAT GASKET  $\varnothing$  9x6x1 mm**



ALPENINOX 054100

**40K7971 BOILER GASKET  $\varnothing$  374x307x1.5 mm**




ALPENINOX 0K7971

**3186026 BURNER GASKET FOR COOKING TOP**



ALPENINOX 054093

**3186027 BURNER GASKET/GAS BOIL.TOP-SNACK SER.**



ALPENINOX 054094

**4091099 CONNECTOR COVERING GASKET OF RUBBER**  
internal  $\varnothing$  7/3,5 mm - external  $\varnothing$  11/8 mm  
length 64 mm



ALPENINOX 091099

**40C4230 COVER GASKET 3000 mm**  
profile dimensions 21x15 mm  
WHITE COLOUR



ALPENINOX 0C0433


ALPENINOX 0C4230

**3786007 DRAIN ASSEMBLY GASKET  $\varnothing$  46x39x2 mm**




ALPENINOX 050295

**3786825 FIBREGLASS GASKET - 3mt**  
profile dimensions 12x12 mm  
max temperature 600°C  
COLOUR WHITE




ALPENINOX 058404

**40G4001 FLAT EPDM GASKET  $\varnothing$  15x6x3 mm**



ALPENINOX 0G4001

**4060597 FLAT GASKET  $\varnothing$  25x17x2.5 mm - 10 PCS**



ALPENINOX 060597



Suitable for:

**3786401 FLAT GASKET  $\varnothing$  33x24x2 mm**



ALPENINOX 050296

Suitable for:

**4032460 FLAT GASKET EPDM  $\varnothing$  44x36x3 mm**



ALPENINOX 032460

**3786576 FLAT RUBBER GASKET  $\varnothing$  30x22x2 mm**



ALPENINOX 005921

**5010462 GASKET FLAT ASBESTOS FREE  $\varnothing$  24x17x2 mm**



ALPENINOX 0K5559

ALPENINOX 069548

**7104425 GASKET FLAT ASBESTOS-FREE  $\varnothing$  37x27x2 mm**




ALPENINOX 054807

**40K7687 GASKET FOR HEATING ELEMENTS 235x125x3 mm**




ALPENINOX 0K7687

**3186342 GASKET FOR OVEN**  
soft - external  $\varnothing$  13,5 mm



ALPENINOX 053816

**4002075 GASKET FOR PROBE  $\varnothing$  9x6x6 mm**



ALPENINOX 002075

**3186667 GASKET FOR TAP PROTECTION  $\varnothing$  58 mm**  
inner  $\varnothing$  hole 29 mm - height 17 mm



ALPENINOX 003209

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ALPENINOX 057534

**3186187 HEATING ELEMENT GASKET**  
external dimensions 68x14 mm



ALPENINOX 0H6665

ALPENINOX 0K1831

**3186666 KNOB GASKET  $\varnothing$  38x27x5 mm**



ALPENINOX 006465



Suitable for:

# ALPENINOX



**3186665 PTFE FLAT GASKET  $\varnothing$  35x21x2 mm**



ALPENINOX 002448

Suitable for:

**40K5557 PTFE GASKET  $\varnothing$  54.4x4.75 mm  
external  $\varnothing$  63 mm**



ALPENINOX 0K5557

**40K5576 RUBBER COLLAR  $\varnothing$  133x110x12,5 mm**



ALPENINOX 0K5576


**40KI521 RUBBER COLLAR  $\varnothing$  150x110x15 mm**



ALPENINOX 0K1521

## Gaskets for oven door

**3186107 OVEN DOOR GASKET**  
made of silicone elastomer  
profile dimensions 15x5.2 mm  
COLOUR BLACK  
SOLD PER METRE



ALPENINOX 054111

ALPENINOX 054112

## Glasses

**4037841 BASE SUPPORT GLASS 57x35 mm**



ALPENINOX 037841

**4037839 CLAMP FOR GLASS  $\varnothing$  40 mm**



ALPENINOX 037839

**4037840 CLAMP FOR GLASS  $\varnothing$  40 mm**



ALPENINOX 037840

**3519009 COMPLETE CHAMBER GLASS 35x35 mm  
complete with glass and gasket**



ALPENINOX 0C5340

ALPENINOX 057400



# ALPENINOX



Suitable for:

**3519001 FRAME 35x35 mm**



ALPENINOX 057382

Suitable for:

**3519009 COMPLETE CHAMBER GLASS 35x35 mm**  
complete with glass and gasket



ALPENINOX 0C5340

ALPENINOX 057400

**3519002 GASKET FOR GLASS FRAME 30x30 mm**



ALPENINOX 057402

**3519002 GASKET FOR GLASS FRAME 30x30 mm**



ALPENINOX 057402

## Glues

**3392012 BLACK SEALING NOVASIL S56 310 ml**  
max operating temperature +265°C  
HIGHLY ADHESIVE AND SEALING  
suitable for GLASS-CERAMIC RANGE



ALPENINOX 0D6223

ALPENINOX 0K3948

**3180052 RED HIGH TEMPERATURE SEALER 280 ml**  
operating temperature -65+260°C with peaks 320°C  
for OVEN GASKETS



ALPENINOX 003926

ALPENINOX 059611

## Grids for kitchen

**40C0978 GRID FIREPLACE 398x78x26 mm**



ALPENINOX 0C0978

**3185085 GRID FOR SMOKE OUTLET 395x70 mm**



ALPENINOX 002438

ALPENINOX 059246

ALPENINOX 006029

ALPENINOX 006580



Suitable for:

# ALPENINOX



**40A5377 GRID 345x345 mm**



ALPENINOX 0A5377

Suitable for:

**4006086 GRID 345x345 mm**



ALPENINOX 006086

**40C2526 GRID 385x285 mm**



ALPENINOX 0C2526

**40C1985 GRID 390x370 mm**



ALPENINOX 0C1985

**3185064 GRILL 320x530 mm**



ALPENINOX 004976

**3185066 PAN SUPPORT GRID 345x285 mm**



ALPENINOX 002436  
ALPENINOX 058558

ALPENINOX 004245

ALPENINOX 055064

**3185087 PAN SUPPORT GRID 380x370 mm**



ALPENINOX 0C0132

**3185057 PAN SUPPORT GRID 390x350 mm**



ALPENINOX 002437

**3185001 PAN SUPPORT GRID 400x345 mm**



ALPENINOX 0HB155  
ALPENINOX 025861

ALPENINOX 0KE860  
ALPENINOX 058179

ALPENINOX 020981

**3185080 PAN SUPPORT GRID 595x340 mm**



ALPENINOX 002446

**3185099 S/STEEL PAN SUPPORT GRID 370x395 mm**



ALPENINOX 0C0130




## Grids for oven

**3185054 CHROME PLATED GRID GN 1/1 530x325 mm**



ALPENINOX 057468

**3185055 CHROME PLATED GRID GN 2/1 650x530 mm**



ALPENINOX 025020

ALPENINOX 081883

**3185053 STAINLESS STEEL GRID GN 2/1 650x530 mm**



ALPENINOX 003189

## Guides

**3391036 DOOR SLIDEWAY 35x15 mm**  
for TABLE-CUPBOARD




ALPENINOX 031060

**3053223 DOOR SLIDEWAY 40x14 mm**



ALPENINOX 032928

**3063031 DOOR SLIDEWAY 45x20 mm**  
distance between holes 25 mm - h 14 mm



ALPENINOX 031902

## Handles

**3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE**  
base length 38x18x31 mm  
fixing distance 26 mm  
RAHRBACH



ALPENINOX 056581

**4037804 HANDLE PLASTIC 200 mm GREY**  
distance between holes 170/80 mm



ALPENINOX 032933

ALPENINOX 037804



Suitable for:

# ALPENINOX



**3242579 LH-RH CATCH WITHOUT LOCK 570 CR**  
straight handgrip  
base length 150x23x30h mm  
mounting distance 110 mm  
catch height 16.5 mm



ALPENINOX 032156

Suitable for:

**3242922 STRIKE FOR DOOR CATCH**  
fitting height 16.5 mm




**3242185 LOCKING HANDLE RH/LH W/OUT KEY LOCK**  
straight handle  
base length 147x32 mm  
mounting distance 118-134 mm  
adjustable catch



ALPENINOX 093081

**3398021 OVEN DOOR CATCH**  
distance between holes 47 mm  
catch distance 27 mm



ALPENINOX 057414

**3242735 OVEN DOOR HANDLE**  
distance between mounting holes 180 mm



ALPENINOX 003010

ALPENINOX 053990

**3242337 OVEN DOOR HANDLE  $\varnothing$  26x80 mm M10**



ALPENINOX 0KQ193

ALPENINOX 004148

**3242343 HAND GUARD WASHER**



ALPENINOX 004195

**3242336 OVEN DOOR HANDLE  $\varnothing$  28x90 mm M10**



ALPENINOX 004107





## Heating elements

**3755830 CERAMIC HEATING ELEMENT 1000W 230V**  
length 240 mm - width 60 mm



ALPENINOX 0A2843

**3355826 CERAMIC HEATING ELEMENT 400W 230V**  
length 245 mm - width 60 mm



ALPENINOX 058144

**3310016 CERAMIC HEATING ELEMENT 500W 230V**  
length 245 mm - width 60 mm



ALPENINOX

**3355829 CERAMIC HEATING ELEMENT 650W 230V**  
length 245 mm - width 60 mm



ALPENINOX 004898

**4065560 COVER FOR HEATING ELEMENT**  
ø 55 mm - height 60 mm  
distance between fastening holes 60 mm



ALPENINOX 065560

**3355339 HEAT.ELEM.F/TANK 1450W 220V**  
length 510 mm - width 55 mm  
flange 60x28 mm



ALPENINOX 056906

**40C5347 HEATING ELEMENT FOR BOILER 3000W 220V**  
immersed length 255 mm  
flange ø external 63 mm  
complete with O-ring ø 58 mm (3186013)



ALPENINOX 0C5347

ALPENINOX 047505

**4088274 HEATING ELEMENT SILICONEE 1000W 230V**  
length 400 mm - width 290 mm  
with thermostat 200°C with automatic reset  
with cables  
operating ambient: dry



ALPENINOX 088274

**3355336 HEATING ELEMENT SILICONEE 1000W 240V**  
length 400 mm - width 290 mm  
with thermostat 150°C with automatic reset  
with cables  
operating ambient: dry



ALPENINOX 032094

**3755940 SILICONE HEATING ELEMENT 1000W 230V**  
length 400 mm - width 290 mm  
with thermostat 145°C with automatic reset  
with cables  
operating ambient: dry






# ALPENINOX



Suitable for:

**3355332 HEATING ELEMENT SILICONEE 500W 240V**  
length 290 mm - width 175 mm  
with thermostat 150°C with automatic reset  
with cables  
operating ambient: dry



ALPENINOX 032086

Suitable for:

**3355044 HEATING ELEMENT 1000W 220V**  
length 410 mm - width 45 mm  
height 90 mm



ALPENINOX 051855

**3355720 HEATING ELEMENT 1000W 220V**  
immersed length 225 mm - width 60 mm  
flange 80x28 mm - with receptacle hole



ALPENINOX 0H6199

**3755570 HEATING ELEMENT 1000W 220V**  
length 600 mm - width 55 mm  
height 80 mm



ALPENINOX 052919

ALPENINOX 052920

**3355850 HEATING ELEMENT 1000W 230V**  
length 220 mm - width 95 mm  
flange 107x33 mm



ALPENINOX 003014

**3755205 HEATING ELEMENT 1000W 230V**  
length 250 mm - height 285 mm



ALPENINOX 0A5492

**3755595 HEATING ELEMENT 1050W 230V**  
length 425 mm - width 40 mm  
height 95 mm



ALPENINOX 059680

**3755539 HEATING ELEMENT 10750W 230V**  
immersed length 540 mm  
eternal flange  $\varnothing$  63 mm  
complete with O-ring



ALPENINOX 0C0715

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm




ALPENINOX 0L2765  
ALPENINOX 069456

ALPENINOX 046213

ALPENINOX 067620

Suitable for:

**3355036 HEATING ELEMENT 1100W 220V**  
length 365 mm - width 230 mm  
upon request nut and washer  
operating ambient: dry



ALPENINOX 050233

**3528232 HEXAGONAL NUT MEDIUM SIZE M4**  
brass - UNI 5588 - DIN 934 - ISO 4032



Suitable for:

**3528238 FLAT WASHER M4**  
internal/external  $\varnothing$  4.3/9 mm - thickness 0.8 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089




ALPENINOX 067930

**3755287 HEATING ELEMENT 1100W 380V**  
length 540 mm - height 62 mm  
with cables



ALPENINOX 0H6155

**3755314 HEATING ELEMENT 1160W 400V**  
length 295 mm - width 245 mm  
total height 103 mm  
for BAINMARIE ELECTRIC HLE249/259



ALPENINOX 0K4815

**3755263 HEATING ELEMENT 1250W 230V**  
length 475 mm - width 55 mm  
height 60 mm



ALPENINOX 004649

**3755522 HEATING ELEMENT 1250W 230V**  
length 470 mm - width 55 mm  
height 40 mm



ALPENINOX 053393

**3755596 HEATING ELEMENT 1250W 230V**  
length 480 mm - width 45 mm  
height 95 mm



ALPENINOX 059679

**3755267 HEATING ELEMENT 1250W 240V**  
length 480 mm - width 50 mm  
height 60 mm



ALPENINOX 053814



# ALPENINOX



Suitable for:

**3355337 HEATING ELEMENT 1300W 220V**  
length 535 mm - width 80 mm  
height 105 mm  
complete with cables



ALPENINOX 051355

ALPENINOX 051356

ALPENINOX 051358

Suitable for:

**3355824 HEATING ELEMENT 1300W 230V**  
length 330 mm - width 200 mm  
2 flanges 40x18 mm  
operating ambient: dry



ALPENINOX 004910

**3355836 HEATING ELEMENT 1300W 230V**  
length 475 mm - width 80 mm  
height 50 mm



ALPENINOX 004918

**3755313 HEATING ELEMENT 1335W 400V**  
length 327 mm - width 270 mm  
total length 97 mm  
for BAINMARIE ELECTRIC HLE249/259



ALPENINOX 0K4814

**3755508 HEATING ELEMENT 1350W 230V**  
length 395 mm - width 60 mm  
height 35 mm - fittings  $\varnothing$  1/4"



ALPENINOX 004907

**40K5116 HEATING ELEMENT 1400W 230V**  
length 530 mm - width 60 mm  
flange 60x28 mm



ALPENINOX 0K5116

**3355042 HEATING ELEMENT 1500W 220/380V**  
fitting  $\varnothing$  2"  
complete with gasket  
nut upon request



ALPENINOX 026044

**3186012 ASBESTOS FREE FLAT GASKET  $\varnothing$  80x60x2 mm**  
gasket 2"




**3316052 NUT FOR HEATING ELEMENT 2"**



Suitable for:

**3355038 HEATING ELEMENT 1500W 220V**  
length 395 mm - width 205 mm  
operating ambient: dry



ALPENINOX 050933

ALPENINOX 050934

Suitable for:

**4091099 CONNECTOR COVERING GASKET OF RUBBER**  
internal  $\varnothing$  7/3,5 mm - external  $\varnothing$  11/8 mm  
length 64 mm



ALPENINOX 091099

**3355061 HEATING ELEMENT 1500W 220V**  
length 385 mm - width 205 mm  
flange 245x20 mm  
operating ambient: dry



ALPENINOX 053174

ALPENINOX 053577

**3355338 HEATING ELEMENT 1500W 220V**  
length 535 mm - width 80 mm  
height 105 mm  
complete with cables



ALPENINOX 051356

**3455279 HEATING ELEMENT 1500W 220V**  
length 370 mm - width 75 mm  
height 75 mm



ALPENINOX 002559

**3755601 HEATING ELEMENT 1500W 220V**  
length 380 mm - width 25 mm  
height 260 mm - flange 33x40 mm



ALPENINOX 054951

ALPENINOX 058612

**3755133 HEATING ELEMENT 1500W 230V**  
length 395 mm - width 200 mm  
2 flanges 30x16 mm  
operating ambient: dry



ALPENINOX 0G2290

**3755202 HEATING ELEMENT 1500W 230V**  
length 530 mm - width 140 mm  
flange 162x18 mm



ALPENINOX 0C0310

**3755569 HEATING ELEMENT 1500W 230V**  
length 330 mm - width 25 mm  
height 220 mm - flange 33x31 mm



ALPENINOX 004752

**3755588 HEATING ELEMENT 1500W 230V**  
length 480 mm - width 90 mm  
height 60 mm



ALPENINOX 004671



Suitable for:

# ALPENINOX



**3455280 HEATING ELEMENT 1500W 400V**  
length 535 mm width 150 mm  
flange 162x18 mm



ALPENINOX 0C0269

ALPENINOX 0C2813

Suitable for:

**3755312 HEATING ELEMENT 1505W 400V**  
length 350 mm - width 305 mm  
total length 83 mm



ALPENINOX 0K4813

**3755268 HEATING ELEMENT 1550W 220V**  
length 530 mm - width 50 mm  
flange 60x28 mm



ALPENINOX 059066

**3355127 HEATING ELEMENT 1600W 220V**  
ø external 190 mm - internal ø 178 mm  
total height 65 mm  
flange 70x22 mm  
operating ambient: dry  
for Hot cupboard electric (ALPENINOX)  
for Oven under cooktop electric (ALPENINOX)



ALPENINOX 0A2017

ALPENINOX 037611

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ALPENINOX 057534

**3755599 HEATING ELEMENT 1600W 230V**  
length 365 mm - width 75 mm  
total height 195 mm



ALPENINOX 005816

**3755269 HEATING ELEMENT 1650W 230V**  
length 540 mm - width 150 mm  
couplings M10x1,5 mm



ALPENINOX 054147

**3755562 HEATING ELEMENT 1650W 230V**  
length 550 mm - width 60 mm  
flange 60x28 mm



ALPENINOX 006853



Suitable for:

**3755556 HEATING ELEMENT 1750W 220V**  
external  $\varnothing$  200 mm - total height 70 mm  
flange 70x22 mm



ALPENINOX 0H6212

Suitable for:

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ALPENINOX 057534

**3755178 HEATING ELEMENT 1800W 230V**  
length 550 mm - width 95 mm



ALPENINOX 0H6707

**3755589 HEATING ELEMENT 1800W 230V**  
length 620 mm - width 90 mm  
flange 60x30 mm



ALPENINOX 002403

**3755013 HEATING ELEMENT 1900W 220V**  
length 245 mm - width 225 mm




ALPENINOX 056783

**3355048 HEATING ELEMENT 2000W 220V**  
length 570 mm - width 90 mm  
height 50 mm



ALPENINOX 026944

**3355849 HEATING ELEMENT 2000W 220V**  
length 230 mm - width 230 mm  
flange 107x33 mm



ALPENINOX 003012

**3755598 HEATING ELEMENT 2000W 220V**  
length 595 mm - width 90 mm  
height 50 mm



ALPENINOX 055998

**3355285 HEATING ELEMENT 2000W 230V**  
length 255 mm - width 45 mm  
height 200 mm - fittings  $\varnothing$  1/4"



ALPENINOX 004926

**3355363 HEATING ELEMENT 2000W 230V**  
length 200 mm - width 35 mm  
for 180 mm tangential fan



ALPENINOX 0K4812



Suitable for:

# ALPENINOX



**3355847 HEATING ELEMENT 2000W 230V**  
length 230 mm - width 280 mm  
flange 107x33 mm



ALPENINOX 003016

Suitable for:

**3355848 HEATING ELEMENT 2000W 230V**  
length 230 mm - width 255 mm  
flange 70x22 mm



ALPENINOX 0C7090

**3355080 HEATING ELEMENT 2200W 220V**  
length 565 mm - width 90 mm  
height 97 mm



ALPENINOX 059401

**3355037 HEATING ELEMENT 2200W 230V**  
length 675 mm - width 180 mm  
2 flange 40x18 mm



ALPENINOX 051998

**3755315 HEATING ELEMENT 2400W 400V**  
length 610 mm - width 315 mm  
couplings M14x1.5 mm  
operating ambient: dry



ALPENINOX 0K4984

**40C5383 HEATING ELEMENT 24000W 400V SET**  
for boiler  
immersed length 570 mm  
flange external 72 mm  
with bulb sheath  
complete with O-ring



ALPENINOX 0C5383

ALPENINOX 007101

**3186014 O-RING 06225 EPDM ø 67 mm**  
ring thickness 5.34 mm - internal ø 56.52 mm



ALPENINOX 0E5037

ALPENINOX 049909

ALPENINOX 007029

ALPENINOX 047156

**3355055 HEATING ELEMENT 2500W 220V**  
external ø 190 mm - internal ø 178 mm  
total height 93 mm  
flange 70x22 mm



ALPENINOX 054317

ALPENINOX 054843

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ALPENINOX 057534

Suitable for:

**3355889 HEATING ELEMENT 2500W 230V**  
 external  $\varnothing$  190 mm - internal  $\varnothing$  178 mm  
 total height 70 mm  
 flange 70x22 mm



ALPENINOX 004934

Suitable for:

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



ALPENINOX 057534

**3755288 HEATING ELEMENT 2500W 230V**  
 length 285 mm - width 70 mm  
 height 240 mm - fittings M12x1 mm



ALPENINOX 0K0569

**3755482 HEATING ELEMENT 2500W 230V**  
 external  $\varnothing$  193 mm - total height 75 mm  
 flange 70x22 mm



ALPENINOX 005217

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



ALPENINOX 057534

**3755571 HEATING ELEMENT 2500W 230V**  
 length 540 mm - width 80 mm  
 flange 70x22 mm



ALPENINOX 0C0686

ALPENINOX 270686

**3355057 HEATING ELEMENT 2500W 240V**  
 external  $\varnothing$  200 mm - total height 64 mm  
 flange 100x22 mm



ALPENINOX 031064

ALPENINOX 031483

ALPENINOX 031485

**3455348 HEATING ELEMENT 2500W 400V**  
 length 620 mm - width 87 mm  
 flange 60x30 mm



ALPENINOX 0C0495

**3755566 HEATING ELEMENT 2500W 400V**  
 length 540 mm - width 80 mm  
 flange 70x22 mm



ALPENINOX 0C0685



Suitable for:

# ALPENINOX




Suitable for:

**3755591 HEATING ELEMENT 2500W 400V**  
length 570 mm - width 90 mm  
height 90 mm



ALPENINOX 006681

**3755723 HEATING ELEMENT 2600W 230V**  
ø external 200 mm - total height 65 mm  
flange 70x22 mm



ALPENINOX 0H6157

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ALPENINOX 057534

**3755587 HEATING ELEMENT 2900W 230V**  
length 305 mm - width 60 mm  
height 200 mm - flange 65x31.5 mm



ALPENINOX 005964

**3755592 HEATING ELEMENT 2900W 230V**  
length 285 mm - width 80 mm  
height 250 mm - flange 85x30 mm



ALPENINOX 004767


**40C2616 HEATING ELEMENT 2900W 230V**  
length 260 mm - width 60 mm  
height 245 mm - flange 67x31.5 mm



ALPENINOX 0A5565

ALPENINOX 0C2616

**3355817 HEATING ELEMENT 3000W 220V**  
length 358 mm - width 230 mm  
flange 70x22 mm



ALPENINOX 052836

**3755204 HEATING ELEMENT 3000W 230V**  
length 490 mm - width 130 mm  
total height 60 mm



ALPENINOX 053451

ALPENINOX 053613

**3755517 HEATING ELEMENT 3000W 230V**  
length 320 mm - width 50 mm  
height 260 mm - flange 68x40 mm



ALPENINOX 054962

ALPENINOX 058615

Suitable for:

**3755602 HEATING ELEMENT 3000W 230V**  
length 125 mm - width 525 mm  
height 50 mm - flange 70x22 mm



ALPENINOX 004469

Suitable for:

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ALPENINOX 057534

**40K4745 HEATING ELEMENT 3000W 230V**  
length 500 mm - width 160 mm  
height 45 mm - complete with cables



ALPENINOX 0K4745

**4058802 HEATING ELEMENT 3000W 240V**  
length 400 mm - width 60 mm  
height 265 mm - flange 67x41 mm



ALPENINOX 055553


ALPENINOX 058802

**3755172 HEATING ELEMENT 3500W 230V**  
length 240 mm - width 380 mm  
2 flanges 70x22 mm




ALPENINOX 0H6213

**7107061 HEATING ELEMENT 3500W 230V**  
length 130 mm - width 625 mm  
height 50 mm - flange 70x22 mm



ALPENINOX 0C2613

**3455301 HEATING ELEMENT 4000W 220V**  
length 410 mm - width 90 mm  
height 330 mm - fittings  $\varnothing$  1/4"



ALPENINOX 052326

**3355033 HEATING ELEMENT 4200W 220/380V**  
for tank and boiler  
immersed length 335 mm  
flange external  $\varnothing$  63 mm - with probe receptacle  
complete with O-ring  $\varnothing$  58 mm (3186013)



ALPENINOX 046622

ALPENINOX 046623

**3528238 FLAT WASHER M4**  
internal/external  $\varnothing$  4.3/9 mm - thickness 0.8 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ALPENINOX 067930



Suitable for:

**3528232 HEXAGONAL NUT MEDIUM SIZE M4**  
brass - UNI 5588 - DIN 934 - ISO 4032



# ALPENINOX



Suitable for:

**3186013 O-RING 06187 EPDM ø 58 mm**  
ring thickness 5.34 mm - internal ø 47.00 mm



ALPENINOX 0L2765  
ALPENINOX 069456

ALPENINOX 046213

ALPENINOX 067620

**3755211 HEATING ELEMENT 4500W 230V**  
immersed length 320 mm  
flange external ø 63 mm - with probe receptacle  
complete with O-ring ø 58 mm (3186013)



ALPENINOX 046627

**3186013 O-RING 06187 EPDM ø 58 mm**  
ring thickness 5.34 mm - internal ø 47.00 mm



ALPENINOX 0L2765  
ALPENINOX 069456

ALPENINOX 046213

ALPENINOX 067620

**40K4734 HEATING ELEMENT 4500W 230V**  
immersion depth 330 mm  
external flange ø 63 mm  
with bulb holder sheathing



ALPENINOX 0K4734

**40K8600 HEATING ELEMENT 5000W 230V**  
external ø 80 mm - overall height 160 mm  
fittings M14x1.5 mm



ALPENINOX 0K8600

**3355125 HEATING ELEMENT 550W 220V**  
length 430 mm - width 45 mm  
flange 60x40 mm  
operating ambient: dry



ALPENINOX 0A2197

**3355510 HEATING ELEMENT 5500W 230V**  
length 325 mm - width 100 mm  
height 275 mm - flange 60x30 mm



ALPENINOX 059563

**3755593 HEATING ELEMENT 5500W 400V**  
length 310 mm - width 80 mm  
height 250 mm - flange 60x30 mm



ALPENINOX 006571



Suitable for:

**3355046 HEATING ELEMENT 6000W 220/380V**  
 immersed length 490 mm  
 flange  $\varnothing$  external 63 mm - with probe receptacle  
 complete with O-ring  $\varnothing$  58 mm (3186013)



ALPENINOX 051632

Suitable for:

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



ALPENINOX 0L2765  
 ALPENINOX 069456

ALPENINOX 046213

ALPENINOX 067620

**3355034 HEATING ELEMENT 700W 220V**  
 length 320 mm - width 140 mm  
 flange 175x20 mm  
 operating ambient: dry



ALPENINOX 050232

**3755290 HEATING ELEMENT 750W 230V**  
 length 470 mm - width 28 mm  
 flange 44x20 mm



ALPENINOX 0H6183

**3755594 HEATING ELEMENT 750W 230V**  
 length 315 mm - width 45 mm  
 height 100 mm



ALPENINOX 059681

**3755203 HEATING ELEMENT 7500W 220V**  
 immersed length 560 mm  
 flange external  $\varnothing$  63 mm  
 with thermostat probe receptacle  
 with O-ring



ALPENINOX 059665

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



ALPENINOX 0L2765  
 ALPENINOX 069456

ALPENINOX 046213

ALPENINOX 067620

**3755549 HEATING ELEMENT 765W 230V**  
 length 330 mm - width 150 mm  
 operating ambient: dry



ALPENINOX 032759

**3355039 HEATING ELEMENT 800W 220V**  
 overall length 545 mm  
 length of winged part 400 mm -  $\varnothing$  28 mm



ALPENINOX 026710



# ALPENINOX



Suitable for:

**3355126 HEATING ELEMENT 800W 220V**  
length 655 mm - width 45 mm  
flange 60x40 mm  
operating ambient: dry  
for Bain-marie electric (ALPENINOX) - Series 900



ALPENINOX 0A2137

Suitable for:

**3355506 HEATING ELEMENT 810W 240V**  
length 260 mm - width 60 mm  
fittings M12x1 mm  
operating ambient: dry



ALPENINOX 032072

**3355508 HEATING ELEMENT 950W 220V**  
length 550 mm - width 70 mm  
flange 90x25 mm



ALPENINOX 059237

**40L1877 KIT HEATING ELEMENT 6000W 230V**  
immersed length 490 mm  
flange external  $\varnothing 63$  mm - with probe receptable  
complete with O-ring  $\varnothing 58$  mm (3186013)  
latches and contact protections included



ALPENINOX 0L1877

ALPENINOX 003410

**4065560 COVER FOR HEATING ELEMENT**  
 $\varnothing 55$  mm - height 60 mm  
distance between fastening holes 60 mm



ALPENINOX 065560

**3755981 QUARTZ HEATING ELEMENT 500W 112.5V**  
length 370 mm -  $\varnothing 12$  mm



ALPENINOX KRS0105A

**3755311 RESISTENZA 2100W 400V**  
length 260 mm - width 220 mm  
height 25 mm - couplings M14x1.5 mm



ALPENINOX 0K4777

**4054723 RESISTENZA 5000W 220V**  
immersed depth 470 mm  
fitting  $\varnothing 2$ "  
complete with cap



ALPENINOX 054723



## Hinges, catches and accessories

**4002983 BLOCK HINGE**  $\varnothing$  47x77 mm



ALPENINOX 002983

**4006925 BRACKET REINFORCED HINGE** 180x20 mm  
height 18 mm



ALPENINOX 006925

**4006926 COVER REINFORCED FOR LID SUPPORT**  
length 170 mm - width 40 mm



ALPENINOX 006926

**3053225 DOOR HINGE**



ALPENINOX 005980

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118  
height 23 mm



ALPENINOX 053096

ALPENINOX 059227

**3053019 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 110 mm  
height 25 mm



ALPENINOX 037595

ALPENINOX 037596

**3053277 HINGE BLOCK**  $\varnothing$  47x57 mm



ALPENINOX 059864

**3053276 HINGE BLOCK**  $\varnothing$  47x77 mm




ALPENINOX 059865

**3053221 HINGE COVER**  
mounting distance 95 mm - dimensions 122x20 mm



ALPENINOX 052725

**40C0138 HINGE FOR UPPER DOOR LH-LOWER RH**  
external dimensions 60x45x27 mm



ALPENINOX 0C0138




# ALPENINOX



Suitable for:

**40C0139 HINGE FOR UPPER DOOR RH-LOWER LH**  
external dimensions 60x45x27 mm



ALPENINOX 0C0139

Suitable for:

**3053226 HINGE LOCK  $\varnothing$  45x50 mm**



ALPENINOX 051266

**3053278 HINGE LOCK  $\varnothing$  47x40 mm**



ALPENINOX 059863

**4002982 HINGE LOCK  $\varnothing$  47x40 mm**



ALPENINOX 002982

**3053227 HINGE RETAINER  $\varnothing$  50x65 mm**



ALPENINOX 051267

**3053224 HINGE SUPPORT  $\varnothing$  50x72 mm**



ALPENINOX 002107

ALPENINOX 051260

**3053229 HINGE SUPPORT  $\varnothing$  50x72 mm**



ALPENINOX 002106

**3053280 HINGE SUPPORT 130x60x30 mm**



ALPENINOX 002944

**40A2612 HOOK SUPPORT FOR HANDLE PIN**  
external dimensions  $\varnothing$  10x20 mm



ALPENINOX 0A2612

**3053344 LEFT HINGE FOR OVEN**  
mounting distance 120 mm - overall length 155 mm  
height 150 mm



ALPENINOX 006087

**3053019 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 110 mm  
height 25 mm



ALPENINOX 037595

ALPENINOX 037596

Suitable for:

Suitable for:

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205 mm  
height 160 mm



ALPENINOX 0A2004

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118 mm  
height 23 mm



ALPENINOX 053096

ALPENINOX 059227


**3053234 HINGE COVER**  
mounting distance 95 mm - dimensions 124x20 mm



**3053299 HINGE COVER**  
mounting distance 77 mm - dimensions 129x26 mm



**3053034 LID HINGE RADIUS 320 mm**  
for lid  $\varnothing$  640 mm  
for BOILING KETTLE with round lid



ALPENINOX

**3053111 SPRING LH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm




**3053110 SPRING RH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm



ALPENINOX 008011

**3053311 SPRINGS RH-LH  $\varnothing$  4 mm**  
for hinges



ALPENINOX 008010

**3053036 LID HINGE RADIUS 395 mm**  
for lid  $\varnothing$  790 mm  
for BOILING KETTLE with round lid



ALPENINOX

**3053111 SPRING LH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm



ALPENINOX 008011



Suitable for:

**3053110 SPRING RH  $\phi$  4 mm**  
for hinges with radius 320-395 mm



ALPENINOX 008010

**3053555 LID SHAFT  $\phi$  20x334 mm**



ALPENINOX 051278

**3053227 HINGE RETAINER  $\phi$  50x65 mm**



ALPENINOX 051267

**3053229 HINGE SUPPORT  $\phi$  50x72 mm**



ALPENINOX 002106

**3053228 SUPPORT SCREW  $\phi$  12x19 mm**



ALPENINOX 051393

**40SI003 LIFTING PIN  $\phi$  12x243 mm**



ALPENINOX 05I003

# ALPENINOX



Suitable for:

**3053226 HINGE LOCK  $\phi$  45x50 mm**



ALPENINOX 051266

**3053224 HINGE SUPPORT  $\phi$  50x72 mm**



ALPENINOX 002107

ALPENINOX 051260

**3250026 LID SPRING  $\phi$  40x300 mm**  
for BRATT PAN series HD900  
for BOILING PAN H900/HD900  
for PASTA COOKER CR40G-CR41G-CR42G-CR42E/V-CR40E/



ALPENINOX 051268





Suitable for:

**3053345 RIGHT HINGE FOR OVEN**  
mounting distance 120 mm - overall length 155 mm  
height 150 mm



ALPENINOX 0K3592

ALPENINOX 006090

Suitable for:

**3053019 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 110 mm  
height 25 mm



ALPENINOX 037595

ALPENINOX 037596

**3053008 RIGHT-LEFTHAND DOOR HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205 mm  
height 156 mm



ALPENINOX 0C0203

ALPENINOX 050766

ALPENINOX 059227

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118 mm  
height 23 mm



ALPENINOX 053096

ALPENINOX 059227

**3053221 HINGE COVER**  
mounting distance 95 mm - dimensions 122x20 mm



ALPENINOX 052725

**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205 mm  
height 160 mm



ALPENINOX 0A2005

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118 mm  
height 23 mm



ALPENINOX 053096

ALPENINOX 059227

**3053234 HINGE COVER**  
mounting distance 95 mm - dimensions 124x20 mm



**3053299 HINGE COVER**  
mounting distance 77 mm - dimensions 129x26 mm





Suitable for:

# ALPENINOX



**3053279 SHAFT  $\varnothing$  16x437 mm**



ALPENINOX 059862

**4006925 BRACKET REINFORCED HINGE 180x20 mm  
height 18 mm**



ALPENINOX 006925

**3053277 HINGE BLOCK  $\varnothing$  47x57 mm**




ALPENINOX 059864

**3053278 HINGE LOCK  $\varnothing$  47x40 mm**



ALPENINOX 059863

**3053280 HINGE SUPPORT 130x60x30 mm**



ALPENINOX 002944

**3528014 SLOTTED SCREW M6x16 mm**



ALPENINOX 059860

Suitable for:

**4002983 BLOCK HINGE  $\varnothing$  47x77 mm**



ALPENINOX 002983

**4006926 COVER REINFORCED FOR LID SUPPORT  
length 170 mm - width 40 mm**



ALPENINOX 006926

**3053276 HINGE BLOCK  $\varnothing$  47x77 mm**



ALPENINOX 059865

**4002982 HINGE LOCK  $\varnothing$  47x40 mm**



ALPENINOX 002982

**3528016 SCREW M6**



ALPENINOX 059859

Suitable for:

**3053111 SPRING LH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm



ALPENINOX 008011

Suitable for:

**3053110 SPRING RH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm



ALPENINOX 008010

**3053228 SUPPORT SCREW  $\varnothing$  12x19 mm**



ALPENINOX 051393

## Hood filters

**3160203 HOOD LABYRINTH FILTER 500x400x25 mm**  
in AISI 304 stainless steel



ALPENINOX 032269

**3242590 FILTER HANDLE**  
distance between mounting holes 50 mm



**3160023 HOOD SCREEN FILTER 400x250x20 mm**  
5 coats in STAINLESS steel:  
3 crossed internal coats (2 smooth, 1 rolled)  
2 external containing coats with wide-meshed net



ALPENINOX 0S0052

**3160019 HOOD SCREEN FILTER 500x400x20 mm**  
5 coats in STAINLESS steel:  
3 crossed internal coats (2 smooth, 1 rolled)  
2 external containing coats with wide-meshed net



ALPENINOX 0S0049

## Hose reels

**3359553 WASHING UNIT MINIREEL**  
stainless steel case aisi 304  
with automatic retractor  
EPDM hose  $\varnothing$  13 mm  
pull-out hose length 1.6 meters  
complete with shower ECO/F  
for fixing to any equipment



ALPENINOX 0T1747

ALPENINOX 006696

**3359610 BLACK SHOWER HEAD ECO  $\varnothing$  1/2" M**  
with coupling 3/8" Mx1/2" M



ALPENINOX 003175



Suitable for:

3359611 SPRAY CUP WITH FILTER



# ALPENINOX



Suitable for:

## Hot plates

3312005 COOKING PLATE - DISK ø 225 mm  
made of cast iron




ALPENINOX 026953

3312048 COOKING PLATE RIBBED 330x300x15 mm  
made of cast iron




ALPENINOX 002815

3312065 COOKING PLATE RIBBED 350x400x30 mm  
made of cast iron



ALPENINOX 002011

4206172 COOKING PLATE RIBBED 390x350 mm  
made of cast iron



ALPENINOX 206055

ALPENINOX 206172

3312063 COOKING PLATE SMOOTH 350x350x30 mm  
made of cast iron



ALPENINOX 002009

3312064 COOKING PLATE SMOOTH 350x400x30 mm  
made of cast iron



ALPENINOX 002010

4050803 DISC PLATE ø 197 mm  
made of cast iron



ALPENINOX 0CA587


ALPENINOX 050803

40C2939 PLATE 485x90x40 mm



ALPENINOX 0C2939

3312059 RIBBED PLATE 330x320x8.5 mm  
made of cast iron - for burner ø 70 mm



ALPENINOX 055556


3312060 RIBBED PLATE 695x395x55 mm  
made of cast iron - for burners ø 84-103 mm



ALPENINOX 059274

Suitable for:


**3312055 SMOOTH PLATE 395x345x30 mm**  
made of cast iron - for burner  $\varnothing$  84 mm



ALPENINOX 054653

Suitable for:

**3312057 SMOOTH PLATE 695x395x55 mm**  
made of cast iron - for burners  $\varnothing$  84-103 mm



ALPENINOX 026440

## Hydraulic piping

**40C7133 HOSE RUBBER CANVAS  $\varnothing$  30/40 mm 550 mm**  
internal  $\varnothing$  30 mm - external  $\varnothing$  40 mm



ALPENINOX 0C7133

**4059543 HOSE RUBBER CANVAS  $\varnothing$  30/40 mm 670 mm**  
internal  $\varnothing$  30 mm - external  $\varnothing$  40 mm



ALPENINOX 059543

**3450152 HOSE RUBBER REINFORCED  $\varnothing$  13/19 mm**  
internal  $\varnothing$  13 mm - external  $\varnothing$  19 mm  
temperature  $-40+100^{\circ}\text{C}$   
sold per meter



ALPENINOX 055445

**40C0723 HOSE SILICONE 243 mm**  
internal  $\varnothing$  4/10 mm - external  $\varnothing$  10/16 mm



ALPENINOX 0C0723

## Ignitors

**3001014 CAP WATERTIGHT PIEZO**  
made of silicone rubber  
with ring :  $\varnothing$  external 29 mm -  $\varnothing$  internal 18 mm



ALPENINOX 0C9409

ALPENINOX 002816


**3001013 IGNITER PIEZO WITH CAP**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



ALPENINOX 0C9240

ALPENINOX 002605

**3001014 CAP WATERTIGHT PIEZO**  
made of silicone rubber  
with ring :  $\varnothing$  external 29 mm -  $\varnothing$  internal 18 mm



ALPENINOX 0C9409

ALPENINOX 002816



Suitable for:

**3528073 WASHER  $\varnothing$  32x18.5x4.5 mm**



# ALPENINOX



Suitable for:

**5071589 WATERTIGHT PIEZO CAP**  
made of silicone rubber



**40KI332 IGNITION PIEZO**  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0G6821

ALPENINOX 0KI332

**3001007 PIEZO IGNITER**  
a  $\varnothing$  22 mm hole is needed for the assembly  
faston M  $\varnothing$  2.4 mm



ALPENINOX 0H6070

ALPENINOX 058100

ALPENINOX 058497

**3001020 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



ALPENINOX 0A2127

ALPENINOX 059251

**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber



**5071589 WATERTIGHT PIEZO CAP**  
made of silicone rubber



**3001029 PIEZO IGNITER**  
a  $\varnothing$  22 mm hole is needed for the assembly  
faston M  $\varnothing$  2.4 mm  
for SNACK SERIES



ALPENINOX 004944

**3001009 PIEZO IGNITER JUNKERS**  
with faston 6.35x0.8 mm



ALPENINOX 0K0210

ALPENINOX 052539


ALPENINOX 058225



Suitable for:

Suitable for:

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm




ALPENINOX 0C8410

ALPENINOX 051567

ALPENINOX 054269

## Incandescent lamps and neon lamps

**3221639 HALOGEN LAMP NEUT. OSRAM G4 10W 12V**  
max. temperature 300°C



ALPENINOX 0C4396

**3221250 HALOGEN LAMP NEUTRAL G4 10W 12V**  
max. temperature 250°C



ALPENINOX 0C2803

ALPENINOX 0C9877

ALPENINOX 0H7038

ALPENINOX 002956

**3221330 HALOGEN LAMP OSRAM 1000W 230V**  
halogen lamp infrared  
overall length 480 mm  
glass length 338 mm




ALPENINOX 0K3359

**2102048 HALOGEN LAMP R7s 160W 230V**  
length 118 mm



ALPENINOX 093041

**3221041 LAMP E14 15W 230V**  
max temperature 300°C - ø 22x50 mm



ALPENINOX 0H7035

**3221061 LAMP E14 25W 230V**  
max temperature 300°C - ø 26x57 mm



ALPENINOX 054319

ALPENINOX 054840

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max. temperature 250°C



ALPENINOX 007056

**3221140 OVEN LAMP E14 40W 230V**  
max temperature 300°C



ALPENINOX 081696



Suitable for:

# ALPENINOX



Suitable for:

## Indicator lights

**3221008 GREEN LAMP RECEPTACLE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  12 mm  
universal application



ALPENINOX 075096

**3221097 INDICATOR LIGHT NEUTRAL 220V**  
head  $\varnothing$  8 mm - 120°C



ALPENINOX 004895  
ALPENINOX 048832

ALPENINOX 046241


ALPENINOX 048488

**3221126 INDICATOR LIGHT NEUTRAL 24V**  
head  $\varnothing$  8 mm - 120°C



ALPENINOX 075110

**3221162 GREEN LAMP RECEPTACLE**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  10 mm



ALPENINOX 0K1364

ALPENINOX 004896

**3221032 INDICATOR LIGHT GREEN 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ALPENINOX 0A2224

ALPENINOX 058544

**3221085 INDICATOR LIGHT GREEN 230V**  
 $\varnothing$  head 18 mm -  $\varnothing$  hole 12 mm - 120°C



ALPENINOX 003531

**3221084 INDICATOR LIGHT RED 230V**  
 $\varnothing$  head 18 mm -  $\varnothing$  hole 12 mm - 120°C



**3221132 INDICATOR LIGHT GREEN 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ALPENINOX 004169

ALPENINOX 058544

Suitable for:

**3221164 INDICATOR LIGHT GREEN 230V**  
 head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm - 120°C  
 dashboard mounting



ALPENINOX 054150

ALPENINOX 054150+054151

ALPENINOX 054151

Suitable for:

**3221045 LAMP CAP TAPERED CONICAL GREEN SU3**  
 mounting hole  $\varnothing$  6 mm - head  $\varnothing$  7 mm



ALPENINOX 054151

**3221329 INDICATOR LIGHT GREEN 230V**  
 $\varnothing$  head 16 mm -  $\varnothing$  hole 10 mm - 150°C



ALPENINOX 0M0755


**3221207 INDICATOR LIGHT GREEN 250V**  
 $\varnothing$  head 15 mm -  $\varnothing$  hole 13 mm - 150°C



ALPENINOX 005010

ALPENINOX 058658

**3221301 INDICATOR LIGHT RED 240V**  
 head  $\varnothing$  16 mm - hole  $\varnothing$  13 mm - 150°C



ALPENINOX 0C0687

**3221005 INDICATOR LIGHT GREEN 400V**  
 head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
 universal application



ALPENINOX 026456

ALPENINOX 053148

ALPENINOX 053154

**3221034 INDICATOR LIGHT GREEN 400V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



ALPENINOX 004157

**3221430 INDICATOR LIGHT ORANGE 400V**  
 head  $\varnothing$  14 mm - hole  $\varnothing$  10 mm  
 universal application





Suitable for:

**3221035 INDICATOR LIGHT RED 400V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



# ALPENINOX



Suitable for:

**3221097 INDICATOR LIGHT NEUTRAL 220V**  
head  $\varnothing$  8 mm - 120°C



**3221014 INDICATOR LIGHT ORANGE 220V**  
mounting hole 22x30 mm - 105°C  
universal application



ALPENINOX 004895  
ALPENINOX 048832

ALPENINOX 046241

ALPENINOX 048488

ALPENINOX 0KM981

**3221112 INDICATOR LIGHT ORANGE 220V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm - 120°C  
application to the board



**5037049 LAMP CAP TAPERED CONICAL ORANGE SU3**  
mounting hole  $\varnothing$  6 mm - head  $\varnothing$  7 mm



ALPENINOX 053811

ALPENINOX 053811+053812

ALPENINOX 053812

**3221011 INDICATOR LIGHT ORANGE 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



**3221032 INDICATOR LIGHT GREEN 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ALPENINOX 0A2225

ALPENINOX 0A2224

ALPENINOX 058544

**3221033 INDICATOR LIGHT RED 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ALPENINOX 0A2408



Suitable for:

**3221094 INDICATOR LIGHT ORANGE 230V**  
 ø head 14 mm - ø hole 11.5 mm - 120°C



ALPENINOX 0H6618

Suitable for:

**3221095 INDICATOR LIGHT ORANGE 230V**  
 head ø 13.5 mm - hole ø 10 mm - 120°C  
 universal application



ALPENINOX 005215

ALPENINOX 058522

**3221208 INDICATOR LIGHT ORANGE 250V**  
 ø head 15 mm - ø hole 13 mm - 150°C



ALPENINOX 005011

ALPENINOX 058631

ALPENINOX 058659

**3221006 INDICATOR LIGHT ORANGE 400V**  
 head 16x16 mm - hole ø 12 mm - 120°C  
 universal application



ALPENINOX 045272

ALPENINOX 053149

ALPENINOX 053155

**3221009 INDICATOR LIGHT RED 220V**  
 head 17x17 mm - ø hole 13 mm - 120°C  
 universal application




ALPENINOX 057294

**3221033 INDICATOR LIGHT RED 230V**  
 head ø 13.5 mm - hole ø 10 mm - 120°C  
 universal application



ALPENINOX 0A2408

**3221301 INDICATOR LIGHT RED 240V**  
 head ø 16 mm - hole ø 13 mm - 150°C



ALPENINOX 0C0687

**3221298 INDICATOR LIGHT RED 250V**  
 head ø 15 mm - hole ø 13 mm - 150°C



ALPENINOX 005012

ALPENINOX 058712

**3221004 INDICATOR LIGHT RED 400V**  
 head 16x16 mm - hole ø 12 mm - 120°C  
 universal application



ALPENINOX 053153

**3221005 INDICATOR LIGHT GREEN 400V**  
 head 16x16 mm - hole ø 12 mm - 120°C  
 universal application



ALPENINOX 026456

ALPENINOX 053148

ALPENINOX 053154



Suitable for:

# ALPENINOX



**3221006 INDICATOR LIGHT ORANGE 400V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



Suitable for:

ALPENINOX 045272

ALPENINOX 053149

ALPENINOX 053155

**3221593 INDICATOR LIGHT WHITE 24V**  
 $\varnothing$  hole 12 mm -  $\varnothing$  head 15 mm



**3221605 INDICATOR LIGHT YELLOW 24V**  
 $\varnothing$  hole 12 mm -  $\varnothing$  head 15 mm



ALPENINOX 0E5134

ALPENINOX 0E5195

**3221045 LAMP CAP TAPERED CONICAL GREEN SU3**  
mounting hole  $\varnothing$  6 mm - head  $\varnothing$  7 mm



**3221358 LAMP RECEPTACLE CLEAR**  
head  $\varnothing$  16 mm - hole  $\varnothing$  13 mm



ALPENINOX 054151

ALPENINOX 046289

**3221007 LAMP RECEPTACLE ORANGE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  12 mm  
universal application



**3221097 INDICATOR LIGHT NEUTRAL 220V**  
head  $\varnothing$  8 mm - 120°C



ALPENINOX 075095

ALPENINOX 004895

ALPENINOX 046241

ALPENINOX 048488

ALPENINOX 048832

**3221126 INDICATOR LIGHT NEUTRAL 24V**  
head  $\varnothing$  8 mm - 120°C



ALPENINOX 075110



Suitable for:

**3221098 LIGHT RECEPTACLE GREEN**  
 ø hole 10 mm - head 12x12 mm



ALPENINOX 0HA054

Suitable for:


**3221163 ORANGE LAMP RECEPTACLE**  
 head ø 15 mm - hole ø 10 mm



ALPENINOX 004928

## Induction coils

**40D7220 INDUCTION GENERATOR KIT DOUBLE ZONE**  
 3000W 230V  
 complete with cable



ALPENINOX 0D7220

## Insulators

**5078074 GLASS PROTECTION PANEL 250x248 mm**  
 for GLASS-CERAMIC PLATE



ALPENINOX 0D4024

ALPENINOX 653527

## Interference suppression filters

**3160233 INTERFERENCE SUP.FILTER PROCOND411135901**  
 250V 50Hz



ALPENINOX 049303

**3160099 INTERFERENCE SUPPRES. FILTER F3CF71112F**  
 0.47µF



ALPENINOX 046217

## Ironmongery (screws,nuts,washers)

**1528013 BLIND HEXAGONAL NUT M6**  
 stainl. steel -height 16 mm -UNI 5721 - DIN 1587



ALPENINOX 0K1297

**3242451 CLASP ø 3x16 mm**  
 stainless steel C70 - UNI 6873 - DIN 1481-ISO 8752



ALPENINOX 0H6043

ALPENINOX 052061

ALPENINOX 060920



Suitable for:

# ALPENINOX



**3053049 CLASP  $\varnothing$  4.5x24 mm**  
stainless steel - UNI 6873 - DIN 1481 - ISO 8752



ALPENINOX 045446

Suitable for:  
**40C2170 CLASP  $\varnothing$  4x36 mm**



ALPENINOX 0C2170

**1528031 COUNTERSUNK FLAT HEAD SCREWS M5x12**  
slotted - stainless steel  
UNI 6109 - DIN 963 - ISO 2009



ALPENINOX 0KM408

**3528087 COUNTERSUNK FLAT HEAD SCREWS M6x50**  
cross recessed - stainless steel  
UNI 7688 - DIN 965 - ISO 7046



ALPENINOX 0D0658

**40D6099 CYLINDER HEAD SCREW M10x40**  
stainless steel - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762



ALPENINOX 0D6099

**3528206 CYLINDER HEAD SCREW M5x20**  
stainless steel - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762



ALPENINOX 0D0502

**3528207 CYLINDER HEAD SCREW M6x25**  
stainless steel - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762



ALPENINOX 0D2248

**5008617 EXTERNAL TOOTHED WASHER M5**  
internal/external  $\varnothing$  5.3/10 mm - thickness 0.6 mm  
stainless steel - UNI 8842 A - DIN 6798 A



ALPENINOX 0KQ491

**9742006 FEATHER KEY ST. STEEL C40 6x6x25 mm**  
UNI 6604/A - DIN 6685/A



ALPENINOX 0E5048

ALPENINOX 0K8973

**3528238 FLAT WASHER M4**  
internal/external  $\varnothing$  4.3/9 mm - thickness 0.8 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ALPENINOX 067930

Suitable for:

**1186192 FLAT WASHER M5**  
internal/external  $\varnothing$  5.3/10 mm - thickness 1 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ALPENINOX OE1119

Suitable for:

**3528010 FLAT WASHER M6**  
 $\varnothing$  internal/external 6.4/12 mm - thickness 1.6 mm  
st./steel - UNI 6592 - DIN 125 A - ISO 7089



ALPENINOX OU2043

**3743145 FLAT WASHER M8**  
internal/external  $\varnothing$  8.4/16 mm - thickness 1.6 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ALPENINOX OKM405

**5042380 HEXAGON HEAD SCREW M6x20**  
stainless steel- UNI 5739 - DIN 933 - ISO 4017



ALPENINOX OG1698

**1528622 HEXAGON HEAD SCREW M8x16**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



ALPENINOX OK8919

**3528106 HEXAGONAL HEAD SCREW M5x16**  
st./steel - UNI 5739 - DIN 933 - ISO 4017



ALPENINOX OD0506

**3528094 HEXAGONAL HEAD SCREW M8x12**  
st./steel - UNI 5739 - DIN 933 - ISO 4017



ALPENINOX OKE147

**3060069 HEXAGONAL NUT M8 MEDIUM**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ALPENINOX O27019

**3528128 LARGE PAN HEAD SCREW M6x20**  
stainless steel - slotted



ALPENINOX OU0237

**1528030 MID HEXAGONAL NUT M6**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ALPENINOX OK4516



Suitable for:

# ALPENINOX



**3528016 SCREW M6**



ALPENINOX 059859

Suitable for:

**3241201 SCREW NO HEAD WITH HEXAGON SOCKET M4X6**

stainless steel - cone end  
UNI 5927 - DIN 914 - ISO 4027



ALPENINOX 046258

ALPENINOX 047846

**7105783 SCREWS NO HEAD WITH HEX. SOCKET M5x6**

10 pcs package  
stainless steel - flat end  
UNI 5923 - DIN 913 - ISO 4026



ALPENINOX 0D0605

**5017493 SCREWS WITH HEXAGON SOCKET M8x12**


stainless steel - conical edge  
UNI 5927 - DIN 914 - ISO 4027



ALPENINOX 0G4248

**3528140 SELF-LOCKING HEXAGON NUT M6**


stainless steel - with nylon built-in ring  
UNI 7474 - DIN 985 - ISO 10511



ALPENINOX 049372

**3528002 SELF-LOCKING HEXAGON NUT M10**

in zinc plated iron alloy  
with built-in nylon ring  
UNI 7473 - DIN 982 - ISO 7040



ALPENINOX 0U0651

**3528014 SLOTTED SCREW M6x16 mm**



ALPENINOX 059860

**1186504 WASHER FLAT M10**

internal/external  $\varnothing$  10.5/20 mm - thickness 2 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ALPENINOX 0D0622

## Knobs

**3241709 ADAPTER FOR KNOB  $\varnothing$  27 mm**

D-shaped hole 8x6.5 mm



ALPENINOX 0C5400

**3241429 BLACK KNOB  $\varnothing$  30 mm SILK-SCREEN PRINTED**



ALPENINOX 003704

ALPENINOX 056452

Suitable for:

**3241189 BLACK KNOB  $\varnothing$  32 mm**  
fixing hole  $\varnothing$  27 mm



ALPENINOX 0C0190

Suitable for:

**3241190 BLACK KNOB RING NUT 110-270°C**




ALPENINOX 0C0194

**3241243 BLACK KNOB  $\varnothing$  39 mm**  
silk-screen printing 1-2-3-4-5-6-7-8-9-10  
D-shaped hole 6x4.6 mm



ALPENINOX 003029

**3241117 BLACK KNOB  $\varnothing$  50 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm



ALPENINOX 052604

**3241118 BLACK KNOB  $\varnothing$  50 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 054105

**3241817 BLACK KNOB  $\varnothing$  55 mm**  
D-shaped hole 6x4.6 mm



ALPENINOX 0A5621

**3241801 FASTENING RING - 10 PCS**



ALPENINOX 0C6288


ALPENINOX 069567

**3241055 FIXING CLIP**  
for knob with  $\varnothing$  8 mm hole



ALPENINOX 025245

**3186342 GASKET FOR OVEN**  
soft - external  $\varnothing$  13,5 mm



ALPENINOX 053816

**3241424 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**



ALPENINOX 0C0317

ALPENINOX 0C3017

**3241469 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**



ALPENINOX 0C0318


ALPENINOX 0C03187





Suitable for:

**3241478 KNOB RING NUT  $\varnothing$  84 mm 100-300°C**



ALPENINOX 0C0258

# ALPENINOX




Suitable for:

**3241881 BLACK KNOB  $\varnothing$  55 mm**  
D-shaped hole 8x6.5 mm



ALPENINOX 0C1007

**40C1233 BLACK KNOB  $\varnothing$  55 mm**



ALPENINOX 0C1233

**3241043 BLACK KNOB  $\varnothing$  55 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm  
for Pot stove gas (ALPENINOX) - Series 700



ALPENINOX 0A2126

**3241044 BLACK KNOB  $\varnothing$  55 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm  
for Boiling pan gas (ALPENINOX)  
for Fry top gas (ALPENINOX)  
for Pot stove gas (ALPENINOX)  
for Solid top range gas (ALPENINOX)  
for Solid top range (ALPENINOX) 20TP100T49




ALPENINOX 0A2260

**3241443 BLACK KNOB  $\varnothing$  55 mm SILK-SCREEN PRINTED**  
D-shaped hole 6x4.6 mm



ALPENINOX 059850

**3241866 BLACK KNOB  $\varnothing$  55 mm 0-300°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 0A5143

**3241267 BLACK KNOB  $\varnothing$  55 mm 1-2-3-4-5-6-7**  
D-shaped hole 6x4.6 mm



ALPENINOX 059469

**3241413 BLACK KNOB  $\varnothing$  55 mm 100-280°C**  
D-shaped hole 8x6 mm



ALPENINOX 058776





Suitable for:


**3241430 BLACK KNOB  $\varnothing$  55 mm 105-185°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 004783

Suitable for:

**3241408 BLACK KNOB  $\varnothing$  55 mm 110-350°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 059236

**3241417 BLACK KNOB  $\varnothing$  55 mm 120-300°C**  
D-shaped hole 6x4.6 mm




ALPENINOX 059468

**3241440 BLACK KNOB  $\varnothing$  55 mm 120-330°C**  
D-shaped hole 8x6 mm



ALPENINOX 059220

**3241869 BLACK KNOB  $\varnothing$  55 mm 120-330°C**  
D-shaped hole 8x6.5 mm



ALPENINOX 0A9065

**3241066 BLACK KNOB  $\varnothing$  60 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm




ALPENINOX 052138

**3241260 BLACK KNOB  $\varnothing$  60 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 004957

**3241064 BLACK KNOB  $\varnothing$  60 mm 0-1-0-1**  
D-shaped hole 6x4.6 mm



ALPENINOX 050341

**3241414 BLACK KNOB  $\varnothing$  60 mm 0-1-2-3-4-5-6**  
D-shaped hole 6x4.6 mm



ALPENINOX 004913

**3241062 BLACK KNOB  $\varnothing$  60 mm 1-2-3-4-5**  
D-shaped hole 6x4.6 mm



ALPENINOX 051552

**3241244 BLACK KNOB  $\varnothing$  60 mm 1-2-3-4-5-6**  
D-shaped hole 6x4.6 mm



ALPENINOX 004897

**3241067 BLACK KNOB  $\varnothing$  60 mm 1-2-3-4-5-6-7-8**  
D-shaped hole 6x4.6 mm



ALPENINOX 026915



# ALPENINOX



Suitable for:

**3241246 BLACK KNOB  $\varnothing$  60 mm 100-190°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 004924

Suitable for:

**3241248 BLACK KNOB  $\varnothing$  60 mm 100-300°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 004916

**3241245 BLACK KNOB  $\varnothing$  60 mm 30-90°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 004909

**3241421 BLACK KNOB  $\varnothing$  60 mm 90-250°C**  
hole for mertik gas valve knob



ALPENINOX 0A5586

ALPENINOX 006464


**3241419 BLACK KNOB  $\varnothing$  70 mm HOT WATER**  
D-shaped hole 10x8 mm



ALPENINOX 0G2258

ALPENINOX 059538

**3241438 BLACK KNOB  $\varnothing$  70 mm HOT WATER**  
D-shaped hole 10x8 mm



ALPENINOX 059516

**3241140 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm



ALPENINOX 059304

**3241141 EXTENSION FOR 820 NOVA VALVE**  
D-shaped pin 10x8 mm




ALPENINOX 059305

**3241142 KNOB GASKET  $\varnothing$  44 mm**




ALPENINOX 059326

**3241262 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 059265

**3241268 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm



ALPENINOX 004483

Suitable for:

**3241313 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm



ALPENINOX 058597

Suitable for:

**3241314 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 059206

**3241315 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm



ALPENINOX 002308


ALPENINOX 059378

**3241410 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 6x4.6 mm



ALPENINOX 058541


**3241416 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm



ALPENINOX 0A5002

ALPENINOX 0A5034

**3241418 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 004329

**3241444 BLACK KNOB POINER**



ALPENINOX 059207

**3241420 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 0A2958

**3241622 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm



ALPENINOX 0A2986

**3241815 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm



ALPENINOX 0A5188

**3526269 VALVE 820 NOVA EXTENSION**  
D shaft  $\varnothing$  10x8 mm



ALPENINOX 002790



# ALPENINOX



Suitable for:

**3241818 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 004291

Suitable for:

**3241444 BLACK KNOB POINER**



ALPENINOX 059207

**3241820 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm




ALPENINOX 004304

**3241444 BLACK KNOB POINER**



ALPENINOX 059207

**3241868 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm




ALPENINOX 0A5421

**3525019 EXTENSION FOR BALLCOCK VALVE  $\varnothing$  10x8 mm**



ALPENINOX 0A2135

**3241879 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm



ALPENINOX 059386

**3241880 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm




ALPENINOX 059348

**3241400 BLACK KNOB  $\varnothing$  70 mm UNIVERSAL**  
D-shaped hole 10x8 mm



ALPENINOX 059062

**3241464 SELF-STICK DISK MIN/MAX**  
external  $\varnothing$  63 mm



**3241463 SELF-STICK DISK WITH ARROW SYMBOL**  
external  $\varnothing$  63 mm




**3241451 SELF-STICK DISK WITHOUT PILOT SYMBOL**  
external  $\varnothing$  63 mm  
for gas taps without pilot






Suitable for:


**3241465 SELF-STICK DISK 0-1-0-1**  
external ø 63 mm



**3241467 SELF-STICK DISK 0-1-2-3-4-5-6**  
external ø 63 mm




**3241453 SELF-STICK DISK 1-2-3-4-5-6-7-8**  
external ø 63 mm  
for thermostatic gas taps EGA




**3241456 SELF-STICK DISK 30-110°C**  
external ø 63 mm



**3241454 SELF-STICK DISK 30-90°C**  
external ø 63 mm



**3241459 SELF-STICK DISK 50-250°C**  
external ø 63 mm




# ALPENINOX




Suitable for:


**3241466 SELF-STICK DISK 0-1-2-3**  
external ø 63 mm




**3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8**  
external ø 63 mm  
for thermostatic gas taps PEL




**3241458 SELF-STICK DISK 100-180°C**  
external ø 63 mm




**3241457 SELF-STICK DISK 30-110°C**  
external ø 63 mm



**3241455 SELF-STICK DISK 30-90°C**  
external ø 63 mm



**3241460 SELF-STICK DISK 50-300°C**  
external ø 63 mm







Suitable for:

**3241461 SELF-STICK DISK 50-300°C**  
external ø 63 mm



# ALPENINOX



Suitable for:


**3241462 SELF-STICK DISK 50-320°C**  
external ø 63 mm



**3241450 SELF-STICKING DISK WITH PILOT SYMBOL**  
external ø 63 mm  
for gas taps with pilot



**3241448 BLACK KNOB ø 70 mm 0-1-0-1**  
D-shaped hole 6x4.6 mm



ALPENINOX 059333

**3241316 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6**  
D-shaped hole 6x4.6 mm




ALPENINOX 059230

**3241269 BLACK KNOB ø 70 mm 1-2-3-4-5-6-7-8**  
D-shaped hole 6x4.6 mm



ALPENINOX 059779

**3241270 BLACK KNOB ø 70 mm 1-2-3-4-5-6-7-8**  
D-shaped hole 6x4.6 mm



ALPENINOX 059554

**3241428 BLACK KNOB ø 70 mm 100-280°C**  
D-shaped hole 8x6.5 mm



ALPENINOX 059422

**3241506 BLACK KNOB ø 70 mm 105-185°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 059303

**3241832 BLACK KNOB ø 70 mm 105-185°C**  
D-shaped hole 8x6.5 mm



ALPENINOX 058591

**3241411 BLACK KNOB ø 70 mm 120-280°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 059403




Suitable for:

**3241816 BLACK KNOB ø 70 mm 120-300°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 0A5279

**3186342 GASKET FOR OVEN**  
soft - external ø 13,5 mm



ALPENINOX 053816

**3241317 BLACK KNOB ø 70 mm 140-300°C**  
D-shaped hole 8x6.5 mm



ALPENINOX 058537


Suitable for:

**3241055 FIXING CLIP**  
for knob with ø 8 mm hole



ALPENINOX 025245

**3241441 BLACK KNOB ø 70 mm 140-300°C**  
D-shaped hole 8x6.5 mm



ALPENINOX 0A2965

**3241415 BLACK KNOB ø 70 mm 140-320°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 004330

**3241446 BLACK KNOB ø 70 mm 140-320°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 058542

**3241477 BLACK KNOB ø 70 mm 150-290°C**  
D-shaped hole 8x6.5 mm



ALPENINOX 004336

**3241447 BLACK KNOB ø 70 mm 150-310°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 004710

**3241412 BLACK KNOB ø 70 mm 180-300°C**  
D-shaped hole 8x6 mm



ALPENINOX 059413

**3241444 BLACK KNOB POINER**



ALPENINOX 059207



# ALPENINOX



Suitable for:

**3241190 BLACK KNOB RING NUT 110-270°C**



ALPENINOX 0C0194


Suitable for:

**3241425 BLACK KNOB RING NUT 110-270°C**



ALPENINOX 0C0597

**3241442 BLACK KNOB RING NUT 120-190°C**



ALPENINOX 0C0623

**3241422 BLACK KNOB RING NUT 30-90°C**



ALPENINOX 0C0503

**3241197 BLACK KNOB 46x51 mm**  
D-shaped hole 8x6.5 mm



ALPENINOX 0C0191


**3241801 FASTENING RING - 10 PCS**



ALPENINOX 0C6288


ALPENINOX 069567

**3241195 KNOB RING NUT  $\varnothing$  84 mm SILK-SCREEN PRINTE**



ALPENINOX 0C0193

**3241196 KNOB RING NUT  $\varnothing$  84 mm SILK-SCREEN PRINTE**




ALPENINOX 0C0192

**3241266 BLACK KNOB 46x51 mm**  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0C0257

**3241439 KNOB RING NUT  $\varnothing$  84 mm SCREEN-PRINTED**




ALPENINOX 0C0259

**3241445 KNOB RING NUT  $\varnothing$  84 mm SILK-SCREEN PRINTE**



ALPENINOX 0C0711

**3241449 KNOB RING NUT  $\varnothing$  84 mm 0-1-0-1**



ALPENINOX 0C0518




# ALPENINOX



Suitable for:

**3241479 KNOB RING NUT  $\varnothing$  84 mm 0-1-2-3**



ALPENINOX 0C0560

**3241507 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6**



ALPENINOX 0C0304

**3241469 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**



ALPENINOX 0C0318

ALPENINOX 0C03187

**3241436 KNOB RING NUT  $\varnothing$  84 mm 105-185°C**



ALPENINOX 0C0615

**3241427 KNOB RING NUT  $\varnothing$  84 mm 30-90°C**



ALPENINOX 0C0515

**3241437 BLACK KNOB 46x51 mm  
D-shaped hole 10x8 mm**



ALPENINOX 0C0465

Suitable for:

**3241468 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6**



ALPENINOX 0C0307


**3241424 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**



ALPENINOX 0C0317

ALPENINOX 0C3017

**3241478 KNOB RING NUT  $\varnothing$  84 mm 100-300°C**




ALPENINOX 0C0258

**3241426 KNOB RING NUT  $\varnothing$  84 mm 120-280°C**



ALPENINOX 0C0466

**3241196 KNOB RING NUT  $\varnothing$  84 mm SILK-SCREEN PRINTE**



ALPENINOX 0C0192



# ALPENINOX



Suitable for:

**3241708 BLACK KNOB 46x51 mm**  
new type  
D-shaped hole 8x6.5 mm



ALPENINOX 0C5251

Suitable for:

**40C5254 BLUE KNOB ø 60 mm 110-190°C**  
D-shaped hole 8x6.5 mm



ALPENINOX 0C5254

**3241801 FASTENING RING - 10 PCS**



ALPENINOX 0C6288

ALPENINOX 069567

**3241055 FIXING CLIP**  
for knob with ø 8 mm hole




ALPENINOX 025245

**3241119 GASKET FOR KNOB**



ALPENINOX 054108

**3241069 GREY KNOB ø 55 mm 0-120°C**  
D-shaped hole 6x4.6 mm




ALPENINOX 0C3022

ALPENINOX 003844

ALPENINOX 075543

**3186342 GASKET FOR OVEN**  
soft - external ø 13,5 mm



ALPENINOX 053816

**3241104 GREY KNOB ø 55 mm 120-330°C**  
D-shaped hole 8x6.5 mm



ALPENINOX 059249

**3241247 KNOB BLACK ø 16x25 mm**  
round hole ø 6 mm



ALPENINOX 004906

**4050183 KNOB BLACK ø 50 mm 1-2-3-4-5-6-7-8**  
D-shaped hole 6x4.6 mm



ALPENINOX 050183

**4004802 KNOB BLACK ø 55 mm SCREEN PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 004802

Suitable for:

**4059481 KNOB BLACK ø 55 mm 1-2-3-4-5-6-7**  
D-shaped hole 6x4.6 mm



ALPENINOX 059481

Suitable for:

**4004601 KNOB BLACK ø 55 mm 100-280°C**  
D-shaped hole 10x8 mm




ALPENINOX 004601

**4006570 KNOB BLACK ø 60 mm 110-190°C**




ALPENINOX 006570

**3241199 KNOB BLACK ø 70 mm COLD WATER**  
D-shaped hole 10x8 mm



ALPENINOX 059531

**4004246 KNOB BLACK ø 70 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 004246

**3241103 KNOB BLACK ø 70 mm SILKSCREEN-PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 059244

**3241109 KNOB BLACK ø 70 mm SILKSCREEN-PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 058534

**3241110 KNOB BLACK ø 70 mm SILKSCREEN-PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 058561

**3241198 KNOB BLACK ø 70 mm 0-1-2-3**  
D-shaped hole 6x4.6 mm



ALPENINOX 059546

**3241113 KNOB BLACK ø 70 mm 110-190°C**  
D-shaped hole 10x8 mm



ALPENINOX 003392

**4004356 KNOB BLACK ø 70 mm 110-190°C**  
D-shaped hole 10x8 mm



ALPENINOX 004356

**4004484 KNOB BLACK ø 70 mm 110-190°C**  
D-shaped hole 10x8 mm



ALPENINOX 004484





# ALPENINOX



Suitable for:

Suitable for:

**3241210 KNOB BLACK  $\phi$  70 mm 120-300°C**  
D-shaped hole 6x4.6 mm



ALPENINOX 002104

**3241193 KNOB BLACK 46x51 mm**



ALPENINOX 000189

**3241190 BLACK KNOB RING NUT 110-270°C**



ALPENINOX 000194

**3241425 BLACK KNOB RING NUT 110-270°C**



ALPENINOX 000597

**3241442 BLACK KNOB RING NUT 120-190°C**



ALPENINOX 000623

**3241422 BLACK KNOB RING NUT 30-90°C**




ALPENINOX 000503

**40C2021 KNOB BLUE  $\phi$  32 mm**




ALPENINOX 002021

**40G3648 KNOB BLUE  $\phi$  60 mm**  
D-shaped hole 6x4.6 mm




ALPENINOX 003648

**40C2234 KNOB BLUE  $\phi$  60 mm SCREEN PRINTED**  
D-shaped hole 10x8 mm



ALPENINOX 002234

**40C2009 KNOB BLUE  $\phi$  60 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm



ALPENINOX 002009





Suitable for:

**40C2014** KNOB BLUE  $\varnothing$  60 mm SILK-SCREEN PRINTED  
D-shaped hole 8x6.5 mm



ALPENINOX 0C2014


Suitable for:

**40C2124** KNOB BLUE  $\varnothing$  60 mm SILK-SCREEN PRINTED  
D-shaped hole 10x8 mm



ALPENINOX 0C2124

**40KI391** KNOB BLUE  $\varnothing$  60 mm SILK-SCREEN PRINTED  
D-shaped hole 6x4.6 mm



ALPENINOX 0KI391

**40C2012** KNOB BLUE  $\varnothing$  60 mm 0-1-2-3-4-5-6  
D-shaped hole 6x4.6 mm



ALPENINOX 0C2012

**40G3715** KNOB BLUE  $\varnothing$  60 mm 0-12  
D-shaped hole 6x4.6 mm



ALPENINOX 0G3715

**40G5268** KNOB BLUE  $\varnothing$  60 mm 1-2-3-4-5-6-7  
D-shaped hole 8x6.5 mm



ALPENINOX 0G5268

**40C2020** KNOB BLUE  $\varnothing$  60 mm 100-270°C




ALPENINOX 0C2020

**40C2023** KNOB BLUE  $\varnothing$  60 mm 100-270°C




ALPENINOX 0C2023

**40C5253** KNOB BLUE  $\varnothing$  60 mm 100-270°C  
D-shaped hole 8x6.5 mm



ALPENINOX 0C5253

**40C5256** KNOB BLUE  $\varnothing$  60 mm 100-270°C  
D-shaped hole 8x6.5 mm



ALPENINOX 0C5256

**40C2015** KNOB BLUE  $\varnothing$  60 mm 100-300°C  
D-shaped hole 6x4.6 mm



ALPENINOX 0C2015

**40C2232** KNOB BLUE  $\varnothing$  60 mm 105-185°C  
D-shaped hole 6x4.6 mm



ALPENINOX 0C2232



# ALPENINOX



Suitable for:


**40C2231 KNOB BLUE  $\varnothing$  60 mm 110-190°C**



ALPENINOX 0C2231

Suitable for:

**40C2011 KNOB BLUE  $\varnothing$  60 MM 1-2-3-4-5-6-7-8**  
D-shaped hole 6x4.6 mm



ALPENINOX 0C2011

**40K5583 KNOB BLUE CONTROL PANEL  $\varnothing$  20 mm**  
D-shaped hole 6x4.6 mm



ALPENINOX 0K5583

ALPENINOX 0K5591

**3241108 KNOB CAP**



ALPENINOX 025255

ALPENINOX 054367

**3241142 KNOB GASKET  $\varnothing$  44 mm**




ALPENINOX 059326

**4031320 KNOB GREY  $\varnothing$  55 mm 0-10**  
D-shaped hole 6x4.6 mm




ALPENINOX 031320

**3241439 KNOB RING NUT  $\varnothing$  84 mm SCREEN-PRINTED**




ALPENINOX 0C0259

**3241195 KNOB RING NUT  $\varnothing$  84 mm SILK-SCREEN PRINTE**




ALPENINOX 0C0193

**3241196 KNOB RING NUT  $\varnothing$  84 mm SILK-SCREEN PRINTE**




ALPENINOX 0C0192

**3241445 KNOB RING NUT  $\varnothing$  84 mm SILK-SCREEN PRINTE**




ALPENINOX 0C0711

**3241449 KNOB RING NUT  $\varnothing$  84 mm 0-1-0-1**



ALPENINOX 0C0518

**3241479 KNOB RING NUT  $\varnothing$  84 mm 0-1-2-3**



ALPENINOX 0C0560

Suitable for:

**3241468 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6**



ALPENINOX 0C0307

Suitable for:

**3241507 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6**



ALPENINOX 0C0304

**3241424 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**



ALPENINOX 0C0317

ALPENINOX 0C3017


**3241469 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**



ALPENINOX 0C0318

ALPENINOX 0C03187

**3241478 KNOB RING NUT  $\varnothing$  84 mm 100-300°C**



ALPENINOX 0C0258

**3241436 KNOB RING NUT  $\varnothing$  84 mm 105-185°C**



ALPENINOX 0C0615

**3241426 KNOB RING NUT  $\varnothing$  84 mm 120-280°C**



ALPENINOX 0C0466

**3241427 KNOB RING NUT  $\varnothing$  84 mm 30-90°C**



ALPENINOX 0C0515

**40C2006 RING NUT BLUE SCREEN PRINTED FOR KNOB**  
external dimensions 122x87 mm



ALPENINOX 0C2006

**40C2008 RING NUT BLUE SCREEN PRINTED FOR KNOB**  
external dimensions 86x68 mm



ALPENINOX 0C2008

**40C2007 RINGNUT BLUE SCREEN PRINTED FOR KNOB**  
external dimensions 86x68 mm



ALPENINOX 0C2007

**40C2017 RINGNUT BLUE SCREEN PRINTED FOR KNOB**  
external dimensions 86x68 mm



ALPENINOX 0C2017



Suitable for:


**40KL289 RINGNUT BLUE SCREEN PRINTED FOR KNOB**  
external dimensions 86x68 mm



ALPENINOX 0KL289

Suitable for:

**3241107 TAP KNOB - BLACK ø 50 mm**  
square hole 7x7 mm



ALPENINOX 025260

ALPENINOX 054254

## Labels for control panels

**5056458 ADHESIVE CONTROL PLATE DX 590x95 mm**



ALPENINOX 0KG239

**4088441 ADHESIVE CONTROL PLATE 238x75 mm**



ALPENINOX 088441

**5060178 ADHESIVE CONTROL PLATE 238x75 mm**



ALPENINOX 088438

**3399137 ADHESIVE CONTROL PLATE 265x85 mm**



ALPENINOX 0C2330

**3399138 ADHESIVE CONTROL PLATE 265x85 mm**



ALPENINOX 0D6267

**40D7225 ADHESIVE CONTROL PLATE 265x85 mm**



ALPENINOX 0D7225

**40KG240 ADHESIVE CONTROL PLATE 590x95 mm**



ALPENINOX 0KG240


**4032674 CONTROL PANEL 330x210x82 mm**



ALPENINOX 032674

## Lamp receptacles and spare parts

**3520022 FLAME FOR OVEN GLASS ø 76 mm**



ALPENINOX 002628

**3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE**  
external dimensions 140x75 mm



ALPENINOX 0H2410


ALPENINOX 065022

Suitable for:

Suitable for:

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**  
 dimensions  $\varnothing$  48x38x5 mm  
 for OVEN

**3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS**



ALPENINOX

ALPENINOX 002626

**3221349 GLASS F.OVEN RECEPTACLE LAMP  $\varnothing$  73 mm**  
 thread  $\varnothing$  63 mm - overall height 45 mm

**3221256 GLASS FOR OVEN LAMP RECEPTACLE**  
 external dimensions 112x65 mm  
 max temperature 500°C



ALPENINOX 003451

ALPENINOX 004163

ALPENINOX 0H6989

**3520021 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  44 mm**



ALPENINOX 002627

**3221404 HALOGEN LAMP RECEPTACLE G4 20W 12V**  
 wire connection length 370 mm  
 mounting hole  $\varnothing$  42 mm

**3520022 FLAME FOR OVEN GLASS  $\varnothing$  76 mm**



ALPENINOX 0C1555

ALPENINOX 006106

ALPENINOX 002628

**3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS**

**3520021 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  44 mm**



ALPENINOX 002626

ALPENINOX 002627



Suitable for:

**3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V**  
max. temperature 300°C



# ALPENINOX



Suitable for:

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max. temperature 250°C



ALPENINOX 007056

**40C4459 LAMP CAP OVEN ø 40 mm**  
internal ø 13 mm



ALPENINOX 0C4459

**5013466 LAMP HOLDER WITH LAMP E14 25W 230V**  
extern size 140x72 mm  
maximal temperature 300°C



ALPENINOX 0H6617

ALPENINOX 0K7521

ALPENINOX 054991

**3221255 FRAME FOR OVEN LAMP RECEPTACLE**  
external dimensions 140x72 mm



**3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE**  
external dimensions 140x75 mm



ALPENINOX 0H2410

ALPENINOX 055022

**3221256 GLASS FOR OVEN LAMP RECEPTACLE**  
external dimensions 112x65 mm  
max temperature 500°C



ALPENINOX 0H6989


**3221061 LAMP E14 25W 230V**  
max temperature 300°C - ø 26x57 mm



ALPENINOX 054319

ALPENINOX 054840

**3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V**  
dimensioni esterne 106x65 mm







Suitable for:

**D421016 OVEN LAMP DR FISCHER E14 25W 230V**  
ø 25x57 mm - max temperature 300°C




# ALPENINOX



Suitable for:

**3221399 LAMP RECEPTACLE E14 25W 230V**  
max temperature 300°C



ALPENINOX 002625

**3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS**



ALPENINOX 002626


**3221061 LAMP E14 25W 230V**  
max temperature 300°C - ø 26x57 mm



ALPENINOX 054319


ALPENINOX 054840

**2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V**  
mounting hole ø 38 mm  
max temperature 300°C



ALPENINOX 0C5508

**3520022 FLAME FOR OVEN GLASS ø 76 mm**



ALPENINOX 002628

**3520021 GLASS FOR OVEN LAMP RECEPTACLE ø 44 mm**




ALPENINOX 002627

**D421016 OVEN LAMP DR FISCHER E14 25W 230V**  
ø 25x57 mm - max temperature 300°C



**3221649 LAMP RECEPTACLE WITH GLASS E14**  
WITHOUT BULB  
lamp glass ø 72 mm  
mounting hole ø 68 mm  
max temperature 300°C



ALPENINOX 004160




Suitable for:

# ALPENINOX



**D221007 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass  $\varnothing$  46 mm  
max. temperature 300°C




ALPENINOX 054318

ALPENINOX 054320

Suitable for:

**3221041 LAMP E14 15W 230V**  
max temperature 300°C -  $\varnothing$  22x50 mm



ALPENINOX 0H7035

**D421015 OVEN LAMP DR FISCHER E14 15W 230V**  
 $\varnothing$  22x49 mm - max temperature 300°C




**3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass  $\varnothing$  57 mm  
mounting hole  $\varnothing$  42 mm  
max temperature 300°C  
for OVEN



ALPENINOX

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions  $\varnothing$  48x38x5 mm  
for OVEN




ALPENINOX

**3221052 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  57 mm**  
thread  $\varnothing$  33.5 mm - overall height 34 mm




**3221041 LAMP E14 15W 230V**  
max temperature 300°C -  $\varnothing$  22x50 mm



ALPENINOX 0H7035

**2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V**  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C



ALPENINOX 0C5508

**D421015 OVEN LAMP DR FISCHER E14 15W 230V**  
 $\varnothing$  22x49 mm - max temperature 300°C



Suitable for:

**3221040 LAMP RECEPTACLE WITH LAMP E14 25W 230V**  
 lamp glass  $\varnothing$  54 mm  
 mounting hole  $\varnothing$  45 mm  
 max temperature 300°C



ALPENINOX 056708

**D421016 OVEN LAMP DR FISCHER E14 25W 230V**  
 $\varnothing$  25x57 mm - max temperature 300°C



Suitable for:

**3221061 LAMP E14 25W 230V**  
 max temperature 300°C -  $\varnothing$  26x57 mm



ALPENINOX 054319

ALPENINOX 054840

**3621011 OVEN LAMP RECEPTACLE GLASS  $\varnothing$  54 mm**  
 thread  $\varnothing$  44 mm - total height 42.6 mm



**3221320 LAMP RECEPTACLE WITH LAMP E14 25W 230V**  
 ceramic foot  $\varnothing$  30 mm  
 external dimensions 80x65 mm  
 max. temperature 300°C



ALPENINOX 0K3363

**3221061 LAMP E14 25W 230V**  
 max temperature 300°C -  $\varnothing$  26x57 mm



ALPENINOX 054319

ALPENINOX 054840


**5064670 GLASS FOR LIGHT RECEPTACLE OVEN**  
 external dimensions 80x65 mm



**D421016 OVEN LAMP DR FISCHER E14 25W 230V**  
 $\varnothing$  25x57 mm - max temperature 300°C



**5072410 LAMP RECEPTACLE WITH LAMP E14 25W 230V**  
 ceramic base  $\varnothing$  30 mm  
 external dimensions 75x60 mm  
 max. temperature 300°C



ALPENINOX 003956

**3221172 FRAME FOR OVEN LAMP RECEPTACLE**  
 external dimensions 96x80 mm





Suitable for:

**3186173 GASKET FOR OVEN LAMP RECEPTACLE**  
external dimensions 93x79 mm



**3221061 LAMP E14 25W 230V**  
max temperature 300°C - ø 26x57 mm



ALPENINOX 054319

ALPENINOX 054840

**3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V**  
lamp glass ø 72 mm  
mounting hole ø 68 mm  
max temperature 300°C



ALPENINOX 004160

ALPENINOX 054840

**3221349 GLASS F.OVEN RECEPTACLE LAMP ø 73 mm**  
thread ø 63 mm - overall height 45 mm



ALPENINOX 003451

ALPENINOX 004163

**D421020 HOOD LAMP DR FISCHER E14 40W 230V**  
ø 25x86 mm



# ALPENINOX



Suitable for:

**3221173 GLASS FOR OVEN LAMP RECEPTACLE**  
external dimensions 73x58 mm



**D421016 OVEN LAMP DR FISCHER E14 25W 230V**  
ø 25x57 mm - max temperature 300°C



**3221351 GASKET FOR LAMP RECEPTACLE ø 79.5 mm**



ALPENINOX 005875

**5026552 HALOGEN LAMP OSRAM E14 40W 230V**  
dimensions 80x26 mm  
max temperature 300°C



**5059251 LAMP FOR OVEN E14 40W 220/230V**  
max. temperature 500°C  
dimensions ø 67x25 mm





Suitable for:

**3221649 LAMP RECEPTACLE WITH GLASS E14  
WITHOUT BULB**  
lamp glass  $\varnothing$  72 mm  
mounting hole  $\varnothing$  68 mm  
max temperature 300°C



ALPENINOX 004160

**3221140 OVEN LAMP E14 40W 230V**  
max temperature 300°C



ALPENINOX 081696

**4007055 RECEPTACLE F/HALOGEN LAMP G4 20W 12V**  
wire connection length 2400 mm  
mounting hole  $\varnothing$  35 mm



ALPENINOX 007055

**3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS**



ALPENINOX 002626

**3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V**  
max. temperature 300°C



# ALPENINOX



Suitable for:

**D421019 OVEN LAMP DR FISCHER E14 40W 230V**  
 $\varnothing$  45x78 mm - max temperature 300°C



**3520022 FLAME FOR OVEN GLASS  $\varnothing$  76 mm**



ALPENINOX 002628

**3520021 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  44 mm**



ALPENINOX 002627

**40C4459 LAMP CAP OVEN  $\varnothing$  40 mm**  
internal  $\varnothing$  13 mm



ALPENINOX 0C4459





Suitable for:

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max. temperature 250°C




ALPENINOX 007056

**40E3681 RECEPTACLE WITH LAMP E14 15W 230V**  
glass for lamp  $\varnothing$  42 mm  
mounting hole  $\varnothing$  38 mm  
maximum temperature 300°C



ALPENINOX 0E3681

**3221041 LAMP E14 15W 230V**  
max temperature 300°C -  $\varnothing$  22x50 mm



ALPENINOX 0H7035

# ALPENINOX



Suitable for:

**3221233 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  42 mm**  
thread  $\varnothing$  33 mm - overall height 26 mm



**D421015 OVEN LAMP DR FISCHER E14 15W 230V**  
 $\varnothing$  22x49 mm - max temperature 300°C



## Lava stone

**3310008 LAVA ROCK MEDIUM-LARGE Kg 5**  
medium-large size



ALPENINOX 050859

## Lava stone grids

**40C2571 CAST IRON GRID 478x175 mm**



ALPENINOX 0C2571

**40C0450 CAST IRON SUPPORT GRID 640x160x50 mm**



ALPENINOX 0C0450





# ALPENINOX



Suitable for:


3312068 COOKING GRID 640x175 mm



ALPENINOX 0C0424

Suitable for:

3312039 KIT COOKING GRID 540x340 mm



ALPENINOX 0C6879

ALPENINOX 0C9059


ALPENINOX 053693

3185051 STAINLESS STEEL GRILL 440x290x20 mm



ALPENINOX 056657

3185103 STAINLESS STEEL GRILL 445x285x20 mm




ALPENINOX 006205

3185059 STAINLESS STEEL GRILL 600x345x20 mm  
for new series



ALPENINOX 002385

3185079 STAINLESS STEEL GRILL 635x445x20 mm



ALPENINOX 006206

3185078 STAINLESS STEEL GRILL 715x600x20 mm



ALPENINOX 002395

## Leak detectors for gas

3394009 LEAK DETECTOR FOR GAS SE151NM

for natural gas and lpg leaks finding.  
standard 4 batteries 1.5V power supply  
battery life 7 hours of continuous working  
with imitation leather case  
calibration is reached through sensitivity adjustm  
in no polluting gas air so that  
the buzzer gives one pulse every second.  
As soon as the sensor is in a polluted  
environment the pulses frequency  
increases.



ALPENINOX 0S2023



Suitable for:

# ALPENINOX



Suitable for:

## Level gauges

**3201004 LEVEL GLASS  $\varnothing$  10x167 mm for PAN**



ALPENINOX 0C5352

ALPENINOX 059856


**3186340 O-RING 03037 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  9.19 mm



ALPENINOX 002923

ALPENINOX 069550

**4002986 LEVEL GLASS  $\varnothing$  10x77 mm**



ALPENINOX 002986

## Level regulators

**3341000 LEVEL REGULATOR RL30/3ES/F/G**  
230V 50/60Hz



ALPENINOX 0C0937

ALPENINOX 055458

**3341003 LEVEL PROBE  $\varnothing$  1/4"M-110 mm**



ALPENINOX 056449

**3341002 LEVEL PROBE  $\varnothing$  1/4"M-114.5 mm**



ALPENINOX 0C1086

ALPENINOX 055346

**3341001 LEVEL PROBE  $\varnothing$  1/4"M-155 mm**



ALPENINOX 0C1055

ALPENINOX 0C1105

ALPENINOX 053909

**3391037 LEVEL PROBE SPACER**  
external  $\varnothing$  8 mm  
internal  $\varnothing$  2.5 mm  
overall length 11.5 mm



ALPENINOX 055347

**3391038 LEVEL PROBE SPACER**  
external  $\varnothing$  8 mm - 7.5 mm height



ALPENINOX 055435

Suitable for:

Suitable for:

**3341038 LEVEL REGULATOR RL30/3ES/11**  
24V 50/60Hz



ALPENINOX 053913

## Lubricants

**3180002 GREASE STABURAGS N32 50 g**  
high quality grease for high temperatures  
to lubricate gas taps



ALPENINOX 0S0001

ALPENINOX 0S0002

ALPENINOX 0S0183

ALPENINOX 0S0245


## Magnet groups

**3182018 MAGNETIC UNIT MINISIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
thermocouple connection M10x1



ALPENINOX 0K0669

**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ALPENINOX 056594

**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ALPENINOX 056595

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT




ALPENINOX 056587

**3182005 MAGNETIC UNIT SIT**  
head  $\varnothing$  19 mm - end piece  $\varnothing$  14.5 mm - length 47 mm  
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ALPENINOX 056588

**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



ALPENINOX 056589



Suitable for:



Suitable for:

**3182020 PEL MAGNETIC GROUP**  
 head  $\varnothing$  24 mm - end  $\varnothing$  18 mm - length 59 mm  
 thermocouple fitting M9x1  
 for tap PEL model 23S



ALPENINOX 056596

## Magnets

**3242112 DOOR LOCK MAGNET**  
 distance between magnetic part holes 37 mm  
 distance between holes of strike plate 31 mm



ALPENINOX 004266

**3242115 DOOR LOCK MAGNET  $\varnothing$  33 mm**



ALPENINOX 059902

**5009179 MAGNET DOOR LOCKING  $\varnothing$  32 mm**  
 thread M5x15 mm



ALPENINOX 000201

## Measuring tools

**3394952 DIGITAL THERMOMETER -50+150°C/-58+300°F**  
 watertight and shockproof  
 battery powered and auto power off  
 measurement unit selectable in degrees °C/°F  
 resolution 0.1°C - accuracy  $\pm 1^\circ\text{C}/\pm 2^\circ\text{F}$   
 memory button - ON/OFF button  
 complete with case



ALPENINOX 0S2040

**3394207 DIGITAL THERMOMETER -50+70°C BLACK**  
 battery powered  
 front battery  
 working temperature 0+50°C  
 accuracy  $\pm 1^\circ\text{C}$   
 resolution 0.1°C  
 dimensions 62.5x29.5x19 mm  
 remote probe 1600 mm



ALPENINOX 099993



## Microswitches, magnetic

- 9100050 MAGNETIC MICROSWITCH PSA60010**  
 2A 240Vac - contact NO - head 52x16x7 mm  
 with cable length 350 mm




ALPENINOX 0D6673

ALPENINOX 0KJ006

ALPENINOX 032634

## Microswitches, mechanical

- 3240605 DOOR MICROSWITCH M1AX20 10A 250V**



ALPENINOX 002785

ALPENINOX 046063

- 3240144 MICROSWITCH BITRON TYPE S16**  
 16A 250V




ALPENINOX 0W2466

- 3240282 MICROSWITCH BITRON TYPE 209**  
 0.5A 250V



ALPENINOX 004241

- 3240584 MICROSWITCH BITRON TYPE 209**  
 0.5A 250V



ALPENINOX 004288

- 4059565 MICROSWITCH CHERRY DC1**  
 6A 250V - head 20x15x6 mm  
 with cable length 1400 mm



ALPENINOX 059565

- 3240820 MICROSWITCH ELECTRICA NR48W5**  
 1NO + 1NC 16A 250V



ALPENINOX 0E0209

ALPENINOX 0KB678

ALPENINOX 046286

ALPENINOX 047485

- 3240152 BUSHING FOR MICROSWITCH**



ALPENINOX 047487

ALPENINOX 004904

ALPENINOX 053671




Suitable for:

**3240473 GASKET FOR BUSHING**



ALPENINOX 047490

**3240166 MOUNTING PLATE FOR MICROSWITCH**  
external dimensions 46x26 mm



ALPENINOX 045404

ALPENINOX 45404

**3240154 SPRING FOR MICROSWITCH ROD**




ALPENINOX 047489

**3240407 MICROSWITCH KIT 16A 250V**  
2 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheel - lever 27 mm with wheel



ALPENINOX 069484

**3240241 MICROSWITCH OMRON V-166-1C5**  
1NO + 1NC 16A 250V  
with roll lever 28 mm



ALPENINOX LF-3240927

# ALPENINOX



Suitable for:

**5035454 MICRO SUPPORT**  
for WASHING MACHINE LF25



**3240153 ROD FOR MICROSWITCH**



ALPENINOX 047488

**3240568 MICROSWITCH CROUZET EF83161.3**  
1NO+NC 16A 250V  
complete with roll lever 28 mm



**9240007 MICROSWITCH PIZZATO MKV11D30**  
16A 250V




ALPENINOX 004175



Suitable for:

**3240406 MICROSWITCH SAIA-BURGESS**  
model XGK2-88-S20Z1  
10(4)A 250V



ALPENINOX 0H6597

Suitable for:

**9240002 MICROSWITCH SAIA-BURGESS XP52-Z51**  
16A 250V



ALPENINOX 0E1685

**3240439 MICROSWITCH SAIA-BURGESS XTD22JZ1**  
16A 400V



ALPENINOX 004927

**3803126 MICROSWITCH SAIA-BURGESS 250V**  
with bracket 100x35 mm  
head 20x15x6 mm - with cable length 800 mm



ALPENINOX 0G6381

ALPENINOX 0K5144

**3240410 MICROSWITCH 16(4)A 250V**



ALPENINOX

**3240236 LIMIT SWITCH CONTROL**



**3240203 BUSHING DOOR MICROSWITCH**  
external  $\varnothing$  10x15 mm



**3240234 LIMIT SWITCH PIN**



**3240233 MICROSWITCH FITTING M16x1.5 mm**



**3250071 MICROSWITCH SPRING  $\varnothing$  13x25 mm**



**3240235 RING NUT M16x1.5 mm**





Suitable for:

# ALPENINOX



Suitable for:

## Motor fans for hoods

### 3526202 SPEED REGULATOR 2500W

power supply 230V 50Hz  
 rated power 2500W  
 operating direct current 12A  
 max current 18A  
 sizes 105x82x170 mm  
 Technical note:  
 It starts and changes its speed gradually  
 in order to avoid harmful  
 motor hammers



ALPENINOX 032986

## Motors

### 3528013 BLIND HEXAGONAL NUT M6 for motor fan



ALPENINOX 0C3061

### 3240000 MOTOR WITH FAN 45W 220V 50/60Hz fan ø 150 mm



ALPENINOX 0A2010  
ALPENINOX 054314

ALPENINOX 004933

ALPENINOX 031484

## Nozzles

### 3500274 GAS JET ø 0.80 mm



ALPENINOX 050675

### 3500019 GAS JET M10x1 ø 1.45 mm



ALPENINOX 056470

### 3500346 GAS JET ø M10x1 ø 2.45 mm



ALPENINOX 002267

### 3500150 GAS JET ø 0.70 mm



ALPENINOX 050679

### 3500151 GAS JET ø 0.85 mm



ALPENINOX 025983

### 3500281 GAS JET ø 0.90 mm



ALPENINOX 051121



# ALPENINOX



Suitable for:

Suitable for:

3500152 GAS JET  $\varnothing$  0.95 mm

3500153 GAS JET  $\varnothing$  1.00 mm



ALPENINOX 026717

ALPENINOX 026212

ALPENINOX 050501

3500154 GAS JET  $\varnothing$  1.10 mm

3500155 GAS JET  $\varnothing$  1.15 mm



ALPENINOX 025865

ALPENINOX 026785

3500302 GAS JET  $\varnothing$  1.20 mm

3500156 GAS JET  $\varnothing$  1.25 mm



ALPENINOX 026213

ALPENINOX 026788

3500157 GAS JET  $\varnothing$  1.30 mm

3500158 GAS JET  $\varnothing$  1.35 mm



ALPENINOX 026718

ALPENINOX 025866

3500159 GAS JET  $\varnothing$  1.40 mm

3500160 GAS JET  $\varnothing$  1.45 mm



ALPENINOX 026786

ALPENINOX 045676

3500161 GAS JET  $\varnothing$  1.50 mm

3500162 GAS JET  $\varnothing$  1.55 mm



ALPENINOX 025954

ALPENINOX 050515



# ALPENINOX



Suitable for:

Suitable for:

**3500163 GAS JET  $\varnothing$  1.60 mm**



ALPENINOX 026000

ALPENINOX 026622

ALPENINOX 026954

**3500165 GAS JET  $\varnothing$  1.80 mm**



ALPENINOX 025867

ALPENINOX 051872

**3500166 GAS JET  $\varnothing$  1.90 mm**



ALPENINOX 025953

**3500167 GAS JET  $\varnothing$  2.00 mm**



ALPENINOX 026720

**3500168 GAS JET  $\varnothing$  2.10 mm**



ALPENINOX 026787

**3500169 GAS JET  $\varnothing$  2.20 mm**



ALPENINOX 026214

**3500170 GAS JET  $\varnothing$  2.40 mm**



ALPENINOX 050807

**3500171 GAS JET  $\varnothing$  2.50 mm**



ALPENINOX 051072

**3500021 GAS JET M10x1  $\varnothing$  0.95 mm**



ALPENINOX 0A2088

**3500022 GAS JET M10x1  $\varnothing$  1.00 mm**



ALPENINOX 059342

**3500023 GAS JET M10x1  $\varnothing$  1.10 mm**



ALPENINOX 0A2076

**5015539 GAS JET M10x1  $\varnothing$  1.15 mm**



ALPENINOX 005935



Suitable for:

Suitable for:

3500025 GAS JET M10x1  $\varnothing$  1.20 mm

3500026 GAS JET M10x1  $\varnothing$  1.25 mm



ALPENINOX 0A2650

ALPENINOX 0A2101

3500027 GAS JET M10x1  $\varnothing$  1.30 mm

5015401 GAS JET M10x1  $\varnothing$  1.30 mm



ALPENINOX 002393

ALPENINOX 059364

3500338 GAS JET M10x1  $\varnothing$  1.35 mm

3500028 GAS JET M10x1  $\varnothing$  1.45 mm



ALPENINOX 004732

ALPENINOX 0A2082

ALPENINOX 0A2091

3500029 GAS JET M10x1  $\varnothing$  1.50 mm

5015576 GAS JET M10x1  $\varnothing$  1.50 mm



ALPENINOX 0A2103

ALPENINOX 002862

3500030 GAS JET M10x1  $\varnothing$  1.60 mm

5021506 GAS JET M10x1  $\varnothing$  1.60 mm



ALPENINOX 0A2089

ALPENINOX 002905

3500070 GAS JET M10x1  $\varnothing$  1.70 mm

3500083 GAS JET M10x1  $\varnothing$  1.70 mm



ALPENINOX 059336

ALPENINOX 054083



# ALPENINOX



Suitable for:

**5005166 GAS JET M10x1 ø 1.75 mm**



ALPENINOX 003723

Suitable for:

**3500031 GAS JET M10x1 ø 1.90 mm**



ALPENINOX 0A2077

ALPENINOX 056793

**3500082 GAS JET M10x1 ø 1.90 mm**



ALPENINOX 054033

**5015530 GAS JET M10x1 ø 1.90 mm**



ALPENINOX 0A2301

ALPENINOX 0C0141

**5061895 GAS JET M10x1 ø 1.95 mm**



ALPENINOX 003514

**3500032 GAS JET M10x1 ø 2.00 mm**



ALPENINOX 0A2102

**3500081 GAS JET M10x1 ø 2.10 mm**



ALPENINOX 056147

**3500033 GAS JET M10x1 ø 2.20 mm**



ALPENINOX 0A2083

ALPENINOX 0C0143

**3500284 GAS JET M10x1 ø 2.25 mm**



ALPENINOX 0A2475

**3500034 GAS JET M10x1 ø 2.30 mm**



ALPENINOX 0A2081

ALPENINOX 0A2104

**3500035 GAS JET M10x1 ø 2.50 mm**



ALPENINOX 0A2302

ALPENINOX 059382

**5012517 GAS JET M10x1 ø 2.90 mm**



ALPENINOX 006419





# ALPENINOX



Suitable for:

Suitable for:

**3500084 GAS JET M10x1 ø 3.30 mm**

**3500085 GAS JET M10x1 ø 3.40 mm**




ALPENINOX 055388

ALPENINOX 054128

**3500062 GAS JET M7x1 ø 0.85 mm**

**3500066 GAS JET M7x1 ø 1.35 mm**



ALPENINOX 055112

ALPENINOX 055113

**3500051 GAS JET M9x1 ø 1.90 mm**

**4026955 NOZZLE GAS ø 2.60 mm**



ALPENINOX 058375

ALPENINOX 026955

**4002906 NOZZLE GAS M10x1 ø 1.05 mm**

**4054082 NOZZLE GAS M10x1 ø 1.10 mm**



ALPENINOX 002906

ALPENINOX 054082

**40A2141 NOZZLE GAS M10x1 ø 1.65 mm**

**4055459 NOZZLE GAS M10x1 ø 2.15 mm**



ALPENINOX 0A2141

ALPENINOX 055459

**4056471 NOZZLE GAS M10x1 ø 2.25 mm**

**40C0144 NOZZLE GAS M10x1 ø 2.60 mm**



ALPENINOX 056471

ALPENINOX 0C0144



Suitable for:

**4059383 NOZZLE GAS M10x1 ø 2.80 mm**



ALPENINOX 059383

Suitable for:

**4054034 NOZZLE GAS M10x1 ø 3.00 mm**



ALPENINOX 054034

**40G2372 NOZZLE GAS M5x0.75 ø 0.19 mm**



ALPENINOX 0G2372

## O-Ring and ORM gaskets

**3243069 O-RING OR 02068 EPDM**  
ring thickness 1.78 mm - internal ø 17.17 mm



ALPENINOX 047987

**3061011 O-RING SEAL 04375 EPDM**  
ring thickness 3.53 mm - internal ø 94.84 mm



ALPENINOX 047458

**3243009 O-RING 0106 EPDM**  
ring thickness 1.78 mm - internal ø 6.75 mm



ALPENINOX 0C1935

**1186422 O-RING 0108 EPDM**  
ring thickness 1.78 mm - internal ø 8.73 mm



ALPENINOX 0L0555

ALPENINOX 0L2341

ALPENINOX 0Q0002

ALPENINOX 058904

**1186255 O-RING 0109 EPDM**  
ring thickness 2.62 mm - internal ø 9.13 mm



ALPENINOX 068573

**1186626 O-RING 0114 EPDM**  
ring thickness 1.78 mm - internal ø 11.11 mm



ALPENINOX 0E2836

ALPENINOX 0E5360

Suitable for:

**1186805 O-RING 0115 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  11.91 mm



ALPENINOX 067292

Suitable for:

**3186606 O-RING 0144 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  39.69 mm



ALPENINOX 047192

**3186184 O-RING 0147 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  42.86 mm



ALPENINOX 065506

**3786181 O-RING 0150 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  46.04 mm



ALPENINOX 048229

**3316031 O-RING 0155 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  50.80 mm  
connection  $\varnothing$  1"1/2



ALPENINOX 075647

**1186230 O-RING 0164 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  60.33 mm



ALPENINOX 068799

**1186641 O-RING 0176 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  73.03 mm



ALPENINOX 046366

**1186014 O-RING 02015 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  3.69 mm



ALPENINOX 059293

**3243139 O-RING 02025 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  6.07 mm



ALPENINOX 067898

ALPENINOX 086109

**1186803 O-RING 02037 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  9.25 mm



ALPENINOX 046376



Suitable for:

# ALPENINOX



**1786087 O-RING 02037 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  9.25 mm



ALPENINOX 0L2303

**1186346 O-RING 02043 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  10.82 mm



ALPENINOX 0U1041

**1186352 O-RING 02050 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  12.42 mm



ALPENINOX 047986

**1186223 O-RING 02056 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  14.00 mm



ALPENINOX 046223

ALPENINOX 047473

ALPENINOX 070346

**1186424 O-RING 02062 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  15.60 mm



ALPENINOX 070347

**3243266 O-RING 02081 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  20.35 mm



ALPENINOX 052779

**3186343 O-RING 02106 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  26.70 mm



ALPENINOX 033462

**3243191 O-RING 02125 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  31.47 mm



ALPENINOX 046861

**3186317 O-RING 02131 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  33.05 mm  
for pod punch



ALPENINOX 0C0188


**3243189 O-RING 02137 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  34.65 mm



ALPENINOX 046868

Suitable for:

**6456074 O-RING 02325 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  82.27 mm  
for pump housing



ALPENINOX 0KM820

Suitable for:

**3186340 O-RING 03037 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  9.19 mm



ALPENINOX 002923

ALPENINOX 069550

**1186318 O-RING 03043 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  10.78 mm



ALPENINOX 069644

**3186860 O-RING 03056 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  13.95 mm  
EX OR 0118



ALPENINOX 0KK400

ALPENINOX 068642

**3186181 O-RING 03068 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  17.13 mm



ALPENINOX 0E5118

ALPENINOX 0KM727

ALPENINOX 0KQ575

**1186356 O-RING 03075 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  18.72 mm



ALPENINOX 049036

**1186327 O-RING 03081 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  20.24 mm



ALPENINOX 069527

**1186833 O-RING 03100 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  25.07 mm



ALPENINOX 046799

ALPENINOX 086280

**1186759 O-RING 03106 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  26.65 mm



ALPENINOX 0L0922

**3186247 O-RING 03112 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  28.25 mm



ALPENINOX 0E5062

ALPENINOX 0K7516



# ALPENINOX



Suitable for:

**3186458 O-RING 03118 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  29.82 mm  
for whipper base



ALPENINOX 067768

Suitable for:

**3243389 O-RING 03162 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  40.95 mm



ALPENINOX 089919

**3160040 O-RING 03168 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  42.52 mm



ALPENINOX 052903

**3160044 O-RING 03187 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  47.30 mm



ALPENINOX 053809

**3186245 O-RING 03200 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  50.47 mm



ALPENINOX 0KQ652

**4052206 O-RING 03206 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  52.07 mm



ALPENINOX 052206

**3060038 O-RING 03212 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  53.65 mm



ALPENINOX 049460

**3243166 O-RING 03237 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  60.00 mm




ALPENINOX 047462

**1186625 O-RING 03281 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  71.12 mm



ALPENINOX 0KM818

**3786202 O-RING 03850 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  215.57 mm



ALPENINOX 0KV753



Suitable for:

**1186238 O-RING 04081 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  20.22 mm



ALPENINOX 0A5182

Suitable for:

**4059475 O-RING 04087 VITON**  
ring thickness 3.53 mm - internal  $\varnothing$  21.82 mm



ALPENINOX 059475

**3186143 O-RING 04093 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  23.40 mm



ALPENINOX 050292

ALPENINOX 086551

**1186231 O-RING 04106 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  26.58 mm



ALPENINOX 0L1277

ALPENINOX 0PR729

ALPENINOX 027300

**3786008 O-RING 04112 BROWN VITON**  
ring thickness 3.53 mm - internal  $\varnothing$  28.17 mm  
for coffee group upper piston



ALPENINOX 002873

**3243142 O-RING 04118 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  29.75 mm



ALPENINOX 027301

**1186506 O-RING 04125 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  31.34 mm



ALPENINOX 002874

**1786210 O-RING 04131 RED SILICONE**  
ring thickness 3.53 mm - internal  $\varnothing$  32.93 mm



ALPENINOX 0C6800

**3061040 O-RING 04137 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  34.52 mm



ALPENINOX 0KM725

**1186990 O-RING 04137 RED SILICONE**  
ring thickness 3.53 mm - internal  $\varnothing$  34.52 mm



ALPENINOX



# ALPENINOX



Suitable for:

**3186290 O-RING 04187 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  47.22 mm



ALPENINOX 0HA075

Suitable for:

**4006406 O-RING 04200 RED SILICONE**  
ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm  
for BRATT-PAN RMV E1C/E2C-MMV E1C/E2C



ALPENINOX 006406

**3186271 O-RING 04312 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  78.97 mm



ALPENINOX 089098

**1186693 O-RING 04325 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  82.14 mm



ALPENINOX 0KM726

**3061007 O-RING 04362 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  91.67 mm



ALPENINOX 045462

**3160607 O-RING 04400 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  101.20 mm



ALPENINOX 0KM724

ALPENINOX 069531

**3061016 O-RING 04437 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  110.70 mm



ALPENINOX 048327

**3186466 O-RING 04475 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  120.20 mm



ALPENINOX 049033

**5018795 O-RING 06150 VITON**  
ring thickness 5.34 mm - internal  $\varnothing$  37.47 mm



ALPENINOX 055323

**3186339 O-RING 06175 EPDM**  
ring thickness 5.34 mm - internal  $\varnothing$  43.82 mm



ALPENINOX 0E0010



Suitable for:

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



ALPENINOX 0L2765  
ALPENINOX 069456

ALPENINOX 046213

ALPENINOX 067620

Suitable for:

**3186333 O-RING 06200 EPDM**  
ring thickness 5.34 mm - internal  $\varnothing$  50.16 mm



ALPENINOX 003928

**3186241 O-RING 06212 VITON**  
ring thickness 5.34 mm - internal  $\varnothing$  53.34 mm  
for DRAIN TAP  $\varnothing$  2" OLD MODEL AND  
TECNO NEW MODEL



ALPENINOX 0S0286

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



ALPENINOX 0E5037  
ALPENINOX 049909

ALPENINOX 007029

ALPENINOX 047156

**3186314 O-RING 06225 SILICONE  $\varnothing$  67 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



ALPENINOX 0L2304

**3786685 O-RING 06287 EPDM**  
ring thickness 5.34 mm - internal  $\varnothing$  72.39 mm



ALPENINOX 049593

## Outlet siphons

**5077056 KIT WATER OUTLET MANIFOLD**  
complete with ball valve  
thread  $\varnothing$  1" M - hose  $\varnothing$  15 e 30 mm  
Hole-in connection for hose  $\varnothing$  30 mm




ALPENINOX 0CA490  
ALPENINOX 0C6953

ALPENINOX 0CA570  
ALPENINOX 0C9660


ALPENINOX 0C6907

**40CA279 MANIFOLD FOR DRAIN TAP**  
1 upper fitting  $\varnothing$  32 mm - 1 upper fitting  $\varnothing$  1" F  
1 lower fitting  $\varnothing$  1" M  
width 115 mm - total height 104 mm  
distance between holes 90 mm



ALPENINOX 0CA279

**3395026 PIPE SIPHON  $\varnothing$  1" 1/2**  
fitting for 1 assembly  $\varnothing$  1" 1/2  
made of thermoplastic material



ALPENINOX 069404



Suitable for:

# ALPENINOX



Suitable for:

## Pilot burners and accessories

**3020101 BRACKET CLAMP 2 POSITIONS**



ALPENINOX 052246

**3020100 BRACKET 2 POSITIONS**



ALPENINOX 052256

**3020103 BRACKET 3 POSITIONS**



ALPENINOX 005618

**3020005 BURNER PILOT 2-FLAME GASCO**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 position bracket



ALPENINOX 004946

**3020104 BRACKET CLAMP 3 POSITIONS**



**3020103 BRACKET 3 POSITIONS**




ALPENINOX 005618

**3020109 DEFLECTOR 2 FLAMES**




**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834



Suitable for:

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



# ALPENINOX



Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

ALPENINOX 054336

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

ALPENINOX 052127

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ALPENINOX 053666

ALPENINOX 057251



Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ALPENINOX 056799

**4058525 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 058525

**5015516 PILOT JET  $\varnothing$  0.40 mm**



ALPENINOX 003327

**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



ALPENINOX 052686

# ALPENINOX



Suitable for:

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 058330

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX 056856

ALPENINOX 056750

ALPENINOX 056797

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



ALPENINOX 006725

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



ALPENINOX 052281

**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**








Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ALPENINOX 046755

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# ALPENINOX




Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




ALPENINOX 003859

**3020083** FITTING AND OLIVE  $\varnothing$  4 mm



ALPENINOX 052833

**3020084** FITTING AND OLIVE  $\varnothing$  6 mm




ALPENINOX 052834

**3020085** FITTING FOR SPARKING PLUG FIXING M10x1mm



ALPENINOX 057960

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

**3020351** KIT PILOT BURNER  
supplied with nozzles  $\varnothing$  0,18 - 0,20 - 0,32 - 0,35  
supplied with gasket



ALPENINOX 0G3101

**3020491** COVER STAINLESS STEEL FOR PILOT 073  
smooth for easy cleaning




**3020083** FITTING AND OLIVE  $\varnothing$  4 mm



ALPENINOX 052833

**3020084** FITTING AND OLIVE  $\varnothing$  6 mm



ALPENINOX 052834



Suitable for:

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



ALPENINOX 057960

**3345021 OLIVE FOR PIPE  $\varnothing$  4 mm**



**3020356 PILOT BURNER HEAD**  
thread M7x0.75 mm



**3786745 PILOT GASKET 38x34 mm**



**5053294 PILOT THREADED WITH JET  $\varnothing$  0.21 mm**  
with external air regulation



**3020484 SLEEVE LOWER FOR E PILOT**  
for tube  $\varnothing$  4 mm



ALPENINOX 0G2373

# ALPENINOX



Suitable for:

**3020469 HEAD OF PILOT BURNER**



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ALPENINOX 057251

**3020470 PILOT COVER 57x35x52 mm**



**3020479 PILOT THREADED WITH JET  $\varnothing$  0.21 mm**



**3020478 PILOT THREADED WITH JET  $\varnothing$  0.40 mm**



**3020360 THERMOCOUPLE FITTING  $\varnothing$  4.5 mm**  
thread M12x1 mm





Suitable for:

**3020477 VENTURI LOWER**  
fitting  $\varnothing$  1/4M  
thread M6x0.75 mm



# ALPENINOX



Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 053665

**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 059161

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



ALPENINOX 053666

**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**



ALPENINOX 003863

**3020440 OLIVE FOR PIPE  $\varnothing$  7 mm**



ALPENINOX 0C3645

**3020007 ONE-FLAME FIXED PILOT BURNER SIT**  
multigas with nozzle  $\varnothing$  0.20 mm  
fixed without bracket



ALPENINOX 027239

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**




ALPENINOX 052833



Suitable for:

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**3020115 PILOT CAP 1 FLAME**



**3020156 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 058330

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX 056656

**3500269 PILOT JET  $\varnothing$  0.45 mm**



ALPENINOX 056750

**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



ALPENINOX 006725

# ALPENINOX



Suitable for:

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ALPENINOX 057251

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ALPENINOX 056799

**4058525 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 058525

**5015516 PILOT JET  $\varnothing$  0.40 mm**



ALPENINOX 003327

**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**





Suitable for:

**3020106 PILOT WITH 0.25 mm Ø JET**



ALPENINOX 052281

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



ALPENINOX 0H6314

ALPENINOX 027073

**3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm**  
for mounting of pilot assembly



**3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm**  
for burner  $\varnothing$  115 mm



**3020100 BRACKET 2 POSITIONS**



ALPENINOX 052256

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

# ALPENINOX



Suitable for:

**3020107 PILOT WITH 0.35 mm Ø JET**




ALPENINOX 052686

**3020101 BRACKET CLAMP 2 POSITIONS**



ALPENINOX 052246

**3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm**  
for burner  $\varnothing$  90 mm




**3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm**  
for burner  $\varnothing$  135 mm



**3020108 DEFLECTOR 1 FLAME**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834



Suitable for:

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



# ALPENINOX



Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

ALPENINOX 054336

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

ALPENINOX 052127

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ALPENINOX 053666

ALPENINOX 057251





Suitable for:

**3020115 PILOT CAP 1 FLAME**



**3020156 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 058330

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX 056856

**3500269 PILOT JET  $\varnothing$  0.45 mm**



ALPENINOX 056750

**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



ALPENINOX 006725

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



ALPENINOX 052281

# ALPENINOX



Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ALPENINOX 056799

**4058525 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 058525

**5015516 PILOT JET  $\varnothing$  0.40 mm**



ALPENINOX 003327

**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



ALPENINOX 052686



Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



# ALPENINOX



Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 046755

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




ALPENINOX 003859

**3020008** ONE-FLAME PILOT BURNER SIT  
with NG nozzle  $\varnothing$  0.30 mm




**3020083** FITTING AND OLIVE  $\varnothing$  4 mm



ALPENINOX 052144

ALPENINOX 056751

**3020084** FITTING AND OLIVE  $\varnothing$  6 mm



ALPENINOX 052833

**3020243** PILOT BURNER PROTECTION 85x30x27 mm



ALPENINOX 052834

**3020056** PILOT JET  $\varnothing$  0.20 mm



ALPENINOX 056580

**3020057** PILOT JET  $\varnothing$  0.30 mm



ALPENINOX 056578

**3020250** ONE-FLAME PILOT BURNER SIT  
without sparking plug, gas nozzle



ALPENINOX 056750

**3020085** FITTING FOR SPARKING PLUG FIXING M10x1 mm




ALPENINOX 059214

ALPENINOX 057960



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1**



ALPENINOX 0C0121

ALPENINOX 003609

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F**



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm**



**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 059161

**3020237 PILOT BURNER PROTECTION 34x20x35 mm**



ALPENINOX 003547

# ALPENINOX



Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49**



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm**



ALPENINOX 054336

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 52 mm**



**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**



ALPENINOX 003863

**3020201 PILOT JET  $\varnothing$  0.14 mm**



ALPENINOX 059216




Suitable for:


**3020042 PILOT JET  $\varnothing$  0.19 mm**



**5047578 PILOT JET  $\varnothing$  0.24 mm**



**2102405 PILOT JET  $\varnothing$  0.35 mm**



**3020543 PILOT JET  $\varnothing$  0.38 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



ALPENINOX 046755

**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



# ALPENINOX



Suitable for:

**3020542 PILOT JET  $\varnothing$  0.20 mm**



**3020202 PILOT JET  $\varnothing$  0.27 mm**



ALPENINOX 059215

**3020043 PILOT JET  $\varnothing$  0.36 mm**



ALPENINOX 003626

**5022050 PILOT JET  $\varnothing$  0.50 mm**



ALPENINOX 059356

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**




ALPENINOX 003859

**3020286 ONE-FLAME PILOT BURNER SIT PRINTED**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



ALPENINOX 0A2472

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 053665

Suitable for:  
**3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m**



ALPENINOX 057960

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127



Suitable for:

3020112 OLIVE FOR PIPE  $\varnothing$  6 mm



5035324 PILOT JET  $\varnothing$  0.18 mm



3020157 PILOT JET  $\varnothing$  0.25 mm



ALPENINOX 054593

3020541 PILOT JET  $\varnothing$  0.35 mm



ALPENINOX

2106308 PILOT JET  $\varnothing$  0.45 mm



4053669 PILOT JET  $\varnothing$  0.75 mm



ALPENINOX 053669

# ALPENINOX



Suitable for:

3020086 PILOT GASKET



3020557 PILOT JET  $\varnothing$  0.20 mm



3020040 PILOT JET  $\varnothing$  0.30 mm



ALPENINOX 053667

ALPENINOX 057388

3020041 PILOT JET  $\varnothing$  0.41 mm




ALPENINOX 053670

3020187 PILOT JET  $\varnothing$  0.51 mm



ALPENINOX 053668

5023980 PILOT SUPPORT 62x41x20 mm








Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1




ALPENINOX 046755

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

**3020147** PILOT BURNER  
supplied without nozzle  
supplied without fittings



ALPENINOX 0C0199

ALPENINOX 0C3644

**3020111** OLIVE FOR PIPE  $\varnothing$  4 mm



ALPENINOX 053665

**3020440** OLIVE FOR PIPE  $\varnothing$  7 mm



ALPENINOX 0C3645

**5035324** PILOT JET  $\varnothing$  0.18 mm



# ALPENINOX



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25




ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

**3345021** OLIVE FOR PIPE  $\varnothing$  4 mm



**3020423** PILOT BURNER EXTENSION 60 mm  
thread M10x1 mm



ALPENINOX 0C3643

**3020557** PILOT JET  $\varnothing$  0.20 mm





Suitable for:

**3020157 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 054593

**3020541 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX

**2106308 PILOT JET  $\varnothing$  0.45 mm**



**4053669 PILOT JET  $\varnothing$  0.75 mm**



ALPENINOX 053669

**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25**



ALPENINOX 052125

**3020423 PILOT BURNER EXTENSION 60 mm  
thread M10x1 mm**



ALPENINOX 0C3643

# ALPENINOX



Suitable for:

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 053667

ALPENINOX 057388

**3020041 PILOT JET  $\varnothing$  0.41 mm**




ALPENINOX 053670

**3020187 PILOT JET  $\varnothing$  0.51 mm**




ALPENINOX 053668

**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



ALPENINOX 046755

**3020441 PIPE FITTING  $\varnothing$  7 mm  
thread M11x1 mm**



ALPENINOX 0C3646

**3020379 PILOT BURNER GASKET  
external dimensions 80x35 mm  
holes mounting distance 68 mm**



ALPENINOX 0H6645

Suitable for:

**3020018 PILOT BURNER GPL CB 503.003**  
with LPG jet and pilot olive  
with pilot pipe connection



ALPENINOX 050693

**5026012 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for pilot burner series CB 502-CB 503



**3020048 PILOT JET  $\varnothing$  0.21 mm**  
for pilot burner series CB 503-CB 50203.



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



Suitable for:

**3020051 FITTING FOR PILOT  $\varnothing$  4 mm**  
thread M10x1  
for pilot burner JUNKERS/ORKLI



**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020049 PILOT JET  $\varnothing$  0.28 mm**  
for pilot burner series CB 503



ALPENINOX 050661

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 003859

**3020382 PILOT BURNER LOWER PART LPG**



ALPENINOX 0G2037

ALPENINOX 0H6316

**3020381 PILOT BURNER LOWER PART NATURAL GAS**



ALPENINOX 0G2024

ALPENINOX 0G2036



Suitable for:

# ALPENINOX



Suitable for:

## 3020380 PILOT BURNER MIDDLE PART



ALPENINOX 0H6343

## 3020021 PILOT BURNER NATURAL GAS CB 502.032 with NATURAL GAS nozzle and pilot olive with pilot pipe connection



ALPENINOX 0K1172

ALPENINOX 066583

## 3349587 FITTING FOR SPARKING PLUG FIXING $\varnothing$ 9 mm thread M12x1 mm for pilot burner series CB 502-CB 505



## 3020060 IGNITION PLUG ROUND $\varnothing$ 7x44 mm M faston M 4x1 mm overall length 82 mm model CB505/021 Junkers for model P502F



ALPENINOX 0A2473

ALPENINOX 052610

ALPENINOX 056720

ALPENINOX 057410

ALPENINOX 059380

ALPENINOX 059988


## 5026012 OLIVE FOR PIPE $\varnothing$ 4 mm for pilot burner series CB 502-CB 503



## 3020051 FITTING FOR PILOT $\varnothing$ 4 mm thread M10x1 for pilot burner JUNKERS/ORKLI



## 3020200 FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

## 3020026 IGNITION PLUG ROUND $\varnothing$ 9x39 mm M faston M4x1 mm overall length 67 mm for pilot burner series CB 502



## 3020112 OLIVE FOR PIPE $\varnothing$ 6 mm





Suitable for:

**3020048 PILOT JET  $\varnothing$  0.21 mm**  
for pilot burner series CB 503-CB 50203.



# ALPENINOX



Suitable for:

**3020049 PILOT JET  $\varnothing$  0.28 mm**  
for pilot burner series CB 503



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 050661

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



ALPENINOX 003859

**3440048 THERMOCOUPLE SPRING**  
for pilot burner series CB 502-CB 505



**3020159 PILOT BURNER NATURAL GAS CB 503.006**  
with NATURAL GAS nozzle and pilot olive  
with pilot pipe connection



**3020051 FITTING FOR PILOT  $\varnothing$  4 mm**  
thread M10x1  
for pilot burner JUNKERS/ORKLI



ALPENINOX 0K0205

**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



**5026012 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for pilot burner series CB 502-CB 503



ALPENINOX 053665

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**



ALPENINOX 003863



Suitable for:

**3020466 PILOT BURNER PROTECTION 25x25x18 mm**




**3020049 PILOT JET  $\varnothing$  0.28 mm**  
for pilot burner series CB 503



ALPENINOX 050661

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 003859

**3020237 PILOT BURNER PROTECTION 34x20x35 mm**



ALPENINOX 003547

**3020151 PILOT BURNER SIT**  
supplied with sparking plug, head and gasket  
with thermocouple fitting  
with fitting and olive



ALPENINOX 0H6338

# ALPENINOX



Suitable for:

**3020048 PILOT JET  $\varnothing$  0.21 mm**  
for pilot burner series CB 503-CB 50203.



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25




ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm




**3020243 PILOT BURNER PROTECTION 85x30x27 mm**



ALPENINOX 056580

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**




ALPENINOX 052833





Suitable for:

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1**



ALPENINOX 0C0121

ALPENINOX 003609

**3020152 PILOT HEAD**



ALPENINOX 0H6050

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 058330

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX 056656

ALPENINOX 006750

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



ALPENINOX 006725

# ALPENINOX



Suitable for:

**3020153 PILOT GASKET**



**3020054 PILOT JET  $\varnothing$  0.20 mm**



ALPENINOX 056799

**4058525 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 058525

**5015516 PILOT JET  $\varnothing$  0.40 mm**



ALPENINOX 003327

**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**





Suitable for:

**3020106 PILOT WITH 0.25 mm Ø JET**



ALPENINOX 052281

**3020036 PILOT BURNER SIT 3 FLAMES**  
multigas type with nozzle Ø 0.35 mm  
with 3 position bracket



ALPENINOX 050812

ALPENINOX 058329

**3020103 BRACKET 3 POSITIONS**




ALPENINOX 005618

**3020110 DEFLECTOR 3 FLAMES**



**3020083 FITTING AND OLIVE Ø 4 mm**



ALPENINOX 052833

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



# ALPENINOX



Suitable for:

**3020107 PILOT WITH 0.35 mm Ø JET**



ALPENINOX 052686

**3020104 BRACKET CLAMP 3 POSITIONS**




**3020109 DEFLECTOR 2 FLAMES**



**5048713 DEFLECTOR 3 FLAMES**



**3020084 FITTING AND OLIVE Ø 6 mm**



ALPENINOX 052834

**3001003 IGNITION PLUG ROUND Ø 7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



ALPENINOX 053666

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ALPENINOX 056799

# ALPENINOX



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ALPENINOX 057251

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 058330



Suitable for:

**4058525 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 058525

**5015516 PILOT JET  $\varnothing$  0.40 mm**



ALPENINOX 003327

**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



ALPENINOX 052686

**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



ALPENINOX 046755

# ALPENINOX



Suitable for:

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX 056656

**3500269 PILOT JET  $\varnothing$  0.45 mm**



ALPENINOX 056750

ALPENINOX 056797

**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



ALPENINOX 006725

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



ALPENINOX 052281

**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



ALPENINOX 003859



# ALPENINOX



Suitable for:

**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



Suitable for:

**3020383 PILOT BURNER UPPER PART**



ALPENINOX 0H6342


ALPENINOX 0K1210

**3020379 PILOT BURNER GASKET**  
external dimensions 80x35 mm  
holes mounting distance 68 mm



ALPENINOX 0H6645

**3020381 PILOT BURNER LOWER PART NATURAL GAS**



ALPENINOX 0G2024

ALPENINOX 0G2036

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ALPENINOX 056799

**4058525 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 058525

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**3020382 PILOT BURNER LOWER PART LPG**



ALPENINOX 0G2037

ALPENINOX 0H6316

**3020380 PILOT BURNER MIDDLE PART**



ALPENINOX 0H6343

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 058330

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX 056656

ALPENINOX 056750

ALPENINOX 056797



Suitable for:

5015516 PILOT JET  $\varnothing$  0.40 mm



ALPENINOX 003327

5075989 PILOT JET  $\varnothing$  0.70 mm



# ALPENINOX



Suitable for:

3500269 PILOT JET  $\varnothing$  0.45 mm



3020173 PILOT DEFLECTOR 3 FLAMES 45x44 mm



ALPENINOX 059301

3020188 PILOT DEFLECTOR 3 FLAMES 75x55 mm



ALPENINOX 0A5441

3020240 PILOT DEFLECTOR 3-FLAME 65x50 mm



ALPENINOX 003328

3020201 PILOT JET  $\varnothing$  0.14 mm



ALPENINOX 059216

3020116 PILOT DEFLECTOR 3 FLAMES 53x47 mm



ALPENINOX 052280

3020183 PILOT DEFLECTOR 3 FLAMES 90x55 mm



ALPENINOX 006128

3020152 PILOT HEAD



ALPENINOX 0H6050

3020044 PILOT JET  $\varnothing$  0.20 mm



ALPENINOX 054037

ALPENINOX 054286





# ALPENINOX




Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ALPENINOX 056799

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 058330

**3020202 PILOT JET  $\varnothing$  0.27 mm**



ALPENINOX 059215

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 059667

ALPENINOX 057388

**4058525 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 058525

**3020541 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX

Suitable for:

**3020056 PILOT JET  $\varnothing$  0.20 mm**



ALPENINOX 056578

**3020157 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 054593

**3020049 PILOT JET  $\varnothing$  0.28 mm**  
for pilot burner series CB 503



ALPENINOX 050661

**3020057 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 056750

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX 056656

ALPENINOX 056750

ALPENINOX 056797

**3020043 PILOT JET  $\varnothing$  0.36 mm**



ALPENINOX 003626



# ALPENINOX



Suitable for:

5015516 PILOT JET  $\varnothing$  0.40 mm



ALPENINOX 003327

3020045 PILOT JET  $\varnothing$  0.50 mm



ALPENINOX 054038

3020187 PILOT JET  $\varnothing$  0.51 mm



ALPENINOX 053668

3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm



ALPENINOX 006725

3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



ALPENINOX 052686

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

Suitable for:

3020041 PILOT JET  $\varnothing$  0.41 mm



ALPENINOX 053670

5022050 PILOT JET  $\varnothing$  0.50 mm



ALPENINOX 053656

4053669 PILOT JET  $\varnothing$  0.75 mm



ALPENINOX 053669

3020106 PILOT WITH 0.25 mm  $\varnothing$  JET



ALPENINOX 052281

3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ALPENINOX 046755

3020441 PIPE FITTING  $\varnothing$  7 mm  
thread M11x1 mm



ALPENINOX 0C3646



Suitable for:

Suitable for:

**3020484 SLEEVE LOWER FOR E PILOT**  
for tube  $\varnothing$  4 mm




ALPENINOX 0G2373

**3020146 TARGET ONE-FLAME PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket



ALPENINOX 005503

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



ALPENINOX 057960

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm





Suitable for:

**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 059161

**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**



ALPENINOX 003863


**3020042 PILOT JET  $\varnothing$  0.19 mm**



**5047578 PILOT JET  $\varnothing$  0.24 mm**



**2102405 PILOT JET  $\varnothing$  0.35 mm**



**3020543 PILOT JET  $\varnothing$  0.38 mm**



# ALPENINOX

Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3020201 PILOT JET  $\varnothing$  0.14 mm**



ALPENINOX 059216

**3020542 PILOT JET  $\varnothing$  0.20 mm**



**3020202 PILOT JET  $\varnothing$  0.27 mm**



ALPENINOX 059215

**3020043 PILOT JET  $\varnothing$  0.36 mm**



ALPENINOX 003826

**5022050 PILOT JET  $\varnothing$  0.50 mm**




ALPENINOX 059356





Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ALPENINOX 046755

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




ALPENINOX 003859

**40C7102** TARGET PILOT BURNER SIT 1 FLAME  
without sparking plug, gas nozzle and gasket



ALPENINOX 0C7102

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473

ALPENINOX 057410

ALPENINOX 052610

ALPENINOX 059380

ALPENINOX 056720

ALPENINOX 059988

# ALPENINOX



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3020085** FITTING FOR SPARKING PLUG FIXING M10x1m m



ALPENINOX 057960

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488

ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336



Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



# ALPENINOX



Suitable for:

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 059161

**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**



ALPENINOX 003863


**3020042 PILOT JET  $\varnothing$  0.19 mm**



**5047578 PILOT JET  $\varnothing$  0.24 mm**



**2102405 PILOT JET  $\varnothing$  0.35 mm**



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3020201 PILOT JET  $\varnothing$  0.14 mm**



ALPENINOX 059216

**3020542 PILOT JET  $\varnothing$  0.20 mm**



**3020202 PILOT JET  $\varnothing$  0.27 mm**



ALPENINOX 059215

**3020043 PILOT JET  $\varnothing$  0.36 mm**



ALPENINOX 003826





Suitable for:

**3020543 PILOT JET  $\varnothing$  0.38 mm**



# ALPENINOX




Suitable for:

**5022050 PILOT JET  $\varnothing$  0.50 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



ALPENINOX 046755

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



ALPENINOX 003859

ALPENINOX 059356

**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25**



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**




**3020010 TARGET PILOT BURNER SIT 2 FLAMES**  
supplied without sparking plug, nozzle and gasket  
with thermocouple fitting



ALPENINOX 059379

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1**



ALPENINOX 0C0121

ALPENINOX 003609

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



ALPENINOX 057960

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 059161

**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**



ALPENINOX 003863

**3020201 PILOT JET  $\varnothing$  0.14 mm**



ALPENINOX 059216

**3020542 PILOT JET  $\varnothing$  0.20 mm**



# ALPENINOX



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3020086 PILOT GASKET**



**3020042 PILOT JET  $\varnothing$  0.19 mm**



**5047578 PILOT JET  $\varnothing$  0.24 mm**





Suitable for:

**3020202 PILOT JET  $\varnothing$  0.27 mm**



ALPENINOX 059215

**3020043 PILOT JET  $\varnothing$  0.36 mm**



ALPENINOX 003626

**5022050 PILOT JET  $\varnothing$  0.50 mm**



ALPENINOX 059356

**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25**



ALPENINOX 052125


**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



# ALPENINOX

Suitable for:

**2102405 PILOT JET  $\varnothing$  0.35 mm**



**3020543 PILOT JET  $\varnothing$  0.38 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



ALPENINOX 046755

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



ALPENINOX 003859






Suitable for:

# ALPENINOX




**3020011 THREE-FLAME PILOT BURNER**  
without sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple connection  
with sparking plug fitting



ALPENINOX 054032

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 053665

Suitable for:  
**3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m**



ALPENINOX 057960

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**





Suitable for:

3020044 PILOT JET  $\varnothing$  0.20 mm



ALPENINOX 054037

ALPENINOX 054286

3020452 PILOT JET  $\varnothing$  0.32 mm



3020449 PILOT JET  $\varnothing$  0.54 mm



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ALPENINOX 046755

5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# ALPENINOX



Suitable for:

5071220 PILOT JET  $\varnothing$  0.22 mm



3020045 PILOT JET  $\varnothing$  0.50 mm




ALPENINOX 054038

3020464 PILOT JET  $\varnothing$  0.64 mm



3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

3020003 THREE-FLAME PILOT BURNER SIT  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



ALPENINOX 004216

ALPENINOX 004962

ALPENINOX 020152

3020101 BRACKET CLAMP 2 POSITIONS



ALPENINOX 052246



Suitable for:

**3020100 BRACKET 2 POSITIONS**




ALPENINOX 052256

**3020110 DEFLECTOR 3 FLAMES**



**3020083 FITTING AND OLIVE ø 4 mm**



ALPENINOX 052833

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020060 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473

ALPENINOX 057410

ALPENINOX 052610

ALPENINOX 059380

ALPENINOX 056720

ALPENINOX 059988

# ALPENINOX



Suitable for:


**3020109 DEFLECTOR 2 FLAMES**



**5048713 DEFLECTOR 3 FLAMES**



**3020084 FITTING AND OLIVE ø 6 mm**



ALPENINOX 052834

**3001003 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488

ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124 IGNITION PLUG ROUND ø 7x44 mm**  
connection ø 2.4 mm  
overall length 58 mm



ALPENINOX 054336





Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



# ALPENINOX



Suitable for:

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



ALPENINOX 053666

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm




ALPENINOX 057251

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ALPENINOX 056799

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 058330

**4058525 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 058525

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX 056656

ALPENINOX 056750

ALPENINOX 056797

**5015516 PILOT JET  $\varnothing$  0.40 mm**



ALPENINOX 003327

**3500269 PILOT JET  $\varnothing$  0.45 mm**





Suitable for:

5075989 PILOT JET  $\varnothing$  0.70 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



ALPENINOX 052686

3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ALPENINOX 046755

5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# ALPENINOX



Suitable for:

3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm



ALPENINOX 006725

3020106 PILOT WITH 0.25 mm  $\varnothing$  JET




ALPENINOX 052281

3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

3020006 THREE-FLAME PILOT BURNER SIT  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



ALPENINOX 0C0494  
ALPENINOX 051976  
ALPENINOX 058329

ALPENINOX 050813  
ALPENINOX 054335

ALPENINOX 051624  
ALPENINOX 057737

3020104 BRACKET CLAMP 3 POSITIONS





Suitable for:

**3020103 BRACKET 3 POSITIONS**




ALPENINOX 005618

**3020110 DEFLECTOR 3 FLAMES**



**3020083 FITTING AND OLIVE ø 4 mm**



ALPENINOX 052833

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020060 IGNITION PLUG ROUND ø 7x44 mm**

M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473

ALPENINOX 057410

ALPENINOX 052610

ALPENINOX 059380

ALPENINOX 056720

ALPENINOX 059988

# ALPENINOX

Suitable for:


**3020109 DEFLECTOR 2 FLAMES**



**5048713 DEFLECTOR 3 FLAMES**



**3020084 FITTING AND OLIVE ø 6 mm**



ALPENINOX 052834

**3001003 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488

ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124 IGNITION PLUG ROUND ø 7x44 mm**

connection ø 2.4 mm  
overall length 58 mm



ALPENINOX 054336





Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



# ALPENINOX



Suitable for:

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



ALPENINOX 053666

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ALPENINOX 057251

**3020054 PILOT JET  $\varnothing$  0.20 mm**



**3020156 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 056799

**4058525 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 058330

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX 058525

**5015516 PILOT JET  $\varnothing$  0.40 mm**



ALPENINOX 056656

ALPENINOX 056750

ALPENINOX 056797

ALPENINOX 003327



Suitable for:

3500269 PILOT JET  $\varnothing$  0.45 mm



# ALPENINOX



Suitable for:

5075989 PILOT JET  $\varnothing$  0.70 mm



3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



ALPENINOX 006725

3020106 PILOT WITH 0.25 mm  $\varnothing$  JET



3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



ALPENINOX 052281

3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



ALPENINOX 052686

3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



5033138 PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



ALPENINOX 046755

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



ALPENINOX 003859



# ALPENINOX




Suitable for:

**3020199 THREE-FLAME PILOT BURNER SIT**  
supplied without sparking plug, nozzle and gasket




ALPENINOX 002783

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473

ALPENINOX 052610

ALPENINOX 056720

ALPENINOX 057410

ALPENINOX 059380

ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



Suitable for:

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m**



ALPENINOX 057960

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488

ALPENINOX 051565

ALPENINOX 051977

ALPENINOX 056754

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm







Suitable for:

3020111 OLIVE FOR PIPE  $\varnothing$  4 mm



ALPENINOX 053665

5035324 PILOT JET  $\varnothing$  0.18 mm



3020157 PILOT JET  $\varnothing$  0.25 mm



ALPENINOX 054593

3020541 PILOT JET  $\varnothing$  0.35 mm



ALPENINOX

2106308 PILOT JET  $\varnothing$  0.45 mm



4053669 PILOT JET  $\varnothing$  0.75 mm



ALPENINOX 053669

# ALPENINOX



Suitable for:

3020112 OLIVE FOR PIPE  $\varnothing$  6 mm



3020557 PILOT JET  $\varnothing$  0.20 mm



3020040 PILOT JET  $\varnothing$  0.30 mm



ALPENINOX 053667

3020041 PILOT JET  $\varnothing$  0.41 mm



ALPENINOX 057388


ALPENINOX 053670

3020187 PILOT JET  $\varnothing$  0.51 mm



ALPENINOX 053668

3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ALPENINOX 046755



Suitable for:

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



ALPENINOX 003859

# ALPENINOX



Suitable for:

**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



**3020037 THREE-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



ALPENINOX 0H6336


ALPENINOX 057411

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



ALPENINOX 057960

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1**



ALPENINOX 0C0121

ALPENINOX 003609

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488

ALPENINOX 051565

ALPENINOX 051977

ALPENINOX 056754

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 0A2473

ALPENINOX 052610

ALPENINOX 056720

ALPENINOX 054336

ALPENINOX 057410

ALPENINOX 059380

ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm





Suitable for:

**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 053665

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



**5035324 PILOT JET  $\varnothing$  0.18 mm**



**3020157 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 054593

**3020541 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX

**2106308 PILOT JET  $\varnothing$  0.45 mm**



# ALPENINOX

Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3020086 PILOT GASKET**



**3020557 PILOT JET  $\varnothing$  0.20 mm**



**3020040 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 053667

ALPENINOX 057388

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ALPENINOX 053670

**3020187 PILOT JET  $\varnothing$  0.51 mm**



ALPENINOX 053668





Suitable for:

**4053669** PILOT JET  $\varnothing$  0.75 mm



ALPENINOX 053669

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# ALPENINOX



Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ALPENINOX 046755

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




ALPENINOX 003859

**3020038** THREE-FLAME PRINTED PILOT BURNER SIT  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



ALPENINOX 058146

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

**3020085** FITTING FOR SPARKING PLUG FIXING M10x1mm



ALPENINOX 057960

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 053665

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



**5035324 PILOT JET  $\varnothing$  0.18 mm**



**3020157 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 054593

# ALPENINOX



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3020086 PILOT GASKET**



**3020557 PILOT JET  $\varnothing$  0.20 mm**



**3020040 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 053667

ALPENINOX 057388



Suitable for:

**3020541 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX

**2106308 PILOT JET  $\varnothing$  0.45 mm**



**4053669 PILOT JET  $\varnothing$  0.75 mm**



ALPENINOX 053669

**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25**



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



# ALPENINOX



Suitable for:

**3020041 PILOT JET  $\varnothing$  0.41 mm**




ALPENINOX 053670

**3020187 PILOT JET  $\varnothing$  0.51 mm**




ALPENINOX 053668

**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**




ALPENINOX 046755

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



ALPENINOX 003859

**3020238 THREE-FLAME ST. STEEL PILOT BURNER SIT  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included**



ALPENINOX 0C0744

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm**




ALPENINOX 057960





Suitable for:

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 053665

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



# ALPENINOX



Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**5035324 PILOT JET  $\varnothing$  0.18 mm**





Suitable for:

**3020557 PILOT JET  $\varnothing$  0.20 mm**



# ALPENINOX



Suitable for:

**3020157 PILOT JET  $\varnothing$  0.25 mm**



**3020040 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 054593

**3020541 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX 053667

ALPENINOX 057388

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ALPENINOX

**2106308 PILOT JET  $\varnothing$  0.45 mm**



ALPENINOX 053670

**3020187 PILOT JET  $\varnothing$  0.51 mm**




**4053669 PILOT JET  $\varnothing$  0.75 mm**



ALPENINOX 053668

**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



ALPENINOX 053669

**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25**



ALPENINOX 046755

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**




ALPENINOX 003859

**3020014 TWO-FLAME PILOT BURNER LH**  
without sparking plug, gas jet and gasket  
with thermocouple fitting



ALPENINOX 003204

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 053665

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m**



ALPENINOX 057960

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127



Suitable for:

3020112 OLIVE FOR PIPE  $\varnothing$  6 mm



5035324 PILOT JET  $\varnothing$  0.18 mm



3020157 PILOT JET  $\varnothing$  0.25 mm



ALPENINOX 054593

3020541 PILOT JET  $\varnothing$  0.35 mm



ALPENINOX

2106308 PILOT JET  $\varnothing$  0.45 mm



4053669 PILOT JET  $\varnothing$  0.75 mm



ALPENINOX 053669

# ALPENINOX



Suitable for:

3020086 PILOT GASKET



3020557 PILOT JET  $\varnothing$  0.20 mm



3020040 PILOT JET  $\varnothing$  0.30 mm



ALPENINOX 053667

ALPENINOX 057388

3020041 PILOT JET  $\varnothing$  0.41 mm




ALPENINOX 053670

3020187 PILOT JET  $\varnothing$  0.51 mm



ALPENINOX 053668

3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ALPENINOX 046755



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# ALPENINOX




Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




ALPENINOX 003859

**3020013** TWO-FLAME PILOT BURNER RH  
without sparking plug, gas jet and gasket  
with thermocouple fitting



ALPENINOX 058383

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



ALPENINOX 0C0121

ALPENINOX 003609

**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473

ALPENINOX 057410

ALPENINOX 052610

ALPENINOX 059380

ALPENINOX 056720

ALPENINOX 059988

**3020085** FITTING FOR SPARKING PLUG FIXING M10x1mm



ALPENINOX 057960

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488

ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336



Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



# ALPENINOX



Suitable for:

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



ALPENINOX 053665

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



**5035324 PILOT JET  $\varnothing$  0.18 mm**



**3020157 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 054593

**3020541 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3020086 PILOT GASKET**



**3020557 PILOT JET  $\varnothing$  0.20 mm**



**3020040 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 053667

ALPENINOX 057388

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ALPENINOX 053670





Suitable for:

**2106308 PILOT JET  $\varnothing$  0.45 mm**



**4053669 PILOT JET  $\varnothing$  0.75 mm**



ALPENINOX 053669

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



# ALPENINOX



Suitable for:

**3020187 PILOT JET  $\varnothing$  0.51 mm**




ALPENINOX 053668

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



ALPENINOX 046755

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 003859

**3020002 TWO-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



ALPENINOX 029776

**3020100 BRACKET 2 POSITIONS**




ALPENINOX 052256

**3020101 BRACKET CLAMP 2 POSITIONS**



ALPENINOX 052246


**3020109 DEFLECTOR 2 FLAMES**





Suitable for:

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ALPENINOX 052833

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**

M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**

M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478


ALPENINOX 050682

# ALPENINOX



Suitable for:

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



ALPENINOX 052834

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**

connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**

connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127



Suitable for:

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



# ALPENINOX



Suitable for:

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ALPENINOX 053666

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ALPENINOX 057251

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ALPENINOX 056799

**4058525 PILOT JET  $\varnothing$  0.30 mm**



ALPENINOX 058330

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ALPENINOX 058525

**5015516 PILOT JET  $\varnothing$  0.40 mm**



ALPENINOX 056656

ALPENINOX 056750

**3500269 PILOT JET  $\varnothing$  0.45 mm**



ALPENINOX 056797

ALPENINOX 003327

**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



ALPENINOX 006725



Suitable for:

**3020106 PILOT WITH 0.25 mm ø JET**



ALPENINOX 052281

**3020079 PIPE FITTING ø 12 mm  
thread ø 3/8" M**



**5033138 PIPE FITTING ø 4 mm  
thread ø 1/8" M**



**5014757 PIPE FITTING ø 6 mm  
thread M10x1 mm**



# ALPENINOX



Suitable for:

**3020107 PILOT WITH 0.35 mm ø JET**



ALPENINOX 052686

**3020077 PIPE FITTING ø 4 mm  
thread M10x1**



ALPENINOX 046755

**3020078 PIPE FITTING ø 6 mm  
thread M10x1**



ALPENINOX 003859

## Position switches

**40KU544 LIMIT MICROSWITCH COMEPIEP1G12ZU  
1,5A 240V - with cable length 1000 mm**



ALPENINOX 0KU544

**3240155 LIMIT MICROSWITCH PIZZATO FR530-A  
1NO-1NC 4A 250V**



ALPENINOX 046884

**4059847 LIMIT MICROSWITCH PIZZATO FR531  
3A 400V**



ALPENINOX 059847



## Potentiometers

**40G0317 POTENTIOMETER**  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX\_0G0317

## Pressure gauges

**3054034 PRESSURE GAUGE  $\varnothing$  62 mm**  
coupling  $\varnothing$  1/8" M  
range 0-1 bar



ALPENINOX\_059515

**3245022 PRESSURE GAUGE  $\varnothing$  63 mm**  
coupling  $\varnothing$  1/8" M  
scale 0-1 bar



ALPENINOX\_0C0712


## Pressure regulators

**3350001 PRESSURE REGULATOR BP1903VT**  
capacity 4 Kg/h  
inlet  $\varnothing$  1/4" F  
outlet  $\varnothing$  3/8" F  
LPG low pressure regulator  
outlet pressure 30mbar




ALPENINOX\_0S0026

**3350007 HOSE-END FITTING  $\varnothing$  3/8" M**



**3350012 INJECTOR NUT  $\varnothing$  1/4" M**





Suitable for:

# ALPENINOX




**3350002 PRESSURE REGULATOR BP2205**  
 capacity 7 Kg/h  
 inlet  $\varnothing$  1/4"F  
 outlet  $\varnothing$  1/2"F  
 LPG low pressure regulator  
 outlet pressure 30mbar(25÷45mbar)




ALPENINOX OS0027

**3350012 INJECTOR NUT  $\varnothing$  1/4" M**



Suitable for:

**3350008 HOSE-END FITTING  $\varnothing$  1/2" M**




**3350003 REGULATOR BP2205**  
 capacity 10 Kg/h  
 inlet  $\varnothing$  1/4"F  
 outlet  $\varnothing$  1/2"F  
 LPG low pressure regulator  
 outlet pressure 30mbar(25÷45mbar)



ALPENINOX OS0028

**3350012 INJECTOR NUT  $\varnothing$  1/4" M**




**3350008 HOSE-END FITTING  $\varnothing$  1/2" M**



## Pressure switches

**40C4143 EXPANSION CONT.PRESSURE SWITCH70x60x30mm**  
 hose-end fittings  $\varnothing$  12 mm



ALPENINOX OC4143

**3320199 PRESSURE SWITCH 1 LEVEL**  
 calibration 320/200 mm  
 250V 16A  
 max operating temperature 85°C



ALPENINOX OC0872



Suitable for:

**3320133 STEAM PRESSURE SWITCH 0.3-0.8 BAR**  
connection 1/4"M - 10A 250V



ALPENINOX 0A2480

Suitable for:

**40K8316 STEAM PRESSURE SWITCH 0.55/0.465 BAR**  
fitting 1/4"M - 250V



ALPENINOX 0K8316

**40KU521 STEAM PRESSURE SWITCH 0,45/0,365 BAR**  
fitting 1/4"M - 250V



ALPENINOX 0KU521

**40C4083 WATER PRESSURE SWITCH 0.50/0.30 BAR**  
fitting 1/4"M - 250V



ALPENINOX 0C4083

## Probes

**3397181 PROBE BUSH**



ALPENINOX 033478


**3445028 PROBE NTC PVC 4000 mm**  
temperature field -30+80°C  
bulb  $\varnothing$  6x20 mm



ALPENINOX 087832

ALPENINOX 092176

**2110738 PROBE PROTECTION  $\varnothing$  12x39 mm**  
internal  $\varnothing$  7/4 mm - thread M6x1



ALPENINOX 0G2155

**40KE127 PROBE PROTECTOR  $\varnothing$  12x59 mm**  
internal  $\varnothing$  7/4 mm - thread M6x1



ALPENINOX 0KE127

**3445109 PROBE TCJ VETROTEX 3000 mm**  
2-wire probe temperature range 0+600°C  
temperature cable max 350°C  
error limit  $\pm$ 0.75% below 0°C  
response time 30 sec  
bulb  $\varnothing$  6x100 mm



ALPENINOX 004116

**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb  $\varnothing$  6x40 mm



ALPENINOX 0S0302

ALPENINOX 083583



# ALPENINOX



Suitable for:

Suitable for:

**3397182 SCREW PROBE 55 mm**  
thread M8x1,25 mm

**3397181 PROBE BUSH**



ALPENINOX 033477

ALPENINOX 033478

**3445144 TEMPERATURE PROBE NTC 1000 mm**  
2-wire probe with clamp  
bulb  $\varnothing$  4x40 mm

**40D5987 TEMPERATURE PROBE NTC 630 mm**  
2-wire probe with clamp  
bulb  $\varnothing$  4x40 mm



ALPENINOX 006609

ALPENINOX 0D5987

**4087959 TEMPERATURE PROBE NTC22K 1600 mm**  
2-wire probe with clamp  
bulb  $\varnothing$  6x19 mm

**4087958 TEMPERATURE PROBE NTC22K 2500 mm**  
2-wire probe with clamp  
bulb  $\varnothing$  6x19 mm



ALPENINOX 087959

ALPENINOX 093448

ALPENINOX 087958

ALPENINOX 093450

**3445145 TEMPERATURE PROBE PT100 1400 mm**  
2-wire probe  
bulb  $\varnothing$  4x40 mm

**40G2398 TEMPERATURE PROBE PT1000 2650 mm**  
2-wire probe with faston  
bulb  $\varnothing$  4x130 mm - bayonet fixing



ALPENINOX 006155

ALPENINOX 0G2398

**40G2404 TEMPERATURE PROBE 2000 mm**  
probe 2 wires with faston  
bulb 6x10x22 mm

**40K5154 TEMPERATURE PROBE 2000 mm**  
2-wire probe with faston  
bulb 6x10x22 mm



ALPENINOX 0G2404

ALPENINOX 0K4400

ALPENINOX 0K5154



Suitable for:

**7102717 TEMPERATURE PROBE 2000 mm**  
probe 2 wires with faston - bulbo 6x5x35 mm



ALPENINOX 0K5157


Suitable for:

**40K5152 TEMPERATURE PROBE 2400 mm**  
2-wire probe with faston  
bulb  $\varnothing$  4x60 mm  
with fastening fitting  $\varnothing$  1/2" F




ALPENINOX 0K5152

**40K5055 THERMOCOUPLE PROBE TCK 2500 mm**  
2-wire probe  
bulb  $\varnothing$  4x33 mm - bayonet fixing



ALPENINOX 0K5055

**40K5058 THERMOCOUPLE PROBE TCK 2600 mm**  
2-wire probe  
bulb  $\varnothing$  4x70 mm - bayonet fixing



ALPENINOX 0K5058

**40C7421 THERMOCOUPLE PROBE 1500 mm**  
2-wire probe with faston  
bulb  $\varnothing$  3x45 mm



ALPENINOX 0C7421

## Protection plates

**3244001 PROTECTION COVER ELETTROSIT**  
length 80 mm - width 60 mm



ALPENINOX 051280

## Radiant heating elements

**3311166 RADIANT HEATING ELEM.  $\varnothing$  200mm 1800W 230V**  
faston electric connections  
complete with energy regulation  
for glass-ceramic cooking top



ALPENINOX 0C1809

ALPENINOX 0D6989

**3311088 RADIANT HEATING ELEM.  $\varnothing$  230mm 2100W 230V**  
faston electric connections  
complete with energy adjuster  
for glass-ceramic cooking hob



ALPENINOX 005008




# ALPENINOX



Suitable for:

**2110855 RADIANT HEATING ELEM. ø 230mm 2200W 230V**  
faston electric connections  
complete with energy adjuster  
for glass-ceramic cooking hob



ALPENINOX 0A5299

Suitable for:

**3455400 RADIANT HEATING ELEMENT OCTAGON. ø 200mm**  
1800W 230V  
faston electrical connections - with cables  
complete with power setting  
for glass-ceramic cooking top




ALPENINOX 0C0812

**3311083 RADIANT HEATING ELEMENT OCTAGON. ø 250mm**  
2500W 230V  
faston electrical connections - with cables  
complete with power setting  
for glass-ceramic hob



ALPENINOX 0C1978

**3455404 RADIANT HEATING ELEMENT OCTAGON. ø 300mm**  
3400/1400W 230V  
faston electrical connections - with cables  
complete with power adjuster  
for glass-ceramic cooking top



ALPENINOX 0C4077

**5069882 RADIANT HEATING ELEMENT 10000W 230V**  
length 520 mm - width 310 mm  
complete with cables




ALPENINOX 0C7621

**3755564 RADIANT HEATING ELEMENT 2700W 230V**  
length 410 mm - width 170 mm  
faston electrical connections



ALPENINOX 004755

**3311105 RADIANT HEATING ELEMENT 3500W 240V**  
dimensions 300x300 mm  
radiant size 270x270 mm  
terminal block electric connections  
for glass-ceramic cooking hob  
NO PAN DETECTION SENSOR



ALPENINOX 0C2128

**40C8477 RADIANT HEATING ELEMENT 3900W 230V**  
length 320 mm - width 455 mm  
complete with cables



ALPENINOX 0C8477

Suitable for:

**40C8476 RADIANT HEATING ELEMENT 4200W 230/400V**  
length 320 mm - width 455 mm  
complete with cables



ALPENINOX 0C8476


Suitable for:

**3755266 RADIANT HEATING ELEMENT 5000W 230V**  
length 415 mm - width 280 mm  
faston electrical connections



ALPENINOX 005942

**40C7625 RADIANT HEATING ELEMENT 6000W 230V**  
length 405 mm - width 255 mm



ALPENINOX 0C7625

**40C8351 RADIANT HEATING ELEMENT 6480W 230V**  
length 550 mm - width 320 mm  
complete with cables



ALPENINOX 0C8351

**5068805 RADIANT HEATING ELEMENT 8500W 230/400V**  
length 420 mm - width 550 mm  
complete with cables



ALPENINOX 0C7411

**3755575 RADIANT HEATING ELEMENT 9000W 400V**  
length 435 mm - width 340 mm  
faston electrical connections



ALPENINOX 006158

## Refractory tiles

**4057730 CERAMIC RADIANT PLATE 163x103x25 mm**



ALPENINOX 057730

**3312086 GLASS-CERAMIC PLATE 545x290 mm**



ALPENINOX 059045

## Relays

**3351154 BASE OCTAL ES8 10A 400V**  
8 poles



ALPENINOX 053912

**3351158 BASE UNDECAL FINDER 90.83.3**  
11 poles - 10A 400V



ALPENINOX 049236




# ALPENINOX



Suitable for:

**3351037 POWER RELAY FINDER 40.52.8.230.0000**  
230V 50/60Hz - 2 exchange contacts 8A



ALPENINOX 0E5849

Suitable for:

**3351004 POWER RELAY FINDER 56.32.8.230.0040**  
230V 50/60Hz  
2 changeover contacts 12A



ALPENINOX 048438

**3351005 POWER RELAY FINDER 56.34.8.230.0040**  
230V 50/60Hz  
4 changeover contacts 12A



ALPENINOX 048611

**3351901 POWER RELAY FINDER 60.62.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 10A



ALPENINOX 0D0013

ALPENINOX 058857

ALPENINOX 069882

ALPENINOX 083215

**3351010 POWER RELAY FINDER 62.33.8.024.0000**  
24Vac 50/60Hz  
3 changeover contacts 16A  
for coupling on socket (faston 4.8 mm)



ALPENINOX 0E5170

**3351021 POWER RELAY FINDER 62.82.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 16A



ALPENINOX 0PE302

**3351008 POWER RELAY FINDER 62.83.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 16A



ALPENINOX 0A9596

ALPENINOX 005033

ALPENINOX 005034

ALPENINOX 088197

**3351602 POWER RELAY FINDER 65.31.8.230.0300**  
230V 50/60Hz  
1 contact NO 30A




ALPENINOX 085647

**40G5742 RELAY CRYDOM CWD4850P**  
input 4-32Vdc - output 50A 480V



ALPENINOX 0G5742

**5025249 RELAY POWER FINDER 40.61.8.024.0000**  
24Vac - 50/60Hz - 1 changeover contact 16A



ALPENINOX 0E5172





Suitable for:

**4002787 RELAY POWER FINDER 6 55.34.8.230.5000**  
230V 50/60Hz  
4 switch contacts 7A



ALPENINOX 002787

Suitable for:

**4002786 SOCKET WITH TERMINAL BLOCK FINDER 94.74**  
10A 250V



ALPENINOX 002786

**3351605 RELAY POWER FINDER 60.63.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 10A



ALPENINOX 056446

ALPENINOX 056466

ALPENINOX 056510

ALPENINOX 085296

ALPENINOX 086214

**4002786 SOCKET WITH TERMINAL BLOCK FINDER 94.74**  
10A 250V



ALPENINOX 002786

## Safety groups for pans and spare parts

**3184011 DEPRESSION VALVE  $\varnothing$  1/4" M**  
in chrome plated brass  
for safety group  $\varnothing$  3/4"  
for safety group  $\varnothing$  1" 1/4



ALPENINOX 010246

**3184013 DEPRESSION VALVE  $\varnothing$  3/4" M**  
in chrome plated brass  
for safety group  $\varnothing$  3/4"  
for safety group  $\varnothing$  1" 1/4



ALPENINOX 0S0140

ALPENINOX 008021

ALPENINOX 010023

**3184029 DEPRESSION VALVE  $\varnothing$  3/8" M**  
in chrome plated brass  
for security valve 3/4"



ALPENINOX 051566

**3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
in chrome plated brass  
radial connection 1/4"  
scale 0-1 bar  
for safety groups



ALPENINOX 008022

ALPENINOX 017055



Suitable for:

Suitable for:

**3184003 SAFETY GROUP VERTICAL  $\varnothing$  1"1/4**  
 elbow connection  $\varnothing$  1"1/4  
 calibration pressure 0.50bar  $\pm$  10%  
 system with spring opening device  
 complete with safety valve, depression valve,  
 tap for pressure gauge holder and pressure gauge  
 for STEAM BOILING KETTLE



ALPENINOX 008019

ALPENINOX 008061

**3184013 DEPRESSION VALVE  $\varnothing$  3/4" M**  
 in chrome plated brass  
 for safety group  $\varnothing$  3/4"  
 for safety group  $\varnothing$  1"1/4



ALPENINOX 0S0140

ALPENINOX 008021

ALPENINOX 010023

**3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
 in chrome plated brass  
 radial connection 1/4"  
 scale 0-1 bar  
 for safety groups



ALPENINOX 008022

ALPENINOX 017055

**3184034 PRESSURE-GAUGE HOLDING TAP  $\varnothing$  1/4"**  
 for security group 3/4"  
 for security group 1"1/4



**3184018 SAFETY VALVE  $\varnothing$  1"1/4 M**  
 max pressure 0.5 atm  
 for safety group 1"1/4  
 ISPEL approved



ALPENINOX 010298

ALPENINOX 056691

ALPENINOX 057493

**3184016 SAFETY VALVE "FUMANA"  $\varnothing$  1" M**  
 chrome plated brass  
 for safety group 3/4"  
 for safety group 1"1/4



ALPENINOX 0A2276

ALPENINOX 052823

ALPENINOX 008004

ALPENINOX 010233

**3184018 SAFETY VALVE  $\varnothing$  1"1/4 M**  
 max pressure 0.5 atm  
 for safety group 1"1/4  
 ISPEL approved



ALPENINOX 010298

ALPENINOX 056691

ALPENINOX 057493

**3184017 SAFETY VALVE  $\varnothing$  3/4" M**  
 max pressure 0.5 atm  
 for safety group  $\varnothing$  3/4"



ALPENINOX 054806



Suitable for:

**3184016 SAFETY VALVE "FUMANA"  $\varnothing$  1" M**  
 chrome plated brass  
 for safety group 3/4"  
 for safety group 1"1/4



ALPENINOX 0A2276  
 ALPENINOX 052623

ALPENINOX 008004

ALPENINOX 010233

Suitable for:

**3184014 SIPHON FOR PRESSURE GAUGE HOLDER  $\varnothing$  3/8" M**  
 made of chrome plated brass  
 for safety group 3/4"



ALPENINOX 0A2122

**3184019 TAP WITH FUNNEL  $\varnothing$  1/2" M**  
 with cover



ALPENINOX 0A2120

## Selector switches

**3057050 CONNECTING BRACKET 28x21x16 mm**  
 distance between hooking brackets 27 mm  
 f/connection between selector switch and thermostat.




ALPENINOX 0A2205  
 ALPENINOX 054376

ALPENINOX 0KT779


ALPENINOX 006712

**40C7415 KIT SELECTOR SWITCH 0-1 POSITIONS**  
 complete with potentiometer and cables  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0C7415

**40C9939 KIT SELECTOR SWITCH 0-1 POSITIONS**  
 complete with potentiometer and cables  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0C9939

**40G3278 KIT SELECTOR SWITCH 0-1 POSITIONS**  
 complete with potentiometer  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0G3278



Suitable for:

# ALPENINOX



**40K5063 KIT SELECTOR SWITCH 0-1 POSITIONS**  
complete with potentiometer and cables  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0K5063

**40K5090 KIT SELECTOR SWITCH 0-1 POSITIONS**  
complete with potentiometer and cables  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0K5090

**40K5118 KIT SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0K5118

**40K5163 KIT SELECTOR SWITCH 0-1 POSITIONS**  
complete with potentiometer and cables  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0K5163

**40C0084 KIT SELECTOR SWITCH 0-9 POSITIONS**  
complete with indicator lamp, connectors  
and cables - potentiometer  
contact capacity 16A 250V




ALPENINOX 0C0084

**40C9700 KIT SELECTOR SWITCH 0-9 POSITIONS**  
complete with indicator lamp, connectors  
and cables - potentiometer  
contact capacity 16A 250V




ALPENINOX 0C9700

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
back connection for thermostat



ALPENINOX 026945

**3057018 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
back connection for thermostat  
for Bain-marie (ALPENINOX)  
for Bratt pan (ALPENINOX)  
for Fry top (ALPENINOX)  
for Oven under cooktop (ALPENINOX)



ALPENINOX 0A2036

Suitable for:

**3057019 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Boiling pan (ALPENINOX)  
 for Fry top (ALPENINOX)  
 for Kitchen (ALPENINOX)  
 for Solid top range (ALPENINOX)



ALPENINOX 0A2227

ALPENINOX 003142


Suitable for:

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm




ALPENINOX 054375

**3057140 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 006649

**3057177 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Fry top (ALPENINOX)  
 for Fryer (ALPENINOX)  
 for Oven under cooktop (ALPENINOX)




ALPENINOX 0A2134

ALPENINOX 0H6605


ALPENINOX 004908

**3057178 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin 6x4.6 mm



ALPENINOX 032677

**3057255 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0H6688

**5036256 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0G2759

**3057013 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 050857




Suitable for:

# ALPENINOX




**3057017** **SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0A2162

**3057022** **SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0A2241

**3057094** **SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0H6682

ALPENINOX 0K0472

ALPENINOX 0K1379


**3057015** **SELECTOR SWITCH 0-1-0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 003565


ALPENINOX 028390

**40KK036** **SELECTOR SWITCH 0-1-2 POSITIONS**  
contact capacity 16A 250V  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0KK036


**3057001** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0H6598

ALPENINOX 029147


**3057002** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0H6683


ALPENINOX 028590

**3057064** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 059544

**3057093** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0H6602

**3057142** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0C7965

ALPENINOX 053866



Suitable for:

**3057164** **SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 140°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0C0320

ALPENINOX 0C9725


Suitable for:

**40KV044** **SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 Halbmondachse  $\varnothing$  6x4,6 mm



ALPENINOX 0KV044


**4032857** **SELECTOR SWITCH 0-3 POSITIONS**  
 contact flow rate 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0A3012


ALPENINOX 032857

**4048719** **SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 048719

**3057004** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 051647

**3057006** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 025300

**3057031** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V-25A 400V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0A2285


**3057141** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0C9080


ALPENINOX 004268

**40C7353** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4,6 mm



ALPENINOX 0C7353

**5002051** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 052749




Suitable for:

# ALPENINOX




**3057023** **SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



ALPENINOX 0A2022


ALPENINOX 0K4922

**3057024** **SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0A2021

**3057076** **SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm




ALPENINOX 059238

**3057089** **SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



ALPENINOX 004741


**3057092** **SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 004915

ALPENINOX 053408

**40K8614** **SELECTOR SWITCH 1-2-3 POSITIONS**  
contact capacity 16A 250V  
D-shaped pin  $\varnothing$  6x4.6 mm




ALPENINOX 0K8614

**40KI631** **SELECTOR SWITCH 10 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0K1631

**3057116** **SELECTOR SWITCH 4 POSITIONS**  
14 cams - contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0H6101

## Solenoid valves

**3120016** **ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



ALPENINOX 0L0166

**3120017** **ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX 0L0167



# ALPENINOX



Suitable for:

**3120138 COIL FOR GAS SOLENOID VALVE  $\phi$ 1/2"FF 230V**  
50/60Hz 20VA



ALPENINOX 005548

Suitable for:

**3120042 COIL SIRAI Z610A 230V 50/60Hz 6W**  
width 25 mm - height 33 mm  
length 33 mm



ALPENINOX 0KG317

ALPENINOX 067609

**3120064 GAS SOLENOID VALVE  $\phi$  1/2"FF 230V**  
with rate flow regulator  
50/60Hz 20VA - max 500 mbar



ALPENINOX 059509

**3120138 COIL FOR GAS SOLENOID VALVE  $\phi$ 1/2"FF 230V**  
50/60Hz 20VA



ALPENINOX 005548

**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX 0W2908

**3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet  $\phi$  10.5 mm



ALPENINOX 0A2064  
ALPENINOX 047531

ALPENINOX 0KM766  
ALPENINOX 055350

ALPENINOX 002613

**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%





Suitable for:

**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



ALPENINOX\_0L0166

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX\_OW2908

**3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



ALPENINOX\_0L3335  
ALPENINOX\_048894

ALPENINOX\_002753  
ALPENINOX\_055132

ALPENINOX\_047756  
ALPENINOX\_086014

# ALPENINOX



Suitable for:

**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX\_0L0167

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



# ALPENINOX



Suitable for:

**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX QL0166

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



ALPENINOX QL0167

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX OW2908





Suitable for:

# ALPENINOX



**3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



ALPENINOX 058996

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



Suitable for:

**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX 0L0166

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



ALPENINOX 0L0167

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**







Suitable for:

**3120204** **OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# ALPENINOX



Suitable for:

ALPENINOX OW2908

**3120006** **SOLEN. VALVE ELBI TYPE 339 2 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm




ALPENINOX 055444

ALPENINOX 056872

**3120021** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120019** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037** **ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201** **ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016** **ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017** **ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX 0L0166

**3120015** **ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



ALPENINOX 0L0167

**3120203** **ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



# ALPENINOX



Suitable for:

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX OW2908

**3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



ALPENINOX OK5389  
ALPENINOX 046427

ALPENINOX 0L3028  
ALPENINOX 047536

ALPENINOX 045631  
ALPENINOX 069463

**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX 0L0166

ALPENINOX 0L0167



Suitable for:

**3120015** ADJUSTER FOR OUTLET ELBI RED  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202** ADJUSTER FOR OUTLET ELBI YELLOW  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204** OUTLET ADJUSTER ELBI BLACK  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX OW2908

**3120507** SOLEN. VALVE ELBI TYPE 349 2 WAY 180°  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



ALPENINOX 046796

ALPENINOX 048180

**3120021** ADJUSTER FOR INLET ELBI BLACK  
flow rate 12 L/min - tolerance +/- 15%



**3120037** ADJUSTER FOR OUTLET ELBI GREEN  
flow rate 0.25 L/min - tolerance +/- 25%



# ALPENINOX



Suitable for:

**3120203** ADJUSTER FOR OUTLET ELBI WHITE  
flow rate 2 L/min - tolerance +/- 25%



**3120000** FILTER FOR INLET SOLENOID VALVE ELBI



**3120019** ADJUSTER FOR INLET ELBI BLACK  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022** ADJUSTER FOR INLET ELBI BLACK  
flow rate 16 L/min - tolerance +/- 15%



**3120201** ADJUSTER FOR OUTLET ELBI GREY  
flow rate 4.7 L/min - tolerance +/- 25%





Suitable for:

**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



ALPENINOX 0L0166

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX 0W2908

**3120008 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



ALPENINOX 047529  
ALPENINOX 048898

ALPENINOX 047532  
ALPENINOX 069179

ALPENINOX 048178

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



# ALPENINOX



Suitable for:

**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX 0L0167

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%





Suitable for:

**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



ALPENINOX\_OL0166

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX\_OW2908

**3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°**  
24V 50Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



ALPENINOX\_OH2513

ALPENINOX\_OL0175

# ALPENINOX



Suitable for:

**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX\_OL0167

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



# ALPENINOX



Suitable for:

**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX QL0166

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



ALPENINOX QL0167

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX OW2908





Suitable for:

Suitable for:

**3120009 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



ALPENINOX 072282

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX 0L0166

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



ALPENINOX 0L0167

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**





Suitable for:

**3120204** **OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# ALPENINOX



Suitable for:

ALPENINOX OW2908

**3120512** **SOLEN. VALVE ELBI TYPE 351 1 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



ALPENINOX OE5070

**3120021** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120019** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037** **ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201** **ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016** **ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017** **ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX QL0166

**3120015** **ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



ALPENINOX QL0167

**3120203** **ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX OW2908

**3120010 SOLEN. VALVE ELBI TYPE 352 2 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 13.5 mm



ALPENINOX 049056

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



ALPENINOX OL0166

# ALPENINOX



Suitable for:

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX OL0167



Suitable for:

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# ALPENINOX



Suitable for:

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%




**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



ALPENINOX 0W2908

**3120011 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 13.5 mm



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



ALPENINOX 069262

ALPENINOX 072364

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%





Suitable for:

**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



ALPENINOX\_0L0166

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%




**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX\_0W2908

**3120514 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 13.5 mm



ALPENINOX\_0KZ810

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



# ALPENINOX



Suitable for:

**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX\_0L0167

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%





Suitable for:

**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



ALPENINOX\_0L0166

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%




**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX\_0W2908

**3120255 SOLEN. VALVE T&P 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm  
1 outlet with red adjuster 0.5 L/min



ALPENINOX\_047579

# ALPENINOX



Suitable for:

**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX\_0L0167

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120421 ADJUSTER FOR OUTLET T&P BLACK**  
flow rate 5 L/min - tolerance +/- 20%







Suitable for:

**3120608 ADJUSTER FOR OUTLET T&P DARK BROWN**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE**  
flow rate 1 L/min - tolerance +/- 25%



**3120423 ADJUSTER FOR OUTLET T&P ORANGE**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120386 ADJUSTER FOR OUTLET T&P WHITE**  
flow rate 0.8 L/min - tolerance +/- 25%



**D120056 ADJUSTER INLET T&P BRONZE**  
flowrate 12 L/min



**D120057 ADJUSTER INLET T&P LIGHT BROWN**  
flowrate 16 L/min



# ALPENINOX

Suitable for:

**3120568 ADJUSTER FOR OUTLET T&P GREEN**  
flow rate 3 L/min - tolerance +/- 25%



**3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN**  
flow rate 1.5 L/min - tolerance +/- 25%



**3120424 ADJUSTER FOR OUTLET T&P RED**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120422 ADJUSTER FOR OUTLET T&P YELLOW**  
flow rate 2.5 L/min - tolerance +/- 25%



**D120054 ADJUSTER INLET T&P GREY**  
flowrate 6 L/min



**D120058 ADJUSTER INLET T&P ORANGE**  
flowrate 20 L/min





Suitable for:

**D120052 ADJUSTER INLET T&P RED**  
flowrate 3 L/min



**D120053 ADJUSTER INLET T&P YELLOW**  
flowrate 5.5 L/min



**3120431 COIL T&P 12Vac 50/60Hz**  
for solenoid valves T&P




**D120090 COIL T&P 120V 60Hz 8VA**  
for solenoid valves T&P



**3120432 COIL T&P 24Vac 50/60Hz**  
for solenoid valves T&P



**3120407 SOLEN. VALVE T&P 2 WAY 180°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



# ALPENINOX



Suitable for:

**D120055 ADJUSTER INLET T&P WHITE**  
flowrate 10 L/min



**D120059 ADJUSTER OUTLET T&P BLUE**  
flow rate 8 L/min - tolerance +/-25%



**D120092 COIL T&P 12Vdc**  
for solenoid valves T&P



**3120433 COIL T&P 220V 50/60Hz**  
for solenoid valves T&P



**D120093 COIL T&P 24Vdc**  
for solenoid valves T&P



**3120421 ADJUSTER FOR OUTLET T&P BLACK**  
flow rate 5 L/min - tolerance +/- 20%





Suitable for:

**3120608 ADJUSTER FOR OUTLET T&P DARK BROWN**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE**  
flow rate 1 L/min - tolerance +/- 25%



**3120423 ADJUSTER FOR OUTLET T&P ORANGE**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120386 ADJUSTER FOR OUTLET T&P WHITE**  
flow rate 0.8 L/min - tolerance +/- 25%



**D120056 ADJUSTER INLET T&P BRONZE**  
flowrate 12 L/min



**D120057 ADJUSTER INLET T&P LIGHT BROWN**  
flowrate 16 L/min



# ALPENINOX

Suitable for:

**3120568 ADJUSTER FOR OUTLET T&P GREEN**  
flow rate 3 L/min - tolerance +/- 25%



**3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN**  
flow rate 1.5 L/min - tolerance +/- 25%



**3120424 ADJUSTER FOR OUTLET T&P RED**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120422 ADJUSTER FOR OUTLET T&P YELLOW**  
flow rate 2.5 L/min - tolerance +/- 25%



**D120054 ADJUSTER INLET T&P GREY**  
flowrate 6 L/min



**D120058 ADJUSTER INLET T&P ORANGE**  
flowrate 20 L/min





Suitable for:

**D120052 ADJUSTER INLET T&P RED**  
flowrate 3 L/min




**D120053 ADJUSTER INLET T&P YELLOW**  
flowrate 5.5 L/min




**3120431 COIL T&P 12Vac 50/60Hz**  
for solenoid valves T&P



**D120090 COIL T&P 120V 60Hz 8VA**  
for solenoid valves T&P



**3120432 COIL T&P 24Vac 50/60Hz**  
for solenoid valves T&P



**3120406 SOLEN. VALVE T&P 2 WAY 90°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



# ALPENINOX



Suitable for:

**D120055 ADJUSTER INLET T&P WHITE**  
flowrate 10 L/min



**D120059 ADJUSTER OUTLET T&P BLUE**  
flow rate 8 L/min - tolerance +/-25%



**D120092 COIL T&P 12Vdc**  
for solenoid valves T&P



**3120433 COIL T&P 220V 50/60Hz**  
for solenoid valves T&P



**D120093 COIL T&P 24Vdc**  
for solenoid valves T&P



**3120421 ADJUSTER FOR OUTLET T&P BLACK**  
flow rate 5 L/min - tolerance +/- 20%





Suitable for:

**3120608 ADJUSTER FOR OUTLET T&P DARK BROWN**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE**  
flow rate 1 L/min - tolerance +/- 25%



**3120423 ADJUSTER FOR OUTLET T&P ORANGE**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120386 ADJUSTER FOR OUTLET T&P WHITE**  
flow rate 0.8 L/min - tolerance +/- 25%



**D120056 ADJUSTER INLET T&P BRONZE**  
flowrate 12 L/min



**D120057 ADJUSTER INLET T&P LIGHT BROWN**  
flowrate 16 L/min



# ALPENINOX



Suitable for:

**3120568 ADJUSTER FOR OUTLET T&P GREEN**  
flow rate 3 L/min - tolerance +/- 25%



**3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN**  
flow rate 1.5 L/min - tolerance +/- 25%



**3120424 ADJUSTER FOR OUTLET T&P RED**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120422 ADJUSTER FOR OUTLET T&P YELLOW**  
flow rate 2.5 L/min - tolerance +/- 25%



**D120054 ADJUSTER INLET T&P GREY**  
flowrate 6 L/min



**D120058 ADJUSTER INLET T&P ORANGE**  
flowrate 20 L/min







Suitable for:

**D120052 ADJUSTER INLET T&P RED**  
flowrate 3 L/min



**D120053 ADJUSTER INLET T&P YELLOW**  
flowrate 5.5 L/min



**3120431 COIL T&P 12Vac 50/60Hz**  
for solenoid valves T&P



**D120090 COIL T&P 120V 60Hz 8VA**  
for solenoid valves T&P



**3120432 COIL T&P 24Vac 50/60Hz**  
for solenoid valves T&P



**3120013 SOLENOID VALVE ELBI TYPE 359 3-WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - three outlets ø 10.5 mm



ALPENINOX 047539  
ALPENINOX 069296

ALPENINOX 047540

ALPENINOX 049077

# ALPENINOX



Suitable for:

**D120055 ADJUSTER INLET T&P WHITE**  
flowrate 10 L/min




**D120059 ADJUSTER OUTLET T&P BLUE**  
flow rate 8 L/min - tolerance +/-25%



**D120092 COIL T&P 12Vdc**  
for solenoid valves T&P



**3120433 COIL T&P 220V 50/60Hz**  
for solenoid valves T&P



**D120093 COIL T&P 24Vdc**  
for solenoid valves T&P



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%







Suitable for:

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



# ALPENINOX



Suitable for:

**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX 0L0166

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



ALPENINOX 0L0167

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



ALPENINOX 0W2908




Suitable for:

# ALPENINOX



**3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°**  
220/240V 50/60Hz - max temperature 90°C  
inlet 3/4" - three outlets ø 10.5 mm



ALPENINOX OE0330

ALPENINOX 047538

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



ALPENINOX QL0166

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



ALPENINOX QL0167

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**





Suitable for:

**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# ALPENINOX




Suitable for:

ALPENINOX OW2908

**3120400 SOLENOID VALVE INVENSYS 1-WAY 90°**  
12Vac/dc 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm  
operating pressure from 0.2 to 10 bar  
flow rate 1.2 m3/h



**3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN**  
flow rate 5 L/min - tolerance +/- 15%



ALPENINOX

**3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE**  
flow rate 6 L/min - tolerance +/- 15%



**3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN**  
flow rate 11 L/min - tolerance +/- 15%



**3120479 ADJUSTER FOR INLET ROBERTSHAW GREY**  
flow rate 12 L/min - tolerance +/- 15%



**3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE**  
flow rate 9 L/min - tolerance +/- 15%



**3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE**  
flow rate 8 L/min - tolerance +/- 15%



**3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE**  
flow rate 4 L/min - tolerance +/- 15%



**3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE**  
flow rate 10 L/min - tolerance +/- 15%



**3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW**  
flow rate 14.5 L/min - tolerance +/- 15%





Suitable for:

# ALPENINOX



**3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN**  
flow rate 0.8 L/min - tolerance +/- 25%



**3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK**  
flow rate 3.3 L/min - tolerance +/- 20%



**3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE**  
flow rate 0.25 L/min - tolerance +/- 10%



**3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW**  
flow rate 0.5 L/min - tolerance +/- 15%



**3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN**  
flow rate 2.5 L/min - tolerance +/- 20%



**3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN**  
flow rate 1.3 L/min - tolerance +/- 25%



**3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN**  
flow rate 2 L/min - tolerance +/- 25%



**3120625 OUTLET REDUCER ROBERTSHAW GRIGIO**  
flow rate 0.35 L/min - tolerance +/- 10%



**40K5119 SOLENOID VALVE INVENSYS 2 WAY 90°**  
230V 50/60Hz - max temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm  
1 outlet with blue adjuster




**3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU**  
flow rate 1.2 L/min - tolerance +/- 25%





**3120373 SOLENOID VALVE L621B03 230V 50Hz**  
for water  
2 ways - connections G1/2"-G1/4"FF  
coil model EMZA34AA 230V 50Hz



ALPENINOX 0C0561

ALPENINOX 0C2390

Suitable for:

**3120567 COIL SIRAI EMZA34AA 230V 14VA 50Hz**  
length 30 mm - height 40 mm  
width 41 mm



**3120261 SOLENOID VALVE MÜLLER 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



ALPENINOX 0G2196

**3120271 COIL MÜLLER 220/240V 50/60Hz**  
max temperature 90°C



**3120274 COIL MÜLLER 220/240V 50/60Hz**  
max. temperature 90°C  
with cable length 2000 mm



**3120273 COIL MÜLLER 230V 60Hz**  
temperature 90°C - for dispenser




**3120325 COIL MÜLLER 24Vac 50/60Hz**  
max temperature 90°C



**5023165 FILTER INLET FOR SOLENOID VALVE MÜLLER**  
ø 19 mm




**3120399 SOLENOID VALVE ROBERTSHAW 1 WAY 180°**  
12V 50/60Hz - max temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm  
operating pressure from 0.2 to 10 bar



ALPENINOX

**3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN**  
flow rate 5 L/min - tolerance +/- 15%







Suitable for:

**3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE**  
flow rate 6 L/min - tolerance +/- 15%



**3120479 ADJUSTER FOR INLET ROBERTSHAW GREY**  
flow rate 12 L/min - tolerance +/- 15%



**3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE**  
flow rate 8 L/min - tolerance +/- 15%



**3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE**  
flow rate 10 L/min - tolerance +/- 15%



**3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK**  
flow rate 3.3 L/min - tolerance +/- 20%



# ALPENINOX

Suitable for:

**3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN**  
flow rate 11 L/min - tolerance +/- 15%



**3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE**  
flow rate 9 L/min - tolerance +/- 15%



**3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE**  
flow rate 4 L/min - tolerance +/- 15%



**3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW**  
flow rate 14.5 L/min - tolerance +/- 15%



**3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN**  
flow rate 0.8 L/min - tolerance +/- 25%



**3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE**  
flow rate 0.25 L/min - tolerance +/- 10%







Suitable for:

**3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW**  
flow rate 0.5 L/min - tolerance +/- 15%



**3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN**  
flow rate 1.3 L/min - tolerance +/- 25%



**3120550 SOLENOID VALVE ROBERTSHAW 1 WAY 180°**  
240V 50/60Hz 6W - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



ALPENINOX OC3254

**3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE**  
flow rate 6 L/min - tolerance +/- 15%



**3120479 ADJUSTER FOR INLET ROBERTSHAW GREY**  
flow rate 12 L/min - tolerance +/- 15%



**3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE**  
flow rate 8 L/min - tolerance +/- 15%



# ALPENINOX



Suitable for:


**3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN**  
flow rate 2.5 L/min - tolerance +/- 20%



**3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN**  
flow rate 2 L/min - tolerance +/- 25%



**3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN**  
flow rate 5 L/min - tolerance +/- 15%



**3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN**  
flow rate 11 L/min - tolerance +/- 15%



**3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE**  
flow rate 9 L/min - tolerance +/- 15%



**3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE**  
flow rate 4 L/min - tolerance +/- 15%





Suitable for:

**3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE**  
flow rate 10 L/min - tolerance +/- 15%



**3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK**  
flow rate 3.3 L/min - tolerance +/- 20%



**3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW**  
flow rate 0.5 L/min - tolerance +/- 15%



**3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN**  
flow rate 1.3 L/min - tolerance +/- 25%



**3120625 OUTLET REDUCER ROBERTSHAW GRIGIO**  
flow rate 0.35 L/min - tolerance +/- 10%



# ALPENINOX

Suitable for:

**3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW**  
flow rate 14.5 L/min - tolerance +/- 15%



**3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN**  
flow rate 0.8 L/min - tolerance +/- 25%



**3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE**  
flow rate 0.25 L/min - tolerance +/- 10%



**3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN**  
flow rate 2.5 L/min - tolerance +/- 20%



**3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN**  
flow rate 2 L/min - tolerance +/- 25%



**3120404 SOLENOID VALVE T&P 1 WAY 90°**  
 230V 50/60Hz - max. temperature 90°C  
 inlet 3/4" con riduttore di portata 10 L/min  
 outlet ø 10.5 mm



ALPENINOX 0C0688

ALPENINOX 0C4984

ALPENINOX 056350

**3120608 ADJUSTER FOR OUTLET T&P DARK BROWN**  
 flow rate 1.2 L/min - tolerance +/- 25%



**3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE**  
 flow rate 1 L/min - tolerance +/- 25%



**3120423 ADJUSTER FOR OUTLET T&P ORANGE**  
 flow rate 0.5 L/min - tolerance +/- 25%



**3120386 ADJUSTER FOR OUTLET T&P WHITE**  
 flow rate 0.8 L/min - tolerance +/- 25%



**D120056 ADJUSTER INLET T&P BRONZE**  
 flowrate 12 L/min



Suitable for:

**3120421 ADJUSTER FOR OUTLET T&P BLACK**  
 flow rate 5 L/min - tolerance +/- 20%



**3120568 ADJUSTER FOR OUTLET T&P GREEN**  
 flow rate 3 L/min - tolerance +/- 25%



**3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN**  
 flow rate 1.5 L/min - tolerance +/- 25%



**3120424 ADJUSTER FOR OUTLET T&P RED**  
 flow rate 0.25 L/min - tolerance +/- 25%



**3120422 ADJUSTER FOR OUTLET T&P YELLOW**  
 flow rate 2.5 L/min - tolerance +/- 25%



**D120054 ADJUSTER INLET T&P GREY**  
 flowrate 6 L/min





Suitable for:

**D120057 ADJUSTER INLET T&P LIGHT BROWN**  
flowrate 16 L/min



**D120052 ADJUSTER INLET T&P RED**  
flowrate 3 L/min




**D120053 ADJUSTER INLET T&P YELLOW**  
flowrate 5.5 L/min



**3120431 COIL T&P 12Vac 50/60Hz**  
for solenoid valves T&P



**D120090 COIL T&P 120V 60Hz 8VA**  
for solenoid valves T&P



**3120432 COIL T&P 24Vac 50/60Hz**  
for solenoid valves T&P



# ALPENINOX



Suitable for:

**D120058 ADJUSTER INLET T&P ORANGE**  
flowrate 20 L/min



**D120055 ADJUSTER INLET T&P WHITE**  
flowrate 10 L/min



**D120059 ADJUSTER OUTLET T&P BLUE**  
flow rate 8 L/min - tolerance +/-25%



**D120092 COIL T&P 12Vdc**  
for solenoid valves T&P



**3120433 COIL T&P 220V 50/60Hz**  
for solenoid valves T&P



**D120093 COIL T&P 24Vdc**  
for solenoid valves T&P



**4056894 SOLENOID VALVE T&P 2-WAY 90°**  
 220/240V 50/60Hz - max temperature 90°C  
 inlet 3/4" - two outlets ø 10.5 mm  
 1 outlet with light blue adapter 1 L/min  
 1 outlet with blue adapter 8 L/min



ALPENINOX 056894

**3120608 ADJUSTER FOR OUTLET T&P DARK BROWN**  
 flow rate 1.2 L/min - tolerance +/- 25%



**3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE**  
 flow rate 1 L/min - tolerance +/- 25%



**3120423 ADJUSTER FOR OUTLET T&P ORANGE**  
 flow rate 0.5 L/min - tolerance +/- 25%



**3120386 ADJUSTER FOR OUTLET T&P WHITE**  
 flow rate 0.8 L/min - tolerance +/- 25%



**D120056 ADJUSTER INLET T&P BRONZE**  
 flowrate 12 L/min



**3120421 ADJUSTER FOR OUTLET T&P BLACK**  
 flow rate 5 L/min - tolerance +/- 20%



**3120568 ADJUSTER FOR OUTLET T&P GREEN**  
 flow rate 3 L/min - tolerance +/- 25%



**3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN**  
 flow rate 1.5 L/min - tolerance +/- 25%



**3120424 ADJUSTER FOR OUTLET T&P RED**  
 flow rate 0.25 L/min - tolerance +/- 25%



**3120422 ADJUSTER FOR OUTLET T&P YELLOW**  
 flow rate 2.5 L/min - tolerance +/- 25%



**D120054 ADJUSTER INLET T&P GREY**  
 flowrate 6 L/min







Suitable for:

**D120057 ADJUSTER INLET T&P LIGHT BROWN**  
flowrate 16 L/min



**D120052 ADJUSTER INLET T&P RED**  
flowrate 3 L/min




**D120053 ADJUSTER INLET T&P YELLOW**  
flowrate 5.5 L/min



**3120431 COIL T&P 12Vac 50/60Hz**  
for solenoid valves T&P



**D120090 COIL T&P 120V 60Hz 8VA**  
for solenoid valves T&P



**3120432 COIL T&P 24Vac 50/60Hz**  
for solenoid valves T&P



# ALPENINOX



Suitable for:

**D120058 ADJUSTER INLET T&P ORANGE**  
flowrate 20 L/min



**D120055 ADJUSTER INLET T&P WHITE**  
flowrate 10 L/min



**D120059 ADJUSTER OUTLET T&P BLUE**  
flow rate 8 L/min - tolerance +/-25%



**D120092 COIL T&P 12Vdc**  
for solenoid valves T&P



**3120433 COIL T&P 220V 50/60Hz**  
for solenoid valves T&P



**D120093 COIL T&P 24Vdc**  
for solenoid valves T&P





**4002712 SOLENOID VALVE T&P 3-WAY 90°**  
 230V 50/60Hz - max temperature 90°C  
 inlet 3/4" - three outlets ø 10.5 mm  
 1 outlet with light blue adapter 1 L/min  
 1 outlet with red adapter 0.25 L/min



ALPENINOX 002712

**3120608 ADJUSTER FOR OUTLET T&P DARK BROWN**  
 flow rate 1.2 L/min - tolerance +/- 25%



**3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE**  
 flow rate 1 L/min - tolerance +/- 25%



**3120423 ADJUSTER FOR OUTLET T&P ORANGE**  
 flow rate 0.5 L/min - tolerance +/- 25%



**3120386 ADJUSTER FOR OUTLET T&P WHITE**  
 flow rate 0.8 L/min - tolerance +/- 25%



**D120056 ADJUSTER INLET T&P BRONZE**  
 flowrate 12 L/min



Suitable for:

**3120421 ADJUSTER FOR OUTLET T&P BLACK**  
 flow rate 5 L/min - tolerance +/- 20%



**3120568 ADJUSTER FOR OUTLET T&P GREEN**  
 flow rate 3 L/min - tolerance +/- 25%



**3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN**  
 flow rate 1.5 L/min - tolerance +/- 25%



**3120424 ADJUSTER FOR OUTLET T&P RED**  
 flow rate 0.25 L/min - tolerance +/- 25%



**3120422 ADJUSTER FOR OUTLET T&P YELLOW**  
 flow rate 2.5 L/min - tolerance +/- 25%



**D120054 ADJUSTER INLET T&P GREY**  
 flowrate 6 L/min





Suitable for:

**D120057 ADJUSTER INLET T&P LIGHT BROWN**  
flowrate 16 L/min



**D120052 ADJUSTER INLET T&P RED**  
flowrate 3 L/min




**D120053 ADJUSTER INLET T&P YELLOW**  
flowrate 5.5 L/min



**3120431 COIL T&P 12Vac 50/60Hz**  
for solenoid valves T&P



**D120090 COIL T&P 120V 60Hz 8VA**  
for solenoid valves T&P



**3120432 COIL T&P 24Vac 50/60Hz**  
for solenoid valves T&P



# ALPENINOX



Suitable for:

**D120058 ADJUSTER INLET T&P ORANGE**  
flowrate 20 L/min



**D120055 ADJUSTER INLET T&P WHITE**  
flowrate 10 L/min



**D120059 ADJUSTER OUTLET T&P BLUE**  
flow rate 8 L/min - tolerance +/-25%



**D120092 COIL T&P 12Vdc**  
for solenoid valves T&P



**3120433 COIL T&P 220V 50/60Hz**  
for solenoid valves T&P



**D120093 COIL T&P 24Vdc**  
for solenoid valves T&P





Suitable for:

**1120354 2-WAY SOLENOID VALVE PARKER 230V 50/60Hz**  
 VE146NV - fittings  $\varnothing$  1/4"FF - max 10 bar  
 VITON sealing - orifice  $\varnothing$  2.5 mm  
 with coil ZB09 9W 220/230V 50/60Hz  
 fluid temperature -10°C +140°C



ALPENINOX 0K5341

Suitable for:

**3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz**  
 width 34 mm - height 33 mm  
 length 43 mm



## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
 220/240V 50/60Hz



ALPENINOX 0A2073  
 ALPENINOX 051884

ALPENINOX 003376  
 ALPENINOX 053647

ALPENINOX 004240

**3181003 SPARK GENERATOR 4 OUTLETS**  
 220/240V 50/60Hz



ALPENINOX 0A2097  
 ALPENINOX 003214

ALPENINOX 0K9979  
 ALPENINOX 004248

ALPENINOX 0M0476  
 ALPENINOX 054134

**3181004 SPARK GENERATOR 6 OUTLETS**  
 220/240V - 50/60Hz




ALPENINOX 003552

ALPENINOX 004251

ALPENINOX 054141


## Sparking and detection plugs

**7100425 DETECTION AND IGNITION PLUG**  
 2 plugs  $\varnothing$  10.5x63 mm - total length 92/100mm  
 plate 45x48x40 mm



ALPENINOX 0G3143

**40C7418 DETECTION PLUG ROUND  $\varnothing$  9,5x54 mm**  
 with silicone cable length 1200 mm  
 total length with cable 1300 mm



ALPENINOX 0C7418



# ALPENINOX



Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm  
for Solid top range (ALPENINOX) 20TP100T49



ALPENINOX 0C0488  
ALPENINOX 056754

ALPENINOX 051565

ALPENINOX 051977

Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ALPENINOX 0A2473  
ALPENINOX 057410

ALPENINOX 052610  
ALPENINOX 059380

ALPENINOX 056720  
ALPENINOX 059988

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ALPENINOX 054336

**3020074 ROUND IGNITION PLUG  $\varnothing$  5/8x52 mm**  
model 2/B  
connection F 2.8x0.8 mm  
total length 66 mm



ALPENINOX 054099

**3020128 ROUND IGNITION PLUG  $\varnothing$  6x32 mm**  
connection  $\varnothing$  2.4 mm  
with silicone lead 770 mm  
overall length with cable 800 mm




ALPENINOX 004970

**3020073 ROUND IGNITION PLUG  $\varnothing$  7/10x52 mm**  
model 1/B  
connection F 2.8x0.8 mm - complete with spring  
overall length 54 mm



ALPENINOX 0A2164

**40C7419 ROUND IGNITION PLUG  $\varnothing$  9.5x54 mm**  
with silicone cable length 500 mm  
total length with cable 570 mm



ALPENINOX 0C7419

**3020208 ROUND IGNITION PLUG  $\varnothing$  9x60 mm**  
with silicone lead 900 mm  
overall length 1010 mm  
for BRATT PAN series HD900



ALPENINOX 0A5169

**3020306 ROUND IGNITION PLUG  $\varnothing$  9x60 mm**  
overall length 117 mm



ALPENINOX 0A5168

ALPENINOX 003556

**3020067 SQUARE IGNITION PLUG 6/7x53 mm**  
total length 85 mm



ALPENINOX 026847




## Springs

**3250098 DOOR HINGE SPRING  $\varnothing$  36x240 mm**  
for BRATT PAN series HD900




ALPENINOX 0A5150

**3225009 LEVER FOR LID 59x30x12 mm**



ALPENINOX 0A5148

**3391059 HINGE BUSHING RIGHT-LEFT HINGE  $\varnothing$  30x7 mm**  
internal  $\varnothing$  20 mm



ALPENINOX 0A5151

**3250134 LID SPRING  $\varnothing$  28x115 mm**  
for BOILING PAN series N700  
for WASHER-EXTRACTOR LVA100



ALPENINOX 004850

**3250081 LID SPRING  $\varnothing$  38x375 mm**  
for BOILING PAN series HD900-N900



ALPENINOX 059518

**3391059 HINGE BUSHING RIGHT-LEFT HINGE  $\varnothing$  30x7 mm**  
internal  $\varnothing$  20 mm




ALPENINOX 0A5151

**3250099 SPRING SCREW**  
for BRATT PAN series HD900



ALPENINOX 0A2551

**3225009 LEVER FOR LID 59x30x12 mm**



ALPENINOX 0A5148

**3250135 LID SPRING  $\varnothing$  38x250 mm**  
for BOILING PAN series H900



ALPENINOX 051527

**3250096 LID SPRING  $\varnothing$  39x375 mm**  
for BOILING PAN series N900-HD900  
for PASTA COOKER CR15G-CR15E-CR15V-CR20G-CR20GI



ALPENINOX 002981



# ALPENINOX



Suitable for:

**3250026 LID SPRING  $\varnothing$  40x300 mm**  
for BRATT PAN series HD900  
for BOILING PAN H900/HD900  
for PASTA COOKER CR40G-CR41G-CR42G-CR42E/V-CR40E/



ALPENINOX 051268

Suitable for:

**3250141 SPRING  $\varnothing$  21x75 mm**  
for SANDWICH PLATE DPG/RCE



ALPENINOX 0C1836

**7108017 SPRING FOR HINGE  $\varnothing$  70x360 mm**



ALPENINOX 0C0671

**3250099 SPRING SCREW**  
for BRATT PAN series HD900



ALPENINOX 0A2551

**40C0666 SPRING FOR LID  $\varnothing$  29x310 mm**




ALPENINOX 0C0666

**3250097 SPRING FOR TAP MICROSWITCH  $\varnothing$  10x14 mm**  
for SOLID TOP RANGE series PR700



ALPENINOX 004243

**3250136 SPRING KIT LIFTING  $\varnothing$  17x165 mm - 4 PCS**  
this kit includes 4 pieces



ALPENINOX 031370

**3250029 SPRING LH  $\varnothing$  22x40 mm**  
for PLATE PS24-36-PD50  
for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99  
for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99  
for SIRMAN ELECTRIC PLATE PD ECO since 99  
for SIRMAN ELECTRIC PLATE ELIO ECO since 99  
for SIRMAN ELECTRIC PLATE PD POWER since 99



ALPENINOX 0PR054



Suitable for:

**3250028 SPRING RH  $\varnothing$  20x40 mm**  
 for PLATE PS24-36-PD50  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99  
 for SIRMAN ELECTRIC PLATE PD ECO since 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99  
 for SIRMAN ELECTRIC PLATE PD POWER since 99



ALPENINOX 0S1073

Suitable for:

**3250099 SPRING SCREW**  
 for BRATT PAN series HD900



ALPENINOX 0A2551

**5069743 TRACTION SPRING "GREEN"  $\varnothing$  16x160 mm 2Kg**



ALPENINOX 031376

## Steam valves


**3524006 "REX" STEAM VALVE  $\varnothing$  1"MM**  
 partially chromed steam valve "REX"  
 square connection  $\varnothing$  1" MM



ALPENINOX 0S0142

ALPENINOX 038020

**3524004 KORALIT VALVE GASKET**  
 for valve  $\varnothing$  3/4" and "REX"  $\varnothing$  1"



**3524007 VALVE KNOB**  
 hole 7x7 mm  
 for valve "REX"  $\varnothing$  1"1/4



ALPENINOX 017052

ALPENINOX 017053

**3525013 VALVE  $\varnothing$  1"1/4 FF**



ALPENINOX 0S0143

**3524005 KORALIT VALVE GASKET**  
 for valve  $\varnothing$  1" 1/4





Suitable for:

# ALPENINOX



**3524007 VALVE KNOB**  
hole 7x7 mm  
for valve "REX"  $\varnothing$  1"1/4




ALPENINOX 017052

ALPENINOX 017053

Suitable for:

**3524009 VALVE KNOB**  
hole 9x9 mm  
for valve  $\varnothing$  3/4" - 1"1/4



ALPENINOX 0A2148

## Supports

**40A5165 SUPPORT FOR LEVER 80x50x15 mm**  
hole  $\varnothing$  30 mm



ALPENINOX 0A5165

## Switches

**3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK**  
mounting hole  $\varnothing$  25 mm



ALPENINOX 053978

ALPENINOX 058274

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



ALPENINOX 053979

**1319202 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 2500V - with indicator light  
silk-screen printing 0 - I  
max. temperature 120°C  
mounting hole 22x30 mm



ALPENINOX 056703

ALPENINOX 081680

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**





Suitable for:

**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



# ALPENINOX



Suitable for:

**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319012 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light and push-button cap  
mounting hole 22x30 mm - silk screen print 0 - I



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



ALPENINOX 053810

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**




**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319013 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light and push-button cap  
mounting hole 22x30 mm - silk screen print I - II



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



ALPENINOX 053837

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**





Suitable for:

**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



# ALPENINOX



Suitable for:

**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319928 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light - mounting hole  $\varnothing$  25 mm



ALPENINOX 054518

ALPENINOX 082337

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



ALPENINOX 053979

**3319944 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light - silk screen printing 0 - I  
mounting hole 22x30 mm



ALPENINOX 056703

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**




**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319088 BIPOLAR SWITCH ORANGE 16A 250V**  
 16(4)A 250V - max. temperature 120°C  
 with indicator light and push-button cap  
 mounting hole 22x30 mm



ALPENINOX 056878

ALPENINOX 056879

ALPENINOX 056880

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319256 BIPOLAR SWITCH WHITE 16A 250V**  
 16(4)A 250V - max. temperature 120°C  
 silk screen printing 0 - I  
 mounting hole 22x30 mm



ALPENINOX

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



Suitable for:

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
 external dimensions 29x36 mm  
 for switches with mounting hole 22x30 mm



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
 external dimensions 29x36 mm  
 for switches with mounting hole 22x30 mm





Suitable for:

# ALPENINOX



**3319931 BIPOLAR SWITCH WHITE 16A 250V**  
16(4)A 250V - with indicator light  
silk-screen printing 0-1  
max. temperature 120°C  
mounting hole 22x30 mm



ALPENINOX 081679

ALPENINOX 082390

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm




**40C2129 BLACK SINGLE-POLE PUSH-BUTTON 16A 250V**  
with push-button cap  
mounting hole  $\varnothing$  24 mm



ALPENINOX 0C2129

**4058808 CHANGE-OVER 2-POLE SWITCH GREEN 16A 250V**  
16(4)A 250V  
with indicator light and push-button cover  
silk screen printing I - II  
max. temperature 120°C  
mounting hole 22x30 mm



ALPENINOX 058808

**3319780 BLOCK CONNECTION WHITE 22x30 mm**







Suitable for:

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319932 CHANGEOVER SWITCH 1 POLE GREY 16A 250V**  
16(4)A 250V  
silk-screen printing I - II  
max. temperature 120°C  
mounting hole 22x30 mm



ALPENINOX 082473

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V**  
1 contact NO



ALPENINOX 0L0616

# ALPENINOX



Suitable for:

**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319749 EMERGENCY BUTTON**



ALPENINOX 0E5305

ALPENINOX 0K8450



Suitable for:

# ALPENINOX



**3319014 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V  
with indicator light and switch cover  
"fan" silk-screen printing  
max temperature 120°C  
mounting hole 22x30 mm



ALPENINOX 054552

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



Suitable for:

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319972 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - with indicator light  
ON - OFF silk-screen printing  
max temperature 120°C  
mounting hole 22x30 mm



ALPENINOX 082873

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**





Suitable for:

**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



# ALPENINOX



Suitable for:

**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**4059843 MUSHROOM PUSH-BUTTON RED W/BLOCK**  
MOELLER-EATON - 1 contact NC  
red mushroom  $\varnothing$  38 mm -mounting hole  $\varnothing$  22 mm



**5047253 CONTACT SUPPORT MOELLER-EATON M22-A**



ALPENINOX 0A2196

ALPENINOX 059843

**5047267 ROD NC MOELLER-EATON M22-K01**



**3319160 PUSH-BUTTON BIPOLAR GREEN 16A 250V**  
16(4)A 250V - with indicator light  
"ignition" silk-screen printing  
max temperature 120°C  
mounting hole 22x30 mm



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



ALPENINOX 056717

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm





Suitable for:

# ALPENINOX



**3319011 PUSH-BUTTON BIPOLAR RED 16A 250V**  
16(4)A 250V - max. temperature 120°C  
NC  
with indicator light and push-button cap  
mounting hole 22x30 mm



ALPENINOX 054547

ALPENINOX 055014

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**




**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319015 PUSH-BUTTON BIPOLAR RED 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light - silk screen printing 0 - I  
mounting hole 22x30 mm



ALPENINOX 005899

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**





Suitable for:

**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



# ALPENINOX



Suitable for:


**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319270 PUSH-BUTTON 1-POLE RED 3A 250V**  
with protection cap  
mounting hole  $\varnothing$  17 mm



**3319316 PUSH-BUTTON PROTECTION W/FRAME  $\varnothing$  23 mm**  
for  $\varnothing$  17 mm mounting hole buttons



ALPENINOX 002418

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



ALPENINOX 053979

**3319967 SWITCH 1-POLE GREEN 16A 250V**  
16(4)A 250V - with indicator light  
max. temperature 120°C  
mounting hole 11x30 mm



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



ALPENINOX 004110

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319781 CONNECTION BLOCK BLACK 11x30 mm**





Suitable for:

**1319936 PROTECTIVE SWITCH COVER**  
external dimensions 36x18 mm  
for switch with mounting hole 11x30 mm



# ALPENINOX



Suitable for:

## Tangential and radial motor fans

**3526150 TANGENTIAL FAN 180 mm LH**  
25W 230V 50/60Hz - ø 60 mm  
operating temperature -30°+100°C



ALPENINOX 0A2272

ALPENINOX 0A3008

**2102307 HEATING ELEMENT 2000W 230V**  
length 200 mm - width 35 mm  
for 180 mm tangential fan  
with cable length 340 mm




**3526200 ELECTRONIC SPEED CONTROLLER 170W 230V**  
for tangential fan



**2102796 HEATING ELEMENT 2000W 230V**  
length 200 mm - width 35 mm  
for tangential fan 180 mm  
with cables length 240 mm



**3355363 HEATING ELEMENT 2000W 230V**  
length 200 mm - width 35 mm  
for 180 mm tangential fan



**7103628 HEATING ELEMENT 2000W 230V**  
length 195 mm - width 38 mm  
for tangential ventilator 180 mm  
with cable length 230 mm



ALPENINOX 0K4812

**3526165 TANGENTIAL FAN 180x180 mm**  
45W 230V 50/60Hz - ø 60 mm DOUBLE  
operating temperature -30°+100°C



ALPENINOX 0K3707

**3526966 TANGENTIAL FAN 300 mm LH**  
26W 230V 50/60Hz - ø 60 mm  
operating temperature -30°+100°C



ALPENINOX 083737





## Taps for tank refilling

**3525017 CAP FOR BALLCOCK VALVE  $\varnothing$  25x22 mm**  
hole  $\varnothing$  10x7 mm



ALPENINOX 0A2563

**3525019 EXTENSION FOR BALLCOCK VALVE  $\varnothing$  10x8 mm**



ALPENINOX 0A2135

**3525005 LEFT-HAND WATER INLET TAP  $\varnothing$  1/2"FF**  
square pin 7x7 mm  
brass valve for hot water  
max flow rate 4 bar 24 l/min  
with external fixing thread  $\varnothing$  27x19 mm



ALPENINOX 026537


**3241108 KNOB CAP**




ALPENINOX 025255

ALPENINOX 054367

**2111534 NUT HEXAGONAL BRASS 27x6 mm**




**3241107 TAP KNOB - BLACK  $\varnothing$  50 mm**  
square hole 7x7 mm



ALPENINOX 025260

ALPENINOX 054254

**3183050 NUT 1/2"**



ALPENINOX 004373

**3183045 SPOUT**  
outlet spout  $\varnothing$  18 mm



ALPENINOX 004372


**3183051 NUT M20x1.5**





Suitable for:

**3183050 NUT 1/2"**



ALPENINOX 004373

# ALPENINOX



Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3183028 SPOUT CONNECTION  $\varnothing$  16 mm**



ALPENINOX 004537

**3242233 TAP KNOB - BLACK**  
D-shape hole  $\varnothing$  9x8 mm



ALPENINOX 004376

**4051568 TAP WATER INLET  $\varnothing$  1/4" M**



ALPENINOX 0C1450

ALPENINOX 051568

**3525001 WATER BALL VALVE  $\varnothing$  3/8" FF**  
complete with pin. nut. bracket



ALPENINOX 0C9656

ALPENINOX 0C9658

ALPENINOX 005902

**3525017 CAP FOR BALLCOCK VALVE  $\varnothing$  25x22 mm**  
hole  $\varnothing$  10x7 mm




ALPENINOX 0A2563

**3525019 EXTENSION FOR BALLCOCK VALVE  $\varnothing$  10x8 mm**




ALPENINOX 0A2135

**3359120 WATER INLET TAP  $\varnothing$  1/2" FF**  
D shaft 9x8 mm



ALPENINOX 004375

**5001432 SILKSCREENED BLACK RING  $\varnothing$  75 mm**  
for water inlet pipe





Suitable for:

**3242233 TAP KNOB - BLACK**  
D-shape hole  $\varnothing$  9x8 mm



ALPENINOX 004376

# ALPENINOX



Suitable for:

**3359142 WATER INLET TAP  $\varnothing$  1/2" M**  
swivel spout  $\varnothing$  18 mm



ALPENINOX 002322

**3186665 PTFE FLAT GASKET  $\varnothing$  35x21x2 mm**



ALPENINOX 002448

**3358003 WATER INLET TAP  $\varnothing$  1/2" MM**  
square shaft 7x7 mm



ALPENINOX 056616


**3241108 KNOB CAP**



ALPENINOX 025255

ALPENINOX 054367

**3241107 TAP KNOB - BLACK  $\varnothing$  50 mm**  
square hole 7x7 mm



ALPENINOX 025260

ALPENINOX 054254

**3525004 WATER INLET TAP DX  $\varnothing$  1/2" FF**  
square shaft 7x7 mm  
brass valve for cold water  
max. flow rate 4 bar 24L/min  
with external fastening thread  $\varnothing$  27x19 mm



ALPENINOX 025733

ALPENINOX 053703

**3241108 KNOB CAP**



ALPENINOX 025255

ALPENINOX 054367



Suitable for:

**2111534 NUT HEXAGONAL BRASS 27x6 mm**




# ALPENINOX



Suitable for:

**3241107 TAP KNOB - BLACK  $\varnothing$  50 mm  
square hole 7x7 mm**



ALPENINOX 025260

ALPENINOX 054254

**3525031 WATER INLET TAP DX  $\varnothing$  1/2"FF  
D-shaped pin  $\varnothing$  10x8 mm**



ALPENINOX 0C6750

**3241199 KNOB BLACK  $\varnothing$  70 mm COLD WATER  
D-shaped hole 10x8 mm**



ALPENINOX 059531

**3525040 WATER INLET TAP DX  $\varnothing$  1/2"FF  
D-shaped pin  $\varnothing$  10x8 mm**



ALPENINOX 003516

**3241416 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED  
D-shaped hole 10x8 mm**



ALPENINOX 0A5002


ALPENINOX 0A5034

**3186667 GASKET FOR TAP PROTECTION  $\varnothing$  58 mm  
inner  $\varnothing$  hole 29 mm - height 17 mm**




ALPENINOX 003209

**3241199 KNOB BLACK  $\varnothing$  70 mm COLD WATER  
D-shaped hole 10x8 mm**



ALPENINOX 059531

**3358010 WATER INLET TAP KIT**




ALPENINOX 005873

**3525036 WATER INLET TAP LH  $\varnothing$  1/2"FF  
D-shaped pin  $\varnothing$  10x8 mm**



ALPENINOX 004870

**3241473 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED  
D-shaped hole 10x8 mm  
for HOT WATER INLET**






Suitable for:

**3241055** **FIXING CLIP**  
for knob with  $\varnothing$  8 mm hole




ALPENINOX 025245

**40C2234** **KNOB BLUE  $\varnothing$  60 mm SCREEN PRINTED**  
D-shaped hole 10x8 mm



ALPENINOX 0C2234

**3241445** **KNOB RING NUT  $\varnothing$  84 mm SILK-SCREEN PRINTE**



ALPENINOX 0C0711

**40C2017** **RINGNUT BLUE SCREEN PRINTED FOR KNOB**  
external dimensions 86x68 mm



ALPENINOX 0C2017

**3525041** **WATER INLET TAP LH  $\varnothing$  1/2"FF**  
D-shaped pin  $\varnothing$  10x8 mm



ALPENINOX 003517

**3241438** **BLACK KNOB  $\varnothing$  70 mm HOT WATER**  
D-shaped hole 10x8 mm




ALPENINOX 059516

# ALPENINOX



Suitable for:

**3186342** **GASKET FOR OVEN**  
soft - external  $\varnothing$  13,5 mm



ALPENINOX 053816

**3241196** **KNOB RING NUT  $\varnothing$  84 mm SILK-SCREEN PRINTE**



ALPENINOX 0C0192

**40C2007** **RINGNUT BLUE SCREEN PRINTED FOR KNOB**  
external dimensions 86x68 mm



ALPENINOX 0C2007


**3241419** **BLACK KNOB  $\varnothing$  70 mm HOT WATER**  
D-shaped hole 10x8 mm



ALPENINOX 0G2258

ALPENINOX 059538

**3241416** **BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm




ALPENINOX 0A5002

ALPENINOX 0A5034



Suitable for:

**3241199 KNOB BLACK ø 70 mm COLD WATER**  
D-shaped hole 10x8 mm



ALPENINOX 059531

# ALPENINOX



Suitable for:

## Telethermometers

**3441021 TELE-THERMOMETER BLACK ø 52 mm 50-250°C**  
metal body  
capillary length 1500 mm  
bulb ø 6x43 mm



ALPENINOX 053687

**3441024 TELE-THERMOMETER BLACK ø 52 mm 50-350°C**  
metal body  
covered capillary length 1500 mm  
bulb ø 6x20 mm



ALPENINOX 053808

ALPENINOX 056383

**3441026 TELE-THERMOMETER BLACK ø 60 mm 50-350°C**  
metal body  
capillary length 1500 mm  
bulb ø 4x104 mm



ALPENINOX 057622

ALPENINOX 058081

**3441006 TELE-THERMOMETER WHITE ø 52 mm 0-120°C**  
metal case  
PVC covered capillary 1500 mm  
spring bulb ø 8x32 mm  
bulb fitting M10x1



ALPENINOX 032085

ALPENINOX 034075

**4032863 TELE-THERMOMETER WHITE ø 52 mm 0-120°C**  
casing made of plastic material  
covered capillary length PVC 1500 mm  
bulb ø 6x35 mm



ALPENINOX 032863

**3441025 TELE-THERMOMETER WHITE ø 52 mm 50-350°C**  
metal body  
capillary length 1500 mm  
bulb ø 4x120 mm



ALPENINOX 052987





## Terminal blocks

### 3247015 TERMINAL BLOCK 12-POLES OF PLASTIC


for cable 0.75-4 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450V



ALPENINOX 0W3543

### 3247018 TERMINAL BLOCK 2-POLES FV77 20A 600V

for cable max 4 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ALPENINOX 0C9052

ALPENINOX 058873

### 3247006 TERMINAL BLOCK 2-POLES OF CERAMIC

for cable 2.5-10 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 23.5x20.5x19.5 mm



ALPENINOX 053805

### 3247016 TERMINAL BLOCK 3-POLES FV273 40A 450V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ALPENINOX 046357


### 3247005 TERMINAL BLOCK 4-POLES OF CERAMIC

for cable 1-4 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 45x18x16 mm




ALPENINOX 054042

### 4058608 TERMINAL BLOCK 5-P. DIN SLIDEWAY 110mm with fuse



ALPENINOX 058608

### 4059794 TERMINAL BLOCK 5-POLES DIN SLIDEWAY 90mm with fuse



ALPENINOX 059794

### 3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ALPENINOX 0E0994

ALPENINOX 046347

ALPENINOX 005420

ALPENINOX 058613

ALPENINOX 032669

ALPENINOX 088165



Suitable for:



Suitable for:

## Terminals and electrical connectors

**3051058 TUBE TERMINAL BARE 2.5x10 mm 500 PCS**



ALPENINOX 0K4532

## Thermocouples and accessories

**3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm**  
cut-off contact with cables 100 cm



ALPENINOX 002784

ALPENINOX 003528

ALPENINOX 056914

**3440145 CUT-OFF THERMOCOUPLE M9x1 100 cm**  
cut-off contact with cables 100 cm



ALPENINOX 051635

**3440185 CUT-OFF THERMOCOUPLE M9x1 100 cm**  
cut-off contact with cables 70 cm



ALPENINOX 0C3162  
ALPENINOX 0K5790  
ALPENINOX 056573

ALPENINOX 0K2898  
ALPENINOX 051932  
ALPENINOX 058387

ALPENINOX 0K2954  
ALPENINOX 054055

**40C7716 CUT-OFF THERMOCOUPLE M9x1 120 cm**  
cut-off contact with cables 70 cm



ALPENINOX 0C7716

**3440019 EXTENSION FOR THERMOCOUPLE M9x1 60 cm.**  
female nut M9x1




ALPENINOX 055032

**3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.**  
interrupted contact with terminals



ALPENINOX 056574

**3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm**  
interrupted contact with fastons



ALPENINOX 058503

**3440015 INTERRUPTION CONNECTOR M9x1**



ALPENINOX 005687



# ALPENINOX



Suitable for:

Suitable for:

**3440064 NUT FOR THERMOCOUPLE M8x1**

**3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS**



ALPENINOX 055033

ALPENINOX 0M0893

**3440045 THERMOCOUPLE ASA SIT 150 cm**

**3440042 THERMOCOUPLE ASA SIT 85 cm**




ALPENINOX 056715

ALPENINOX 057343

**40KI368 THERMOCOUPLE M8x1 32 cm with milled fitting M8x1**

**40KI369 THERMOCOUPLE M8x1 75 cm**



ALPENINOX 0KI368

ALPENINOX 0KI369

**3440079 THERMOCOUPLE M8x1 75 cm COUPLING M6x1**



ALPENINOX 004955

**3440047 THERMOCOUPLE M8x1 75 cm HEAD ALUMINIZED**

**3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS ALUMINIZED HEAD**



ALPENINOX 054102  
ALPENINOX 058332

ALPENINOX 054103

ALPENINOX 054104

ALPENINOX 054102  
ALPENINOX 058332

ALPENINOX 054103

ALPENINOX 054104

**3440133 THERMOCOUPLE SIT M10x1 100 cm**

**3440135 THERMOCOUPLE SIT M10x1 150 cm**



ALPENINOX 0A2161

ALPENINOX 0H6252



# ALPENINOX



Suitable for:

**3440126 THERMOCOUPLE SIT M10x1 75 cm**



ALPENINOX 0H6251

ALPENINOX 0H6253

Suitable for:

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS  
CONNECTOR M8x1**



ALPENINOX 0U2960

**3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1**



ALPENINOX 0U2960

**3440064 NUT FOR THERMOCOUPLE M8x1**



ALPENINOX 055033

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS  
CONNECTOR M8x1**



ALPENINOX 0U2960

**3440031 THERMOCOUPLE SIT M8x1 120 cm**



ALPENINOX 0K5730

**3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS**



ALPENINOX 0K5730

**3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS**



ALPENINOX 0K5730

**3440032 THERMOCOUPLE SIT M8x1 150 cm**



ALPENINOX 0G2023

**3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ALPENINOX 0G2023




# ALPENINOX



Suitable for:

**3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ALPENINOX 0G2023

**3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1**



ALPENINOX 050235

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS  
CONNECTOR M8x1**



ALPENINOX 050235

**2100968 THERMOCOUPLE SIT M8x1 45 cm**



ALPENINOX 0G1120

**3440028 THERMOCOUPLE SIT M8x1 60 cm**



ALPENINOX 050856


**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ALPENINOX 050856

Suitable for:

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS  
CONNECTOR M8x1**




ALPENINOX 050235

**3440064 NUT FOR THERMOCOUPLE M8x1**



ALPENINOX 055033

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ALPENINOX 050856

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS  
CONNECTOR M8x1**



ALPENINOX 0K5688

ALPENINOX 055106



# ALPENINOX



Suitable for:

**3440157 THERMOCOUPLE SIT M8x1 60 cm COUPL. M8x1**



ALPENINOX 055106

Suitable for:

**3440064 NUT FOR THERMOCOUPLE M8x1**



ALPENINOX 055033

**3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1**




ALPENINOX 0K5688

**3440064 NUT FOR THERMOCOUPLE M8x1**



ALPENINOX 055033

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS CONNECTOR M8x1**



ALPENINOX 0K5688

ALPENINOX 055106

**3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS ALUMINIZED HEAD**



ALPENINOX 054102

ALPENINOX 054103

ALPENINOX 054104

ALPENINOX 058332

**3440029 THERMOCOUPLE SIT M8x1 85 cm**




ALPENINOX 0G2906

**3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS**




ALPENINOX 0G2906

**3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS**



ALPENINOX 0G2906

**3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS CONNECTOR M8x1**



ALPENINOX 052163





# ALPENINOX



Suitable for:

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ALPENINOX 027036

ALPENINOX 027350


ALPENINOX 053043

**3440061 THERMOCOUPLE SIT M9x1 100 cm THREAD M8x1**



ALPENINOX

**3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS  
CONNECTOR M8x1**



ALPENINOX LF-3440061

**3440037 THERMOCOUPLE SIT M9x1 100 cm .**



ALPENINOX 027036

ALPENINOX 027350

ALPENINOX 053043

**3440038 THERMOCOUPLE SIT M9x1 120 cm**



ALPENINOX 0K3464

ALPENINOX 020094

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



ALPENINOX 0K3464

ALPENINOX 020094

Suitable for:

**3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS  
CONNECTOR M8x1**



ALPENINOX LF-3440061

**3440064 NUT FOR THERMOCOUPLE M8x1**



ALPENINOX 055033

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ALPENINOX 027036

ALPENINOX 027350

ALPENINOX 053043

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



ALPENINOX 0K3464

ALPENINOX 020094



# ALPENINOX



Suitable for:

Suitable for:

**3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1**

**3440064 NUT FOR THERMOCOUPLE M8x1**



ALPENINOX

ALPENINOX 055033

**3440039 THERMOCOUPLE SIT M9x1 150 cm**

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



ALPENINOX 059064

ALPENINOX 059064

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS  
CONNECTOR M8x1**



ALPENINOX 059064

ALPENINOX 020756

**3440063 THERMOCOUPLE SIT M9x1 150 cm THREAD M8x1**

**3440064 NUT FOR THERMOCOUPLE M8x1**



ALPENINOX 020756

ALPENINOX 055033

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS  
CONNECTOR M8x1**



ALPENINOX 020756

**40C1634 THERMOCOUPLE SIT M9x1 180 cm  
ALUMINIZED HEAD**



ALPENINOX 0C1634



# ALPENINOX



Suitable for:

Suitable for:

**3440034 THERMOCOUPLE SIT M9x1 50 cm**

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



ALPENINOX 025204

ALPENINOX 027317

ALPENINOX 025204

ALPENINOX 027317

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS  
CONNECTOR M8x1**



ALPENINOX 025204

ALPENINOX 027317

ALPENINOX 025677

ALPENINOX 026273

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**

**3440064 NUT FOR THERMOCOUPLE M8x1**



ALPENINOX 025677

ALPENINOX 026273

ALPENINOX 055033

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS  
CONNECTOR M8x1**



ALPENINOX 025677

ALPENINOX 026273

**3440035 THERMOCOUPLE SIT M9x1 60 cm.**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



ALPENINOX 025031

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS  
CONNECTOR M8x1**



ALPENINOX 052814

ALPENINOX 058386

ALPENINOX 028982



# ALPENINOX



Suitable for:

Suitable for:

**3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1**

**3440064 NUT FOR THERMOCOUPLE M8x1**



ALPENINOX 028982

ALPENINOX 055033

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS CONNECTOR M8x1**



ALPENINOX 028982

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ALPENINOX 052814

ALPENINOX 058386

ALPENINOX 052814

ALPENINOX 058386

**3440009 THERMOCOUPLE SIT M9x1 100 cm M8x1**

**3440064 NUT FOR THERMOCOUPLE M8x1**



ALPENINOX 052163

ALPENINOX 055033

**3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS CONNECTOR M8x1**



ALPENINOX 052163

**3440091 THERMOCOUPLE SIT QUICK M8x1 150 cm**



ALPENINOX 051119



# ALPENINOX



Suitable for:

**3440075 THERMOCOUPLE SIT QUICK M8x1 75 cm ALUMINIZED HEAD**



ALPENINOX 0C0202

Suitable for:

**3440875 THERMOCOUPLE SIT QUICK M8x1 75 cm - 10 P ALUMINIZED HEAD**




**3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm**



ALPENINOX 0M0893

**3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS**



ALPENINOX 0M0893

**3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.**



ALPENINOX 004942

**3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm**



ALPENINOX 057781

**3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS**



**3440277 THERMOCOUPLE UNIV. M9x1 120 cm M6x0.75 kit with 5 milled components**



ALPENINOX 0S0056

**3440077 THERMOCOUPLE UNIV. M9x1 90 cm M6x0.75 kit with 5 milled components**



ALPENINOX 0S0055



Suitable for:



Suitable for:

## Thermoregulators

### 3442005 THERMOREGULATOR $\varnothing$ 60 mm 0-250°C

metal body  
 white dial  
 capillary length 1500 mm  
 bulb  $\varnothing$  6x60 mm  
 contact capacity 16(4)A 250V  
 lead connector 6,35x0,8 mm  
 mounting hole  $\varnothing$  61 mm



ALPENINOX 054433

## Thermostatic gas valves

### 3345038 KIT THERMOSTATIC TAP 25ST

REPLACES EGA TAP  
 supplied with accessories  
 temperature range 150-290°C  
 connections M16x1.5 mm  
 thermocouple connection M8x1mm  
 bulb  $\varnothing$  6x90 mm  
 capillary length 1200 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm



ALPENINOX 0C0006

### 3348038 OLIVE FOR PIPE $\varnothing$ 10 mm

for model PEL 22-24-25



ALPENINOX 052128

### 3348044 OLIVE FOR PIPE $\varnothing$ 10 mm

for model PEL 20-21-24-25



ALPENINOX 060325

### 3020082 OLIVE FOR PIPE $\varnothing$ 12 mm

for model PEL 22-24-25



ALPENINOX 004374

ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

### 3348036 OLIVE FOR PIPE $\varnothing$ 4 mm

for model PEL 21-22-24-25



ALPENINOX 052127

### 3348037 OLIVE FOR PIPE $\varnothing$ 6 mm

for model PEL 21-22-24-25



ALPENINOX 020992





Suitable for:

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 050670

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# ALPENINOX




Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ALPENINOX 0A2125

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1




ALPENINOX 046755

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

**3345006** THERMOSTATIC TAP 24ST  
adjustment temperature 120-320°C  
connections M20x1.5 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x100 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  10x8 mm



ALPENINOX 058369

**3348038** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 22-24-25



ALPENINOX 052128



Suitable for:

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ALPENINOX 052127

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124

**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 050670

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ALPENINOX 003859

# ALPENINOX



Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ALPENINOX 004374

ALPENINOX 027478

ALPENINOX 050682

ALPENINOX 054979

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



ALPENINOX 020992

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ALPENINOX 0A2125

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm






Suitable for:

Suitable for:

**3345016 THERMOSTATIC TAP 24STS**  
 adjustment temperature 120-320°C  
 connections M20x1.5 mm  
 thermocouple connection M9x1  
 bulb ø 6x100 mm  
 capillary length 1200 mm  
 D-shaped pin ø 10x8 mm



ALPENINOX 026335

**3348038 OLIVE FOR PIPE ø 10 mm**  
 for model PEL 22-24-25



ALPENINOX 052128

**3020082 OLIVE FOR PIPE ø 12 mm**  
 for model PEL 22-24-25



ALPENINOX 004374  
 ALPENINOX 054979

ALPENINOX 027478

**3348037 OLIVE FOR PIPE ø 6 mm**  
 for model PEL 21-22-24-25




ALPENINOX 020992

**3348043 PIPE FITTING ø 10 mm**  
 thread M16x1.5 mm  
 for model PEL 20-21-24-25



ALPENINOX 0A2125

**3348068 FITTING ø 10 mm LH**  
 thread ø 3/8" M



**3348044 OLIVE FOR PIPE ø 10 mm**  
 for model PEL 20-21-24-25




ALPENINOX 060325

**3348036 OLIVE FOR PIPE ø 4 mm**  
 for model PEL 21-22-24-25



ALPENINOX 052127

**3348031 PIPE FITTING ø 10 mm**  
 thread M20x1.5 mm  
 for model PEL 22-24-25



ALPENINOX 052124

**3348032 PIPE FITTING ø 12 mm**  
 thread M20x1.5 mm  
 for model PEL 22-24-25



ALPENINOX 050670



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




# ALPENINOX




Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

**3345005** THERMOSTATIC TAP 25ST  
adjustment temperature 140-300°C  
connections M16x1.5 mm  
thermocouple connection M8x1  
bulb  $\varnothing$  6x120 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  8x6.5 mm



ALPENINOX 006597

**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



ALPENINOX 060325

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



ALPENINOX 052127

**3348038** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 22-24-25



ALPENINOX 052128

**3020082** OLIVE FOR PIPE  $\varnothing$  12 mm  
for model PEL 22-24-25



ALPENINOX 004374  
ALPENINOX 054979

ALPENINOX 027478

ALPENINOX 050682

**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25



ALPENINOX 020992



Suitable for:

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 052124

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ALPENINOX 050670

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ALPENINOX 052125

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# ALPENINOX



Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25




ALPENINOX 0A2125

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ALPENINOX 046755

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ALPENINOX 003859

---

## Thermostats


---

**3444279** BULB HOLDING CLIP  
for heating element thermostat  
for pipe  $\varnothing$  9 mm - for bulb  $\varnothing$  6 mm



ALPENINOX 066823

**3744084** BULB HOLDING CLIP  
for heating element thermostat  
for pipe  $\varnothing$  17x6 mm - for bulb  $\varnothing$  6 mm



ALPENINOX 0H6907

---



Suitable for:

**3444579 BULB HOLDING CLIP  $\varnothing$  8.5 mm**  
for heating element thermostat



ALPENINOX 052262

Suitable for:

**4006098 GASKET STUFFING GLAND  $\varnothing$  8 mm m**  
height 8 mm for thermostat EGO



ALPENINOX 006098

**3444124 PROTECTION CAP**  
for safety thermostat  
for THERMOSTAT EGO



ALPENINOX 0A2187

**3744061 SINGLE-PHASE THERMOSTAT 125°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x150 mm




ALPENINOX 0K0673

**3444352 SINGLE-PHASE THERMOSTAT 130°C**  
with manual reset  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x129 mm




ALPENINOX 004912

**3444476 SINGLE-PHASE THERMOSTAT 170°C**  
2 contacts  
covered capillary length 560 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm



ALPENINOX 031482

**3444670 SINGLE-PHASE THERMOSTAT 190°C**  
with manual reset  
capillary length 350 mm - 16A 250V  
bulb  $\varnothing$  3.1x178 mm - with adapter nipple bland M9x1




ALPENINOX 0H6142

**3444554 SINGLE-PHASE THERMOSTAT 216°C**  
with automatic reset  
covered capillary length 1250 mm  
bulb  $\varnothing$  6x80 mm



ALPENINOX 0C1000

**3444026 SINGLE-PHASE THERMOSTAT 220°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm



ALPENINOX 057347

**3444080 SINGLE-PHASE THERMOSTAT 220°C**  
with manual reset  
covered capillary length 2020 mm - 16A 250V  
bulb  $\varnothing$  6x133 mm




ALPENINOX 0A2011





Suitable for:


**3444483 SINGLE-PHASE THERMOSTAT 230°C**  
with manual reset  
capillary length 900 mm - 0.5A 12V  
bulb  $\varnothing$  6x87 mm



ALPENINOX 0C4279


Suitable for:

**3444377 SINGLE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm - with adapter nipple bland M10x1



ALPENINOX 003121

**3744065 SINGLE-PHASE THERMOSTAT 240°C**  
with manual reset  
double bulb  
covered capillary length 2000 mm  
bulb  $\varnothing$  6x135 mm




ALPENINOX 059559

**3444124 PROTECTION CAP**  
for safety thermostat  
for THERMOSTAT EGO




ALPENINOX 0A2187

**3444684 SINGLE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  6x90 mm




ALPENINOX 005931

**40C0999 SINGLE-PHASE THERMOSTAT 268°C**  
with automatic reset  
capillary length covered 1250 mm  
bulb  $\varnothing$  6x78 mm




ALPENINOX 0C0999

**3444489 SINGLE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x125 mm



ALPENINOX 0A2018

**3444019 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm



ALPENINOX 003262

ALPENINOX 051920




Suitable for:

# ALPENINOX




**4031247 SINGLE-PHASE THERMOSTAT 30-92°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm  
 bulb  $\varnothing$  6x130 mm



ALPENINOX 031247

**3444266 SINGLE-PHASE THERMOSTAT 338°C**  
 with manual reset  
 covered capillary length 830 mm - 16A 250V  
 button bulb  $\varnothing$  14x10 mm



ALPENINOX 002730

**3444312 SINGLE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 capillary length covered 1500 mm - 16A 250V  
 bulb  $\varnothing$  4x110 mm




ALPENINOX 003594

ALPENINOX 053980


ALPENINOX 057442

**40H9835 SINGLE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 capillary length covered 1430 mm  
 bulb  $\varnothing$  4x111 mm




ALPENINOX 0H9835

**3444391 SINGLE-PHASE THERMOSTAT 45-170°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm  
 bulb  $\varnothing$  3x220 mm




ALPENINOX 031480

**3444477 SINGLE-PHASE THERMOSTAT 50-260°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1270 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm



ALPENINOX 002109

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



ALPENINOX 029918

ALPENINOX 057937

**3444176 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm



ALPENINOX 051360



Suitable for:


**3444305 SINGLE-PHASE THERMOSTAT 50-500°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm



ALPENINOX 056701

Suitable for:

**40K6908 SINGLE-PHASE THERMOSTAT 54-324°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm  
 bulb  $\varnothing$  3x145 mm



ALPENINOX 0K6908

**3444438 SINGLE-PHASE THERMOSTAT 90-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 0.5A 12V  
 bulb  $\varnothing$  4x230 mm



ALPENINOX 0G2351

ALPENINOX 002602

**3444031 SINGLE-PHASE THERMOSTAT 90-185°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2500 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm




ALPENINOX 003049

ALPENINOX 052300


ALPENINOX 052330

**3444032 SINGLE-PHASE THERMOSTAT 90-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm



ALPENINOX 050412

**3444376 SINGLE-PHASE THERMOSTAT 95-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1




ALPENINOX 058163

**4059295 STUFF. GLAND THERMOSTAT M12x1**  
 $\varnothing$  hole 4 mm



ALPENINOX 059295

**3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1**



ALPENINOX 027061

**3444215 STUFFING GLAND FOR THERMOSTAT M12x1**  
 hole  $\varnothing$  6.3 mm



ALPENINOX 067899

**3744140 TERMOSTATO THREE-PHASE 360°C**  
 manual reset  
 covered capillary length 1490 mm  
 bulb  $\varnothing$  3x190 mm



ALPENINOX



Suitable for:


**3444348 THERMOSTAT SINGLE-PHASE TR2 235°C**  
with manual reset  
capillary length 1000 mm - 15A 250V  
bulb  $\varnothing$  5x100 mm



ALPENINOX 053012

Suitable for:

**40K0662 THERMOSTAT SINGLE-PHASE 100-470°C**  
complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1100 mm  
bulb  $\varnothing$  4x225 mm



ALPENINOX 0K0662

**40K8105 THERMOSTAT SINGLE-PHASE 145°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x78 mm - with stuffing gland fitting M9x1  
with tank sealing coupling complete M12x1



ALPENINOX 0K8105

**3444239 THERMOSTAT SINGLE-PHASE 240°C**  
with manual reset  
covered capillary length 860 mm - 16A 250V  
bulb  $\varnothing$  6x77 mm - with stuffing gland fitting M10x1  
with M9x1 thermocouple interruption fitting



ALPENINOX 058164

**3444018 THERMOSTAT SINGLE-PHASE 30-90°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  6x175 mm




ALPENINOX 051142

**3444560 THERMOSTAT SINGLE-PHASE 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
length capillary 1450 mm - 23A 400V  
bulb  $\varnothing$  6x100 mm




ALPENINOX 033716

**4031379 THERMOSTAT SINGLE-PHASE 55°C**  
with automatic reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x135 mm



ALPENINOX 031379

**40KW841 THERMOSTAT THREE-PHASE 109-190°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1800 mm - 16A 400V  
bulb  $\varnothing$  4x160 mm




ALPENINOX 0KW841



Suitable for:

**40M2160 THERMOSTAT THREE-PHASE 120-206°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1780 mm - 10A 400V  
 bulb  $\varnothing$  4x160 mm



ALPENINOX 0M2160


Suitable for:

**3444221 THERMOSTAT THREE-PHASE 140°C**  
 with manual reset  
 covered capillary length 1000 mm - 10A 400V  
 bulb  $\varnothing$  6x175 mm



ALPENINOX 051644

**3444331 THERMOSTAT THREE-PHASE 140°C**  
 with manual reset  
 covered capillary length 900 mm - 20A 400V  
 bulb  $\varnothing$  6x88 mm  
 for boiler



ALPENINOX 004862

ALPENINOX 059079

**40C2983 THERMOSTAT THREE-PHASE 140°C**  
 with manual reset  
 capillary length covered 890 mm - 20A 380V  
 bulb  $\varnothing$  6x87 mm




ALPENINOX 0C2983

**40K5117 THERMOSTAT THREE-PHASE 275°C**  
 with manual reset  
 capillary length covered 940 mm  
 bulb  $\varnothing$  6x158 mm



ALPENINOX 0K5117

**3744150 THERMOSTAT THREE-PHASE 282°C**  
 with manual reset  
 capillary length covered 1750 mm  
 bulb  $\varnothing$  4x160 mm



ALPENINOX 0KL448


ALPENINOX 0M2159

**40K1686 THERMOSTAT THREE-PHASE 295°C**  
 with manual reset  
 capillary length covered 1770 mm - 10A 400V  
 bulb  $\varnothing$  4x128 mm



ALPENINOX 0K1686

**2105238 THERMOSTAT THREE-PHASE 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 3000 mm - 10A 400V  
 bulb  $\varnothing$  6x140 mm



ALPENINOX 0M0723



Suitable for:

# ALPENINOX



**40K5022 THERMOSTAT THREE-PHASE 50-300°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 2260 mm - 10A 400V  
 bulb  $\varnothing$  4x292 mm



ALPENINOX 0K5022

**40G2760 THERMOSTAT THREE-PHASE 60-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1200 mm - 10A 400V  
 bulb  $\varnothing$  4x235 mm - with stuffing gland fitting M9x1




ALPENINOX 0G2760

**3444078 THREE-PHASE THERMOSTAT 100-175°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2000 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm  
 for Fryer (ALPENINOX) - Series 700 - Series 900



ALPENINOX 0A2003

**3444040 THREE-PHASE THERMOSTAT 100-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1150 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm



ALPENINOX 052916

**3744062 THREE-PHASE THERMOSTAT 100-350°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1470 mm - 16A 400V  
 bulb  $\varnothing$  6x75 mm



ALPENINOX 0M0725

**40G2529 THREE-PHASE THERMOSTAT 100-470°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1120 mm  
 bulb  $\varnothing$  4x228 mm




ALPENINOX 0G2529

**3444028 THREE-PHASE THERMOSTAT 105-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2800 mm - 10A 400V  
 bulb  $\varnothing$  4x235 mm



ALPENINOX 004925

**3444443 THREE-PHASE THERMOSTAT 115-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1150 mm - 10A 400V  
 bulb  $\varnothing$  3x144 mm



ALPENINOX 004363

ALPENINOX 051361


ALPENINOX 054931





Suitable for:

**40K4856** **THREE-PHASE THERMOSTAT 130°C**  
with manual reset  
capillary length covered 900 mm  
bulb  $\varnothing$  6x74 mm



ALPENINOX 0K4856

Suitable for:

**3444567** **THREE-PHASE THERMOSTAT 145°C**  
with manual reset  
capillary length 1750 mm - 16A 230V  
bulb  $\varnothing$  3.1x180 mm - with adapter nipple band M9x1



ALPENINOX 0H6219

**3444024** **THREE-PHASE THERMOSTAT 160°C**  
with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x175 mm




ALPENINOX 051637

**3444442** **THREE-PHASE THERMOSTAT 170°C**  
with manual reset  
covered capillary 880 mm  
bulb  $\varnothing$  6x78 mm



ALPENINOX 005295

**3444556** **THREE-PHASE THERMOSTAT 170°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x87 mm



ALPENINOX 004742

**40K5143** **THREE-PHASE THERMOSTAT 180°C**  
with manual reset  
capillary length 1200 mm  
bulb  $\varnothing$  4x165 mm



ALPENINOX 0K5143

**3444079** **THREE-PHASE THERMOSTAT 220°C**  
with manual reset  
covered capillary length 1790 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



ALPENINOX 0A2204

**3444323** **THREE-PHASE THERMOSTAT 225°C**  
with manual reset  
covered capillary length 950 mm - 20A 380V  
bulb  $\varnothing$  6x155 mm




ALPENINOX 059552

**3444035** **THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 2600 mm - 10A 400V  
bulb  $\varnothing$  6x240 mm



ALPENINOX 051369

**3444143** **THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 1600 mm - 10A 400V  
bulb  $\varnothing$  6x85 mm



ALPENINOX 0A5435



Suitable for:

# ALPENINOX



**3444036** **THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x160 mm




ALPENINOX 052331

**3444368** **THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm




ALPENINOX 004951

**3444436** **THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 2700 mm - 20A 400V  
bulb  $\varnothing$  6x90 mm



ALPENINOX 004472

**3444439** **THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  6x80 mm




ALPENINOX 006282

**3444437** **THREE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 2500 mm - 20A 380V  
bulb  $\varnothing$  6x240 mm




ALPENINOX 054932

**3444444** **THREE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x90 mm




ALPENINOX 005941

**3444557** **THREE-PHASE THERMOSTAT 270°C**  
with manual reset  
covered capillary length 870 mm - 20A 400V  
bulb  $\varnothing$  6x78 mm



ALPENINOX 006307

**40K4964** **THREE-PHASE THERMOSTAT 275°C**  
with manual reset  
covered capillary length 1470 mm  
bulb 4x157 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



ALPENINOX 0K4964

Suitable for:


**3444575 THREE-PHASE THERMOSTAT 285°C**  
with manual reset  
covered capillary 940 mm - 20A 380V  
bulb  $\varnothing$  6x157 mm



ALPENINOX 053183


Suitable for:

**3444351 THREE-PHASE THERMOSTAT 295°C**  
with manual reset  
covered capillary 1800 mm - 10A 400V  
bulb  $\varnothing$  4x125 mm - 10A 400V  
for TECNOINOX OVEN  
for EMMEPI OVEN 900-750-700-650 - FRY TOP 900-750




ALPENINOX 004921

**40G2825 THREE-PHASE THERMOSTAT 295°C**  
with manual reset  
capillary length covered 900 mm  
bulb  $\varnothing$  6x78 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



ALPENINOX 0G2825

**3444076 THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



ALPENINOX 0A2237  
ALPENINOX 025468

ALPENINOX 0H6220  
ALPENINOX 032858


ALPENINOX 0H6228

**3444088 THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x140 mm - with stuffing gland fitting M9x1



ALPENINOX 004911


**3444067 THREE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



ALPENINOX 052000

ALPENINOX 057237

**3444703 THREE-PHASE THERMOSTAT 315°C**  
with manual reset  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1



ALPENINOX 0H6215

**7113944 THREE-PHASE THERMOSTAT 330°C**  
with manual reset  
capillary length covered 880 mm  
bulb  $\varnothing$  6x78 mm



ALPENINOX 0C8686



Suitable for:

# ALPENINOX



**3444025** **THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x160 mm



ALPENINOX 051454

ALPENINOX 051643

**3444354** **THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
capillary length coated 950 mm - 10A 400V  
bulb  $\varnothing$  3x190 mm



ALPENINOX 0H6134


ALPENINOX 004919

**3444445** **THREE-PHASE THERMOSTAT 350°C**  
with automatic reset  
capillary length covered 900 mm - 16A 380V  
bulb  $\varnothing$  3x190 mm




ALPENINOX 0C0270

**3444306** **THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x120 mm



ALPENINOX 004269

**3444574** **THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 1200 mm - 20A 400V  
bulb  $\varnothing$  6x79 mm



ALPENINOX 004600

**3444251** **THREE-PHASE THERMOSTAT 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 10A 400V  
bulb  $\varnothing$  3x220 mm



ALPENINOX 004917


ALPENINOX 059235

**3444435** **THREE-PHASE THERMOSTAT 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 16A 380V  
bulb  $\varnothing$  2.5x330 mm



ALPENINOX 055996

**3444561** **THREE-PHASE THERMOSTAT 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1740 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm



ALPENINOX 0H6217

**3444052** **THREE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm



ALPENINOX 0A2206

ALPENINOX 0A2236

**3444033** **THREE-PHASE THERMOSTAT 60-165°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 10A 400V  
bulb  $\varnothing$  8x115 mm - with stuffing gland fitting M14x



ALPENINOX 026860



Suitable for:

**3444559 THREE-PHASE THERMOSTAT 60-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1200 mm - 16A 250V  
 bulb  $\varnothing$  4x229 mm



ALPENINOX 005940

Suitable for:

**3444044 THREE-PHASE THERMOSTAT 60-260°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 10A 400V  
 bulb  $\varnothing$  4x130 mm




ALPENINOX 051362

**3444038 THREE-PHASE THERMOSTAT 60-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 10A 400V  
 bulb  $\varnothing$  4x130 mm



ALPENINOX 052099

**40K5034 THREE-PHASE THERMOSTAT 60-350°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 880 mm  
 bulb  $\varnothing$  4x128 mm



ALPENINOX 0K5034

**3057050 CONNECTING BRACKET 28x21x16 mm**  
 distance between hooking brackets 27 mm  
 f/connection between selector switch and thermost.




ALPENINOX 0A2205  
 ALPENINOX 054376

ALPENINOX 0KT779

ALPENINOX 006712

**3057177 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Fry top (ALPENINOX)  
 for Fryer (ALPENINOX)  
 for Oven under cooktop (ALPENINOX)



ALPENINOX 0A2134

ALPENINOX 0H6605

ALPENINOX 004908

**3444752 THREE-PHASE THERMOSTAT 30-350°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 880 mm - 16A 230V  
 bulb  $\varnothing$  4x128 mm





Suitable for:

# ALPENINOX



**5069818 THREE-PHASE THERMOSTAT 62-550°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1120 mm  
 bulb  $\varnothing$  4x228 mm



ALPENINOX 0C4278


Suitable for:

**3444166 THREE-PHASE THERMOSTAT 95-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1800 mm - 10A 400V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple bland M9x1  
 with complete tank coupling M12x1



ALPENINOX 0H6233

**3444570 THREE-PHASE THERMOSTAT 95-230°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1250 mm  
 bulb  $\varnothing$  4x128 mm



ALPENINOX 0C7528


ALPENINOX 002402

**3444621 WASHER FOR CAPILLARY THERMOSTAT**  
 $\varnothing$  7.7 mm



ALPENINOX 0KL815

**3444695 3-PHASE THERMOSTAT 160°C**  
 with manual reset  
 covered capillary length 900 mm - 20A 380V  
 bulb  $\varnothing$  6x89 mm - with stuffing gland fitting M10x1



ALPENINOX 005815

## Timers

**4002476 TIMER OMRON H3CR-A8 48Vac**  
 programmable time scale from 1,2s to 300h



ALPENINOX 002476

**3446065 TIMER R12B52209VA 220Vac**  
 programmable time scale from 0-12s to 0-120h



ALPENINOX 054504






Suitable for:

Suitable for:

**3446001 TIMER 120 MINUTES**  
 complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 manual left hand positioning possible  
 120 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 003432  
 ALPENINOX 057936


ALPENINOX 029920

ALPENINOX 053817

**3446005 BLACK KNOB ABS 38x38 mm**  
 D-shaped hole  $\varnothing$  6x4.6 mm  
 for timer



**3446004 TIMER 120 MINUTES**  
 complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 manual left hand positioning possible  
 120 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 003431

**3446005 BLACK KNOB ABS 38x38 mm**  
 D-shaped hole  $\varnothing$  6x4.6 mm  
 for timer




**3446104 TIMER 60 MINUTES M2**  
 manually set mechanical timer  
 manually set cycle 60 minutes  
 2 poles with contact capacity 16(4)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ALPENINOX 0H6684


**3241161 BLACK KNOB  $\varnothing$  40 mm**  
 D-shaped hole 6x4.6 mm



**3241173 BLACK KNOB  $\varnothing$  44 mm**  
 D-shaped hole 6x4.6 mm



**3241174 BLACK KNOB  $\varnothing$  44 mm**  
 D-shaped hole 6x4.6 mm





Suitable for:

**3446146 DIAL FOR TIMER**  
0-60 minutes



# ALPENINOX



Suitable for:

## Tools


**3394038 GROOVED FRY TOP SCRAPER**



ALPENINOX 0CB172

ALPENINOX 056940

**3394408 SCRAPER BLADE 102 mm - 10 PCS**



ALPENINOX 0C2519

ALPENINOX 056347

**3394406 SCRAPER FRY TOP AND BRATT PAN**  
with 1 blade 102 mm



ALPENINOX 055995

**3394408 SCRAPER BLADE 102 mm - 10 PCS**



ALPENINOX 0C2519

ALPENINOX 056347

## Transformers

**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



ALPENINOX 0A2269

ALPENINOX 004120

ALPENINOX 082378

ALPENINOX 083833

## Tubing and hoses

**3450124 DRAIN PIPE 720 mm**  
external  $\varnothing$  40 mm - internal  $\varnothing$  30 mm



ALPENINOX 056888



## Washing showers

**3359610 BLACK SHOWER HEAD ECO  $\varnothing$  1/2" M**  
with coupling 3/8" Mx1/2" M



ALPENINOX 003175


## Wheels and accessories

**3522015 ARTICULATION FOR SCREW 82x74 mm**



ALPENINOX 051294

**40C4332 BEARING SUPPORT  $\varnothing$  60x15 mm**



ALPENINOX 0C4332

**40C7408 BUSHING FOR SCREW SUPPORT  $\varnothing$  22/18x9 mm**



ALPENINOX 0C7408


**4006841 CLASP KIT  $\varnothing$  4x24 mm - 25 PCS**



ALPENINOX 0Q0013


ALPENINOX 006841

**40C8518 DUCT PULLEY  $\varnothing$  45/36x27 mm**



ALPENINOX 0C8518

**40C1438 EXTENSION FOR HANDLE AND WHEEL**  
dimensions  $\varnothing$  25/16x120 mm



ALPENINOX 0C1438

**3522030 EXTENSION FOR PAN  $\varnothing$  20/16x120 mm**



ALPENINOX 002355

**40C7563 EXTENSION FOR PAN  $\varnothing$  20/16x55 mm**



ALPENINOX 0C7563




# ALPENINOX



Suitable for:

**3522003 HANDWHEEL  $\varnothing$  175 mm**  
central hole  $\varnothing$  20 mm



ALPENINOX 052392

Suitable for:

**3522004 WHEEL HANDLE  $\varnothing$  28x110 mm**  
thread M6



ALPENINOX 052393

**3522018 PIN FOR TILTING SCREW  $\varnothing$  9.5x24.5mm**



ALPENINOX 051365

**3522019 RING FOR SCREW  $\varnothing$  27x32 mm**



ALPENINOX 051277

**3522020 RING NUT FOR SCREW  $\varnothing$  27x20x15 mm**



ALPENINOX 051276

**3522010 SCREW BEARING 6004 LD1**  
extern.  $\varnothing$  42 mm - intern.  $\varnothing$  20 mm - thickn. 12 mm



ALPENINOX 051298

**3522028 SCREW FOR PAN  $\varnothing$  12x20 mm**  
thread M8



ALPENINOX 0A5163

**4004362 SCREW NUT FOR BRATT PAN  $\varnothing$  40x40 mm**



ALPENINOX 004362

**3522049 SCREW NUT FOR BRATT PAN  $\varnothing$  40x60 mm**



ALPENINOX 0C0675

**3522024 SCREW NUT FOR BRATT PAN  $\varnothing$  46x66 mm**



ALPENINOX 0A5155

**40C0672 SCREW NUT SUPPORT  $\varnothing$  60x21 mm**



ALPENINOX 0C0672

**40C2169 SCREW NUT SUPPORT  $\varnothing$  60x21 mm**



ALPENINOX 0C2169

Suitable for:


**3522014 SCREW SUPPORT  $\varnothing$  58x33 mm**



ALPENINOX 051265


Suitable for:

**40C7798 SCREW SUPPORT  $\varnothing$  60/43x36 mm**



ALPENINOX 0C7798

**3522021 SCROLL FOR SCREW  $\varnothing$  40x40 mm**



ALPENINOX 051264

**3002009 SEEGER RING J-35**  
in zinc plated iron alloy -  $\varnothing$  extern 37.8 mm  
UNI 7437 - DIN 472



ALPENINOX 0A2592

**4006241 SUPPORT SCREW NUT  $\varnothing$  60x18 mm**



ALPENINOX 006241

**3522035 TILTING SCREW  $\varnothing$  20 mm**  
overall length 615 mm



ALPENINOX 002314

ALPENINOX 002731

**3522009 TILTING SCREW  $\varnothing$  20 mm**  
total length 885 mm



ALPENINOX 002136

**40C0674 TILTING SCREW  $\varnothing$  20 mm**  
overall length 525 mm



ALPENINOX 0C0674

**40C1641 TILTING SCREW  $\varnothing$  20 mm**  
overall length 512 mm



ALPENINOX 0C1641

**40C7891 TILTING SCREW  $\varnothing$  20 mm**  
overall length 368 mm



ALPENINOX 0C7891

**4004361 TILTING SCREW  $\varnothing$  20 mm**  
overall length 632 mm



ALPENINOX 004361

**40C0673 WASHER OF PTFE  $\varnothing$  20x11x2 mm**



ALPENINOX 0C0673



Suitable for:

# ALPENINOX




**3522006 WHEEL  $\varnothing$  158 mm**  
central hole  $\varnothing$  16 mm  
complete with folding handle



ALPENINOX 0A5164

ALPENINOX 0CA760

**5024457 BEARING SUPPORT**  
dimensions 69x70 mm -  $\varnothing$  pin 14 mm



**1063911 BEARING 6202 ZZ NSK**  
external  $\varnothing$  35 mm - internal  $\varnothing$  15 mm - thickness 11 mm



ALPENINOX 056820

**40C7408 BUSHING FOR SCREW SUPPORT  $\varnothing$  22/18x9 mm**



ALPENINOX 0C7408

**4006841 CLASP KIT  $\varnothing$  4x24 mm - 25 PCS**



ALPENINOX 0Q0013


ALPENINOX 006841

**5013368 ELASTIC CLASP  $\varnothing$  5x30 mm**




Suitable for:

**3522015 ARTICULATION FOR SCREW 82x74 mm**



ALPENINOX 051294

**40C4332 BEARING SUPPORT  $\varnothing$  60x15 mm**



ALPENINOX 0C4332

**1063901 BEARING 6204 DDU NSK**  
external  $\varnothing$  47mm - internal  $\varnothing$  20mm - thickness 14mm



ALPENINOX 0KQ395

ALPENINOX 045726


ALPENINOX 065048

**40C2170 CLASP  $\varnothing$  4x36 mm**




ALPENINOX 0C2170

**40C8518 DUCT PULLEY  $\varnothing$  45/36x27 mm**



ALPENINOX 0C8518

**40C1438 EXTENSION FOR HANDLE AND WHEEL**  
dimensions  $\varnothing$  25/16x120 mm



ALPENINOX 0C1438





Suitable for:

**3522030 EXTENSION FOR PAN  $\varnothing$  20/16x120 mm**



ALPENINOX 002355

**3522018 PIN FOR TILTING SCREW  $\varnothing$  9.5x24.5mm**



ALPENINOX 051365

**3522020 RING NUT FOR SCREW  $\varnothing$  27x20x15 mm**



ALPENINOX 051276

**3522028 SCREW FOR PAN  $\varnothing$  12x20 mm  
thread M8**



ALPENINOX 0A5163

**5015525 SCREW NUT FOR BRATT PAN**  
dimensions 40x40x39 mm - right hand thread  
thread M20x2.5 mm -  $\varnothing$  pin 20 mm



**3522049 SCREW NUT FOR BRATT PAN  $\varnothing$  40x60 mm**



ALPENINOX 0C0675

# ALPENINOX



Suitable for:

**40C7563 EXTENSION FOR PAN  $\varnothing$  20/16x55 mm**



ALPENINOX 0C7563

**3522019 RING FOR SCREW  $\varnothing$  27x32 mm**



ALPENINOX 051277

**3522010 SCREW BEARING 6004 LD1**  
extern.  $\varnothing$  42 mm - intern.  $\varnothing$  20 mm - thickn. 12 mm




ALPENINOX 051298

**3522012 SCREW NO HEAD WITH HEXAGON SOCKET M8x10**  
burnished iron alloy - cone end  
UNI 5927 - DIN 914 - ISO 4027




**4004362 SCREW NUT FOR BRATT PAN  $\varnothing$  40x40 mm**



ALPENINOX 004362

**3522024 SCREW NUT FOR BRATT PAN  $\varnothing$  46x66 mm**



ALPENINOX 0A5155



Suitable for:

**5015528 SCREW NUT FOR BRATT PAN VALVE**  
dimensions 40x40x39 mm - left thread  
thread M20x2.5 mm - ø pin 20 mm




# ALPENINOX



Suitable for:

**40C0672 SCREW NUT SUPPORT ø 60x21 mm**



**40C2169 SCREW NUT SUPPORT ø 60x21 mm**



ALPENINOX 0C0672

**3522014 SCREW SUPPORT ø 58x33 mm**



ALPENINOX 0C2169

**40C7798 SCREW SUPPORT ø 60/43x36 mm**



ALPENINOX 051265

**3522021 SCROLL FOR SCREW ø 40x40 mm**




ALPENINOX 0C7798

**3002009 SEEGER RING J-35**  
in zinc plated iron alloy - ø extern 37.8 mm  
UNI 7437 - DIN 472



ALPENINOX 051264

**4006241 SUPPORT SCREW NUT ø 60x18 mm**



ALPENINOX 0A2592

**3522023 THRUST BEARING 51102**  
external ø 28 mm - internal ø 15 mm - thic kn.9 mm



ALPENINOX 006241

**5013366 THRUST BEARING 51203**  
ø external 35 mm - ø internal 17 mm - depth 12 mm



ALPENINOX 056821

**3522035 TILTING SCREW ø 20 mm**  
overall length 615 mm



**3522009 TILTING SCREW ø 20 mm**  
total length 885 mm



ALPENINOX 002314

ALPENINOX 002731

ALPENINOX 002136



Suitable for:

**40C0674 TILTING SCREW  $\varnothing$  20 mm**  
overall length 525 mm



ALPENINOX 0C0674

**40C7891 TILTING SCREW  $\varnothing$  20 mm**  
overall length 368 mm



ALPENINOX 0C7891

**40C0673 WASHER OF PTFE  $\varnothing$  20x11x2 mm**



ALPENINOX 0C0673

**3522041 WHEEL  $\varnothing$  160 mm**  
middle hole  $\varnothing$  14 mm  
complete with folding handle



ALPENINOX

**3522011 WHEEL  $\varnothing$  200 mm**  
central hole  $\varnothing$  20 mm  
with folding handle



ALPENINOX 0H6471

# ALPENINOX



Suitable for:

**40C1641 TILTING SCREW  $\varnothing$  20 mm**  
overall length 512 mm



ALPENINOX 0C1641

**4004361 TILTING SCREW  $\varnothing$  20 mm**  
overall length 632 mm



ALPENINOX 004361

**40C3800 WHEEL HANDLE  $\varnothing$  23x65 mm**  
thread M6



ALPENINOX 0C3800

**5025636 CYLINDER HEAD SCREW M6x40**  
stainless steel - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762





Suitable for:

**9528001** **HEXAGON HEAD SCREW M10x25**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



**5023881** **HINGE BUSH  $\varnothing$  20x15x10 mm**



**3522034** **PAN SHAFT BUSHING  $\varnothing$  35/28x20 mm**



**5023880** **ROTATORY SUPPORT FOR SHAFT**  
external dimensions 40x40x35 mm  
pin  $\varnothing$  14 mm



**3522012** **SCREW NO HEAD WITH HEXAGON SOCKET M8x10**  
burnished iron alloy - cone end  
UNI 5927 - DIN 914 - ISO 4027



**5015528** **SCREW NUT FOR BRATT PAN VALVE**  
dimensions 40x40x39 mm - left thread  
thread M20x2.5 mm -  $\varnothing$  pin 20 mm



# ALPENINOX



Suitable for:

**3528111** **HEXAGONAL HEAD SCREW M6x10**  
st./steel - UNI 5739 - DIN 933 - ISO 4017




**1528030** **MID HEXAGONAL NUT M6**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032




ALPENINOX OK4516

**5023879** **RING FOR SCREW  $\varnothing$  30x45 mm**




**5023883** **ROTATORY SUPPORT FOR SHAFT**  
dimensions 85x60x30 mm  
internal hole  $\varnothing$  33 mm



**5015525** **SCREW NUT FOR BRATT PAN**  
dimensions 40x40x39 mm - right hand thread  
thread M20x2.5 mm -  $\varnothing$  pin 20 mm



**3522033** **SCREW NUT FOR VITON BRATT PAN**  
dimensions 40x40x39 mm - right thread  
thread TR20x4 mm -  $\varnothing$  pin 20 mm





Suitable for:

**5079973 SHAFT FOR WHEEL  $\varnothing$  40/32/20x278 mm**



# ALPENINOX



Suitable for:

**5023882 SHAFT FOR WHEEL  $\varnothing$  32/20x165 mm**



**1186444 SPIRAL WASHER ELASTIC M6**  
internal/external  $\varnothing$  6.4/11.4 mm - thickness 3.2 mm  
in zinc plated iron alloy - UNI 1751 - DIN 127 B



**5016107 SUPPORT SLEEVE FOR TILTING SHAFT**  
external  $\varnothing$  34 mm - internal  $\varnothing$  28 mm  
base 90x85 mm - overall height 90 mm



**3063032 THRUST BEARING 51204**  
 $\varnothing$  external 40 mm -  $\varnothing$  internal 20 mm - depth 14 mm



**3522031 TILTING SCREW**  
made of chrome-plated iron  
overall length 915 mm  
threaded part length 330 mm  
with articulation



**3522008 TILTING SCREW  $\varnothing$  24 mm**  
total length 915 mm




**5049194 TILTING SCREW  $\varnothing$  26 mm**  
overall length 625 mm



**3522004 WHEEL HANDLE  $\varnothing$  28x110 mm**  
thread M6



**3522046 WHEEL HANDLE  $\varnothing$  28x110 mm**  
thread M6



ALPENINOX 052393

**5032679 WHEEL SHAFT  $\varnothing$  35/20x205 mm**





Suitable for:

# ALPENINOX



**3522029 WHEEL HANDLE**  
pin hole  $\varnothing$  16 mm - length 80 mm  
with BAKELITE handle



ALPENINOX 002276

Suitable for:  
**40C1438 EXTENSION FOR HANDLE AND WHEEL**  
dimensions  $\varnothing$  25/16x120 mm



ALPENINOX 0C1438

**40C3800 WHEEL HANDLE  $\varnothing$  23x65 mm**  
thread M6



ALPENINOX 0C3800

**3522004 WHEEL HANDLE  $\varnothing$  28x110 mm**  
thread M6



ALPENINOX 052393


## Wire pan supports

**3354002 REDUCER FOR MOKA POT 100x340 mm**  
made of chrome-plated iron  
for old series  
for Pot stove (ALPENINOX) - Series 900



ALPENINOX 0A2000

**3354001 REDUCER FOR MOKA POT 265x265 mm**  
in stainless steel



ALPENINOX 025056



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
**Legal address:**  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
**Business/Mailing address:**  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)