



Spare parts for the professional sector:
Cooking equipment



Suitable for:

AMBACH



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

AMBACH



Suitable for:

Air regulators

3025216 AERATION REGULATOR
internal \varnothing 40 mm - external \varnothing 45 mm
height 40 mm



AMBACH 3028604319

5051399 AERATION REGULATOR
internal \varnothing 30 mm - external \varnothing 35 mm
height 30 mm



AMBACH 5028614258

Bulb sheathes

5026665 THERMOSTAT SHEATH M10x1 mm
bulb length 110 mm



AMBACH 3500514647

AMBACH 3500538802

5026666 THERMOSTAT SHEATH M10x1 mm
bulb length 240 mm



AMBACH 3500514648

AMBACH 3500538801

Burners, flame spreaders and accessories

3025054 BURNER "C" \varnothing 75 mm



AMBACH 5016914265

3025270 BURNER "E" \varnothing 125 mm



AMBACH 5016914267

3025188 BURNER BASE \varnothing 65 mm



AMBACH 2016902026

3025212 BURNER BASE \varnothing 90 mm



AMBACH 2016905411

AMBACH 3516905411

3025266 BURNER CAP \varnothing 70 mm
for second series



AMBACH 5018709571

3025265 BURNER HEAD \varnothing 70 mm
for BOILING TOP model GRG70 second series



AMBACH 5016908861

AMBACH 5016909391



Suitable for:

3061011 O-RING SEAL 04375 EPDM
ring thickness 3.53 mm - internal \varnothing 94.84 mm



AMBACH 5017308860

3025268 BURNER CAP \varnothing 80 mm
for second series



AMBACH 5018709572

3061011 O-RING SEAL 04375 EPDM
ring thickness 3.53 mm - internal \varnothing 94.84 mm



AMBACH 5017308860

3025269 BURNER CAP "E" \varnothing 125 mm



AMBACH 5018714247

3025270 BURNER "E" \varnothing 125 mm



AMBACH 5016914267

3186347 GASKET FOR BURNER "C" "E"



AMBACH 5017314079

AMBACH



Suitable for:

3025267 BURNER HEAD \varnothing 80 mm
for second series



AMBACH 5016908863

AMBACH 5016909392

5051399 AERATION REGULATOR
internal \varnothing 30 mm - external \varnothing 35 mm
height 30 mm



AMBACH 5028614258

3025202 BURNER SUPPORT "C" "E"



AMBACH 5006314268

3250125 SPRING FOR VENTURI "C" "E"



AMBACH 5004714244



Suitable for:

3025059 VENTURI ELBOW "C" "E"



AMBACH 5050120709

AMBACH




Suitable for:

3025058 VENTURI TUBE "E" F/FLAME SPREADER 125 mm



AMBACH 5016914240

3025265 BURNER HEAD \varnothing 70 mm
for BOILING TOP model GRG70 second series



AMBACH 5016908861

AMBACH 5016909391


3025267 BURNER HEAD \varnothing 80 mm
for second series



AMBACH 5016908863

AMBACH 5016909392

3025202 BURNER SUPPORT "C" "E"



AMBACH 5006314268

3025147 FLAME SPREADER \varnothing 125 mm



AMBACH 5018705859

3025216 AERATION REGULATOR
internal \varnothing 40 mm - external \varnothing 45 mm
height 40 mm



AMBACH 3028604319

3025215 VENTURI F/FLAME SPREADER 125 mm



AMBACH 2000605351

AMBACH 3500605351

AMBACH 5000605351

3025144 FLAME SPREADER \varnothing 65 mm



AMBACH 3018703054

3025188 BURNER BASE \varnothing 65 mm



AMBACH 2016902026

Suitable for:


Suitable for:

3025145 FLAME SPREADER \varnothing 80 mm



AMBACH 3018702019

3025146 FLAME SPREADER \varnothing 90 mm



AMBACH 5018705710

3025212 BURNER BASE \varnothing 90 mm



AMBACH 2016905411

AMBACH 3516905411

3025216 AERATION REGULATOR
internal \varnothing 40 mm - external \varnothing 45 mm
height 40 mm



AMBACH 3028604319

3025213 VENTURI F/FLAME SPREADER 90 mm



AMBACH 2000605350

AMBACH 3500605350

AMBACH 5000605350

3025053 FLAME SPREADER "C" \varnothing 75 mm



AMBACH 5018714245

3025054 BURNER "C" \varnothing 75 mm



AMBACH 5016914265

3186347 GASKET FOR BURNER "C" "E"




AMBACH 5017314079

5051399 AERATION REGULATOR
internal \varnothing 30 mm - external \varnothing 35 mm
height 30 mm



AMBACH 5028614258

3025202 BURNER SUPPORT "C" "E"



AMBACH 5006314268

3250125 SPRING FOR VENTURI "C" "E"



AMBACH 5004714244



Suitable for:

3025186 VENTURI PIPE "C" F/FLAME SPREADER 75 mm

AMBACH

Suitable for:



AMBACH 5016914238

3250125 SPRING FOR VENTURI "C" "E"



AMBACH 5004714244

3025215 VENTURI F/FLAME SPREADER 125 mm



AMBACH 2000605351

AMBACH 3500605351

AMBACH 5000605351

3025059 VENTURI ELBOW "C" "E"



AMBACH 5050120709

3025213 VENTURI F/FLAME SPREADER 90 mm



AMBACH 2000605350

AMBACH 3500605350

AMBACH 5000605350

3025186 VENTURI PIPE "C" F/FLAME SPREADER 75 mm



AMBACH 5016914238

3025058 VENTURI TUBE "E" F/FLAME SPREADER 125 mm



AMBACH 5016914240

Buzzers

3392015 BUZZER INDICATOR 230V 50/60Hz
mounting hole \varnothing 22 mm



AMBACH AM5061140457



Cables for piezo igniters

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



AMBACH 5061003550

3001022 IGNITION LEAD 1200 mm
with faston terminal \varnothing 2.4 mm for ignition
with faston terminal \varnothing 4 mm for plug



AMBACH 5061005414

3001018 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



AMBACH 5061003549

Clamps

3449462 HOSE CLAMP 12-20
for pipes \varnothing 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



AMBACH 5028510569

Contact thermostats

1444206 CONTACT THERMOSTAT 145°C M4
with manual reset



AMBACH 5061633054



Suitable for:

AMBACH

Suitable for:



Contactors

5021314 AUXILIARY CONTACT AEG HS8K11


1 contact NO
1 contact NC



AMBACH 5061410718

3351209 CONTACTOR AEG LS05 9A 230V 4Kw

coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



3351260 AUXILIARY CONTACT AEG HS0501

10A
1 normally closed contact



AMBACH 5061411122

3351261 AUXILIARY CONTACT AEG HS0510

10A
1 normally open contact



3351220 CONTACTOR AEG LS11K 25A 400V 11Kw

coil 230V 50/60Hz
3 contacts NO
no auxiliary contact



AMBACH 5061407226

3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw

coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact



AMBACH 5061411123

5021314 AUXILIARY CONTACT AEG HS8K11

1 contact NO
1 contact NC



AMBACH 5061410718

Suitable for:

Suitable for:


5017931 PUSH-BUTTON THERM. 2-POLE WHITE 1A240V
mounting hole 21x44 mm



AMBACH 5060909759

Cooking baskets and accessories

5089845 FALSE BOTTOM 305x168x45 mm
made of stainless steel



AMBACH 3001618057

5021409 PASTA COOKER BASKET 285x140x230 mm
of STAINLESS STEEL



AMBACH 5020801593

AMBACH 5020826063

Drain hoses

5069700 DRAIN TAP FITTING \varnothing 1"MM-3/4" M
fitting height 80 mm



AMBACH 3500505416

Drain taps and accessories

5028318 BALL VALVE \varnothing 1" FF



AMBACH 5018007498

5017823 BLACK HANDLE \varnothing 62 mm
with index
round hole \varnothing 8 mm
for DRAIN VALVE



AMBACH 5022914521

5069700 DRAIN TAP FITTING \varnothing 1"MM-3/4" M
fitting height 80 mm



AMBACH 3500505416



Suitable for:

AMBACH



Suitable for:

3356173 DRAIN TAP \varnothing 1"1/2F
 complete with food grease tube
 GASKET SEAL
 fixed connection \varnothing 1"1/2F
 made of STAINLESS steel
 IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004
 FOODSAFE



AMBACH 5018007460

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



3356007 DRAIN TAP \varnothing 1"1/2F TECNO
 TAPERED SEAL - swivel nut \varnothing 1"1/2F
 with gasket
 for BOILING PAN



AMBACH 5018007363

AMBACH 5018013159

AMBACH 5018019217

3356162 \varnothing 1"1/2F DRAIN TAP REPAIR SET
 for drain tap



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature $-45^{\circ}/+120^{\circ}$
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to $+120^{\circ}\text{C}$
 from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily



3186240 ASBESTOS FREE FLAT GASKET \varnothing 46x38x2 mm
 for drain tap \varnothing 1"1/2





Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature -45°/+120°
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



3356128 PIN Ø 5x30 mm
 complete with blind nut



AMBACH



Suitable for:

3186199 GASKET INTERNAL EPDM FOR TAPS
 NSF certified
 for DRAIN TAP Ø 1"1/4 and 1"1/2



AMBACH 5017319224

3242189 HANDGRIP FOR DRAIN TAP
 for DRAIN TAP Ø 1"1/2F e 1"1/4F



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved





Suitable for:

3180039 VASELINE WUERTH 750 g

for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



AMBACH

Suitable for:



3356104 DRAIN TAP Ø 2" F TECNO
TAPERED SEALING - with swivel nut Ø 2" F



AMBACH 5018026767

3356012 ESCUTCHEON FOR DRAIN TAP Ø 2"



3242190 DRAIN TAP HANDGRIP
for DRAIN TAP Ø 2" OLD MODEL
AND FOR TECNO NEW MODEL



5029807 FITTING FOR DRAIN TAP Ø 2" MM
fitting height 155 mm



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm
for drain tap Ø 2"





Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature $-45^{\circ}/+120^{\circ}$
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



AMBACH



Suitable for:

3356128 PIN \varnothing 5x30 mm
 complete with blind nut



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to $+120^{\circ}\text{C}$
 from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily



3242280 DRAIN TAP KNOB BLACK 79 mm
 square hole 6x6 mm



3186199 GASKET INTERNAL EPDM FOR TAPS
 NSF certified
 for DRAIN TAP \varnothing 1"1/4 and 1"1/2



AMBACH 5005618388

AMBACH 5017319224

Drawers

5024291 OIL DRAIN PAN 178x114x147 mm



AMBACH 3512611800



Suitable for:

AMBACH




Suitable for:

Electric hot plates

3311096 ELECTRIC HOT PLATE \varnothing 180 mm 2000W 230V


terminal block electric connections
with STAINLESS steel edge 8 mm
for electric cooking top



AMBACH 5062508298

3311176 ELECTRIC HOT PLATE \varnothing 400 mm 5000W 400V

4 terminal block electric connections
with STAINLESS steel edge
for electric cooking top



AMBACH 5062508692

3311052 ELECTRIC HOT PLATE 2000W 400V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



AMBACH 5062502383

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



AMBACH 5062502395

3311054 ELECTRIC HOT PLATE 2600W 400V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



AMBACH 5062502382

3311063 ELECTRIC HOT PLATE 3000W 400V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



AMBACH 5062508314

AMBACH 5062508315

3311048 ELECTRIC HOT PLATE 4000W 400V

dimensions 300x300 mm
terminal block electric connections
for electric cooking top



AMBACH

3311065 ELECTRIC HOT PLATE 4000W 400V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



AMBACH 5062508311

2110843 ELECTRIC HOT PLATE 4000W 440V
 dimensions 300x300 mm
 screw terminal box
 with stainless STEEL edge
 for electric cooking top



AMBACH 5062536404

Electrical gas valves and accessories

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



AMBACH 5061516585

3526124 KNOB EXTENSION LENGTH 67 mm
 for VALVE 820 NOVA-824 NOVASIT



AMBACH 5022910518

AMBACH 5022940834

2110316 MAGNETIC COIL
 220/240V 50Hz
 for VALVE 822 NOVA-824 NOVA-826 NOVA
 for VALVE 827 NOVA-828 NOVAMIX



AMBACH 5061516584

3526089 VALVE 810 ELETROSIT \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LOWER thermocouple



AMBACH 5018902787

3526100 COIL 220V
 for VALVE ELETROSIT





Suitable for:

3526108 ELBOW FLANGE \varnothing 1/2" F
with screws and OR
for ELETTROSIT VALVE



3526107 FLANGE STRAIGHT \varnothing 3/4" F
with screws and OR
for ELETTROSIT VALVE



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



AMBACH



Suitable for:

3526106 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for ELETTROSIT VALVE



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3526175 VALVE 822 NOVA 230V 50Hz
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
gas inlet max. pressure 60 mbar
outlet pressure range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz



AMBACH 5018909590

2100054 COIL 220V 60Hz
for VALVE 820 NOVA-822 NOVA-828 NOVA



3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



AMBACH 5061516585

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:


3526077 ELBOW FLANGE \varnothing 1/2" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3020084 FITTING AND OLIVE \varnothing 6 mm



3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



AMBACH




Suitable for:

3526078 ELBOW FLANGE \varnothing 3/4" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3020083 FITTING AND OLIVE \varnothing 4 mm



3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



2110316 MAGNETIC COIL
220/240V 50Hz
for VALVE 822 NOVA-824 NOVA-826 NOVA
for VALVE 827 NOVA-828 NOVAMIX



AMBACH 5061516584



Suitable for:


AMBACH

Suitable for:



Electronic boards

5038750 CONTROL ELECTRONIC CIRCUIT BOARD 230x114



AMBACH 5062916945

3390399 ELECTRONIC BOARD 400V 123x65 mm




AMBACH 5070110568

**5062966 ELECTRONIC BOARD 400V 148x90 mm
for INDUCTION HOB**



AMBACH 5062926479

**5037834 POWER ELECTRONIC BOARD 2x3,5kW 400V
ext. sizes 220x170 mm**



AMBACH 5062918821

**5062965 TRANSISTOR UNITY INDUCTION TOP
external dimensions 72x42x30 mm
for INDUCTION HOB**



AMBACH 5003518825

**5063700 TRANSISTOR UNITY INDUCTION HOB
external dimensions 794x34x30 mm
for INDUCTION HOB**



AMBACH 5003518824


**5063701 TRANSISTOR UNITY INDUCTION HOB
external dimensions 94x34x30 mm
for INDUCTION HOB**



AMBACH 5003518823

Electronic boxes

**3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA**



AMBACH 5060409599

**3091018 IGNITION CONTROL BOX AM
power supply 230V - 50Hz**



AMBACH 5060409548



Suitable for:

5029909 IGNITION LEAD 670 mm
1 cable with faston 3x0,8 mm - with faston \varnothing 6 mm



AMBACH 5061016397

Suitable for:

5060970 SPARKING - DETECTION CABLES 2130/1300 mm
this kit includes:
1 cable with faston 6.35x0.8mm - with faston \varnothing 4mm
1 cable with faston 3x0.8 mm - with faston \varnothing 6 mm



AMBACH 5013535016

AMBACH 5061009584

AMBACH 5061009890

Electronic controllers


3445509 CONTROLLORE ELETTRONICO 12 MORSETTI



AMBACH 5062936077


Energy regulators

3350024 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction



AMBACH 5061616087

3350026 ENERGY REGULATOR
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



AMBACH 6205406501

Feet

3313035 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 105 mm
with square flange 78x78 mm
adjustable height 105÷160 mm



AMBACH 5004614690



Suitable for:

AMBACH

Suitable for:



Filters

3160462 WATER FILTER \varnothing 1/2"FF



AMBACH 5050915915


Fittings

5079818 ELBOW FITTING
fitting \varnothing 3/4"F-3/4"M



AMBACH 5050820701

5017827 ELBOW FITTING \varnothing 3/8"M
outlet tube \varnothing 12 mm




AMBACH 5051204005

5050637 FITTING \varnothing 1/2"M-3/4"F NICKEL-PLATED



AMBACH 5051310478

5048905 FITTING WITH OLIVE \varnothing 1/2"x12 mm



AMBACH 5051220032


5001550 FITTING WITH OLIVE \varnothing 3/8"x12 mm



AMBACH 5051220038

Fryer baskets and accessories

5033211 FALSE BOTTOM 350x152 mm
handle height 235 mm
made of chrome-plated iron



AMBACH 5010111158


5026320 FALSE BOTTOM 350x330 mm
handle height 230 mm
made of chrome-plated iron



AMBACH 5010111159

Suitable for:

5026760 FALSE BOTTOM 410x330 mm
handles height 250 mm
of chromeplated iron



AMBACH 5010114021

Suitable for:

3055270 FRYER BASKET 330x140x140 mm
made of chrome-plated iron



AMBACH 5020811177

5028343 FRYER BASKET 330x220x140 mm
of chromeplated iron



AMBACH 5020810956

3055325 FRYER BASKET 360x140x115 mm
in chrome plated iron



AMBACH 5020802413

Fuses

3049049 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 2A



AMBACH 5061814248


Gas burners

3023108 BURNER \varnothing 120x342 mm
height 103 mm
made of STAINLESS steel



AMBACH 3516911678

3023168 BURNER \varnothing 50x365 mm
overall length 465 mm
made of stainless steel



AMBACH 5016914277

3023169 BURNER \varnothing 50x370 mm
overall length 470 mm
made of STAINLESS steel



AMBACH 5016914204

3023184 BURNER \varnothing 50x465 mm
overall length 560 mm
made of STAINLESS steel



AMBACH 5016914275



Suitable for:

AMBACH



5024647 BURNER \varnothing 50x520 mm
overall length 590 mm
of STAINLESS steel



AMBACH 5016914562

Suitable for:

5017895 BURNER \varnothing 50x530 mm
overall length 610 mm
made of STAINLESS steel



AMBACH 5016914274

3023167 BURNER \varnothing 50x565 mm
overall length 680 mm
made of stainless steel



AMBACH 5016914276

5005291 BURNER \varnothing 50x600 mm
overall length 675 mm
of STAINLESS steel



AMBACH 5016914203

3023124 BURNER 230x75 mm
made of stainless steel
without jet
for old series




AMBACH 5020307627

3023161 BURNER 445x200 mm
made of stainless steel



AMBACH 5016911984

5064828 MIXING CHAMBER 70x100x40 mm
of chrome-plated iron
bracket 100x40x2 mm
distance betw. fastening holes 80 mm



AMBACH 5006316953

3023152 BURNER 490x30 mm
overall length 530 mm
made of STAINLESS steel



AMBACH 5016901907

5080432 JET HOLDER NUT M14x1



AMBACH 5040316957

Suitable for:

5064828 MIXING CHAMBER 70x100x40 mm
of chrome-plated iron
bracket 100x40x2 mm
distance betw. fastening holes 80 mm



AMBACH 5006316953

Suitable for:

3023153 VERTICAL BURNER \varnothing 74x185 mm
made of chrome-plated iron



AMBACH 5016914328

AMBACH 5016917788

Gas hoses

5002104 BURNER PIPE \varnothing 22 mm




AMBACH 3000502023

5070305 BURNER PIPE \varnothing 25 mm



AMBACH 3000508900

5017943 GAS HOSE \varnothing 1/8" F x \varnothing 12 mm 340 mm



AMBACH 5024614341

AMBACH 5024614342

5017944 GAS HOSE \varnothing 1/8" F x \varnothing 12 mm 680 mm



AMBACH 5024614343

5017919 GAS HOSE \varnothing 10/12 mm 300 mm



AMBACH 5024613808

5002145 PILOT PIPE \varnothing 4 mm



AMBACH 3000505443

5017894 PILOT PIPE \varnothing 4 mm



AMBACH 5000514333

5022393 PILOT PIPE \varnothing 4 mm



AMBACH 5000514263

5026024 PILOT PIPE \varnothing 4 mm



AMBACH 5000514941

5026025 PILOT PIPE \varnothing 4 mm



AMBACH 5000508804



AMBACH



Suitable for:

Suitable for:

5026026 PILOT PIPE \varnothing 4 mm

5032047 PILOT PIPE \varnothing 4 mm



AMBACH 5000508803

AMBACH 5000514957

5039599 PILOT PIPE \varnothing 4 mm

5039600 PILOT PIPE \varnothing 4 mm




AMBACH 5000513809

AMBACH 5000513810

5050362 PILOT PIPE \varnothing 4 mm

5057450 PILOT PIPE \varnothing 4 mm



AMBACH 5000514292

AMBACH 5000514944

5076729 PILOT PIPE \varnothing 4 mm

5085828 PILOT PIPE \varnothing 4 mm




AMBACH 5000514262

AMBACH 5000513983

5085829 PILOT PIPE \varnothing 4 mm

5026027 PILOT PIPE LH \varnothing 4 mm



AMBACH 5000513986

AMBACH 5000513805

5026028 PILOT PIPE RH \varnothing 4 mm



AMBACH 5000513806




Gas taps and accessories

4052605 BY-PASS SCREW \varnothing 0.90 mm FOR MOD. 22
thread M6x0.5



AMBACH 5017208741

3348070 GAS TAP 20/S
with connections and olives
without pilot flame
inlet connections M16x1.5 mm
outlet connection \varnothing 1/4"
with flow regulator
thermocouple connection M8x1
D-shaped pin \varnothing 8x6.5 mm
with block shear connector for replacement
of gas tap SIRAL



AMBACH 5018904112

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3348020 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 20S




3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



AMBACH 5029703203



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



AMBACH 5050503589

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



AMBACH 5040603572

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



AMBACH



Suitable for:


3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506686

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



AMBACH 5040603582

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3348016 GAS TAP 21/S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 8x6.5 mm



AMBACH 5018905405

7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread \varnothing 3/8" F - M16x1 mm
for taps PEL 20S-21S






Suitable for:

3348085 BUSH FOR TAP



3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S




3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




AMBACH

Suitable for:


3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21



3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22





Suitable for:

3182022 **MAGNETIC GROUP PEL SMALL HEAD**
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



AMBACH



Suitable for:

3182011 **MAGNETIC UNIT PEL SMALL HEAD**
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348044 **OLIVE FOR PIPE \varnothing 10 mm**
for model PEL 20-21-24-25



AMBACH 5050503589

3348037 **OLIVE FOR PIPE \varnothing 6 mm**
for model PEL 21-22-24-25



AMBACH 5040603572

5014757 **PIPE FITTING \varnothing 6 mm**
thread M10x1 mm



AMBACH 5029703203

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
for model PEL 21-22-24-25



AMBACH 5050503573


AMBACH 5050506686

3348043 **PIPE FITTING \varnothing 10 mm**
thread M16x1.5 mm
for model PEL 20-21-24-25




AMBACH 5040603582

3020078 **PIPE FITTING \varnothing 6 mm**
thread M10x1



3348002 GAS TAP 22S/O
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm



AMBACH 301891660

AMBACH 5018909180

AMBACH 5018914348


3348017 CAP WITH PIN \varnothing 10x8 mm
 pin length 26 mm
 for model PEL 22




3348019 CAP WITH PIN \varnothing 10x9 mm
 pin length 26 mm
 for model PEL 22




3348232 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 39/7 mm upper/lower
 for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22



3348229 CAP WITH PIN \varnothing 10 mm
 pin length 31 mm
 for model PEL 22S/O




3348245 CAP WITH PIN \varnothing 10x8 mm
 pin length 34/26 mm upper/lower
 for model PEL 22S



3348231 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 35/21 mm upper/lower
 for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
 without adjustment
 thread M20x1.5 mm
 for model PEL 22S




3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22





Suitable for:

3348024 **FLANGE VERTICAL** \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



AMBACH 5029711647

3348038 **OLIVE FOR PIPE** \varnothing 10 mm
for model PEL 22-24-25



3348036 **OLIVE FOR PIPE** \varnothing 4 mm
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506686

AMBACH




Suitable for:

3348214 **FLANGIA WITH PRESSURE FITTING** \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 **OLIVE FOR PIPE** \varnothing 12 mm
for model PEL 22-24-25



AMBACH 5050503001

3348037 **OLIVE FOR PIPE** \varnothing 6 mm
for model PEL 21-22-24-25





Suitable for:

3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



AMBACH 5040603188


3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



AMBACH

Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25




AMBACH 5040603572

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348233 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings M20x1.5 mm
with flow regulator
thermocouple connection M8x1
D-shaped pin \varnothing 10x8 mm



AMBACH 5018909180

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O




3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S






Suitable for:

3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



AMBACH

Suitable for:

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S




3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22





Suitable for:

3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



AMBACH 5029711647

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506886

3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



AMBACH 5040603188

AMBACH



Suitable for:

3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




AMBACH 5050503001

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



AMBACH 5040603572



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



AMBACH

Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348234 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings M20x1.5 mm
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm




3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O



AMBACH

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S




3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S






Suitable for:

3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



AMBACH 5029711647

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



AMBACH



Suitable for:

3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



AMBACH 5050503001



Suitable for:

3348036 OLIVE FOR PIPE ϕ 4 mm
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506686

3348230 PIN FOT GAS TAP ϕ 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING ϕ 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



AMBACH 5040603188

3020078 PIPE FITTING ϕ 6 mm
thread M10x1



3348235 GAS TAP 22S/O
complete with connections and olives
with pilot flame
with horizontal flange
fittings ϕ M20x1.5mm
thermocouple connection M9x1
D-shaped pin ϕ 10x8 mm



AMBACH

AMBACH 3018916600

AMBACH




Suitable for:

3348037 OLIVE FOR PIPE ϕ 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING ϕ 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING ϕ 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



AMBACH 5040603572

5014757 PIPE FITTING ϕ 6 mm
thread M10x1 mm



3348229 CAP WITH PIN ϕ 10 mm
pin length 31 mm
for model PEL 22S/O






Suitable for:


3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22




3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22




3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



AMBACH

Suitable for:


3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22




3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



AMBACH 5029711647

3348038 **OLIVE FOR PIPE \varnothing 10 mm**
for model PEL 22-24-25



3348036 **OLIVE FOR PIPE \varnothing 4 mm**
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506686

3348230 **PIN FOT GAS TAP \varnothing 6x4.6 mm**
pin length 45/20 mm rh/lh
for model PEL 22



AMBACH



Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
for model PEL 22-24-25




AMBACH 5050503001

3348037 **OLIVE FOR PIPE \varnothing 6 mm**
for model PEL 21-22-24-25



3348031 **PIPE FITTING \varnothing 10 mm**
thread M20x1.5 mm
for model PEL 22-24-25





Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



AMBACH 5040603188

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



AMBACH

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25




AMBACH 5040603572

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




3348003 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm




AMBACH 5018903683

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O



3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22





Suitable for:


3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22




3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



AMBACH

Suitable for:

3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



AMBACH 5029711647

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25





Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




AMBACH 5050503001

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



AMBACH 5040603572

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



AMBACH



Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506686

3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



AMBACH 5040603188

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1





Suitable for:

AMBACH



5014581 GAS TAP 22S/0
 complete with connections and olives
 with horizontal flange
 with horizontal flange
 couplings \varnothing M20x1.5 mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm




AMBACH 3018916600


3348017 CAP WITH PIN \varnothing 10x8 mm
 pin length 26 mm
 for model PEL 22



3348019 CAP WITH PIN \varnothing 10x9 mm
 pin length 26 mm
 for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 39/7 mm upper/lower
 for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22



3348229 CAP WITH PIN \varnothing 10 mm
 pin length 31 mm
 for model PEL 22S/0




3348245 CAP WITH PIN \varnothing 10x8 mm
 pin length 34/26 mm upper/lower
 for model PEL 22S



3348231 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 35/21 mm upper/lower
 for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
 without adjustment
 thread M20x1.5 mm
 for model PEL 22S




3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22





Suitable for:


3348024 **FLANGE VERTICAL** \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



AMBACH 5029711647

3348038 **OLIVE FOR PIPE** \varnothing 10 mm
for model PEL 22-24-25



3348036 **OLIVE FOR PIPE** \varnothing 4 mm
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506686

AMBACH



Suitable for:

3348214 **FLANGIA WITH PRESSURE FITTING** \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 **OLIVE FOR PIPE** \varnothing 12 mm
for model PEL 22-24-25



AMBACH 5050503001

3348037 **OLIVE FOR PIPE** \varnothing 6 mm
for model PEL 21-22-24-25





Suitable for:

3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



AMBACH



Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



AMBACH 5040603188

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1




AMBACH 5040603572


5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348013 GAS TAP 23S/V
with pilot flame
with vertical flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin \varnothing 10x8 mm



3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23



AMBACH 5018907199

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35 mm
for model PEL 23




3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23





Suitable for:

3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23




AMBACH



Suitable for:

3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3182010 MAGNETIC UNIT PEL
head \varnothing 24 mm - end piece \varnothing 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



3348040 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 23



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3348042 OLIVE FOR PIPE \varnothing 20 mm
for model PEL 23



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25




3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506686

3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5
for model PEL 23



3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23





Suitable for:

3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5
for model PEL 23



AMBACH



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



AMBACH 5040603572

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



AMBACH 5050503589

AMBACH 5050503573

AMBACH 5050506686

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



AMBACH 5040603582

AMBACH 5040603188

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



AMBACH 5040603572



Gas valves and accessories

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



AMBACH 5050200943

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure setting range
3÷18 mbar outlet
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x200 mm



AMBACH 5018900958

AMBACH 5018916798

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR




AMBACH 5050200943

3526126 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm




3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR




3241435 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm




3020084 FITTING AND OLIVE \varnothing 6 mm





Suitable for:

5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



AMBACH 5050503001

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523026 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
button bulb \varnothing 14.4x26 mm
with an elbow flange \varnothing 3/8" F



AMBACH 5018907490

AMBACH

Suitable for:

3526127 FLANGE FOR EXTENSION




5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M





Suitable for:

3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



3523062 O-RING 0119 RED SILICONE
ring thickness 2.62 mm - internal \varnothing 15.08 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



AMBACH 5050503589

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



AMBACH




Suitable for:

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR




3523047 LID MINISIT



3523061 NUT \varnothing 1/4"x6 mm



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



AMBACH 5050503001


3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm





Suitable for:

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



3526146 VALVE 630 EUROSIT FRY TOP 40÷250°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure calibration range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



AMBACH 5018900934

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



AMBACH 5050200943

AMBACH

Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523043 SENSING ELEMENT MINISIT 110÷190°C
capillary length 1050 mm
button bulb \varnothing 13x26 mm



3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR




3020083 FITTING AND OLIVE \varnothing 4 mm





Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm



3526127 FLANGE FOR EXTENSION




5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm




3526123 RUBBER PROTECTION FOR EUROSIT VALVE



AMBACH

Suitable for:

5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



AMBACH 5050503001

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M





Suitable for:

AMBACH



Suitable for:

3526130 VALVE 630 EUROSIT OVEN 100÷340°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm




3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR



AMBACH

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



3526129 CLASP \varnothing 3x14 mm
 UNI 6873 - DIN 1481 - ISO 8752




AMBACH 5050200943


3526677 EXTENSION FOR EUROSIT VALVE
 D-shaped pin \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M



3526127 FLANGE FOR EXTENSION



5021481 GAS OUTLET VALVE FITTING
 thread \varnothing 3/8" M - M16x1 mm





Suitable for:

3526128 **KNOB EXTENSION LENGTH 34 mm**
D-shaped pin \varnothing 8x6.5 mm




AMBACH



Suitable for:

3526125 **KNOB EXTENSION LENGTH 44 mm**
D-shaped pin \varnothing 8x6.5 mm



5050401 **OLIVE FOR PIPE \varnothing 10 mm**
external \varnothing 13 mm - height 8 mm



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
for model PEL 22-24-25



3001111 **PIEZO IGNITER EUROSIT**
M faston \varnothing 2.4 mm




AMBACH 5050503001

3020079 **PIPE FITTING \varnothing 12 mm**
thread \varnothing 3/8" M



3526123 **RUBBER PROTECTION FOR EUROSIT VALVE**



3526139 **VALVE 630 EUROSIT OVEN 80÷320°C**
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
capillary length 1000 mm
bulb \varnothing 4x72 mm



3526260 **CAP FOR VALVE EUROSIT \varnothing 3/8"**
with OR



AMBACH AM3518912246

AMBACH 3518912246

AMBACH 3518912730

AMBACH 5018900942




Suitable for:

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



AMBACH 5050200943

3020084 FITTING AND OLIVE \varnothing 6 mm



3526127 FLANGE FOR EXTENSION



3526121 KNOB EXTENSION LENGTH 62 mm
D shaft \varnothing 8x6.5 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



AMBACH 5050603001


3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M




AMBACH

Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8"M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8"M - M16x1 mm




5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE





Gaskets and seals

5060076 ALUMINIUM GASKET \varnothing 14.8x11.3x1.5 mm



AMBACH 5017302635

3186237 ASBESTOS FREE FLAT GASKET \varnothing 19x11x2 mm



AMBACH 5017313786

3186347 GASKET FOR BURNER "C" "E"



AMBACH 5017314079

3186348 GASKET FOR KNOB
external \varnothing 64 mm - internal \varnothing 54 mm - thickn. 8 mm



AMBACH 5017314080

5018539 GASKET OF SILICONE \varnothing 18x16x0.5 mm



AMBACH 5017309716

Grids for kitchen


3185030 PAN SUPPORT GRID 400x330 mm



AMBACH 5010104350

AMBACH 5010110315

3185031 STAINLESS STEEL GRID 315x320 mm



AMBACH 5010102021

AMBACH 5010108970

3185096 STAINLESS STEEL GRID 740x400 mm



AMBACH 5010114017



Suitable for:


AMBACH



Suitable for:

Handles

5014513 DOOR HANDLE 168x60x45 mm
distance between holes 150 mm - thread M6



AMBACH 5005608875

5021993 HANDLE PLASTIC HEAD - BLACK
fixing hole M8



AMBACH 5005614999

5014516 STAINLESS STEEL HANDLE ø 30x450 mm



AMBACH 5000514997

3242735 OVEN DOOR HANDLE
distance between mounting holes 180 mm



AMBACH 6205403101

3242337 OVEN DOOR HANDLE ø 26x80 mm M10



AMBACH 5005607080

3242343 HAND GUARD WASHER



3242336 OVEN DOOR HANDLE ø 28x90 mm M10



AMBACH 5005607080

5014516 STAINLESS STEEL HANDLE ø 30x450 mm



AMBACH 5000514997



Heating elements

5029436 FLAT HEATING ELEMENT 1500W 400V
length 567 mm - width 70 mm
height 90 mm



AMBACH 5060817107

AMBACH 5060818231

3355850 HEATING ELEMENT 1000W 230V
length 220 mm - width 95 mm
flange 107x33 mm



AMBACH 6205403708

5086334 HEATING ELEMENT 1000W 230V
length 520 mm - width 35 mm
height 84 mm



AMBACH 5060837083

5029812 HEATING ELEMENT 10000W 230V
immersed length 485 mm
flange external \varnothing 63 mm
with bulb sheath
complete with O-ring
complete with cables



AMBACH 5060809980

3855089 HEATING ELEMENT 10000W 440V
length 320 mm - width 135 mm
height 350 mm - flange 119x45 mm
with cables -with three holes for bulb



AMBACH 5060834653

3755456 HEATING ELEMENT 12000W 400V
length 470 mm - width 700 mm
overall height 80 mm - flange 105x25 mm
with cables



AMBACH 5060803648

3855088 HEATING ELEMENT 12200W 440V
length 320 mm - width 135 mm
height 350 mm - flange 119x45 mm
with cables - with three holes for bulb



AMBACH 5060834654

5080034 HEATING ELEMENT 1275W 400V
length 470 mm - width 170 mm
flange 160x22 mm



AMBACH 5060821136

AMBACH 5060821137



Suitable for:

AMBACH



5080035 HEATING ELEMENT 1300W 400V
length 448 mm - width 40 mm
height 90 mm



AMBACH 5060820043

Suitable for:

5009799 HEATING ELEMENT 1330W 230V
length 290 mm - width 290 mm
total height 105 mm



AMBACH 5060814404

5009861 HEATING ELEMENT 1330W 230V
length 244 mm - width 230 mm
total height 105 mm




AMBACH 5060814405

5009862 HEATING ELEMENT 1330W 230V
length 170 mm - width 170 mm
total height 105 mm



AMBACH 5060814406

3755446 HEATING ELEMENT 1350W 400V
length 215 mm - width 225 mm
total length 90 mm



AMBACH 5060808461

3355654 HEATING ELEMENT 1500W 230V
length 530 mm - width 45 mm
height 110 mm



AMBACH 5060814355

3755433 HEATING ELEMENT 1500W 400V
length 540 mm - width 476 mm
fittings ø 1/4"



AMBACH 5060804027

3755447 HEATING ELEMENT 1650W 400V
length 245 mm - width 255 mm
total height 94 mm



AMBACH 5060808462

3755431 HEATING ELEMENT 1700W 400V
length 305 mm - width 215 mm
total height 85 mm



AMBACH 5060808465

5087791 HEATING ELEMENT 1700W 440V
length 528 mm - width 42 mm
height 90 mm



AMBACH 5060829847

Suitable for:

Suitable for:

3355653 HEATING ELEMENT 1800W 230V
external \varnothing 178 mm - overall height 50 mm
flange 70x22 mm


3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



AMBACH 5060809912

3355849 HEATING ELEMENT 2000W 220V
length 230 mm - width 230 mm
flange 107x33 mm

3755435 HEATING ELEMENT 2000W 230V
length 406 mm - width 150 mm
2 flanges 25x15 mm
operating ambient: dry



AMBACH 6205403706

AMBACH 5060801490

AMBACH 5060811860

3755437 HEATING ELEMENT 2000W 230V
length 486 mm - width 138 mm
flange 175x16 mm
operating ambient: dry

5031146 HEATING ELEMENT 2000W 230V
length 242 mm - width 450 mm
flange 70x22 mm



AMBACH 5060802391

AMBACH 5060814436

3755432 HEATING ELEMENT 2000W 400V
length 335 mm - width 232 mm
total height 85 mm

3755448 HEATING ELEMENT 2000W 400V
length 585 mm - width 440 mm
flange 70x22 mm




AMBACH 5060808466

AMBACH 5060804349

5080033 HEATING ELEMENT 2000W 400V
length 460 mm - width 440 mm
height 17 mm - flange 70x22 mm

5054117 HEATING ELEMENT 300W 220V
immersed length 215 mm
fastening fitting \varnothing 1"
with 2 bulb sheaths



AMBACH 5060821135

AMBACH AM502470951

AMBACH 5024733558




Suitable for:

AMBACH



3755445 HEATING ELEMENT 3000W 400V
length 610 mm - width 445 mm
flange 70x22 mm



AMBACH 5060825601


Suitable for:

3755449 HEATING ELEMENT 3000W 400V
length 650 mm - width 445 mm
flange 70x22 mm




AMBACH 5060804348

5026319 HEATING ELEMENT 3000W 400V
length 460 mm - width 400 mm
flange 70x22 mm



AMBACH 5060815275

3755443 HEATING ELEMENT 3500W 400V
length 540 mm - width 480 mm
fittings \varnothing 1/4"



AMBACH 5060804028

3528232 HEXAGONAL NUT MEDIUM SIZE M4
brass - UNI 5588 - DIN 934 - ISO 4032



3528238 FLAT WASHER M4
internal/external \varnothing 4,3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



7112149 HEATING ELEMENT 4000W 230V
immersed length 292 mm
flange external \varnothing 63 mm
with bulb sheath
complete with O-ring
complete with cables



AMBACH 5060818238

Suitable for:

Suitable for:

3755434 HEATING ELEMENT 4500W 230V
 immersed length 395 mm
 flange external \varnothing 63 mm
 with thermostat probe receptacle
 with O-ring
 with cables

3186013 O-RING 06187 EPDM \varnothing 58 mm
 ring thickness 5.34 mm - internal \varnothing 47.00 mm



AMBACH


AMBACH 5060807384

AMBACH 5060810063

AMBACH 5017303768

AMBACH 5017313781

3755453 HEATING ELEMENT 5000W 230V/400V
 length 505 mm - width 264 mm
 total height 75 mm - flange 105x25 mm



AMBACH 5060803506

3755436 HEATING ELEMENT 6000W 230V
 immersed length 395 mm
 flange external \varnothing 63 mm
 with thermostat probe receptacle
 with O-ring
 with cables

3186013 O-RING 06187 EPDM \varnothing 58 mm
 ring thickness 5.34 mm - internal \varnothing 47.00 mm



AMBACH 5060807386

AMBACH 5060810064

AMBACH 5017303768

AMBACH 5017313781

5089846 HEATING ELEMENT 6000W 230V
 immersed length 295 mm
 flange external \varnothing 63 mm
 with bulb sheath
 complete with O-ring
 complete with cables

3755460 HEATING ELEMENT 7500W 400V
 length 310 mm - width 140 mm
 height 340 mm - flange 120x40 mm
 with 3 bulbholder sheathings



AMBACH 5060833823

AMBACH 5060811194



Suitable for:

AMBACH



3755438 HEATING ELEMENT 800W 230V
length 545 mm - width 40 mm
fittings \varnothing 1/4"
upon request nut and washer



AMBACH 5060808748

3528232 HEXAGONAL NUT MEDIUM SIZE M4
brass - UNI 5588 - DIN 934 - ISO 4032



Suitable for:

3528238 FLAT WASHER M4
internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



3755439 HEATING ELEMENT 800W 400V
length 545 mm - width 40 mm
fittings \varnothing 1/4"
upon request nut and washer



AMBACH 5060807674

3528232 HEXAGONAL NUT MEDIUM SIZE M4
brass - UNI 5588 - DIN 934 - ISO 4032



3528238 FLAT WASHER M4
internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



3755457 HEATING ELEMENT 8000W 230V
immersed length 490 mm
flange external \varnothing 63 mm
with bulb sheath - complete with cables



AMBACH 5060814407

Suitable for:

Suitable for:

3755511 HEATING ELEMENT 8000W 230V
 immersed length 385 mm
 flange external \varnothing 63 mm
 with thermostat probe receptacle
 with O-ring
 with cables



AMBACH 5060807387

AMBACH 5060809979


3186013 O-RING 06187 EPDM \varnothing 58 mm
 ring thickness 5.34 mm - internal \varnothing 47.00 mm



AMBACH 5017303768

AMBACH 5017313781

3755455 HEATING ELEMENT 9000W 400V
 length 520 mm - width 600 mm
 flange 105x25 mm - overall height 35 mm
 complete with cables



AMBACH 5060807221

5014624 HEATING ELEMENT 9000W 400V
 length 430 mm - width 410 mm
 flange 105x25 mm - height 32 mm



AMBACH 5060808751

3855087 RESISTENZA 7500W 440V
 lunghezza 320 mm - larghezza 135 mm
 altezza 350 mm - flangia 119x45 mm
 completa di cavi - con tre fori per bulbo



AMBACH 5060825624

Hinges, catches and accessories

5008244 BUSHING NYLON FOR HINGE
 external dimensions \varnothing 15/10x20 mm
 hole \varnothing 6 mm



AMBACH 5027609400

5002167 DOOR HINGE KASON
 length 109 mm - bracket 76x25 mm
 shaft 8x8 mm



AMBACH 2012000292



Suitable for:

AMBACH



5053248 DOOR HINGE LFT
ext. dimensions 67x36x24 mm



AMBACH 3512014389

Suitable for:

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118 mm
height 23 mm



AMBACH 5006302092

5090001 HINGE LEFT
ext. dimensions 67x36x24 mm



AMBACH 3512021058

5090003 HINGE RIGHT
ext. dimensions 67x36x24 mm



AMBACH 3512021060

5053249 HINGE SUPPORT LFT
ext. dimensions 69x52 mm
distance between holes 30 mm



AMBACH 3506315089

3053007 LEFTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205 mm
height 160 mm



AMBACH 5012002108

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118 mm
height 23 mm



AMBACH 5006302092

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm



Suitable for:

3053006 RIGHTHAND DOOR HINGE FOR OVEN
 mounting distance 175 mm - overall length 205
 height 160 mm



AMBACH 5012002196

3053234 HINGE COVER
 mounting distance 95 mm - dimensions 124x20 mm



Suitable for:

3053003 DOOR HINGE ROLL HOLDER
 mounting distance 95 mm - overall length 118
 height 23 mm



AMBACH 5006302092

3053299 HINGE COVER
 mounting distance 77 mm - dimensions 129x26 mm



Hydraulic piping

3450111 RUBBER PIPE \varnothing 10x17 mm - 5 m
 operating temperature -40+100°C



AMBACH 5024610572

1449682 SILICONE HOSE \varnothing 5x8 SHORE 60 - 10 m
 alimentary



AMBACH 5024610547

Ignitors

5017907 ISOLATING SHEATHING FOR PIEZO
 dimensions \varnothing 22x15 mm - internal hole \varnothing 3 mm
 thread \varnothing 18 mm



AMBACH 5006814260

3001025 PIEZO CONTACT



AMBACH 5060914259

5017907 ISOLATING SHEATHING FOR PIEZO
 dimensions \varnothing 22x15 mm - internal hole \varnothing 3 mm
 thread \varnothing 18 mm



AMBACH 5006814260



Suitable for:

AMBACH



3001005 PIEZO IGNITER
a \varnothing 18 mm hole is needed for the assembly
faston M \varnothing 2.4 mm



AMBACH 5060403707

3001020 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



AMBACH 5060408640

5071589 WATERTIGHT PIEZO CAP
made of silicone rubber



5035512 WATERTIGHT PIEZO CAP
of silicone rubber



5035512 WATERTIGHT PIEZO CAP
of silicone rubber



3001023 PIEZO SUPPORT



AMBACH 5006314278


3001024 SUPPORT HOOK



AMBACH 5006314300

Indicator lights

5017914 INDICATOR LIGHT GREEN 230V
 \varnothing head 19 mm - \varnothing hole 16 mm - 150°C



AMBACH 5061113846

3221075 INDICATOR LIGHT ORANGE 230V
head \varnothing 16 mm - hole \varnothing 13 mm - 150°C



AMBACH 506111706

Suitable for:

3221078 INDICATOR LIGHT ORANGE 230V
head \varnothing 19 mm - hole \varnothing 16 mm - 150°C



AMBACH 5061109898

Suitable for:

3221077 INDICATOR LIGHT ORANGE 400V
 \varnothing head 16 mm - hole \varnothing 13 mm - 150°C



AMBACH 5061108879

AMBACH 5061111707

3221211 INDICATOR LIGHT ORANGE 400V
head \varnothing 19 mm - hole \varnothing 16 mm - 150°C
for old series



AMBACH 5061103271

AMBACH 5061103275

AMBACH 5061109899

3221084 INDICATOR LIGHT RED 230V
 \varnothing head 18 mm - \varnothing hole 12 mm - 120°C



AMBACH 5061111704

3221210 INDICATOR LIGHT RED 230V
 \varnothing head 19 mm - hole \varnothing 16 mm - 150°C



AMBACH 5061110293

3221076 INDICATOR LIGHT WHITE 230V
head \varnothing 16 mm - hole \varnothing 13 mm - 150°C



AMBACH 5061111708

3221079 INDICATOR LIGHT WHITE 230V
head \varnothing 19 mm - hole \varnothing 16 mm - 150°C



AMBACH 506111121

3221210 INDICATOR LIGHT RED 230V
 \varnothing head 19 mm - hole \varnothing 16 mm - 150°C



AMBACH 5061110293

3221007 LAMP RECEPTACLE ORANGE
head \varnothing 15 mm - hole \varnothing 12 mm
universal application



AMBACH 5061108880

3221097 INDICATOR LIGHT NEUTRAL 220V
head \varnothing 8 mm - 120°C





Suitable for:

3221126 INDICATOR LIGHT NEUTRAL 24V
head \varnothing 8 mm - 120°C



AMBACH



Suitable for:

Ironmongery (screws,nuts,washers)

1528013 BLIND HEXAGONAL NUT M6
stainl. steel -height 16 mm -UNI 5721 - DIN 1587



AMBACH 5040400972

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



AMBACH 5040310595

Knobs


5017866 BLACK HANDLE \varnothing 36.5 mm
with index
round hole \varnothing 8 mm
for DRAIN VALVE



AMBACH 3522913488

AMBACH 5022914522

5040415 BLACK HANDLE \varnothing 52 mm 0-9
D-shaped hole 6x4.6 mm



AMBACH 5022901045

5008245 BLACK HANDLE \varnothing 52 mm 110-190°C
D-shaped hole 6x4.6 mm



AMBACH 5022909984

5017823 BLACK HANDLE \varnothing 62 mm
with index
round hole \varnothing 8 mm
for DRAIN VALVE




AMBACH 5022914521

3444126 BLACK KNOB \varnothing 50 mm 30-110°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



AMBACH 5022914334

3241129 BLACK KNOB \varnothing 52 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



AMBACH 5022902024

AMBACH 5022906228

AMBACH 5022906268

Suitable for:


3241216 BLACK KNOB \varnothing 52 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



AMBACH 5022908981

Suitable for:

3241215 BLACK KNOB \varnothing 52 mm 0-1-2-3
D-shaped hole 6x4.6 mm




AMBACH 5022901044

3241130 BLACK KNOB \varnothing 52 mm 1-2-3-4-5-6-7-8
D-shaped hole 10x9 mm



AMBACH 5022908973

3241212 BLACK KNOB \varnothing 52 mm 50-300°C
D-shaped hole 6x4.6 mm



AMBACH 5022901048

3241217 BLACK KNOB \varnothing 60 mm PILOT-MAX-MIN
round hole \varnothing 10 mm
screw fastening to the spindle



AMBACH 5022907196

3241218 KNOB FASTENING SCREW \varnothing 6x32 mm
thread M3



AMBACH 3009600005

3241083 BLACK KNOB \varnothing 63 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



AMBACH 5022904344

3241148 BLACK KNOB \varnothing 63 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



AMBACH 5022908810

3241219 BLACK KNOB \varnothing 63 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm



AMBACH 5022902025

AMBACH 5022904345

3241374 BLACK KNOB \varnothing 63 mm 110-190°C
D-shaped hole 6x4.6 mm



AMBACH 5022909977



Suitable for:


3241128 BLACK KNOB \varnothing 63 mm 160-300°C
D-shaped hole 8x6.5 mm



AMBACH 5022904331

Suitable for:

3241394 BLACK KNOB \varnothing 63 mm 50-300°C
D-shaped hole 6x4.6 mm



AMBACH 5022904315

3241393 BLACK KNOB \varnothing 72 mm
D-shaped hole 6x4.6 mm




AMBACH 5022914031

3186348 GASKET FOR KNOB
external \varnothing 64 mm - internal \varnothing 54 mm - thickn. 8 mm




AMBACH 5017314030

3241214 SELF-STICKING DISK 0-1-2-3
external \varnothing 68 mm




AMBACH 5022914336

3241211 SELF-STICKING DISK 50-300°C
external \varnothing 68 mm




AMBACH 5022914339

5022392 STICKING KNOB DISK 30-110°C
external \varnothing 68 mm



AMBACH 5022914337

5066352 STICKING KNOB DISK 50-300°C
external \varnothing 68 mm



AMBACH 5022922919

3241395 BLACK KNOB \varnothing 72 mm
D-shaped hole 10x8 mm




AMBACH 5022914032

3241396 SELF-STICKING DISK WITH PILOT SYMBOL
external \varnothing 68 mm



AMBACH 5022914331

3241397 SELF-STICKING DISK 110-190°C
external \varnothing 68 mm



AMBACH 5022914338

Suitable for:

5008547 KNOB BLACK \varnothing 63 mm 0-1-2-3-4-5-6-7-8
D-shaped hole 6x4.6 mm



AMBACH 5022908120

Suitable for:

3241218 KNOB FASTENING SCREW \varnothing 6x32 mm
thread M3




AMBACH 3009600005

3241396 SELF-STICKING DISK WITH PILOT SYMBOL
external \varnothing 68 mm




AMBACH 5022914331

3241214 SELF-STICKING DISK 0-1-2-3
external \varnothing 68 mm




AMBACH 5022914336

3241397 SELF-STICKING DISK 110-190°C
external \varnothing 68 mm




AMBACH 5022914338

3241211 SELF-STICKING DISK 50-300°C
external \varnothing 68 mm




AMBACH 5022914339

5022392 STICKING KNOB DISK 30-110°C
external \varnothing 68 mm



AMBACH 5022914337

5066352 STICKING KNOB DISK 50-300°C
external \varnothing 68 mm



AMBACH 5022922919

Level probes

5068585 ISOLATING SHEATHING FOR PROBE \varnothing 22x15 mm
 \varnothing int. 3 mm - thread M12



AMBACH 5006819137

5026985 LEVEL PROBE KIT
the kit includes:
1 probe
1 isolating sheath f. probe \varnothing 22x15mm-thread M12
3 OR rings
2 nuts
2 washers



AMBACH 0162926760



Suitable for:

AMBACH



Suitable for:

Lids

5005569 LID SUPPORT FOR HEAT ELEMENTS ARM
length 69 mm - width 61 mm - height 13 mm
mounting hole 65x57 mm



AMBACH 5000811199

5005570 LID SUPPORT FOR HEAT ELEMENTS ARM
external \varnothing 54 mm - height 10 mm



AMBACH 5000811198


Magnet groups

3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



AMBACH 5029711647

3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



AMBACH 5029703203

Microswitches, magnetic

3240239 MAGNETIC MICROSWITCH PSD06112
head 52x16x7 mm
with cable length 1000 mm



AMBACH 5060909191

Microswitches, mechanical

3240820 MICROSWITCH ELECTRICA NR48W5
1NO + 1NC 16A 250V



AMBACH

3240152 BUSHING FOR MICROSWITCH






Suitable for:

3240473 GASKET FOR BUSHING



3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



3240154 SPRING FOR MICROSWITCH ROD



AMBACH

Suitable for:

5035454 MICRO SUPPORT
for WASHING MACHINE LF25



3240153 ROD FOR MICROSWITCH



3803123 MICROSWITCH PANASONIC ABV1616618
3A 250V - lever length 32 mm
with cable length 270 mm



AMBACH 5060939273


3240406 MICROSWITCH SAIA-BURGESS
model XGK2-88-S20Z1
10(4)A 250V



AMBACH 5060909894

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm



AMBACH 5062114289

Non-return and expansion valves

5052616 NON-RETURN VALVE "ROMA" \varnothing 1/2"F-1/2"F



AMBACH 5018114399



Suitable for:

AMBACH



Suitable for:

Nozzles

3500059 GAS JET M10x1 ø 1.10 mm



AMBACH 5017203087

5005655 GAS JET M10x1 ø 1.25 mm



AMBACH 5017208072

3500337 GAS JET M10x1 ø 1.50 mm



AMBACH 5017203108

5021506 GAS JET M10x1 ø 1.60 mm



AMBACH 5017208067

5035694 GAS JET M10x1 ø 1.70 mm



AMBACH 5017203088

3500272 GAS JET M11x1 ø 1.10 mm



AMBACH 5017208831

3500356 GAS JET M11x1 ø 1.60 mm



AMBACH 5017209545

5002185 GAS JET M11x1 ø 1.90 mm



AMBACH 5017207882

O-Ring and ORM gaskets

3061011 O-RING SEAL 04375 EPDM
ring thickness 3.53 mm - internal ø 94.84 mm



AMBACH 5017308860

1186956 O-RING 02200 EPDM
ring thickness 1.78 mm - internal ø 50.52 mm
for coffee group ø 50 mm



AMBACH 5017311179

Suitable for:

3186860 O-RING 03056 EPDM
ring thickness 2.62 mm - internal \varnothing 13.95 mm
EX OR 0118



AMBACH 5017312815

Suitable for:

3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



AMBACH 5017303768

AMBACH 5017313781

Pilot burners and accessories

3020034 BRACKET PILOT BURN. SUPPORT 85 mm



AMBACH 3006314269

3020149 BURNER PILOT 3-FLAME
supplied without sparking plug
with pipe fitting and natural gas nozzle
with thermocouple fitting
with sparking plug fitting



AMBACH 3524707258

AMBACH 5024742988


3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



AMBACH 5040317235

AMBACH 5040616959

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



AMBACH 5040306819

AMBACH 5040616958

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



AMBACH 5062607632

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



AMBACH 5062606677



Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



AMBACH



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



3020044 PILOT JET \varnothing 0.20 mm



5071220 PILOT JET \varnothing 0.22 mm



AMBACH 5017207876

3020452 PILOT JET \varnothing 0.32 mm



3020045 PILOT JET \varnothing 0.50 mm



3020449 PILOT JET \varnothing 0.54 mm



3020464 PILOT JET \varnothing 0.64 mm




AMBACH 5017207877

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1





Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



AMBACH



Suitable for:


3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



AMBACH 5040317235

AMBACH 5040616959

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



AMBACH 5040306819

AMBACH 5040616958

3020267 LOCKING NUT OLIVE \varnothing 4 mm
thread M10x1



AMBACH 5040603228

5014554 LOCKING NUT OLIVE \varnothing 6x13 mm
thread M10x1 mm



AMBACH 5040603226

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



AMBACH 5050503001

3020113 OLIVE FOR PIPE \varnothing 4 mm



AMBACH 5050511405

3345021 OLIVE FOR PIPE \varnothing 4 mm



AMBACH 5050503209

3020081 OLIVE FOR PIPE \varnothing 6 mm



AMBACH 5050503194

3020262 PILOT BURNER
supplied without jet



AMBACH 5024708680

3020051 FITTING FOR PILOT \varnothing 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI





Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm



5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



AMBACH 5017214033

3020541 PILOT JET \varnothing 0.35 mm



2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm



AMBACH

Suitable for:

3020112 OLIVE FOR PIPE \varnothing 6 mm



3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



AMBACH 5017208677

3020041 PILOT JET \varnothing 0.41 mm



3020187 PILOT JET \varnothing 0.51 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1





Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




AMBACH



Suitable for:

3020059 SPRING FOR PILOT BURNER \varnothing 14x40 mm



AMBACH 5004708809

3020018 PILOT BURNER GPL CB 503.003
with LPG jet and pilot olive
with pilot pipe connection



AMBACH LF-2111190

AMBACH

5026012 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503



3020051 FITTING FOR PILOT \varnothing 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



3020112 OLIVE FOR PIPE \varnothing 6 mm



3020048 PILOT JET \varnothing 0.21 mm
for pilot burner series CB 503-CB 50203.




3020049 PILOT JET \varnothing 0.28 mm
for pilot burner series CB 503



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



AMBACH 5040603572

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm





Suitable for:

3020260 PILOT BURNER HEAD
thread M10x1



AMBACH 5024708974


Suitable for:

3020261 PILOT JET ϕ 0.35 mm
thread M10x1 mm



AMBACH 5017202871

3020263 PILOT BURNER HEAD
thread M8x1.25



AMBACH 5024704318

3020267 LOCKING NUT OLIVE ϕ 4 mm
thread M10x1



AMBACH 5040603228

3345021 OLIVE FOR PIPE ϕ 4 mm



AMBACH 5050603209

3020264 PILOT JET ϕ 0.20 mm
thread M10x1 mm



AMBACH 5017202865

3020265 PILOT JET ϕ 0.40 mm
thread M10x1 mm



AMBACH 5017202875

3020259 PILOT BURNER HEAD WASHER ϕ 10x14x1.5 mm



AMBACH 5017302671

3020159 PILOT BURNER NATURAL GAS CB 503.006
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection



AMBACH

3020051 FITTING FOR PILOT ϕ 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI





Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



3020466 PILOT BURNER PROTECTION 25x25x18 mm



3020049 PILOT JET \varnothing 0.28 mm
for pilot burner series CB 503



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020201 PILOT JET \varnothing 0.14 mm



AMBACH 5017211424

AMBACH

Suitable for:

5026012 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503



3020114 OLIVE FOR PIPE \varnothing 6 mm



3020048 PILOT JET \varnothing 0.21 mm
for pilot burner series CB 503-CB 50203.



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



AMBACH 5040603572

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020044 PILOT JET \varnothing 0.20 mm



AMBACH 5017207876





Suitable for:

3020264 PILOT JET \varnothing 0.20 mm
thread M10x1 mm



AMBACH 5017202865

Suitable for:

3020157 PILOT JET \varnothing 0.25 mm



AMBACH 5017214033

3020040 PILOT JET \varnothing 0.30 mm



AMBACH 5017208677

3020261 PILOT JET \varnothing 0.35 mm
thread M10x1 mm



AMBACH 5017202871

3020265 PILOT JET \varnothing 0.40 mm
thread M10x1 mm



AMBACH 5017202875

3020449 PILOT JET \varnothing 0.54 mm



AMBACH 5017207877

3020059 SPRING FOR PILOT BURNER \varnothing 14x40 mm



AMBACH 5004708809

3020283 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



AMBACH 5024716410

3020249 BRACKET PILOT BURNER SUPPORT 60x50x25 mm




3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



AMBACH 5040317235

AMBACH 5040616959

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



AMBACH 5040306819

AMBACH 5040616958



Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



AMBACH 5062607632

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506686

3020201 PILOT JET \varnothing 0.14 mm



AMBACH 5017211424

AMBACH



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



AMBACH 5062606677

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020113 OLIVE FOR PIPE \varnothing 4 mm



AMBACH 5050511405

3020114 OLIVE FOR PIPE \varnothing 6 mm



3020042 PILOT JET \varnothing 0.19 mm





Suitable for:

3020542 PILOT JET \varnothing 0.20 mm



3020202 PILOT JET \varnothing 0.27 mm



3020043 PILOT JET \varnothing 0.36 mm



5022050 PILOT JET \varnothing 0.50 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



AMBACH 5040603572

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




AMBACH

Suitable for:

5047578 PILOT JET \varnothing 0.24 mm



2102405 PILOT JET \varnothing 0.35 mm




3020543 PILOT JET \varnothing 0.38 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020150 THREE-FLAME PILOT BURNER
 without sparking plug, gas jet
 with pipe fitting and pilot pipe olive
 with thermocouple fitting
 with sparking plug fitting



AMBACH 5024706878

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
 thread M10x1



AMBACH 5040306819

AMBACH 5040616958

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F



AMBACH 5062606677

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M4x1 mm
 overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm



AMBACH 5040317235

AMBACH 5040616959

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M4x1 mm
 overall length 65 mm



AMBACH 5062607632

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
 connection \varnothing 2.4 mm
 overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
 connection \varnothing 2.4 mm
 overall length 52 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm





Suitable for:

3020044 PILOT JET \varnothing 0.20 mm



AMBACH 5017207876

3020452 PILOT JET \varnothing 0.32 mm



3020449 PILOT JET \varnothing 0.54 mm



AMBACH 5017207877

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



AMBACH

Suitable for:

5071220 PILOT JET \varnothing 0.22 mm




3020045 PILOT JET \varnothing 0.50 mm



3020464 PILOT JET \varnothing 0.64 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



AMBACH 5024703475

3020104 BRACKET CLAMP 3 POSITIONS





Suitable for:


3020103 BRACKET 3 POSITIONS



3020110 DEFLECTOR 3 FLAMES



3020083 FITTING AND OLIVE ø 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND ø 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



AMBACH 5062606677

3020294 IGNITION PLUG ROUND ø 7x44 mm
M faston M4x1 mm
overall length 67 mm



AMBACH

Suitable for:


3020109 DEFLECTOR 2 FLAMES



5048713 DEFLECTOR 3 FLAMES



3020084 FITTING AND OLIVE ø 6 mm



3001003 IGNITION PLUG ROUND ø 7x44 mm
M faston M4x1 mm
overall length 65 mm



AMBACH 5062607632

3020124 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 52 mm





Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



AMBACH 5050503001

5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



AMBACH

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506686

3020081 OLIVE FOR PIPE \varnothing 6 mm



AMBACH 5050503194

3020054 PILOT JET \varnothing 0.20 mm



4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm





Suitable for:

3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M**



**5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



AMBACH



Suitable for:

3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET




**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



**3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket**



3020101 BRACKET CLAMP 2 POSITIONS






Suitable for:

3020100 BRACKET 2 POSITIONS



3020083 FITTING AND OLIVE ø 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND ø 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



AMBACH 5062606677

3020294 IGNITION PLUG ROUND ø 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE ø 12 mm
for model PEL 22-24-25



AMBACH 5050503001


AMBACH

Suitable for:

3020109 DEFLECTOR 2 FLAMES



3020084 FITTING AND OLIVE ø 6 mm



3001003 IGNITION PLUG ROUND ø 7x44 mm
M faston M4x1 mm
overall length 65 mm



AMBACH 5062607632

3020124 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE ø 4 mm
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506686





Suitable for:

5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



AMBACH



Suitable for:

3020081 OLIVE FOR PIPE \varnothing 6 mm



AMBACH 5050503194

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020054 PILOT JET \varnothing 0.20 mm



3020156 PILOT JET \varnothing 0.25 mm



4058525 PILOT JET \varnothing 0.30 mm



3020055 PILOT JET \varnothing 0.35 mm



5015516 PILOT JET \varnothing 0.40 mm



3500269 PILOT JET \varnothing 0.45 mm



5075989 PILOT JET \varnothing 0.70 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020105 PILOT WITH 0.20 mm \varnothing JET





Suitable for:

3020106 PILOT WITH 0.25 mm Ø JET



3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" M



5033138 PIPE FITTING Ø 4 mm
thread Ø 1/8" M



5014757 PIPE FITTING Ø 6 mm
thread M10x1 mm



AMBACH



Suitable for:

3020107 PILOT WITH 0.35 mm Ø JET



3020077 PIPE FITTING Ø 4 mm
thread M10x1



3020078 PIPE FITTING Ø 6 mm
thread M10x1



Position switches

3240238 LIMIT MICROSWITCH EATON LS-11D
6A 230V
complete with lever mod. LS-XL



AMBACH 0160927929
AMBACH 5060909748

AMBACH 160927929

AMBACH 5060909440



Pressure gauges

5022391 PRESSURE GAUGE \varnothing 61 mm
coupling \varnothing 1/4" M
scale 0-1.6 bar



AMBACH 5027213796

Pressure switches

5068532 PRESSURE SWITCH LID \varnothing 50x50 mm



AMBACH 5003116222

3320058 STEAM CONTROL PRESSURE SWITCH - 0.45/0.4
connection 3/8" M - 250V
for ALL PRESSURE BOILING AND TILTING PANS



AMBACH 5061315480


5068532 PRESSURE SWITCH LID \varnothing 50x50 mm



AMBACH 5003116222

Probes

5053451 TEMPERATURE PROBE PT100
2 threads - bulb \varnothing 6x44 mm
cable length 2000 mm - bayonet coupling



AMBACH 5024109875

3397227 TEMPERATURE PROBE 1500 mm
probe 2 wires
bulb \varnothing 2/4x500 mm



AMBACH 5024118676

5051353 TEMPERATURE PROBE 51x13 mm
cable length 2280 mm



AMBACH 5024118829



Suitable for:

AMBACH



Suitable for:

Radiant heating elements

3311167 RADIANT HEATING ELEM. ø 230mm 2300W 230V


faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



AMBACH 5060829379

3311151 RADIANT HEATING ELEMENT 4000W 400V


dimensions 300x300 mm
radiant size 270x270 mm
terminal block electric connections
for glass-ceramic cooking hob
WITHOUT PAN DETECTOR



AMBACH 5060810556

3311152 RADIANT HEATING ELEMENT 4000W 400V

dimensions 300x300 mm
radiant size 270x270 mm
terminal block electric connections
for glass-ceramic cooking hob
WITH PAN DETECTOR



AMBACH 5060810557

Relays

5025194 LEVEL RELAY FINDER 72.01.8.240.0000

240V
1 switching contact
regulation 5000÷150000 Ohm




AMBACH 5061419136

AMBACH 5061426371

3351127 RELAY FINDER 34.51.7.060.0010

220/240V
1 switching contact 6A



AMBACH 5061427372

Safety groups for pans and spare parts

3184007 PRESSURE GAUGE ø 60 mm

in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



AMBACH 5027207356

3184047 VACUUM RELIEF VALVE ø 1/2" M

chrome-plated brass - for safety group 1"



AMBACH 5018107456



Selector switches

3057050 **CONNECTING BRACKET 28x21x16 mm**
distance between hooking brackets 27 mm
f/connection between selector switch and thermostat.




AMBACH 5006304040

3057307 **CONNECTION BRACKET 28x21x11 mm**
distance between fixing brackets 27 mm
for connection between selector switch and thermostat



AMBACH 5006304040

5061304 **KIT SELECTOR SWITCH 0-1 POSITION**
with indicator light, connectors, cables and
potentiometer - contacts 16A 250V
max 150°C - D-shaped pin \varnothing 6x4.6 mm



AMBACH AM5003519072


AMBACH 5003519072

5066902 **KIT SELECTOR SWITCH 0-1 POSITION**
with indicator lamp, connectors, cables and
potentiometer - contacts 16A 250V
max 150°C - D-shaped pin \varnothing 6x4.6 mm




AMBACH 5003518422

3057014 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
back connection for thermostat



AMBACH 5060904036


3057027 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
rear hole for thermostat



AMBACH 5060904057


AMBACH 50609040570

3057078 **SELECTOR SWITCH 0-2 POSITIONS**
contact capacity 16A 250V - max temperature 150°C
D-shaped pin \varnothing 6x4.6 mm



AMBACH 5060910023


3057001 **SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



AMBACH 5060902396


AMBACH 5060908251

3057002 **SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



AMBACH 5060909122

3057087 **SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



AMBACH 5060902384




Suitable for:

AMBACH




3057098 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



AMBACH AM5060904035


AMBACH 5060904035

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



AMBACH 5060904041

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



AMBACH 5060904034

Shock absorbers

3007006 SHOCK ABSORBER FOR COVER 0400N
total length 500 mm



AMBACH 5004714039

5048908 SHOCK ABSORBER FOR OVEN DOOR 0700N
total length 220 mm



AMBACH AM5004714043

AMBACH 5004714043

Solenoid valves

3120138 COIL FOR GAS SOLENOID VALVE \varnothing 1/2"FF 230V
50/60Hz 20VA



AMBACH 5061507400

3120064 GAS SOLENOID VALVE \varnothing 1/2"FF 230V
with rate flow regulator
50/60Hz 20VA - max 500 mbar



AMBACH AM5018106116

AMBACH 5018106116

3120138 COIL FOR GAS SOLENOID VALVE \varnothing 1/2"FF 230V
50/60Hz 20VA



AMBACH 5061507400

Suitable for:

Suitable for:

5068529 OLENOID VALVE OLAB \varnothing 1/2" FF 230V
 for water - NC
 max temperature 140°C
 differential pressure max 15 bar
 coil OLAB 230V 50Hz



AMBACH 5018127041

3120265 SOLENOID VALVE MÜLLER 1 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 1/2" - outlet \varnothing 1/2"



AMBACH 0118111645

AMBACH 5018106152

3120274 COIL MÜLLER 220/240V 50/60Hz
 max. temperature 90°C
 with cable length 2000 mm



3120271 COIL MÜLLER 220/240V 50/60Hz
 max temperature 90°C



3120273 COIL MÜLLER 230V 60Hz
 temperature 90°C - for dispenser



3120325 COIL MÜLLER 24Vac 50/60Hz
 max temperature 90°C



5023165 FILTER INLET FOR SOLENOID VALVE MÜLLER
 \varnothing 19 mm



Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
 220/240V 50/60Hz



AMBACH 5060401734

AMBACH 5060402386

3181004 SPARK GENERATOR 6 OUTLETS
 220/240V - 50/60Hz



AMBACH 5060402388



Suitable for:

AMBACH



Suitable for:

Sparking and detection plugs

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



AMBACH 5062607632

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



AMBACH 5062606677

5020041 PLUG CONNECTION KIT
the kit includes:
1 shaft \varnothing 7.5x21.5 mm
1 thermoshrinking tube 50 mm



AMBACH AM0162922333

AMBACH 0162922333

AMBACH 5060200369

3020174 ROUND DETECTOR ELECTRODE \varnothing 7x47 mm
overall length 69 mm



AMBACH 3562614388

3020179 ROUND DETECTOR ELECTRODE \varnothing 7x47 mm
overall length 135 mm



3020076 ROUND IGNITION PLUG \varnothing 7/8x50 mm
F connection 2.8x0.8 mm
overall length 63 mm




AMBACH 3562614698

AMBACH 5062602389

3020080 ROUND IGNITION PLUG \varnothing 7x47 mm
overall length 97 mm



3020172 ROUND IGNITION PLUG \varnothing 7x47 mm
overall length 70 mm



AMBACH 3562614697

AMBACH 3562614387

5017912 ROUND IGNITION PLUG \varnothing 7x47 mm
total length 145 mm



AMBACH 3562615504

5017913 ROUND IGNITION PLUG \varnothing 7x47 mm
total length 100 mm



AMBACH 3562615503



Springs

3250126 DOOR HINGE SPRING \varnothing 30x555 mm
for BRATT PAN EKH90-GKH90



AMBACH 5004707073

5036462 SPRING FOR LID \varnothing 43x200 mm



AMBACH 5004714718

Switches

1319202 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 2500V - with indicator light
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



AMBACH 5060903316

3319780 BLOCK CONNECTION WHITE 22x30 mm



3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



5002190 CONTACT CEMA P9B11VN 10A
1 contact NO
1 contact NC



AMBACH 5060906194

5068534 CONTACT SCHLEGEL 16A 250V
1 NO contact



AMBACH 5060919055



Suitable for:

AMBACH



5068535 CONTACT SCHLEGEL 16A 250V
1 NC contact



AMBACH 5060919057

Suitable for:

5068536 CONTACTS-PUSHBUTTONS SUPPORT SCHLEGEL



AMBACH 5060919053

5017930 MUSHROOM PUSH-BUTTON BLACK CEMA
mounting hole \varnothing 22 mm



AMBACH 5018611265

5002190 CONTACT CEMA P9B11VN 10A
1 contact NO
1 contact NC



AMBACH 5060906194

AMBACH 5060911266

5068533 PUSH-BUTTON ST. STEEL SCHLEGEL
mounting hole \varnothing 22 mm



AMBACH 5060919056

5068534 CONTACT SCHLEGEL 16A 250V
1 NO contact



5068535 CONTACT SCHLEGEL 16A 250V
1 NC contact



AMBACH 5060919057


AMBACH 5060919055

5068536 CONTACTS-PUSHBUTTONS SUPPORT SCHLEGEL



AMBACH 5060919053

5028775 PUSH-BUTTON STOP RED 16A 250V
with indicator light
1 contact NO
mounting hole \varnothing 22 mm



AMBACH 3560926096

AMBACH 5018619756

AMBACH 5060919758

AMBACH 5060919759

AMBACH 5061103274

AMBACH 5061119760

Suitable for:

3319270 PUSH-BUTTON 1-POLE RED 3A 250V
with protection cap
mounting hole \varnothing 17 mm



AMBACH 5018609593

Suitable for:

3319316 PUSH-BUTTON PROTECTION W/FRAME \varnothing 23 mm
for \varnothing 17 mm mounting hole buttons



Taps for tank refilling

3541055 BLUE PLASTIC RING FOR KNOB "MAMOLI"
external \varnothing 39 mm - height 7 mm



AMBACH 5031400110

5052606 CHROMED PLATE SILK-SCREEN PRINTED
external \varnothing 35.5 mm



AMBACH 5025000108

5052605 RED PLASTIC RING FOR KNOB "MAMOLI"
external \varnothing 39 mm - height 7 mm



AMBACH 5031400109

5052604 RING NUT FOR WATER INLET TAP
external \varnothing 58/30 mm - internal \varnothing 26 mm
height 27 mm



AMBACH 5022213783

3183014 SPOUT CONNECTION 1/2" M
chrome-plated brass swivel
outlet spout \varnothing 18 mm



AMBACH 5000507358

AMBACH 5000508009

3528056 COUNTER NUT FLAT OF BRASS 1/2"



3183015 SPOUT CONNECTION 1/2" M
chrome-plated brass swivel
outlet spout \varnothing 20 mm



AMBACH 5000508009

5036597 TAP HEAD CONNECTION \varnothing 1/2"



AMBACH 5018007381



Suitable for:

Suitable for:

3759109 TAP LOCK ELBOW RH \varnothing 1/2"FF
blue cap



AMBACH 5018007357

5012438 WATER INLET TAP \varnothing 1/2"FF



AMBACH 5018003414

5052606 CHROMED PLATE SILK-SCREEN PRINTED
external \varnothing 35.5 mm



AMBACH 5025000108

5052604 RING NUT FOR WATER INLET TAP
external \varnothing 58/30 mm - internal \varnothing 26 mm
height 27 mm



AMBACH 5022213783

7115467 WATER INLET TAP \varnothing 1/2"FF



AMBACH 5018013782

3541055 BLUE PLASTIC RING FOR KNOB "MAMOLI"
external \varnothing 39 mm - height 7 mm



AMBACH 5031400110

5052605 RED PLASTIC RING FOR KNOB "MAMOLI"
external \varnothing 39 mm - height 7 mm



AMBACH 5031400109

5036597 TAP HEAD CONNECTION \varnothing 1/2"



AMBACH 5018007381



Terminal blocks

3247017 TERMINAL BLOCK 12-POLES OF PLASTIC
for cable 1-10 mm²
operating temperature 150°C
nominal voltage 500V



AMBACH 3560510386

AMBACH 3560510387

AMBACH 3560510694

3247023 TERMINAL BLOCK 12-POLES OF PLASTIC
for cable 4-10 mm²
operating temperature 150°C
nominal voltage 450V



AMBACH 5060508822

Thermocouples and accessories

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



AMBACH 5024109258

3440019 EXTENSION FOR THERMOCOUPLE M9x1 60 cm.
female nut M9x1



AMBACH 5024108084

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals




AMBACH 5024108078

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



AMBACH 5024108086

3440015 INTERRUPTION CONNECTOR M9x1




AMBACH 5024105606

3440031 THERMOCOUPLE SIT M8x1 120 cm



AMBACH 5024102066

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS




AMBACH 5024102066



Suitable for:

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



AMBACH 5024102066

Suitable for:

3440068 THERMOCOUPLE SIT M8x1 32 cm



AMBACH 5024102013

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



AMBACH 5024102012

3440046 THERMOCOUPLE SIT M8x1 60 cm



AMBACH 5024102012

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



AMBACH 5024102012

3440038 THERMOCOUPLE SIT M9x1 120 cm



AMBACH AM5024108855

AMBACH 5024108855

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



AMBACH AM5024108855

AMBACH 5024108855

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



AMBACH AM5024108855

AMBACH 5024108855

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



AMBACH 5024110057

3440080 THERMOCOUPLE SIT M9x1 40 cm.



AMBACH 5024110057

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



AMBACH 5024110057



Suitable for:

Suitable for:

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS




AMBACH 5024107489

AMBACH 5024107489

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

**5014582 THERMOCOUPLE SIT M9x1 75 cm
ALUMINIZED HEAD**



AMBACH 5024107489

AMBACH AM5024114591

AMBACH 5024114591

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



AMBACH 5024114564

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



AMBACH 5024114564

AMBACH 5024114564

3440049 THERMOCOUPLE SIT M9X1 75 cm

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



AMBACH 5024114564

3440048 THERMOCOUPLE SPRING
for pilot burner series CB 502-CB 505



AMBACH 5004703711



Suitable for:


AMBACH



Suitable for:

Thermostatic gas valves

3345006 THERMOSTATIC TAP 24ST
 adjustment temperature 120-320°C
 connections M20x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x100 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 10x8 mm



AMBACH 5018908975

3348044 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 20-21-24-25



AMBACH 5050603589


3348036 OLIVE FOR PIPE \varnothing 4 mm
 for model PEL 21-22-24-25



AMBACH 5050603573

AMBACH 5050506686

3348031 PIPE FITTING \varnothing 10 mm
 thread M20x1.5 mm
 for model PEL 22-24-25



3348032 PIPE FITTING \varnothing 12 mm
 thread M20x1.5 mm
 for model PEL 22-24-25



AMBACH 5040603188

3348038 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 22-24-25



3020082 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 22-24-25




AMBACH 5050603001

3348037 OLIVE FOR PIPE \varnothing 6 mm
 for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
 thread M16x1.5 mm
 for model PEL 20-21-24-25



AMBACH 5040603582

3348029 PIPE FITTING \varnothing 4 mm
 thread M10x1 mm
 for model PEL 21-22-24-25



AMBACH 5040603572



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



AMBACH




Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3345037 THERMOSTATIC TAP 24STS
operating temperature 100-300°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x75 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm



AMBACH 5018920781

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



AMBACH 5050503589

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



AMBACH 5050503573

AMBACH 5050506686

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



AMBACH 5050503001

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



AMBACH 5040603582



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



AMBACH 5040603188

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



AMBACH



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25




AMBACH 5040603572

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



Thermostats

5062202 PIN M4 THERMOSTAT FASTENING



AMBACH 5009600963

3444482 SINGLE-PHASE THERMOSTAT 100-185°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1800 mm
bulb \varnothing 4x230 mm - with adapter nipple bland M9x1



AMBACH 5061610987

AMBACH 5061611125

AMBACH 5061633535


3444545 SINGLE-PHASE THERMOSTAT 140°C
with automatic reset
covered capillary length 900 mm - 16A 230V
bulb \varnothing 4x158 mm



AMBACH 5061609772

AMBACH 5061633534

3444350 SINGLE-PHASE THERMOSTAT 150°C
with automatic reset
covered capillary length 1000 mm
bulb \varnothing 6x86 mm



AMBACH 5061603920


3444485 SINGLE-PHASE THERMOSTAT 150°C
with manual reset
capillary length 900 mm
bulb \varnothing 3x220 mm



AMBACH 5061600808

AMBACH 5061633533

3444483 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 900 mm - 0.5A 12V
bulb \varnothing 6x87 mm



AMBACH 5061614325




Suitable for:

Suitable for:

5014545 SINGLE-PHASE THERMOSTAT 30-110°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 920 mm - 16A 250V
 bulb \varnothing 6x130 mm

5078008 SINGLE-PHASE THERMOSTAT 30-120°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length covered 870 mm
 bulb \varnothing 6x113 mm



AMBACH 5061608580

AMBACH 5061620575

5054462 SINGLE-PHASE THERMOSTAT 34-120°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 230V
 button bulb \varnothing 31 mm

3444550 SINGLE-PHASE THERMOSTAT 50-320°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 3x225 mm



AMBACH 5061622560


AMBACH 5061602948

AMBACH 5061618075

AMBACH 5061633537

3444481 THERMOSTAT SINGLE-PHASE 20-500°C
 complete with knob
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1100 mm - 10A 400V
 button bulb \varnothing 20x20 mm

3444344 THERMOSTAT SINGLE-PHASE 25-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1600 mm - 29A 250V
 bulb \varnothing 3x160 mm



AMBACH 5061608151

AMBACH 5061608296

AMBACH 5061613760


AMBACH 5061618076

AMBACH 5061619760

AMBACH 5061633536

2100284 THERMOSTAT SINGLE-PHASE 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x130 mm - with stuffing gland fitting M9x1
 with complete tank sealing fitting M12x1

3444510 THERMOSTAT SINGLE-PHASE 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 850 mm - 16A 250V
 bulb \varnothing 6x138 mm - w/ stuffing gland fitting M9x1
 with complete tank sealing fitting M12x1



AMBACH 5061602949

AMBACH 5061602949



Suitable for:

AMBACH



3444756 THREE-PHASE THERMOSTAT 100-650°C/100-680
 2 temperatures
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 16A 230V
 bulb \varnothing 3.1x230 mm



AMBACH 5061610558

Suitable for:

3444471 THREE-PHASE THERMOSTAT 150°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 3x230 mm




AMBACH 5061603828

3444343 THREE-PHASE THERMOSTAT 20-500°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1030 mm
 bulb \varnothing 20x20 mm



AMBACH 5061614400

5014523 THREE-PHASE THERMOSTAT 230 °C
 jbhpblik



AMBACH 5061603893

3444204 THREE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 1700 mm - 10A 400V
 bulb \varnothing 4x120 mm - with adapter nipple band M9x1




AMBACH 5061603878

AMBACH 5061610988


AMBACH 5061611126

3444143 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 capillary length 1600 mm - 10A 400V
 bulb \varnothing 6x85 mm




AMBACH 5061038930

3444088 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x140 mm - with stuffing gland fitting M9x1



AMBACH 5061608152


3444546 THREE-PHASE THERMOSTAT 30-120°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 button bulb \varnothing 11x28 mm - nut M14x1



AMBACH 5061603938

Suitable for:


3444306 THREE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x120 mm



AMBACH 5061603684

Suitable for:

3444484 THREE-PHASE THERMOSTAT 360°C
with manual reset
capillary length 1300 mm
bulb \varnothing 4x120 mm



AMBACH 5061616223

3444349 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 860 mm - 10A 400V
bulb \varnothing 4x240 mm



AMBACH 5061607675

AMBACH 5061618784

3444166 THREE-PHASE THERMOSTAT 95-180°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
with complete tank coupling M12x1



AMBACH 5061608750

Water inlet taps

3358012 LEVEL TAP \varnothing 3/8" F
with fixed connection \varnothing 3/8" F



AMBACH 5018000055

Wheels and accessories

5002153 HANDWHEEL \varnothing 175 mm
central hole \varnothing 20 mm
complete with folding handle



AMBACH 2020100286

AMBACH 5020121470



Suitable for:


AMBACH



Suitable for:

Wire pan supports

3354007 REDUCER FOR MOKA POT 205x205 mm
made of anodised steel



AMBACH 5010104372

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com