



Spare parts for the professional sector:  
**Cooking equipment**



Suitable for:

**ANGELO PO**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# ANGELO PO



Suitable for:

## Air regulators

**5055434 AERATION REGULATOR**  
internal  $\varnothing$  16 mm - external  $\varnothing$  20 mm  
height 27 mm



ANGELO PO 36C2040

**5072488 AERATION REGULATOR**  
internal  $\varnothing$  15 mm - external  $\varnothing$  20 mm  
height 27 mm



ANGELO PO 36C1210

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ANGELO PO 33A0970

## Axial motor fans

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



ANGELO PO 32M7130

ANGELO PO 32V5790

**3805037 CABLE FOR AXIAL MOTOR FAN**  
cable length 2000 mm



## Ball valves and accessories

**3526693 WATER VALVE  $\varnothing$  1"MF**  
ball valve  
heavy series with PN 25 total passage  
aluminium lever



ANGELO PO 33D0890

ANGELO PO 33D1740

**5030274 CROSS FITTING OF CAST IRON  $\varnothing$  1" F**





Suitable for:

**5005304 DRAIN TAP EXTENSION 73 mm**



## ANGELO PO



Suitable for:

**5005303 DRAIN TAP LEVER**  
length 140 mm



**5003313 ELBOW FITTING OF CAST IRON  $\varnothing$  1" F**



**5061849 ELBOW FITTING OF CAST IRON  $\varnothing$  1" F**  
for Pasta cooker (ANGELO PO)




ANGELO PO 33Q2880

**5023502 ELBOW FITTING OF CAST IRON 4 WAYS  $\varnothing$  1" F**



ANGELO PO 33Q2930

**5033656 FITTING OF BRASS  $\varnothing$  1" MF**



ANGELO PO 33Q2520

**5030273 FITTING OF CAST IRON  $\varnothing$  1" MM**



## Bearings

**5076275 BEARING WITH CAP  $\varnothing$  19 mm**  
internal  $\varnothing$  6 mm - height 6 mm




ANGELO PO 36F0470

**1063901 BEARING 6204 DDU NSK**  
external  $\varnothing$  47mm - internal  $\varnothing$  20mm - thickness 14mm



ANGELO PO 3103840

**D063052 BEARING 6204-2RS SKF**  
single box packaging



ANGELO PO 3103840



Suitable for:

# ANGELO PO



Suitable for:

## Brushes

**5060344 BRUSH ST. STEEL FOR GRILLS AND PLATES**  
length 500 mm



ANGELO PO 36X0040

## Bulb sheathes

**3187006 THERMOSTAT SHEATH  $\varnothing$  1/2"**  
bulb length 105 mm



ANGELO PO 30Q1070

**3743651 BULB SHEATH RING NUT  $\varnothing$  1/2"**




**3186138 ASBESTOS FREE FLAT GASKET  $\varnothing$  30x21x2 mm**



**3187050 COUNTER NUT  $\varnothing$  1/2"**  
with milled seat for gasket  
with gasket  $\varnothing$  26 mm



**5007276 COUNTER NUT OF ST. STEEL  $\varnothing$  1/2"**  
with milled seat for gasket  $\varnothing$  27 mm



**3786547 GASKET FLAT EPDM  $\varnothing$  24x16x3 mm**  
for bulb holder sheathing



ANGELO PO 3151880

ANGELO PO 37Q2840

**5056717 THERMOSTAT SHEATH  $\varnothing$  1/2"**  
internal thread M10x1  
bulb length 92 mm



ANGELO PO 3168550

**5001215 THERMOSTAT SHEATH  $\varnothing$  1/4"**  
complete with fixing nut and washer  
bulb length 240 mm  
for Fryer (ANGELO PO)



ANGELO PO 30Q0150



## Burners, flame spreaders and accessories

**3025749 BURNER  $\varnothing$  130 mm 7.5kW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 34A2050

ANGELO PO 34A2051

ANGELO PO 34A2052

**3025218 BURNER  $\varnothing$  110 mm**  
for new series  
for Pot stove gas (ANGELO PO) - Series DELTA  
Series OMEGA



ANGELO PO 34A1390

ANGELO PO 34A1391

**3025747 BURNER  $\varnothing$  110 mm 5.5/6 kW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2030

ANGELO PO 34A2032

**3025261 BURNER  $\varnothing$  110 mm 7Kw**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3019380

**3025272 BURNER  $\varnothing$  130 mm 10KW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series OMEGA



ANGELO PO 3019360

**3025219 BURNER  $\varnothing$  140 mm**  
for new series  
for Pot stove gas (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA



ANGELO PO 34A1400

ANGELO PO 34A1401

**3025263 BURNER  $\varnothing$  80 mm 4KW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series GAMMA



ANGELO PO 3057600

**3025217 BURNER  $\varnothing$  90 mm**  
for new series  
for Pot stove gas (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA



ANGELO PO 34A1380

**3025160 BURNER CAP  $\varnothing$  110 mm**  
for second series  
for Pot stove gas (ANGELO PO) - Series DELTA  
Series OMEGA



ANGELO PO 34A1131

ANGELO PO 34A1132

ANGELO PO 34A1133

**3025218 BURNER  $\varnothing$  110 mm**  
for new series  
for Pot stove gas (ANGELO PO) - Series DELTA  
Series OMEGA



ANGELO PO 34A1390

ANGELO PO 34A1391



Suitable for:

**3025156 BURNER SUPPORT  $\varnothing$  22 mm**  
thread M20x1.5 mm - jet hole M10x1  
for burner  $\varnothing$  60-90-110 mm  
for Pot stove gas (ANGELO PO) - Series COMBI



ANGELO PO 36D0070

**3025162 BURNER CAP  $\varnothing$  140 mm**  
for new series  
for Pot stove gas (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA



ANGELO PO 34A1141

**3025220 BURNER SUPPORT  $\varnothing$  35 mm**  
jet hole M10x1  
for burner  $\varnothing$  90-110-140 mm  
for new series  
for Pot stove gas (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA



ANGELO PO 36D2771

**3025158 BURNER CAP  $\varnothing$  90 mm**  
for second series  
for Pot stove gas (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA



ANGELO PO 34A1121

ANGELO PO 34A1122

ANGELO PO 34A1123

# ANGELO PO



Suitable for:

**3025220 BURNER SUPPORT  $\varnothing$  35 mm**  
jet hole M10x1  
for burner  $\varnothing$  90-110-140 mm  
for new series  
for Pot stove gas (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA



ANGELO PO 36D2771

**3025219 BURNER  $\varnothing$  140 mm**  
for new series  
for Pot stove gas (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA



ANGELO PO 34A1400

ANGELO PO 34A1401

**3025217 BURNER  $\varnothing$  90 mm**  
for new series  
for Pot stove gas (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA



ANGELO PO 34A1380



Suitable for:

**3025156 BURNER SUPPORT  $\varnothing$  22 mm**  
thread M20x1.5 mm - jet hole M10x1  
for burner  $\varnothing$  60-90-110 mm  
for Pot stove gas (ANGELO PO) - Series COMBI



ANGELO PO 36D0070

## ANGELO PO



Suitable for:

**3025220 BURNER SUPPORT  $\varnothing$  35 mm**  
jet hole M10x1  
for burner  $\varnothing$  90-110-140 mm  
for new series  
for Pot stove gas (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA



ANGELO PO 36D2771

**3025676 BURNER SUPPORT**  
internal hole  $\varnothing$  33 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 3311911

ANGELO PO 34A2070

ANGELO PO 34A2071

**3025156 BURNER SUPPORT  $\varnothing$  22 mm**  
thread M20x1.5 mm - jet hole M10x1  
for burner  $\varnothing$  60-90-110 mm  
for Pot stove gas (ANGELO PO) - Series COMBI



ANGELO PO 36D0070

**3025220 BURNER SUPPORT  $\varnothing$  35 mm**  
jet hole M10x1  
for burner  $\varnothing$  90-110-140 mm  
for new series  
for Pot stove gas (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA



ANGELO PO 36D2771

**3025257 BURNER TRAVERSE**  
for Pot stove gas (ANGELO PO) 070D - 070DGG - 071D  
071DGG - 072D - 072DGG - 090 - 091 - 091GG  
092 - 092GG - 092VA - 092VAGG - 71D - 71DGG  
71GE - 71GEGG - 72D - 72DGG - 72TP - 72VA  
72VAGG - 73D - 73VA - 73VAGG



ANGELO PO 35M2880

**3025746 FLAME SPREADER  $\varnothing$  110 mm 5.5/6kW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2040

**3025747 BURNER  $\varnothing$  110 mm 5.5/6 kW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2030

ANGELO PO 34A2032



Suitable for:

**3025676 BURNER SUPPORT**  
internal hole  $\varnothing$  33 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 3311911

ANGELO PO 34A2070

ANGELO PO 34A2071

**3186657 O-RING 02187 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  47.35 mm



ANGELO PO 3152040

**3025745 VENTURI FOR BURNER  $\varnothing$  110 mm 5.5/6kW**  
internal hole  $\varnothing$  12.5 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2010

**3025260 FLAME SPREADER  $\varnothing$  110 mm 7Kw**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3019390

**3025676 BURNER SUPPORT**  
internal hole  $\varnothing$  33 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 3311911

ANGELO PO 34A2070

ANGELO PO 34A2071

# ANGELO PO



Suitable for:  
**3025690 JET HOLDER FITTING  $\varnothing$  35 mm**  
jet hole M5x1  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2020

**3025273 PIN M5 FOR BURNER**  
length 22 mm



ANGELO PO 31V0240

ANGELO PO 31V0241

**3025261 BURNER  $\varnothing$  110 mm 7Kw**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3019380

**3025690 JET HOLDER FITTING  $\varnothing$  35 mm**  
jet hole M5x1  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2020





Suitable for:

**3186657 O-RING 02187 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  47.35 mm



ANGELO PO 3152040

**3025744 VENTURI FOR BURNER  $\varnothing$  110 mm 7.5Kw**  
internal hole  $\varnothing$  14.5 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA




ANGELO PO 34A2000

**3025271 FLAME SPREADER  $\varnothing$  130 mm 10KW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series OMEGA



ANGELO PO 3019370

**3025690 JET HOLDER FITTING  $\varnothing$  35 mm**  
jet hole M5x1  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2020

**3025273 PIN M5 FOR BURNER**  
length 22 mm




ANGELO PO 31V0240

ANGELO PO 31V0241

## ANGELO PO

Suitable for:

**3025273 PIN M5 FOR BURNER**  
length 22 mm



ANGELO PO 31V0240

ANGELO PO 31V0241

**3025259 VENTURI WITH NOZZLE HOLDER 7Kw**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series OMEGA



ANGELO PO 6013760

ANGELO PO 6013761

ANGELO PO 6013762

**3025272 BURNER  $\varnothing$  130 mm 10KW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series OMEGA



ANGELO PO 3019360

**3186657 O-RING 02187 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  47.35 mm



ANGELO PO 3152040

**3025258 VENTURI WITH NOZZLE HOLDER 10KW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series OMEGA



ANGELO PO 6014830

ANGELO PO 6014831

ANGELO PO 6014832





Suitable for:

# ANGELO PO



**3025748 FLAME SPREADER  $\varnothing$  130 mm 7.5kW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 34A2060

**3025676 BURNER SUPPORT**  
internal hole  $\varnothing$  33 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 3311911

ANGELO PO 34A2070

ANGELO PO 34A2071

**3186657 O-RING 02187 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  47.35 mm



ANGELO PO 3152040

**3025744 VENTURI FOR BURNER  $\varnothing$  110 mm 7.5Kw**  
internal hole  $\varnothing$  14.5 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 34A2000

**3025262 FLAME SPREADER  $\varnothing$  80 mm 4KW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series GAMMA



ANGELO PO 3057610

Suitable for:

**3025749 BURNER  $\varnothing$  130 mm 7.5kW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 34A2050

ANGELO PO 34A2051


ANGELO PO 34A2052

**3025690 JET HOLDER FITTING  $\varnothing$  35 mm**  
jet hole M5x1  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2020

**3025273 PIN M5 FOR BURNER**  
length 22 mm



ANGELO PO 31V0240

ANGELO PO 31V0241

**3025263 BURNER  $\varnothing$  80 mm 4KW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series GAMMA



ANGELO PO 3057600



Suitable for:

**3025676 BURNER SUPPORT**  
internal hole  $\varnothing$  33 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 3311911

ANGELO PO 34A2070

ANGELO PO 34A2071

**3025273 PIN M5 FOR BURNER**  
length 22 mm



ANGELO PO 31V0240

ANGELO PO 31V0241

**3025304 VENTURI WITH NOZZLE HOLDER 4KW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series GAMMA




ANGELO PO 6020730

ANGELO PO 6020731

ANGELO PO 6020732

**3025690 JET HOLDER FITTING  $\varnothing$  35 mm**  
jet hole M5x1  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2020

**3025745 VENTURI FOR BURNER  $\varnothing$  110 mm 5.5/6kW**  
internal hole  $\varnothing$  12.5 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2010

# ANGELO PO



Suitable for:

**3186657 O-RING 02187 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  47.35 mm




ANGELO PO 3152040

**5069317 VENTURI FOR BURNER  $\varnothing$  80 mm 4Kw**  
internal hole  $\varnothing$  11 mm



ANGELO PO 3057620

**3025273 PIN M5 FOR BURNER**  
length 22 mm



ANGELO PO 31V0240

ANGELO PO 31V0241

**3025744 VENTURI FOR BURNER  $\varnothing$  110 mm 7.5Kw**  
internal hole  $\varnothing$  14.5 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 34A2000



Suitable for:

**5069317 VENTURI FOR BURNER  $\varnothing$  80 mm 4Kw**  
internal hole  $\varnothing$  11 mm



ANGELO PO 3057620

Suitable for:

**3025258 VENTURI WITH NOZZLE HOLDER 10KW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series OMEGA



ANGELO PO 6014830

ANGELO PO 6014831

ANGELO PO 6014832

**3025304 VENTURI WITH NOZZLE HOLDER 4KW**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series GAMMA



ANGELO PO 6020730

ANGELO PO 6020731

ANGELO PO 6020732

**3025259 VENTURI WITH NOZZLE HOLDER 7Kw**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series OMEGA



ANGELO PO 6013760

ANGELO PO 6013761

ANGELO PO 6013762

## Cables for piezo igniters

**5053397 EARTHING CABLE 1200 mm**  
with faston 2.8x0.8 mm for ignition  
with faston foro  $\varnothing$  5 mm



ANGELO PO 32A2401

**5021577 EARTHING CABLE 620 mm**  
with faston 2.8x0.8 mm for ignition  
with faston hole  $\varnothing$  5 mm  
for Bain-marie gas (ANGELO PO) - Series ALPHA  
for Fry top gas (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series JUNIOR - Series SENIOR - Series SUMMIT



ANGELO PO 32A0441

**5004396 EARTHING CABLE 900 mm**  
with faston 2.8x0.8 mm for ignition  
with faston hole  $\varnothing$  5 mm



ANGELO PO 32A2530

**3001019 IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  2.4 mm for electrode



ANGELO PO 32A2550



# ANGELO PO



Suitable for:

**5008988 IGNITION LEAD 1200 mm**  
with faston 2.8x0.8 mm for ignition  
with faston 2.8x0.8 mm for plug



ANGELO PO 32A0061

ANGELO PO 32A0390

Suitable for:

**5031826 IGNITION LEAD 1200 mm**  
with faston 2.8x0.8 mm for ignition  
with faston  $\varnothing$  2.4 mm per candela  
per ALPHA-DELTA-GAMMA-BIFRONTTE



ANGELO PO 32A2360

ANGELO PO 32A2361

**5020555 IGNITION LEAD 150 mm**  
with faston 2,8x0,8 mm for ignition  
with faston hole  $\varnothing$  4 mm for plug



ANGELO PO 32A1640

**5085303 IGNITION LEAD 150 mm**  
with faston 2,8x0,8 mm for ignition  
with faston hole  $\varnothing$  5 mm for plug



ANGELO PO 3059160

**5028857 IGNITION LEAD 1600 mm**  
with faston 2.8x0.8 mm for ignition  
with faston 2.8x0.8 mm for plug



ANGELO PO 3011720

**5061197 IGNITION LEAD 1600 mm**  
with faston 2.8x0.8 mm for ignition  
with faston  $\varnothing$  2.4 mm for plug  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series GAMMA



ANGELO PO 32A3080

**3001017 IGNITION LEAD 600 mm**  
with faston 6.35x0.8 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



ANGELO PO 32A0051

ANGELO PO 32A0210

**5004397 IGNITION LEAD 600 mm**  
with faston 2.8x0.8 mm for ignition  
with faston  $\varnothing$  2.4 mm for plug  
for Fry top gas (ANGELO PO) - Series ALPHA  
Series BIFRONTTE - Series DELTA - Series GAMMA  
Series JUNIOR - Series SENIOR - Series SUMMIT



ANGELO PO 32A0430

ANGELO PO 32A0431



Suitable for:

# ANGELO PO



**5087973 IGNITION LEAD 630 mm**  
with faston  $\varnothing$  2,4 mm for ignition  
with faston  $\varnothing$  2,4 mm for plug



ANGELO PO 32A2851

**5090276 IGNITION LEAD 700 mm**  
with faston 2,8x0,8 mm for ignition  
with faston  $\varnothing$  4 mm for plug  
with faston 2,8x0,8 mm for earthing  
with faston hole  $\varnothing$  5 mm for earthing



ANGELO PO 3154230

ANGELO PO 3211850

**5078857 IGNITION LEAD 730 mm**  
with faston 2.8x0.8 mm for ignition  
with faston  $\varnothing$  4 mm for plug



ANGELO PO 3154220

**3001039 IGNITION LEAD 900 mm**  
with faston 2.8x0.8 mm for ignition  
with faston 2.8x0.8 mm for plug  
for Fry top gas (ANGELO PO)  
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32A0891

**5017499 IGNITION LEAD 900 mm**  
with faston 2.8x0.8 mm for ignition  
with faston  $\varnothing$  2.4 mm for plug  
for ALPHA-DELTA-GAMMA-BIFRONTTE



ANGELO PO 32A2540

ANGELO PO 32A2541

## Casings

**5013080 "U" PROFILE FOR 140x32x20 mm**  
for Pasta cooker gas (ANGELO PO) 70CP - 71CP  
71CP2 - 90CP - 91CP



ANGELO PO 35U8210

**5025055 DIFFUSORE LATERALE 550x328 mm**



ANGELO PO 35X4760



Suitable for:

**5020522 FRONT PANEL FIREPLACE 525x348 mm**



ANGELO PO 35D4651


Suitable for:

**5013078 FRONT PANEL FIREPLACE 550x270 mm**  
for Pasta cooker gas (ANGELO PO) 70CP - 71CP  
71CP2 - 90CP - 91CP



ANGELO PO 35D4820

**5020521 REAR PANEL FIREPLACE 525x355 mm**



ANGELO PO 35D4641

**5013079 REAR PANEL FIREPLACE 550x270 mm**  
for Pasta cooker gas (ANGELO PO) 70CP - 71CP  
71CP2 - 90CP - 91CP



ANGELO PO 35D4810

## Circlips

**1250023 RADIAL SEEGER RING  $\varnothing$  5 mm**  
stainless steel - external  $\varnothing$  11.3 - thickness 0.7  
UNI 7434 - DIN 6799



ANGELO PO 3120460

## Clamps

**3449451 HOSE CLAMP 10-16**  
for pipes  $\varnothing$  10÷16 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



ANGELO PO 36E4320

**3449452 HOSE CLAMP 16-25**  
for pipes  $\varnothing$  16÷25 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



ANGELO PO 3140230



Suitable for:

# ANGELO PO



**3449453 HOSE CLAMP 25-40**  
for pipes  $\varnothing$  25÷40 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



ANGELO PO 3140220

Suitable for:

**3449470 HOSE CLAMP 32-50**  
for pipes  $\varnothing$  32÷50 mm  
made of stainless steel AISI 304  
height 12 mm and screw E7  
suitable for food industry



ANGELO PO 3140300

## Contact thermostats

**3444283 CONTACT THERMOSTAT +110°C**  
boiler security  
with manual reset - 10A 250V



ANGELO PO 32V7250

**3444607 CONTACT THERMOSTAT 110°C**  
with manual reset



ANGELO PO 32Z8270

**5039001 CONTACT THERMOSTAT 50°C**  
with automatic reset  
for Fryer gas (ANGELO PO) 091FR7G  
for Hot plate electric (ANGELO PO)  
090PEB-091PEB-190PEB-191PEB  
for Pot stove electric (ANGELO PO) 04WPEBV-08WPEBV  
for Solid top range electric (ANGELO PO)  
190TPE-191TPE-08WTPEV



ANGELO PO 3093940

**3445403 CONTACT THERMOSTAT 55°C**  
with automatic reset



ANGELO PO 32V1920

**5030497 CONTACT THERMOSTAT 70°C 10A 250V**  
with automatic reset  
for Bain-marie (ANGELO PO) 6BM - 6BR  
for Fry top (ANGELO PO) 6FTL - 6FTR  
for Fryer (ANGELO PO) 6FR  
for Fryer electric (ANGELO PO) 091FR11 - 191FR21  
191FR4ED  
for Fryer gas (ANGELO PO) 091FR7G  
for Glass-ceramic plate (ANGELO PO) 6VTR  
for Pot stove electric (ANGELO PO) 04WPE4V  
08WPE4V - 090PE4 - 190PE4 - 191PE4E



ANGELO PO 3008880





## Contactors

**3446562 CONTACTOR LOVATO BF0901A**  
 coil 9A 230V 50/60Hz 4.2Kw  
 3 normally open contacts  
 1 normally closed auxiliary contact



ANGELO PO 3100940

ANGELO PO 32V5290

**3446227 AUXILIARY CONTACT LOVATO G218**  
 10A  
 1 contact NO  
 1 contact NC



**3454022 CONTACTOR LOVATO BF1201A**  
 coil 12A 230V 50/60Hz 5.7Kw  
 3 normally closed contacts  
 1 normally closed auxiliary contact



ANGELO PO 3100910

ANGELO PO 32Z2083

**3446227 AUXILIARY CONTACT LOVATO G218**  
 10A  
 1 contact NO  
 1 contact NC



**3446587 CONTACTOR LOVATO BF2600A**  
 coil 26A 230V 50/60Hz 13Kw  
 3 normally open contacts  
 no auxiliary contact  
 for Fryer electric (ANGELO PO) 0A1FR1E



ANGELO PO 3110890

ANGELO PO 32Z2091

**3446227 AUXILIARY CONTACT LOVATO G218**  
 10A  
 1 contact NO  
 1 contact NC



**3446588 CONTACTOR LOVATO BF3200A**  
 coil 32A 230V 50/60Hz 16Kw  
 3 normally open contacts  
 no auxiliary contact



ANGELO PO 3100930

**3446227 AUXILIARY CONTACT LOVATO G218**  
 10A  
 1 contact NO  
 1 contact NC





Suitable for:

# ANGELO PO




**3446558 CONTACTOR LOVATO BGF0901A**  
9A 400V 4Kw - coil 230V 50/60Hz  
3 NO contacts  
1 NC auxiliary contact



ANGELO PO 32Z3512

**3446557 CONTACTOR LOVATO BG0901A**  
coil 9A 230V 50/60Hz 4Kw  
3 normally open contacts  
1 normally closed auxiliary contact



ANGELO PO 32V6550

**3446556 CONTACTOR LOVATO BG0910A**  
coil 9A 230V 50/60Hz 4Kw  
3 normally open contacts  
1 normally open auxiliary contact



ANGELO PO 32V1880

**3446227 AUXILIARY CONTACT LOVATO G218**  
10A  
1 contact NO  
1 contact NC



**5023908 CONTACTOR SIEMENS 3RT1025-1AL20**  
17A 400V 7.5Kw - coil 230V 50/60Hz  
3 normally open contacts



ANGELO PO 32Z9250

**5059050 AUXILIARY CONTACT SIEMENS 3RH1921**  
1 contact normally open  
1 contact normally closed



**5083272 THERMAL RELAY LOVATO RF380100**  
0,63 ÷ 1A  
1 NO contact  
1 NC contact



ANGELO PO 3110900

**5068368 THERMAL RELAY LOVATO 0,6-1 A**  
RF9-1  
1 contact NO  
1 contact NC



ANGELO PO 32V6950

**5024564 THERMAL RELAY LOVATO 0,9-1,5 A**  
RF9.1V5  
1 contact NO  
1 contact NC




ANGELO PO 32V1010

ANGELO PO 32Z0930



## Cooking baskets and accessories

**5051863 FALSE BOTTOM 340x240x100 mm**  
of chrome-plated iron



ANGELO PO 36A5260


**3055328 FALSE BOTTOM 340x330 mm**  
handle height 185 mm  
made of STAINLESS steel  
for Pasta cooker gas (ANGELO PO) 70CP - 71CP2  
90CP



ANGELO PO 36A2590


ANGELO PO 36A2591

**5003330 FALSE BOTTOM 465x340 mm**  
handle height 190 mm  
of stainless steel




ANGELO PO 36A2681

**5023978 FALSE BOTTOM 500x295x130 mm**  
of stainless steel



ANGELO PO 36A2270

**5031632 FALSE BOTTOM 500x297x105 mm**  
iron plated  
for Pasta cooker electric (ANGELO PO)  
Series MONOLITHE - 04WCP1EM - 091CP1E




ANGELO PO 36A4640

ANGELO PO 36A4641

ANGELO PO 36A4642

**5000111 FALSE BOTTOM 500x297x80 mm**  
iron plated  
for Pasta cooker (ANGELO PO) 0A1CP1G - 0B1CP1G  
0D1CP1G - 06WCP1GM - 08WCP1GM - 091CP1G  
1A1CP2G - 1D1CP2G - 1G1CP1G - 191CP2G



ANGELO PO 36A4630

ANGELO PO 36A4631

**5056884 FALSE BOTTOM 620x500x85 mm**  
of chrome-plated iron



ANGELO PO 36A4651

**3055149 FALSE BOTTOM 650x340 mm**  
handle height: 175 mm  
made of STAINLESS steel  
for Pasta cooker gas (ANGELO PO) 71CP - 91CP



ANGELO PO 36A2301




Suitable for:

# ANGELO PO



**5030595** **FALSO FONDO 303x130x37 mm**  
in acciaio INOX



ANGELO PO 35N4970

ANGELO PO 35N4971

Suitable for:

**5017374** **KIT 4 PASTA COOKER BASKETS**  
the kit includes:  
3 baskets 302x95x200 mm  
1 basket 270x145x200 mm



ANGELO PO KCP40

**3055108** **PASTA COOKER BASKET 105x100x150 mm**  
made of stainless steel  
for Pasta cooker (ANGELO PO) - Series JUNIOR  
Series SENIOR



ANGELO PO C1011

ANGELO PO 301210

**5019584** **PASTA COOKER BASKET 270x145x200 mm**  
stainless steel  
for Pasta cooker (ANGELO PO)



ANGELO PO C2715

**5017419** **PASTA COOKER BASKET 270x225x200 mm**  
made of STAINLESS STEEL  
for Pasta cooker (ANGELO PO) - Series ALPHA



ANGELO PO C2327

**3055107** **PASTA COOKER BASKET 290x100x150 mm**  
made of stainless steel  
for Pasta cooker (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT



ANGELO PO 36A2580

ANGELO PO 36A2581

ANGELO PO 36A2582

**3055109** **PASTA COOKER BASKET 295x180x150 mm**  
made of stainless steel  
for Pasta cooker (ANGELO PO) - Series JUNIOR  
Series SENIOR



ANGELO PO C2028

ANGELO PO 3012130

ANGELO PO 51AL961

**3055110** **PASTA COOKER BASKET 300x280x150 mm**  
made of stainless steel  
for Pasta cooker (ANGELO PO) - Series SENIOR



ANGELO PO C3028

ANGELO PO 3012140

**5023501** **PASTA COOKER BASKET 302x95x200 mm**  
made of stainless steel  
for Pasta cooker (ANGELO PO) - Series ALPHA



ANGELO PO C0930

ANGELO PO 3240680

**5057932** **PASTA COOKER BASKET 305x230x200 mm**  
stainless steel  
for Pasta cooker (ANGELO PO)



ANGELO PO C3023



# ANGELO PO



Suitable for:

**5038550 PASTA COOKER BASKET 306x115x205 mm**  
in STAINLESS STEEL  
for Pasta cooker (ANGELO PO) - Series GAMMA



ANGELO PO C3011

Suitable for:

**5030420 PASTA COOKER BASKET 308x275x200 mm**  
stainless steel  
for Pasta cooker (ANGELO PO)



ANGELO PO C2830

**3055190 PASTA COOKER BASKET 450x260x200 mm**  
made of STAINLESS steel  
for Pasta cooker (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO C4627

**5030023 PASTA COOKER BASKET 93x93x200 mm**  
stainless steel  
for Pasta cooker (ANGELO PO)



ANGELO PO C0909

## Drain assembly

**3316127 DRAIN ASSEMBLY CROSS**  
external  $\varnothing$  51 mm  
for SINKS



ANGELO PO 33D1010

## Drain hoses

**5050177 COUPLING FOR DRAIN TAP  $\varnothing$  1"MM**  
 $\varnothing$  side outlet 32 mm - bracket 87x42 mm  
distance between holes 70 mm - height fitting 190  
for Pasta cooker electric (ANGELO PO) 091CP1E  
for Pasta cooker gas (ANGELO PO) 091CP1G



ANGELO PO 3067450

ANGELO PO 3067451

**5013357 DRAIN CAP OF PTFE  $\varnothing$  40/28x57 mm**  
internal  $\varnothing$  20 mm



ANGELO PO 3115040

ANGELO PO 36C0360



Suitable for:

# ANGELO PO



**5018022 DRAIN HOSE Ø 1" M**  
length 195 mm  
for Pasta cooker gas (ANGELO PO) 1A1CP2G - 1D1CP2G  
1G1CP1G



ANGELO PO 35X0270

Suitable for:

**5018024 DRAIN HOSE Ø 1" M**  
length 45 mm  
for Pasta cooker electric (ANGELO PO)  
Series ALPHA - Series DELTA - Series OMEGA  
for Pasta cooker gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 35X3830

**5057153 DRAIN PIPE Ø 40x290 mm**  
internal Ø 38 mm  
for Fry top electric (ANGELO PO) - Series ALPHA  
Series MONOLITHE  
for Fry top gas (ANGELO PO) - Series ALPHA  
for Grill gas (ANGELO PO) - Series ALPHA - 08WGRGV  
for Solid top range electric (ANGELO PO) 08WTPEV



ANGELO PO 3066510

ANGELO PO 3066511

**5061848 FITTING FOR DRAIN TAP Ø 1" MM**  
Ø side outlet 32 mm - fitting height 85 mm




ANGELO PO 3067660

**5086876 FITTING FOR DRAIN TAP Ø 1" MM**  
Ø side outlet 32 mm - bracket 87x42 mm  
distance between holes 70mm - fitting height 190mm



ANGELO PO 3067651

**5029807 FITTING FOR DRAIN TAP Ø 2" MM**  
fitting height 155 mm  
for Boiling pan electric (ANGELO PO)  
Series ALPHA - Series DELTA  
for Boiling pan gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Boiling pan steam (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 35Z0600

**5058417 OIL DRAIN PIPE WITH SAFETY DEVICE**  
Ø 38 mm - length 200 mm - bayonet coupling  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 3AZ0100

ANGELO PO 3212440

**5028399 TUBO SCARICO OLIO CON SICUREZZA**  
Ø 34 mm - lunghezza 305 mm - innesto a baionetta



ANGELO PO 3AZ0090

ANGELO PO 3268961



## Drain taps and accessories

- 3356092 DRAIN OFF TAP DIA 3/4 F.**  
 TECO BLOCK safety handle  
 tap body in brass CW617N UNI 12165  
 chrome plated superficial finish  
 Hostaform handle with metal core  
 operating temperature 120°C max  
 operating pressure 4 bar max  
 for Bain-marie electric (ANGELO PO) 6BM  
 for Fryer electric (ANGELO PO) 6FR  
 for Pasta cooker electric (ANGELO PO) 6CP



ANGELO PO 3072720

- 3356004 DRAIN TAP Ø 1" F**  
 TAPERED SEAL - fixed connection Ø 1" F  
 for BOILING PAN



ANGELO PO 33D0980

- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
 length 50 mt  
 suitable to hot and cold drinking water, gas  
 replaces pastes, hemp and sealing tapes  
 it allows the repositioning of couplings  
 in compliance with the latest regulations  
 Drinking water (Italian certification by C.S.A.,  
 according to standard KTW and WRC approved)  
 gas - water IMQ-UNICIG.  
 compliant with UNI EN 51-2 class Arp  
 approved by DVGW and DIN 30660



- 3186009 ASBESTOS FREE FLAT GASKET Ø 45x33x2 mm**



- 1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature -45°/+120°  
 beige color - NSF H1 certified  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline





Suitable for:

**3356029 HANDLE FOR DRAIN TAP**  
for drain tap  $\varnothing$  3/4" and 1"



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from  $-10^{\circ}\text{C}$  up to  $+120^{\circ}\text{C}$   
from  $+50^{\circ}\text{C}$  to  $+120^{\circ}\text{C}$  the grease becomes oily



## ANGELO PO




Suitable for:

**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



**3356106 DRAIN TAP  $\varnothing$  1" F**  
outlet internal  $\varnothing$  25 mm  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO A023020

ANGELO PO 3111510

ANGELO PO 33D1760

**3225001 DRAIN TAP LEVER  $\varnothing$  1" F**  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA  
Series SENIOR  
for Fryer electric (ANGELO PO) 0A1FR1E



ANGELO PO 3111500

ANGELO PO 35G7250

**5019546 LEVER FOR DRAIN TAP  $\varnothing$  3/4"-1" F**  
length 105 mm



ANGELO PO 35G5900

**3243142 O-RING 04118 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  29.75 mm







Suitable for:

**5058417 OIL DRAIN PIPE WITH SAFETY DEVICE**  
ø 38 mm - length 200 mm - bayonet coupling  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 3AZ0100

ANGELO PO 3212440

# ANGELO PO



Suitable for:

**3356047 DRAIN TAP ø 1"MF**  
for Pasta cooker (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA



ANGELO PO 33D1980

ANGELO PO 33D1980+3029350

**5054493 "T" FITTING OF BRASS ø 1"F**  
for Pasta cooker (ANGELO PO)



ANGELO PO 3067420

**5022048 "T" FITTING OF CAST IRON ø 1"F**  
for Pasta cooker (ANGELO PO)



ANGELO PO 33Q2030

**5050177 COUPLING FOR DRAIN TAP ø 1"MM**  
ø side outlet 32 mm - bracket 87x42 mm  
distance between holes 70 mm - height fitting 190  
for Pasta cooker electric (ANGELO PO) 091CP1E  
for Pasta cooker gas (ANGELO PO) 091CP1G



ANGELO PO 3067450

ANGELO PO 3067451

**5018022 DRAIN HOSE ø 1"M**  
length 195 mm  
for Pasta cooker gas (ANGELO PO) 1A1CP2G - 1D1CP2G  
1G1CP1G




ANGELO PO 35X0270

**5018024 DRAIN HOSE ø 1"M**  
length 45 mm  
for Pasta cooker electric (ANGELO PO)  
Series ALPHA - Series DELTA - Series OMEGA  
for Pasta cooker gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 35X3830

**5091077 DRAIN VALVE MANEUVERING EXTENSION**



ANGELO PO 3029350

**5003313 ELBOW FITTING OF CAST IRON ø 1"F**



ANGELO PO 33Q2880



Suitable for:

**5061849 ELBOW FITTING OF CAST IRON Ø 1" F**  
for Pasta cooker (ANGELO PO)



ANGELO PO 33Q2930

**5061848 FITTING FOR DRAIN TAP Ø 1" MM**  
Ø side outlet 32 mm - fitting height 85 mm



ANGELO PO 3067660

**5018023 FITTING OF BRASS Ø 1" MF - 34 mm**



ANGELO PO 33Q3810

**7110731 DRAIN TAP Ø 1" MM**  
for Boiling pan (ANGELO PO)



ANGELO PO 3018420

**5022048 "T" FITTING OF CAST IRON Ø 1" F**  
for Pasta cooker (ANGELO PO)



ANGELO PO 33Q2030

# ANGELO PO



Suitable for:

**5023502 ELBOW FITTING OF CAST IRON 4 WAYS Ø 1" F**



ANGELO PO 33Q2520

**5086876 FITTING FOR DRAIN TAP Ø 1" MM**  
Ø side outlet 32 mm - bracket 87x42 mm  
distance between holes 70mm - fitting height 190mm



ANGELO PO 3067651

**5054493 "T" FITTING OF BRASS Ø 1" F**  
for Pasta cooker (ANGELO PO)



ANGELO PO 3067420

**5018024 DRAIN HOSE Ø 1" M**  
length 45 mm  
for Pasta cooker electric (ANGELO PO)  
Series ALPHA - Series DELTA - Series OMEGA  
for Pasta cooker gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA




ANGELO PO 35X3830



Suitable for:

**5091077 DRAIN VALVE MANEUVERING EXTENSION**



ANGELO PO 3029350

**5023502 ELBOW FITTING OF CAST IRON 4 WAYS ø 1" F**



ANGELO PO 33Q2520

**3356005 DRAIN TAP ø 1"1/4F TECNO**  
TAPERED SEAL - fixed connection ø 1"1/4F  
with gasket  
for BOILING PAN



ANGELO PO 33D0080

**3356010 ESCUTCHEON FOR DRAIN TAP ø 1"1/4**



## ANGELO PO



Suitable for:

**5003313 ELBOW FITTING OF CAST IRON ø 1" F**



ANGELO PO 33Q2880

**5018023 FITTING OF BRASS ø 1" MF - 34 mm**



ANGELO PO 33Q3810

**3186240 ASBESTOS FREE FLAT GASKET ø 46x38x2 mm**  
for drain tap ø 1"1/2



**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660





Suitable for:

**3186199 GASKET INTERNAL EPDM FOR TAPS**  
NSF certified  
for DRAIN TAP  $\varnothing$  1"1/4 and 1"1/2



**3242189 HANDGRIP FOR DRAIN TAP**  
for DRAIN TAP  $\varnothing$  1"1/2 e 1"1/4F



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



**3359123 DRAIN TAP  $\varnothing$  18 mm**  
for Bain-marie (ANGELO PO) ALPHA - Series BIFRONTI  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 33D2130

ANGELO PO 33D2131

# ANGELO PO



Suitable for:

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature  $-45^{\circ}/+120^{\circ}$   
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



**3356128 PIN  $\varnothing$  5x30 mm**  
complete with blind nut



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from  $-10^{\circ}\text{C}$  up to  $+120^{\circ}\text{C}$   
from  $+50^{\circ}\text{C}$  to  $+120^{\circ}\text{C}$  the grease becomes oily



**5037946 WELDED ELBOW  $\varnothing$  18/20 mm**  
internal  $\varnothing$  16/18 mm - width 45 mm



ANGELO PO 33Q3730

Suitable for:

Suitable for:

- 3356104 DRAIN TAP Ø 2" F TECNO**  
 TAPERED SEALING - with swivel nut Ø 2" F  
 for Boiling pan electric (ANGELO PO) 1A1PI2EA  
 1D1PI2E - 1D1PI2EA - 31PIE6 - 71PIE15  
 91PIE15  
 for Boiling pan gas (ANGELO PO) 1A1PD1G - 1A1PI2G  
 1A1PI2GA - 1A1PI2V - 1A1PI2VA - 1D1PD2G  
 1D1PI1G - 1D1PI2G - 31PI6 - 71PD10 - 71PD15  
 71PI10 - 71PI10A - 91PI10 - 91PI10A



ANGELO PO 33D2290

ANGELO PO 33D2291

- 3356012 ESCUTCHEON FOR DRAIN TAP Ø 2"**



- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
 length 50 mt  
 suitable to hot and cold drinking water, gas  
 replaces pastes, hemp and sealing tapes  
 it allows the repositioning of couplings  
 in compliance with the latest regulations  
 Drinking water (Italian certification by C.S.A.,  
 according to standard KTW and WRC approved)  
 gas - water IMQ-UNICIG.  
 compliant with UNI EN 51-2 class Arp  
 approved by DVGW and DIN 30660



- 3242190 DRAIN TAP HANDGRIP**  
 for DRAIN TAP Ø 2" OLD MODEL  
 AND FOR TECNO NEW MODEL



- 5029807 FITTING FOR DRAIN TAP Ø 2" MM**  
 fitting height 155 mm  
 for Boiling pan electric (ANGELO PO)  
 Series ALPHA - Series DELTA  
 for Boiling pan gas (ANGELO PO) - Series ALPHA  
 Series DELTA  
 for Boiling pan steam (ANGELO PO) - Series ALPHA  
 Series DELTA



ANGELO PO 35Z0600

- 5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm**  
 for drain tap Ø 2"





Suitable for:

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature -45°/+120°  
 beige color - NSF H1 certified  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline



# ANGELO PO



Suitable for:

**3356128 PIN  $\varnothing$  5x30 mm**  
 complete with blind nut



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
 length 150 metri  
 suitable for hot / cold drinking water. gas  
 replaces pastes, hemp and sealing tapes  
 it allows the correct replacement of fittings  
 compliant with the latest regulatory requirements  
 Drinking water (C.S.A. italian certified.  
 in line with KTW standard and WRC approved )  
 IMQ-UNICIG gas-water,  
 compliant with UNI EN 51-2 class Arp  
 DVGW and DIN 30660 approved



**3180039 VASELINE WUERTH 750 g**  
 for lubrication of food processing machines  
 it protects chromed and rubber parts from  
 weather factors, moisture resistant,  
 operating temperature from -10°C up to +120°C  
 from +50°C to +120 °C the grease becomes oily



**3356149 DRAIN TAP  $\varnothing$  2" F TECNO**  
 BRASS CAP - with swivel nut  $\varnothing$  2" F



ANGELO PO 33D0600

**3356101 CAP FOR DRAIN TAP**  
 for DRAIN TAP  $\varnothing$  2" OLD MODEL



**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
 for drain tap  $\varnothing$  2" old model



ANGELO PO 37Q4070

**3356016 DRAIN NIPPLE  $\varnothing$  2"x80 mm**  
 in brass



**3242190 DRAIN TAP HANDGRIP**  
 for DRAIN TAP  $\varnothing$  2" OLD MODEL  
 AND FOR TECNO NEW MODEL



**3356012 ESCUTCHEON FOR DRAIN TAP  $\varnothing$  2"**





Suitable for:

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
 length 50 mt  
 suitable to hot and cold drinking water, gas  
 replaces pastes, hemp and sealing tapes  
 it allows the repositioning of couplings  
 in compliance with the latest regulations  
 Drinking water (Italian certification by C.S.A.,  
 according to standard KTW and WRC approved)  
 gas - water IMQ-UNICIG.  
 compliant with UNI EN 51-2 class Arp  
 approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature -45°/+120°  
 beige color - NSF H1 certified  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline



**3356128 PIN Ø 5x30 mm**  
 complete with blind nut



## ANGELO PO



Suitable for:

**5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm**  
 for drain tap Ø 2"



**3186241 O-RING 06212 VITON**  
 ring thickness 5.34 mm - internal Ø 53.34 mm  
 for DRAIN TAP Ø 2" OLD MODEL AND  
 TECNO NEW MODEL



ANGELO PO 3152331

**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
 length 150 metri  
 suitable for hot / cold drinking water. gas  
 replaces pastes, hemp and sealing tapes  
 it allows the correct replacement of fittings  
 compliant with the latest regulatory requirements  
 Drinking water (C.S.A. italian certified.  
 in line with KTW standard and WRC approved )  
 IMQ-UNICIG gas-water,  
 compliant with UNI EN 51-2 class Arp  
 DVGW and DIN 30660 approved





Suitable for:

**3180039 VASELINE WUERTH 750 g**

for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from -10°C up to +120°C  
from +50°C to +120 °C the grease becomes oily



# ANGELO PO



Suitable for:

**5013321 DRAIN TAP  $\varnothing$  3/4" F**  
upper lever fitting  
outlet internal  $\varnothing$  22 mm



ANGELO PO 33D1770

**5026969 HANDLE BLACK  $\varnothing$  32x23 mm**  
thread M8



ANGELO PO 36M5430

**1186833 O-RING 03100 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  25.07 mm



ANGELO PO 3150690

**3225001 DRAIN TAP LEVER  $\varnothing$  1" F**  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA  
Series SENIOR  
for Fryer electric (ANGELO PO) 0A1FR1E



ANGELO PO 3111500

ANGELO PO 35G7250

**3225001 DRAIN TAP LEVER  $\varnothing$  1" F**  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA  
Series SENIOR  
for Fryer electric (ANGELO PO) 0A1FR1E



ANGELO PO 3111500

ANGELO PO 35G7250

**5019546 LEVER FOR DRAIN TAP  $\varnothing$  3/4"-1" F**  
length 105 mm



ANGELO PO 35G5900

**5028399 TUBO SCARICO OLIO CON SICUREZZA**  
attacco leva superiore  
uscita  $\varnothing$  interno 22 mm



ANGELO PO 3AZ0090


ANGELO PO 3268961





Suitable for:

**5090604 DRAIN TAPS KIT  $\varnothing$  1" F**  
level fitting upper  
outlet internal  $\varnothing$  25 mm  
with handle, gasket and washers



ANGELO PO 6024400

**5026969 HANDLE BLACK  $\varnothing$  32x23 mm**  
thread M8



ANGELO PO 36M5430

**5058417 OIL DRAIN PIPE WITH SAFETY DEVICE**  
 $\varnothing$  38 mm - length 200 mm - bayonet coupling  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 3AZ0100

ANGELO PO 3212440

**5091077 DRAIN VALVE MANEUVERING EXTENSION**



ANGELO PO 3029350

Suitable for:

**3225001 DRAIN TAP LEVER  $\varnothing$  1" F**  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA  
Series SENIOR  
for Fryer electric (ANGELO PO) 0A1FR1E



ANGELO PO 3111500

ANGELO PO 35G7250

**5019546 LEVER FOR DRAIN TAP  $\varnothing$  3/4"-1" F**  
length 105 mm



ANGELO PO 35G5900


**5019546 LEVER FOR DRAIN TAP  $\varnothing$  3/4"-1" F**  
length 105 mm



ANGELO PO 35G5900

## Electric hot plates

**3311096 ELECTRIC HOT PLATE  $\varnothing$  180 mm 2000W 230V**  
terminal block electric connections  
with STAINLESS steel edge 8 mm  
for electric cooking top



ANGELO PO 32G0030

**3311097 ELECTRIC HOT PLATE  $\varnothing$  180 mm 2000W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ANGELO PO 32G0290

ANGELO PO 32G1320




Suitable for:

# ANGELO PO



**3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ANGELO PO 32G0020

Suitable for:

**3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ANGELO PO 32G0300

ANGELO PO 32G1330

**3311053 ELECTRIC HOT PLATE 2600W 230V**  
dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ANGELO PO 3018350

**3311054 ELECTRIC HOT PLATE 2600W 400V**  
dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ANGELO PO 32G2860

**3311062 ELECTRIC HOT PLATE 3000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ANGELO PO 32G1201

**3311063 ELECTRIC HOT PLATE 3000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ANGELO PO 32G0930

ANGELO PO 32G1090

**3311064 ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ANGELO PO 32G1210

ANGELO PO 32G1211

**3311065 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ANGELO PO 32G0940

ANGELO PO 32G1080



## Electrical cables

- 3390042 CABLE FOR CIRCUIT BOARD CONNECTION**  
 length: 1500 mm  
 for Fryer (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series GAMMA  
 Series OMEGA



ANGELO PO 32A2290

## Electrical capacitors

- 3068014 CAPACITOR DUCATI ENERGIA 8 $\mu$ F**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 $\varnothing$  32xh55 mm



ANGELO PO 32Z2490

- 3068086 CAPACITOR ELECTRICAL 25 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  45xh71 mm



ANGELO PO 32V6440

- 3068087 CAPACITOR ELECTRICAL 35 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  45xh91 mm



ANGELO PO 32V5980

- 3068079 CAPACITOR ELECTRICAL 8 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  30xh71 mm



ANGELO PO 32Z2490

- 3068142 CAPACITOR 40 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  45xh91 mm



ANGELO PO 32V6540



Suitable for:

# ANGELO PO



Suitable for:

## Electrical gas valves and accessories

**2110618 DOUBLE COIL FOR VALVE**  
 230V 50Hz  
 for VALVE 840 SIGMA-848 SIGMA  
 for (ANGELO PO) - Series ALPHA DAL 15/12/2009  
 for Fryer gas (ANGELO PO)



ANGELO PO 3188170

**3030001 ELECTRIC COUPLING WITH CABLE**  
 cable length 1000 mm - 2 wires  
 for sit valve 824 NOVA-826 NOVA-836 TANDEM  
 for Bratt pan gas (ANGELO PO) - Series ALPHA  
 Series DELTA



ANGELO PO 32A2340

**3526102 ELECTRIC COUPLING WITH CABLE**  
 cable length 1000 mm - 3 wires  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ANGELO PO 32A2330

**5068646 ELECTRIC COUPLING WITH CABLE**  
 cable length 1100 mm - 3 threads  
 for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
 for valve sit 848 SIGMA



ANGELO PO 3154240

**5017303 FITTING WITH OLIVE  $\varnothing$  1/2"x14 mm**



ANGELO PO 33Q4080

**3526066 HONEYWELL VALVE V4400C  $\varnothing$  3/4"FF 220V**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection ASA pitch  
 maximum gas inlet pressure 60 mbar  
 room temperature 0÷70°C  
 power supply 230V 50Hz



ANGELO PO 33A0450

**3526077 ELBOW FLANGE  $\varnothing$  1/2"F**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526078 ELBOW FLANGE  $\varnothing$  3/4"F**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P





# ANGELO PO



Suitable for:

Suitable for:

**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**5095072 HOSE  $\varnothing$  1/2" M-3/4" F**



ANGELO PO 3215030

**5005865 HOSE FITTING  $\varnothing$  14 mm**  
thread M20x1.5 mm  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Pot stove gas (ANGELO PO) - Series OMEGA



ANGELO PO 36Q0210

**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



ANGELO PO 3227400

ANGELO PO 33G0620

**5095069 LOCKING NUT OLIVE  $\varnothing$  3/4"**  
pipe  $\varnothing$  16 mm  
for VALVE 840 SIGMA-848 SIGMA



ANGELO PO 33Q4830

**5095073 MANICOTTO IN OTTONE  $\varnothing$  1/2" MF**



ANGELO PO 33Q3140

**5074928 OLIVE FOR PIPE  $\varnothing$  14 mm**  
external  $\varnothing$  16.5 mm - height 10 mm  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Pot stove gas (ANGELO PO) - Series OMEGA




ANGELO PO 36Q0310

**5095070 OLIVE FOR PIPE  $\varnothing$  16 mm**



ANGELO PO 36Q1820

**5017951 PROTECTION RUBBER VALVE 820-824 NOVA**  
 $\varnothing$  external 50 mm -  $\varnothing$  internal 20 mm  
depth 1 mm



ANGELO PO 3152460



Suitable for:

# ANGELO PO




**5030042 RING NUT FOR VALVE 824 NOVASIT**  
external  $\varnothing$  60 mm - internal  $\varnothing$  21/24 mm  
height 14 mm



ANGELO PO 36E1910

Suitable for:  
**5095071 SEALING GASKET  $\varnothing$  17x24x1.5 mm**



ANGELO PO 36E3600

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

**3526145 VALVE NOVASIT  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
thermocouple connection 9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure range  
2÷50 mbar  
ambient temperature 0÷60°C  
power supply 230V 50Hz  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan (ANGELO PO) 291BR2G



ANGELO PO 33A0930

ANGELO PO 33A1670

**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526099 COIL 24V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526077 ELBOW FLANGE  $\varnothing$  1/2"F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



# ANGELO PO



Suitable for:

**3030001 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 2 wires  
for sit valve 824 NOVA-826 NOVA-836 TANDEM  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
Series DELTA



**3526102 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




ANGELO PO 32A2340

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ANGELO PO 32A2330

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**5017303 FITTING WITH OLIVE  $\varnothing$  1/2"x14 mm**



**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



ANGELO PO 33Q4080

**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



ANGELO PO 3227400

ANGELO PO 33G0620



Suitable for:

**3001008 PIEZO IGNITER**

a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



# ANGELO PO



Suitable for:


**3526103 PROTECTING COVER**

for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




**5017951 PROTECTION RUBBER VALVE 820-824 NOVA**

$\varnothing$  external 50 mm -  $\varnothing$  internal 20 mm  
depth 1 mm



**5030042 RING NUT FOR VALVE 824 NOVASIT**

external  $\varnothing$  60 mm - internal  $\varnothing$  21/24 mm  
height 14 mm



ANGELO PO 3152460

ANGELO PO 36E1910

**3526096 VALVE MICROSWITCH**

maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

**3526138 VALVE PROTECTION 72x44 mm**

for Bratt pan gas (ANGELO PO) - Series SENIOR  
Series SUMMIT



ANGELO PO 37Q1200

**3526092 VALVE 810 ELETTROSIT  $\varnothing$  1/2"FF**

inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3 ÷ 18 mbar  
ambient temperature 0 ÷ 60°C  
power supply 220/240V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



ANGELO PO 33A0590

ANGELO PO 6000640

**3526100 COIL 220V**

for VALVE ELETTROSIT







Suitable for:

**3526108 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for ELETTROSIT VALVE



**3526107 FLANGE STRAIGHT  $\varnothing$  3/4" F**  
with screws and OR  
for ELETTROSIT VALVE



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

**3526090 VALVE 810 ELETTROSIT  $\varnothing$  3/4" FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3 ÷ 18 mbar  
ambient temperature 0 ÷ 60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



ANGELO PO 33A0530

**3526100 COIL 220V**  
for VALVE ELETTROSIT



## ANGELO PO



Suitable for:

**3526106 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for ELETTROSIT VALVE



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3526138 VALVE PROTECTION 72x44 mm**  
for Bratt pan gas (ANGELO PO) - Series SENIOR  
Series SUMMIT



ANGELO PO 37Q1200

**3526137 BUTTON FOR ELETTROSIT VALVE 46 mm**



**3526108 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for ELETTROSIT VALVE





Suitable for:

**3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm**  
for switching on/off buttons



**3526107 FLANGE STRAIGHT  $\varnothing$  3/4" F**  
with screws and OR  
for ELETTROSIT VALVE



**3526136 SPRING FOR PUSH-BUTTON**



## ANGELO PO



Suitable for:

**3526106 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for ELETTROSIT VALVE



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm




**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

**3526176 VALVE 820 NOVA  $\varnothing$  1/2" FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple connection M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure adjustment range  
3÷30 mbar  
ambient temperature 0÷70°C  
power supply 230V 50Hz



**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ANGELO PO 33A0460

**2100054 COIL 220V 60Hz**  
for VALVE 820 NOVA-822 NOVA-828 NOVA



**3526099 COIL 24V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:

**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



## ANGELO PO



Suitable for:

**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526102 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




**5047586 EXTENSION FOR VALVE 820 NOVA**  
D-shaped pin  $\varnothing$  10x8 mm




ANGELO PO 32A2330

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P




**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



ANGELO PO 3227400

ANGELO PO 33G0620

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25





Suitable for:

**3001008 PIEZO IGNITER**

a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



ANGELO PO 36Q1000

**5053766 PROTECTION RUBBER VALVE 820 NOVA**  
 $\varnothing$  external 46 mm -  $\varnothing$  internal 20 mm  
depth 5,5 mm



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

**2101040 VALVE 840 SIGMA  $\varnothing$  3/4"MM**  
inlet  $\varnothing$  3/4" M - outlet  $\varnothing$  3/4" M  
gas inlet max pressure 60 mbar  
pressure calibration field outlet  
2-50 mbar  
ambient temperature 0-60°C  
power supply 230V 50Hz



ANGELO PO 32V6780

# ANGELO PO



Suitable for:

**3348034 PIPE FITTING  $\varnothing$  16 mm**  
thread M24x1.5  
for model PEL 23




**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm



**2110618 DOUBLE COIL FOR VALVE**  
230V 50Hz  
for VALVE 840 SIGMA-848 SIGMA  
for (ANGELO PO) - Series ALPHA DAL 15/12/2009  
for Fryer gas (ANGELO PO)



ANGELO PO 3188170




Suitable for:

**5076905 DOUBLE COIL FOR VALVE**  
220V 60Hz  
for VALVE 840 SIGMA-845 SIGMA-848 SIGMA



**5068646 ELECTRIC COUPLING WITH CABLE**  
cable length 1100 mm - 3 threads  
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
for valve sit 848 SIGMA



ANGELO PO 3154240

**5095069 LOCKING NUT OLIVE  $\varnothing$  3/4"**  
pipe  $\varnothing$  16 mm  
for VALVE 840 SIGMA-848 SIGMA



ANGELO PO 33Q4830

**5095070 OLIVE FOR PIPE  $\varnothing$  16 mm**



ANGELO PO 36Q1820

## ANGELO PO



Suitable for:

**2102658 ELECTRIC COUPLING WITH CABLE**  
cable length 550 mm - 4 wires  
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
for valve sit 848 SIGMA



**5095072 HOSE  $\varnothing$  1/2"M-3/4"F**



ANGELO PO 3215030

**5095073 MANICOTTO IN OTTONE  $\varnothing$  1/2"MF**  
entrata  $\varnothing$  3/4"M - uscita  $\varnothing$  3/4"M  
pressione massima di ingresso gas 60 mbar  
campo di taratura della pressione di uscita  
2÷50 mbar  
temperatura ambiente 0÷60°C  
alimentazione 230V 50Hz



ANGELO PO 33Q3140

**5095071 SEALING GASKET  $\varnothing$  17x24x1.5 mm**



ANGELO PO 36E3600



Suitable for:

# ANGELO PO



**2101992 VALVE 840 SIGMA  $\varnothing$  3/4"MM**  
 inlet  $\varnothing$  3/4" M - outlet  $\varnothing$  3/4" M  
 max. pressure of inlet gas 60 mbar  
 calibration field of outlet pressure  
 2÷50 mbar  
 room temperature 0÷60°C  
 power supply 220V 60Hz  
 for Fryer gas (ANGELO PO) - Series ALPHA



ANGELO PO 3041070

**5076905 DOUBLE COIL FOR VALVE**  
 220V 60Hz  
 for VALVE 840 SIGMA-845 SIGMA-848 SIGMA



**5068646 ELECTRIC COUPLING WITH CABLE**  
 cable length 1100 mm - 3 threads  
 for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
 for valve sit 848 SIGMA



ANGELO PO 3154240

**5095069 LOCKING NUT OLIVE  $\varnothing$  3/4"**  
 pipe  $\varnothing$  16 mm  
 for VALVE 840 SIGMA-848 SIGMA



ANGELO PO 33Q4830

**2110618 DOUBLE COIL FOR VALVE**  
 230V 50Hz  
 for VALVE 840 SIGMA-848 SIGMA  
 for (ANGELO PO) - Series ALPHA DAL 15/12/2009  
 for Fryer gas (ANGELO PO)




ANGELO PO 3188170

**2102658 ELECTRIC COUPLING WITH CABLE**  
 cable length 550 mm - 4 wires  
 for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
 for valve sit 848 SIGMA



**5095072 HOSE  $\varnothing$  1/2" M-3/4" F**



ANGELO PO 3215030

**5095073 MANICOTTO IN OTTONE  $\varnothing$  1/2" MF**  
 entrata  $\varnothing$  3/4" M - uscita  $\varnothing$  3/4" M  
 pressione massima di ingresso gas 60 mbar  
 campo di taratura della pressione di uscita  
 2÷50 mbar  
 temperatura ambiente 0÷60°C  
 alimentazione 220V 60Hz



ANGELO PO 33Q3140



Suitable for:

5095070 OLIVE FOR PIPE  $\varnothing$  16 mm



ANGELO PO 36Q1820

**2102533 VALVE 840 SIGMA  $\varnothing$  3/4"MM**  
inlet  $\varnothing$  3/4" M - outlet  $\varnothing$  3/4" M  
gas inlet maximum pressure 60 mbar  
calibration range of outlet pressure  
2÷50 mbar  
ambient temperature 0÷60°C  
power supply  
for Fryer gas (ANGELO PO)



ANGELO PO 3011580

**5076905 DOUBLE COIL FOR VALVE**  
220V 60Hz  
for VALVE 840 SIGMA-845 SIGMA-848 SIGMA



**5068646 ELECTRIC COUPLING WITH CABLE**  
cable length 1100 mm - 3 threads  
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
for valve sit 848 SIGMA




ANGELO PO 3154240

## ANGELO PO



Suitable for:

5095071 SEALING GASKET  $\varnothing$  17x24x1.5 mm



ANGELO PO 36E3600

**2110618 DOUBLE COIL FOR VALVE**  
230V 50Hz  
for VALVE 840 SIGMA-848 SIGMA  
for (ANGELO PO) - Series ALPHA DAL 15/12/2009  
for Fryer gas (ANGELO PO)



ANGELO PO 3188170

**2102658 ELECTRIC COUPLING WITH CABLE**  
cable length 550 mm - 4 wires  
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
for valve sit 848 SIGMA



**5095072 HOSE  $\varnothing$  1/2" M-3/4" F**



ANGELO PO 3215030



Suitable for:

**5095069 LOCKING NUT OLIVE  $\varnothing$  3/4"**  
pipe  $\varnothing$  16 mm  
for VALVE 840 SIGMA-848 SIGMA



ANGELO PO 33Q4830

**5095070 OLIVE FOR PIPE  $\varnothing$  16 mm**



ANGELO PO 36Q1820

**5095067 VALVE 843 SIGMA  $\varnothing$  3/4"FF**  
inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
gas inlet maximum pressure 60 mbar  
outlet pressure calibration 4-40 mbar  
ambient temperature 0-60°C  
power supply 230V 50Hz 2,8/9,2VA




ANGELO PO 3187230

**5076905 DOUBLE COIL FOR VALVE**  
220V 60Hz  
for VALVE 840 SIGMA-845 SIGMA-848 SIGMA



**5068646 ELECTRIC COUPLING WITH CABLE**  
cable length 1100 mm - 3 threads  
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
for valve sit 848 SIGMA



ANGELO PO 3154240

## ANGELO PO




Suitable for:

**5095073 MANICOTTO IN OTTONE  $\varnothing$  1/2"MF**  
entrata  $\varnothing$  3/4"M - uscita  $\varnothing$  3/4"M  
pressione massima di ingresso gas 60 mbar  
campo di taratura della pressione di uscita  
2-50 mbar  
temperatura ambiente 0-60°C  
alimentazione 230V 50Hz




ANGELO PO 33Q3140

**5095071 SEALING GASKET  $\varnothing$  17x24x1.5 mm**



ANGELO PO 36E3600

**2110618 DOUBLE COIL FOR VALVE**  
230V 50Hz  
for VALVE 840 SIGMA-848 SIGMA  
for (ANGELO PO) - Series ALPHA DAL 15/12/2009  
for Fryer gas (ANGELO PO)



ANGELO PO 3188170

**2102658 ELECTRIC COUPLING WITH CABLE**  
cable length 550 mm - 4 wires  
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA  
for valve sit 848 SIGMA



**5095072 HOSE  $\varnothing$  1/2"M-3/4"F**



ANGELO PO 3215030





Suitable for:

**5095069 LOCKING NUT OLIVE  $\varnothing$  3/4"**  
pipe  $\varnothing$  16 mm  
for VALVE 840 SIGMA-848 SIGMA



ANGELO PO 33Q4830

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25




ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**5095071 SEALING GASKET  $\varnothing$  17x24x1.5 mm**



ANGELO PO 36E3600

## ANGELO PO



Suitable for:

**5095073 MANICOTTO IN OTTONE  $\varnothing$  1/2"MF**  
entrata  $\varnothing$  3/4" F - uscita  $\varnothing$  3/4" F  
pressione massima di ingresso gas 60 mbar  
taratura della pressione di uscita 4÷40 mbar  
temperatura ambiente 0÷60°C  
alimentazione 230V 50Hz 2,8/9,2VA



ANGELO PO 33Q3140


**5095070 OLIVE FOR PIPE  $\varnothing$  16 mm**



ANGELO PO 36Q1820


## Electronic boards

**3390164 CONTROL CIRCUIT BOARD 230V 105x90 mm**  
for Fryer (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series OMEGA




ANGELO PO 32Z9090

**3390041 CONTROL ELECTRONIC BOARD 96x61 mm**  
for Fryer (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series OMEGA



ANGELO PO 32V0780

**3399042 ADHESIVE CONTROL PLATE 97x60 mm**  
for Fryer (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series OMEGA



ANGELO PO 37M8560



Suitable for:

**3390042 CABLE FOR CIRCUIT BOARD CONNECTION**  
length: 1500 mm  
for Fryer (ANGELO PO) - Series ALPHA  
Series BIFRONTE - Series DELTA - Series GAMMA  
Series OMEGA




ANGELO PO 32A2290

**3390043 THERMOCOUPLE PROBE TCJ 600 mm**  
2 wires probe with faston  
bulb  $\varnothing$  4/6x72 mm - threaded connection M10x1 mm  
for Fryer (ANGELO PO) - Series ALPHA  
Series BIFRONTE - Series DELTA - Series GAMMA  
Series OMEGA




ANGELO PO 32V0030

**7105049 CONTROL PC BOARD 94x60 mm**



ANGELO PO 6300726

**5034957 MOTHERBOARD 120x86 mm**  
for Hot plate electric (ANGELO PO) 04WPEBV  
08WPEBV - 090PEB - 091PEB - 190PEB - 191PEB  
for Solid top range electric (ANGELO PO) 08WTPEV  
190TPE - 191TPE




ANGELO PO 3076840

# ANGELO PO




Suitable for:

**3390164 CONTROL CIRCUIT BOARD 230V 105x90 mm**  
for Fryer (ANGELO PO) - Series ALPHA  
Series BIFRONTE - Series DELTA - Series GAMMA  
Series OMEGA



ANGELO PO 32Z9090

**5090272 MOTHERBOARD KIT**  
the kit includes 2 PC boards:  
1 PC board 143x100 mm  
1 PC board 100x70 mm



ANGELO PO 6300725


**5072803 POWER CIRCUIT BOARD KIT**  
2 PC boards included:  
1 PC board 143x100 mm  
1 PC board 100x70 mm



ANGELO PO 6300723

Suitable for:


**5089976 TEMPERATURE ELECTRONIC BOARD 90x80 mm**



ANGELO PO 6300632

Suitable for:

**7118616 TEMPERATURE ELECTRONIC BOARD 90x80 mm**  
for Solid top range electric (ANGELO PO) 191TPE



ANGELO PO 6300649

## Electronic boxes

**5051671 CONTROL BOX ECM113**  
model BRAHMA - 100/240V 50/60Hz 15VA  
dimensions 107x80 mm  
for Fryer (ANGELO PO) - Series ALPHA



ANGELO PO 3128260

**5085263 DETECTION CABLES ASSEMBLY**



ANGELO PO 3128220

**5054205 DETECTION CABLES ASSEMBLY 600 m m**  
the kit includes:  
2 cables with faston 3x0.8 mm  
1 earth cable with faston 6.35x0.8 mm



ANGELO PO 3154280

**5094839 DETECTION CABLES ASSEMBLY 600 m m**  
the kit includes:  
3 cables with faston 3x0,8 mm  
1 earthing cable with faston 6,35x0,8 mm



ANGELO PO 3210361

**7113444 DETECTION CABLES ASSEMBLY 800 m m**  
the kit includes:  
3 cables with faston 3x0,8 mm  
1 earth cable with faston 6.35x0.8 mm



ANGELO PO 3154250



Suitable for:



Suitable for:

## Electronic controllers

**3445136 THERMOSTAT EK342A TCJ**  
 power supply 230Vac 50/60Hz  
 thermostat setting range -0+600°C  
 ceiling and deck dual temperature setting  
 2 relay outputs 6(2)A 250V for heating elements  
 1 relay output 6(2)A 250V for heating  
 1 relay output 6(2)A 250V for chamber light  
 inbuilt alarm buzzer  
 room temperature 0+55°C  
 thermocouple TCJ type probe (not included)  
 connections by screwed terminal block  
 front dimensions 72x144x79 mm  
 mounting hole 138x67 mm  
 with cooking timer - steam control  
 ex EC8-342-J220



ANGELO PO

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



ANGELO PO 3223470

**3445109 PROBE TCJ VETROTEX 3000 mm**  
 2-wire probe temperature range 0+600°C  
 temperature cable max 350°C  
 error limit  $\pm 0.75\%$  below 0°C  
 response time 30 sec  
 bulb  $\varnothing 6 \times 100$  mm



**3445111 TRANSFORMER 24V/12V 3VA**  
 primary tension 24Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



## Energy regulators


**3350026 ENERGY REGULATOR**  
 contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing 6 \times 4.6$  mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



ANGELO PO 3220170

ANGELO PO 3220171

**3350035 ENERGY REGULATOR**  
 contact capacity 230V 13A  
 max temperature 125°C  
 D-shaped pin  $\varnothing 6 \times 4.6$  mm




ANGELO PO 3008300



## Fans for motors

- 3240106 FAN  $\varnothing$  160 mm**  
 thickness 35 mm  
 12 blades - hole  $\varnothing$  8 mm  
 for Oven under cooktop (ANGELO PO) - Series GAMMA  
 Series JUNIOR



ANGELO PO 32M0370

## Feet

- 5029806 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 145 mm**  
 with hole MA12  
 adjustable height 145÷230 mm



ANGELO PO 3313390

ANGELO PO 36C2970

## Filters

- 3160342 DRAIN-FILTER STAINLESS STEEL 76x76 mm**  
 for Pasta cooker (ANGELO PO) - Series ALPHA  
 Series DELTA



ANGELO PO 3033400  
 ANGELO PO 35S5900

ANGELO PO 3278360

ANGELO PO 35Q6690

- 3160264 PAN FILTER S/STEEL**  
 for Boiling pan (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series JUNIOR  
 Series SENIOR - Series SUMMIT



ANGELO PO 30Q0450

- 3160462 WATER FILTER  $\varnothing$  1/2"FF**



ANGELO PO 35Q2780

- 3160007 WATER FILTER  $\varnothing$  3/4"FF**



ANGELO PO 33Q6090

ANGELO PO 33Q6091

ANGELO PO 35Q2790



Suitable for:

# ANGELO PO



Suitable for:

## Fittings

**5054493 "T" FITTING OF BRASS Ø 1"F**  
for Pasta cooker (ANGELO PO)




ANGELO PO 3067420

**5022048 "T" FITTING OF CAST IRON Ø 1"F**  
for Pasta cooker (ANGELO PO)



ANGELO PO 33Q2030

**5022049 DRAIN NIPPLE Ø 1"M**  
hose end fitting ø 35 mm - height 53 mm




ANGELO PO 33Q3510

**5003313 ELBOW FITTING OF CAST IRON ø 1"F**



ANGELO PO 33Q2880

**5054491 ELBOW FITTING OF CAST IRON ø 1"MF**



ANGELO PO 3067430

**5061849 ELBOW FITTING OF CAST IRON Ø 1"F**  
for Pasta cooker (ANGELO PO)



ANGELO PO 33Q2930

**5023502 ELBOW FITTING OF CAST IRON 4 WAYS ø 1"F**



ANGELO PO 33Q2520

**3349353 ELBOW FITTING 1/4"M ø 8/6 NICKEL**



ANGELO PO 3016150

**3349352 ELBOW FITTING 1/8"M ø 8/6 NICKEL**



ANGELO PO 3014470

**3349318 FITTING Ø 1/8"M-1/8"M NICHEL-PLATED**




ANGELO PO 3005480

**5058512 FITTING ø 3/4"M-1/2"F CHROMED**



ANGELO PO 3006360

**5013264 FITTING Ø 3/8"F-1/2"M**



ANGELO PO 33Q2570

ANGELO PO 33Q2571

Suitable for:

**5018023 FITTING OF BRASS  $\varnothing$  1"MF - 34 mm**



ANGELO PO 33Q3810

Suitable for:

**5074498 FITTING WITH OLIVE  $\varnothing$  1/2"x14 mm**



ANGELO PO 3038370

**5037084 HOSE  $\varnothing$  1/2"FF  
length 34 mm**



ANGELO PO 33Q0690

**5010647 LOCKING NUT OLIVE  $\varnothing$  10 mm  
thread  $\varnothing$  3/8"**



ANGELO PO 36Q0140

**3349342 NICHEL-PL.HOSE-END FITTING  $\varnothing$  1/4"M  $\varnothing$  7**



ANGELO PO 3007980

ANGELO PO 33Q6640

**3349355 NICHEL-PL.T-FITTING  $\varnothing$  1/8"F-1/8"F-1/8"F**



ANGELO PO 3003770

**3349320 NICHEL-PLATED FITTING  $\varnothing$  1/2"M-1/2"M**




ANGELO PO 3071310

**3349330 NICHEL-PLATED FITTING  $\varnothing$  1/4"M-1/8"F**




ANGELO PO 3040920

**5076039 NUT RING BUSHING  $\varnothing$  16x10x8.5 mm  
foro laterale M4**




ANGELO PO 3009220

**5013203 PRESSURE FITTING  $\varnothing$  1/8"  
length 23 mm**



ANGELO PO 33A0640

**5054492 REDUCTION OF BRASS  $\varnothing$  1"M-1/4"  
height 26 mm**



ANGELO PO 3067440

**5037946 WELDED ELBOW  $\varnothing$  18/20 mm  
internal  $\varnothing$  16/18 mm - width 45 mm**



ANGELO PO 33Q3730



Suitable for:


# ANGELO PO



Suitable for:


## Fryer baskets and accessories

**5057157 FALSE BOTTOM MESH COMPLETE 335x235 mm**  
height 120 mm  
of chrome-plated iron



ANGELO PO 3006800

**3055329 FALSE BOTTOM MESH COMPLETE 430x310 mm**  
height 195 mm  
in plated iron  
for Fryer electric (ANGELO PO) 091FR1E - 091FR1ED  
191FR2E - 191FR2ED  
for Fryer gas (ANGELO PO) 091FR1G - 091FR1GD  
191FR2G - 191FR2GD



ANGELO PO 36A2320

**3055215 FRYER BASKET 285x190x115 mm**  
made of chrome-plated iron  
for Fryer (ANGELO PO) - Series JUNIOR  
Series SENIOR



ANGELO PO 36A2640

**3055278 FRYER BASKET 285x190x115 mm**  
made of chrome-plated iron  
for Fryer (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT



ANGELO PO 36A3480

ANGELO PO 36A3481

**3055330 FRYER BASKET 285x225x115 mm**  
made of chrome-plated iron  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3007210

ANGELO PO 3007220

ANGELO PO 36A5350

**3055169 FRYER BASKET 310x210x130 mm**  
made of chrome-plated iron  
for Fryer (ANGELO PO) - Series COMBI



ANGELO PO 36A1300

**3055214 FRYER BASKET 370x150x120 mm**  
made of chrome-plated iron  
for Fryer (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA  
for Fryer electric (ANGELO PO) 0A1FR1E



ANGELO PO 36A2340

**3055217 FRYER BASKET 370x150x120 mm**  
made of chrome-plated iron  
for Fryer (ANGELO PO) - Series SENIOR  
Series SUMMIT



ANGELO PO 36A2020

ANGELO PO 36A3491



Suitable for:


**5013267 FRYER BASKET 370x300x120 mm**  
out of chrome plated iron  
for Fryer (ANGELO PO) - Series ALPHA



ANGELO PO C3830AD

Suitable for:

**5063516 RETINA FALSO FONDO COMPLETA 485x310 mm**  
altezza 190 mm  
in ferro cromato



ANGELO PO 3123500

## Fuses

**3049073 QUICK ACTING FUSE  $\varnothing$  10x38 mm - 10 PCS**  
500V 10A



ANGELO PO 32V6210

**3049043 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 500mA



ANGELO PO 3201540

**3049046 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 1A



ANGELO PO 3200020

## Gas burners

**5018547 BURNER  $\varnothing$  160x330 mm**  
height 118 mm  
of stainless steel



ANGELO PO 34A1650

ANGELO PO 34A2550

**5026655 BURNER  $\varnothing$  375x200 mm**  
made of stainless steel  
for Lava rock grill (ANGELO PO) 1G0GRG



ANGELO PO 34A2520

ANGELO PO 34A2521

**5021617 BURNER  $\varnothing$  40x480 mm**  
overall length 500 mm  
of stainless steel



ANGELO PO 34A0800

**3023116 BURNER  $\varnothing$  40x560 mm**  
height 140 mm  
made of STAINLESS steel  
for Fry top gas (ANGELO PO) - Series SENIOR  
for Solid top range gas (ANGELO PO)  
ALPHA-BIFRONT-DELTA-SENIOR-SUMMIT



ANGELO PO 34A1461



Suitable for:

# ANGELO PO



**5078580** **BURNER ø 50x378 mm**  
overall length 430 mm  
of stainless steel



ANGELO PO 34A2430

**3023261** **BURNER ø 50x510 mm**  
overall length 580 mm  
made of STAINLESS steel  
for Boiling pan gas (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 34A0810

**5026759** **BURNER ø 528x170 mm**  
made of stainless steel  
for Pasta cooker gas (ANGELO PO)  
0A1CP1G-191CP1G-1A1CP1G-1A1CP2G  
0B1CP1G-0D1CP1G-1D1CP1G-1D1CP2G



ANGELO PO 34A0350

**3023181** **BURNER 1050x350 mm**  
made of STAINLESS steel  
for Oven under cooktop gas (ANGELO PO)  
Series BIFRONTI - Series SENIOR



ANGELO PO 34A1630

ANGELO PO 34A1631

Suitable for:

**5008651** **BURNER ø 50x450 mm**  
total length 458 mm  
made of STAINLESS STEEL  
for Boiling pan gas (ANGELO PO) 1A1PI2G - 1A1PI2GA  
1D1PI2G - 1D1PI2GA  
for Pasta cooker gas (ANGELO PO) MCF20 - MCF40



ANGELO PO 34A2310

**5052182** **BURNER ø 50x540 mm**  
total length 590 mm  
made of STAINLESS STEEL  
for Pasta cooker gas (ANGELO PO)  
091CP1G-191CP2G-06WCP1GM-08WCP1GM



ANGELO PO 3014710

**5008862** **BURNER 1020x560 mm**  
of stainless steel



ANGELO PO 34A1890

ANGELO PO 34A1891

**5026967** **NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
jet thread M10x1 mm  
pipe ø 10 mm



ANGELO PO 33Q3420



Suitable for:

**3023004 BURNER 335x28 mm**  
overall length 345 mm  
made of stainless steel  
for Boiling pan (ANGELO PO) - Series SENIOR  
Series SUMMIT



ANGELO PO 34A0230


Suitable for:

**3023185 BURNER 360x300 mm 12kW**  
overall length 545 mm  
made of chrome-plated iron  
for Solid top range gas (ANGELO PO) - Series ALPHA  
Series BIFRONTTE - Series DELTA



ANGELO PO 34A0900

**5027928 BURNER 390x510 mm**  
of stainless steel



ANGELO PO 34A1790

ANGELO PO 34A1791

ANGELO PO 34A1793

**3023179 BURNER 450x650 mm**  
made of chrome-plated iron  
for Bratt pan gas (ANGELO PO) 71RA - 91RA



ANGELO PO 34A0730

**5015988 BURNER 465x280 mm**  
of chrome-plated iron



ANGELO PO 34A0110

**5026967 NOZZLE HOLDER FOR BURNER**  
thread fitting for pipe M16x1.5 mm  
jet thread M10x1 mm  
pipe ø 10 mm



ANGELO PO 33Q3420

**5028781 BURNER 465x360 mm**  
of chrome plated iron



ANGELO PO 34A1850

**5038046 BURNER 485x270 mm**  
of chrome-plated iron



ANGELO PO 3035590


**5009489 BURNER 570x665 mm**  
stainless steel  
for Bratt pan gas (ANGELO PO) 1A1BR1G - 1A1BR1GA  
1A1BR2G - 1A1BR2GA - 1D1BR1G - 1D1BR1GA  
1D1BR2G - 1D1BR2GA



ANGELO PO 34A1430

ANGELO PO 34A1431

**3023109 BURNER 580x220 mm**  
made of stainless steel  
for Lava rock grill gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series OMEGA



ANGELO PO 34A2081

ANGELO PO 34A2082



Suitable for:

# ANGELO PO



Suitable for:

**5091101 BURNER 580x620 mm**  
of stainless steel



ANGELO PO 3056180

**3023186 BURNER 585x270 mm**  
made of chrome-plated iron  
for Fry top gas (ANGELO PO) - Series ALPHA  
Series BIFRONTE - Series DELTA - Series SENIOR  
Series SUMMIT



ANGELO PO 34A1840

**3500349 INJECTOR HOLDER 49 mm**  
threads M20x1,5 mm -  $\varnothing$  3/8"  
for Fry top gas (ANGELO PO) 070FT04 - 070FT05  
071FT04 - 071FT06 - 090FT04 - 090FT05  
091FT04 - 091FT06 - 1A0FT1G - 190FT1G  
190FT2G - 190FT3G - 190FT7G - 190FT72G



ANGELO PO 3035340

ANGELO PO 33Q2530

ANGELO PO 33Q2531

ANGELO PO 33Q3361

**3183049 NUT  $\varnothing$  3/8"**  
for Fry top gas (ANGELO PO) 0A0FT1G - 0A0FT2G  
0A0FT4G - 0D0FT1G - 0D0FT2G - 0D0FT4G  
0D0FT5G - 0G0FT1G - 0G0FT2G - 0G0FT4G  
0G0FT5G - 090FT1G - 090FT2G - 1A0FT1G



ANGELO PO 36Q1110

**3023117 BURNER 600x300 mm**  
made of chrome-plated iron  
for Fry top gas (ANGELO PO) - Series SENIOR  
Series SUMMIT



ANGELO PO 34A0580

ANGELO PO 34A1490

**5069820 BURNER 605x245 mm**  
of stainless steel



ANGELO PO 3002390

Suitable for:

Suitable for:

**3023119 BURNER 610x245 mm**  
 stainless steel  
 for Oven under cooktop gas (ANGELO PO)  
 Series JUNIOR



ANGELO PO 34A1520

**3023263 BURNER 760x360 mm**  
 made of STAINLESS steel  
 for Oven under cooktop gas (ANGELO PO)  
 Series ALPHA - Series DELTA



ANGELO PO 34A1880

**5026967 NOZZLE HOLDER FOR BURNER**  
 thread fitting for pipe M16x1.5 mm  
 jet thread M10x1 mm  
 pipe ø 10 mm




ANGELO PO 33Q3420

**3023120 BURNER 765x360 mm**  
 made of STAINLESS steel  
 for Oven under cooktop gas (ANGELO PO)  
 Series SENIOR



ANGELO PO 34A1370

**5026967 NOZZLE HOLDER FOR BURNER**  
 thread fitting for pipe M16x1.5 mm  
 jet thread M10x1 mm  
 pipe ø 10 mm



ANGELO PO 33Q3420

**3023187 VERTICAL BURNER 300x74 mm 8kW**  
 made of STAINLESS steel  
 for Fryer gas (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3007720

ANGELO PO 34A2120

**3023141 VERTICAL BURNER 305x55 mm**  
 made of chrome-plated iron  
 for Fryer gas (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series SENIOR  
 Series SUMMIT  
 for Pasta cooker gas (ANGELO PO) - Series JUNIOR  
 Series SENIOR - Series SUMMIT



ANGELO PO 34A1670



Suitable for:

# ANGELO PO



Suitable for:


## Gas hoses

**5074499 CONDUETTURA PER PILOTA ø 4 mm**  
completa di raccordi e biconi




ANGELO PO 35X4680

**5077886 GAS FLEX HOSE ø 4 mm 1150 mm**  
fornito con raccordo e bicono ø 4 mm



ANGELO PO 35X5461

**5003303 GAS FLEX HOSE ø 4mm 1200mm**  
with connections and olives ø 4 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA




ANGELO PO 3105190+...  
ANGELO PO 36Q1000

ANGELO PO 35X4750  
ANGELO PO 36Q1040

ANGELO PO 35Z5670

**5013481 GAS HOSE ø 10 mm 400 mm**  
for Bain-marie gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Fry top gas (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series OMEGA  
for Fryer gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA  
for Grill gas (ANGELO PO) - Series ALPHA  
for Pasta cooker gas (ANGELO PO) - Series GAMMA  
for Pot stove gas (ANGELO PO) - Series GAMMA  
Series OMEGA  
for Solid top range gas (ANGELO PO) - Series ALPHA  
Series GAMMA




ANGELO PO 3014320

ANGELO PO 35Z2120

ANGELO PO 35Z2130

**5035980 GAS HOSE ø 10 mm 600 mm**



ANGELO PO 3014330

**5013047 GAS HOSE ø 10 mm 800 mm**  
with 2 olives ø 10 mm  
with 2 fittings for hose ø 10 mm thread M20x1.5 mm  
for Boiling pan gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA  
for Bratt pan gas (ANGELO PO) - Series GAMMA  
for Fryer gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA  
for Solid top range gas (ANGELO PO) - Series ALPHA




ANGELO PO 3029630

ANGELO PO 35Z5980



Suitable for:


**5064340 GAS HOSE ø 12 mm 400 mm**  
 for Bratt pan gas (ANGELO PO) - Series ALPHA  
 for Fry top gas (ANGELO PO) - Series ALPHA  
 Series GAMMA  
 for Fryer gas (ANGELO PO) - Series ALPHA  
 for Grill gas (ANGELO PO) - Series ALPHA



ANGELO PO 3066040

Suitable for:

**5050402 GAS HOSE ø 12 mm 600 mm**  
 for Bratt pan gas (ANGELO PO) - Series ALPHA  
 for Fry top gas (ANGELO PO) - Series ALPHA  
 for Fryer gas (ANGELO PO) - Series ALPHA  
 Series GAMMA




ANGELO PO 3066050

**5054596 GAS HOSE ø 12 mm 800 mm**  
 for Fryer gas (ANGELO PO) 191FR2G - 191FR2GD  
 for Pasta cooker gas (ANGELO PO) 10CP1GA - 12CP1GA  
 18CP2GA - 18CP2IA



ANGELO PO 3070510

**5003277 GAS HOSE ø 4 mm 400 mm**  
 with fitting and olive ø 4 mm  
 for Bain-marie gas (ANGELO PO) - Series ALPHA  
 for Bratt pan gas (ANGELO PO) - Series ALPHA  
 Series GAMMA  
 for Fry top gas (ANGELO PO) - Series ALPHA  
 Series GAMMA  
 for Fryer gas (ANGELO PO) - Series GAMMA  
 for Grill gas (ANGELO PO) - Series ALPHA  
 Series GAMMA  
 for Pot stove gas (ANGELO PO) - Series OMEGA




ANGELO PO 3079290+...

ANGELO PO 35X4361

ANGELO PO 35Z4980

**5079964 GAS HOSE ø 4 mm 400 mm**




ANGELO PO 3079290

**5094949 PILOT PIPE ø 4 mm**



ANGELO PO 35Z4240

**5074503 PILOT PIPE ø 5 mm**  
 with fittings



ANGELO PO 35X4670

**5000963 PIPE FOR GAS TAP ø 10 mm**  
 for (ANGELO PO) - Series SENIOR - Series SUMMIT



ANGELO PO 35Z4960

**5079179 PIPE FOR GAS TAP ø 10 mm**



ANGELO PO 35X4990

**5095030 PIPE FOR GAS TAP ø 10 mm**



ANGELO PO 35Z5970



Suitable for:

# ANGELO PO



**5074504 PIPE FOR GAS TAP  $\varnothing$  14 mm**



ANGELO PO 35X4710

Suitable for:

**5079180 PIPELINE FOR GAS TAPS  $\varnothing$  10 mm**



ANGELO PO 35X5000

**5020581 PIPELINE FOR GAS TAPS  $\varnothing$  22 mm**  
external dimensions 770x615x160 mm  
for Pasta cooker gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 3003690


ANGELO PO 3003691

**5063118 PIPELINE FOR GAS TAPS  $\varnothing$  22 mm**  
thread  $\varnothing$  1/2"M - 2 outlet  $\varnothing$  12 mm



ANGELO PO 3002260

**5095183 PIPELINE FOR GAS TAPS  $\varnothing$  22 mm**  
1 inlet  $\varnothing$  1/2"M - 2 outlet  $\varnothing$  3/8"M



ANGELO PO 3072810

**5037862 PIPING FOR GAS VALVE  $\varnothing$  12 mm**



ANGELO PO 35X4381

**5074118 PIPING FOR GAS VALVE  $\varnothing$  14 mm**



ANGELO PO 35X4691

## Gas taps and accessories

**5015533 BY-PASS SCREW  $\varnothing$  0.55 mm FOR MOD. 20/21**  
thread M5x0.5



ANGELO PO 33T3530

**5017441 BY-PASS SCREW  $\varnothing$  0.70 mm FOR MOD. 20/21**  
thread M5x0.5



ANGELO PO 33T3650





Suitable for:

**4002769** BY-PASS SCREW  $\varnothing$  0.75 mm FOR MOD. 20/21  
thread M5x0.5



ANGELO PO 33T2640

**5050395** BY-PASS SCREW  $\varnothing$  0.85 mm FOR MOD. 22  
thread M6x0.5



ANGELO PO 33T2030

**4002909** BY-PASS SCREW  $\varnothing$  0.95 mm FOR MOD. 20/21  
thread M5x0.5




ANGELO PO 33T3810

**5055427** BY-PASS SCREW  $\varnothing$  1.20 mm FOR MOD. 20/21  
thread M5x0.5



ANGELO PO 33T4270

**3348070** **GAS TAP 20/S**  
with connections and olives  
without pilot flame  
inlet connections M16x1.5 mm  
outlet connection  $\varnothing$  1/4"  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  8x6.5 mm  
with block shear connector for replacement  
of gas tap SIRAL



ANGELO PO 6004730

Suitable for:

**5008380** BY-PASS SCREW  $\varnothing$  0.80 mm FOR MOD. 20/21  
thread M5x0.5



ANGELO PO 33T3540

**4052605** BY-PASS SCREW  $\varnothing$  0.90 mm FOR MOD. 22  
thread M6x0.5



ANGELO PO 33T3850

**4002902** BY-PASS SCREW  $\varnothing$  1.05 mm FOR MOD. 20/21  
thread M5x0.5



ANGELO PO 33T3670

**5055424** BY-PASS SCREW  $\varnothing$  1.45 mm FOR MOD. 22  
thread M6x0.5



ANGELO PO 33T2990

**3348020** **CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S





Suitable for:

**3348058** **MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



# ANGELO PO



Suitable for:


**3348059** **MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182022** **MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3182011** **MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348044** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ANGELO PO 32Z1520

**3348036** **OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25




ANGELO PO 36Q0080

**3348037** **OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348043** **PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



**3348029** **PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ANGELO PO 36Q0830

**3020078** **PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ANGELO PO 36Q0060



Suitable for:

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



# ANGELO PO



Suitable for:

**3348016 GAS TAP 21/S**  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  8x6.5 mm




ANGELO PO 33D1170

**3348085 BUSH FOR TAP**



**3348220 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/23 mm upper/lower  
for model PEL 21




**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



**7102841 BODY FITTING TAP**  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348219 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348221 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/17,5 mm upper/lower  
for model PEL 21



**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S





Suitable for:

**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ANGELO PO 36Q0080

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



# ANGELO PO



Suitable for:

**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110




ANGELO PO 32Z1520

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ANGELO PO 36Q0830



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



## ANGELO PO



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348073** GAS TAP 21/S  
with pilot flame  
clamp connection pipe  $\varnothing$  21 mm  
fitting outlet  $\varnothing$  M16x1.5 mm  
with flowrate regulator  
thermocouple connection 8x1  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Kitchen (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA




ANGELO PO 33D1930


**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S




**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21




**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348221** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/17,5 mm upper/lower  
for model PEL 21




**3348021** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22 mm  
for model PEL 21S





Suitable for:

**3348238** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348236** FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059** MAGNET PROTECTION NUT M9x1  
thread M18x1mm  
for model PEL 20-21-22



**3182011** MAGNETIC UNIT PEL SMALL HEAD  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ANGELO PO 32Z1520

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



# ANGELO PO



Suitable for:

**3348243** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058** MAGNET PROTECTION NUT M8x1  
thread M18x1 mm  
for model PEL 20-21-22



**3182022** MAGNETIC GROUP PEL SMALL HEAD  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



ANGELO PO 36Q0080

**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25





Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ANGELO PO 36Q0830

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




ANGELO PO 36Q0060

**3348083** GAS TAP 21/S  
with pilot flame  
connection to hose flange  $\varnothing$  21 mm  
connector outlet M16x1.5 mm  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Grill (ANGELO PO) - Series GAMMA  
for Pasta cooker (ANGELO PO) - Series GAMMA  
for Pot stove (ANGELO PO) - Series ALPHA  
Series GAMMA - Series OMEGA  
for Solid top range (ANGELO PO) - Series GAMMA




ANGELO PO 3064310

**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348221** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/17,5 mm upper/lower  
for model PEL 21



# ANGELO PO



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25




**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21




**3348021** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22 mm  
for model PEL 21S





Suitable for:

**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S




**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ANGELO PO 32Z1520

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



# ANGELO PO



Suitable for:

**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ANGELO PO 36Q0080

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25







Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25




ANGELO PO 36Q0830

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




ANGELO PO 36Q0060

**3348251** GAS TAP 22N/O  
with pilot flame  
with conic horizontal flange  
fittings M20x1.5 mm  
with flow regulator  
D-shaped pin  $\varnothing$  10x8 mm




ANGELO PO

**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22



**3348231** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 35/21 mm upper/lower  
for model PEL 22



# ANGELO PO

Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




**3348229** CAP WITH PIN  $\varnothing$  10 mm  
pin length 31 mm  
for model PEL 22S/O



**3348019** CAP WITH PIN  $\varnothing$  10x9 mm  
pin length 26 mm  
for model PEL 22




**3348232** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 39/7 mm upper/lower  
for model PEL 22





Suitable for:


**3348213** **FLANGE  $\varnothing$  12/10 mm**  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S



**3348025** **FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214** **FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059** **MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021** **MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm




# ANGELO PO




Suitable for:

**3348023** **FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348024** **FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058** **MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009** **MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ANGELO PO 32Z1460

**3348038** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



ANGELO PO 36Q1700



Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25




ANGELO PO 36Q0030

ANGELO PO 36Q0200

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0610

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



# ANGELO PO

Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ANGELO PO 36Q1590

**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0050

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ANGELO PO 36Q0060






Suitable for:

# ANGELO PO



Suitable for:

**3348001 GAS TAP 22S/O**  
 with pilot flame  
 with conical horizontal flange  
 fittings  $\varnothing$  M20x1.5mm  
 with flow regulator  
 thermocouple connection M8x1  
 D-shaped pin  $\varnothing$  10x9 mm



**3348229 CAP WITH PIN  $\varnothing$  10 mm**  
 pin length 31 mm  
 for model PEL 22S/O




ANGELO PO 33A0100


**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 26 mm  
 for model PEL 22



**3348245 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 34/26 mm upper/lower  
 for model PEL 22S



**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
 pin length 26 mm  
 for model PEL 22



**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 35/21 mm upper/lower  
 for model PEL 22



**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 39/7 mm upper/lower  
 for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
 without adjustment  
 thread M20x1.5 mm  
 for model PEL 22S



**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22




**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22





Suitable for:


**3348024** **FLANGE VERTICAL**  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



**3348058** **MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009** **MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ANGELO PO 32Z1460

**3348038** **OLIVE FOR PIPE**  $\varnothing$  10 mm  
for model PEL 22-24-25



ANGELO PO 36Q1700

**3348036** **OLIVE FOR PIPE**  $\varnothing$  4 mm  
for model PEL 21-22-24-25



## ANGELO PO

Suitable for:

**3348214** **FLANGIA WITH PRESSURE FITTING**  $\varnothing$  12/10 mm  
thread M20x1.5 mm  
for model PEL 22S



**3348059** **MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021** **MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082** **OLIVE FOR PIPE**  $\varnothing$  12 mm  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3348037** **OLIVE FOR PIPE**  $\varnothing$  6 mm  
for model PEL 21-22-24-25





Suitable for:

**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22




# ANGELO PO



Suitable for:

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0610

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



ANGELO PO 36Q0050

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1




**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm




ANGELO PO 36Q0060

**3348061 GAS TAP 22S/O**  
with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  10x9 mm  
for Boiling pan (ANGELO PO) - Series SENIOR  
for Fry top (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT  
for Grill (ANGELO PO) - Series SUMMIT  
for Pasta cooker (ANGELO PO) - Series SENIOR  
Series SUMMIT  
for Pot stove (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT  
for Solid top range (ANGELO PO) - Series JUNIOR



**3348229 CAP WITH PIN  $\varnothing$  10 mm**  
pin length 31 mm  
for model PEL 22S/O




ANGELO PO 33A1040




Suitable for:


**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22



**3348019** CAP WITH PIN  $\varnothing$  10x9 mm  
pin length 26 mm  
for model PEL 22




**3348232** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 39/7 mm upper/lower  
for model PEL 22



**3348023** FLANGE HORIZONTAL  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



**3348024** FLANGE VERTICAL  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



# ANGELO PO

Suitable for:


**3348245** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 34/26 mm upper/lower  
for model PEL 22S



**3348231** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 35/21 mm upper/lower  
for model PEL 22




**3348213** FLANGE  $\varnothing$  12/10 mm  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S



**3348025** FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



**3348214** FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm  
thread M20x1.5 mm  
for model PEL 22S





Suitable for:

**3348058** **MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009** **MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ANGELO PO 3221460

**3348038** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



ANGELO PO 36Q1700

**3348036** **OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3348230** **PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22



# ANGELO PO



Suitable for:

**3348059** **MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021** **MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082** **OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030


ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3348037** **OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348031** **PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0610





Suitable for:

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25




ANGELO PO 36Q0050

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

**3348069** GAS TAP 22S/V  
with pilot flame  
with vertical flange  
pipe flange connection  $\varnothing$  21 mm  
outlet connection M20x1.5 mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  10x9 mm  
for Boiling pan (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA  
for Grill (ANGELO PO) - Series ALPHA  
for Pasta cooker (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series OMEGA  
for Pot stove (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA  
for Solid top range (ANGELO PO) - Series ALPHA



ANGELO PO 33D1990

ANGELO PO 33D1991

**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22



## ANGELO PO



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348229** CAP WITH PIN  $\varnothing$  10 mm  
pin length 31 mm  
for model PEL 22S/O




**3348245** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 34/26 mm upper/lower  
for model PEL 22S






Suitable for:

**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
pin length 26 mm  
for model PEL 22



**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 39/7 mm upper/lower  
for model PEL 22




**3348188 FLANGE COMPLETE FOR PEL22**  
holes mounting distance 40 mm - pipe  $\varnothing$  27 mm



**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



# ANGELO PO




Suitable for:

**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 35/21 mm upper/lower  
for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S




**3348189 FLANGE COMPLETE FOR PEL22**  
holes mounting distance 34 mm - pipe  $\varnothing$  21 mm



**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22





Suitable for:

**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ANGELO PO 32Z1460

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



ANGELO PO 36Q1700

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0050

# ANGELO PO



Suitable for:

**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0610

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25





Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



# ANGELO PO




Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



ANGELO PO 36Q0060

**3348200** GAS TAP 22S/V  
with pilot flame  
with vertical flange  
fittings  $\varnothing$  M20x1.5 mm  
with flow regulator  
thermocouple connection M8x1  
pin  $\varnothing$  10 mm



**3348229** CAP WITH PIN  $\varnothing$  10 mm  
pin length 31 mm  
for model PEL 22S/O



ANGELO PO


**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22



**3348245** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 34/26 mm upper/lower  
for model PEL 22S



**3348019** CAP WITH PIN  $\varnothing$  10x9 mm  
pin length 26 mm  
for model PEL 22



**3348231** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 35/21 mm upper/lower  
for model PEL 22



**3348232** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 39/7 mm upper/lower  
for model PEL 22



**3348213** FLANGE  $\varnothing$  12/10 mm  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S






Suitable for:

**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22




**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ANGELO PO 32Z1460

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



ANGELO PO 36Q1700

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



# ANGELO PO



Suitable for:

**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25





Suitable for:

**3348230** PIN FOT GAS TAP  $\varnothing$  6x4.6 mm  
pin length 45/20 mm rh/lh  
for model PEL 22




# ANGELO PO



Suitable for:

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0610

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ANGELO PO 36Q0050

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




ANGELO PO 36Q0060

**3348011** GAS TAP 23S/O  
with pilot flame  
with horizontal flange  
inlet fitting M28x1.5mm  
outlet fitting M24x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm



**3348060** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 25 mm  
for model PEL 23



ANGELO PO 33A1530

**3348062** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 35 mm  
for model PEL 23




**3348027** FLANGE HORIZONTAL  $\varnothing$  12/16 mm  
thread M24x1.5 mm  
for model PEL 23





Suitable for:

**3348237 FLANGE HORIZONTAL  $\varnothing$  12/16 mm**  
without adjustment  
thread M24x1.5 mm  
for model PEL 23



**3348040 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 23



**3348042 OLIVE FOR PIPE  $\varnothing$  20 mm**  
for model PEL 23



**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348033 PIPE FITTING  $\varnothing$  12 mm**  
thread M24x1.5  
for model PEL 23



**3348035 PIPE FITTING  $\varnothing$  20 mm**  
thread M28x1.5  
for model PEL 23




# ANGELO PO



Suitable for:

**3348028 FLANGE VERTICAL  $\varnothing$  12/16 mm**  
thread M24x1.5  
for model PEL 23



**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3182020 PEL MAGNETIC GROUP**  
head  $\varnothing$  24 mm - end  $\varnothing$  18 mm - length 59 mm  
thermocouple fitting M9x1  
for tap PEL model 23S



**3348034 PIPE FITTING  $\varnothing$  16 mm**  
thread M24x1.5  
for model PEL 23



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25





Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

# ANGELO PO



Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348038** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 22-24-25



ANGELO PO 36Q1700

**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



ANGELO PO 36Q0080

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0610

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ANGELO PO 36Q0830

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25




ANGELO PO 36Q0050





## Gas valves and accessories

**3526258 EUROSIT VALVE FOR FRYER 110÷190°C**  
 with new knob  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x200 mm  
 RoHS certificated  
 for Fryer gas (ANGELO PO) - Series GAMMA




ANGELO PO 33A2050

ANGELO PO 33A2051

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR




**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR




**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8" M



**3526127 FLANGE FOR EXTENSION**



ANGELO PO 33A0920

ANGELO PO 3032790

**5021481 GAS OUTLET VALVE FITTING**  
 thread  $\varnothing$  3/8" M - M16x1 mm



**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 external  $\varnothing$  13 mm - height 8 mm



ANGELO PO 3034890

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590



Suitable for:

**3001111** **PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



# ANGELO PO




Suitable for:

**3020079** **PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M




ANGELO PO 36Q0710

**3526123** **RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280

**5050400** **FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 3032790

**3526127** **FLANGE FOR EXTENSION**



ANGELO PO 33A0920

**3526128** **KNOB EXTENSION LENGTH 34 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Fry top gas (ANGELO PO) 1A0FT1G



ANGELO PO 33Q3480

ANGELO PO 33Q3481

**5024657** **KNOB EXTENSION LENGTH 49 mm**  
D shape pin  $\varnothing$  8x6.5 mm



ANGELO PO 3051660

ANGELO PO 3051661

**3523026** **MINISIT VALVE FOR FRYER 110÷190°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
with screw for gas outlet pressure regulation  
capillary length 1050 mm  
button bulb  $\varnothing$  14.4x26 mm  
with an elbow flange  $\varnothing$  3/8" F  
for Fryer gas (ANGELO PO) - Series SENIOR



ANGELO PO 6000480

**2100757** **CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M





Suitable for:

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ANGELO PO 3221490

**3523062 O-RING 0119 RED SILICONE**  
ring thickness 2.62 mm - internal  $\varnothing$  15.08 mm



ANGELO PO 3150390

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ANGELO PO 36Q0080

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



# ANGELO PO




Suitable for:

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR



**3523047 LID MINISIT**




**3523061 NUT  $\varnothing$  1/4"x6 mm**



ANGELO PO 36Q0760

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590


**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm





Suitable for:

**3001071** **PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



# ANGELO PO



Suitable for:

**3020079** **PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 36Q0710

**3523036** **REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**3523043** **SENSING ELEMENT MINISIT 110÷190°C**  
capillary length 1050 mm  
button bulb  $\varnothing$  13x26 mm



**5058320** **TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



**3523023** **MINISIT VALVE FOR FRYER 50÷190°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
length capillary 1200 mm  
bulb  $\varnothing$  5x95 mm  
with an elbow flange  $\varnothing$  3/8" F



**2100757** **CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M



ANGELO PO 6000380

**3523038** **ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523037** **ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR





Suitable for:

**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**




**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ANGELO PO 32Z1490

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm




# ANGELO PO



Suitable for:

**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**



ANGELO PO 36Q0760

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25




ANGELO PO 36Q0080

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm






Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



ANGELO PO 36Q0710

**3523042** SENSING ELEMENT MINISIT 50 $\pm$ 190°C  
capillary length 1200 mm  
bulb  $\varnothing$  5x95 mm




**3523061** NUT  $\varnothing$  1/4"x6 mm



ANGELO PO 36Q0760

**3526123** RUBBER PROTECTION FOR EUROSIT VALVE



ANGELO PO 3152280

**3523003** VALVE B3B  $\varnothing$  3/8" MM  
with pilot outlet  
inlet  $\varnothing$  3/8" M - outlet  $\varnothing$  3/8" M  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0 $\pm$ 80°C  
with thread under the button for ring nut



ANGELO PO 33A0540

## ANGELO PO



Suitable for:

**3523036** REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**5058320** TUBE NUT FITTING  $\varnothing$  10 mm  
thread M14x1,5 mm



**5050401** OLIVE FOR PIPE  $\varnothing$  10 mm  
external  $\varnothing$  13 mm - height 8 mm




ANGELO PO 3034890

**3182005** MAGNETIC UNIT SIT  
head  $\varnothing$  19 mm - end piece  $\varnothing$  14.5 mm - length 47 mm  
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT




**5065245 VALVE EUROSIT FOR FRYER 110÷190°C**  
 entrata  $\varnothing$  3/8"F - uscita  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure setting range 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x202 mm  
 for Fryer gas (ANGELO PO) 0G0FR5G - 0G1FR7G  
 1G0FR6G - 1G1FR8G



ANGELO PO 3041750

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR



Suitable for:

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR




**3241435 EUROSIT VALVE EXTENSION**  
 D shaft  $\varnothing$  10x8 mm




**3526126 EUROSIT VALVE EXTENSION**  
 D shaft  $\varnothing$  10x8 mm




**3526677 EXTENSION FOR EUROSIT VALVE**  
 D-shaped pin  $\varnothing$  10x8 mm



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8"M



**3526127 FLANGE FOR EXTENSION**



ANGELO PO 3032790

ANGELO PO 33A0920



Suitable for:

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm




# ANGELO PO



Suitable for:

**5024657 KNOB EXTENSION LENGTH 49 mm**  
D shape pin  $\varnothing$  8x6.5 mm



**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



ANGELO PO 3051660

ANGELO PO 3051661

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 3034890

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



ANGELO PO 36Q0030

ANGELO PO 36Q0200


ANGELO PO 36Q1590

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 36Q0710

**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280

**3523926 VALVE MINISIT FRYER 110  $\pm$  190°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0  $\rightarrow$  80°C  
with screw for gas outlet pressure regulation  
capillary length 1050 mm  
button bulb  $\varnothing$  14.4x26 mm  
without cover, knob and flanges  
for Fryer gas (ANGELO PO) - Series JUNIOR  
Series SENIOR



ANGELO PO 33A0170

ANGELO PO 33A1370

ANGELO PO 33Z0300

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M







Suitable for:

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ANGELO PO 3221490

**3523062 O-RING 0119 RED SILICONE**  
ring thickness 2.62 mm - internal  $\varnothing$  15.08 mm



ANGELO PO 3150390

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ANGELO PO 36Q0080

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



# ANGELO PO




Suitable for:

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR



**3523047 LID MINISIT**




**3523061 NUT  $\varnothing$  1/4"x6 mm**



ANGELO PO 36Q0760

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590


**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm





Suitable for:

**3001071** **PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



## ANGELO PO



Suitable for:

**3020079** **PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M




ANGELO PO 36Q0710

**3523036** **REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**3523043** **SENSING ELEMENT MINISIT 110  $\div$  190°C**  
capillary length 1050 mm  
button bulb  $\varnothing$  13x26 mm




**5058320** **TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



**3523011** **VALVE 440 D3  $\varnothing$  3/4" FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
room temperature 0  $\div$  80°C  
with thread for ring nut under the push-button




**3020083** **FITTING AND OLIVE  $\varnothing$  4 mm**



ANGELO PO 33A0430

**2101519** **VALVE 630 EUROSIT BAIN MARIE 30  $\div$  100°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
gas inlet maximum pressure 50 mbar  
calibration field of outlet  
pressure 3  $\div$  18 mbar  
ambient temperature 0  $\div$  80°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x122 mm  
for Bain-marie gas (ANGELO PO) - Series ALPHA



**3526260** **CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR



ANGELO PO 3041770




Suitable for:

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**




**3526127 FLANGE FOR EXTENSION**



ANGELO PO 33A0920

**5024657 KNOB EXTENSION LENGTH 49 mm**  
D shape pin  $\varnothing$  8x6.5 mm



ANGELO PO 3051660

ANGELO PO 3051661

**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



ANGELO PO 3034890

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm




# ANGELO PO




Suitable for:

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 3032790

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



**3241398 KNOB GASKET HOLE  $\varnothing$  8 mm**  
external  $\varnothing$  70 mm - middle hole  $\varnothing$  8 mm



ANGELO PO 3152250

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M




ANGELO PO 36Q0710



Suitable for:

3526123 RUBBER PROTECTION FOR EUROSIT VALVE



# ANGELO PO



Suitable for:


ANGELO PO 3152280

**2110349 VALVE 630 EUROSIT BAIN MARIE 30±100°C**  
 inlet  $\varnothing$  3/8"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 gas inlet maximum pressure 50 mbar  
 calibration field of outlet  
 pressure 3÷18 mbar  
 ambient temperature 0÷80°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x122 mm



ANGELO PO 33A0491

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR



**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR




**3526126 EUROSIT VALVE EXTENSION**  
 D shaft  $\varnothing$  10x8 mm




**3241435 EUROSIT VALVE EXTENSION**  
 D shaft  $\varnothing$  10x8 mm




**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3526677 EXTENSION FOR EUROSIT VALVE**  
 D-shaped pin  $\varnothing$  10x8 mm




**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**





Suitable for:

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm  
thread  $\varnothing$  3/8" M**



ANGELO PO 3032790

**5021481 GAS OUTLET VALVE FITTING  
thread  $\varnothing$  3/8" M - M16x1 mm**



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm  
for model PEL 22-24-25**



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



ANGELO PO 36Q0710

**3526134 VALVE 630 EUROSIT FRY TOP 40÷280°C  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure calibration range  
outlet 3÷18 mbar  
ambient temperature 0÷80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm**



ANGELO PO 3029730

# ANGELO PO



Suitable for:

**3526127 FLANGE FOR EXTENSION**



ANGELO PO 33A0920

**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm  
external  $\varnothing$  13 mm - height 8 mm**




ANGELO PO 3034890

**3001111 PIEZO IGNITER EUROSIT  
M faston  $\varnothing$  2.4 mm**



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"  
with OR**






Suitable for:

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\phi$  3/8"**  
with OR



**3020084 FITTING AND OLIVE  $\phi$  6 mm**



**3526127 FLANGE FOR EXTENSION**



ANGELO PO 33A0920

**5050401 OLIVE FOR PIPE  $\phi$  10 mm**  
external  $\phi$  13 mm - height 8 mm




ANGELO PO 3034890

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\phi$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280

## ANGELO PO




Suitable for:

**3020083 FITTING AND OLIVE  $\phi$  4 mm**



**5050400 FITTING FOR OLIVE  $\phi$  10 mm**  
thread  $\phi$  3/8" M



ANGELO PO 3032790

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\phi$  3/8" M - M16x1 mm



**3020082 OLIVE FOR PIPE  $\phi$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3020079 PIPE FITTING  $\phi$  12 mm**  
thread  $\phi$  3/8" M




ANGELO PO 36Q0710

**5047201 VALVE 630 EUROSIT FRY TOP 40÷280°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 gas inlet maximum pressure 50 mbar  
 calibration field of outlet  
 pressure 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm  
 for Fry top gas (ANGELO PO) - Series GAMMA  
 Series MONOLITHE - Series OMEGA




ANGELO PO 3041730

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3526127 FLANGE FOR EXTENSION**



ANGELO PO 33A0920

**7100207 HEADLESS SCREW HEXAGONAL M5x8**  
 stainless steel - conical top  
 UNI 5927 - DIN 914 - ISO 4027




ANGELO PO 31W0180

Suitable for:

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8" M



ANGELO PO 3032790

**5021481 GAS OUTLET VALVE FITTING**  
 thread  $\varnothing$  3/8" M - M16x1 mm



**5024657 KNOB EXTENSION LENGTH 49 mm**  
 D shape pin  $\varnothing$  8x6.5 mm




ANGELO PO 3051660

ANGELO PO 3051661



Suitable for:

**3241398** **KNOB GASKET HOLE**  $\varnothing$  8 mm  
external  $\varnothing$  70 mm - middle hole  $\varnothing$  8 mm



ANGELO PO 3152250

**3020082** **OLIVE FOR PIPE**  $\varnothing$  12 mm  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

**3020079** **PIPE FITTING**  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



ANGELO PO 36Q0710

**3526130** **VALVE 630 EUROSIT OVEN 100÷340°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷120°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm  
for Oven under cooktop gas (ANGELO PO)  
Series ALPHA - Series BIFRONTI - Series DELTA  
Series GAMMA - Series OMEGA



ANGELO PO 33A0570

ANGELO PO 33A0571

ANGELO PO 6300479

**4056009** **CAP FOR VALVE EUROSIT-MERTIK**  $\varnothing$  3/8"  
with OR



# ANGELO PO



Suitable for:

**5050401** **OLIVE FOR PIPE**  $\varnothing$  10 mm  
external  $\varnothing$  13 mm - height 8 mm




ANGELO PO 3034890

**3001111** **PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123** **RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280

**3526260** **CAP FOR VALVE EUROSIT**  $\varnothing$  3/8"  
with OR



**3526129** **CLASP**  $\varnothing$  3x14 mm  
UNI 6873 - DIN 1481 - ISO 8752  
for Fry top gas (ANGELO PO) 1A0FT1G



ANGELO PO 31Z8930






Suitable for:

**3526677 EXTENSION FOR EUROSIT VALVE**  
D-shaped pin  $\varnothing$  10x8 mm



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3526127 FLANGE FOR EXTENSION**



ANGELO PO 33A0920

**3526128 KNOB EXTENSION LENGTH 34 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Fry top gas (ANGELO PO) 1A0FT1G



ANGELO PO 33Q3480

ANGELO PO 33Q3481

**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



ANGELO PO 3034890

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



# ANGELO PO



Suitable for:

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 3032790

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



**3526125 KNOB EXTENSION LENGTH 44 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M




ANGELO PO 36Q0710



Suitable for:

3526123 RUBBER PROTECTION FOR EUROSIT VALVE




# ANGELO PO



Suitable for:

ANGELO PO 3152280

**3526177 VALVE 630 EUROSIT OVEN 100÷340°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x74 mm  
 for Bratt pan gas (ANGELO PO) - Series GAMMA  
 for Fry top gas (ANGELO PO) - Series ALPHA  
 Series GAMMA - Series OMEGA  
 for Oven under cooktop gas (ANGELO PO)  
 Series ALPHA - Series DELTA  
 for Solid top range gas (ANGELO PO) - Series ALPHA  
 Series DELTA



ANGELO PO 3041720

ANGELO PO 6018970

ANGELO PO 6300642


**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR




**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M



**3526127 FLANGE FOR EXTENSION**



ANGELO PO 3032790

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm




ANGELO PO 33A0920



Suitable for:

**5024657** **KNOB EXTENSION LENGTH 49 mm**  
D shape pin  $\varnothing$  8x6.5 mm



ANGELO PO 3051660

ANGELO PO 3051661

**3020082** **OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030


ANGELO PO 36Q0200

**3020079** **PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M




ANGELO PO 36Q0710

**7107847** **VALVE 630 EUROSIT OVEN 100÷340°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
gas inlet maximum pressure 50 mbar  
calibration field of outlet  
pressure 3÷18 mbar  
ambient temperature 0÷120°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm



ANGELO PO 3315970

**4056009** **CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



# ANGELO PO



Suitable for:

**5050401** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm




ANGELO PO 3034890

**3001111** **PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123** **RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280

**3526260** **CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR




**3020083** **FITTING AND OLIVE  $\varnothing$  4 mm**





Suitable for:

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**




**3526127 FLANGE FOR EXTENSION**



ANGELO PO 33A0920

**5067027 KNOB EXTENSION LENGTH 35 mm**  
D-shaped pin  $\varnothing$  10x8 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M




ANGELO PO 36Q0710

## ANGELO PO



Suitable for:

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 3032790

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm




ANGELO PO 3034890

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



ANGELO PO 36Q1590

**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280



**3526139 VALVE 630 EUROSIT OVEN 80÷320°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 capillary length 1000 mm  
 bulb  $\varnothing$  4x72 mm  
 for Oven under cooktop gas (ANGELO PO)  
 Series ALPHA - Series DELTA




ANGELO PO 33A0940


ANGELO PO 33A0941

ANGELO PO 6300477

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3526127 FLANGE FOR EXTENSION**



ANGELO PO 33A0920

**3526121 KNOB EXTENSION LENGTH 62 mm**  
 D shaft  $\varnothing$  8x6.5 mm




Suitable for:

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8" M



ANGELO PO 3032790

**5021481 GAS OUTLET VALVE FITTING**  
 thread  $\varnothing$  3/8" M - M16x1 mm



**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 external  $\varnothing$  13 mm - height 8 mm



ANGELO PO 3034890



Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 36Q0710

# ANGELO PO




Suitable for:

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280

**5060551 VALVE 630 EUROSIT OVEN  $80 \div 320^{\circ}\text{C}$**   
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
gas inlet maximum pressure 50 mbar  
pressure calibration field  
outlet 3-18 mbar  
ambient temperature  $0 \div 120^{\circ}\text{C}$   
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm




ANGELO PO 6300641

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR




**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 3032790



Suitable for:

**3526127 FLANGE FOR EXTENSION**



ANGELO PO 33A0920

**7100207 HEADLESS SCREW HEXAGONAL M5x8**  
stainless steel - conical top  
UNI 5927 - DIN 914 - ISO 4027



ANGELO PO 31W0180

**3241398 KNOB GASKET HOLE  $\varnothing$  8 mm**  
external  $\varnothing$  70 mm - middle hole  $\varnothing$  8 mm



ANGELO PO 3152250

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 36Q0710


## ANGELO PO

Suitable for:

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



**5024657 KNOB EXTENSION LENGTH 49 mm**  
D shape pin  $\varnothing$  8x6.5 mm



ANGELO PO 3051660

ANGELO PO 3051661

**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm




ANGELO PO 3034890

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



ANGELO PO 36Q1590

**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280





Suitable for:

# ANGELO PO



**3523025 VALVE 710 MINISIT BAIN MARIE 20÷90°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 max.inlet gas pressure 50 mbar  
 ambient temperature 0÷60°C  
 with screw for gas outlet pressure regulation  
 capillary length 1050 mm  
 button bulb  $\varnothing$  14.5x19 mm  
 supplied without lid, knob and flange  
 for Bain-marie gas (ANGELO PO) - Series SENIOR  
 Series SUMMIT



ANGELO PO 33A1130

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2"F**  
 with screws and OR



**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
 thread  $\varnothing$  1/2"M




**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
 with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



**3523047 LID MINISIT**



**3182003 MAGNETIC UNIT SIT**  
 head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
 for valve SIT AC2 - VR8-MINISIT



**3523061 NUT  $\varnothing$  1/4"x6 mm**




ANGELO PO 32Z1490

**3523062 O-RING 0119 RED SILICONE**  
 ring thickness 2.62 mm - internal  $\varnothing$  15.08 mm



ANGELO PO 36Q0760

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
 internal thread M10x0.75 - external thread M14x1.5



ANGELO PO 3150390





Suitable for:

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25




ANGELO PO 36Q0080

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8"F -  $\varnothing$  1/2"F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8"F - external thread  $\varnothing$  1/2"F  
for MINISIT flange



**3523020 VALVE 710 MINISIT OVEN 100÷340°C**  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm  
with an elbow flange  $\varnothing$  3/8"F



ANGELO PO 33A1030

ANGELO PO 33A1031

ANGELO PO 6000370

## ANGELO PO



Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8"M



ANGELO PO 36Q0710

**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2"M





Suitable for:

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**




**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ANGELO PO 3221490

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



## ANGELO PO




Suitable for:

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR



**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**



ANGELO PO 36Q0760

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



ANGELO PO 36Q0080

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm






Suitable for:

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 36Q0710

**3523040 SENSING ELEMENT MINISIT 100÷340°C**  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm



# ANGELO PO



Suitable for:

**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm




**5013258 VALVOLA 630 EUROSIT BAGNOMARIA 30÷100°C**  
il kit comprende:  
2 tappi - 1 prolunga manopola lunghezza 49 mm  
1 valvola entrata  $\varnothing$  3/8" F - uscita  $\varnothing$  3/8" F  
attacco termocoppia M9x1  
pressione massima di ingresso gas 50 mbar  
campo di taratura della pressione di  
uscita 3÷18 mbar  
temperatura ambiente 0÷80°C  
capillare lunghezza 1050 mm  
bulbo  $\varnothing$  5x122 mm



ANGELO PO 6300478

ANGELO PO 6300639


**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR




**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 3032790




Suitable for:

**3526127 FLANGE FOR EXTENSION**



ANGELO PO 33A0920

**5024657 KNOB EXTENSION LENGTH 49 mm**  
D shape pin  $\varnothing$  8x6.5 mm



ANGELO PO 3051660

ANGELO PO 3051661

**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm




ANGELO PO 3034890

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280

# ANGELO PO



Suitable for:

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



**3241398 KNOB GASKET HOLE  $\varnothing$  8 mm**  
external  $\varnothing$  70 mm - middle hole  $\varnothing$  8 mm



ANGELO PO 3152250

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 36Q0710



## Gaskets and seals

**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
for drain tap  $\varnothing$  2" old model



ANGELO PO 37Q4070

**3020134 GASKET  $\varnothing$  8x6x1 mm**



ANGELO PO 3152550

**5063816 GASKET ADHESIVE 8x5x1000 mm**  
COLOUR BROWN



ANGELO PO 137AA12

**5019346 GASKET POT LID**  
profile dimensions 25x15 mm  
white colour  
sold per linear metre  
for Boiling pan electric (ANGELO PO)  
Series ALPHA - Series DELTA  
for Boiling pan gas (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 137AA03

**D186016 GASKET THERMOSTAT  $\varnothing$  41 mm**



ANGELO PO 3150270

**3186656 HEATING ELEMENT GASKET KIT**  
consists of 2 silicone OR0152 gaskets  
and 1 grease can



ANGELO PO 60A0980

**5095066 PLUG GASKET 60x24 mm**



ANGELO PO 3139672



Suitable for:

# ANGELO PO



Suitable for:

## Gaskets for oven door


**3186362 GASKET FOR OVEN GLASS 1400 mm**  
 made of silicone elastomer  
 profile dimensions 13x12 mm  
 welded - COLOUR BLACK  
 for Bratt pan electric (ANGELO PO) 71ARE - 91ARE  
 for Bratt pan gas (ANGELO PO) 71AR - 71RA - 91AR  
 91RA



ANGELO PO 37Q2981

ANGELO PO 37Q2982

**5024154 OVEN DOOR GASKET**  
 made of silicone elastomer  
 profile dimensions 14x7.5 mm  
 COLOUR BLACK  
 SOLD PER METRE  
 for BUILT-IN OVEN series ALPHA-GAMMA  
 for Oven under cooktop (ANGELO PO) - Series ALPHA  
 Series GAMMA



ANGELO PO 3031880

## Gearmotors

**5077397 GEAR MOTOR TRANSTECNO TS6324B14**  
 trifase 220/240-380/415V 1,15/1,06-0,67/0,61A  
 0,18kW 1365rpm 50Hz  
 trifase 264/288-456/498V 1,15/1,06-0,67/0,61A  
 0,22kW 1640rpm 60Hz



ANGELO PO 3080490

## Glasses

**3519006 COMPLETE CHAMBER GLASS**  
 complete with glass and gasket  
 for Boiling pan (ANGELO PO) - Series ALPHA  
 for Bratt pan (ANGELO PO) - Series ALPHA  
 Series DELTA  
 for Fry top (ANGELO PO) - Series ALPHA  
 Series DELTA - Series OMEGA  
 for Fryer (ANGELO PO) - Series ALPHA  
 for Pasta cooker (ANGELO PO) - Series ALPHA  
 Series DELTA - Series OMEGA



ANGELO PO 3070970

ANGELO PO 3070970+3070980+

ANGELO PO 3070980

ANGELO PO 36C2770

**5048869 GLASS FRAME GASKET 31x31 mm**




ANGELO PO 3031901

**5048869 GLASS FRAME GASKET 31x31 mm**



ANGELO PO 3031901

**5023770 GLASS HOLDER LOWER 51x27x30 mm**



ANGELO PO 36D8040



# ANGELO PO



Suitable for:

5023775 GLASS HOLDER UPPER  $\varnothing$  48/50 mm



ANGELO PO 3077990

Suitable for:

5023771 GLASS HOLDER UPPER  $\varnothing$  51 mm



ANGELO PO 36D8050

## Glues

5056894 SILICONE SEALANT PACTAN BLACK 310 ml  
to glue glass-ceramic  
heat resistant up to 150°C



ANGELO PO 3041810

## Grids for kitchen

5073515 GRID FOR SMOKE OUTLET 330x62 mm



ANGELO PO 36C2680

5000952 GRID FOR SMOKE OUTLET 400x60 mm



ANGELO PO 35Q5680

5061198 GRID FOR SMOKE OUTLET 430x63 mm



ANGELO PO 36C1310

5055788 GRID FOR SMOKE OUTLET 505x45 mm



ANGELO PO 36C4810

3185065 GRID 370x370 mm  
for Pot stove (ANGELO PO) - Series BIFRONTI  
Series DELTA - Series OMEGA - Series SENIOR



ANGELO PO 36A2610

3185027 PAN SUPPORT GRID 315x315 mm  
for Pot stove (ANGELO PO) - Series JUNIOR



ANGELO PO 36A2600



Suitable for:

# ANGELO PO



Suitable for:

**3185098 PAN SUPPORT GRID 390x365 mm**  
for Pot stove (ANGELO PO) - Series ALPHA  
Series DELTA - Series OMEGA



ANGELO PO 36A2001

ANGELO PO 36A2002

ANGELO PO 6029680

## Grids for oven

**3185054 CHROME PLATED GRID GN 1/1 530x325 mm**




ANGELO PO G610

ANGELO PO 3012000

ANGELO PO 36M3540

**3185055 CHROME PLATED GRID GN 2/1 650x530 mm**



ANGELO PO G241

ANGELO PO 36A0990

**3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm**  
thickness 7 mm



ANGELO PO G610X

**3185053 STAINLESS STEEL GRID GN 2/1 650x530 mm**



ANGELO PO G241X

## Guides

**7105166 GUIDA TELESCOPICA SX 450x60 mm**



ANGELO PO 3019450

**5013061 SLIDEWAY LOWER SLIDING DOORS**  
external dimensions 75x28x33 mm



ANGELO PO 36D4450

## Handles

**3242247 BLACK HANDLE 175x40x20 mm**  
for Fryer gas (ANGELO PO) - Series SENIOR  
Series SUMMIT  
for Pasta cooker gas (ANGELO PO) - Series SENIOR  
Series SUMMIT



ANGELO PO 36M2471

**3242248 PLASTIC RED SUPPORT FOR HANDLE**  
distance between fixing holes 20 mm  
for Oven under cooktop gas (ANGELO PO)  
Series SENIOR - Series SUMMIT



ANGELO PO 36M2910





Suitable for:

Suitable for:

**3242031 BLACK PLASTIC HANDLE 110 mm**  
 distance between mounting holes 86 mm  
 for Fryer (ANGELO PO) - Series ALPHA  
 Series BIFRANTE - Series DELTA - Series GAMMA  
 for Pasta cooker (ANGELO PO) - Series ALPHA  
 Series BIFRANTE - Series DELTA - Series GAMMA

**3242032 BLACK PLASTIC HANDLE 420 mm**  
 distance between mounting holes 200 mm  
 for Oven under cooktop (ANGELO PO) - Series ALPHA  
 Series BIFRANTE - Series DELTA - Series GAMMA



ANGELO PO 36M3400

ANGELO PO 36M3390

**3242284 CHROME-PLATED HANDLE 296 mm**  
 distance between holes 255 mm - fixing holes M5  
 for Oven under cooktop gas (ANGELO PO)  
 Series ALPHA - Series OMEGA

**3242283 CHROME-PLATED HANDLE 700 mm**  
 distance between holes 660 mm  
 for Oven under cooktop gas (ANGELO PO)  
 Series ALPHA - Series OMEGA



ANGELO PO 3010570  
 ANGELO PO 3010573

ANGELO PO 3010571  
 ANGELO PO 3107050

ANGELO PO 3010572  
 ANGELO PO 6300932

ANGELO PO 3010561

ANGELO PO 6024150

ANGELO PO 6024151

**5029953 HANDLE BLACK  $\varnothing$  21x38 mm**  
 threaded pin M5x20 mm

**5058511 HANDLE BLACK  $\varnothing$  28x130 mm**  
 pin M8x1,25 mm - pin length 25 mm



ANGELO PO 36M5690

ANGELO PO 3000900

**5026969 HANDLE BLACK  $\varnothing$  32x23 mm**  
 thread M8

**5062220 HANDLE CHROMED 110 mm**  
 holes mounting distance 87 mm - fixing holes M5  
 for (ANGELO PO) - Series GAMMA



ANGELO PO 36M5430

ANGELO PO 3116770

ANGELO PO 3243230

**5070398 HANDLE 250x42x32 mm BLACK**  
 distance between holes 205 mm



ANGELO PO 36M3900



# ANGELO PO



Suitable for:

**5028770 HANDLE 695x42x32 mm BLACK**  
distance between holes 650 mm




ANGELO PO 36M3590

**3242921 LH-RH CATCH WITHOUT LOCK 560 CR**  
straight handgrip  
base length 150x23x30h mm  
mounting distance 110 mm



ANGELO PO 36M0470

**3398021 OVEN DOOR CATCH**  
distance between holes 47 mm  
catch distance 27 mm



ANGELO PO 36M3600

**3242248 PLASTIC RED SUPPORT FOR HANDLE**  
distance between fixing holes 20 mm  
for Oven under cooktop gas (ANGELO PO)  
Series SENIOR - Series SUMMIT



ANGELO PO 36M2910

Suitable for:

**5028769 PLASTIC BLACK SUPPORT FOR HANDLE**  
external dimensions 40x32x20 mm



ANGELO PO 36M3720

**3242922 STRIKE FOR DOOR CATCH**  
fitting height 16.5 mm



ANGELO PO 36M0480

**5028769 PLASTIC BLACK SUPPORT FOR HANDLE**  
external dimensions 40x32x20 mm



ANGELO PO 36M3720

**3242922 STRIKE FOR DOOR CATCH**  
fitting height 16.5 mm



ANGELO PO 36M0480

## Heating elements

**3755830 CERAMIC HEATING ELEMENT 1000W 230V**  
length 240 mm - width 60 mm



ANGELO PO 3162600

**5076287 HEATING EL. SUPPORT ZINC-C. 300x82x25mm**



ANGELO PO 35Y2580

Suitable for:

**3755090 HEATING ELEMENT 1000/1090W 230/240V**  
 length 480 mm - width 35 mm  
 flange 70x22 mm  
 upon request nut and washer  
 operating ambient: dry  
 for Bain-marie electric (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series OMEGA



ANGELO PO 32G2220

**3528232 HEXAGONAL NUT MEDIUM SIZE M4**  
 brass - UNI 5588 - DIN 934 - ISO 4032



Suitable for:

**3528238 FLAT WASHER M4**  
 internal/external  $\varnothing$  4.3/9 mm - thickness 0.8 mm  
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3120100


ANGELO PO 3128800

**5017264 HEATING ELEMENT 1100/1300W 220/240V**  
 external  $\varnothing$  205 mm - fittings  $\varnothing$  1/4"  
 for Hot cupboard electric (ANGELO PO)



ANGELO PO 32G3240

**3355526 HEATING ELEMENT 1300W 230V**  
 length 240 mm - width 140 mm  
 height 90 mm - complete with cables  
 for Salamander electric (ANGELO PO) 60SME



ANGELO PO 32G1440

ANGELO PO 32G1441


ANGELO PO 32G1580

**5074692 HEATING ELEMENT 1350/1470W 230/240V**  
 length 475 mm - width 80 mm  
 height 40 mm - fittings M14x1 mm



ANGELO PO 3155170

**5028216 HEATING ELEMENT 1450W 230V**  
 length 380 mm - width 250 mm  
 connections  $\varnothing$  1/4"  
 for Bain-marie electric (ANGELO PO)  
 0G0BME-1G0BME-030EBM-031EBM



ANGELO PO 32G0280

**5028004 HEATING ELEMENT 1500/1635W 230/240V**  
 length 410 mm - width 85 mm  
 height 55 mm  
 for Bratt pan electric (ANGELO PO) 31RE



ANGELO PO 32G1921

**5034781 HEATING ELEMENT 1500/1635W 230/240V**  
 length 415 mm - width 80 mm  
 for Bratt pan electric (ANGELO PO) 1G1BR1E



ANGELO PO 32G3350



Suitable for:

# ANGELO PO



**3455273 HEATING ELEMENT 1500/1780W 230/240V**  
 length 470 mm - width 305 mm  
 fittings  $\varnothing$  1/4"  
 for Self service counter electric (ANGELO PO) ACBM  
 ACBM218 - ANBM - ANBM218 - ANBM75 - SE14VB  
 SE21VB - SI14VB - SI21VB - SL14CVB - SL14NVB  
 SL21CVB - SL21NVB - SL7NVB - TBM218



ANGELO PO 32G1730

**5083032 HEATING ELEMENT 16000/17500W 230/240V**  
 lunghezza 395 mm - larghezza 270 mm  
 attacco M54x1,5 mm - completa di cavi  
 con guaina portabulbo



ANGELO PO 32G2980

**3755093 HEATING ELEMENT 1700W 400V**  
 length 445 mm - width 80 mm  
 height 100 mm  
 for Fry top electric (ANGELO PO) - Series JUNIOR



ANGELO PO 32G1040

**3355269 HEATING ELEMENT 1750W 230V**  
 length 445 mm - width 80 mm  
 height 55 mm  
 for Bratt pan electric (ANGELO PO) - Series JUNIOR  
 for Fry top electric (ANGELO PO) - Series JUNIOR



ANGELO PO 32G1260

ANGELO PO 32G1262

Suitable for:

**3355160 HEATING ELEMENT 1600W 220V**  
 length 585 mm - width 190 mm  
 fittings M14x1.5 mm  
 for Bain-marie electric (ANGELO PO) 070BME  
 071BME - 090BME - 091BME - 60BME - 61BME  
 for Food-service trolley electric (ANGELO PO) CRC  
 for Oven under cooktop electric (ANGELO PO) CR  
 1551 - 1552 - 551 - 61E



ANGELO PO 32G0070

ANGELO PO 32G0071

**5024866 HEATING ELEMENT 1700/1852W 230/240V**  
 length 420 mm - width 80 mm  
 height 50 mm  
 for Bratt pan electric (ANGELO PO) 0G1BR3E  
 06WBR3E - 1G1BR3E  
 for Fry top electric (ANGELO PO) - Series GAMMA  
 Series OMEGA



ANGELO PO 32G3210

**3755537 HEATING ELEMENT 1750/1905W 230/240V**  
 length 495 mm - width 90 mm  
 height 70 mm  
 for Bratt pan electric (ANGELO PO) 71ARE - 91ARE



ANGELO PO 32G0251

**5035407 HEATING ELEMENT 1800W 230V**  
 length 610 mm - width 40 mm  
 fittings  $\varnothing$  1/4"



ANGELO PO 3023220



# ANGELO PO



Suitable for:

**3755248 HEATING ELEMENT 18000/19375W 400/415V**  
length 380 mm - width 270 mm  
flange  $\varnothing$  53.5 mm - with bulb holder sheathing  
complete with cables  
for Fryer electric (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 32G2400

**1186503 O-RING 0155 RED SILICONE**  
ring thickness 3.53 mm - internal  $\varnothing$  50.80 mm  
for exchanger



Suitable for:

**3186656 HEATING ELEMENT GASKET KIT**  
consists of 2 silicone OR0152 gaskets  
and 1 grease can




ANGELO PO 60A0980

**5057116 HEATING ELEMENT 1850/2000W 230/240V**  
length 660 mm - width 70 mm  
height 50 mm - fittings M14x1 mm  
for Grill electric (ANGELO PO) 08WGREV - 190GRE



ANGELO PO 3143760

**3355363 HEATING ELEMENT 2000W 230V**  
length 200 mm - width 35 mm  
for 180 mm tangential fan



ANGELO PO 32G1990

**3355271 HEATING ELEMENT 2000W 220V**  
length 470 mm - width 210 mm  
fittings M14x1 mm  
operating ambient: dry  
for Bain-marie electric (ANGELO PO) 030BME  
031BME



ANGELO PO 32G1250



Suitable for:

**3755089 HEATING ELEMENT 2000W 230V**  
 length 530 mm - width 80 mm  
 height 80 mm  
 upon request nut and washer  
 for Bratt pan electric (ANGELO PO) - Series ALPHA  
 Series DELTA - Series OMEGA



ANGELO PO 32G2481

**3528232 HEXAGONAL NUT MEDIUM SIZE M4**  
 brass - UNI 5588 - DIN 934 - ISO 4032



Suitable for:

**3528238 FLAT WASHER M4**  
 internal/external  $\varnothing$  4.3/9 mm - thickness 0.8 mm  
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3120100

ANGELO PO 3128800

**3355520 HEATING ELEMENT 2050W 230V**  
 length 275 mm - width 55 mm  
 height 255 mm - fittings  $\varnothing$  1/4"  
 for Fryer electric (ANGELO PO) - Series JUNIOR  
 Series SENIOR - Series SUMMIT



ANGELO PO 32G1240

ANGELO PO 32G1241

**5063285 HEATING ELEMENT 2200/2370W 400/415V**  
 length 578 mm - width 85 mm  
 height 80 mm



ANGELO PO 32G1870

**3755088 HEATING ELEMENT 2200/2400W 230/240V**  
 length 615 mm - width 90 mm  
 height 100 mm  
 for Fry top electric (ANGELO PO) - Series ALPHA  
 Series DELTA  
 for Fry top (ANGELO PO) 090FT7E



ANGELO PO 32G2370

ANGELO PO 32G2371

**3455274 HEATING ELEMENT 2400/2620W 230/240V**  
 external  $\varnothing$  210 mm - fittings  $\varnothing$  1/4"  
 for Hot cupboard electric (ANGELO PO) AJ12AE  
 AJ12ME - AJ14AE - AJ14ME - AJ16AE - A12A1E  
 A12B1E - A12B2E - A12M1E - A14A1E - A14B1E  
 A14B2E - A14M1E - A16A1E - A16B1E - A16B2E  
 A18A1E - A18B1E - A18B2E - A18M1E - A20A1E  
 A20B1E - A20B2E - A20M1E  
 for Self service counter electric (ANGELO PO) ACBM  
 ACBM218 - ACPN - ACPN218 - SL14CPN - SL14CVB  
 SL21CPN - SL21CVB



ANGELO PO 32G1550



Suitable for:

**5019590 HEATING ELEMENT 2500W 230V**  
external  $\varnothing$  62 mm - overall height 80 mm  
fittings M10x1 mm



ANGELO PO 32G2440


Suitable for:

**5003301 HEATING ELEMENT 2600/2800W 400/415V**  
length 460 mm - width 510 mm  
flange 100x22 mm  
for Oven under cooktop electric (ANGELO PO)  
Series JUNIOR



ANGELO PO 32G0151

**5000989 HEATING ELEMENT 2600/2830W 230/240V**  
length 260 mm - width 510 mm  
flange 100x22 mm  
for Oven under cooktop electric (ANGELO PO)  
Series GAMMA



ANGELO PO 32G1591

**3355525 HEATING ELEMENT 2600W 415V**  
length 305 mm - width 510 mm  
flange 100x22 mm  
for Oven under cooktop electric (ANGELO PO)  
Series GAMMA - Series JUNIOR



ANGELO PO 32G1621

ANGELO PO 32G1630

ANGELO PO 32W1620


**5013121 HEATING ELEMENT 2700/2940W 230/240V**  
length 460 mm - width 585 mm  
flange 100x22 mm



ANGELO PO 32G1220

ANGELO PO 32G1221

**5027426 HEATING ELEMENT 2700W 230V**  
length 475 mm - width 380 mm  
flange 100x22 mm



ANGELO PO 3003790

**3355268 HEATING ELEMENT 2700W 380V**  
length 340 mm - width 585 mm  
flange 100x22 mm  
for Pot stove electric (ANGELO PO) - Series SENIOR




ANGELO PO 32G0950

ANGELO PO 32G0951

ANGELO PO 32G1070

**7111611 HEATING ELEMENT 2700W 400V**  
length 475 mm - width 380 mm  
flange 100x22 mm



ANGELO PO 32G3250



Suitable for:

**3355161 HEATING ELEMENT 3000W 220V**  
 length 540 mm - width 500 mm  
 couplings  $\varnothing$  1/4"  
 operating ambient: immersion  
 for Bain-marie electric (ANGELO PO) - Series GAMMA  
 Series JUNIOR  
 for Self service counter electric (ANGELO PO)  
 Series GAMMA - Series JUNIOR



ANGELO PO 32G0280(OLD)

Suitable for:

**5053463 HEATING ELEMENT 3000W 230V**  
 plate dimensions 285x285 mm  
 with cables



ANGELO PO 3134300

ANGELO PO 3148470

**5057309 HEATING ELEMENT 400W 230V**  
 length 430 mm - width 105 mm



ANGELO PO 32G2320

**3355105 HEATING ELEMENT 4200W 230/380V**  
 for boiler and wash tank  
 immersed depth 340 mm  
 flange external  $\varnothing$  72 mm - with bulb-sheathing  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 for Pasta cooker electric (ANGELO PO) 0G1CP1EC



ANGELO PO 32G0230

ANGELO PO 32G0380

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260

**3455275 HEATING ELEMENT 4500/4850W 400/415V**  
 immersed length 320 mm  
 flange external  $\varnothing$  72 mm  
 with thermostat probe receptacle  
 for Pasta cooker electric (ANGELO PO) 0G1CP1E  
 0G1CP1EC - 1G1P11E



ANGELO PO 32G3270

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260





Suitable for:

**3755645 HEATING ELEMENT 4540/4886W 400/415V**  
 immersed length 320 mm  
 flange external  $\varnothing$  72 mm  
 with thermostat probe receptacle  
 for Boiling pan electric (ANGELO PO) 31PIE6



ANGELO PO 32G1931

Suitable for:

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260

**3355270 HEATING ELEMENT 4540W 220V**  
 immersed length 325 mm  
 flange external  $\varnothing$  72 mm  
 with thermostat probe receptacle  
 with O-ring  
 for Pasta cooker electric (ANGELO PO) 30CPSE  
 70CPE - 90CPE



ANGELO PO 32G1300

ANGELO PO 32G1301

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260


**5005889 HEATING ELEMENT 4700W 400V**  
 length 480 mm - width 90 mm  
 height 310 mm - connections  $\varnothing$  1/4"  
 for Fryer electric (ANGELO PO)  
 70FE1-70FE1B-71FE2-71FE2B



ANGELO PO 32G1180

ANGELO PO 32G1181

**3355162 HEATING ELEMENT 4800W 220/380V**  
 length 415 mm - width 420 mm  
 fittings  $\varnothing$  1-1/4"  
 complete with gasket-nut-cap  
 operating ambient: immersion  
 for Bain-marie electric (ANGELO PO) 60BME - 61BME  
 for Food-service trolley electric (ANGELO PO) CNX  
 CX  
 for Self service counter electric (ANGELO PO)  
 S.S.C



ANGELO PO 32G0650

**3755086 HEATING ELEMENT 6000/6458W 400/415V**  
 immersed length 485 mm  
 flange external  $\varnothing$  72 mm  
 with thermostat probe receptacle  $\varnothing$  7 mm  
 with O-ring  
 upon request nut and washer  
 for Pasta cooker electric (ANGELO PO)  
 Series ALPHA - Series DELTA - Series OMEGA



ANGELO PO 32G2310

**3528238 FLAT WASHER M4**  
 internal/external  $\varnothing$  4.3/9 mm - thickness 0.8 mm  
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3120100

ANGELO PO 3128800



Suitable for:

**3528232 HEXAGONAL NUT MEDIUM SIZE M4**  
brass - UNI 5588 - DIN 934 - ISO 4032



# ANGELO PO



Suitable for:

**3186014 O-RING 06225 EPDM ø 67 mm**  
ring thickness 5.34 mm - internal ø 56.52 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260

**3355046 HEATING ELEMENT 6000W 220/380V**  
immersed length 490 mm  
flange ø external 63 mm - with probe receptacle  
complete with O-ring ø 58 mm (3186013)  
for Boiling pan electric (ANGELO PO) 2A1PI3E  
291PI3E



**3186013 O-RING 06187 EPDM ø 58 mm**  
ring thickness 5.34 mm - internal ø 47.00 mm



ANGELO PO 32G3080

**5066664 HEATING ELEMENT 6000W 230V**  
profondità immersione 485 mm  
flangia ø esterno 72 mm  
con guaina portabulbo



**3355158 HEATING ELEMENT 700W 220V**  
total length 385 mm  
finned part length 270 mm - ø 35 mm  
for Food-service trolley electric (ANGELO PO) CNX  
CX - 2271/E - 2272/E - 2273/E  
for Self service counter electric (ANGELO PO)  
S.S.C.



ANGELO PO 3080640

ANGELO PO 32G0270

**3755087 HEATING ELEMENT 7000/7534W 400/415V**  
immersed length 410 mm  
flange external ø 72 mm  
with hole for thermostat probe receptacle  
with O-ring  
upon request nut and washer  
for Boiling pan electric (ANGELO PO)  
Series ALPHA - Series DELTA



**3528238 FLAT WASHER M4**  
internal/external ø 4.3/9 mm - thickness 0.8 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 32G2330

ANGELO PO 3120100

ANGELO PO 3128800



Suitable for:

**3528232 HEXAGONAL NUT MEDIUM SIZE M4**  
brass - UNI 5588 - DIN 934 - ISO 4032



# ANGELO PO



Suitable for:

**3186014 O-RING 06225 EPDM ø 67 mm**  
ring thickness 5.34 mm - internal ø 56.52 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260

**5001274 HEATING ELEMENT 7000/7621W 230/240V**  
immersion depth 410 mm  
flange to external ø 72 mm  
with bulbholder sheathing  
for Boiling pan electric (ANGELO PO)  
71PIE15-71PIE15A-91PIE15-91PIE15A



ANGELO PO 32G1030

ANGELO PO 32G1031

**3755538 HEATING ELEMENT 7200/7750W 230/240V**  
length 300 mm - width 155 mm  
fitting ø 53 mm - complete with cables  
with hole for bulb  
for Fryer electric (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 32G2610

**3186656 HEATING ELEMENT GASKET KIT**  
consists of 2 silicone OR0152 gaskets  
and 1 grease can



ANGELO PO 60A0980

**3355527 HEATING ELEMENT 750W 220V**  
length 550 mm - width 37 mm  
height 110 mm - fittings ø 1/4"



ANGELO PO 32G0140

**3355154 HEATING ELEMENT 800W 220V**  
length 395 mm - width 60 mm  
couplings ø 1/4"  
complete with O-rings and nuts  
operating ambient: immersion  
for Bain-marie electric (ANGELO PO)



ANGELO PO



Suitable for:

**3355159 HEATING ELEMENT 800W 220V**  
 length 395 mm - width 60 mm  
 couplings  $\varnothing$  1/4"  
 operating ambient: dry  
 for Bain-marie electric (ANGELO PO) 050BME  
 051BME  
 for Food-service trolley electric (ANGELO PO) CNX  
 CX - 2271/E - 2272/E - 2273/E  
 for Self service counter electric (ANGELO PO)  
 S.S.C.



ANGELO PO 32G0090

**3355150 HEATING ELEMENT 900W 220V**  
 length 430 mm - width 120 mm  
 flange 100x20 mm  
 for Oven under cooktop (ANGELO PO) 52E - 62GE



ANGELO PO 32G0080

Suitable for:

**5021468 HEATING ELEMENT 900/1070W 220/240V**  
 length 465 mm - width 85 mm  
 fittings  $\varnothing$  1/4"



ANGELO PO 32G1830

**5084041 SILICONE HEATING ELEMENT 800W 230V**  
 length 580 mm - width 480 mm  
 complete with thermostat with automatic reset  
 complete with cables



ANGELO PO 3062730

## Hinges, catches and accessories


**5017488 COVER HANDLE 940x470x275 m**



ANGELO PO 3061911

ANGELO PO 36M3440

**5017487 HINGE LH SUPPORT**



ANGELO PO 36C2600

**3250079 DOOR HINGE SPRING  $\varnothing$  33x460 mm**  
 spring section  $\varnothing$  6 mm  
 for BRATT PAN series ALPHA-DELTA



ANGELO PO 36H0350

**5017483 HINGE RH SUPPORT**



ANGELO PO 36C2590



Suitable for:

**5017491 HINGE ROD  $\varnothing$  12x445 mm**



ANGELO PO 36H0260

**5048868 DOOR HINGE LEFT**  
external dimensions 52x25x20 mm




ANGELO PO 36R7260

**5048867 DOOR HINGE RIGHT**  
external dimensions 52x25x20 mm



ANGELO PO 36R3610

**5009408 DOOR HINGE UPPER RIGHT**  
external dimensions 105x60x20 mm




ANGELO PO 36M3210

## ANGELO PO



Suitable for:

**5001284 TORSION SPRING PIN 108 mm**  
for Boiling pan electric (ANGELO PO)  
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT  
for Boiling pan gas (ANGELO PO)  
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT  
for Boiling pan steam (ANGELO PO)  
Series ALPHA-DELTA-SENIOR  
for Bratt pan electric (ANGELO PO)  
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT  
for Bratt pan gas (ANGELO PO)  
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT



ANGELO PO 36G2680

**5054495 DOOR HINGE LOWER RIGHT**  
external dimensions 60x50x20 mm



ANGELO PO 36M3220

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118  
height 23 mm



ANGELO PO 3094780

ANGELO PO 36M0270



Suitable for:

# ANGELO PO



**5039231 HINGE BODY  $\varnothing$  43x372 mm**  
 for Boiling pan electric (ANGELO PO)  
 191PI2E-191PI2EA  
 for Boiling pan gas (ANGELO PO)  
 191PD1G-191PD2G-191PI1G-191PI1GA  
 191PI2G-191PI2GA  
 for Boiling pan steam (ANGELO PO) 191PI2V-191PI2VA



ANGELO PO 3062340

**5017483 HINGE RH SUPPORT**



ANGELO PO 36C2590

**3250077 LID SPRING  $\varnothing$  30x360 mm**  
 for BOILING PAN serieS ALPHA-DELTA-SENIOR-SUMMIT



ANGELO PO 36G2640

**3053234 HINGE COVER**  
 mounting distance 95 mm - dimensions 124x20 mm



ANGELO PO 35U3170

Suitable for:

**5017487 HINGE LH SUPPORT**



ANGELO PO 36C2600

**5028944 HINGE ROD  $\varnothing$  12x345 mm**  
 for Boiling pan electric (ANGELO PO)  
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR  
 for Boiling pan gas (ANGELO PO)  
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR  
 for Boiling pan steam (ANGELO PO)  
 Series ALPHA-DELTA-SENIOR  
 for Bratt pan electric (ANGELO PO)  
 Series GAMMA-JUNIOR-SENIOR-SUMMIT  
 for Bratt pan gas (ANGELO PO)  
 Series GAMMA-JUNIOR-SENIOR-SUMMIT



ANGELO PO 36G2650

**5001284 TORSION SPRING PIN 108 mm**  
 for Boiling pan electric (ANGELO PO)  
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT  
 for Boiling pan gas (ANGELO PO)  
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT  
 for Boiling pan steam (ANGELO PO)  
 Series ALPHA-DELTA-SENIOR  
 for Bratt pan electric (ANGELO PO)  
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT  
 for Bratt pan gas (ANGELO PO)  
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT



ANGELO PO 36G2680

**5058003 HINGE KIT RH-LH WITH MAGNET**  
 for COMPARTMENT FLAP  
 for (ANGELO PO) - Series ALPHA-OMEGA



ANGELO PO 6016600

ANGELO PO 6029110


ANGELO PO 6029111

Suitable for:

Suitable for:

**5017487 HINGE LH SUPPORT**

**5017483 HINGE RH SUPPORT**



ANGELO PO 36C2600

ANGELO PO 36C2590

**5028944 HINGE ROD  $\varnothing$  12x345 mm**  
 for Boiling pan electric (ANGELO PO)  
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR  
 for Boiling pan gas (ANGELO PO)  
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR  
 for Boiling pan steam (ANGELO PO)  
 Series ALPHA-DELTA-SENIOR  
 for Bratt pan electric (ANGELO PO)  
 Series GAMMA-JUNIOR-SENIOR-SUMMIT  
 for Bratt pan gas (ANGELO PO)  
 Series GAMMA-JUNIOR-SENIOR-SUMMIT

**5017491 HINGE ROD  $\varnothing$  12x445 mm**




ANGELO PO 36G2650

ANGELO PO 36H0260

**5013313 HINGE SUPPORT LH 80x36x48 mm**  
 middle hole  $\varnothing$  12 mm

**5013312 HINGE SUPPORT RH 80x36x48 mm**  
 middle hole  $\varnothing$  20 mm




ANGELO PO 36D2800

ANGELO PO 36D2790

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
 mounting distance 175 mm - overall length 205  
 height 160 mm

**3053003 DOOR HINGE ROLL HOLDER**  
 mounting distance 95 mm - overall length 118  
 height 23 mm



ANGELO PO 3094450

ANGELO PO 36M0110

ANGELO PO 36M2430

ANGELO PO 3094780

ANGELO PO 36M0270

**3053234 HINGE COVER**  
 mounting distance 95 mm - dimensions 124x20 mm

**3053299 HINGE COVER**  
 mounting distance 77 mm - dimensions 129x26 mm



ANGELO PO 35U3170



Suitable for:

Suitable for:

**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205  
height 160 mm



ANGELO PO 3094440

ANGELO PO 36M0100

ANGELO PO 36M2420

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118  
height 23 mm



ANGELO PO 3094780

ANGELO PO 36M0270

**3053234 HINGE COVER**  
mounting distance 95 mm - dimensions 124x20 mm



ANGELO PO 35U3170

**3053299 HINGE COVER**  
mounting distance 77 mm - dimensions 129x26 mm



**5001284 TORSION SPRING PIN 108 mm**  
for Boiling pan electric (ANGELO PO)  
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT  
for Boiling pan gas (ANGELO PO)  
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT  
for Boiling pan steam (ANGELO PO)  
Series ALPHA-DELTA-SENIOR  
for Bratt pan electric (ANGELO PO)  
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT  
for Bratt pan gas (ANGELO PO)  
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT



ANGELO PO 36G2680

## Hose-end fittings

**5088277 HOSE END FITTING 3 WAYS  $\varnothing$  8 mm**



ANGELO PO 36E4340

**1315008 T-SHAPED HOSE END FITTING  $\varnothing$  8 mm**  
for Pasta cooker gas (ANGELO PO)



ANGELO PO 3008090





## Hot plates

**3312005 COOKING PLATE - DISK ø 225 mm**  
made of cast iron




ANGELO PO 3044740

**5001203 PIASTRA DISCO ø 125 mm**  
in ghisa



ANGELO PO 36A0350

**3312061 RIBBED PLATE 385x320 mm**  
made of cast iron  
for Pot stove (ANGELO PO) - Series ALPHA



ANGELO PO PRS

**3312062 SMOOTH PLATE 385x320 mm**  
made of cast iron  
for Pot stove (ANGELO PO) - Series ALPHA



ANGELO PO PLS

## Hydraulic piping

**5054136 HOSE RUBBER CANVAS ø 32/40 mm 1000 mm**  
inner ø 32 mm - external ø 40 mm  
for Pasta cooker electric (ANGELO PO)  
Series ALPHA - Series GAS - Series MONOLITHE



ANGELO PO 3067460

**3450211 RUBBER PIPE ø 10x17 mm - 40 m**  
operating temperature -40+100°C



ANGELO PO 131AA12

**3450111 RUBBER PIPE ø 10x17 mm - 5 m**  
operating temperature -40+100°C



ANGELO PO 131AA12

**5091689 SILICONE HOSE ø 5/8 mm**  
internal ø 5 mm - external ø 8 mm  
SOLD PER CENTIMETRE



ANGELO PO 131AA32



Suitable for:

# ANGELO PO



**5054487 TUBE OF NORPRENE Ø 4/8 mm**  
 inner Ø 4 mm - external Ø 8 mm  
 sold per linear centimetre  
 for Pasta cooker electric (ANGELO PO)  
 Series MONOLITHE - 0G1CP1E - 04WCP1EM - 091CP1E  
 for Pasta cooker gas (ANGELO PO) 0G1CP1G  
 06WCP1GM - 08WCP1GM - 091CP1G - 1G1CP1G  
 1G1CP2G - 191CP1G - 191CP2G



ANGELO PO 3070410

**5030444 WATER OUTLET PIPE COMPLETE**  
 for Pasta cooker electric (ANGELO PO) 091CP1E  
 for Pasta cooker gas (ANGELO PO) 091CP1G - 1G1CP1G  
 191CP2G



ANGELO PO 3067470

Suitable for:

**5028295 WATER OUTLET PIPE COMPLETE**



ANGELO PO 3521290


**5092971 WATER OUTLET PIPE COMPLETE**



ANGELO PO 3014230

## Ignitors

**3001014 CAP WATERTIGHT PIEZO**  
 made of silicone rubber  
 with ring : Ø external 29 mm - Ø internal 18 mm




ANGELO PO 37Q2100

**3001013 IGNITER PIEZO WITH CAP**  
 a Ø 18 mm hole is required for the assembly  
 faston M Ø 2.4 mm



ANGELO PO 32T0150

**3001014 CAP WATERTIGHT PIEZO**  
 made of silicone rubber  
 with ring : Ø external 29 mm - Ø internal 18 mm



ANGELO PO 37Q2100



Suitable for:

**3528073 WASHER  $\varnothing$  32x18.5x4.5 mm**



ANGELO PO 3191100

**3001020 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



ANGELO PO 3005580

ANGELO PO 3166990

**5071589 WATERTIGHT PIEZO CAP**  
made of silicone rubber



**3528073 WASHER  $\varnothing$  32x18.5x4.5 mm**



ANGELO PO 3191100

## Incandescent lamps and neon lamps

**3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V**  
max. temperature 300°C



ANGELO PO 3030661

## ANGELO PO

Suitable for:

**5071589 WATERTIGHT PIEZO CAP**  
made of silicone rubber



**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber



**3221041 LAMP E14 15W 230V**  
max temperature 300°C -  $\varnothing$  22x50 mm



ANGELO PO 32W0780





Suitable for:

**3221061 LAMP E14 25W 230V**  
max temperature 300°C - ø 26x57 mm



ANGELO PO 32W0210

ANGELO PO 32W3900

Suitable for:

**3221059 LAMP E27 40W 230V**  
max temperature 300°C



ANGELO PO 32W2350

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max. temperature 250°C



ANGELO PO 3019710

ANGELO PO 3030660

## Indicator lights

**3221032 INDICATOR LIGHT GREEN 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



ANGELO PO 3106710

ANGELO PO 32W1330

ANGELO PO 32W1331

**3221222 INDICATOR LIGHT GREEN 230V**  
ø head 7 mm - ø hole 6 mm - 120°C  
wire connection length 200 mm



ANGELO PO 32W0101

**3221293 INDICATOR LIGHT GREEN 250V**  
head ø 20 mm - hole ø 10 mm - 120°C



ANGELO PO 32W2970

**3221034 INDICATOR LIGHT GREEN 400V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



ANGELO PO 32W1560  
ANGELO PO 6300652

ANGELO PO 32W1561

ANGELO PO 32W1562

**3221430 INDICATOR LIGHT ORANGE 400V**  
head ø 14 mm - hole ø 10 mm  
universal application



ANGELO PO 3106730+3101450

ANGELO PO 32W2240

ANGELO PO 32W2241



# ANGELO PO



Suitable for:

Suitable for:

**3221035 INDICATOR LIGHT RED 400V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ANGELO PO 32W1550

ANGELO PO 32W1551

**3221097 INDICATOR LIGHT NEUTRAL 220V**  
head  $\varnothing$  8 mm - 120°C



ANGELO PO 32W4220

**3221011 INDICATOR LIGHT ORANGE 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



**3221032 INDICATOR LIGHT GREEN 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ANGELO PO 3106730

ANGELO PO 32W0790

ANGELO PO 32W0791

ANGELO PO 3106710

ANGELO PO 32W1330

ANGELO PO 32W1331

**3221033 INDICATOR LIGHT RED 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ANGELO PO 32W1340

**3221096 INDICATOR LIGHT ORANGE 230V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm  
wire connection length 200 mm



ANGELO PO 32W2250

**3221154 INDICATOR LIGHT ORANGE 380V**  
mounting hole 32.5x10 mm - 85°C  
for COUNTER TOP FRYER all models



ANGELO PO 32W0720



Suitable for:

**3221430 INDICATOR LIGHT ORANGE 400V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  10 mm  
universal application



ANGELO PO 3106730-3101450

ANGELO PO 32W2240

ANGELO PO 32W2241

Suitable for:

**3221033 INDICATOR LIGHT RED 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ANGELO PO 32W1340

**3221220 INDICATOR LIGHT RED 230V**  
 $\varnothing$  head 7 mm -  $\varnothing$  hole 6 mm - 120°C  
wire connection length 180 mm



ANGELO PO 32W0450

**5075202 INDICATOR LIGHT RED 230V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  10 mm - 150°C



ANGELO PO 3106720

ANGELO PO 6300653

**3221035 INDICATOR LIGHT RED 400V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ANGELO PO 32W1550

ANGELO PO 32W1551

## Insulators

**5025058 PANNELLO ISOLANTE 550x340x60 mm**



ANGELO PO 37Q4130

## Interference suppression filters

**5022788 INTERFERENCE SUPPRESSION FILTER 0.1 $\mu$ F**  
ARCOTRONICS - 120-250V 50/60HZ  
for Fryer electric (ANGELO PO) - Series ALPHA  
for Fryer gas (ANGELO PO) - Series ALPHA



ANGELO PO 3226090



## Ironmongery (screws,nuts,washers)

**3526129 CLASP  $\varnothing$  3x14 mm**  
UNI 6873 - DIN 1481 - ISO 8752  
for Fry top gas (ANGELO PO) 1A0FT1G



ANGELO PO 31Z8930

**3053132 CLASP  $\varnothing$  3x22 mm**  
UNI 6873 - DIN 1481 - ISO 8752



ANGELO PO 36G8370

**3528291 CROSS HEAD FLUSH SCREW M4x8**  
cross-shaped - st./steel  
UNI 7688 - DIN 965 - ISO 7046



ANGELO PO 31C0070

**1528100 CYLINDER HEAD SCREW M4x12**  
stainless steel - cross cut  
UNI 7687 - DIN 7985 - ISO 7045



ANGELO PO 31B8800

**9528022 CYLINDER HEAD SCREW M6x12**  
stainless steel - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762  
 $\varnothing$  head 10 mm - overall length 18 mm



ANGELO PO 31V0140

**5013368 ELASTIC CLASP  $\varnothing$  5x30 mm**



ANGELO PO 31Z8110

**9742006 FEATHER KEY ST. STEEL C40 6x6x25 mm**  
UNI 6604/A - DIN 6685/A



ANGELO PO 3191110

**3528238 FLAT WASHER M4**  
internal/external  $\varnothing$  4.3/9 mm - thickness 0.8 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3120100

ANGELO PO 3128800

**3528010 FLAT WASHER M6**  
 $\varnothing$  internal/external 6.4/12 mm - thickness 1.6 mm  
st./steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3121480

**3743145 FLAT WASHER M8**  
internal/external  $\varnothing$  8.4/16 mm - thickness 1.6 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3120050



Suitable for:

# ANGELO PO



## 7100207 HEADLESS SCREW HEXAGONAL M5x8

stainless steel - conical top  
UNI 5927 - DIN 914 - ISO 4027



ANGELO PO 31W0180

Suitable for:

## 1528630 HEXAGON HEAD SCREW M5x10

stainless steel - UNI 5739 - DIN 933 - ISO 4017



ANGELO PO 31A0370

## 9528028 HEXAGON HEAD SCREW M8x30

stainless steel - UNI 5739 - DIN 933 - ISO 4017



ANGELO PO 31A9660

## 3528093 HEXAGONAL HEAD SCREW M10x35

st./steel - UNI 5739 - DIN 933 - ISO 4017



ANGELO PO 3016470

## 3528111 HEXAGONAL HEAD SCREW M6x10

st./steel - UNI 5739 - DIN 933 - ISO 4017



ANGELO PO 31A0560

## 3060069 HEXAGONAL NUT M8 MEDIUM

stainless steel - UNI 5588 - DIN 934 - ISO 4032



ANGELO PO 3110050

ANGELO PO 33Q6470

## 3522012 SCREW NO HEAD WITH HEXAGON SOCKET M8x10

burnished iron alloy - cone end  
UNI 5927 - DIN 914 - ISO 4027



ANGELO PO 31W0020

## 5017493 SCREWS WITH HEXAGON SOCKET M8x12

stainless steel - conical edge  
UNI 5927 - DIN 914 - ISO 4027



ANGELO PO 31W0280

## 3522017 ST.STEEL SCREW T.C.C.E.I. M6x60 UNI 5931



ANGELO PO 31A0130

## 1186504 WASHER FLAT M10

internal/external  $\varnothing$  10.5/20 mm - thickness 2 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3120080

ANGELO PO 3128790



Suitable for:

Suitable for:

**1186399 WASHER FLAT M16**  
 internal/external  $\varnothing$  17/30 mm - thickness 3 mm  
 in zinc plated iron alloy  
 UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3121440

## Knobs

**3241121 BLACK KNOB  $\varnothing$  45 mm**  
 D-shaped hole 6x4.6 mm  
 for Bratt pan (ANGELO PO) - Series SENIOR  
 for Pot stove (ANGELO PO) - Series SENIOR



ANGELO PO 36M2620

**3241088 RED INSERT FOR KNOB  $\varnothing$  32 mm**



ANGELO PO 36M2800

**3241259 BLACK KNOB  $\varnothing$  45 mm**  
 D-shaped hole 6x4.6 mm  
 for Fryer (ANGELO PO) - Series JUNIOR  
 Series SENIOR - Series SUMMIT



ANGELO PO 36M4560

**3241272 BLACK KNOB  $\varnothing$  65 mm SILK-SCREEN PRINTED**  
 D-shaped hole 10x9 mm  
 for Pot stove (ANGELO PO) - Series VECCHIA SERIE



ANGELO PO 36M0560

**3241037 BLACK KNOB  $\varnothing$  68 mm**  
 D-shaped hole 10x9 mm  
 for Pot stove (ANGELO PO) - Series JUNIOR  
 Series SENIOR



ANGELO PO 36M2390

**3241120 BLACK KNOB  $\varnothing$  68 mm**  
 D-shaped hole 8x6.5 mm  
 for Pot stove gas (ANGELO PO) - Series JUNIOR  
 for Salamander gas (ANGELO PO) - Series JUNIOR



ANGELO PO 36M3050



Suitable for:

# ANGELO PO



Suitable for:

**3241122 BLACK KNOB  $\varnothing$  68 mm**  
 D-shaped hole 6x4.6 mm  
 for Pot stove (ANGELO PO) - Series JUNIOR  
 Series SENIOR



ANGELO PO 36M2400

**3241089 BLACK KNOB CASING  $\varnothing$  45 mm**  
 for MINISIT valve



ANGELO PO 36M2580

**3241088 RED INSERT FOR KNOB  $\varnothing$  32 mm**



ANGELO PO 36M2800

**3241308 BLACK-RED KNOB SILK-SCREEN PRINTED**  
 D-shaped hole 8x6.5 mm  
 for Pot stove (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA



ANGELO PO 6300518

ANGELO PO 6300521

**3241488 BLACK-RED KNOB SILK-SCREEN PRINTED**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Boiling pan (ANGELO PO) - Series DELTA  
 for Pasta cooker (ANGELO PO) - Series DELTA  
 Series OMEGA  
 for Pot stove (ANGELO PO) - Series DELTA  
 Series OMEGA



ANGELO PO 6300485

**3241489 BLACK-RED KNOB SILK-SCREEN PRINTED**  
 D-shaped hole 10x9 mm  
 for Pot stove (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series GAMMA



ANGELO PO 6300489

**3241398 KNOB GASKET HOLE  $\varnothing$  8 mm**  
 external  $\varnothing$  70 mm - middle hole  $\varnothing$  8 mm



ANGELO PO 3152250

**3241493 BLACK-RED KNOB SILK-SCREEN PRINTED**  
 D-shaped hole 6x4.6 mm  
 for Oven under cooktop (ANGELO PO) - Series ALPHA  
 Series DELTA



ANGELO PO 6300484

**3241498 BLACK-RED KNOB SILK-SCREEN PRINTED**  
 D-shaped hole 6x4.6 mm  
 for Fryer (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series GAMMA



ANGELO PO 6300481



Suitable for:

**3241805 BLACK-RED KNOB SILK-SCREEN PRINTED**  
 D-shaped hole 10x8 mm  
 for Boiling pan gas (ANGELO PO) 1A1PI2G - 1A1PI2GA  
 1D1PI2G - 1D1PI2GA - 2A1PD3G - 2A1PI3G  
 for Pasta cooker (ANGELO PO) MCF20 - MCF40  
 for Pasta cooker gas (ANGELO PO) 1A1CP1GA  
 1D1CP1GA - 191CP1GA



ANGELO PO 6300523

Suitable for:

**3241494 BLACK-RED KNOB 1-2-3-4-5-6-7-8**  
 D-shaped hole 6x4.6 mm  
 for Bratt pan (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA



ANGELO PO 6300493

**3241486 BLACK-RED KNOB 100-270°C**  
 D-shaped hole 6x4.6 mm  
 for Fry top electric (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 6300492

**3241495 BLACK-RED KNOB 100-270°C**  
 D-shaped hole 6x4.6 mm  
 for Bratt pan (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA



ANGELO PO 6300491

**3241496 BLACK-RED KNOB 100-280°C**  
 D-shaped hole 10x9 mm  
 for Fry top gas (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series GAMMA



ANGELO PO 6300504

**3241772 BLACK-RED KNOB 100-280°C**  
 D-shaped hole 8x6.5 mm  
 for Bratt pan gas (ANGELO PO) 0G1BR3G - 1G1BR3G  
 for Fry top gas (ANGELO PO) 0A0FT1G - 0A0FT2G  
 0A0FT4G - 0A0FT5G - 0D0FT1G - 0D0FT2G  
 0D0FT4G - 0D0FT5G - 1A0FT1G - 1A0FT2G  
 1A0FT3G - 1A0FT4G - 1D0FT2G - 1D0FT3G  
 1D0FT4G - 1D0FT6G



ANGELO PO 6300488

**3526129 CLASP  $\varnothing$  3x14 mm**  
 UNI 6873 - DIN 1481 - ISO 8752  
 for Fry top gas (ANGELO PO) 1A0FT1G



ANGELO PO 31Z8930



Suitable for:

**3526128 KNOB EXTENSION LENGTH 34 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Fry top gas (ANGELO PO) 1A0FT1G



ANGELO PO 33Q3480


ANGELO PO 33Q3481

# ANGELO PO



Suitable for:

**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280

**3241487 BLACK-RED KNOB 100-300°C**  
D-shaped hole 8x6.5 mm  
for Oven under cooktop (ANGELO PO) - Series ALPHA  
Series BIFRONTÉ - Series DELTA



ANGELO PO 6300510

**3241492 BLACK-RED KNOB 100-300°C**  
D-shaped hole 8x6.5 mm  
for Oven under cooktop (ANGELO PO) - Series ALPHA  
Series DELTA - Series OMEGA



ANGELO PO 6300487

**3241499 BLACK-RED KNOB 100-300°C**  
D-shaped hole 6x4.6 mm  
for Oven under cooktop (ANGELO PO) - Series ALPHA  
Series DELTA - Series OMEGA - Series SNACK



ANGELO PO 6300483

**3241491 BLACK-RED KNOB 110-190°C**  
D-shaped hole 6x4.6 mm  
for Fryer (ANGELO PO) - Series ALPHA  
Series BIFRONTÉ - Series DELTA - Series GAMMA



ANGELO PO 6300480

**3241808 BLACK-RED KNOB 160-280°C**  
D-shaped hole 8x6.5 mm  
for Pot stove gas (ANGELO PO) G1FAGS - G1FAGST  
1G1FAPG - 1G1FA0G - 1G1FA0GV - 1G1TP0G  
2G1FADG - 2G1FADGV - 2G1FAPG - 2G1FA0G  
2G1FA0GV - 2G1TP3G



ANGELO PO 6300553

**3241490 BLACK-RED KNOB 160-340°C**  
D-shaped hole 10x9 mm  
for Fry top (ANGELO PO) - Series ALPHA  
Series BIFRONTÉ - Series DELTA - Series GAMMA



ANGELO PO 6300503

**3241497 BLACK-RED KNOB 30-100°C**  
D-shaped hole 8x6.5 mm  
for Bain-marie gas (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 6300486

**3241500 BLACK-RED KNOB 30-100°C**  
D-shaped hole 6x4.6 mm  
for Bain-marie electric (ANGELO PO) - Series ALPHA  
Series BIFRONTÉ - Series DELTA - Series GAMMA



ANGELO PO 6300482



Suitable for:

**5037085 BLUE INLET TAP KNOB**



ANGELO PO 3162210

Suitable for:

**3241055 FIXING CLIP**  
for knob with  $\varnothing$  8 mm hole



ANGELO PO 3170290

**3241385 GASKET FOR KNOB PIN 6x4.6 mm**  
 $\varnothing$  external 17 mm - thickness 1,8 mm



ANGELO PO 3150790

**3241399 GASKET FOR KNOB PIN 6x4.6 mm**  
external  $\varnothing$  18 mm - thickness 4 mm  
for Fryer (ANGELO PO) 091FR11




ANGELO PO 3152240

**5013373 KNOB BLACK-RED  $\varnothing$  68 mm**  
D-shaped hole 6x4.6 mm



ANGELO PO 36M5150

**5070746 KNOB BLACK-RED  $\varnothing$  68 mm**  
D-shaped hole 10x8 mm



ANGELO PO 36M5140

**5050176 KNOB BLACK-RED SERIGR.**  
D-shaped hole 6x4.6 mm  
for Pot stove electric (ANGELO PO) - Series GAMMA



ANGELO PO 6300556

**5071605 KNOB BLACK-RED 0-1-2-3**  
D-shaped hole 6x4.6 mm



ANGELO PO 6019810

**5059131 KNOB BLACK-RED 80-300°C**  
D-shaped hole 6x4.6 mm



ANGELO PO 6300554

**3241398 KNOB GASKET HOLE  $\varnothing$  8 mm**  
external  $\varnothing$  70 mm - middle hole  $\varnothing$  8 mm



ANGELO PO 3152250



Suitable for:

# ANGELO PO



**5071760 KNOB SILVER-RED ø 72 mm ELECTRIC**  
 D-shaped hole 6x4.6 mm  
 for Pasta cooker electric (ANGELO PO) 0G1CP1EC  
 04WCP1EM - 091CP1E



ANGELO PO 3112010

**5068652 KNOB SILVER-RED ø 72 mm 100-250°C**  
 D-shaped hole 8x6.5 mm  
 for Fry top gas (ANGELO PO) - Series GAMMA



ANGELO PO 3144110

**5066506 KNOB SILVER-RED ø 72 mm 110-190°C**  
 D-shaped hole 8x6.5 mm  
 for Fryer gas (ANGELO PO) 0G0FR5G - 0G1FR7G  
 1G0FR6G - 1G1FR8G



ANGELO PO 3134730

**5070698 KNOB SILVER-RED ø 72 mm 160-280°C**  
 D-shaped hole 8x6.5 mm  
 for Oven under cooktop gas (ANGELO PO)  
 Series GAMMA



ANGELO PO 3132970

**3241809 KNOB SILVER-RED ø 72 mm**  
 D-shaped hole 10x8 mm  
 for Boiling pan gas (ANGELO PO) ALPHA 191PD1G  
 ALPHA 191PD2G - ALPHA 191PI1G - ALPHA 191PI1GA  
 ALPHA 191PI2G - ALPHA 191PI2GA - ALPHA 291PD3G  
 ALPHA 291PI3G - GAMMA 1G1PD1G - GAMMA 1G1PI1G  
 for Grill gas (ANGELO PO) ALPHA 090GRG  
 ALPHA 190GRG - OMEGA 08WGRGV  
 for Pasta cooker gas (ANGELO PO) ALPHA 091CP1G  
 ALPHA 191CP1G - ALPHA 191CP2G - OMEGA 06WCP1GM  
 OMEGA 08WCP1GM - 10CP1GA - 12CP1GA - 18CP2GA  
 for Solid top range gas (ANGELO PO) ALPHA 190TPO  
 ALPHA 191TPG - ALPHA 291TPCG



ANGELO PO 3015730

ANGELO PO 3015731

**5061196 KNOB SILVER-RED ø 72 mm ELECTRICAL**  
 D-shaped hole 6x4.6 mm



ANGELO PO 3090241

**5075638 KNOB SILVER-RED ø 72 mm ELECTRICAL**  
 D-shaped hole 6x4.6 mm



ANGELO PO 3135860

**5072835 KNOB SILVER-RED ø 72 mm 0-6**  
 D-shaped hole 6x4.6 mm



ANGELO PO 3016111



Suitable for:

**5079656** **KNOB SILVER-RED ø 72 mm 30-100°C**  
D-shaped hole 8x6.5 mm



ANGELO PO 3052571

Suitable for:

**7115016** **KNOB SILVER-RED ø 72 mm 30-100°C**  
D-shaped hole 6x4.6 mm  
for Bain-marie electric (ANGELO PO)  
OGOBME-1GOBME-03OBME-031EBM



ANGELO PO 3015751

**3241088** **RED INSERT FOR KNOB ø 32 mm**



ANGELO PO 36M2800

**3241697** **RED KNOB FOR INLET TAP**



ANGELO PO 3162200

**3241407** **SILVER-RED HANDLE ø 72 mm**  
D-shaped hole 6x4.6 mm  
for Fryer (ANGELO PO) - Series ALPHA  
Series GAMMA - Series OMEGA



ANGELO PO 3015850

ANGELO PO 3015851

**3241508** **SILVER-RED HANDLE ø 72 mm**  
D-shaped hole 6x4.6 mm  
for Pot stove (ANGELO PO) - Series ALPHA  
Series OMEGA



ANGELO PO 3020250

ANGELO PO 3020251

**3241806** **SILVER-RED HANDLE ø 72 mm**  
D-shaped hole 6x4.6 mm  
for Pasta cooker electric (ANGELO PO) 0G1CP1  
0G1CP1E - 0G1CP1EC - 04WCP1EM - 090CP1E  
for Pasta cooker gas (ANGELO PO) 06WCP1GM  
08WCP1GM - 091CP1G - 1GGCP1G - 1G1CP2G  
191CP1G - 191CP2G



ANGELO PO 3019900

ANGELO PO 3019901

ANGELO PO 3112000

**3241403** **SILVER-RED HANDLE ø 72 mm 100-300°C**  
D-shaped hole 6x4.6 mm  
for Pot stove (ANGELO PO) - Series ALPHA  
Series OMEGA



ANGELO PO 3015900

ANGELO PO 3015901



Suitable for:

# ANGELO PO



**3241807 SILVER-RED HANDLE ø 72 mm 110-190°C**  
 D-shaped hole 6x4.6 mm  
 for Fryer (ANGELO PO) 091FR1I - 191FR2I  
 for Fryer electric (ANGELO PO) 091FR1E - 091FR3E  
 1G0FR4E - 191FR2E - 191FR4E  
 for Fryer gas (ANGELO PO) 0G1FR3G - 091FR1G  
 091FR3G - 1G1FR4G - 191FR2G - 191FR4G



ANGELO PO 3015831

**3241405 SILVER-RED HANDLE ø 72 mm ELECTRIC**  
 D-shaped hole 6x4.6 mm  
 for Pot stove electric (ANGELO PO) - Series ALPHA  
 Series GAMMA - Series OMEGA



ANGELO PO 3015940

ANGELO PO 3015941

**5050367 SILVER-RED HANDLE ø 72 mm ELECTRICAL**  
 D-shaped hole 6x4.6 mm  
 for Pasta cooker electric (ANGELO PO)  
 091CP1E-0G1CP1EC-04WCP1EM



ANGELO PO 3036321

**3241406 SILVER-RED HANDLE ø 72 mm GAS**  
 D-shaped hole 8x6.5 mm  
 for Pot stove gas (ANGELO PO) - Series ALPHA  
 Series GAMMA - Series OMEGA



ANGELO PO 3013170

ANGELO PO 3013171

**5061830 SILVER-RED HANDLE ø 72 mm 0-10**  
 D-shaped hole 6x4.6 mm  
 for Glass-ceramic plate (ANGELO PO) - Series ALPHA  
 Series GAMMA - Series OMEGA



ANGELO PO 3015991

**5029947 SILVER-RED HANDLE ø 72 mm 0-8**  
 D-shaped hole 6x4.6 mm  
 for Boiling pan electric (ANGELO PO) 291PI3E  
 for Bratt pan electric (ANGELO PO) 0G1BR3E  
 06WBR3E - 1G1BR3E - 191BR1E - 191BR2E  
 191BR2EA - 291BR1E - 291BR2E - 291BR2EA  
 for Grill electric (ANGELO PO) 08WGREV - 1G0GRE  
 190GRE



ANGELO PO 3015790

ANGELO PO 3015791

**5029946 SILVER-RED HANDLE ø 72 mm 100-270°C**  
 D-shaped hole 6x4.6 mm  
 for Bratt pan electric (ANGELO PO)  
 Series ALPHA-GAMMA  
 for Bratt pan gas (ANGELO PO) - Series ALPHA  
 for Fry top electric (ANGELO PO)  
 Series ALPHA-GAMMA-OMEGA



ANGELO PO 3015870

ANGELO PO 3015871

**3241404 SILVER-RED HANDLE ø 72 mm 140-270°C**  
 D-shaped hole 8x6.5 mm  
 for Pot stove (ANGELO PO) - Series ALPHA  
 Series OMEGA



ANGELO PO 3010330

ANGELO PO 3010331





## Labels for control panels

5077244 ADHESIVE CONTROL PLATE 80x80 mm



ANGELO PO 3087960

3399042 ADHESIVE CONTROL PLATE 97x60 mm  
for Fryer (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series OMEGA



ANGELO PO 37M8560

## Lamp receptacles and spare parts

3221393 FRAME FOR OVEN LAMP RECEPTACLE  
external dimensions 96x96 mm



ANGELO PO 3159800

ANGELO PO 3278370


ANGELO PO 35E3360

3186173 GASKET FOR OVEN LAMP RECEPTACLE  
external dimensions 93x79 mm



ANGELO PO 37Q4106

3221053 GASKET FOR OVEN LAMP RECEPTACLE  
dimensions  $\varnothing$  48x38x5 mm  
for OVEN



ANGELO PO

3221394 GASKET FOR OVEN LAMP RECEPTACLE  
external dimensions 75x65 mm



ANGELO PO 3036970

3221397 GASKET FOR OVEN LAMP RECEPTACLE  
external dimensions 90x94 mm



ANGELO PO 36E3170

3221173 GLASS FOR OVEN LAMP RECEPTACLE  
external dimensions 73x58 mm



ANGELO PO 37M9910

3221396 GLASS FOR OVEN LAMP RECEPTACLE  
external dimensions 73x64 mm



ANGELO PO 3036960

ANGELO PO 3036961

ANGELO PO 3036962

ANGELO PO 3036963

3221052 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  57 mm  
thread  $\varnothing$  33.5 mm - overall height 34 mm



ANGELO PO 32X3080



Suitable for:

# ANGELO PO



Suitable for:

**3221321 HALOGEN LAMP RECEPTACLE G4 20W 12V**  
mounting hole  $\varnothing$  37 mm  
wire connection length 430 mm



ANGELO PO 3019720

**5038979 HALOGEN LAMP RECEPTACLE R7s 6A 250V**  
wire fitting length 230 mm  
for Dish warmer (ANGELO PO) KIR14



**3221656 HALOGEN LAMP INFRARED R7s 200W 240V**  
length 118 mm



ANGELO PO 32W4360

**3221658 HALOGEN LAMP INFRARED R7s 300W 230V**  
length 118 mm



**3221657 HALOGEN LAMP INFRARED R7s 300W 240V**  
length 118 mm



**3221698 HALOGEN LAMP INFRARED R7s 300W 240V**  
length 222 mm



**3221703 HALOGEN LAMP INFRARED R7s 500W 240V**  
length 118 mm



**3221381 HALOGEN LAMP OSRAM R7s 230W 230V**  
length 118 mm



**3221654 HALOGEN LAMP RECEPTACLE R7s 300W 240V**  
length 118 mm



**3221260 HALOGEN LAMP R7s 120W 230V**  
length 78 mm



**3221708 HALOGEN LAMP R7s 140W 230V**  
length 118 mm





Suitable for:

**2102048 HALOGEN LAMP R7s 160W 230V**  
length 118 mm



# ANGELO PO



Suitable for:

**3221263 HALOGEN LAMP R7s 200W 230V**  
length 118 mm



**3221264 HALOGEN LAMP R7s 400W 230V**  
length 118 mm




**3421012 HALOGEN LAMP R7s 400W 240V**  
length 222 mm



**2111556 HALOGEN LAMP R7s 500W 230V**  
length 222 mm




**2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V**  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C




ANGELO PO 32W2561

**3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V**  
lamp glass  $\varnothing$  42 mm  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C  
for OVEN



**3186522 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions  $\varnothing$  40x30x2 mm




ANGELO PO

**3786614 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions 48x41x3 mm



**3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE**  
dimensions  $\varnothing$  53x44x3 mm





Suitable for:

**3221061 LAMP E14 25W 230V**  
max temperature 300°C - ø 26x57 mm



ANGELO PO 32W0210

ANGELO PO 32W3900

**D421016 OVEN LAMP DR FISCHER E14 25W 230V**  
ø 25x57 mm - max temperature 300°C




# ANGELO PO



Suitable for:

**2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V**  
mounting hole ø 38 mm  
max temperature 300°C



ANGELO PO 32W2561

**2110636 OVEN LAMP RECEPTACLE GLASS ø 41 mm**  
thread ø 34 mm - overall height 36 mm



ANGELO PO 3019730

ANGELO PO 32W3910

**3221326 LAMP RECEPTACLE WITH LAMP G4 16W 12V**  
lamp glass ø 41 mm  
mounting hole ø 37 mm  
wire connection length 430 mm



ANGELO PO 3008760

**3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V**  
max. temperature 300°C



ANGELO PO 3030661

**3221321 HALOGEN LAMP RECEPTACLE G4 20W 12V**  
mounting hole ø 37 mm  
wire connection length 430 mm



**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max. temperature 250°C



ANGELO PO 3019720

ANGELO PO 3019710

ANGELO PO 3030660

**2110636 OVEN LAMP RECEPTACLE GLASS ø 41 mm**  
thread ø 34 mm - overall height 36 mm




ANGELO PO 3019730

ANGELO PO 32W3910

**3221327 TRANSFORMER F/HALOGEN LAMP 230V/12V**  
primary voltage 230V 50/60Hz  
secondary voltage 12V  
dimensions 86x30x20 mm



**3221266 LAMP RECEPTACLE WITH LAMP G4 20W 12V**  
 external dimensions 74x59 mm  
 wire connection length 680 mm  
 max temperature 300°C



ANGELO PO 32V5570

**3221393 FRAME FOR OVEN LAMP RECEPTACLE**  
 external dimensions 96x96 mm



ANGELO PO 3159800

ANGELO PO 3278370

**5050277 GASKET FOR LAMP INTERN**  
 external dimensions 77 x 62 mm



**3221394 GASKET FOR OVEN LAMP RECEPTACLE**  
 external dimensions 75x65 mm



ANGELO PO 3036970

**3221173 GLASS FOR OVEN LAMP RECEPTACLE**  
 external dimensions 73x58 mm



ANGELO PO 37M9910

Suitable for:

**3221172 FRAME FOR OVEN LAMP RECEPTACLE**  
 external dimensions 96x80 mm



**5050276 GASKET EXTERNAL FOR LAMP**  
 external dimensions 95x80 mm



**3186173 GASKET FOR OVEN LAMP RECEPTACLE**  
 external dimensions 93x79 mm



ANGELO PO 37Q4106

**3221397 GASKET FOR OVEN LAMP RECEPTACLE**  
 external dimensions 90x94 mm



ANGELO PO 36E3170

**3221396 GLASS FOR OVEN LAMP RECEPTACLE**  
 external dimensions 73x64 mm



ANGELO PO 3036960  
 ANGELO PO 3036963

ANGELO PO 3036961

ANGELO PO 3036962



Suitable for:

**3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V**  
max. temperature 300°C



ANGELO PO 3030661

## ANGELO PO



Suitable for:

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max. temperature 250°C



ANGELO PO 3019710

ANGELO PO 3030660

**2110636 OVEN LAMP RECEPTACLE GLASS ø 41 mm**  
thread ø 34 mm - overall height 36 mm



ANGELO PO 3019730

ANGELO PO 32W3910

## Lava stone

**3310009 CERAMIC TILES PACKAGE 40 PCS**  
40 tiles  
for Grill (ANGELO PO)



ANGELO PO 37T1320

## Lava stone grids

**5033596 CAST IRON SUPPORT GRID 470x300 mm**  
for Grill gas (ANGELO PO) 1G0GRG



ANGELO PO 3000930

ANGELO PO 3000931

ANGELO PO 36A5530

**5024746 CAST IRON SUPPORT GRID 655x175x15 mm**  
for Lava rock grill gas (ANGELO PO) 0A0GRG  
0D0GRG - 08WGRGV - 090GRG - 1A0GRG - 1D0GRG  
190GRG




ANGELO PO 3008250

ANGELO PO 3287650

ANGELO PO 3287651

Suitable for:

**5025748 GRID FOR CERAMIC TILES 315x295 mm**  
 thickness 24 mm  
 made of STAINLESS STEEL  
 for Lava rock grill (ANGELO PO)  
 08WGRGV PER MACCHINE FINO AL 2007  
 090GRG PER MACCHINE FINO AL 2007  
 190GRG PER MACCHINE FINO AL 2007



ANGELO PO 3062860

ANGELO PO 3062861

ANGELO PO 3193140


Suitable for:

**3250131 SPRING FOR CERAMIC GRID FRAME**  
 for Grill gas (ANGELO PO) 0A0GRG - 0D0GRG  
 08WGRGV - 090GRG - 1A0GRG - 1D0GRG - 1G0GRG  
 190GRG



ANGELO PO 35Y2780

**5028863 GRID FOR CERAMIC TILES 420x280 mm**  
 thickness 24 mm  
 made of STAINLESS STEEL  
 for Lava rock grill (ANGELO PO) 1G0GRG



ANGELO PO 3193150


ANGELO PO 36A5540

**3250131 SPRING FOR CERAMIC GRID FRAME**  
 for Grill gas (ANGELO PO) 0A0GRG - 0D0GRG  
 08WGRGV - 090GRG - 1A0GRG - 1D0GRG - 1G0GRG  
 190GRG



ANGELO PO 35Y2780

**3185097 GRID FOR CERAMIC TILES 600x330 mm**  
 thickness 24 mm  
 made of stainless steel  
 for Lava rock grill (ANGELO PO) 0A0GRG - 0D0GRG  
 1A0GRG - 1D0GRG



ANGELO PO 36A4230

ANGELO PO 36A5290

**3250131 SPRING FOR CERAMIC GRID FRAME**  
 for Grill gas (ANGELO PO) 0A0GRG - 0D0GRG  
 08WGRGV - 090GRG - 1A0GRG - 1D0GRG - 1G0GRG  
 190GRG



ANGELO PO 35Y2780

**5090579 GRID OF CAST IRON 455x300 mm**



ANGELO PO 3159260

ANGELO PO 3159261

**3250131 SPRING FOR CERAMIC GRID FRAME**  
 for Grill gas (ANGELO PO) 0A0GRG - 0D0GRG  
 08WGRGV - 090GRG - 1A0GRG - 1D0GRG - 1G0GRG  
 190GRG



ANGELO PO 35Y2780



Suitable for:

# ANGELO PO



Suitable for:

## Level gauges

**5017382 LEVEL GLASS  $\varnothing$  10x100 mm**



ANGELO PO 37N1430


## Magnet groups

**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



ANGELO PO 32Z1460

**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110




ANGELO PO 32Z1520

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



ANGELO PO 32Z1490

**3182007 MAGNETIC UNIT SIT**  
 $\varnothing$  head 33 mm -  $\varnothing$  end 22 mm - length 56 mm  
for valve SIT MODUSIT - OP575



ANGELO PO 32Z1500


## Microswitches, magnetic

**3240179 MAGNETIC MICROSWITCH E5301C**  
0.4A 250V - contact NO - head 65x20x9 mm  
with cable length 500 mm



ANGELO PO 32W1210

**3240181 PROTECTED MAGNET 62x18x10 mm**



ANGELO PO 3210010

**9100050 MAGNETIC MICROSWITCH PSA60010**  
2A 240Vac - contact NO - head 52x16x7 mm  
with cable length 350 mm



ANGELO PO 3022950



**Microswitches, mechanical**

**5060434** **LIMIT LEVER**  $\varnothing$  60x94 mm  
internal  $\varnothing$  53 mm - width 17 mm



ANGELO PO 30T7020

ANGELO PO 30T7021

**3240189** **MICRO SWITCH** M1DX20 10A 250V



ANGELO PO 32W3020

**3240234** **LIMIT SWITCH PIN**



ANGELO PO 36G6040

ANGELO PO 36G6041

**3250071** **MICROSWITCH SPRING**  $\varnothing$  13x25 mm




ANGELO PO 36G7140

**3240235** **RING NUT** M16x1.5 mm



ANGELO PO 33Q5610

**5003350** **ROD MICROSWITCH** 48x30 mm



ANGELO PO 36D8360

**5070028** **MICROSWITCH CHERRY DC1**  
6A 250V - head 20x15x16 mm  
with cable length 500 mm



ANGELO PO 3159270



Suitable for:

# ANGELO PO



**3240407 MICROSWITCH KIT 16A 250V**  
 2 locking positions  
 the kit includes 5 levers:  
 lever 75 mm - lever 27 mm - lever 15 mm  
 lever 15 mm with wheel - lever 27 mm with wheel



ANGELO PO 32W4240

Suitable for:

**3240568 MICROSWITCH CROUZET EF83161.3**  
 1NO+NC 16A 250V  
 complete with roll lever 28 mm



**5035288 MICROSWITCH SUPPORT**  
 external dimensions 110x67x45 mm  
 holes mounting distance 90 mm  
 for Bratt pan electric (ANGELO PO) - Series ALPHA  
 Series DELTA  
 for Bratt pan gas (ANGELO PO) - Series ALPHA  
 Series DELTA



ANGELO PO 35R7760

**3240410 MICROSWITCH 16(4)A 250V**



ANGELO PO 32W0960

ANGELO PO 32W1660

ANGELO PO 32W3340

**3240236 LIMIT SWITCH CONTROL**



ANGELO PO 30T2250

**3240233 MICROSWITCH FITTING M16x1.5 mm**



ANGELO PO 33Q4120

**3240203 BUSHING DOOR MICROSWITCH**  
 external  $\varnothing$  10x15 mm



**3240234 LIMIT SWITCH PIN**



ANGELO PO 36G6040

ANGELO PO 36G6041

**3250071 MICROSWITCH SPRING  $\varnothing$  13x25 mm**



ANGELO PO 36G7140

**3240235 RING NUT M16x1.5 mm**



ANGELO PO 33Q5610




## Motors

**3240105 MOTOR FIR 1048.1920**  
 0,045/0,0765kW 220/240V  
 50/60Hz - 2800/3400rpm  
 shaft length 60 mm  
 shaft  $\varnothing$  10 mm - thread  $\varnothing$  8 mm  
 plate dimensions 150x150 mm  
 distance between holes 130 mm  
 capacitor 2 $\mu$ F  
 for Oven under cooktop (ANGELO PO) - Series GAMMA  
 Series JUNIOR



ANGELO PO 32M4301

**3240106 FAN  $\varnothing$  160 mm**  
 thickness 35 mm  
 12 blades - hole  $\varnothing$  8 mm  
 for Oven under cooktop (ANGELO PO) - Series GAMMA  
 Series JUNIOR



ANGELO PO 32M0370

**3161004 FLANGE FOR MAIN SHAFT**  
 external  $\varnothing$  60 mm - internal  $\varnothing$  18.5 mm  
 thickness 8 mm



**3186411 MAIN SHAFT SEALING GASKET**  
 external  $\varnothing$  22mm - internal  $\varnothing$  10mm-thickness 3.5mm



**3340008 COUNTER-FLANGE FOR MAIN SHAFT**  
 external  $\varnothing$  60 mm - internal  $\varnothing$  18.5 mm  
 thickness 6 mm



**3240243 FAN  $\varnothing$  165 mm**  
 thickness 43 mm  
 total blades 36 -  $\varnothing$  hole 8 mm



**3240240 FLANGE FOR MAIN SHAFT**  
 external  $\varnothing$  45mm - internal  $\varnothing$  12mm - thickness 6mm





Suitable for:

Suitable for:

**3240000** MOTOR WITH FAN 45W 220V 50/60Hz  
fan  $\varnothing$  150 mm



ANGELO PO 32M5690

## Nozzles

**3500020** GAS JET M10x1  $\varnothing$  0.80 mm



ANGELO PO 33T1540

**3500021** GAS JET M10x1  $\varnothing$  0.95 mm



ANGELO PO 33T1570

ANGELO PO 33T1570

**3500022** GAS JET M10x1  $\varnothing$  1.00 mm



ANGELO PO 33T1580

**5002019** GAS JET M10x1  $\varnothing$  1.05 mm



ANGELO PO 33T1590

**3500023** GAS JET M10x1  $\varnothing$  1.10 mm



ANGELO PO 33T1600

**3500024** GAS JET M10x1  $\varnothing$  1.15 mm



ANGELO PO 33T1610

**3500025** GAS JET M10x1  $\varnothing$  1.20 mm



ANGELO PO 33T1620

**3500026** GAS JET M10x1  $\varnothing$  1.25 mm



ANGELO PO 33T1630

**5005655** GAS JET M10x1  $\varnothing$  1.25 mm



ANGELO PO 33T3500

**3500027** GAS JET M10x1  $\varnothing$  1.30 mm



ANGELO PO 33T1640



# ANGELO PO



Suitable for:

Suitable for:

5013384 GAS JET M10x1  $\phi$  1.35 mm

3500028 GAS JET M10x1  $\phi$  1.45 mm



ANGELO PO 33T3760

ANGELO PO 33T1660

ANGELO PO 33T1670

3500029 GAS JET M10x1  $\phi$  1.50 mm

3500370 GAS JET M10x1  $\phi$  1.50 mm  
for Fry top gas (ANGELO PO) 070FT04 - 070FT05  
071FT04 - 071FT06 - 090FT04 - 090FT05  
091FT04 - 091FT06 - 1A0FT1G - 190FT1G  
190FT2G - 190FT3G - 190FT7G - 190FT72G



ANGELO PO 33T1680

ANGELO PO 33T3210

5015576 GAS JET M10x1  $\phi$  1.50 mm

3500030 GAS JET M10x1  $\phi$  1.60 mm



ANGELO PO 33T3900

ANGELO PO 33T1700

5021506 GAS JET M10x1  $\phi$  1.60 mm

5005166 GAS JET M10x1  $\phi$  1.75 mm



ANGELO PO 33T0790

ANGELO PO 33T0710

5062172 GAS JET M10x1  $\phi$  1.85 mm

3500031 GAS JET M10x1  $\phi$  1.90 mm



ANGELO PO 33T1380

ANGELO PO 33T1740

ANGELO PO 33T1750

ANGELO PO 33T1760

5061895 GAS JET M10x1  $\phi$  1.95 mm

3500032 GAS JET M10x1  $\phi$  2.00 mm



ANGELO PO 33T2270

ANGELO PO 33T1780



# ANGELO PO



Suitable for:

**5012694 GAS JET M10x1  $\varnothing$  2.00 mm**



ANGELO PO 33T3360

Suitable for:

**5061124 GAS JET M10x1  $\varnothing$  2.05 mm**



ANGELO PO 33T1790

**3500033 GAS JET M10x1  $\varnothing$  2.20 mm**



ANGELO PO 33T1820

**3500034 GAS JET M10x1  $\varnothing$  2.30 mm**



ANGELO PO 33T1830

ANGELO PO 33T1840

**3500035 GAS JET M10x1  $\varnothing$  2.50 mm**



ANGELO PO 33T1850

ANGELO PO 33T1860

**5005732 GAS JET M10x1  $\varnothing$  2.70 mm**



ANGELO PO 33T0550

**5013360 GAS JET M10x1  $\varnothing$  3.15 mm**



ANGELO PO 33T0760

**5000993 GAS JET M10x1  $\varnothing$  3.50 mm**



ANGELO PO 32T2280

ANGELO PO 33T2280

**5073632 GAS JET M6x0.75  $\varnothing$  1.00 mm**



ANGELO PO 33T3050

**7110490 GAS JET M6x0.75  $\varnothing$  1.25 mm  
for Pot stove gas (ANGELO PO) 2G1FA0G**



ANGELO PO 3035160

**5050391 GAS JET M6x0.75  $\varnothing$  1.30 mm**



ANGELO PO 33T4490

**5050394 GAS JET M6x0.75  $\varnothing$  1.55 mm**



ANGELO PO 3033000



Suitable for:

**7114048 GAS JET M6x0.75 ø 1.75 mm**  
for Kitchen gas (ANGELO PO) 0G0FA0



ANGELO PO 33T4250

Suitable for:

**5055425 GAS JET M6x0.75 ø 1.85 mm**



ANGELO PO 33T4240

**5055429 GAS JET M6x0.75 ø 2.45 mm**



ANGELO PO 3033030

**3500349 INJECTOR HOLDER 49 mm**  
threads M20x1,5 mm - ø 3/8"  
for Fry top gas (ANGELO PO) 070FT04 - 070FT05  
071FT04 - 071FT06 - 090FT04 - 090FT05  
091FT04 - 091FT06 - 1A0FT1G - 190FT1G  
190FT2G - 190FT3G - 190FT7G - 190FT72G



ANGELO PO 3035340  
ANGELO PO 33Q3361

ANGELO PO 33Q2530

ANGELO PO 33Q2531

## O-Ring and ORM gaskets

**3243009 O-RING 0106 EPDM**  
ring thickness 1.78 mm - internal ø 6.75 mm



ANGELO PO 3152180

**1186304 O-RING 0112 EPDM**  
ring thickness 2.62 mm - internal ø 9.92 mm



ANGELO PO 37Q5210

**1186805 O-RING 0115 EPDM**  
ring thickness 2.62 mm - internal ø 11.91 mm



ANGELO PO 3152100

**3523062 O-RING 0119 RED SILICONE**  
ring thickness 2.62 mm - internal ø 15.08 mm



ANGELO PO 3150390

**3186287 O-RING 0123 EPDM**  
ring thickness 2.62 mm - internal ø 17.86 mm



ANGELO PO 3152110

**3186238 O-RING 0146 EPDM**  
ring thickness 3.53 mm - internal ø 41.28 mm



ANGELO PO 3151930



# ANGELO PO



Suitable for:

**3316031 O-RING 0155 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  50.80 mm  
connection  $\varnothing$  1"1/2



ANGELO PO 3150240

Suitable for:

**1186903 O-RING 02021 RED SILICON**  
ring thickness 1.78 mm - internal  $\varnothing$  5.28 mm



ANGELO PO 3021620

**1186611 O-RING 02025 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  6.07 mm



ANGELO PO 3150550

**1186411 O-RING 02031 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  7.66 mm



ANGELO PO 3035830

ANGELO PO 3152210

**1186352 O-RING 02050 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  12.42 mm



ANGELO PO 3045420

**3186440 O-RING 02075 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  18.77 mm



ANGELO PO 37Q1210

**5060454 O-RING 02137 SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  34.65 mm



ANGELO PO 3152370

**3186657 O-RING 02187 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  47.35 mm



ANGELO PO 3152040

**3186232 O-RING 02350 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  88.62 mm



ANGELO PO 3036810

**1186356 O-RING 03075 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  18.72 mm



ANGELO PO 3150410





Suitable for:

**1186833 O-RING 03100 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  25.07 mm



ANGELO PO 3150690

Suitable for:

**3186458 O-RING 03118 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  29.82 mm  
for whipper base



ANGELO PO 3151080

**3186244 O-RING 03125 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  31.42 mm



ANGELO PO 3021610

**3243250 O-RING 03137 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  34.60 mm  
for motor mixer flange



ANGELO PO 3150140

**1186238 O-RING 04081 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  20.22 mm



ANGELO PO 3150800

**1186630 O-RING 04087 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  21.82 mm



ANGELO PO 3152690

**3186143 O-RING 04093 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  23.40 mm



ANGELO PO 3150520

**1186655 O-RING 04131 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  32.93 mm



ANGELO PO 3150260

**3186338 O-RING 04143 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  36.10 mm



ANGELO PO 3150010

**3067198 O-RING 04162 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  40.86 mm



ANGELO PO



Suitable for:

**1186190 O-RING 04187 VITON**  
ring thickness 3.53 mm - internal  $\varnothing$  47.22 mm



ANGELO PO 3152150

ANGELO PO 3152151

Suitable for:

**1186643 O-RING 04212 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  53.57 mm



ANGELO PO 3152390

**3186235 O-RING 04425 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  107.50 mm



ANGELO PO 3152070

**3186001 O-RING 06150 EPDM**  
ring thickness 5.34 mm - internal  $\varnothing$  37.47 mm



ANGELO PO 3035850

ANGELO PO 3152160

**3186241 O-RING 06212 VITON**  
ring thickness 5.34 mm - internal  $\varnothing$  53.34 mm  
for DRAIN TAP  $\varnothing$  2" OLD MODEL AND  
TECNO NEW MODEL



ANGELO PO 3152331

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260

**5095494 ORM GASKET 0055-15 RED SILICONE**  
thickness 1.5 mm - internal  $\varnothing$  5.5 mm



ANGELO PO 3316430

## Pilot burners and accessories

**3020104 BRACKET CLAMP 3 POSITIONS**



ANGELO PO 33A0950


**3020103 BRACKET 3 POSITIONS**



ANGELO PO 33A1000

Suitable for:

**3020005 BURNER PILOT 2-FLAME GASCO**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 position bracket




ANGELO PO 6000290

**3020103 BRACKET 3 POSITIONS**



ANGELO PO 33A1000

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



ANGELO PO 33A0980

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO

Suitable for:

**3020104 BRACKET CLAMP 3 POSITIONS**




ANGELO PO 33A0950

**3020109 DEFLECTOR 2 FLAMES**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



ANGELO PO 32T0320

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ANGELO PO 3232960



Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



# ANGELO PO



Suitable for:

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm




ANGELO PO 36Q0020

ANGELO PO 33A0970

**3020054 PILOT JET  $\varnothing$  0.20 mm**



**3020156 PILOT JET  $\varnothing$  0.25 mm**



**4058525 PILOT JET  $\varnothing$  0.30 mm**



ANGELO PO 33T0340

**3020055 PILOT JET  $\varnothing$  0.35 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



ANGELO PO 33T0410

**3500269 PILOT JET  $\varnothing$  0.45 mm**



ANGELO PO 33T3130



Suitable for:

5075989 PILOT JET  $\varnothing$  0.70 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



ANGELO PO 33A2900

3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ANGELO PO 36Q1000

5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# ANGELO PO



Suitable for:

3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm



ANGELO PO 33A0690

3020106 PILOT WITH 0.25 mm  $\varnothing$  JET




ANGELO PO 33A0960

3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



ANGELO PO 36Q0710

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

3020235 COMPLETE PILOT ASSEMBLY  
with nozzle  $\varnothing$  0.20 mm



ANGELO PO 33A1430

3020097 PILOT AERATION REGULATOR  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ANGELO PO 33A0970



Suitable for:

**3020119 PILOT CAP 1 FLAME**  
for multigas burner



ANGELO PO 33A1070

**3020107 PILOT WITH 0.35 mm Ø JET**



ANGELO PO 33A2900

**3020110 DEFLECTOR 3 FLAMES**



ANGELO PO 33A1080

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



ANGELO PO 36Q1050

**3020137 HOLE CAP**




ANGELO PO 31V0370

**5008987 KIT PILOT BURNER AND THERMOCOUPLE**

the kit includes:

- 1 burner 3 flames with jet and plug
- 1 cut-off thermocouple M9x1 100 cm
- cut-off contact with cables 83 cm



ANGELO PO 6300427

# ANGELO PO



Suitable for:

**3020106 PILOT WITH 0.25 mm Ø JET**



ANGELO PO 33A0960

**5048713 DEFLECTOR 3 FLAMES**



ANGELO PO 33A1081

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



ANGELO PO 33A0980

**3020104 BRACKET CLAMP 3 POSITIONS**



ANGELO PO 33A0950



Suitable for:

**3020103 BRACKET 3 POSITIONS**




ANGELO PO 33A1000

**3020110 DEFLECTOR 3 FLAMES**



ANGELO PO 33A1080

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



ANGELO PO 33A0980

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**

M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**

M faston M4x1 mm  
overall length 67 mm



# ANGELO PO



Suitable for:

**3020109 DEFLECTOR 2 FLAMES**




**5048713 DEFLECTOR 3 FLAMES**



ANGELO PO 33A1081

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**

M faston M4x1 mm  
overall length 65 mm



ANGELO PO 32T0320

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**

connection  $\varnothing$  2.4 mm  
overall length 58 mm



ANGELO PO 3232960

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**

connection  $\varnothing$  2.4 mm  
overall length 52 mm





Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ANGELO PO 33A0970

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ANGELO PO 33T0340

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ANGELO PO 33T0410

**3500269 PILOT JET  $\varnothing$  0.45 mm**



# ANGELO PO



Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



ANGELO PO 36Q0020

**3020054 PILOT JET  $\varnothing$  0.20 mm**



**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



ANGELO PO 33T3130

**5075989 PILOT JET  $\varnothing$  0.70 mm**







# ANGELO PO



Suitable for:

**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



ANGELO PO 33A0690

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



ANGELO PO 33A0960

**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



ANGELO PO 36Q0710

**5033138 PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M**



**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



Suitable for:

**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**




**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



ANGELO PO 33A2900

**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**




ANGELO PO 36Q1000

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



ANGELO PO 36Q0060

**5032139 KIT PILOT BURNER AND THERMOCOUPLE**  
the kit includes:  
1 burner 3 flames with fittings, jet and plug  
1 thermocouple SIT M9x1 120 cm



ANGELO PO 33A1680

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm**




ANGELO PO 36Q1050



Suitable for:

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



# ANGELO PO



Suitable for:

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO 32T0320

**3020124** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ANGELO PO

**3020294** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm



ANGELO PO 3232960

**3020365** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020111** OLIVE FOR PIPE  $\varnothing$  4 mm



**3020112** OLIVE FOR PIPE  $\varnothing$  6 mm



ANGELO PO 36Q1040

**3020044** PILOT JET  $\varnothing$  0.20 mm



**5071220** PILOT JET  $\varnothing$  0.22 mm



**3020452** PILOT JET  $\varnothing$  0.32 mm



**3020045** PILOT JET  $\varnothing$  0.50 mm





Suitable for:

3020449 PILOT JET  $\varnothing$  0.54 mm



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ANGELO PO 36Q1000

5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# ANGELO PO



Suitable for:

3020464 PILOT JET  $\varnothing$  0.64 mm



3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

3020135 OLIVE CLAMP M12x1 mm



ANGELO PO 36Q1620

3020082 OLIVE FOR PIPE  $\varnothing$  12 mm  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3020111 OLIVE FOR PIPE  $\varnothing$  4 mm



ANGELO PO 36Q1040

3020081 OLIVE FOR PIPE  $\varnothing$  6 mm



ANGELO PO 36Q0020

3020131 OLIVE FOR PIPE  $\varnothing$  8 mm



ANGELO PO 36Q1630



Suitable for:

Suitable for:

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



ANGELO PO LF-3020434


**3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm**  
for mounting of pilot assembly



**3020101 BRACKET CLAMP 2 POSITIONS**



**3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm**  
for burner  $\varnothing$  90 mm



**3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm**  
for burner  $\varnothing$  115 mm



**3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm**  
for burner  $\varnothing$  135 mm




**3020100 BRACKET 2 POSITIONS**




**3020108 DEFLECTOR 1 FLAME**



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



ANGELO PO 33A0980

ANGELO PO 32T0320



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



ANGELO PO 36Q0020

**3020115 PILOT CAP 1 FLAME**



ANGELO PO 33A0380

## ANGELO PO



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ANGELO PO 3232960

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ANGELO PO 33A0970


**3020054 PILOT JET  $\varnothing$  0.20 mm**





Suitable for:

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ANGELO PO 33T0340

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ANGELO PO 33T0410

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



ANGELO PO 33A0690

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



ANGELO PO 33A0960

**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



ANGELO PO 36Q0710

# ANGELO PO



Suitable for:

**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



ANGELO PO 33T3130

**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



ANGELO PO 33A2900

**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



ANGELO PO 36Q1000



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



# ANGELO PO



Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



ANGELO PO 36Q0060

**3020025** ONE-FLAME PILOT BURNER SIT  
multigas type with nozzle  $\varnothing$  0.25 mm  
with 2 positions bracket



**3020101** BRACKET CLAMP 2 POSITIONS




ANGELO PO

**3020092** BRACKET PILOT BURNER SUPP. LH 92x55x45mm  
for mounting of pilot assembly



**3020292** BRACKET PILOT BURNER SUPPORT 47x40x15 mm  
for burner  $\varnothing$  90 mm



**3020293** BRACKET PILOT BURNER SUPPORT 65x50x45 mm  
for burner  $\varnothing$  115 mm



**3020291** BRACKET PILOT BURNER SUPPORT 85x45x55 mm  
for burner  $\varnothing$  135 mm



**3020100** BRACKET 2 POSITIONS




**3020108** DEFLECTOR 1 FLAME



**3020083** FITTING AND OLIVE  $\varnothing$  4 mm



**3020084** FITTING AND OLIVE  $\varnothing$  6 mm





Suitable for:

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



ANGELO PO 33A0980

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



# ANGELO PO

Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



ANGELO PO 32T0320

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ANGELO PO 3232960

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



ANGELO PO 36Q0020







Suitable for:

**3020115 PILOT CAP 1 FLAME**



ANGELO PO 33A0380

**3020054 PILOT JET  $\varnothing$  0.20 mm**



**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



ANGELO PO 33T3130

**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



# ANGELO PO



Suitable for:

**3020119 PILOT CAP 1 FLAME  
for multigas burner**



ANGELO PO 33A1070

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ANGELO PO 33T0340

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ANGELO PO 33T0410

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



ANGELO PO 33A0690

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



ANGELO PO 33A0960




Suitable for:

**3020107 PILOT WITH 0.35 mm Ø JET**



ANGELO PO 33A2900

**3020077 PIPE FITTING Ø 4 mm  
thread M10x1**



ANGELO PO 36Q1000

**3020078 PIPE FITTING Ø 6 mm  
thread M10x1**



ANGELO PO 36Q0060

**3020033 ONE-FLAME PILOT BURNER SIT**  
multigas nozzle  
external regulation with 7 mm nut



ANGELO PO 33A0200

**3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm**  
for mounting of pilot assembly



**3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm**  
for burner Ø 115 mm



# ANGELO PO



Suitable for:

**3020079 PIPE FITTING Ø 12 mm  
thread Ø 3/8" M**



ANGELO PO 36Q0710

**5033138 PIPE FITTING Ø 4 mm  
thread Ø 1/8" M**




**5014757 PIPE FITTING Ø 6 mm  
thread M10x1 mm**



**3020101 BRACKET CLAMP 2 POSITIONS**



**3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm**  
for burner Ø 90 mm



**3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm**  
for burner Ø 135 mm






Suitable for:

**3020100 BRACKET 2 POSITIONS**



**3020083 FITTING AND OLIVE ø 4 mm**



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



ANGELO PO 33A0980

**3020060 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO

**3020294 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE ø 12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590


# ANGELO PO

Suitable for:

**3020108 DEFLECTOR 1 FLAME**



**3020084 FITTING AND OLIVE ø 6 mm**



**3001003 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



ANGELO PO 32T0320

**3020124 IGNITION PLUG ROUND ø 7x44 mm**  
connection ø 2.4 mm  
overall length 58 mm



ANGELO PO 3232960

**3020365 IGNITION PLUG ROUND ø 7x44 mm**  
connection ø 2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE ø 4 mm**  
for model PEL 21-22-24-25





Suitable for:

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



# ANGELO PO



Suitable for:

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ANGELO PO 36Q0020

**3020115 PILOT CAP 1 FLAME**



ANGELO PO 33A0970

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ANGELO PO 33A0380

**4058525 PILOT JET  $\varnothing$  0.30 mm**



**3020055 PILOT JET  $\varnothing$  0.35 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



ANGELO PO 33T0410

**3500269 PILOT JET  $\varnothing$  0.45 mm**



ANGELO PO 33T3130

**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



ANGELO PO 33A0690



Suitable for:

**3020106 PILOT WITH 0.25 mm ø JET**



ANGELO PO 33A0960

**3020079 PIPE FITTING ø 12 mm  
thread ø 3/8" M**



ANGELO PO 36Q0710

**5033138 PIPE FITTING ø 4 mm  
thread ø 1/8" M**



**5014757 PIPE FITTING ø 6 mm  
thread M10x1 mm**



**3020286 ONE-FLAME PILOT BURNER SIT PRINTED**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included  
for Lava rock grill gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 33A1630

# ANGELO PO



Suitable for:

**3020107 PILOT WITH 0.35 mm ø JET**




ANGELO PO 33A2900

**3020077 PIPE FITTING ø 4 mm  
thread M10x1**



ANGELO PO 36Q1000

**3020078 PIPE FITTING ø 6 mm  
thread M10x1**



ANGELO PO 36Q0060

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm**



ANGELO PO 36Q1050



Suitable for:

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



# ANGELO PO



Suitable for:

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO 32T0320

**3020124** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ANGELO PO

**3020294** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm



ANGELO PO 3232960

**3020365** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020111** OLIVE FOR PIPE  $\varnothing$  4 mm



**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



ANGELO PO 36Q1040

**3020112** OLIVE FOR PIPE  $\varnothing$  6 mm



**3020086** PILOT GASKET





Suitable for:

5035324 PILOT JET  $\varnothing$  0.18 mm



3020157 PILOT JET  $\varnothing$  0.25 mm



3020541 PILOT JET  $\varnothing$  0.35 mm



2106308 PILOT JET  $\varnothing$  0.45 mm



4053669 PILOT JET  $\varnothing$  0.75 mm



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ANGELO PO 36Q1000

# ANGELO PO

Suitable for:

3020557 PILOT JET  $\varnothing$  0.20 mm



ANGELO PO 33T4300

3020040 PILOT JET  $\varnothing$  0.30 mm



3020041 PILOT JET  $\varnothing$  0.41 mm




ANGELO PO 33T2870

3020187 PILOT JET  $\varnothing$  0.51 mm




5023980 PILOT SUPPORT 62x41x20 mm



ANGELO PO 35E0810

3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25





Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

# ANGELO PO




Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3020099** PILOT BURNER  
made of stainless steel  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 33A1490

**3020137** HOLE CAP



ANGELO PO 31V0370

**3020135** OLIVE CLAMP M12x1 mm



ANGELO PO 36Q1620

**3020081** OLIVE FOR PIPE  $\varnothing$  6 mm



ANGELO PO 36Q0020

**3020134** GASKET  $\varnothing$  8x6x1 mm



ANGELO PO 3152550

**5060454** O-RING 02137 SILICONE  
ring thickness 1.78 mm - internal  $\varnothing$  34.65 mm



ANGELO PO 3152370

**3020111** OLIVE FOR PIPE  $\varnothing$  4 mm



ANGELO PO 36Q1040

**3020131** OLIVE FOR PIPE  $\varnothing$  8 mm



ANGELO PO 36Q1630





Suitable for:

**3020129 PILOT BURNER**  
made of chrome-plated brass  
connection  $\varnothing$  10 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 33A1920

**3020052 PILOT JET  $\varnothing$  0.25 mm**



ANGELO PO 33T0240

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



ANGELO PO 36Q1000

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



## ANGELO PO



Suitable for:

**3020133 PILOT BURNER SUPPORT**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 34A2380

ANGELO PO 34A2381

**3020053 PILOT JET  $\varnothing$  0.40 mm**



ANGELO PO 33T0050

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ANGELO PO 36Q0060

**1250023 RADIAL SEEGER RING  $\varnothing$  5 mm**  
stainless steel - external  $\varnothing$  11.3 - thickness 0.7  
UNI 7434 - DIN 6799



ANGELO PO 3120460

**3020129 PILOT BURNER**  
made of chrome-plated brass  
connection  $\varnothing$  10 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 33A1920



# ANGELO PO



Suitable for:

**5076038 PILOT BURNER**  
of stainless steel



ANGELO PO 3060930

**3020137 HOLE CAP**



ANGELO PO 31V0370

**3020135 OLIVE CLAMP M12x1 mm**



ANGELO PO 36Q1620

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



ANGELO PO 36Q0020

**3020129 PILOT BURNER**  
made of chrome-plated brass  
connection  $\varnothing$  10 mm  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 33A1920

**3020052 PILOT JET  $\varnothing$  0.25 mm**



ANGELO PO 33T0240

Suitable for:

**3020134 GASKET  $\varnothing$  8x6x1 mm**



ANGELO PO 3152550

**5060454 O-RING 02137 SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  34.65 mm



ANGELO PO 3152370

**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



ANGELO PO 36Q1040

**3020131 OLIVE FOR PIPE  $\varnothing$  8 mm**



ANGELO PO 36Q1630

**3020133 PILOT BURNER SUPPORT**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 34A2380

ANGELO PO 34A2381

**3020053 PILOT JET  $\varnothing$  0.40 mm**




ANGELO PO 33T0050



Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ANGELO PO 36Q1000

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# ANGELO PO



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

**1250023** RADIAL SEEGER RING  $\varnothing$  5 mm  
stainless steel - external  $\varnothing$  11.3 - thickness 0.7  
UNI 7434 - DIN 6799



ANGELO PO 3120460

**3020018** PILOT BURNER GPL CB 503.003  
with LPG jet and pilot olive  
with pilot pipe connection



ANGELO PO LF-2111190

ANGELO PO

**5026012** OLIVE FOR PIPE  $\varnothing$  4 mm  
for pilot burner series CB 502-CB 503



**3020051** FITTING FOR PILOT  $\varnothing$  4 mm  
thread M10x1  
for pilot burner JUNKERS/ORKLI



**3020112** OLIVE FOR PIPE  $\varnothing$  6 mm



**3020048** PILOT JET  $\varnothing$  0.21 mm  
for pilot burner series CB 503-CB 50203.



**3020049** PILOT JET  $\varnothing$  0.28 mm  
for pilot burner series CB 503





Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25




# ANGELO PO



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3020159** PILOT BURNER NATURAL GAS CB 503.006  
with NATURAL GAS nozzle and pilot olive  
with pilot pipe connection



ANGELO PO 33A0470

**3020111** OLIVE FOR PIPE  $\varnothing$  4 mm



ANGELO PO 36Q1040

**3020112** OLIVE FOR PIPE  $\varnothing$  6 mm



**3020051** FITTING FOR PILOT  $\varnothing$  4 mm  
thread M10x1  
for pilot burner JUNKERS/ORKLI



**5026012** OLIVE FOR PIPE  $\varnothing$  4 mm  
for pilot burner series CB 502-CB 503



**3020114** OLIVE FOR PIPE  $\varnothing$  6 mm



**3020466** PILOT BURNER PROTECTION 25x25x18 mm



**3020048** PILOT JET  $\varnothing$  0.21 mm  
for pilot burner series CB 503-CB 50203.





Suitable for:

**3020049 PILOT JET  $\varnothing$  0.28 mm**  
for pilot burner series CB 503



## ANGELO PO



Suitable for:

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



ANGELO PO 36Q0060

**3020020 PILOT BURNER NATURAL GAS CB 505.059**  
with NATURAL GAS nozzle and pilot olive  
with pilot pipe connection  
with sparking plug  
with plug fitting  
with thermocouple fitting



**3020051 FITTING FOR PILOT  $\varnothing$  4 mm**  
thread M10x1  
for pilot burner JUNKERS/ORKLI




ANGELO PO 33A0480

**3349587 FITTING FOR SPARKING PLUG FIXING  $\varnothing$  9 mm**  
thread M12x1 mm  
for pilot burner series CB 502-CB 505



**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



**3020062 IGNITION PLUG ROUND  $\varnothing$  9x39 mm**  
M faston M4x1 mm  
overall length 57 mm  
for pilot burner series CB 505...



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



ANGELO PO 36Q1040



Suitable for:

**5026012 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for pilot burner series CB 502-CB 503



**3020120 PILOT JET LPG 25mBAR**  
for pilot burner series CB 5050..



**3020121 PILOT JET NATURAL GAS 25mBAR**  
for pilot burner series CB 5050..



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ANGELO PO 36Q0060

**3440048 THERMOCOUPLE SPRING**  
for pilot burner series CB 502-CB 505



**3020133 PILOT BURNER SUPPORT**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 34A2380

ANGELO PO 34A2381

# ANGELO PO



Suitable for:

**3348184 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for pilot burner series CB 505



**5015514 PILOT JET LPG 50mBAR**  
for pilot burner series CB 5050



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



**3020115 PILOT CAP 1 FLAME**



ANGELO PO 33A0380



Suitable for:

**3020119 PILOT CAP 1 FLAME**  
for multigas burner



ANGELO PO 33A1070

Suitable for:

**3020118 PILOT DEFLECTOR 3 FLAMES 53x52 mm**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series JUNIOR  
Series SENIOR - Series SUMMIT



ANGELO PO 32Z2241

**3020557 PILOT JET  $\varnothing$  0.20 mm**



ANGELO PO 33T4300

**3020052 PILOT JET  $\varnothing$  0.25 mm**



ANGELO PO 33T0240

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ANGELO PO 33T0340

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ANGELO PO 33T0410

**3020053 PILOT JET  $\varnothing$  0.40 mm**



ANGELO PO 33T0050

**5015516 PILOT JET  $\varnothing$  0.40 mm**



ANGELO PO 33T3130

**3020041 PILOT JET  $\varnothing$  0.41 mm**




ANGELO PO 33T2870

**3221506 PILOT SUPPORT 100x30 mm**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series JUNIOR - Series SENIOR - Series SUMMIT




ANGELO PO 35V2570

**5095517 PILOT SUPPORT 48x15x12 mm**



ANGELO PO 35R3540

**5088893 PILOT SUPPORT 57x16x24 mm**



ANGELO PO 35R1460




# ANGELO PO



Suitable for:


**3020165 PILOT SUPPORT 57x38 mm**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series BIFRONTE - Series DELTA - Series SENIOR  
Series SUMMIT



ANGELO PO 35V9140


Suitable for:

**3020167 PILOT SUPPORT 57x38 mm**



ANGELO PO 35S0690

**5023980 PILOT SUPPORT 62x41x20 mm**



ANGELO PO 35E0810

**3020236 PILOT SUPPORT 73x56 mm**  
for Pot stove gas (ANGELO PO) - Series ALPHA  
Series BIFRONTE - Series DELTA - Series JUNIOR  
Series SENIOR - Series SUMMIT



ANGELO PO 35V9130

**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



ANGELO PO 33A0690

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



ANGELO PO 33A0960

**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



ANGELO PO 33A2900

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



ANGELO PO 36Q0710

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



ANGELO PO 36Q1000

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



ANGELO PO 36Q0060



Suitable for:

Suitable for:

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



ANGELO PO 6000350

**3020104 BRACKET CLAMP 3 POSITIONS**



ANGELO PO 33A0950

**3020103 BRACKET 3 POSITIONS**



ANGELO PO 33A1000

**3020109 DEFLECTOR 2 FLAMES**



**3020110 DEFLECTOR 3 FLAMES**



**5048713 DEFLECTOR 3 FLAMES**




ANGELO PO 33A1080

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



ANGELO PO 33A1081

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



ANGELO PO 33A0980

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



ANGELO PO 32T0320



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



# ANGELO PO



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ANGELO PO 3232960

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



ANGELO PO 36Q0020

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ANGELO PO 33A0970

**3020054 PILOT JET  $\varnothing$  0.20 mm**





Suitable for:

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ANGELO PO 33T0340

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ANGELO PO 33T0410

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



ANGELO PO 33A0690

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



ANGELO PO 33A0960

**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



ANGELO PO 36Q0710

# ANGELO PO

Suitable for:

**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



ANGELO PO 33T3130

**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



ANGELO PO 33A2900

**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



ANGELO PO 36Q1000





Suitable for:

**5033138** PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



# ANGELO PO



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




**3020038** THREE-FLAME PRINTED PILOT BURNER SIT  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



ANGELO PO 33A2000

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



**3020085** FITTING FOR SPARKING PLUG FIXING M10x1 mm



ANGELO PO 36Q1050

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO

ANGELO PO 32T0320

**3020124** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ANGELO PO 3232960



Suitable for:

**3020294** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm



# ANGELO PO



Suitable for:

**3020365** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020111** OLIVE FOR PIPE  $\varnothing$  4 mm



**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25




ANGELO PO 36Q1040

**3020112** OLIVE FOR PIPE  $\varnothing$  6 mm



**3020086** PILOT GASKET



**5035324** PILOT JET  $\varnothing$  0.18 mm



**3020557** PILOT JET  $\varnothing$  0.20 mm



**3020157** PILOT JET  $\varnothing$  0.25 mm



ANGELO PO 33T4300

**3020040** PILOT JET  $\varnothing$  0.30 mm



**3020541** PILOT JET  $\varnothing$  0.35 mm



**3020041** PILOT JET  $\varnothing$  0.41 mm



ANGELO PO 33T2870



Suitable for:

**2106308 PILOT JET  $\varnothing$  0.45 mm**



**4053669 PILOT JET  $\varnothing$  0.75 mm**



**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25**



**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



**3020014 TWO-FLAME PILOT BURNER LH**  
without sparking plug, gas jet and gasket  
with thermocouple fitting  
for Pasta cooker gas (ANGELO PO) - Series ALPHA  
Series BIFRONTTE - Series DELTA



ANGELO PO 33A0880

# ANGELO PO




Suitable for:

**3020187 PILOT JET  $\varnothing$  0.51 mm**




**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



ANGELO PO 36Q1000

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



ANGELO PO 36Q0060

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m**




ANGELO PO 36Q1050



Suitable for:

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



## ANGELO PO



Suitable for:

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO 32T0320

**3020124** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ANGELO PO

**3020294** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm



ANGELO PO 3232960

**3020365** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020111** OLIVE FOR PIPE  $\varnothing$  4 mm



**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



ANGELO PO 36Q1040

**3020112** OLIVE FOR PIPE  $\varnothing$  6 mm



**3020086** PILOT GASKET





Suitable for:

5035324 PILOT JET  $\varnothing$  0.18 mm



3020157 PILOT JET  $\varnothing$  0.25 mm



3020541 PILOT JET  $\varnothing$  0.35 mm



2106308 PILOT JET  $\varnothing$  0.45 mm



4053669 PILOT JET  $\varnothing$  0.75 mm



3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



# ANGELO PO

Suitable for:

3020557 PILOT JET  $\varnothing$  0.20 mm



ANGELO PO 33T4300

3020040 PILOT JET  $\varnothing$  0.30 mm



3020041 PILOT JET  $\varnothing$  0.41 mm




ANGELO PO 33T2870

3020187 PILOT JET  $\varnothing$  0.51 mm



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ANGELO PO 36Q1000

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060







Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




# ANGELO PO




Suitable for:

**3020013** TWO-FLAME PILOT BURNER RH  
without sparking plug, gas jet and gasket  
with thermocouple fitting  
for Boiling pan gas (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 33A0750

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



**3020085** FITTING FOR SPARKING PLUG FIXING M10x1mm



ANGELO PO 36Q1050

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO

**3020294** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm



ANGELO PO 32T0320

**3020124** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ANGELO PO 3232960

**3020365** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 52 mm





Suitable for:

3020111 OLIVE FOR PIPE  $\varnothing$  4 mm



ANGELO PO 36Q1040

3020112 OLIVE FOR PIPE  $\varnothing$  6 mm



5035324 PILOT JET  $\varnothing$  0.18 mm



3020157 PILOT JET  $\varnothing$  0.25 mm



3020541 PILOT JET  $\varnothing$  0.35 mm



2106308 PILOT JET  $\varnothing$  0.45 mm



# ANGELO PO

Suitable for:

3348036 OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



3020086 PILOT GASKET



3020557 PILOT JET  $\varnothing$  0.20 mm



ANGELO PO 33T4300

3020040 PILOT JET  $\varnothing$  0.30 mm



3020041 PILOT JET  $\varnothing$  0.41 mm



ANGELO PO 33T2870

3020187 PILOT JET  $\varnothing$  0.51 mm





Suitable for:

4053669 PILOT JET  $\varnothing$  0.75 mm



# ANGELO PO



Suitable for:

3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



ANGELO PO 36Q1000

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



ANGELO PO 36Q0060

3020002 TWO-FLAME PILOT BURNER SIT  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



3020101 BRACKET CLAMP 2 POSITIONS



ANGELO PO


3020100 BRACKET 2 POSITIONS




3020109 DEFLECTOR 2 FLAMES



3020083 FITTING AND OLIVE  $\varnothing$  4 mm



3020084 FITTING AND OLIVE  $\varnothing$  6 mm





Suitable for:

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



ANGELO PO 33A0980

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



ANGELO PO

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



# ANGELO PO



Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



ANGELO PO 32T0320

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



ANGELO PO 3232960

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



ANGELO PO 36Q0020




Suitable for:

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ANGELO PO 33A0970

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ANGELO PO 33T0340

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ANGELO PO 33T0410

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



ANGELO PO 33A0690

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



ANGELO PO 33A0960

# ANGELO PO



Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



ANGELO PO 33T3130

**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



ANGELO PO 33A2900



Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



ANGELO PO 36Q0710

**5033138** PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## ANGELO PO



Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



ANGELO PO 36Q1000

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

---

## Pistons

**3321006** HYDRAULIC PISTON  $\varnothing$  40x270 mm  
for Bratt pan electric (ANGELO PO) 71ARE - 91ARE  
for Bratt pan gas (ANGELO PO) 71RA - 91RA



ANGELO PO 36G2081

ANGELO PO 36G2082

---

## Position switches

**3240149** LIMIT MICROSWITCH PIZZATO FR508-A  
3A 400V



ANGELO PO 32W3251



## Pre-rinse units

### 3759146 TAP KNOB - RED



ANGELO PO 36M2640  
ANGELO PO 36M4010

ANGELO PO 36M2641

ANGELO PO 36M2642

## Pressure gauges

### 3054034 PRESSURE GAUGE ø 62 mm coupling ø 1/8" M range 0-1 bar



ANGELO PO 32V0940

## Pressure switches

### 5065586 KIT PRESSURE SWITCHES WITH GREEN SWITCH

the kit includes:

- 1 pressure switch calibration 260/200 mm 250V 16A
- 1 pressure switch calibration 350/265 mm 250V 16A
- 1 box with green switch
- wires and various cables



ANGELO PO 6300987

### 5050373 PRESSURE SWITCH 1 LEVEL

calibration 350/265 mm  
250V 16A

for Pasta cooker electric (ANGELO PO)  
Series MONOLITHE - 0G1CP1E - 04WCP1EM - 091CP1E  
for Pasta cooker gas (ANGELO PO) 0G1CP1G  
06WCP1GM - 08WCP1GM - 091CP1G - 1G1CP1G  
1G1CP2G - 191CP1G - 191CP2G



ANGELO PO 3017600

ANGELO PO 3160100

ANGELO PO 3253760

### 5086795 PRESSURE SWITCH 1 LEVEL

calibration 260/200 mm  
250V 16A  
operating temperature max 85°C



ANGELO PO 3253750



Suitable for:

# ANGELO PO



Suitable for:

## Probes

**5073698 KIT TEMPERATURE PROBE 51x13 mm**  
cable length 2280 mm



ANGELO PO 6300774

**3445335 PROBE NTC TPE IP68 3000 mm**  
temperature range -50+110°C  
bulb ø 5x20 mm watertight



ANGELO PO 32V6010

**5024504 PROBE TEMPERATURE PT1000**  
2 wires with pointers  
probe length 100 mm  
cable length 1000 mm  
with fastening coupling M10x1 mm  
for Fryer electric (ANGELO PO) - Series ALPHA  
for Fryer gas (ANGELO PO) - Series ALPHA



ANGELO PO 32V5760

**3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



ANGELO PO 32V0150

**5048865 THERMOCOUPLE PROBE TCJ 550 mm**  
2 wires with faston  
bulb ø 4x40 mm  
for Bratt pan electric (ANGELO PO) 6BR  
for Fry top electric (ANGELO PO) 6FTL-6FTR  
for Pasta cooker electric (ANGELO PO) 6CP



ANGELO PO 3072920

**3390043 THERMOCOUPLE PROBE TCJ 600 mm**  
2 wires probe with faston  
bulb ø 4/6x72 mm - threaded connection M10x1 mm  
for Fryer (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series OMEGA



ANGELO PO 32V0030

**5053462 THERMOCOUPLE PROBE TCJ 960 mm**  
2 wires with faston- temperature -50+750°C  
bulb ø 4x40 mm  
for Fry top electric (ANGELO PO) - Series ALPHA  
Series OMEGA  
for Solid top range electric (ANGELO PO)  
Series ALPHA - Series OMEGA



ANGELO PO 3104950






## Radiant heating elements

**3311169 RADIANT HEATING ELEM. ø 200mm 1700W 230V**  
 faston electric connections  
 complete with energy adjuster  
 for glass-ceramic cooking top



ANGELO PO 3080080

**3311087 RADIANT HEATING ELEM. ø 250mm 2500W 230V**  
 faston electric connections  
 complete with energy regulation  
 for glass-ceramic cooking top



ANGELO PO 3007650

ANGELO PO 3080070

**5072130 RADIANT HEATING ELEM. ø 250mm 2500W 230V**  
 faston electric connections  
 complete with power setting  
 for glass-ceramic cooking top



ANGELO PO 3172650


**3455404 RADIANT HEATING ELEMENT OCTAGON. ø 300mm**  
 3400/1400W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



ANGELO PO 3037491

## Refractory tiles

**5010614 CERAMIC RADIANT PLATE 143x90x23 mm**



ANGELO PO 3771680

## Regulators

**3396010 STABILIZER**  
 190 ÷ 260VAC - 50/60Hz  
 3A - T65°C  
 for Fryer (ANGELO PO) - Series JUNIOR  
 Series SENIOR - Series SUMMIT



ANGELO PO 3225500



Suitable for:


# ANGELO PO



Suitable for:

## Relays

**3351037 POWER RELAY FINDER 40.52.8.230.0000**  
230V 50/60Hz - 2 exchange contacts 8A



ANGELO PO 32V6630

**3351021 POWER RELAY FINDER 62.82.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 16A



ANGELO PO 32V7100

ANGELO PO 32Z2000

**1351001 POWER RELAY FINDER 62.83.8.024.0000**  
24Vac 50/60Hz  
3 changeover contacts 16A



ANGELO PO 32Z8640

**3351008 POWER RELAY FINDER 62.83.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 16A




ANGELO PO 32V2950

**3351602 POWER RELAY FINDER 65.31.8.230.0300**  
230V 50/60Hz  
1 contact NO 30A



ANGELO PO 32V3720

**5029945 POWER RELAY FINDER 66.82.8.230.0000**  
230V 50/60Hz  
2 changeover contacts 30A  
for Fryer electric (ANGELO PO) 091FR1EA - 091FR1EX  
091FR1I - 091FR1IA - 091FR1ID - 191FR2ID  
191F2I  
for Fryer gas (ANGELO PO) 091FR7G - 091FR7GD  
091FR7GX  
for Glass-ceramic plate electric (ANGELO PO)  
Series MONOLITHE - 04WT3RV - 190VTR  
for Pasta cooker gas (ANGELO PO) 10CP1GA - 12CP1GA  
18CP2GA  
for Pot stove electric (ANGELO PO) 0G1PE2  
04WPE4V - 08WPE4V - 090PE4 - 190PE4 - 191PE4E



ANGELO PO 3038640

ANGELO PO 3251120

**3351097 RELAY POWER FINDER 62.82.8.230.0309**  
230V 50/60Hz  
2 NO contacts 16A



ANGELO PO 32V7090



## Safety groups for pans and spare parts

- 3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
 in chrome plated brass  
 radial connection 1/4"  
 scale 0-1 bar  
 for safety groups



ANGELO PO 3008790

ANGELO PO 32Z0060

- 3184043 SAFETY GROUP VERTICAL  $\varnothing$  1"**  
 vertical connection  $\varnothing$  1"  
 calibration pressure 0,45bar  $\pm$ 10%  
 system with weight opening device  
 complete with safety valve, vacuum relief valve  
 and pressure gauge  
 for STEAM BOILING KETTLE  
 for Boiling pan steam (ANGELO PO)



ANGELO PO 3006310

- 2102460 PRESSURE GAUGE  $\varnothing$  51 mm**  
 radial connection  $\varnothing$  1/4"  
 scale 0-1 bar  
 for safety groups



- 3184018 SAFETY VALVE  $\varnothing$  1"1/4M**  
 max pressure 0.5 atm  
 for safety group 1"1/4  
 ISPESEL approved



ANGELO PO 33G0200

ANGELO PO 33G0610

- 3184016 SAFETY VALVE "FUMANA"  $\varnothing$  1" M**  
 chrome plated brass  
 for safety group 3/4"  
 for safety group 1"1/4



ANGELO PO 33G0150

- 3184019 TAP WITH FUNNEL  $\varnothing$  1/2" M**  
 with cover



ANGELO PO 33G0180



Suitable for:


# ANGELO PO



Suitable for:

## Selector switches

**5034955 KIT SELECTOR SWITCH 0-1 POSITIONS**  
with indicator lamp,connectors, cables and potentiometer - contacts 16A 250V max 150°C - D-shaped pin ø 6x4.6 mm



ANGELO PO 3115660

**5061829 KIT SELECTOR SWITCH 0-1 POSITIONS**  
with indicator lamp,connectors, cables and potentiometer - contacts 16A 250V contact capacity 16A 250V for Pot stove glass-ceramics (ANGELO PO) Series ALPHA - Series DELTA - Series GAMMA Series OMEGA




ANGELO PO 3037910

**5072978 SELECTOR SWITCH KIT 0-1 POSITIONS**  
with indicator lamps, connector, cables and potentiometer - contact flow rate 16A 250V max 150°C - D-shaped pin ø 6x4.6 mm




ANGELO PO 3037920

**3057032 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C D-shaped pin ø 6x4.6 mm for Fryer (ANGELO PO)




ANGELO PO 32W0080

**3057178 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C D-shaped pin 6x4.6 mm




ANGELO PO 32W3830

**5030542 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C D-shaped pin ø 6x4.6 mm for Fryer (ANGELO PO) 091FR11



ANGELO PO 3168540


**3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C D-shaped pin ø 6x4.6 mm



ANGELO PO 32W0490

ANGELO PO 32W3610

**3057030 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C D-shaped pin ø 6x4.6 mm for Kitchen (ANGELO PO) - Series ALPHA Series DELTA - Series SENIOR




ANGELO PO 32W1440



Suitable for:

**3057038 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




ANGELO PO 32W2940

ANGELO PO 32W2941


Suitable for:

**3057281 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Pasta cooker (ANGELO PO) - Series ALPHA  
 Series GAMMA - Series OMEGA




ANGELO PO 3162280

**5022563 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin 6x4.6 mm




ANGELO PO 3161840

**3057028 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V-25A 400V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ANGELO PO 32W0520


**3057031 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V-25A 400V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Pasta cooker electric (ANGELO PO)  
 Series JUNIOR - Series SENIOR - Series SUMMIT  
 for Pot stove electric (ANGELO PO) - Series ALPHA  
 Series DELTA - Series OMEGA - Series SENIOR  
 Series SUMMIT



ANGELO PO 32W0520


ANGELO PO 32W1050

**3057069 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Boiling pan (ANGELO PO) - Series DELTA  
 Series OMEGA  
 for Pasta cooker (ANGELO PO) - Series DELTA  
 Series OMEGA




ANGELO PO 32W3260

**3057187 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Kitchen electric (ANGELO PO)



ANGELO PO 32W1500

**5002051 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ANGELO PO 32W0510




Suitable for:

# ANGELO PO




**3057023** **SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



ANGELO PO 32W2920

**3057024** **SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ANGELO PO 32W0760

## Solenoid valves

**3120064** **GAS SOLENOID VALVE  $\varnothing$  1/2"FF 230V**  
with rate flow regulator  
50/60Hz 20VA - max 500 mbar



ANGELO PO 33A1650

**3120138** **COIL FOR GAS SOLENOID VALVE  $\varnothing$  1/2"FF 230V**  
50/60Hz 20VA



**3120004** **SOLEN. VALVE ELBI TYPE 319 1 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet  $\varnothing$  10.5 mm



ANGELO PO 33D1370

ANGELO PO 33D1371

**3120019** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120021** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120022** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037** **ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201** **ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%





Suitable for:

**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



**3120504 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



ANGELO PO

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



## ANGELO PO

Suitable for:

**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%





Suitable for:

**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



**3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



ANGELO PO 33D2310

ANGELO PO 33D3260

# ANGELO PO



Suitable for:

**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%







Suitable for:

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



# ANGELO PO



Suitable for:

**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%





Suitable for:

# ANGELO PO



**3120006 SOLEN. VALVE ELBI TYPE 339 2 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



ANGELO PO 33D0290

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



Suitable for:

**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**





Suitable for:

**3120204** **OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# ANGELO PO



Suitable for:

**3120007** **SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



ANGELO PO 33D1641

ANGELO PO 33D3250

**3120021** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120019** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037** **ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201** **ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016** **ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017** **ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120015** **ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120203** **ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# ANGELO PO



Suitable for:

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°**  
24V 50Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



ANGELO PO

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%





Suitable for:

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# ANGELO PO



Suitable for:

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120408 SOLEN. VALVE T&P 1 WAY 90°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



**3120421 ADJUSTER FOR OUTLET T&P BLACK**  
flow rate 5 L/min - tolerance +/- 20%



ANGELO PO 33D3280

**3120608 ADJUSTER FOR OUTLET T&P DARK BROWN**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120568 ADJUSTER FOR OUTLET T&P GREEN**  
flow rate 3 L/min - tolerance +/- 25%



**3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE**  
flow rate 1 L/min - tolerance +/- 25%



**3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN**  
flow rate 1.5 L/min - tolerance +/- 25%





Suitable for:

**3120423 ADJUSTER FOR OUTLET T&P ORANGE**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120386 ADJUSTER FOR OUTLET T&P WHITE**  
flow rate 0.8 L/min - tolerance +/- 25%



**D120056 ADJUSTER INLET T&P BRONZE**  
flowrate 12 L/min



**D120057 ADJUSTER INLET T&P LIGHT BROWN**  
flowrate 16 L/min



**D120052 ADJUSTER INLET T&P RED**  
flowrate 3 L/min



**D120053 ADJUSTER INLET T&P YELLOW**  
flowrate 5.5 L/min



# ANGELO PO



Suitable for:

**3120424 ADJUSTER FOR OUTLET T&P RED**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120422 ADJUSTER FOR OUTLET T&P YELLOW**  
flow rate 2.5 L/min - tolerance +/- 25%



**D120054 ADJUSTER INLET T&P GREY**  
flowrate 6 L/min



**D120058 ADJUSTER INLET T&P ORANGE**  
flowrate 20 L/min



**D120055 ADJUSTER INLET T&P WHITE**  
flowrate 10 L/min



**D120059 ADJUSTER OUTLET T&P BLUE**  
flow rate 8 L/min - tolerance +/- 25%





Suitable for:


**3120431 COIL T&P 12Vac 50/60Hz**  
for solenoid valves T&P



**D120090 COIL T&P 120V 60Hz 8VA**  
for solenoid valves T&P



**3120432 COIL T&P 24Vac 50/60Hz**  
for solenoid valves T&P



# ANGELO PO



Suitable for:

**D120092 COIL T&P 12Vdc**  
for solenoid valves T&P



**3120433 COIL T&P 220V 50/60Hz**  
for solenoid valves T&P




**D120093 COIL T&P 24Vdc**  
for solenoid valves T&P



**3120400 SOLENOID VALVE INVENSYS 1-WAY 90°**  
12Vac/dc 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet  $\varnothing$  13.5 mm  
operating pressure from 0.2 to 10 bar  
flow rate 1.2 m<sup>3</sup>/h



**3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN**  
flow rate 5 L/min - tolerance +/- 15%




ANGELO PO

**3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE**  
flow rate 6 L/min - tolerance +/- 15%



**3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN**  
flow rate 11 L/min - tolerance +/- 15%



**3120479 ADJUSTER FOR INLET ROBERTSHAW GREY**  
flow rate 12 L/min - tolerance +/- 15%



**3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE**  
flow rate 9 L/min - tolerance +/- 15%





Suitable for:

**3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE**  
flow rate 8 L/min - tolerance +/- 15%



**3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE**  
flow rate 10 L/min - tolerance +/- 15%



**3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK**  
flow rate 3.3 L/min - tolerance +/- 20%



**3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW**  
flow rate 0.5 L/min - tolerance +/- 15%



**3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN**  
flow rate 1.3 L/min - tolerance +/- 25%



# ANGELO PO

Suitable for:

**3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE**  
flow rate 4 L/min - tolerance +/- 15%



**3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW**  
flow rate 14.5 L/min - tolerance +/- 15%



**3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN**  
flow rate 0.8 L/min - tolerance +/- 25%



**3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE**  
flow rate 0.25 L/min - tolerance +/- 10%



**3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN**  
flow rate 2.5 L/min - tolerance +/- 20%



**3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN**  
flow rate 2 L/min - tolerance +/- 25%







Suitable for:

**3120625 OUTLET REDUCER ROBERTSHAW GRIGIO**  
flow rate 0.35 L/min - tolerance +/- 10%



# ANGELO PO



Suitable for:

**3120541 SOLENOID VALVE L140B5  $\varnothing$  1/2" FF 24V**  
for water  
normally closed  
max. temperature 100°C  
max. differential pressure 10 bar  
coil 24V 50/60Hz



**3120043 COIL SIRAI Z610A 24V 50/60Hz 6W**



ANGELO PO 33D1060

**3120044 CONNECTOR FEMALE SMALL**  
for coils



**3120200 DIAPHRAGM FOR L140 B5**



**3120261 SOLENOID VALVE MÜLLER 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet  $\varnothing$  10.5 mm



**3120271 COIL MÜLLER 220/240V 50/60Hz**  
max temperature 90°C



ANGELO PO 33D2460

**3120274 COIL MÜLLER 220/240V 50/60Hz**  
max. temperature 90°C  
with cable length 2000 mm



**3120273 COIL MÜLLER 230V 60Hz**  
temperature 90°C - for dispenser





Suitable for:

**3120325 COIL MÜLLER 24Vac 50/60Hz**  
max temperature 90°C



# ANGELO PO




Suitable for:

**5023165 FILTER INLET FOR SOLENOID VALVE MÜLLER**  
ø 19 mm



**3120500 SOLENOID VALVE MÜLLER 2 WAY 180°**  
230V 50Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm  
for Pasta cooker (ANGELO PO) - Series ALPHA  
Series GAMMA - Series OMEGA



ANGELO PO 3014720

ANGELO PO 3014721

**3120271 COIL MÜLLER 220/240V 50/60Hz**  
max temperature 90°C



**3120274 COIL MÜLLER 220/240V 50/60Hz**  
max. temperature 90°C  
with cable length 2000 mm



**3120273 COIL MÜLLER 230V 60Hz**  
temperature 90°C - for dispenser



**3120325 COIL MÜLLER 24Vac 50/60Hz**  
max temperature 90°C



**5023165 FILTER INLET FOR SOLENOID VALVE MÜLLER**  
ø 19 mm



**3120537 SOLENOID VALVE MÜLLER 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



ANGELO PO 33D1710

ANGELO PO 33D2410

**3120271 COIL MÜLLER 220/240V 50/60Hz**  
max temperature 90°C





Suitable for:

**3120274 COIL MÜLLER 220/240V 50/60Hz**  
max. temperature 90°C  
with cable length 2000 mm



**3120325 COIL MÜLLER 24Vac 50/60Hz**  
max temperature 90°C



# ANGELO PO



Suitable for:


**3120273 COIL MÜLLER 230V 60Hz**  
temperature 90°C - for dispenser



**5023165 FILTER INLET FOR SOLENOID VALVE MÜLLER**  
ø 19 mm



**5004448 SOLENOID VALVE 2-WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm  
1 outlet with adjuster orange  
for Pasta cooker electric (ANGELO PO)  
Series ALPHA 900  
for Pasta cooker gas (ANGELO PO)  
Series ALPHA 900



ANGELO PO 3032670

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz



ANGELO PO 32T0040  
ANGELO PO 32T0210

ANGELO PO 32T0041

ANGELO PO 32T0050

**3181003 SPARK GENERATOR 4 OUTLETS**  
220/240V 50/60Hz



ANGELO PO 3134640

ANGELO PO 32T0030

**3181004 SPARK GENERATOR 6 OUTLETS**  
220/240V - 50/60Hz



ANGELO PO 3015000

ANGELO PO 32T0070

**3181005 SPARK GENERATOR 8 OUTLETS**  
220V - 50/60Hz



ANGELO PO 32T0020



Suitable for:


# ANGELO PO



Suitable for:


## Sparking and detection plugs

**5050933 DETECTION AND IGNITION PLUG**  
 2 spark plugs  $\varnothing$  9x60 mm - total length 115/135 mm  
 plate 56x22 mm  
 for Fryer gas (ANGELO PO) 091FR11 - 091FR11A  
 091FR11D - 191FR21 - 191FR21D




ANGELO PO 3106671

**5054204 DETECTION AND IGNITION PLUG**  
 2 plugs  $\varnothing$  9x75 mm - overall length 25/145 mm  
 plate 56x22 mm  
 for Fryer gas (ANGELO PO) 091FR7G - 091FR7GS  
 091FR7GX



ANGELO PO 3148431

**5071464 DETECTION AND IGNITION PLUG**  
 2 plugs  $\varnothing$  9,5x60 mm - total length 120/145mm  
 plate 56x22 mm



ANGELO PO 3182310

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 M faston M4x1 mm  
 overall length 65 mm



ANGELO PO 32T0320

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 M faston M 4x1 mm  
 overall length 82 mm  
 model CB505/021 Junkers  
 for model P502F



ANGELO PO

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 connection  $\varnothing$  2.4 mm  
 overall length 58 mm



ANGELO PO 3232960

**3020232 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 connection  $\varnothing$  2.4 mm  
 overall length 61 mm



ANGELO PO 32T0190

**5049926 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 F-connection  $\varnothing$  2,4 mm  
 overall length 66 mm



ANGELO PO 32T0350

ANGELO PO 32T0351



Suitable for:

**5030680 ISOLATING SHEATHING FOR PLUG 80 mm**  
for Fryer gas (ANGELO PO) - Series ALPHA




ANGELO PO 3011590

ANGELO PO 3253680

Suitable for:

**3020070 ROUND IGNITION PLUG  $\varnothing$  6x56 mm**  
model 2/A  
fitting M12x1 mm - complete with fastening nut  
overall length 69 mm



ANGELO PO 32T0080

**3020068 ROUND IGNITION PLUG  $\varnothing$  7x44 mm**  
square coupling  
faston M M4x1 mm  
overall length 63 mm



ANGELO PO 32T0140

**3020215 SQUARE IGNITION PLUG 6/7x44 mm**  
F connection 2.8x0.8 mm  
overall length 60 mm  
for Oven under cooktop gas (ANGELO PO)  
Series JUNIOR - Series SENIOR



ANGELO PO 32T0141

ANGELO PO 32T0142

**3020067 SQUARE IGNITION PLUG 6/7x53 mm**  
total length 85 mm



ANGELO PO 32T0010

ANGELO PO 32T0060

**5017224 TUBE FOR PLUG GUARDS 40 mm**  
external  $\varnothing$  8 mm - inner  $\varnothing$  5 mm



ANGELO PO 131AA46

## Springs

**3250079 DOOR HINGE SPRING  $\varnothing$  33x460 mm**  
spring section  $\varnothing$  6 mm  
for BRATT PAN series ALPHA-DELTA



ANGELO PO 36H0350

**3250078 DOOR HINGE SPRING  $\varnothing$  34x460 mm**  
spring section  $\varnothing$  7 mm  
for BRATT series PAN DELTA



ANGELO PO 36H0330

**3250076 DOOR SPRING  $\varnothing$  16x77 mm**  
for PASTA COOKER and FRYER series ALPHA-DELTA  
SENIOR-JUNIOR-SUMMIT-BIFRONTI



ANGELO PO 36G5240

**3250077 LID SPRING  $\varnothing$  30x360 mm**  
for BOILING PAN serieS ALPHA-DELTA-SENIOR-SUMMIT



ANGELO PO 36G2640



Suitable for:

Suitable for:

**5037698 SPRING FOR HINGE  $\varnothing$  31x360 mm**  
 spring section  $\varnothing$  5 mm  
 for Boiling pan electric (ANGELO PO)  
 Series GAMMA - 31PIE6  
 for Boiling pan gas (ANGELO PO) - Series GAMMA  
 31PD6 - 31PI6  
 for Bratt pan electric (ANGELO PO) - Series GAMMA  
 31RE  
 for Bratt pan gas (ANGELO PO) - Series GAMMA - 31R

**5028051 TRACTION SPRING  $\varnothing$  62x258 mm**




ANGELO PO 36G1300

ANGELO PO 36G8160

## Steam valves

**3524005 KORALIT VALVE GASKET**  
 for valve  $\varnothing$  1" 1/4



ANGELO PO 3150090

**3525013 VALVE  $\varnothing$  1"1/4 FF**



ANGELO PO 39G0031

**3524005 KORALIT VALVE GASKET**  
 for valve  $\varnothing$  1" 1/4



ANGELO PO 3150090

**3524009 VALVE KNOB**  
 hole 9x9 mm  
 for valve  $\varnothing$  3/4" - 1"1/4



ANGELO PO 36M0960



## Supports

**5017490 HANDLE PIN  $\varnothing$  18/12x19 mm**  
thread M5



ANGELO PO 36E0440

**5078490 PROFILE ST. STEEL HEATING EL. 380x17x18mm**



ANGELO PO 35U4362

**5017489 SPACER FOR HANDLE PIN  $\varnothing$  16x23 mm**  
internal  $\varnothing$  14 mm



ANGELO PO 36E0870

## Switches

**1319902 BIPOLAR SWITCH BLACK 16A 250V**  
with led indicator light  
mounting hole 22x30 mm



ANGELO PO 32W1930

**3319012 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light and push-button cap  
mounting hole 22x30 mm - silk screen print 0 - I



ANGELO PO 32W0631

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**





Suitable for:

**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



# ANGELO PO



Suitable for:

**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319940 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - with indic. light and switch cover  
max. temperature 120°C  
mounting hole 22x30 mm



ANGELO PO 32W2331

ANGELO PO 32W2990

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**5024456 BLUE MONOPOLAR SWITCH 16A 250V**  
for IGNITION  
with push-button cover  
mounting hole 13x20 mm  
for Bratt pan (ANGELO PO) - Series ALPHA



ANGELO PO 3066000

ANGELO PO 6300674

**3452004 SWITCH COVER**  
external dimensions 25x20 mm  
for switch with mounting hole 20x13 mm








Suitable for:


**5083275 CONTACT ALLEN-BRADLEY**  
NO - 10A 690V



ANGELO PO 3233760


Suitable for:

**3319354 CONTACT LOVATO 6A 240V**  
1 CONTACT NO  
for Bratt pan electric (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Pasta cooker electric (ANGELO PO)  
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3320

**5029950 CONTACT LOVATO 6A 240V**  
1 CONTACT NC  
for Bratt pan electric (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Pasta cooker electric (ANGELO PO)  
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3330

**5083274 CONTACTS SUPPORT BASIS FOR PUSH-BUTTON**  
ALLEN-BRADLEY - dimensions 37x30 mm



ANGELO PO 3233750

**5026052 COVER RUBBER FOR PUSH-BUTTON  $\varnothing$  33 mm**  
height 18 mm  
for Bratt pan electric (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
DELTA  
for Pasta cooker electric (ANGELO PO)  
for Pasta cooker gas (ANGELO PO)



ANGELO PO 37Q4030


**5059288 FLUSH PUSH-BUTTON RED**  
MOELLER-EATON  
mounting hole  $\varnothing$  22 mm



ANGELO PO 3014850

ANGELO PO 3255190

**5083273 LIFTING PUSH-BUTTON BLACK  $\varnothing$  30 mm**  
ALLEN-BRADLEY - "arrow" silk-screen printed  
mounting hole  $\varnothing$  22 mm



ANGELO PO 3272530

**5083275 CONTACT ALLEN-BRADLEY**  
NO - 10A 690V



ANGELO PO 3233760



Suitable for:

**5083274 CONTACTS SUPPORT BASIS FOR PUSH-BUTTON**  
ALLEN-BRADLEY - dimensions 37x30 mm



ANGELO PO 3233750

# ANGELO PO




Suitable for:

**5035958 PUSH-BUTTON BLACK LIFT ø 30 mm**  
LOVATO - silk-screen printing "arrow"  
mounting hole ø 22 mm  
for Bratt pan electric (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Pasta cooker electric (ANGELO PO)  
for Pasta cooker gas (ANGELO PO)




ANGELO PO 32W3300

**5029950 CONTACT LOVATO 6A 240V**  
1 CONTACT NC  
for Bratt pan electric (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Pasta cooker electric (ANGELO PO)  
for Pasta cooker gas (ANGELO PO)




ANGELO PO 32W3330

**5035959 SUPPORTBASE FOR PUSHBUTTON CONTACTS**  
LOVATO - dimensions 42x30 mm  
for Bratt pan electric (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Pasta cooker electric (ANGELO PO)  
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3310

**3319354 CONTACT LOVATO 6A 240V**  
1 CONTACT NO  
for Bratt pan electric (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Pasta cooker electric (ANGELO PO)  
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3320

**5026052 COVER RUBBER FOR PUSH-BUTTON ø 33 mm**  
height 18 mm  
for Bratt pan electric (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
DELTA  
for Pasta cooker electric (ANGELO PO)  
for Pasta cooker gas (ANGELO PO)




ANGELO PO 37Q4030



Suitable for:

**5070027 PUSH-BUTTON 1-POLE BLUE 16A 250V**  
 for ignition  
 with push-button cap  
 mounting hole 13x20 mm  
 for Bain-marie electric (ANGELO PO) 090BM1E  
 190BM2E  
 for Bain-marie gas (ANGELO PO) 090BM1G - 190BM2G  
 for Grill electric (ANGELO PO) 1G0GRE - 190GRE



ANGELO PO 3066010


ANGELO PO 6300675

Suitable for:

**3452004 SWITCH COVER**  
 external dimensions 25x20 mm  
 for switch with mounting hole 20x13 mm



**3319372 RED SINGLE-POLE PUSH-BUTTON 16A 250V**  
 for IGNITION  
 with protection cap  
 mounting hole 13x20 mm  
 for Bain-marie gas (ANGELO PO) - Series ALPHA  
 for Fry top gas (ANGELO PO) - Series ALPHA  
 for Fryer gas (ANGELO PO) - Series ALPHA  
 for Grill gas (ANGELO PO) - Series ALPHA  
 for Pasta cooker gas (ANGELO PO) - Series ALPHA  
 for Pot stove gas (ANGELO PO) - Series ALPHA



ANGELO PO 3062550

ANGELO PO 3126050

ANGELO PO 3126060+3126050

ANGELO PO 6300676

**3452004 SWITCH COVER**  
 external dimensions 25x20 mm  
 for switch with mounting hole 20x13 mm



**5035959 SUPPORTBASE FOR PUSHBUTTON CONTACTS**  
 LOVATO - dimensions 42x30 mm  
 for Bratt pan electric (ANGELO PO) - Series ALPHA  
 Series DELTA  
 for Bratt pan gas (ANGELO PO) - Series ALPHA  
 Series DELTA  
 for Pasta cooker electric (ANGELO PO)  
 for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3310



Suitable for:

# ANGELO PO



Suitable for:

## Tangential and radial motor fans

**3526150 TANGENTIAL FAN 180 mm LH**  
25W 230V 50/60Hz - ø 60 mm  
operating temperature -30°+100°C



ANGELO PO 32M0050

ANGELO PO 32M0521

ANGELO PO 32M5920


**2102307 HEATING ELEMENT 2000W 230V**  
length 200 mm - width 35 mm  
for 180 mm tangential fan  
with cable length 340 mm



**2102796 HEATING ELEMENT 2000W 230V**  
length 200 mm - width 35 mm  
for tangential fan 180 mm  
with cables length 240 mm



**3355363 HEATING ELEMENT 2000W 230V**  
length 200 mm - width 35 mm  
for 180 mm tangential fan



**7103628 HEATING ELEMENT 2000W 230V**  
length 195 mm - width 38 mm  
for tangential ventilator 180 mm  
with cable length 230 mm



ANGELO PO 32G1990

**5037016 TANGENTIAL FAN 300 mm LH**  
230V 50/60Hz 51W - ø 60 mm  
operating temperature -10°+60°C



ANGELO PO 3001330



## Taps for tank refilling

### 3526622 BALL VALVE GAS $\varnothing$ 3/4" MF

ball valve  
heavy series with PN 40 total passage  
DIN - DVGW approved  
aluminium lever  
for Self service counter (ANGELO PO) ACBM  
ACBM218 - ANBM - ANBM218 - ANBM75 - SE14VB  
SE21VB - SI14VB - SI21VB - SL14CVB - SL14NVB  
SL21CVB - SL21NVB - SL7NVB - TBM - TBM218



ANGELO PO 33A0910

### 5054602 KIT WATER INLET TAP $\varnothing$ 3/8"MM

complete with knob, tap, bracket, sheath,  
connections, screws and clamps  
FOR REPLACEMENT OF FILLING TAPS



ANGELO PO 6300728

### 7104915 KIT WATER INLET TAP $\varnothing$ 3/8"MM

complete with knob, tap, bracket, sheath,  
connections, screws and clamps  
FOR REPLACEMENT OF FILLING TAPS



ANGELO PO 6300731

### 5017485 NUT CHROME PLATED M24x1.5 mm hole $\varnothing$ 18 mm



ANGELO PO 33Q4000

### 3241697 RED KNOB FOR INLET TAP



ANGELO PO 3162200

### 3183049 NUT $\varnothing$ 3/8"

for Fry top gas (ANGELO PO) 0A0FT1G - 0A0FT2G  
0A0FT4G - 0D0FT1G - 0D0FT2G - 0D0FT4G  
0D0FT5G - 0G0FT1G - 0G0FT2G - 0G0FT4G  
0G0FT5G - 090FT1G - 090FT2G - 1A0FT1G



ANGELO PO 36Q1110

### 5002060 OLIVE FOR PIPE $\varnothing$ 18 mm



ANGELO PO 36Q0460



Suitable for:

# ANGELO PO



Suitable for:

**5017486 RING CHROME-PLATED M24x1.5 mm**  
height 11 mm



ANGELO PO 33Q3990

**3183042 SPOUT**  
outlet spout  $\varnothing$  18 mm  
for Bratt pan (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA



ANGELO PO 33Q3780

**5017485 NUT CHROME PLATED M24x1.5 mm**  
hole  $\varnothing$  18 mm



ANGELO PO 33Q4000

**5002060 OLIVE FOR PIPE  $\varnothing$  18 mm**



ANGELO PO 36Q0460

**5017486 RING CHROME-PLATED M24x1.5 mm**  
height 11 mm



ANGELO PO 33Q3990

**7107144 SPOUT CONNECTION  $\varnothing$  3/4"**  
outlet spout  $\varnothing$  15 mm  
for Bratt pan (ANGELO PO) 71RA



ANGELO PO 33Q2800

**3183047 SPOUT CONNECTION 3/4"**  
outlet spout  $\varnothing$  18 mm  
for Boiling pan (ANGELO PO) - Series DELTA  
Series OMEGA



ANGELO PO 3003430

ANGELO PO 33Q2582

ANGELO PO 33Q3570

**3183006 SPOUT CONNECTION 3/8" M**  
outlet spout  $\varnothing$  10 mm  
for Bain-marie (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT  
for Pasta cooker (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT



ANGELO PO 33Q2730

**3183049 NUT  $\varnothing$  3/8"**  
for Fry top gas (ANGELO PO) 0A0FT1G - 0A0FT2G  
0A0FT4G - 0D0FT1G - 0D0FT2G - 0D0FT4G  
0D0FT5G - 0G0FT1G - 0G0FT2G - 0G0FT4G  
0G0FT5G - 090FT1G - 090FT2G - 1A0FT1G



ANGELO PO 36Q1110



Suitable for:

**3186440 O-RING 02075 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  18.77 mm



ANGELO PO 37Q1210

**3183048 SPOUT CONNECTION 3/8" M**  
outlet spout  $\varnothing$  10 mm  
for Pasta cooker (ANGELO PO) - Series BIFRONT  
Series DELTA - Series OMEGA



ANGELO PO 3003440

ANGELO PO 3003441

ANGELO PO 33Q3500

**3186440 O-RING 02075 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  18.77 mm



ANGELO PO 37Q1210

**3359285 WATER INLET TAP  $\varnothing$  1/2" M**  
intenal output  $\varnothing$  7.5 mm



ANGELO PO 3028010

ANGELO PO 33D0260

**3359121 WATER INLET TAP  $\varnothing$  1/2" MM**  
for Boiling pan (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan (ANGELO PO) - Series ALPHA  
Series DELTA  
for Pasta cooker (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 33D2040

# ANGELO PO



Suitable for:

**3183049 NUT  $\varnothing$  3/8"**  
for Fry top gas (ANGELO PO) 0A0FT1G - 0A0FT2G  
0A0FT4G - 0D0FT1G - 0D0FT2G - 0D0FT4G  
0D0FT5G - 0G0FT1G - 0G0FT2G - 0G0FT4G  
0G0FT5G - 090FT1G - 090FT2G - 1A0FT1G



ANGELO PO 36Q1110

**5037085 BLUE INLET TAP KNOB**



ANGELO PO 3162210



Suitable for:

**3241697 RED KNOB FOR INLET TAP**



ANGELO PO 3162200

**3759146 TAP KNOB - RED**



ANGELO PO 36M2640

ANGELO PO 36M2641

ANGELO PO 36M2642

ANGELO PO 36M4010

**3358007 WATER INLET TAP  $\varnothing$  3/8"MM**  
for Boiling pan (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA  
for Bratt pan (ANGELO PO) - Series GAMMA  
for Pasta cooker (ANGELO PO) - Series GAMMA



ANGELO PO 300590

ANGELO PO 3162190

ANGELO PO 3162191

ANGELO PO 33D2930

ANGELO PO 33D3200

**3241697 RED KNOB FOR INLET TAP**



ANGELO PO 3162200

**3359100 WATER INLET TAP  $\varnothing$  3/8"MM**  
for Bain-marie (ANGELO PO) - Series SENIOR  
Series SUMMIT  
for Boiling pan (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT  
for Bratt pan (ANGELO PO) - Series SENIOR  
Series SUMMIT  
for Pasta cooker (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT  
for Self service counter (ANGELO PO)



ANGELO PO 33D0590

# ANGELO PO



Suitable for:

**3759137 TAP KNOB - BLUE**



ANGELO PO 36M2630

ANGELO PO 36M2631

ANGELO PO 36M4030

**5037085 BLUE INLET TAP KNOB**



ANGELO PO 3162210

**3759137 TAP KNOB - BLUE**



ANGELO PO 36M2630

ANGELO PO 36M2631

ANGELO PO 36M4030





# ANGELO PO



Suitable for:

Suitable for:

## 3759146 TAP KNOB - RED



ANGELO PO 36M2640

ANGELO PO 36M2641

ANGELO PO 36M2642

ANGELO PO 36M4010

## 5058677 WATER INLET TAP $\varnothing$ 3/8"MM



ANGELO PO 3221450

## 3759137 TAP KNOB - BLUE



ANGELO PO 36M2630

ANGELO PO 36M2631

ANGELO PO 36M4030

## 3759146 TAP KNOB - RED



ANGELO PO 36M2640

ANGELO PO 36M2641

ANGELO PO 36M2642

ANGELO PO 36M4010

**5030484 WATER INLET TAP KIT  $\varnothing$  3/8"MM**  
 complete with knob, tap, bracket, sheath,  
 connections, screws and clamps  
 FOR REPLACEMENT OF FILLING TAPS  
 for Pasta cooker electric (ANGELO PO)  
 0A1CP1E DAL 28/01/2009  
 0D1CP1E DAL 28/01/2009  
 for Pasta cooker gas (ANGELO PO)  
 0A1CP1G DAL 28/01/2009  
 0D1CP1G DAL 28/01/2009  
 1A1CP1G DAL 28/01/2009  
 1A1CP2G DAL 28/01/2009  
 1D1CP1G DAL 28/01/2009  
 1D1CP2G DAL 28/01/2009  
 191CP1GA DAL 28/01/2009

## 5037085 BLUE INLET TAP KNOB



ANGELO PO 6300729



ANGELO PO 3162210

## 3241697 RED KNOB FOR INLET TAP



ANGELO PO 3162200



Suitable for:

# ANGELO PO



**7102651 WATER INLET TAP KIT  $\varnothing$  3/8"MM**  
 complete with knobs, taps, brackets, sheaths,  
 connections, screws and clamps  
**FOR REPLACEMENT OF FILLING TAPS**  
 for Boiling pan gas (ANGELO PO)  
 1A1PD1G DAL 28/01/2009  
 1A1PD2G DAL 28/01/2009  
 1A1PI1G DAL 28/01/2009  
 1A1PI1GA DAL 28/01/2009  
 1D1PD1G DAL 28/01/2009  
 1D1PD2G DAL 28/01/2009  
 1D1PI1G DAL 28/01/2009  
 1D1PI1GA DAL 28/01/2009



ANGELO PO 6300730

**3241697 RED KNOB FOR INLET TAP**



ANGELO PO 3162200

Suitable for:

**5037085 BLUE INLET TAP KNOB**



ANGELO PO 3162210

## Telethermometers

**3441008 TELE-THERMOMETER BLACK  $\varnothing$  52 mm 0-120°C**  
 plastic case  
 PVC covered capillary 1500 mm  
 bulb  $\varnothing$  6.5x2.6 mm



ANGELO PO 32Z2930

**3441024 TELE-THERMOMETER BLACK  $\varnothing$  52 mm 50-350°C**  
 metal body  
 covered capillary length 1500 mm  
 bulb  $\varnothing$  6x20 mm



ANGELO PO 32Z0040

**3441011 TELE-THERMOMETER BLACK 56x25 mm 0-120°C**  
 plastic case  
 capillary length 1500 mm  
 bulb  $\varnothing$  6x15 mm




ANGELO PO 32V1900

ANGELO PO 32Z0020



## Terminal blocks

**5003366** **TERMINAL BLOCK BLACK 56x36x13 mm**  
overall height 27 mm



ANGELO PO 32D0030

**3247015** **TERMINAL BLOCK 12-POLES OF PLASTIC**  
for cable 0.75-4 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450V



ANGELO PO 32D1450

**3247003** **TERMINAL BLOCK 2-POLES OF CERAMIC**  
for cable 0.75-4 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 21x18x16 mm



ANGELO PO 3000060


**3247016** **TERMINAL BLOCK 3-POLES FV273 40A 450V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ANGELO PO 32D0171

ANGELO PO 32D0380

**3247037** **TERMINAL BLOCK 4-POLES FV173 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ANGELO PO 32D1800


**3247009** **TERMINAL BLOCK 6-POLES FV122/B 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ANGELO PO 32D0250

ANGELO PO 32D0251


**5037835** **TERMINAL 1 POLE BEIGE**  
for cable max 10 mm<sup>2</sup>



ANGELO PO 32D0950

## Terminals and electrical connectors

**3051022** **FASTON COVER FRONTAL**  
for female faston of 6.3 mm



ANGELO PO 32D0080



Suitable for:

# ANGELO PO



Suitable for:

## Thermocouples and accessories

**3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm**  
cut-off contact with cables 100 cm



ANGELO PO 33A1410  
ANGELO PO 6021770

ANGELO PO 33A1880  
ANGELO PO 6021780

ANGELO PO 60A4060

**3440019 EXTENSION FOR THERMOCOUPLE M9x1 60 cm.**  
female nut M9x1



ANGELO PO 33A0130

**3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.**  
interrupted contact with terminals



ANGELO PO 33A0500


ANGELO PO 33A0900

**3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm**  
interrupted contact with fastons



ANGELO PO 33A0140

**3440179 THERMOCOUPLE M8x1 60 cm**  
for Fry top (ANGELO PO) - Series ALPHA  
Series DELTA  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA  
for Kitchen (ANGELO PO) - Series ALPHA  
Series DELTA




ANGELO PO 33A0680

**3440032 THERMOCOUPLE SIT M8x1 150 cm**




ANGELO PO 33A0520

**3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ANGELO PO 33A0520

**3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ANGELO PO 33A0520



# ANGELO PO




Suitable for:

Suitable for:

**3440028 THERMOCOUPLE SIT M8x1 60 cm**

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ANGELO PO 33A1060

ANGELO PO 33A1260

ANGELO PO 33A1060

ANGELO PO 33A1260

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ANGELO PO 33A1060

ANGELO PO 33A1260

ANGELO PO 33A0310

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ANGELO PO 33A0310

ANGELO PO 33A0310

**2101036 THERMOCOUPLE SIT M9x1 120 cm  
ALUMINIZED HEAD**



ANGELO PO 33A1870

**3440039 THERMOCOUPLE SIT M9x1 150 cm**

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



ANGELO PO 33A0320

ANGELO PO 33A0320

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ANGELO PO 33A0320

ANGELO PO 33A0340

ANGELO PO 33A1140

ANGELO PO 33A1190



Suitable for:

Suitable for:

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ANGELO PO 33A0340

ANGELO PO 33A1140

ANGELO PO 33A1190

ANGELO PO 33A0340

ANGELO PO 33A1140

ANGELO PO 33A1190

**3391005 THERMOCOUPLE SUPPORT**




ANGELO PO 35T0680

## Thermostatic gas valves

**3345029 THERMOSTATIC TAP 24ST**

adjustment temperature 120-280°C  
flange coupling  $\varnothing$  21 mm  
outlet fitting M20x1.5 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x120 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  10x8 mm  
for Fry top (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA



ANGELO PO 33A1850

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



ANGELO PO 36Q1700

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0080

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25





Suitable for:

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0610

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0050

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## ANGELO PO



Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25




ANGELO PO 36Q0830

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1




ANGELO PO 36Q1000

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

**3345030** THERMOSTATIC TAP 24ST  
Operating temperature 140-340°C  
flange coupling  $\varnothing$  21 mm  
outlet fitting M20x1.5 mm  
thermocouple connection M8x1  
bulb  $\varnothing$  6x75 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  10x9 mm  
for Fry top (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA



ANGELO PO 33A1790

**3348038** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 22-24-25



ANGELO PO 36Q1700



Suitable for:

**3348044 OLIVE FOR PIPE  $\phi$  10 mm**  
for model PEL 20-21-24-25



ANGELO PO 36Q0080

**3348036 OLIVE FOR PIPE  $\phi$  4 mm**  
for model PEL 21-22-24-25



**3348031 PIPE FITTING  $\phi$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0610

**3348032 PIPE FITTING  $\phi$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0050

**3020078 PIPE FITTING  $\phi$  6 mm**  
thread M10x1



ANGELO PO 36Q0060

# ANGELO PO



Suitable for:

**3020082 OLIVE FOR PIPE  $\phi$  12 mm**  
for model PEL 22-24-25



ANGELO PO 36Q0030


ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3348037 OLIVE FOR PIPE  $\phi$  6 mm**  
for model PEL 21-22-24-25



**3348043 PIPE FITTING  $\phi$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ANGELO PO 36Q0830

**3348029 PIPE FITTING  $\phi$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\phi$  6 mm**  
thread M10x1 mm








Suitable for:

Suitable for:

**3348064 THERMOSTATIC TAP 24ST**  
 Adjustment temperature 120-280°C  
 connections M20x1.5 mm  
 thermocouple connection M8x1  
 bulb  $\varnothing$  6x120 mm  
 capillary length 1200 mm  
 D-shaped pin  $\varnothing$  10x9 mm  
 for Fry top (ANGELO PO) - Series JUNIOR  
 for Oven under cooktop (ANGELO PO) - Series JUNIOR

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 for model PEL 22-24-25



ANGELO PO 33A2840

ANGELO PO 36Q1700

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 for model PEL 20-21-24-25

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 for model PEL 22-24-25



ANGELO PO 36Q0080

ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 for model PEL 21-22-24-25

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22-24-25



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
 thread M20x1.5 mm  
 for model PEL 22-24-25

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
 thread M16x1.5 mm  
 for model PEL 20-21-24-25



ANGELO PO 36Q0610

ANGELO PO 36Q0830

**3348032 PIPE FITTING  $\varnothing$  12 mm**  
 thread M20x1.5 mm  
 for model PEL 22-24-25

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
 thread M10x1 mm  
 for model PEL 21-22-24-25



ANGELO PO 36Q0050



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

# ANGELO PO




Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3345017** THERMOSTATIC TAP 24STS  
operating temperature 120-320°C  
connections M20x1.5 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x75 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  10x8 mm  
for Oven under cooktop (ANGELO PO)



ANGELO PO 33A0060

ANGELO PO 6003911

**3348038** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 22-24-25



ANGELO PO 36Q1700

**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



ANGELO PO 36Q0080

**3020082** OLIVE FOR PIPE  $\varnothing$  12 mm  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25



**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0610

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ANGELO PO 36Q0830



Suitable for:

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25




ANGELO PO 36Q0050

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



ANGELO PO 36Q0060

**5022068** THERMOSTATIC TAP 25ST  
adjustment temperature 120-280°C  
flange coupling  $\varnothing$  21 mm  
coupling outlet M16x1.5 mm  
thermocouple fitting M9x1  
bulb  $\varnothing$  6x122 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Oven under cooktop gas (ANGELO PO)  
Series GAMMA  
for Solid top range gas (ANGELO PO) - Series GAMMA  
for Oven under cooktop (ANGELO PO) 2G1FAPG



ANGELO PO 33A0660

**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



ANGELO PO 36Q0080

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



# ANGELO PO



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348038** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 22-24-25



ANGELO PO 36Q1700

**3020082** OLIVE FOR PIPE  $\varnothing$  12 mm  
for model PEL 22-24-25



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25





Suitable for:

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0610

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



ANGELO PO 36Q0050

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




ANGELO PO 36Q0060

# ANGELO PO



Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



ANGELO PO 36Q0830

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1




ANGELO PO 36Q1000

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## Thermostats

**3444549** ADHESIVE PLATE FOR THERMOSTAT 120-190°C  
size 113x86 mm  
for Fryer (ANGELO PO) - Series ALPHA  
Series SENIOR



ANGELO PO 37M5670

**5075204** BULBS RETAINER PLATE 31x20 mm



ANGELO PO 35T3540

**3444008** KNOB BLACK  $\varnothing$  41 mm 0-90°C  
D-shaped hole 6x4.6 mm  
for thermostat IMIT



ANGELO PO 36M2830

**5027655** PUSH-BUTTON CAP OF RUBBER  $\varnothing$  17/12x11 mm



ANGELO PO 37Q3270



Suitable for:

**5056716 SINGLE-PHASE THERMOSTAT 101-187°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 890 mm - 16A 250V  
 $\varnothing$  6x133 mm bulb - with stuffing gland fitting M10x  
 for Fryer (ANGELO PO) 091FR11 - 191FR21  
 for Fryer (ANGELO PO) 091FR11



ANGELO PO 3168460

**3444358 SINGLE-PHASE THERMOSTAT 105-185°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple bland M10x1  
 for Fryer (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA



ANGELO PO 32V0240


ANGELO PO 6300752

**3444261 SINGLE-PHASE THERMOSTAT 160-190°C**  
 complete with wiring  
 threaded bulb  $\varnothing$  1/2" -  $\varnothing$  16x93 mm  
 with adjusting screw  
 for Fryer (ANGELO PO) - Series JUNIOR  
 Series SENIOR



ANGELO PO 6300359


**3444137 SINGLE-PHASE THERMOSTAT 20-120°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 button bulb  $\varnothing$  14x9 mm  
 for Bain-marie (ANGELO PO) - Series SENIOR  
 Series SUMMIT



ANGELO PO 32Z3290


Suitable for:

**3444260 SINGLE-PHASE THERMOSTAT 105-185°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 threaded bulb  $\varnothing$  1/2"x91 mm  
 for Fryer (ANGELO PO) - Series JUNIOR



ANGELO PO 32Z6630

**3444319 SINGLE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 capillary length covered 900 mm - 16A 250V  
 bulb  $\varnothing$  6x70 mm  
 for Bain-marie electric (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series OMEGA



ANGELO PO 32Z9380

**5013373 KNOB BLACK-RED  $\varnothing$  68 mm**  
 D-shaped hole 6x4.6 mm



ANGELO PO 36M5150




Suitable for:

# ANGELO PO




**3444316 SINGLE-PHASE THERMOSTAT 200°C**  
 with manual reset  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x70 mm  
 for Bain-marie gas (ANGELO PO) - Series ALPHA  
 Series DELTA



ANGELO PO 32V0460

Suitable for:

**3444138 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 850 mm - 16A 250V  
 button bulb  $\varnothing$  14x10 mm  
 for Fryer (ANGELO PO) - Series JUNIOR  
 Series SENIOR



ANGELO PO 31Z7990  
ANGELO PO 32Z7990

ANGELO PO 32Z2990  
ANGELO PO 32Z8000


ANGELO PO 32Z3340

**3444320 SINGLE-PHASE THERMOSTAT 285°C**  
 with manual reset  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  4x115 mm  
 for Fryer (ANGELO PO) - Series ALPHA  
 Series BIFRONTE - Series DELTA - Series GAMMA  
 Series JUNIOR - Series OMEGA - Series SENIOR  
 Series SUMMIT




ANGELO PO 32Z5610

**5037327 SINGLE-PHASE THERMOSTAT 299°C**  
 with manual reset  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm  
 for Fryer gas (ANGELO PO)  
 Series ALPHA-BIFRONTE-DELTA-GAMMA-JUNIOR  
 Series OMEGA-SENIOR-SUMMIT



ANGELO PO 32Z5612

**3444313 SINGLE-PHASE THERMOSTAT 30-120°C**  
 with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 890 mm - 16A 250V  
 bulb  $\varnothing$  6x115 mm  
 for Bain-marie (ANGELO PO) - Series ALPHA  
 Series BIFRONTE - Series DELTA - Series GAMMA  
 Series OMEGA




ANGELO PO 32Z9270

ANGELO PO 32Z9271



Suitable for:

**3444056 SINGLE-PHASE THERMOSTAT 30-93°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 button bulb  $\varnothing$  23.5 mm  
 for Bain-marie (ANGELO PO) - Series GAMMA  
 Series JUNIOR  
 for Hot cupboard (ANGELO PO)  
 for Self service counter (ANGELO PO)



ANGELO PO 3220410

Suitable for:

**D186016 GASKET THERMOSTAT  $\varnothing$  41 mm**



ANGELO PO 3150270

**3444266 SINGLE-PHASE THERMOSTAT 338°C**  
 with manual reset  
 covered capillary length 830 mm - 16A 250V  
 button bulb  $\varnothing$  14x10 mm



ANGELO PO 3226790

**5026558 SINGLE-PHASE THERMOSTAT 340°C**  
 with automatic reset  
 covered capillary length 900 mm - 16A 250V  
 bulbo  $\varnothing$  3x226 mm  
 for Bain-marie electric (ANGELO PO)  
 0G0BME-1G0BME-030BME-031EBM




ANGELO PO 322371

**3444312 SINGLE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 capillary length covered 1500 mm - 16A 250V  
 bulb  $\varnothing$  4x110 mm  
 for Fry top gas (ANGELO PO) - Series ALPHA  
 Series BIFRONTE - Series DELTA - Series GAMMA  
 Series JUNIOR - Series OMEGA - Series SENIOR  
 Series SUMMIT




ANGELO PO 3221400

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



ANGELO PO 3220610

**3444145 SINGLE-PHASE THERMOSTAT 50-310°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1600 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm  
 for OVEN



ANGELO PO 3220210

**3444177 SINGLE-PHASE THERMOSTAT 50-310°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  4x128 mm  
 for Bratt pan (ANGELO PO)  
 for Fry top (ANGELO PO)



ANGELO PO 32V6510

ANGELO PO 3222670




Suitable for:

# ANGELO PO



**3444359 SINGLE-PHASE THERMOSTAT 60-320°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary 1400 mm - 4 contacts 16A 250V  
 bulb  $\varnothing$  4x123 mm  
 for Bratt pan (ANGELO PO) - Series ALPHA  
 Series DELTA  
 for Bratt pan (ANGELO PO) 291BR2G



ANGELO PO 32V0660

ANGELO PO 32V0661

**3444380 SINGLE-PHASE THERMOSTAT 90-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple band M9x1  
 for Fryer electric (ANGELO PO) 0M0FR1E - 1M0FR2E



ANGELO PO 32V4540


**3444178 THERMOSTAT MODIFICATION KIT 105-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 complete with auxiliary commutator  
 complete with substitution manual  
 covered capillary length 900 mm - 16A 250V  
 threaded bulb  $\varnothing$  1/2" x91 mm  
 complete with screenprinted plates  
 for Fryer (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series JUNIOR  
 Series SENIOR - Series SUMMIT



ANGELO PO 6005040

ANGELO PO 6300738

**5030542 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Fryer (ANGELO PO) 091FR1I



ANGELO PO 3168540

**5056716 SINGLE-PHASE THERMOSTAT 101-187°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 890 mm - 16A 250V  
 $\varnothing$  6x133 mm bulb - with stuffing gland fitting M10x  
 for Fryer gas (ANGELO PO) 091FR1I - 191FR2I  
 for Fryer (ANGELO PO) 091FR1I



ANGELO PO 3168460

**3444006 THERMOSTAT SINGLE-PHASE TR2 0-210°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1000 mm - 15A 250V  
 bulb  $\varnothing$  5x140 mm



ANGELO PO 32Z8820

**3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 15A 250V  
 bulb  $\varnothing$  6.5x95 mm



ANGELO PO 32Z8840






Suitable for:

**5059793 THERMOSTAT SINGLE-PHASE 102-187°C**  
 with selector switch  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  4x238mm-with stuffing gland fitting M10x1  
 for Fryer gas (ANGELO PO) 091FR7G




ANGELO PO 3156520

**3444565 THERMOSTAT THREE-PHASE 140°C**  
 with manual reset  
 covered capillary length 900 mm - 20A 400V  
 bulb  $\varnothing$  6x87 mm  
 for Boiling pan gas (ANGELO PO)  
 1A1PI2G-1D1PI2G-1A1PI2GA-1D1PI2GA  
 2A1PD3G-2A1PI3G  
 291PD3G-1D1PI2G-291PI3G-2D1PI3G  
 for Pasta cooker gas (ANGELO PO)  
 191CP1GA-1A1CP1GA-1D1CP1GA



ANGELO PO 32V3980

**5010676 THERMOSTAT THREE-PHASE 32-112°C**  
 with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1200 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm  
 for Self service counter (ANGELO PO)



ANGELO PO 32Z5970

**5050178 THERMOSTAT THREE-PHASE 370°C**  
 with automatic reset  
 covered capillary length 900 mm - 16A 250V  
 halfway capillaries length 450 mm  
 triple bulb  $\varnothing$  3x175 mm  
 for Bratt pan electric (ANGELO PO) 6BR  
 for Fry top electric (ANGELO PO) 6FTL - 6FTR



ANGELO PO 3083720

Suitable for:

**5081598 THERMOSTAT SINGLE-PHASE 281°C**  
 with manual reset  
 covered capillary length 2000 mm - 16A 250V  
 bulb  $\varnothing$  6x79 mm



ANGELO PO 32V7361

**5017402 THERMOSTAT THREE-PHASE 247°C**  
 with automatic reset  
 capillary length covered 1200 mm - 16A 380V  
 bulb  $\varnothing$  3x228 mm  
 for Self service counter (ANGELO PO) ACBM  
 ACBM218 - ANBM - ANBM218 - ANBM75 - SE14VB  
 SE21VB - SI14VB - SI21VB - SL14CVB - SL14NVB  
 SL21CVB - SL21NVB - SL7NVB - TBM - TBM218



ANGELO PO 32Z5960

**5034956 THERMOSTAT THREE-PHASE 355°C**  
 with manual reset  
 covered capillary length 880 mm - 10A 400V  
 bulb  $\varnothing$  3x122 mm



ANGELO PO 3081140

**5054375 THERMOSTAT THREE-PHASE 95°C**  
 with automatic reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x228 mm



ANGELO PO 3001550




Suitable for:

# ANGELO PO




**3444311** **THREE-PHASE THERMOSTAT 100-260°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 10A 400V  
 bulb  $\varnothing$  6x70 mm  
 for Fry top (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series JUNIOR  
 Series OMEGA - Series SENIOR - Series SUMMIT




ANGELO PO 32Z7400

**3444146** **THREE-PHASE THERMOSTAT 100-300°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1250 mm - 10A 400V  
 bulb  $\varnothing$  6x78 mm  
 for Fry top (ANGELO PO) - Series JUNIOR



ANGELO PO 32Z3790

**3444315** **THREE-PHASE THERMOSTAT 135°C**  
 with manual reset  
 covered capillary length 1000 mm - 10A 400V  
 bulb a bottone  $\varnothing$  14x20 mm  
 for Boiling pan (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series JUNIOR  
 Series SENIOR - Series SUMMIT



ANGELO PO 32Z9620


ANGELO PO 32Z9621

**3444142** **THREE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 covered capillary length 1500 mm - 10A 400V  
 bulb  $\varnothing$  6x90 mm - stuffing gland fitting M9x1  
 for Boiling pan (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series JUNIOR  
 Series SENIOR - Series SUMMIT  
 for Pasta cooker (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series JUNIOR  
 Series SENIOR - Series SUMMIT



ANGELO PO 32Z2710

**3444626** **THREE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 covered capillary length 800 mm - 20A 380V  
 bulb  $\varnothing$  6x90 mm  
 for Boiling pan electric (ANGELO PO) 2A1PI3E  
 291PI3E  
 for Pasta cooker electric (ANGELO PO) MCF20E  
 MCF40E



ANGELO PO 32V0320

**3744046** **THREE-PHASE THERMOSTAT 156°C**  
 with manual reset  
 covered capillary length 1500 mm  
 bulb  $\varnothing$  6x90 mm  
 for Pasta cooker (ANGELO PO) - Series ALPHA  
 Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3014260

ANGELO PO 3014261

Suitable for:

Suitable for:

**3444318 THREE-PHASE THERMOSTAT 160°C**  
with automatic reset  
capillar covered length 850 mm - 10A 400V  
bulb  $\varnothing$  6x70 mm  
for ELECTRICAL BAIN MARIE / ALPHA-DELTA series



ANGELO PO 32Z9210


**3444143 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 1600 mm - 10A 400V  
bulb  $\varnothing$  6x85 mm  
for Fryer (ANGELO PO) - Series JUNIOR  
Series SENIOR - Series SUMMIT



ANGELO PO 32Z3630

ANGELO PO 32Z3631

**3444317 THREE-PHASE THERMOSTAT 270°C**  
with manual reset  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x70 mm  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 32V0970


ANGELO PO 32V6560

**5048870 THREE-PHASE THERMOSTAT 270°C**  
with manual reset  
covered capillary length 2050 mm - 10A 400V  
bulb  $\varnothing$  6x78 mm  
for Fryer (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 32V6561

**3444357 THREE-PHASE THERMOSTAT 30-150°C**  
complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 10A 400V  
bulb  $\varnothing$  6x120 mm  
for Bain-marie electric (ANGELO PO) - Series ALPHA  
Series DELTA



ANGELO PO 32V0060

**3444067 THREE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm  
for Hot cupboard (ANGELO PO)



ANGELO PO 32Z0130

**3444356 THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
covered capillary length 1300 mm - 10A 400V  
bulb  $\varnothing$  4x120 mm  
for Bratt pan (ANGELO PO) - Series ALPHA  
Series DELTA  
for Fry top (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA  
Series SENIOR  
for Oven under cooktop (ANGELO PO) - Series ALPHA  
Series DELTA - Series SENIOR




ANGELO PO 32Z6750

ANGELO PO 32Z9201

ANGELO PO 32Z9202

**3444561 THREE-PHASE THERMOSTAT 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1740 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm



ANGELO PO 32Z2560



Suitable for:

# ANGELO PO




**5083271 THREE-PHASE THERMOSTAT 560°C**  
 with automatic reset  
 capillary length covered 1080 mm  
 bulb  $\varnothing$  4x228 mm  
 for Boiling pan electric (ANGELO PO) 04WPEBV  
 08WPEBV - 090PEB - 091PEB - 190PEB - 191PEB  
 for Solid top range electric (ANGELO PO) 08WTPEV  
 190TPE - 191TPE



ANGELO PO 3110640

Suitable for:

**3444147 THREE-PHASE THERMOSTAT 63-300°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1400 mm - 10A 400V  
 bulb  $\varnothing$  3x220 mm  
 for Oven under cooktop (ANGELO PO) - Series GAMMA  
 Series JUNIOR



ANGELO PO 32Z3550

ANGELO PO 32Z3551


**3444366 THREE-PHASE THERMOSTAT 90-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple bland M10x1



ANGELO PO 32Z0400

## Timers

**3446004 TIMER 120 MINUTES**  
 complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 manual left hand positioning possible  
 120 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



ANGELO PO 32Z0420

ANGELO PO 32Z2200

**3446005 BLACK KNOB ABS 38x38 mm**  
 D-shaped hole  $\varnothing$  6x4.6 mm  
 for timer





## Transformers

**5052393 CAPACITOR 0-230V/0-12V 50VA**  
 primary voltage 0-230V 50/60Hz  
 secondary voltage 0-12V 50VA  
 room temperature 0±40°C  
 screw terminal block  
 for Pasta cooker electric (ANGELO PO)  
 for Pasta cooker gas (ANGELO PO)



ANGELO PO 3117170

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



ANGELO PO 3223470

## Trays Gastronorm

**5073514 S.STEEL DRIP TRAY GN 1/2 325x265xH100 mm**  
 with handle



ANGELO PO 3010380

## Tubing and hoses

**3450039 DRAIN PIPE 300x260 mm**  
 external  $\varnothing$  43 mm - internal  $\varnothing$  33 mm  
 for Pasta cooker (ANGELO PO) - Series GAMMA  
 Series JUNIOR - Series OMEGA  
 for Pasta cooker gas (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series SENIOR  
 Series SUMMIT




ANGELO PO 131AA44

ANGELO PO 33M0800

## Wheels and accessories

**5024457 BEARING SUPPORT**  
 dimensions 69x70 mm -  $\varnothing$  pin 14 mm



ANGELO PO 36C0940

**5013367 BUSHING  $\varnothing$  30x17x15 mm**



ANGELO PO 36E0770



Suitable for:

# ANGELO PO



**5013370 BUSHING  $\varnothing$  30x20x12 mm**



ANGELO PO 36E0400

Suitable for:

**5013371 BUSHING WORM SCREW**  
square basis 30x30mm  
overall height 24mm



ANGELO PO 36G8900

**5085519 ELASTIC CLASP  $\varnothing$  6x26 mm**



ANGELO PO 31Z0100

**5075203 SCREW FOR TILTING COOMplete  $\varnothing$  20x710 mm**  
pin  $\varnothing$  16 mm



ANGELO PO 6010051

**5083276 SCREW NUT FOR BRATT PAN  $\varnothing$  45x60 mm**




ANGELO PO 36G8130

**5029907 SHAFT WHEEL 105 mm**  
pin  $\varnothing$  16 mm - internal hole  $\varnothing$  15 mm



ANGELO PO 36G8121

**5031486 SUPPORT FOR BEARING**  
dimensions 50x45x30 mm -  $\varnothing$  pin 20 mm



ANGELO PO 36C2830

**5013366 THRUST BEARING 51203**  
 $\varnothing$  external 35 mm -  $\varnothing$  internal 17 mm - depth 12 mm



ANGELO PO 36F0340

**5013372 TILTING SCREW  $\varnothing$  20x580 mm**  
pin  $\varnothing$  14 mm



ANGELO PO 36G8100

**5038179 TILTING SCREW  $\varnothing$  20x640 mm**  
thread M10x1,5 mm



ANGELO PO 36G8110

Suitable for:


Suitable for:

**3522006 WHEEL  $\varnothing$  158 mm**  
central hole  $\varnothing$  16 mm  
complete with folding handle



ANGELO PO 36M4910

**5024457 BEARING SUPPORT**  
dimensions 69x70 mm -  $\varnothing$  pin 14 mm



ANGELO PO 36C0940


**1063911 BEARING 6202 ZZ NSK**  
external  $\varnothing$  35 mm-internal  $\varnothing$  15 mm-thickness 11 mm



**3522015 ARTICULATION FOR SCREW 82x74 mm**



**40C4332 BEARING SUPPORT  $\varnothing$  60x15 mm**



**1063901 BEARING 6204 DDU NSK**  
external  $\varnothing$  47mm - internal  $\varnothing$  20mm - thickness 14mm



**40C7408 BUSHING FOR SCREW SUPPORT  $\varnothing$  22/18x9 mm**



ANGELO PO 3103840

**40C2170 CLASP  $\varnothing$  4x36 mm**



**4006841 CLASP KIT  $\varnothing$  4x24 mm - 25 PCS**




**40C8518 DUCT PULLEY  $\varnothing$  45/36x27 mm**



**5013368 ELASTIC CLASP  $\varnothing$  5x30 mm**



**40C1438 EXTENSION FOR HANDLE AND WHEEL**  
dimensions  $\varnothing$  25/16x120 mm



ANGELO PO 31Z8110



Suitable for:

3522030 EXTENSION FOR PAN  $\varnothing$  20/16x120 mm



3522018 PIN FOR TILTING SCREW  $\varnothing$  9.5x24.5mm




3522020 RING NUT FOR SCREW  $\varnothing$  27x20x15 mm



3522028 SCREW FOR PAN  $\varnothing$  12x20 mm  
thread M8



5015525 SCREW NUT FOR BRATT PAN  
dimensions 40x40x39 mm - right hand thread  
thread M20x2.5 mm -  $\varnothing$  pin 20 mm



3522049 SCREW NUT FOR BRATT PAN  $\varnothing$  40x60 mm



## ANGELO PO

Suitable for:

40C7563 EXTENSION FOR PAN  $\varnothing$  20/16x55 mm



3522019 RING FOR SCREW  $\varnothing$  27x32 mm



3522010 SCREW BEARING 6004 LD1  
extern.  $\varnothing$  42 mm - intern.  $\varnothing$  20 mm - thickn. 12 mm



3522012 SCREW NO HEAD WITH HEXAGON SOCKET M8x10  
burnished iron alloy - cone end  
UNI 5927 - DIN 914 - ISO 4027



ANGELO PO 31W0020

4004362 SCREW NUT FOR BRATT PAN  $\varnothing$  40x40 mm



3522024 SCREW NUT FOR BRATT PAN  $\varnothing$  46x66 mm







Suitable for:

**5015528 SCREW NUT FOR BRATT PAN VALVE**  
dimensions 40x40x39 mm - left thread  
thread M20x2.5 mm -  $\phi$  pin 20 mm



**40C2169 SCREW NUT SUPPORT  $\phi$  60x21 mm**



**40C7798 SCREW SUPPORT  $\phi$  60/43x36 mm**



**3002009 SEEGER RING J-35**  
in zinc plated iron alloy -  $\phi$  extern 37.8 mm  
UNI 7437 - DIN 472



**3522023 THRUST BEARING 51102**  
external  $\phi$  28 mm - internal  $\phi$  15 mm - thickn.9 mm



**3522035 TILTING SCREW  $\phi$  20 mm**  
overall length 615 mm



# ANGELO PO



Suitable for:

**40C0672 SCREW NUT SUPPORT  $\phi$  60x21 mm**




**3522014 SCREW SUPPORT  $\phi$  58x33 mm**



**3522021 SCROLL FOR SCREW  $\phi$  40x40 mm**



**4006241 SUPPORT SCREW NUT  $\phi$  60x18 mm**



**5013366 THRUST BEARING 51203**  
 $\phi$  external 35 mm -  $\phi$  internal 17 mm - depth 12 mm



ANGELO PO 36F0340

**3522009 TILTING SCREW  $\phi$  20 mm**  
total length 885 mm





Suitable for:

**40C0674 TILTING SCREW  $\varnothing$  20 mm**  
overall length 525 mm



**40C7891 TILTING SCREW  $\varnothing$  20 mm**  
overall length 368 mm



**40C0673 WASHER OF PTFE  $\varnothing$  20x11x2 mm**



# ANGELO PO



Suitable for:

**40C1641 TILTING SCREW  $\varnothing$  20 mm**  
overall length 512 mm



**4004361 TILTING SCREW  $\varnothing$  20 mm**  
overall length 632 mm



**40C3800 WHEEL HANDLE  $\varnothing$  23x65 mm**  
thread M6



**3522016 WHEEL  $\varnothing$  200 mm**  
central hole  $\varnothing$  16 mm  
with folding handle  
for Bratt pan (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan electric (ANGELO PO) - Series DELTA  
for Bratt pan gas (ANGELO PO) - Series ALPHA  
Series DELTA  
for Bratt pan electric (ANGELO PO) - Series ALPHA



ANGELO PO 3214440  
ANGELO PO 36M5562

ANGELO PO 36M5560

ANGELO PO 36M5561

**5013367 BUSHING  $\varnothing$  30x17x15 mm**



ANGELO PO 36E0770

**5013370 BUSHING  $\varnothing$  30x20x12 mm**



ANGELO PO 36E0400

**5013371 BUSHING WORM SCREW**  
square basis 30x30mm  
overall height 24mm



ANGELO PO 36G8900



Suitable for:

**5013368 ELASTIC CLASP  $\varnothing$  5x30 mm**



ANGELO PO 31Z8110

**5075203 SCREW FOR TILTING COOMplete  $\varnothing$  20x710 mm**  
pin  $\varnothing$  16 mm




ANGELO PO 6010051

**5029907 SHAFT WHEEL 105 mm**  
pin  $\varnothing$  16 mm - internal hole  $\varnothing$  15 mm



ANGELO PO 36G8121

**5031486 SUPPORT FOR BEARING**  
dimensions 50x45x30 mm -  $\varnothing$  pin 20 mm



ANGELO PO 36C2830

**5013372 TILTING SCREW  $\varnothing$  20x580 mm**  
pin  $\varnothing$  14 mm



ANGELO PO 36G8100

# ANGELO PO



Suitable for:

**5085519 ELASTIC CLASP  $\varnothing$  6x26 mm**



ANGELO PO 31Z0100

**5083276 SCREW NUT FOR BRATT PAN  $\varnothing$  45x60 mm**



ANGELO PO 36G8130

**3522017 ST.STEEL SCREW T.C.C.E.I. M6x60 UNI 5931**



ANGELO PO 31A0130

**5013366 THRUST BEARING 51203**  
 $\varnothing$  external 35 mm -  $\varnothing$  internal 17 mm - depth 12 mm



ANGELO PO 36F0340

**5038179 TILTING SCREW  $\varnothing$  20x640 mm**  
thread M10x1,5 mm



ANGELO PO 36G8110



Suitable for:


# ANGELO PO



Suitable for:

## Wire pan supports

**3354006 REDUCER FOR MOKA POT 190x385 mm**  
made of chrome plated iron  
for Pot stove (ANGELO PO) – Series SENIOR




ANGELO PO RG

ANGELO PO 36A2160

ANGELO PO 36A5450

**3354005 REDUCER FOR MOKA POT 205x205 mm**  
made of chrome plated iron  
for Pot stove (ANGELO PO) – Series COMBI  
Series JUNIOR



ANGELO PO 3012090

ANGELO PO 36A0491

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
**Legal address:**  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
**Business/Mailing address:**  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)