



Spare parts for the professional sector: Cooking equipment



Suitable for:

BARON



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

BARON



Suitable for:

Air regulators

3025289 AERATION REGULATOR
internal \varnothing 42 mm - external \varnothing 45 mm
height 50 mm



BARON BN2519002

BARON 822120020

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



BARON BN6A013104

BARON 6A013104

Burners, flame spreaders and accessories

3025140 BURNER BASE \varnothing 115 mm
for old series




BARON BN2510192

3025137 BURNER BASE \varnothing 85 mm
for old series



BARON BN2510189

3025179 BURNER RING \varnothing 90 mm



BARON 6A042000

3025284 FLAME SPREADER \varnothing 105 mm



BARON BN2510355


3025289 AERATION REGULATOR
internal \varnothing 42 mm - external \varnothing 45 mm
height 50 mm



BARON BN2519002

BARON 822120020

3025290 NOZZLE HOLDER FOR PIPE \varnothing 12 mm
complete with nuts and olives
thread connection for hose M20x1.5 mm
tapered nozzle M11x1 mm
fastening fitting M15x1 mm



BARON BN6A014708

3025374 FLAME SPREADER \varnothing 105 mm



BARON BN822410081

3025378 JET HOLDER
with jet hole \varnothing 10x1




BARON BN822160022

BARON 822160020

BARON 822160022

3025292 FLAME SPREADER \varnothing 75 mm



BARON BN2510601

3025176 FLAME SPREADER \varnothing 80 mm



BARON 6A042100

3025379 JET HOLDER FITTING 34 mm
thread M16x1.5 mm



BARON BN822160031

BARON 822160030

BARON 822160031

Suitable for:

3025289 AERATION REGULATOR
internal \varnothing 42 mm - external \varnothing 45 mm
height 50 mm



BARON BN2519002

BARON 822120020

3025379 JET HOLDER FITTING 34 mm
thread M16x1.5 mm



BARON BN822160031


BARON 822160030

BARON 822160031

3025196 AERATION REGULATOR
internal \varnothing 37 mm - external \varnothing 40 mm
height 30 mm



3025378 JET HOLDER
with jet hole \varnothing 10x1




BARON BN822160022

BARON 822160020

BARON 822160022

3025290 NOZZLE HOLDER FOR PIPE \varnothing 12 mm
complete with nuts and olives
thread connection for hose M20x1.5 mm
tapered nozzle M11x1 mm
fastening fitting M15x1 mm



BARON BN6A014708



Suitable for:

3025288 VENTURI F/FLAME SPREADER 125 mm



BARON BN2510340

BARON



Suitable for:

3025282 VENTURI F/FLAME SPREADER 80 mm



BARON BN2510350

Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for ignition plug



BARON 85326050065

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



BARON 85326050610

3001019 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



BARON 826690011

3001017 IGNITION LEAD 600 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode




BARON BN6A013000

BARON 6A013000

Contactors


3446223 CONTACTOR AEG LS02K400
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



BARON BN6A047037

BARON 6A047037

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



BARON A047037

BARON BN6A047031

3351260 AUXILIARY CONTACT AEG HS0501
10A
1 normally closed contact





Suitable for:

3351261 **AUXILIARY CONTACT AEG HS0510**
10A
1 normally open contact



BARON



Suitable for:

3351211 **CONTACTOR AEG LS4K 9A 230V 4Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



BARON BN6A047034

BARON 6A047034

3446516 **AUXILIARY CONTACT AEG HS7K01**
10A
1 normally closed contact



3454032 **AUXILIARY CONTACT AEG HS7K10**
1 NO contact



3351218 **CONTACTOR AEG LS7K 18A 230V 7.5Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



BARON 853310065

3446561 **CONTACTOR LOVATO BF0910A**
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



BARON BN826630300

BARON 826630300

3446227 **AUXILIARY CONTACT LOVATO G218**
10A
1 contact NO
1 contact NC





Suitable for:

BARON



Suitable for:

Cooking baskets and accessories

3055640 FALSE BOTTOM 522x325x55 mm
made of STAINLESS steel



BARON BN2510528

5008440 PASTA COOKER BASKET 158x310x240 mm
made of STAINLESS steel



3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



BARON BN2510535

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055245 PASTA COOKER BASKET 290x145x215 mm
made of STAINLESS steel



BARON BN2519572

3055147 PASTA COOKER BASKET 290x98x215 mm
made of stainless steel



BARON BN2519571

3055247 PASTA COOKER BASKET 310x160x240 mm
made of stainless steel



BARON BN2510532



Drain hoses

- 3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**
 ø 22 mm - length 210 mm - bayonet coupling
 for TECNOINOX BAIN-MARIE-FRYER



BARON 823550170

Drain plugs


- 5051269 OVERFLOW PIPE ø 20x115 mm**
 of stainless steel



BARON BN822160210

Drain taps and accessories

- 3356106 DRAIN TAP ø 1" F**
 outlet internal ø 25 mm



BARON BN6A023020

BARON 6A023020

- 3225001 DRAIN TAP LEVER ø 1" F**



- 5019546 LEVER FOR DRAIN TAP ø 3/4"-1" F**
 length 105 mm



- 3243142 O-RING 04118 EPDM**
 ring thickness 3.53 mm - internal ø 29.75 mm



- 5058417 OIL DRAIN PIPE WITH SAFETY DEVICE**
 ø 38 mm - length 200 mm - bayonet coupling





Suitable for:

BARON



3356007 DRAIN TAP ø 1"1/2F TECNO
TAPERED SEAL - swivel nut ø 1"1/2F
with gasket
for BOILING PAN



BARON 853310059

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3356128 PIN ø 5x30 mm
complete with blind nut



Suitable for:

3186240 ASBESTOS FREE FLAT GASKET ø 46x38x2 mm
for drain tap ø 1"1/2



3186199 GASKET INTERNAL EPDM FOR TAPS
NSF certified
for DRAIN TAP ø 1"1/4 and 1"1/2



3242189 HANDGRIP FOR DRAIN TAP
for DRAIN TAP ø 1"1/2F e 1"1/4F



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved





Suitable for:

3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to +120°C
 from +50°C to +120 °C the grease becomes oily



BARON

Suitable for:



3356149 DRAIN TAP Ø 2" F TECNO
 BRASS CAP - with swivel nut Ø 2" F



BARON 6A021000

BARON 853310027

3356101 CAP FOR DRAIN TAP
 for DRAIN TAP Ø 2" OLD MODEL



3242190 DRAIN TAP HANDGRIP
 for DRAIN TAP Ø 2" OLD MODEL
 AND FOR TECNO NEW MODEL



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



3186242 ASBESTOS FREE FLAT GASKET Ø 61x46x2 mm
 for drain tap Ø 2" old model



3356016 DRAIN NIPPLE Ø 2"x80 mm
 in brass



3356012 ESCUTCHEON FOR DRAIN TAP Ø 2"



5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm
 for drain tap Ø 2"





Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3356128 PIN Ø 5x30 mm
complete with blind nut



3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



3526673 GAS/WATER VALVE Ø 1"FF
ball valve
heavy series with PN 40 total passage
aluminium lever



BARON BN826901320

BARON 85327060056

BARON

Suitable for:

3186241 O-RING 06212 VITON


ring thickness 5.34 mm - internal Ø 53.34 mm
for DRAIN TAP Ø 2" OLD MODEL AND
TECNO NEW MODEL



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3356078 BUSHING Ø 11x20 mm





Suitable for:

5023594 CAST IRON FITTING \varnothing 1"MF



3356138 DRAIN TAP FITTING \varnothing 1"MM
 \varnothing side outlet 28 mm - bracket 68x40x19 mm
fitting height 100 mm



3242049 DRAIN TAP HANDLE 140 mm
square hole 6x6 mm



5036175 DRAIN TAP MANIFOLD
2 top connections \varnothing 1"MM - 2 top connections \varnothing 3/32
1 bottom connection \varnothing 1"MM
width 295 mm - overall length 114 mm
distance between holes 275 mm



7100207 HEADLESS SCREW HEXAGONAL M5x8
stainless steel - conical top
UNI 5927 - DIN 914 - ISO 4027



BARON

Suitable for:

5031496 DRAIN PIPE \varnothing 1"MM
length 195 mm




5028002 DRAIN TAP FITTING \varnothing 1"MM
side exit \varnothing 30 mm - bracket 80x30 mm
distance between holes 60 mm - coupling height 100



3242280 DRAIN TAP KNOB BLACK 79 mm
square hole 6x6 mm



5033656 FITTING OF BRASS \varnothing 1"MF



5011612 LEVER DRAIN TAP 250 mm
square pin 6x6 mm





Suitable for:

BARON




Suitable for:

Electric hot plates

3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V

terminal block electric connections
with STAINLESS steel edge 8 mm
for electric cooking top




BARON BN6A048901

BARON 6A048900

BARON 6A048901

3311097 ELECTRIC HOT PLATE ø 180 mm 2000W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



BARON BN6A048910

BARON 6A048910

3311098 ELECTRIC HOT PLATE ø 220 mm 2000W 230V

"ECODESIGN" MODEL
electrical screw connections
with STAINLESS steel edge
for electric cooking top



BARON 6A045301

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



BARON BN6A045601

BARON 6A045300

3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



BARON 6A045600

BARON 826620010

3311078 ELECTRIC HOT PLATE ø 300 mm 3500W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



BARON 6A036500

3311052 ELECTRIC HOT PLATE 2000W 400V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



BARON 6A036740

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



BARON 6A036720



Suitable for:

3311054 ELECTRIC HOT PLATE 2600W 400V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



BARON BN6A036730

BARON 6A036730

Suitable for:

3311062 ELECTRIC HOT PLATE 3000W 230V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



BARON BN6A036530

BARON 6A036530

3311063 ELECTRIC HOT PLATE 3000W 400V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



BARON 6A036510

3311065 ELECTRIC HOT PLATE 4000W 400V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



BARON 826620080

Electrical gas valves and accessories

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for ELETROSIT VALVE



BARON 6A049900

3526124 KNOB EXTENSION LENGTH 67 mm
 for VALVE 820 NOVA-824 NOVASIT



BARON 824710350

3440200 THERMOPILE WITH TWIN LEAD \varnothing 9x65 mm
 cable length 800 mm - with coupling M11X1



BARON 41826920100

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETROSIT-820 NOVA-824 NOVASIT



BARON BN6A050003



Suitable for:

BARON



3526090 VALVE 810 Elettrosit \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



BARON 6A05000

3526100 COIL 220V
 for VALVE Elettrosit



3526093 EXTENSION FOR Elettrosit BUTTON 34 mm
 for switching on/off buttons



3526107 FLANGE STRAIGHT \varnothing 3/4" F
 with screws and OR
 for Elettrosit VALVE



3526136 SPRING FOR PUSH-BUTTON



Suitable for:

3526137 BUTTON FOR Elettrosit VALVE 46 mm



3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for Elettrosit VALVE



BARON 6A04900

3526106 FLANGE STRAIGHT \varnothing 1/2" F
 with screws and OR
 for Elettrosit VALVE



3001008 PIEZO IGNITER
 a \varnothing 14 mm hole is required for the assembly
 faston M \varnothing 2.4 mm




3526096 VALVE MICROSCHIT
 maximum load 0.2 A
 for VALVE Elettrosit-820 NOVA-824 NOVASIT



BARON BN6A050003

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model



BARON BN826920090

BARON 41826920090

BARON 826920090


2100054 COIL 220V 60Hz
 for VALVE 820 NOVA-822 NOVA-828 NOVA



3526078 ELBOW FLANGE \varnothing 3/4" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3020083 FITTING AND OLIVE \varnothing 4 mm



BARON 6A011608

3526075 FLANGE STRAIGHT \varnothing 1/2"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526270 VALVE 820 NOVA EXTENSION
 D shaft \varnothing 10x8 mm




3526077 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



5047586 EXTENSION FOR VALVE 820 NOVA
 D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



BARON 6A011607

3526076 FLANGE STRAIGHT \varnothing 3/4"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



BARON 824710350

3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



BARON



Suitable for:

3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



3440200 THERMOPILE WITH TWIN LEAD \varnothing 9x65 mm
cable length 800 mm - with coupling M11X1



BARON 41826920100

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



BARON BN6A050003

3523084 VALVE 826 NOVA \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
outlet pressure range setting
2÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



BARON BN3103650

BARON 3103650

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:


3526078 ELBOW FLANGE \varnothing 3/4" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3020084 FITTING AND OLIVE \varnothing 6 mm



BARON 6A011607

3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




BARON

Suitable for:

3030001 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 2 wires
for sit valve 824 NOVA-826 NOVA-836 TANDEM



3020083 FITTING AND OLIVE \varnothing 4 mm



BARON 6A011608

3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



2110316 MAGNETIC COIL
220/240V 50Hz
for VALVE 822 NOVA-824 NOVA-826 NOVA
for VALVE 827 NOVA-828 NOVAMIX





Suitable for:


BARON



Suitable for:

Energy regulators


2111902 ENERGY REGULATOR
contacts 240V 13A
temperature max 125°C
D-shaped pin \varnothing 6x4.6 mm



BARON 6A001402

BARON 853400020

3350026 ENERGY REGULATOR
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



BARON 41853400180

BARON 853310063

BARON 6A049320

BARON 853400010

BARON 826630140

3350031 ENERGY REGULATOR
contact capacity 400V 7A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



BARON 826630210

Feet

5074912 ADJUSTABLE S/ST. FOOT \varnothing 1"1/2 x h 120 mm
with square flange 67x67 mm
adjustable height 120÷190 mm



BARON BN2519500

Filters

5031595 S/STEEL DRAIN FILTER \varnothing 65 mm



BARON 4185322002241



Fryer baskets and accessories

3055399 FRYER BASKET 250x155x120 mm
made of chrome-plated iron



BARON BN9000336

3055294 FRYER BASKET 255x320x120 mm
made of chrome-plated iron



BARON BN9000335

5023260 FRYER BASKET 320x160x120 mm
made of chrome-plated iron



BARON BN9000337

5021826 FRYER BASKET 320x240x120 mm
made of chrome-plated iron



BARON BN9000338

3055291 FRYER BASKET 355x162x120 mm
made of chrome-plated iron



BARON BN9000332

BARON BN9000334

5049785 FRYER BASKET 380x280x120 mm
made of chrome-plated iron



BARON BN9000413

Gas burners

5038648 BURNER \varnothing 50x402 mm
overall length 445 mm
made of STAINLESS STEEL



BARON BN2519433

3023333 BURNER \varnothing 50x420 mm
overall length 475 mm
made of STAINLESS steel



BARON BN2519400

3023332 BURNER \varnothing 50x610 mm
overall length 660 mm
made of STAINLESS steel



BARON BN2510697

3023235 BURNER 450x220 mm
made of stainless steel



BARON BN4185322010923

BARON 4185322010923

BARON 85322006437



Suitable for:

BARON



3023144 BURNER 575x225 mm
made of stainless steel



BARON 4185322006438
BARON 85322010924

BARON 4185322010924

BARON 85322006428

Suitable for:

3352015 AERATION REGULATOR
internal \varnothing 18 mm - external \varnothing 20 mm
height 42 mm



5053840 BURNER 605x275 mm
made of STAINLESS STEEL



BARON BN2519270

3023237 CENTRAL VERTICAL BURNER 300x55 mm
NICKEL-PLATED



BARON 85322001231

3020318 PILOT BURNER EXTENSION \varnothing 6 mm
with nut
thread M10x1



BARON BN822450610

3023236 VERTICAL BURNER LH 300x55 mm
NICKEL PLATED



BARON 85322001230

Gas taps and accessories

3348016 GAS TAP 21/S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 8x6.5 mm



BARON 826920040

7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread \varnothing 3/8" F - M16x1 mm
for taps PEL 20S-21S



3348085 BUSH FOR TAP




3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21





Suitable for:


3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



BARON

Suitable for:

3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110





Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



BARON BN6A011480

BARON 41822450100

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



BARON



Suitable for:


3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25




BARON BN6A011485

BARON 41822450090

BARON 6A011485

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450

3348076 GAS TAP 21/S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M8x1 mm
D-shaped pin \varnothing 8x6.5 mm



BARON BN6A011490

BARON 6A011490


7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread \varnothing 3/8" F - M16x1 mm
for taps PEL 20S-21S






Suitable for:

3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21



3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21




3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



BARON

Suitable for:

3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm





Suitable for:

3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



BARON



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



BARON BN6A011480

BARON 41822450100

BARON 6A011480

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25




BARON 41822450120

BARON 6A016120

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



BARON BN6A011485

BARON 41822450090

BARON 6A011485

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110

BARON 6A016110

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705


BARON 6A011705

BARON 822450450

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



BARON BN6A011500


BARON 6A011500

BARON 826920060

BARON 85327060012

BARON 853310186

3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O






Suitable for:


3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22




3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



BARON

Suitable for:


3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S




3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22




3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



BARON BN6A014100

BARON 6A014100

3348038 **OLIVE FOR PIPE \varnothing 10 mm**
for model PEL 22-24-25



BARON BN6A011470

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

3348230 **PIN FOT GAS TAP \varnothing 6x4.6 mm**
pin length 45/20 mm rh/lh
for model PEL 22



BARON



Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
for model PEL 22-24-25




BARON BN6A016300

BARON 6A016300

3348037 **OLIVE FOR PIPE \varnothing 6 mm**
for model PEL 21-22-24-25



3348031 **PIPE FITTING \varnothing 10 mm**
thread M20x1.5 mm
for model PEL 22-24-25



BARON BN6A011475



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



BARON BN6A016200

BARON 6A016200


3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705


BARON 6A011705

3348011 GAS TAP 235/0
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet fitting M24x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm




BARON 853310038

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35 mm
for model PEL 23



3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23



BARON

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110


BARON 6A016110

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



BARON 822450450


3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23



3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23





Suitable for:

3348040 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 23



3348042 OLIVE FOR PIPE \varnothing 20 mm
for model PEL 23



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5
for model PEL 23



BARON

Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



BARON 6A016500

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

3182020 PEL MAGNETIC GROUP
head \varnothing 24 mm - end \varnothing 18 mm - length 59 mm
thermocouple fitting M9x1
for tap PEL model 23S



3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



BARON 6A016401

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110

BARON 6A016110





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450

BARON



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348012 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin \varnothing 10x8 mm



BARON BN6A001453


BARON BN6A013600

BARON 6A013600

3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23




3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35 mm
for model PEL 23




3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3182010 MAGNETIC UNIT PEL
head \varnothing 24 mm - end piece \varnothing 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



BARON BN6A014200

BARON 6A014200

3348040 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 23





Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



BARON 6A016500

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5
for model PEL 23



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450

BARON

Suitable for:

3348042 OLIVE FOR PIPE \varnothing 20 mm
for model PEL 23



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



BARON 6A016401

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110

BARON 6A016110

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm





BARON



Suitable for:

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



BARON BN6A011470

Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



BARON BN6A011480

BARON 41822450100

BARON 6A011480

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



BARON 6A016500

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



BARON BN6A011475

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



BARON BN6A011485

BARON 41822450090

BARON 6A011485

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



BARON BN6A016200

BARON 6A016200

3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



BARON 6A016401

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110

BARON 6A016110



Suitable for:


BARON



Suitable for:


Gas valves and accessories

3526258 EUROSIT VALVE FOR FRYER 110÷190°C
 with new knob
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm
 RoHS certificated



BARON 41826920350


4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR



3020084 FITTING AND OLIVE \varnothing 6 mm



BARON 6A011607

3526127 FLANGE FOR EXTENSION




BARON 824710060

5050401 OLIVE FOR PIPE \varnothing 10 mm
 external \varnothing 13 mm - height 8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



BARON 6A011608

5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
 thread \varnothing 3/8" M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 22-24-25



BARON BN6A016300

BARON 6A016300



Suitable for:

3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



BARON



Suitable for:


3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M




BARON 6A011620

BARON 6A011625

3526123 RUBBER PROTECTION FOR EUROSIT VALVE




3526131 EUROSIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure setting range
3÷18 mbar outlet
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x200 mm



BARON 8219900

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR




3241435 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



3526126 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm




3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm





Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm



BARON 6A011608

**5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M**



**5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm**



**3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25**



BARON BN6A016300

BARON 6A016300

**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M**



BARON 6A011620

BARON 6A011625

3526127 FLANGE FOR EXTENSION




BARON 824710060

BARON

Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm



BARON 6A011607

3526127 FLANGE FOR EXTENSION



BARON 824710060


**5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm**



**3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm**



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



**3526121 KNOB EXTENSION LENGTH 62 mm
D shaft \varnothing 8x6.5 mm**



BARON BN2518650

BARON 2518650

BARON 822160011





Suitable for:

Suitable for:

3523035 KNOB MINISIT BLACK \varnothing 37 mm




BARON BN6A011602
BARON 824710160

BARON BN824710160

BARON 6A011602

3523047 LID MINISIT



BARON 6A011610

3523949 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges



BARON 85327020200

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
with screws and OR



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm




BARON BN6A011602
BARON 824710160

BARON BN824710160

BARON 6A011602

3523047 LID MINISIT



BARON 6A011610

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



BARON 6A015200


3523061 NUT \varnothing 1/4"x6 mm





Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



BARON



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



BARON BN6A011480

BARON 41822450100

BARON 6A011480

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



BARON BN6A016300


BARON 6A016300

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



BARON 6A016500

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



BARON BN4185327020230

BARON BN6A011603

BARON 85327020230


3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



BARON 6A011620

BARON 6A011625

3523051 SENSING ELEMENT MINISIT 110 \div 190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm




5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm






3523040 SENSING ELEMENT MINISIT 100÷340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm



BARON BN6A011709

BARON 6A011709

3523042 SENSING ELEMENT MINISIT 50÷190°C
capillary length 1200 mm
bulb \varnothing 5x95 mm



BARON BN6A015201

BARON 6A015201

3526130 VALVE 630 EUROSIT OVEN 100÷340°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



BARON 8219950

BARON 826920010

BARON 826920011R

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



3526129 CLASP \varnothing 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752




3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



BARON 6A011608

5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



BARON 6A011607



Suitable for:

3526127 FLANGE FOR EXTENSION



BARON 824710060

3526128 KNOB EXTENSION LENGTH 34 mm
D-shaped pin \varnothing 8x6.5 mm




5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



BARON

Suitable for:

5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3526125 KNOB EXTENSION LENGTH 44 mm
D-shaped pin \varnothing 8x6.5 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



BARON BN6A016300

BARON 6A016300

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



BARON 6A011620

BARON 6A011625



Suitable for:

3526139 VALVE 630 EUROSIT OVEN 80÷320°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 capillary length 1000 mm
 bulb \varnothing 4x72 mm



BARON BN826920012


BARON 826920011

BARON 826920012

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



3020084 FITTING AND OLIVE \varnothing 6 mm



BARON 6A011607

3526127 FLANGE FOR EXTENSION



BARON 824710060

3526121 KNOB EXTENSION LENGTH 62 mm
 D shaft \varnothing 8x6.5 mm



BARON BN2518650

BARON 2518650


BARON 822160011

Suitable for:

3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR



3020083 FITTING AND OLIVE \varnothing 4 mm



BARON 6A011608

5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
 thread \varnothing 3/8" M - M16x1 mm



5050401 OLIVE FOR PIPE \varnothing 10 mm
 external \varnothing 13 mm - height 8 mm





Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



BARON BN6A016300

BARON 6A016300

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



BARON 6A011620

BARON 6A011625

3523020 VALVE 710 MINISIT OVEN 100 \pm 340°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \pm 60°C
capillary length 1050 mm
bulb \varnothing 5x70 mm
with an elbow flange \varnothing 3/8" F



BARON 6A011700

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



BARON BN6A011602

BARON BN824710160


BARON 824710160

BARON




Suitable for:

3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE




2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523047 LID MINISIT



BARON 6A011610




Suitable for:

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



BARON 6A015200

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



BARON BN6A016300

BARON 6A016300

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



BARON 6A011620

BARON 6A011625

BARON



Suitable for:

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



BARON BN6A011480

BARON 41822450100


BARON 6A011480

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



BARON 6A016500

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



BARON BN4185327020230

BARON BN6A011603

BARON 85327020230


3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange





Suitable for:

3523040 SENSING ELEMENT MINISIT 100±340°C
capillary length 1050 mm
bulb ø 5x70 mm



BARON BN6A011709

BARON 6A011709

BARON



Suitable for:

5058320 TUBE NUT FITTING ø 10 mm
thread M14x1,5 mm



3523920 VALVE 710 MINISIT OVEN 100±340°C
inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0±60°C
capillary length 1050 mm
bulb ø 5x70 mm
without cover, knob and flanges



BARON BN6A011701

BARON 6A011701

2100757 CONNECTION FOR OLIVE ø 16 mm
thread ø 1/2"M



3523038 ELBOW FLANGE MINISIT ø 1/2"
with screws and OR



3523037 ELBOW FLANGE MINISIT ø 3/8"
with screws and OR



3523035 KNOB MINISIT BLACK ø 37 mm




BARON BN6A011602

BARON BN824710160

BARON 6A011602

BARON 824710160

3523047 LID MINISIT



BARON 6A011610

3182003 MAGNETIC UNIT SIT
head ø 25 mm - end piece ø 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



BARON 6A015200


3523061 NUT ø 1/4"x6 mm





Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5




3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



BARON BN6A016300 BARON 6A016300

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



BARON 6A011620 BARON 6A011625

3523040 SENSING ELEMENT MINISIT 100 \div 340 $^{\circ}$ C
capillary length 1050 mm
bulb \varnothing 5x70 mm



BARON BN6A011709 BARON 6A011709

BARON



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



BARON BN6A011480 BARON 41822450100


BARON 6A011480

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



BARON 6A016500

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



BARON BN4185327020230

BARON BN6A011603

BARON 85327020230

3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm





Suitable for:

BARON



3523922 VALVE 710 MINISIT OVEN 100±340°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷80°C
 capillary length 1800 mm
 bulb \varnothing 5x70 mm
 without cover. knob and flanges



BARON BN0110710652

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
 with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



BARON BN6A011602
BARON 824710160

BARON BN824710160


BARON 6A011602

3182003 MAGNETIC UNIT SIT
 head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



BARON 6A015200

3523060 OIL SEAL FITTING \varnothing 6.5 mm
 internal thread M10x0.75 - external thread M14x1.5




2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR



3523047 LID MINISIT



BARON 6A011610

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 20-21-24-25



BARON BN6A011480

BARON 41822450100

BARON 6A011480



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



BARON BN6A016300

BARON 6A016300

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



BARON 6A011620

BARON 6A011625

3523041 SENSING ELEMENT MINISIT 100 \div 340°C
capillary length 1800 mm
bulb \varnothing 5x70 mm



BARON


Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



BARON 6A016500

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



BARON BN4185327020230

BARON BN6A011603

BARON 85327020230

3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



Gaskets and seals

5005440 FIBERGLASS GASKET \varnothing 16 mm
max temperature 600°C
COLOUR WHITE
SOLD PER LINEAR METRE



BARON BN6A098400

BARON 6A098400





Suitable for:

BARON



Suitable for:

Gaskets for oven door

3786701 OVEN DOOR GASKET 1500 mm


made of silicone elastomer
profile dimensions 20x6 mm
COLOUR BLACK
f/OLIS KITCHEN 74F-74G-76G-74E-76GE-76E-76EE-74CE
74STG-74STG+2-2FX+PCF-76STG-76STG+4-4FX+PCF-74STE
76STGE-120FLG-76EANPQ-76EEACPQ-74EPQ-76FL



BARON BN2510674

3786338 OVEN DOOR GASKET 1850 mm

made of silicone elastomer
profile dimensions 8x10 mm
COLOUR BLACK



BARON BN2510676

Grids for kitchen

5030594 GRID FOR SMOKE OUTLET 395x70 mm



BARON BN822410121

BARON 822410121

3185213 PAN SUPPORT GRID 292x510x50 mm



BARON BN2510797

Heating elements

3755830 CERAMIC HEATING ELEMENT 1000W 230V

length 240 mm - width 60 mm



BARON 826620170

3755856 HEATING ELEMENT 10200W 230/400V

length 300 mm - width 180 mm
coupling M54 - complete with cables
with two holes for bulb
complete with OR gaskets



BARON 85326002137

3186697 O-RING 0159 EPDM

ring thickness 3.53 mm - internal \varnothing 55.56 mm





Suitable for:

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



BARON 8526090144

BARON 85326090145

BARON




Suitable for:

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



BARON 85322005494

5016771 HEATING ELEMENT 1200W 240V
length 400 mm - width 200 mm
height 24 mm



BARON BN01130602100

3755078 HEATING ELEMENT 1250W 230V
length 405 mm - width 90 mm
height 105 mm - 2 flanges 25x15 mm



BARON BN41826620070

BARON BN826620070

BARON 41826620070

3755843 HEATING ELEMENT 1300W 230V
length 470 mm - width 80 mm
height 80 mm



BARON BN8217700

5032034 HEATING ELEMENT 13000W 230/400V
length 385 mm - width 200 mm
height 240 mm - flange 132x38 mm



BARON BN9000481

5053105 HEATING ELEMENT 13000W 230V
length 385 mm - width 200 mm
overall height 270 mm - flange 132x38 mm



BARON BN9000483

3755080 HEATING ELEMENT 1500W 230V
length 530 mm - width 270 mm
2 flanges 70x22 mm




BARON BN826620041

BARON 8031317450

BARON 826620041

5005445 HEATING ELEMENT 1500W 240V
length 325 mm - width 190 mm
height 35 mm - fittings \varnothing 1/4"



BARON BN6A045700




Suitable for:

BARON



3755661 HEATING ELEMENT 15000W 230V
length 300 mm - width 285 mm
connection M54x1.5 mm - complete with cables
complete with OR gaskets
with two holes per bulb



BARON 85326002138

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



BARON 8526090144

BARON 85326090145

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



BARON 85322005494

3755844 HEATING ELEMENT 1700W 230V
length 440 mm - width 80 mm
height 80 mm



BARON BN6A044706

5030719 HEATING ELEMENT 18000W 230V
length 460 mm - width 245 mm
height 265 mm - flange 132x38 mm



BARON BN9000519

1186715 O-RING 0159 VITON
ring thickness 3.53 mm - internal \varnothing 55.56 mm



3786459 O-RING 04200 VITON
ring thickness 3.53 mm - internal \varnothing 50.39 mm



BARON MACM099200

3755839 HEATING ELEMENT 1800W 220V
length 535 mm - width 450 mm
flange 160x22 mm - with cables



BARON BN6A037300

3755487 HEATING ELEMENT 1840W 230V
length 280 mm - width 70 mm
fittings \varnothing 1/4"



BARON BN4185326002063

BARON 4185326002063

BARON 85326002063

Suitable for:

3455303 HEATING ELEMENT 2000W 230V
length 485 mm - width 300 mm
height 50 mm
operating ambient: dry



BARON BN6A037050


Suitable for:

5011844 HEATING ELEMENT 2000W 230V
length 290 mm - width 140 mm
height 100 mm - fittings \varnothing 1/4"




BARON BN826620120

3755670 HEATING ELEMENT 2200W 230V
length 460 mm - width 170 mm
2 flanges 25x15 mm
operating ambient: dry




BARON BN826620101

5020692 HEATING ELEMENT 2300W 230V
length 340 mm - width 45 mm
height 215 mm - fittings \varnothing 1/4"



BARON BN8208200

3455214 HEATING ELEMENT 2350W 230V
length 400 mm - width 170 mm
height 100 mm - fittings \varnothing 1/4"



BARON BN6A050210

5016335 HEATING ELEMENT 2400W 230V
 \varnothing external 190 mm - overall height 80 mm
flange 70x22 mm



BARON BN6A037600

3755077 HEATING ELEMENT 2520W 220V
length 445 mm - width 65 mm
fittings \varnothing 1/4" mm



BARON 85326002064

3755841 HEATING ELEMENT 2660W 230V
length 580 mm - width 80 mm
height 75 mm



BARON BN6A037450


3755079 HEATING ELEMENT 2666W 230V
length 555 mm - width 90 mm
height 105 mm - 2 flanges 25x15 mm



BARON BN826620061

BARON 826620060

3755840 HEATING ELEMENT 2750W 240V
length 540 mm - width 575 mm
flange 160x22 mm - with cables



BARON BN6A037400

BARON 6A037400



Suitable for:

BARON



5016338 HEATING ELEMENT 3300W 230V
length 295 mm - width 75 mm
height 340 mm - fittings \varnothing 1/4"



BARON BN9000498

Suitable for:

5016395 HEATING ELEMENT 3300W 230V
length 335 mm - width 40 mm
height 275 mm - fittings \varnothing 1/4"



BARON BN9000509

3755210 HEATING ELEMENT 3490/3900W 230/240V
length 490 mm - width 190 mm
height 80 mm



BARON BN6A050190

3755489 HEATING ELEMENT 6800W 230V
length 300 mm - width 110 mm
connection M54x1.5 mm - with cables
with O-rings



BARON 4185326002136

BARON 85326002136

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



BARON 8526090144

BARON 85326090145

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



BARON 85322005494

5005423 HEATING ELEMENT 7500W 230V
immersed depth 505 mm
flange \varnothing external 72 mm
with bulbholder sheathing
complete with O-ring



BARON BN6A037202

3755228 HEATING ELEMENT 900W 220V
length 440 mm - width 50 mm
height 90 mm - fittings \varnothing 1/4"



BARON BN6A037250

BARON 6A037250



Suitable for:

BARON




5020081 HEATING ELEMENT 9000W 230/400V
length 395 mm - width 135 mm
height 270 mm - flange 132x38 mm



BARON BN9000482

Suitable for:

3355515 HEATING ELEMENT 9000W 230V
length 320 mm - width 175 mm
height 205 mm - fittings M12x1 mm



BARON MA1037317200

3455276 HEATING ELEMENT 9000W 230V
immersed length 480 mm
flange external \varnothing 63 mm
with bulb sheath
complete with O-ring



BARON BN6A037220

BARON 6A037205

3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



5028981 HEATING ELEMENT 9000W 230V
length 395 mm - width 135 mm
height 235 mm - flange 132x38 mm



BARON BN9000480

5005427 KIT HEATING ELEMENT 7500W 230V
length 295 mm - width 230 mm
fittings M14x1 mm
complete with sheathing and small parts



BARON BN8218100

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



BARON 85322005494

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



BARON 826410050



Suitable for:

BARON



Suitable for:

Hinges, catches and accessories

3053007 LEFTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205
height 160 mm



BARON BN6A035920

BARON 6A035920

BARON 826410070

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



BARON 826410050

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm



3053281 RIGHT/LEFT HINGE FOR OVEN
mounting distance 130 mm - overall length 155 mm
height 147 mm



BARON BN6A035980

3053108 ROLL HOLDER FOR HINGE
mounting distance 95 mm - overall length 110 mm
height 23 mm



BARON

3053006 RIGHTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205
height 160 mm



BARON BN6A035910

BARON 6A035910

BARON 826410060

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



BARON 826410050

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm





3053108 ROLL HOLDER FOR HINGE
 mounting distance 95 mm - overall length 110 mm
 height 23 mm



BARON

Hot plates

5056679 COOKING PLATE - DISK ø 225 mm
 made of cast iron



BARON BN822420040

BARON BN822420041

BARON 822420041

3312023 RIBBED PLATE 680x400 mm
 made of cast iron



BARON BN6A002600

BARON 6A002600


Ignitors

3001013 IGNITER PIEZO WITH CAP
 a ø 18 mm hole is required for the assembly
 faston M ø 2.4 mm



BARON 8530000110

3001014 CAP WATERTIGHT PIEZO
 made of silicone rubber
 with ring : ø external 29 mm - ø internal 18 mm



3528073 WASHER ø 32x18.5x4.5 mm



5071589 WATERTIGHT PIEZO CAP
 made of silicone rubber



BARON BN826630420

3001020 PIEZO IGNITER
 a ø 18 mm hole is required for the assembly
 faston M ø 2.4 mm



BARON BN6A041105

BARON 6A041105

BARON 826630020

5035512 WATERTIGHT PIEZO CAP
 of silicone rubber





Suitable for:

5071589 WATERTIGHT PIEZO CAP
made of silicone rubber




BARON BN826630420

BARON



Suitable for:

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



BARON BN4185327020230

BARON BN6A011603

BARON 85327020230

5071589 WATERTIGHT PIEZO CAP
made of silicone rubber



BARON BN826630420

Indicator lights

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm




BARON 6A038501

3221207 INDICATOR LIGHT GREEN 250V
 \varnothing head 15 mm - \varnothing hole 13 mm - 150°C



BARON 826650020

3221301 INDICATOR LIGHT RED 240V
head \varnothing 16 mm - hole \varnothing 13 mm - 150°C



3221454 INDICATOR LIGHT GREEN 400V
head \varnothing 16 mm - hole \varnothing 12 mm - 120°C



BARON BN6A038507

BARON 6A038507

BARON 826650050

3221208 INDICATOR LIGHT ORANGE 250V
 \varnothing head 15 mm - \varnothing hole 13 mm - 150°C



BARON 826650030



Suitable for:

3221342 INDICATOR LIGHT RED 400V
head \varnothing 16 mm - hole \varnothing 12 mm - 120°C



BARON BN6A038907

BARON 6A038506

BARON 6A038907

Suitable for:

3221455 INDICATOR LIGHT WHITE 400V
head \varnothing 16 mm - hole \varnothing 12 mm - 120°C



BARON BN6A039207

BARON 6A039207

BARON 826650060

Knobs


3241087 BLACK KNOB \varnothing 56 mm
D-shaped hole 6x4.6 mm
for selector switch



BARON BN6A037800

BARON 6A047500

3241473 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for HOT WATER INLET



BARON BN824710150

3241471 BLACK KNOB \varnothing 70 mm 100-300°C
D-shaped hole 8x6.5 mm



BARON BN824710070

3241475 BLACK KNOB \varnothing 70 mm 140-200°C
D-shaped hole 6x4.6 mm



BARON BN824710220

3241145 GREY KNOB \varnothing 77 mm 50-300°C
D-shaped hole 6x4.6 mm



BARON BN2994340

3241485 INLET TAP KNOB - BLUE
square hole 7x7 mm
for cold water



BARON BN6A022453

BARON 6A022453

5043580 KNOB BLACK \varnothing 65 mm 0-1-2-3-4-5-6-7
D-shaped hole 8x6,5 mm



BARON BN2599202

3241610 KNOB GREY \varnothing 77 mm 100-180°C
D-shaped hole 6x4.6 mm



BARON BN2994380



Suitable for:

BARON



Suitable for:

3241840 TAP KNOB - BLACK \varnothing 50 mm \varnothing 73 mm
square hole 12x12 mm



BARON BN6A033000

Lamp receptacles and spare parts

3221477 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 950 mm
distance between holes 23 mm



BARON BN3108860

3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
max. temperature 300°C




3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C



Lava stone grids

5053839 GRID OF ST. STEEL 575x305x25 mm



BARON BN2519602

Magnet groups


3182010 MAGNETIC UNIT PEL
head \varnothing 24 mm - end piece \varnothing 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



BARON BN6A014200

BARON 6A014200

3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



BARON BN6A014100

BARON 6A014100

Suitable for:

Suitable for:


3182003 MAGNETIC UNIT SIT
 head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



BARON 6A015200


Microswitches, mechanical

3240144 MICROSWITCH BITRON TYPE S16
 16A 250V



BARON 826630310

3240820 MICROSWITCH ELECTRICA NR48W5
 1NO + 1NC 16A 250V




BARON 85326043085

3240473 GASKET FOR BUSHING



3240166 MOUNTING PLATE FOR MICROSWITCH
 external dimensions 46x26 mm



3240152 BUSHING FOR MICROSWITCH



5035454 MICRO SUPPORT
 for WASHING MACHINE LF25



3240153 ROD FOR MICROSWITCH





Suitable for:

3240154 SPRING FOR MICROSWITCH ROD



BARON

Suitable for:



3240410 MICROSWITCH 16(4)A 250V



BARON BN6A039800

BARON 6A039800

3240236 LIMIT SWITCH CONTROL



3240203 BUSHING DOOR MICROSWITCH
external \varnothing 10x15 mm



3240234 LIMIT SWITCH PIN



3240233 MICROSWITCH FITTING M16x1.5 mm



3250071 MICROSWITCH SPRING \varnothing 13x25 mm



3240235 RING NUT M16x1.5 mm



Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm



BARON BN6A036410

BARON 6A036410

**Nozzles****3500020 GAS JET M10x1 \varnothing 0.80 mm**

BARON 822140270

3500021 GAS JET M10x1 \varnothing 0.95 mm

BARON 822140140

3500023 GAS JET M10x1 \varnothing 1.10 mm

BARON 822140150

3500025 GAS JET M10x1 \varnothing 1.20 mm

BARON 822140160

3500300 GAS JET M10x1 \varnothing 1.25 mm

BARON BN2510705

3500028 GAS JET M10x1 \varnothing 1.45 mm

BARON 822140040

3500339 GAS JET M10x1 \varnothing 1.45 mm

BARON BN2510748

3500296 GAS JET M10x1 \varnothing 1.90 mm

BARON BN2510757

3500032 GAS JET M10x1 \varnothing 2.00 mm

BARON 822140220

3500359 GAS JET M11x1 \varnothing 1.25 mm

BARON BN2510709

3500358 GAS JET M11x1 \varnothing 1.30 mm

BARON BN2510759

3500373 GAS JET M11x1 \varnothing 2.10 mm

BARON BN2510457



BARON



Suitable for:

Suitable for:

3500287 GAS JET M11x1 \varnothing 2.60 mm

3500100 GAS JET M13x1 \varnothing 1.45 mm



BARON BN2510487

BARON 822140040

3500345 GAS JET M9x1 \varnothing 0.60 mm

3500040 GAS JET M9x1 \varnothing 0.85 mm



BARON BN6A015350

BARON 6A015403

3500041 GAS JET M9x1 \varnothing 0.95 mm

3500042 GAS JET M9x1 \varnothing 1.00 mm



BARON BN6A015406

BARON 6A015406

BARON 6A015821

3500044 GAS JET M9x1 \varnothing 1.15 mm

3500046 GAS JET M9x1 \varnothing 1.25 mm



BARON 6A015505

BARON 6A015600

3500047 GAS JET M9x1 \varnothing 1.35 mm

3500048 GAS JET M9x1 \varnothing 1.45 mm



BARON BN6A015507

BARON 6A015507

BARON BN6A015605

BARON 6A015605

3500049 GAS JET M9x1 \varnothing 1.55 mm

3500051 GAS JET M9x1 \varnothing 1.90 mm



BARON BN6A015606

BARON 6A015606

BARON 6A015708

Suitable for:

3500053 GAS JET M9x1 \varnothing 2.15 mm



BARON 6A015790

Suitable for:

3500054 GAS JET M9x1 \varnothing 2.35 mm



BARON BN6A015800

BARON 6A015800

O-Ring and ORM gaskets

1786311 O-RING 0155 VITON GREEN
ring thickness 3.53 mm - internal \varnothing 50.80 mm
for shower holder



BARON BN4185326090144

1186759 O-RING 03106 EPDM
ring thickness 2.62 mm - internal \varnothing 26.65 mm



BARON 6A050001

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



BARON 8526090144

BARON 85326090145

3786459 O-RING 04200 VITON
ring thickness 3.53 mm - internal \varnothing 50.39 mm



BARON MACM099200


Pilot burners and accessories

3020303 BRACKET PILOT BURNER SUP. 71x42.5x22.5mm




BARON BN2910800

3020083 FITTING AND OLIVE \varnothing 4 mm



BARON 6A011608

3020084 FITTING AND OLIVE \varnothing 6 mm



BARON 6A011607

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



BARON 6A011707




Suitable for:

BARON



**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



BARON 6A011708

Suitable for:

**3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25**



BARON BN6A016300

BARON 6A016300

3020113 OLIVE FOR PIPE \varnothing 4 mm



BARON BN822450050

**5026012 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503**



BARON BN6A016900

3020114 OLIVE FOR PIPE \varnothing 6 mm



BARON BN6A011706

BARON 6A011706

**3020007 ONE-FLAME FIXED PILOT BURNER SIT
multigas with nozzle \varnothing 0.20 mm
fixed without bracket**



BARON BN6A013100


BARON 6A013100

3020083 FITTING AND OLIVE \varnothing 4 mm



BARON 6A011608

3020084 FITTING AND OLIVE \varnothing 6 mm



BARON 6A011607

**3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm**



BARON BN6A013104

BARON 6A013104

3020115 PILOT CAP 1 FLAME




3020054 PILOT JET \varnothing 0.20 mm





Suitable for:

3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



BARON BN6A013103

BARON 6A013103

3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020282 PILOT BURNER



BARON MA1032501300

BARON 1032501300

BARON

Suitable for:

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020281 BRASS NUT M10x1 FEATHER 13x4 mm





Suitable for:

3020051 FITTING FOR PILOT \varnothing 4 mm
thread M10x1
for pilot burner JUNKERS/ORCLI



3345021 OLIVE FOR PIPE \varnothing 4 mm



3020139 PILOT BURNER CAP



3020557 PILOT JET \varnothing 0.20 mm



BARON 41822140440

3020040 PILOT JET \varnothing 0.30 mm



BARON 41822140360

3020041 PILOT JET \varnothing 0.41 mm



BARON 41822140430

BARON

Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



3020541 PILOT JET \varnothing 0.35 mm



2106308 PILOT JET \varnothing 0.45 mm





Suitable for:

3020187 PILOT JET \varnothing 0.51 mm



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



BARON BN6A011705

BARON 6A011705

BARON 822450450

**3020268 PILOT BURNER FLAMEPIPE 80x50 MM
with pilot air regulator**




BARON BN2519000

3020270 PILOT BURNER TARGET SIT 2 FLAMES
supplied without sparking plug. nozzle
with GPL and NATUAL GAS nozzle
with pilot pipe connection



BARON BN2590057

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



BARON 6A011708

BARON

Suitable for:

4053669 PILOT JET \varnothing 0.75 mm



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



3020303 BRACKET PILOT BURNER SUP. 71x42.5x22.5mm



BARON BN2910800

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



BARON 6A011707

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BARON 6A013300

BARON 85326010046

BARON 853310150





Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BARON BN6A013301

BARON 6A013301

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020113 OLIVE FOR PIPE \varnothing 4 mm



BARON BN822450050

3020114 OLIVE FOR PIPE \varnothing 6 mm



BARON BN6A011706

BARON 6A011706


3020042 PILOT JET \varnothing 0.19 mm



BARON BN822140380

BARON 41822140380

5047578 PILOT JET \varnothing 0.24 mm



BARON 822140380

BARON

Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



BARON BN6A013302

BARON 6A013302

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

3020201 PILOT JET \varnothing 0.14 mm



BARON 6A013109

3020542 PILOT JET \varnothing 0.20 mm



3020202 PILOT JET \varnothing 0.27 mm



BARON MA1887800

BARON 6A013107


BARON 822140120





Suitable for:

2102405 PILOT JET \varnothing 0.35 mm



3020543 PILOT JET \varnothing 0.38 mm



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



BARON MA673500

BARON 822450040

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



BARON BN6A011705

BARON 6A011705

BARON 822450450

3020201 PILOT JET \varnothing 0.14 mm



BARON 6A013109

BARON

Suitable for:

3020043 PILOT JET \varnothing 0.36 mm



5022050 PILOT JET \varnothing 0.50 mm



**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25**



BARON BN6A016110

BARON 41822450110

BARON 6A016110

**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



3020042 PILOT JET \varnothing 0.19 mm



BARON BN822140380

BARON 41822140380

BARON 822140380

3020557 PILOT JET \varnothing 0.20 mm



BARON 41822140440

3020202 PILOT JET \varnothing 0.27 mm



BARON MA1887800

BARON 6A013107

BARON 822140120





BARON



Suitable for:

3020040 PILOT JET \varnothing 0.30 mm



BARON 41822140360

Suitable for:

3020452 PILOT JET \varnothing 0.32 mm



BARON BN6A013240

BARON 6A013240

3020055 PILOT JET \varnothing 0.35 mm



BARON BN6A013203

BARON 6A013103

3020041 PILOT JET \varnothing 0.41 mm



BARON 41822140430

3020449 PILOT JET \varnothing 0.54 mm



BARON BN6A013230

BARON 6A013230

5073872 PILOT PROTECTION LID \varnothing 40x33 mm



BARON BN826350260

**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M**



BARON 6A011620

BARON 6A011625

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



BARON MA673500

BARON 822450040

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



BARON BN6A011705

BARON 6A011705

BARON 822450450

3020229 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



BARON BN826920070

BARON 826920070

3020085 FITTING FOR SPARKING PLUG FIXING M10x1 m m




BARON 6A011707



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



BARON 6A011708

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



BARON 6A013300

BARON 85326010046

BARON 853310150

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



BARON BN6A013302

BARON 6A013302

**3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**



**3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25**



BARON 41822450120


BARON 6A016120

BARON



Suitable for:

3020285 GASKET FOR TARGET PILOT



**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



BARON BN6A013301

BARON 6A013301

**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



3020113 OLIVE FOR PIPE \varnothing 4 mm



BARON BN822450050

3020114 OLIVE FOR PIPE \varnothing 6 mm



BARON BN6A011706

BARON 6A011706



Suitable for:

3020318 PILOT BURNER EXTENSION \varnothing 6 mm
with nut
thread M10x1



BARON BN822450610

3020042 PILOT JET \varnothing 0.19 mm



BARON BN822140380


BARON 41822140380

BARON 822140380

5047578 PILOT JET \varnothing 0.24 mm



2102405 PILOT JET \varnothing 0.35 mm



3020543 PILOT JET \varnothing 0.38 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



BARON MA673500

BARON 822450040

BARON



Suitable for:

3020201 PILOT JET \varnothing 0.14 mm



BARON 6A013109

3020542 PILOT JET \varnothing 0.20 mm



3020202 PILOT JET \varnothing 0.27 mm



BARON MA1887800

BARON 6A013107

BARON 822140120

3020043 PILOT JET \varnothing 0.36 mm



5022050 PILOT JET \varnothing 0.50 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110

BARON 6A016110



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450

BARON



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



BARON BN826920030


BARON 826920030

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



BARON 6A011707

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



BARON 6A011708

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BARON 6A013300

BARON 85326010046

BARON 853310150

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



BARON BN6A013301

BARON 6A013301

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



BARON BN6A013302

BARON 6A013302

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm





Suitable for:

3020113 OLIVE FOR PIPE \varnothing 4 mm



BARON BN822450050

3020114 OLIVE FOR PIPE \varnothing 6 mm



BARON BN6A011706

BARON 6A011706

3020201 PILOT JET \varnothing 0.14 mm



BARON 6A013109

3020542 PILOT JET \varnothing 0.20 mm



3020202 PILOT JET \varnothing 0.27 mm



BARON MA1887800

BARON 6A013107

3020043 PILOT JET \varnothing 0.36 mm



BARON 822140120

BARON

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

3020086 PILOT GASKET



3020042 PILOT JET \varnothing 0.19 mm



BARON BN822140380


BARON 41822140380

BARON 822140380

5047578 PILOT JET \varnothing 0.24 mm



2102405 PILOT JET \varnothing 0.35 mm



3020543 PILOT JET \varnothing 0.38 mm





Suitable for:

5022050 PILOT JET \varnothing 0.50 mm



BARON



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON MA673500

BARON 822450040

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A016110

BARON 41822450110

BARON 6A016110

BARON BN6A011705


BARON 6A011705

BARON 822450450

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting




BARON 85327090026

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



BARON 6A011707

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



BARON 6A011708

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BARON 6A013300

BARON 85326010046

BARON 853310150



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BARON BN6A013301

BARON 6A013301

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020044 PILOT JET \varnothing 0.20 mm



3020452 PILOT JET \varnothing 0.32 mm



BARON BN6A013240

BARON 6A013240

3020449 PILOT JET \varnothing 0.54 mm



BARON BN6A013230

BARON 6A013230

BARON



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



BARON BN6A013302

BARON 6A013302

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



5071220 PILOT JET \varnothing 0.22 mm



3020045 PILOT JET \varnothing 0.50 mm




3020464 PILOT JET \varnothing 0.64 mm





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



BARON MA673500

BARON 822450040

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



BARON



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450


3020256 THREE-FLAME PILOT BURNER
supplied without sparking plug, nozzle
with pipe fitting and pipe pilot olive
with thermocouple fitting
with sparking plug fitting



BARON 41853310042

BARON 853310042

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



BARON 6A011708

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BARON BN6A013301

BARON 6A013301

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



BARON 6A011707

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BARON 6A013300

BARON 85326010046

BARON 853310150

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



BARON BN6A013302

BARON 6A013302



Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



BARON



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



3020044 PILOT JET \varnothing 0.20 mm



5071220 PILOT JET \varnothing 0.22 mm



3020452 PILOT JET \varnothing 0.32 mm



3020045 PILOT JET \varnothing 0.50 mm



BARON BN6A013240 BARON 6A013240

3020449 PILOT JET \varnothing 0.54 mm



3020464 PILOT JET \varnothing 0.64 mm



BARON BN6A013230 BARON 6A013230

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON MA673500

BARON 822450040

BARON BN6A011705

BARON 6A011705

BARON 822450450



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



BARON



Suitable for:


3020269 **THREE-FLAME PILOT BURNER**
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



BARON BN6A013220

BARON 6A013220

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



BARON 6A011708

3020060 **IGNITION PLUG ROUND \varnothing 7x44 mm**
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BARON BN6A013301

BARON 6A013301

3020294 **IGNITION PLUG ROUND \varnothing 7x44 mm**
M faston M4x1 mm
overall length 67 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



BARON 6A011707

3001003 **IGNITION PLUG ROUND \varnothing 7x44 mm**
M faston M4x1 mm
overall length 65 mm



BARON 6A013300

BARON 85326010046

BARON 853310150

3020124 **IGNITION PLUG ROUND \varnothing 7x44 mm**
connection \varnothing 2.4 mm
overall length 58 mm



BARON BN6A013302

BARON 6A013302

3020365 **IGNITION PLUG ROUND \varnothing 7x44 mm**
connection \varnothing 2.4 mm
overall length 52 mm





Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



5071220 PILOT JET \varnothing 0.22 mm



3020045 PILOT JET \varnothing 0.50 mm



3020464 PILOT JET \varnothing 0.64 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450

BARON

Suitable for:

5026012 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503



BARON BN6A016900

3020044 PILOT JET \varnothing 0.20 mm



3020452 PILOT JET \varnothing 0.32 mm



BARON BN6A013240

BARON 6A013240

3020449 PILOT JET \varnothing 0.54 mm



BARON BN6A013230

BARON 6A013230

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



BARON MA673500

BARON 822450040

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



Suitable for:

Suitable for:

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



BARON BN6A013200

BARON 6A013200

BARON 85327090022


3020103 BRACKET 3 POSITIONS



3020110 DEFLECTOR 3 FLAMES



3020083 FITTING AND OLIVE \varnothing 4 mm



BARON 6A011608

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BARON BN6A013301

BARON 6A013301

3020104 BRACKET CLAMP 3 POSITIONS




3020109 DEFLECTOR 2 FLAMES



5048713 DEFLECTOR 3 FLAMES



3020084 FITTING AND OLIVE \varnothing 6 mm



BARON 6A011607

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BARON 6A013300

BARON 85326010046

BARON 853310150

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



BARON BN6A013302

BARON 6A013302



Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



BARON



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



BARON BN6A016300

BARON 6A016300

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020081 OLIVE FOR PIPE \varnothing 6 mm



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



BARON BN6A013104

BARON 6A013104

3020054 PILOT JET \varnothing 0.20 mm



3020156 PILOT JET \varnothing 0.25 mm



4058525 PILOT JET \varnothing 0.30 mm



3020055 PILOT JET \varnothing 0.35 mm



5015516 PILOT JET \varnothing 0.40 mm



BARON BN6A013103

BARON 6A013103



Suitable for:

3500269 PILOT JET \varnothing 0.45 mm



BARON



Suitable for:

5075989 PILOT JET \varnothing 0.70 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020106 PILOT WITH 0.25 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



BARON 6A011620

BARON 6A011625


BARON MA673500

BARON 822450040

5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



BARON BN6A011705

BARON 6A011705

BARON 822450450



Suitable for:

BARON



3020199 THREE-FLAME PILOT BURNER SIT
supplied without sparking plug, nozzle and gasket




BARON BN826920110

BARON 826920110


Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm



BARON 6A011608

3020084 FITTING AND OLIVE \varnothing 6 mm



BARON 6A011607

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



BARON 6A011708

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BARON BN6A013301

BARON 6A013301

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



BARON 6A011707

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BARON 6A013300

BARON 85326010046

BARON 853310150

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



BARON BN6A013302

BARON 6A013302

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm





Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm



5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



3020541 PILOT JET \varnothing 0.35 mm



2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm



BARON

Suitable for:

3020112 OLIVE FOR PIPE \varnothing 6 mm



3020557 PILOT JET \varnothing 0.20 mm



BARON 41822140440

3020040 PILOT JET \varnothing 0.30 mm



BARON 41822140360

3020041 PILOT JET \varnothing 0.41 mm



BARON 41822140430

3020187 PILOT JET \varnothing 0.51 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



BARON MA673500

BARON 822450040





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450

BARON



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



BARON 41826920370


BARON 826920370

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



BARON 6A011707

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



BARON 6A011708

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BARON 6A013300

BARON 85326010046

BARON 853310150

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



BARON BN6A013301

BARON 6A013301

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



BARON BN6A013302

BARON 6A013302

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm





Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



3020541 PILOT JET \varnothing 0.35 mm



2106308 PILOT JET \varnothing 0.45 mm



BARON

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

3020086 PILOT GASKET



3020557 PILOT JET \varnothing 0.20 mm



BARON 41822140440

3020040 PILOT JET \varnothing 0.30 mm



BARON 41822140360

3020041 PILOT JET \varnothing 0.41 mm



BARON 41822140430

3020187 PILOT JET \varnothing 0.51 mm





Suitable for:

4053669 PILOT JET \varnothing 0.75 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



BARON

Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



BARON MA673500

BARON 822450040

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



BARON 6A013105

3020101 BRACKET CLAMP 2 POSITIONS




3020100 BRACKET 2 POSITIONS



3020109 DEFLECTOR 2 FLAMES




3020083 FITTING AND OLIVE \varnothing 4 mm



BARON 6A011608

3020084 FITTING AND OLIVE \varnothing 6 mm



BARON 6A011607





Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BARON BN6A013301

BARON 6A013301

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



BARON BN6A016300

BARON 6A016300

5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



BARON



Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BARON 6A013300

BARON 85326010046

BARON 853310150

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



BARON BN6A013302

BARON 6A013302

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

3020081 OLIVE FOR PIPE \varnothing 6 mm





Suitable for:


3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



BARON BN6A013104

BARON 6A013104

3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



BARON BN6A013103

BARON 6A013103

3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



BARON

Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET





Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



BARON 6A011620

BARON 6A011625

5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



BARON



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



BARON MA673500

BARON 822450040

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450

Pressure gauges

3242611 PRESSURE GAUGE \varnothing 40 mm
fitting \varnothing 1/8" M
scale 0-6 bar



BARON BN6A021910

3500345 GAS JET M9x1 \varnothing 0.60 mm



BARON BN6A015350

3245017 HOSE-END FITTING \varnothing 12 mm
with 2 holes \varnothing 9 mm





Suitable for:

BARON



Suitable for:

3054034 PRESSURE GAUGE ϕ 62 mm
coupling ϕ 1/8" M
range 0-1 bar



BARON 853310148


Radiant heating elements

3311166 RADIANT HEATING ELEM. ϕ 200mm 1800W 230V
faston electric connections
complete with energy regulation
for glass-ceramic cooking top



BARON 853400050

3311087 RADIANT HEATING ELEM. ϕ 250mm 2500W 230V
faston electric connections
complete with energy regulation
for glass-ceramic cooking top



BARON 41853400041

BARON 853400040

5073926 RADIANT HEATING ELEMENT OCTAGON. ϕ 200mm
1800W 230V
faston electrical connectors - with cables
complete with power adjuster
for glass-ceramic hob



BARON BN41853400051

3311083 RADIANT HEATING ELEMENT OCTAGON. ϕ 250mm
2500W 230V
faston electrical connections - with cables
complete with power setting
for glass-ceramic hob




BARON BN6A001417MAG

3455404 RADIANT HEATING ELEMENT OCTAGON. ϕ 300mm
3400/1400W 230V
faston electrical connections - with cables
complete with power adjuster
for glass-ceramic cooking top



BARON BN6A001405MAG

3311079 RADIANT HEATING ELEMENT OCTAGON. ϕ 165 mm
1200W 230V
faston electrical connections - with cables
complete with power setting
for glass-ceramic cooking top



BARON BN41863400060

Suitable for:

Suitable for:

3755855 RADIANT HEATING ELEMENT 1500W 230V
length 265 mm - width 165 mm
complete with cables



BARON

Relays

3351007 POWER RELAY FINDER 55.32.8.230.0040
230V 50/60Hz
2 exchange contacts 10A
with to test push-button + mechanic gauge



BARON BN6A047070

BARON 6A047070

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A




BARON 826630250

5072234 POWER RELAY FINDER 62.83.8.230.0300
complete with bracket
230V 50/60Hz
3 changeover contacts 16A



BARON 6A001407

3351028 RELAY SOCKET FINDER 94.82
10A 300V



BARON BN6A047074

BARON 6A047074

Safety groups for pans and spare parts

3184013 DEPRESSION VALVE \varnothing 3/4" M
in chrome plated brass
for safety group \varnothing 3/4"
for safety group \varnothing 1" 1/4



BARON BN6A021600

BARON 6A021600

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"
for security group 3/4"
for security group 1" 1/4



BARON BN6A021800

BARON 6A021800



Suitable for:

BARON



3184018 SAFETY VALVE \varnothing 1"1/4M
max pressure 0.5 atm
for safety group 1"1/4
ISPEESL approved



BARON 6A021510

Suitable for:

3184014 SIPHON FOR PRESSURE GAUGE HOLDER \varnothing 3/8" M
made of chrome plated brass
for safety group 3/4"



BARON 6A022010

3184019 TAP WITH FUNNEL \varnothing 1/2" M
with cover



BARON BN6A021700

BARON 6A021700


Selector switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.




BARON 6A045900

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
back connection for thermostat




BARON 6A044800

3057018 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
back connection for thermostat




BARON 41826630290

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm




BARON 6A046000

3057082 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm



BARON 85326030019

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




BARON BN6A046001

BARON 6A046001

BARON 826630150



3057073 **SELECTOR SWITCH 0-1 0-1 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




BARON 6A046700

BARON 826630290

Suitable for:


3057015 **SELECTOR SWITCH 0-1-0-1 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



BARON BN6A049300


BARON 6A049300

3057180 **SELECTOR SWITCH 0-3 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




BARON 6A046750

5062875 **SELECTOR SWITCH 0-3 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



BARON MA1309000

3057024 **SELECTOR SWITCH 0-6 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



BARON 6A045500

BARON 826630070

Solenoid valves

3120004 **SOLEN. VALVE ELBI TYPE 319 1 WAY 90°**
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



BARON 826630220

3120019 **ADJUSTER FOR INLET ELBI BLACK**
 flow rate 5.5 L/min - tolerance +/- 15%



3120021 **ADJUSTER FOR INLET ELBI BLACK**
 flow rate 12 L/min - tolerance +/- 15%



3120022 **ADJUSTER FOR INLET ELBI BLACK**
 flow rate 16 L/min - tolerance +/- 15%





Suitable for:

3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



BARON

Suitable for:

3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



BARON

Suitable for:

3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

BARON



Suitable for:

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



BARON BN6A050100

BARON 6A050100

BARON 6A050105

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



BARON 826630040

Sparking and detection plugs

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BARON 6A013300

BARON 85326010046

BARON 853310150

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BARON BN6A013301

BARON 6A013301

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



BARON BN6A013302

BARON 6A013302

3020232 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 61 mm



BARON 826650010

3020068 ROUND IGNITION PLUG \varnothing 7x44 mm
square coupling
faston M M4x1 mm
overall length 63 mm



BARON BN6A001457

3020230 ROUND IGNITION PLUG \varnothing 7x54 mm
male faston M4x1 mm
overall length 63 mm
for COOKING HOB series 700 PROTAGONISTA NUOVA
for COOKING HOB series 900 PROTAGONISTA NUOVA
for COOKING HOB series 1100 PROTAGONISTA NUOVA



BARON 85326010061



Switches

3319949 BIPOLAR SWITCH ORANGE 16A 250V
 16(4)A 250V - with indicator light
 max. temperature 120°C
 mounting hole \varnothing 25 mm



BARON 626630200

BARON 826630200

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



3319155 RED SINGLE-POLE PUSH-BUTTON 16A 250V
 16(4)A 250V - with push-button cap
 with indicator light
 mounting hole \varnothing 25 mm



BARON BN826630050

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



Taps for tank refilling

3183014 SPOUT CONNECTION 1/2" M
 chrome-plated brass swivel
 outlet spout \varnothing 18 mm



BARON 6A022452

3528056 COUNTER NUT FLAT OF BRASS 1/2"



5005455 WATER INLET TAP \varnothing 1/2" FF
 hole for pin \varnothing 8 mm



BARON BN2519004

3241485 INLET TAP KNOB - BLUE
 square hole 7x7 mm
 for cold water



BARON BN6A022453


BARON 6A022453

3359131 WATER INLET TAP \varnothing 3/8" MM
 D-shaped pin \varnothing 10x8 mm



BARON 826900960


3541003 DISK STICKER COLD WATER
 external \varnothing 50 mm





Suitable for:

5029684 **DISK STICKER COLD WATER**
external \varnothing 50 mm



3411004 **WATER INLET TAP \varnothing 3/8"FF**
D-shaped pin \varnothing 10x8 mm



3525031 **WATER INLET TAP DX \varnothing 1/2"FF**
D-shaped pin \varnothing 10x8 mm



BARON BN826900070

BARON 826900070

BARON 853321733

3525036 **WATER INLET TAP LH \varnothing 1/2"FF**
D-shaped pin \varnothing 10x8 mm



BARON 853321537

3241055 **FIXING CLIP**
for knob with \varnothing 8 mm hole



40C2234 **KNOB BLUE \varnothing 60 mm SCREEN PRINTED**
D-shaped hole 10x8 mm



BARON




Suitable for:


5010966 **KNOB BLACK \varnothing 70 mm SILK-SCREEN PRINT.**
D-shaped hole 10x8 mm



3241199 **KNOB BLACK \varnothing 70 mm COLD WATER**
D-shaped hole 10x8 mm




3241473 **BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED**
D-shaped hole 10x8 mm
for HOT WATER INLET



BARON BN824710150

3186342 **GASKET FOR OVEN**
soft - external \varnothing 13,5 mm



3241196 **KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTED**





Suitable for:

3241445 KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTE



40C2017 RINGNUT BLUE SCREEN PRINTED FOR KNOB
external dimensions 86x68 mm



BARON



Suitable for:

40C2007 RINGNUT BLUE SCREEN PRINTED FOR KNOB
external dimensions 86x68 mm



5004785 WATER INLET TAP LH \varnothing 1/2"FF
square pin 7x7 mm
brass valve for cold water
with external thread for fastening \varnothing 27x19 mm



BARON BN6A022412

BARON 6A022412

3241480 KNOB INLET WATER TAP - RED
square hole 7x7 mm
for hot water



BARON BN6A022456

BARON 6A022456

5004784 WATER INLET TAP RH \varnothing 1/2"FF
square pin 7x7 mm
brass valve for cold water
with external thread for fastening \varnothing 27x19 mm



BARON BN6A022411

BARON 6A022411


3241485 INLET TAP KNOB - BLUE
square hole 7x7 mm
for cold water



BARON BN6A022453

BARON 6A022453

2111534 NUT HEXAGONAL BRASS 27x6 mm



3241485 INLET TAP KNOB - BLUE
square hole 7x7 mm
for cold water



BARON BN6A022453

BARON 6A022453



Suitable for:

3241480 KNOB INLET WATER TAP - RED
square hole 7x7 mm
for hot water



BARON BN6A022456

BARON 6A022456

BARON



Suitable for:

2111534 NUT HEXAGONAL BRASS 27x6 mm



Terminal blocks

3247037 TERMINAL BLOCK 4-POLES FV173 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



BARON BN6A036204

BARON 6A036204

Thermocouples and accessories

3440065 CUT-OFF THERMOCOUPLE M9x1 32 cm
cut-off contact with terminals



BARON 826920130

3440174 CUT-OFF THERMOCOUPLE QUICK M9x1 40 cm
cut-off contact with terminals



BARON BN826920120


3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



BARON BN6A011910

BARON 6A011910


3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



BARON 826920050


BARON 85326010055

3440015 INTERRUPTION CONNECTOR M9x1



BARON 6A013603

3440111 MILLED DOUBLE FITTING M8x1-M9x1



BARON BN6A013401

BARON 6A013401



BARON



Suitable for:

3440064 NUT FOR THERMOCOUPLE M8x1



BARON BN6A012300

BARON 6A012300

Suitable for:

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS



BARON 41826920080


BARON 6A011904

3440135 THERMOCOUPLE SIT M10x1 150 cm



BARON 853310070

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS CONNECTOR M8x1



BARON BN6A011905

BARON 6A011905

3440157 THERMOCOUPLE SIT M8x1 60 cm COUPL. M8x1



BARON BN6A011905

BARON 6A011905

3440064 NUT FOR THERMOCOUPLE M8x1



BARON BN6A012300

BARON 6A012300

3440038 THERMOCOUPLE SIT M9x1 120 cm



BARON BN6A001455

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



3440039 THERMOCOUPLE SIT M9x1 150 cm



BARON BN6A011800

BARON 6A011800

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



BARON BN6A011800

BARON 6A011800



BARON



Suitable for:

Suitable for:

3440033 THERMOCOUPLE SIT M9x1 32 cm

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



BARON 6A011906

BARON 6A011906

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS

**3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS
CONNECTOR M8x1
ALUMINIUM COATED HEAD**



BARON 6A011906

BARON BN6A015900

BARON 6A015900

**3440058 THERMOCOUPLE SIT M9x1 32 cm THREAD M8x1
ALUMINIUM COATED HEAD**

3440064 NUT FOR THERMOCOUPLE M8x1



BARON BN6A015900

BARON 6A015900

BARON BN6A012300

BARON 6A012300

**3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS
CONNECTOR M8x1
ALUMINIUM COATED HEAD**



BARON BN6A015900

BARON 6A015900

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



BARON BN6A011901

BARON 6A011901

3440080 THERMOCOUPLE SIT M9x1 40 cm.

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



BARON BN6A011901

BARON 6A011901

BARON BN6A011901

BARON 6A011901



BARON



Suitable for:

Suitable for:

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



BARON BN6A011902

BARON 6A011902

BARON BN6A011902

BARON 6A011902

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



BARON BN6A011902

BARON 6A011902

BARON BN6A011903

BARON 6A011903

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
CONNECTOR M8x1**



BARON BN6A012000

BARON 6A012000

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1

3440064 NUT FOR THERMOCOUPLE M8x1



BARON BN6A012000

BARON 6A012000

BARON BN6A012300

BARON 6A012300

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
CONNECTOR M8x1**



BARON BN6A012000

BARON 6A012000

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



BARON BN6A011903

BARON 6A011903

BARON BN6A011903

BARON 6A011903



Suitable for:

BARON



Suitable for:

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



BARON 6A011900

BARON 85326010057

3440036 THERMOCOUPLE SIT M9x1 85 cm.



BARON 6A011900

BARON 85326010057

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



BARON 6A011900

BARON 85326010057

3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm



BARON 41826920080

BARON 6A011904

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS




BARON 41826920080

BARON 6A011904

Thermostatic gas valves

5057658 THERMOSTAT TAP 25ST/V
max. temperature 110°C
fittings M16x1,5 mm
thermocouple connection M9x1
bulb ø 6x160 mm
capillary length 1200 mm
D-shaped pin ø 8x6,5 mm



BARON BN6A023752

3348038 OLIVE FOR PIPE ø 10 mm
for model PEL 22-24-25



BARON BN6A011470

3348044 OLIVE FOR PIPE ø 10 mm
for model PEL 20-21-24-25



BARON BN6A011480

BARON 41822450100

3020082 OLIVE FOR PIPE ø 12 mm
for model PEL 22-24-25



BARON BN6A016300

BARON 6A016300



Suitable for:


3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



BARON BN6A011475

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



BARON BN6A016200

BARON 6A016200

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



BARON




Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



BARON BN6A011485

BARON 41822450090

BARON 6A011485

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



BARON MA673500

BARON 822450040

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450




Suitable for:

BARON



3345006 THERMOSTATIC TAP 24ST
 adjustment temperature 120-320°C
 connections M20x1.5 mm
 thermocouple connection M9x1
 bulb ø 6x100 mm
 capillary length 1200 mm
 D-shaped pin ø 10x8 mm



BARON BN6A023700

BARON 6A023700

3348044 OLIVE FOR PIPE ø 10 mm
 for model PEL 20-21-24-25



BARON BN6A011480

BARON 41822450100

3348036 OLIVE FOR PIPE ø 4 mm
 for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

3348031 PIPE FITTING ø 10 mm
 thread M20x1.5 mm
 for model PEL 22-24-25



BARON BN6A011475

3348032 PIPE FITTING ø 12 mm
 thread M20x1.5 mm
 for model PEL 22-24-25



BARON BN6A016200

BARON 6A016200

Suitable for:
3348038 OLIVE FOR PIPE ø 10 mm
 for model PEL 22-24-25



BARON BN6A011470

3020082 OLIVE FOR PIPE ø 12 mm
 for model PEL 22-24-25



BARON BN6A016300

BARON 6A016300

3348037 OLIVE FOR PIPE ø 6 mm
 for model PEL 21-22-24-25



3348043 PIPE FITTING ø 10 mm
 thread M16x1.5 mm
 for model PEL 20-21-24-25



BARON BN6A011485

BARON 41822450090

BARON 6A011485

3348029 PIPE FITTING ø 4 mm
 thread M10x1 mm
 for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110

BARON 6A016110



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450

BARON



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3345010 THERMOSTATIC TAP 24ST
adjustment temperature 55-110°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x160 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm



BARON BN6A023750

BARON 6A023750

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



BARON BN6A011470

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



BARON BN6A011480

BARON 41822450100

BARON 6A011480

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



BARON BN6A016300

BARON 6A016300

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25




BARON 41822450120

BARON 6A016120

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25




3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



BARON BN6A011475

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



BARON BN6A011485

BARON 41822450090

BARON 6A011485



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



BARON BN6A016200

BARON 6A016200


3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

3345018 THERMOSTATIC TAP 25ST
operating temperature 100-300°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x75 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



BARON BN41826920330

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



BARON BN6A011480

BARON 41822450100

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BARON 41822450120

BARON 6A016120

BARON



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



BARON 822450450

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



BARON BN6A011470

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



BARON BN6A016300

BARON 6A016300

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25





Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



BARON BN6A011475

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



BARON BN6A016200

BARON 6A016200

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BARON BN6A016110

BARON 41822450110

BARON 6A016110

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



BARON

Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



BARON BN6A011485

BARON 41822450090

BARON 6A011485


3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



BARON MA673500

BARON 822450040

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BARON BN6A011705

BARON 6A011705

BARON 822450450

Thermostats

2111161 GASKET STUFFING GLAND \varnothing 7.5 mm
height 7 mm
for THERMOSTAT EGO



BARON BN6A038804

3444652 SINGLE-PHASE THERMOSTAT 100-190°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm
bulb \varnothing 4x235 mm



BARON BN6A049100

BARON 6A049100






Suitable for:

BARON



3444772 SINGLE-PHASE THERMOSTAT 140°C
 with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x130 mm



BARON BN826630240

BARON 826630240

Suitable for:

3444649 SINGLE-PHASE THERMOSTAT 200°C
 with manual reset
 covered capillary length 870 mm
 bulb \varnothing 6x133 mm



BARON BN9000217

3444107 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 870 mm - 16A 250V
 bulb \varnothing 6x142 mm - with adapter nipple bland M9x1



BARON BN6A049401

BARON 6A049401

3444690 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 complete with wiring
 covered capillary length 1480 mm
 bulb \varnothing 4x125 mm



BARON 41R1221430

3444124 PROTECTION CAP
 for safety thermostat
 for THERMOSTAT EGO




3444624 SINGLE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 870 mm
 bulb \varnothing 6x133 mm



BARON BN41826630390

BARON BN9000515

3444019 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm - 16A 250V
 bulb \varnothing 6x130 mm



BARON BN6A046260


3744069 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 16A 250V
 bulb \varnothing 6x130 mm



BARON BN6A046050

BARON 6A046050

3444120 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm




BARON BN6A049500

BARON 6A049500



Suitable for:

3444310 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 6x75 mm



BARON BN826630010

BARON 826630010

Suitable for:

3444648 SINGLE-PHASE THERMOSTAT 50-295°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm
bulb \varnothing 3x220 mm



BARON BN6A049200

BARON 6A049200

5021649 SINGLE-PHASE THERMOSTAT 64-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1470 mm - 16A 250V
bulb \varnothing 4x125 mm



BARON BN826630191

3444623 SINGLE-PHASE THERMOSTAT 85-182°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 6x135 mm - with stuffing gland fitting M9x1




BARON BN41826630372

BARON 41826630371

BARON 826630370

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1010 mm - 16A 250V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1



BARON BN4185326010005

BARON 4185326010005


BARON 85326010005

3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1



BARON BN6A038801

5059787 THERMOSTAT SINGLE-PHASE 230°C
with manual reset
covered capillary length 730 mm - 16A 250V
bulb \varnothing 6x77 mm



BARON 4185322001046

3444239 THERMOSTAT SINGLE-PHASE 240°C
with manual reset
covered capillary length 860 mm - 16A 250V
bulb \varnothing 6x77 mm - with stuffing gland fitting M10x1
with M9x1 thermocouple interruption fitting



BARON 4185322001046



Suitable for:

BARON



3444018 THERMOSTAT SINGLE-PHASE 30-90°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1000 mm - 16A 250V
 bulb \varnothing 6x175 mm



BARON BN826630230

BARON 826630230

5016348 THERMOSTAT THREE-PHASE 132°C
 with manual reset
 capillary length covered 900 mm - 10A 400V
 bulb \varnothing 6x87 mm



BARON BN6A049407

5035531 THERMOSTAT THREE-PHASE 160°C
 with manual reset
 covered capillary length 900 mm - 20A 380V
 bulb \varnothing 6x89 mm



BARON BN6A049405

BARON 6A049405

7105534 THERMOSTAT THREE-PHASE 40-110°C
 D-shpaed pin \varnothing 6x4,6 mm
 capillary length covered 900 mm - 16A 380V
 bulb \varnothing 6x130 mm



BARON BN6A046240

5063606 THERMOSTAT THREE-PHASE 85-550°C
 complete with selector switch
 D-shpaed pin \varnothing 6x4,6 mm
 capillary length covered 1120 mm
 bulb \varnothing 4x228 mm



BARON BN6A046130


3444198 THREE-PHASE THERMOSTAT 100-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 10A 400V
 bulb \varnothing 6x130 mm



BARON BN8219601

BARON 8219601

3444626 THREE-PHASE THERMOSTAT 150°C
 with manual reset
 covered capillary length 800 mm - 20A 380V
 bulb \varnothing 6x90 mm




BARON BN41853310064

BARON 41853310064

BARON 853310064

3444770 THREE-PHASE THERMOSTAT 157°C
 with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x80 mm



BARON 41826630350

BARON 826630350

BARON 85326010002



Suitable for:

Suitable for:

3444307 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1

3444390 THREE-PHASE THERMOSTAT 230°C
with manual reset
capillary 900 mm - 10A 400V
bulb \varnothing 6x230 mm





BARON 85326010036

BARON BN6A046900

3444625 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm - 20A 400V
bulb \varnothing 6x90 mm

3444653 THREE-PHASE THERMOSTAT 245°C
with manual reset
capillary length covered 1750 mm - 20A 380V
bulb \varnothing 4x120 mm




BARON BN41826630380

BARON BN8219602

BARON 8219602

3444812 THREE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm - 16A 380V
bulb \varnothing 6x129 mm

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb \varnothing 3x190 mm



BARON BN6A046250


BARON 6A046250

BARON BN6A046150

BARON 6A046150

3444306 THREE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x120 mm

3444713 THREE-PHASE THERMOSTAT 40-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 380V
bulb \varnothing 3x219 mm



BARON BN826630130

BARON 826630130

BARON 6A038400

3444363 THREE-PHASE THERMOSTAT 420°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x310 mm

3444620 THREE-PHASE THERMOSTAT 45-120°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm - 16A 380V
bulb \varnothing 6x140 mm



BARON BN6A046180

BARON 6A046180

BARON 85326010016



Suitable for:

BARON



3444894 THREE-PHASE THERMOSTAT 50-275°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 380V
bulb \varnothing 3x220 mm



BARON BN6A044601

Suitable for:

3444251 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb \varnothing 3x220 mm



BARON BN826630123

BARON 826630123

BARON 826630161

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm



BARON 6A044900

3444103 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 3x220 mm



BARON BN6A044600

BARON 6A044600

3444425 THREE-PHASE THERMOSTAT 65-125°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x70 mm



BARON BN6A044650

BARON 6A044650

3744007 THREE-PHASE THERMOSTAT 90-195°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 6x135 mm




BARON BN6A046600

3444621 WASHER FOR CAPILLARY THERMOSTAT
 \varnothing 7.7 mm



BARON BN6A038803

3444695 3-PHASE THERMOSTAT 160°C
with manual reset
covered capillary length 900 mm - 20A 380V
bulb \varnothing 6x89 mm - with stuffing gland fitting M10x1



BARON BN6A049405

BARON

BARON 6A049405

Tools

3394406 SCRAPER FRY TOP AND BRATT PAN
with 1 blade 102 mm



BARON BN2510513

BARON MA1030000600

3394408 SCRAPER BLADE 102 mm - 10 PCS





Wheels and accessories

5005468 SCREW NUT FOR BRATT PAN \varnothing 44x40 mm



BARON BN2932200

3522048 WHEEL \varnothing 150 mm
central hole \varnothing 15 mm
complete with folding handle




BARON BN6A039705

5034844 WHEEL \varnothing 160 mm
central hole \varnothing 20 mm
complete with fixed handle



BARON BN6A039710

5005468 SCREW NUT FOR BRATT PAN \varnothing 44x40 mm



BARON BN2932200

5005466 WHEEL \varnothing 200 mm
central hole \varnothing 20 mm
complete with folding handle



BARON BN6A039702

BARON 6A039700


5037533 WHEEL HANDLE
hole for pin \varnothing 10 mm - length 160 mm
with handle of BAKELITE



BARON BN826900620

Wire pan supports

3354001 REDUCER FOR MOKA POT 265x265 mm
in stainless steel



BARON BN6A030100

BARON 6A030100

3354026 REDUCER FOR MOKA POT 400x300 mm
for old series
made of chrome-plated iron



BARON BN2519019

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com