



Spare parts for the professional sector:  
**Cooking equipment**



Suitable for:

**BARTSCHER**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# BARTSCHER



Suitable for:

## Air regulators

**3025196 AERATION REGULATOR**  
internal  $\varnothing$  37 mm - external  $\varnothing$  40 mm  
height 30 mm



BARTSCHER 016089

## Axial motor fans

**3242811 AXIAL FAN 80x80x25 mm**  
18Vdc



BARTSCHER 01058355

## Bearings

**1063911 BEARING 6202 ZZ NSK**  
external  $\varnothing$  35 mm-internal  $\varnothing$  15 mm-thickness 11 mm



BARTSCHER 012265

**1063906 BEARING 6203 ZZ NSK**  
external  $\varnothing$  40mm - internal  $\varnothing$  17mm - thickness 12mm



BARTSCHER 0314003

## Burners, flame spreaders and accessories

**3025283 BURNER  $\varnothing$  105 mm**



BARTSCHER 018848

**3025286 BURNER  $\varnothing$  125 mm**




BARTSCHER 019852

**3025280 BURNER  $\varnothing$  80 mm**



BARTSCHER 019851

**3025179 BURNER RING  $\varnothing$  90 mm**



BARTSCHER A042000

Suitable for:

**3025330 FLAME SPREADER  $\varnothing$  100 mm 3KW**



BARTSCHER 001U589

**3025338 VENTURI F/FLAME SPREADER 100 mm 3KW**



Suitable for:

**3025321 FAST BURNER  $\varnothing$  90 mm 3Kw**



**3025284 FLAME SPREADER  $\varnothing$  105 mm**



BARTSCHER 018847

**3025283 BURNER  $\varnothing$  105 mm**



BARTSCHER 018848

**3025285 VENTURI F/FLAME SPREADER 105 mm**



BARTSCHER 021642


**3025289 AERATION REGULATOR**

internal  $\varnothing$  42 mm - external  $\varnothing$  45 mm  
height 50 mm



**3025290 NOZZLE HOLDER FOR PIPE  $\varnothing$  12 mm**

complete with nuts and olives  
thread connection for hose M20x1.5 mm  
tapered nozzle M11x1 mm  
fastening fitting M15x1 mm





Suitable for:

# BARTSCHER



**3025287 FLAME SPREADER  $\varnothing$  125 mm**



BARTSCHER 020498

**3025286 BURNER  $\varnothing$  125 mm**



BARTSCHER 019852

**3025288 VENTURI F/FLAME SPREADER 125 mm**



**3025176 FLAME SPREADER  $\varnothing$  80 mm**



BARTSCHER A042100

**3025281 FLAME SPREADER  $\varnothing$  80 mm**



BARTSCHER 020497

Suitable for:

**3025289 AERATION REGULATOR**  
internal  $\varnothing$  42 mm - external  $\varnothing$  45 mm  
height 50 mm



**3025290 NOZZLE HOLDER FOR PIPE  $\varnothing$  12 mm**  
complete with nuts and olives  
thread connection for hose M20x1.5 mm  
tapered nozzle M11x1 mm  
fastening fitting M15x1 mm



**3025280 BURNER  $\varnothing$  80 mm**



BARTSCHER 019851




# BARTSCHER



Suitable for:

**3025290 NOZZLE HOLDER FOR PIPE  $\varnothing$  12 mm**  
complete with nuts and olives  
thread connection for hose M20x1.5 mm  
tapered nozzle M11x1 mm  
fastening fitting M15x1 mm




Suitable for:

**3025282 VENTURI F/FLAME SPREADER 80 mm**



BARTSCHER 021641

**3025723 NOZZLE HOLDER RIGHT BURNER**



BARTSCHER 010037

**3025285 VENTURI F/FLAME SPREADER 105 mm**



BARTSCHER 021642

**3025282 VENTURI F/FLAME SPREADER 80 mm**



BARTSCHER 021641

## Cables for piezo igniters

**3001042 IGNITION LEAD 700 mm**  
with faston terminal  $\varnothing$  2.4 mm for ignition  
with faston terminal  $\varnothing$  2.4 mm for plug



BARTSCHER 016885

## Contact thermostats

**3444609 CONTACT THERMOSTAT KSD301-R 95°C**  
manual reset - 10A 250V



BARTSCHER 0236047

BARTSCHER 0926189

**7120658 CONTACT THERMOSTAT 105°C 10A 250V**  
with automatic reset



BARTSCHER 0CB12004



Suitable for:

# BARTSCHER



**3444607 CONTACT THERMOSTAT 110°C**  
16A 250V 50/60Hz - with manual reset



BARTSCHER 0236039

Suitable for:

**7111835 CONTACT THERMOSTAT 130°C 10A 250V**  
with manual reset  
for Bain-marie (BARTSCHER) KG205



BARTSCHER 0KG20506

**7103289 CONTACT THERMOSTAT 180°C 16A 250V**  
with manual reset  
for Grill (BARTSCHER) GH811PH A150.674



BARTSCHER A039889

**3444341 CONTACT THERMOSTAT 215°C 16A 250V**  
with manual reset - pin M4



BARTSCHER 0236053

**3444608 CONTACT THERMOSTAT 60°C**  
automatic reset - for wash tank



BARTSCHER 0236035


**3444606 CONTACT THERMOSTAT 80°C**  
safety thermostat - for boiler



BARTSCHER 0236048

## Contactors

**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



BARTSCHER 011514

BARTSCHER 011516

**3351260 AUXILIARY CONTACT AEG HS0501**  
10A  
1 normally closed contact



**3351261 AUXILIARY CONTACT AEG HS0510**  
10A  
1 normally open contact



Suitable for:


**3351220 CONTACTOR AEG LS11K 25A 400V 11Kw**  
coil 230V 50/60Hz  
3 contacts NO  
no auxiliary contact



BARTSCHER 017594

Suitable for:

**3454100 CONTACTOR GENERAL ELECTRIC MCOA400AT**  
6A 400V 2,2Kw - coil 230V 50/60Hz  
4 contacts NO



BARTSCHER 065223001

**3351049 CONTACTOR SIEMENS 3RT2016-1AP01**  
9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



BARTSCHER 0229037

**3454072 CONTACTOR SIEMENS 3RT2017-1AB01**  
12A 400V 5.5Kw - coil 24V 50/60Hz  
3 contacts NO  
1 NO auxiliary contact



BARTSCHER 0927051

## Cooking baskets and accessories

**3055248 PASTA COOKER BASKET RH 155x155x240 mm**  
for old series  
made of STAINLESS steel



BARTSCHER 022918

**3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1**



**3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1**



**3055249 PASTA COOKER BASKET 145x145x180 mm**  
for new series  
made of STAINLESS steel



BARTSCHER 022928



Suitable for:

# BARTSCHER



Suitable for:

## Drain taps and accessories

**3356051 DRAIN TAP  $\varnothing$  3/4" F**



BARTSCHER A040578

BARTSCHER 016210829

## Electric hot plates

**3311094 ELECTRIC HOT PLATE  $\varnothing$  180 mm 1500W 230V**  
MODEL "ECODESIGN"  
terminal block electric connections  
with STAINLESS steel edge 8 mm  
for electric cooking top



BARTSCHER 017797

**3311100 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



BARTSCHER 028010

**3311054 ELECTRIC HOT PLATE 2600W 400V**  
dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



BARTSCHER 01122454238

BARTSCHER 049300

**3311063 ELECTRIC HOT PLATE 3000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



BARTSCHER 016726

**5093938 KIT ELECTRIC PLATE  $\varnothing$  125 mm**  
the kit includes:  
1 thermostat single-phase  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 680 mm - 16A 250V  
bulb  $\varnothing$  6x83 mm



BARTSCHER 0200512028





## Electrical cables

**7113877 POWER SUPPLY CABLE 16A 250V 1500 mm**  
with SCHUKO plug - 3 wires 0.75 mm<sup>2</sup>



BARTSCHER 011435612

**3050010 POWER SUPPLY CABLE 16A 250V 2000 mm**  
with SCHUKO plug and wheel grip




BARTSCHER 0700202G1

**3050004 SNAP-IN PLUG 10A 250V**  
mounting hole 27x19 mm - distance between holes 32



**5008206 POWER SUPPLY CABLE 16A 250V 2000 mm**  
with SCHUKO plug - 3 wires 1.5 mm<sup>2</sup>



BARTSCHER A042585

BARTSCHER 026648

## Electrical capacitors

**3068024 CAPACITOR DUCATI ENERGIA 16μF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connector 6.35x0.8 mm  
ø 36xh70 mm



BARTSCHER 0206004

**3068027 CAPACITOR DUCATI ENERGIA 20μF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connector 6.35x0.8 mm  
ø 40xh70 mm



BARTSCHER 0206005

**3068083 CAPACITOR ELECTRICAL 16μF**  
450V 50/60Hz - ø 35xh71 mm



BARTSCHER 0206004

**3068084 CAPACITOR ELECTRICAL 20μF**  
450V 50/60Hz - ø 40xh71 mm



BARTSCHER 0206005



Suitable for:

# BARTSCHER



Suitable for:

## Electrical gas valves and accessories

**3440172 THERMOPILE WITH TWIN LEAD**  $\varnothing$  9x65 mm  
 250÷750mV  
 cable length 850 mm - with fitting M11x1  
 for GAS VALVE UNITROL 7000



BARTSCHER 040400130

**3526300 VALVE 820 NOVA mV**  $\varnothing$  1/2"FF  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure range setting  
 outlet 5÷50 mbar  
 room temperature 0÷70°C  
 double wire thermopile power supply  
 (TPTH - TH terminal)  
 thermostat connection (TPTH - TH terminal)  
 suitable to replace the ITT valve  
 UB67 model



BARTSCHER 030100014

**2100054 COIL 220V 60Hz**  
 for VALVE 820 NOVA-822 NOVA-828 NOVA



**3526270 VALVE 820 NOVA EXTENSION**  
 D shaft  $\varnothing$  10x8 mm



**3526077 ELBOW FLANGE**  $\varnothing$  1/2" F  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526078 ELBOW FLANGE**  $\varnothing$  3/4" F  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P




**5047586 EXTENSION FOR VALVE 820 NOVA**  
 D-shaped pin  $\varnothing$  10x8 mm





Suitable for:

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**  
thread M10x1 - h 24 mm




## BARTSCHER



Suitable for:

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**  
thread M10x1 - h 10 mm



**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P




**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3440200 THERMOPILE WITH TWIN LEAD  $\varnothing$  9x65 mm**  
cable length 800 mm - with coupling M11X1



**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT





Suitable for:

# BARTSCHER



Suitable for:


## Electronic boards

**5080756 CONTROL ELECTRONIC BOARD 237x52 mm**  
with cable



BARTSCHER 010583511

**5088211 ELECTRONIC BOARD 237x230 mm**




BARTSCHER 010583512

**7103308 ELECTRONIC CONTROL BOARD 190x60 mm**  
for Salamander (BARTSCHER) 100546




BARTSCHER 06010083

**5091220 KIT CONTROL-POWER CIRCUIT BOARD**  
the kit includes:  
1 control electronic board 237x52 mm  
1 power electronic board with coil




BARTSCHER E01058359

**5057623 PCB KEYBOARD 187x64 mm**  
with cable  
for Hot plate (BARTSCHER) C30



BARTSCHER 01059303


**7115972 POWER ELECTRONIC BOARD 280x268 mm**  
for Hot plate (BARTSCHER) IK 235Z



BARTSCHER 010583812

## Energy regulators

**3350026 ENERGY REGULATOR**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for Salamander (BARTSCHER) EB-600



BARTSCHER 05057021010

**3350092 ENERGY REGULATOR**  
contact capacity 230V 13A  
temperature max 125°C  
D-shaped pin  $\varnothing$  6x4,6 mm  
double direction of rotation




BARTSCHER 05057021010

Suitable for:

Suitable for:

**5076341 ENERGY REGULATOR**  
 contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double direction of rotation



BARTSCHER A0106041

## Feet


**3313005 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 135 mm**  
 with fixed screw M12x40 mm  
 adjustable height 135÷200 mm



BARTSCHER 0926117

## Filters


**5091350 FILTER 200x115 mm**



BARTSCHER 01059354M

## Fittings

**5001550 FITTING WITH OLIVE  $\varnothing$  3/8"x12 mm**



BARTSCHER 0929076

## Fryer baskets and accessories

**7115555 FRYER BASKET 210x140x125 mm**  
 folding handle  
 of chromed-plated iron



BARTSCHER 016240416

BARTSCHER 165522

BARTSCHER 165513

BARTSCHER 165519

**3055399 FRYER BASKET 250x155x120 mm**  
 made of chrome-plated iron



BARTSCHER 09000336



# BARTSCHER



Suitable for:

**3055294 FRYER BASKET 255x320x120 mm**  
made of chrome-plated iron



BARTSCHER 09000335

Suitable for:

**5023260 FRYER BASKET 320x160x120 mm**  
made of chrome-plated iron



BARTSCHER 09000337

**5021826 FRYER BASKET 320x240x120 mm**  
made of chrome-plated iron



BARTSCHER 09000338

**3055293 FRYER BASKET 350x345x120 mm**  
made of chrome-plated iron



BARTSCHER 019405


**3055291 FRYER BASKET 355x162x120 mm**  
made of chrome-plated iron



BARTSCHER 020495

## Fuses

**3049053 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 6.3A



BARTSCHER 01143561

## Gas burners

**3023146 BURNER  $\varnothing$  120x345 mm**  
height 103 mm  
made of STAINLESS steel



BARTSCHER 02510069

**3023273 BURNER  $\varnothing$  40x490 mm**  
overall length 510 mm  
made of STAINLESS steel



BARTSCHER 024075

Suitable for:

**3023172** BURNER  $\varnothing$  40x500 mm  
overall length 520 mm  
made of stainless steel



BARTSCHER 02519034

Suitable for:

**3023282** BURNER 450x325 mm  
made of stainless steel



BARTSCHER 02519250

## Gas taps and accessories


**5016310** BY-PASS SCREW  $\varnothing$  0.45 mm FOR MOD. 22  
thread M6x0.5



BARTSCHER 027842

## Gas valves and accessories

**3526258** EUROSIT VALVE FOR FRYER 110÷190°C  
with new knob  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷120°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x200 mm  
RoHS certificated




BARTSCHER 035271800

**3526260** CAP FOR VALVE EUROSIT  $\varnothing$  3/8"  
with OR




**4056009** CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"  
with OR




**3020083** FITTING AND OLIVE  $\varnothing$  4 mm  
thread M10x1 - h 24 mm



**3020084** FITTING AND OLIVE  $\varnothing$  6 mm  
thread M10x1 - h 10 mm



**5050400** FITTING FOR OLIVE  $\varnothing$  10 mm  
thread  $\varnothing$  3/8" M





Suitable for:

**3526127 FLANGE FOR EXTENSION**




**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



**3526131 EUROSIT VALVE FOR FRYER 110÷190°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure setting range  
3÷18 mbar outlet  
ambient temperature 0÷120°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x200 mm



# BARTSCHER



Suitable for:

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 $\varnothing$  ext. 14 mm - h 6 mm  
for model PEL 22-24-25



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M - h 20 mm



**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR







Suitable for:


**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



**3526126 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**  
thread M10x1 - h 24 mm



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M



**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 $\varnothing$  ext. 14 mm - h 6 mm  
for model PEL 22-24-25



# BARTSCHER



Suitable for:


**3241435 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm



**3526677 EXTENSION FOR EUROSIT VALVE**  
D-shaped pin  $\varnothing$  10x8 mm



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**  
thread M10x1 - h 10 mm



**3526127 FLANGE FOR EXTENSION**



**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm





Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M - h 20 mm




# BARTSCHER



Suitable for:

**3526123** RUBBER PROTECTION FOR EUROSIT VALVE



**3523933** VALVE MINISIT FOR FRYER 110÷190°C  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷80°C  
with screw for gas outlet pressure regulation  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm  
without cover, knob and flanges



**2100757** CONNECTION FOR OLIVE  $\varnothing$  16 mm  
thread  $\varnothing$  1/2" M



BARTSCHER 010425

**3523038** ELBOW FLANGE MINISIT  $\varnothing$  1/2" F  
with screws and OR




**3523037** ELBOW FLANGE MINISIT  $\varnothing$  3/8" F  
with screws and OR



**3523035** KNOB MINISIT BLACK  $\varnothing$  37 mm



**3523047** LID MINISIT



**3182003** MAGNETIC UNIT SIT  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT




**3523061** NUT  $\varnothing$  1/4"x6 mm





Suitable for:

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 $\varnothing$  ext. 14 mm - h 6 mm  
for model PEL 22-24-25




**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M - h 20 mm



**3523051 SENSING ELEMENT MINISIT 110÷190°C**  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm



## BARTSCHER



Suitable for:


**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 $\varnothing$  ext. 12 mm - h 5 mm  
for model PEL 20-21-24-25



**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
 $\varnothing$  ext. 18 mm - h 9 mm  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



**3523036 REDUCER STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" M**  
of brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" M  
for MINISIT flange



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1.5 mm - h 18 mm





Suitable for:

# BARTSCHER




**3526130 VALVE 630 EUROSIT OVEN 100÷340°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm



BARTSCHER 023035


**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR



**3526677 EXTENSION FOR EUROSIT VALVE**  
 D-shaped pin  $\varnothing$  10x8 mm



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**  
 thread M10x1 - h 10 mm



**3526127 FLANGE FOR EXTENSION**



**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR



**3526129 CLASP  $\varnothing$  3x14 mm**  
 UNI 6873 - DIN 1481 - ISO 8752



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**  
 thread M10x1 - h 24 mm



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8" M



**5021481 GAS OUTLET VALVE FITTING**  
 thread  $\varnothing$  3/8" M - M16x1 mm





Suitable for:

**3526128** **KNOB EXTENSION LENGTH 34 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm



## BARTSCHER



Suitable for:

**3526125** **KNOB EXTENSION LENGTH 44 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm



**5050401** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3020082** **OLIVE FOR PIPE  $\varnothing$  12 mm**  
 $\varnothing$  ext. 14 mm - h 6 mm  
for model PEL 22-24-25




**3001111** **PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3020079** **PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M - h 20 mm



**3526123** **RUBBER PROTECTION FOR EUROSIT VALVE**



**3523931** **VALVE 710 MINISIT OVEN 100÷340°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
with screw for gas outlet pressure regulation  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm  
without cover, knob and flanges



**2100757** **CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M





Suitable for:

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR




**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 $\varnothing$  ext. 14 mm - h 6 mm  
for model PEL 22-24-25



**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



# BARTSCHER




Suitable for:

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR



**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 $\varnothing$  ext. 12 mm - h 5 mm  
for model PEL 20-21-24-25



**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
 $\varnothing$  ext. 18 mm - h 9 mm  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm





Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8"M - h 20 mm



# BARTSCHER



Suitable for:

**3523036** REDUCER STRAIGHT  $\varnothing$  3/8"F -  $\varnothing$  1/2"M  
of brass with internal and external thread  
internal thread  $\varnothing$  3/8"F - external thread  $\varnothing$  1/2"M  
for MINISIT flange



**3523040** SENSING ELEMENT MINISIT 100 $\pm$ 340°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm



**5058320** TUBE NUT FITTING  $\varnothing$  10 mm  
thread M14x1.5 mm - h 18 mm



## Gaskets and seals

**3186010** ASBESTOS FREE FLAT GASKET  $\varnothing$  54x42x2 mm



BARTSCHER 012291

**5010462** GASKET FLAT FIBER  $\varnothing$  24x17x2 mm



BARTSCHER 011485  
BARTSCHER 011710

BARTSCHER 011488

BARTSCHER 011491

## Gaskets for oven door

**3786701** OVEN DOOR GASKET 1500 mm  
made of silicone elastomer  
profile dimensions 20x6 mm  
COLOUR BLACK  
f/OLIS KITCHEN 74F-74G-76G-74E-76GE-76E-76EE-74CE  
74STG-74STG+2-2FX+PCF-76STG-76STG+4-4FX+PCF-74STE  
76STGE-120FLG-76EANPQ-76EEACPQ-74EPQ-76FL



BARTSCHER 02510674

**3186105** OVEN DOOR GASKET 550x250 mm  
of silicone elastomer  
with fastening clips - 3 sides  
profile dimensions 8.5x8.5 mm  
BLACK COLOUR



BARTSCHER 016153



Suitable for:

# BARTSCHER



Suitable for:

## Gearmotors

**7111947 GEAR MOTOR DM MOTOR 230V 50Hz**  
TYPE GM6030 R-00 02  
D-shaped pin 7x6 mm - pin height 28 mm  
for Toaster (BARTSCHER) TT150



BARTSCHER A01002057

BARTSCHER QXYH6030M23G

## Glasses

**5062086 GLASS LOWER 540x310 mm**  
for Salamander (BARTSCHER)



BARTSCHER 05900800

## Grids - Shelves variuos

**5089320 GRILL CHROME-PLATED 725x360x40 mm**



BARTSCHER E02023947

## Handles

**5001497 PLASTIC HANDLE 120 mm BLACK**  
distance between holes 105 mm



BARTSCHER 08222510





## Heating elements

**5086138 HEATING ELEMENT**  
length 600 mm - width 500 mm  
with cables




BARTSCHER 01143667/0614

**7111798 HEATING ELEMENT OF SILICONE 1000W 230V**  
length 400 mm - width 290 mm  
with thermostat 140°C with automatic reset  
with cables  
environment of use: dry  
for Self service counter (BARTSCHER) SBHY602CV  
125623



BARTSCHER E0SHSY1000

**3455227 HEATING ELEMENT 1000W 230V**  
length 415 mm - width 210 mm  
height 45 mm  
operating ambient: dry



BARTSCHER 065211001

BARTSCHER 065211007

**7108479 HEATING ELEMENT 1000W 230V**  
length 175 mm - width 180 mm  
height 20 mm  
for Bain-marie (BARTSCHER) A120455




BARTSCHER A0401022500

**3455142 HEATING ELEMENT 1100W 220V**  
length 330 mm - width 65 mm  
height 75 mm



BARTSCHER Q21786

**5066818 HEATING ELEMENT 1100W 230V**  
length 200 mm - width 227 mm  
height 40 mm - with cables



BARTSCHER 037016034

**7105128 HEATING ELEMENT 1100W 230V**  
length 467 mm - width 100 mm  
height 57 mm



BARTSCHER 065211011

**5032780 HEATING ELEMENT 1200W 230V**  
length 375 mm - width 245 mm  
complete with cables



BARTSCHER 00SL0006



Suitable for:

# BARTSCHER




**7105634 HEATING ELEMENT 1200W 230V**  
length 370 mm - width 190 mm  
height 15 mm  
for Bain-marie (BARTSCHER) 200.207  
for Bain-marie (BARTSCHER) 200.207



BARTSCHER OKG1652

**7107527 HEATING ELEMENT 1200W 230V**  
length 340 mm - width 205 mm  
for Bain-marie (BARTSCHER) ZCK165A



BARTSCHER 02002401

**7113058 HEATING ELEMENT 1200W 230V**  
length 700 mm - width 685 mm  
height 230 mm  
for Dish warmer (BARTSCHER) PW-D1E



BARTSCHER 040576

**3755843 HEATING ELEMENT 1300W 230V**  
length 470 mm - width 80 mm  
height 80 mm



BARTSCHER 08217700

**7113032 HEATING ELEMENT 1300W 230V**  
length 262 mm - width 98 mm  
height 36 mm - 2 flanges 27x13 mm  
for Toaster (BARTSCHER) A100205



BARTSCHER A010020511

**7116812 HEATING ELEMENT 1300W 230V**  
length 405 mm - width 150 mm  
height 12 mm  
for Bain-marie (BARTSCHER) YFK-0 200.230




BARTSCHER 02002301

**3355447 HEATING ELEMENT 1380W 230V**  
length 350 mm - width 190 mm  
fittings  $\varnothing$  1/4"  
operating ambient: immersion



BARTSCHER 06001024

**3755650 HEATING ELEMENT 1500W 230V**  
length 482 mm - width 80 mm  
fittings M12x1 mm




BARTSCHER 01037311315

**5005445 HEATING ELEMENT 1500W 240V**  
length 325 mm - width 190 mm  
height 35 mm - fittings  $\varnothing$  1/4"



BARTSCHER 018160


**3755839 HEATING ELEMENT 1800W 220V**  
length 535 mm - width 450 mm  
flange 160x22 mm - with cables



BARTSCHER 016727

Suitable for:

**3455141 HEATING ELEMENT 1800W 230V**  
 length 370 mm - width 330 mm  
 flange 70x22 mm



BARTSCHER 021061


Suitable for:

**3355354 HEATING ELEMENT 1900W 240V**  
 overall length 770 mm  
 internal length 680 mm  
 width 40 mm - fittings  $\varnothing$  1/4"



BARTSCHER 007032324

**3855062 HEATING ELEMENT 2000W 230V**  
 length 398 mm - width 207 mm  
 flange 70x22 mm  
 for Salamander electric (BARTSCHER) AT936



BARTSCHER A0AT93607

BARTSCHER 0AT93607

**5103777 HEATING ELEMENT 2000W 230V**  
 length 235 mm - width 215 mm  
 height 35 mm - fittings M12x1 mm



BARTSCHER A039857

BARTSCHER EB-600-15

BARTSCHER 0V036700

**3355804 HEATING ELEMENT 2185W 230V**  
 length 227 mm - width 300 mm  
 flange 70x22 mm



BARTSCHER 011029

**3528242 CYLINDER HEAD SCREW M5x8**  
 stainless steel - slotted  
 UNI 6107 - DIN 84 - ISO 1207



**5020692 HEATING ELEMENT 2300W 230V**  
 length 340 mm - width 45 mm  
 height 215 mm - fittings  $\varnothing$  1/4"



BARTSCHER 08208200

**5016335 HEATING ELEMENT 2400W 230V**  
 $\varnothing$  external 190 mm - overall height 80 mm  
 flange 70x22 mm



BARTSCHER 011107

**3355889 HEATING ELEMENT 2500W 230V**  
 external  $\varnothing$  190 mm - internal  $\varnothing$  178 mm  
 total height 70 mm  
 flange 70x22 mm



BARTSCHER 0RES006

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm






Suitable for:

# BARTSCHER



**5063762 HEATING ELEMENT 2500W 230V**  
length 267 mm - width 127 mm  
height 187 mm - fittings M12x1.25 mm




BARTSCHER A039885

BARTSCHER 016240419

Suitable for:

**3755840 HEATING ELEMENT 2750W 240V**  
length 540 mm - width 575 mm  
flange 160x22 mm - with cables




BARTSCHER 010848

**3455296 HEATING ELEMENT 2800W 230V**  
length 345 mm - width 180 mm  
height 160 mm - fittings M12x1 mm



BARTSCHER 06537366

**3355805 HEATING ELEMENT 3060W 230V**  
length 227 mm - width 300 mm  
flange 70x22 mm



BARTSCHER 011003

**3528242 CYLINDER HEAD SCREW M5x8**  
stainless steel - slotted  
UNI 6107 - DIN 84 - ISO 1207




**3455140 HEATING ELEMENT 3100W 220V**  
length 380 mm - width 255 mm  
flange 127x22 mm



BARTSCHER 021060

**5068153 HEATING ELEMENT 3250W 230V**  
length 295 mm - width 180 mm  
height 210 mm - fittings M12x1 mm  
for Fry top electric (BARTSCHER) SNACK IV



BARTSCHER A039886


BARTSCHER 016210818

**5016395 HEATING ELEMENT 3300W 230V**  
length 335 mm - width 40 mm  
height 275 mm - fittings  $\varnothing$  1/4"



BARTSCHER 09000509

**3455139 HEATING ELEMENT 4050W 230V**  
overall length 460 mm - overall width 470 mm  
immersed length 400 mm  
flange 127x22 mm



BARTSCHER 023319

Suitable for:

**5070024 HEATING ELEMENT 600W 230V**  
length 185 mm - width 105 mm  
height 35 mm - 2 flanges 25x13 mm



BARTSCHER 010021125

**3755489 HEATING ELEMENT 6800W 230V**  
length 300 mm - width 110 mm  
fitting M54x1.5 mm - with cables  
with 2 holes for bulb



BARTSCHER 0211441

**3186601 O-RING 04200 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm  
for Fryer (BARTSCHER) 172.920



BARTSCHER 021146

BARTSCHER 0456061

**7120365 HEATING ELEMENT 800W 230V**  
overall length 830 mm - flange 40x18 mm



BARTSCHER 01140012

**7107591 HEATING ELEMENT 900W 230V**  
length 328 mm - width 110 mm  
for Potato heater (BARTSCHER) A0114001



BARTSCHER A01140015

Suitable for:

**5073679 HEATING ELEMENT 650W 230V**  
overall length 665 mm - flange 40x18 mm



BARTSCHER 01140011

**3186697 O-RING 0159 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  55.56 mm  
for Fryer (BARTSCHER) 172.920



BARTSCHER 021145

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



**7104972 HEATING ELEMENT 900W 230V**  
length 300 mm - width 105 mm  
height 35 mm - 2 flanges 25x13 mm  
for Toaster (BARTSCHER) TT300  
for Toaster (BARTSCHER) A100205



BARTSCHER A01002059

**3355515 HEATING ELEMENT 9000W 230V**  
length 320 mm - width 175 mm  
height 205 mm - fittings M12x1 mm



BARTSCHER 01037317200



Suitable for:

# BARTSCHER



**3355811 HEATING ELEMENT 930W 230V**  
length 260 mm - width 55 mm  
fittings M15x1 mm



BARTSCHER 6001071

**7119983 KIT HEATING ELEMENT WITH TANK**  
420/500W 220/240V 50Hz  
the kit includes:  
1 tank - 1 heating element - 1 potentiometer  
1 cable



BARTSCHER 082189

**7104718 QUARTZ HEATING ELEMENT 340W 76V**  
length 385 mm -  $\varnothing$  11 mm  
for Toaster electric (BARTSCHER) AT350  
for Toaster electric (BARTSCHER) AT350  
AT360B A151600



BARTSCHER A015160016

Suitable for:

**3455226 HEATING ELEMENT 950W 230V**  
length 405 mm - width 95 mm  
flange 110x22 mm  
operating ambient: dry



BARTSCHER 06530624

**5005427 KIT HEATING ELEMENT 7500W 230V**  
length 295 mm - width 230 mm  
fittings M14x1 mm  
complete with sheathing and small parts



BARTSCHER 023897

## Hydraulic piping

**3450152 HOSE RUBBER REINFORCED  $\varnothing$  13/19 mm**  
internal  $\varnothing$  13 mm - external  $\varnothing$  19 mm  
temperature -40+100°C  
sale per linear metre



BARTSCHER

BARTSCHER 0143010

**3450209 RUBBER HOSE  $\varnothing$  13x20 mm - 40 mt**  
operating temperature -40+100°C



BARTSCHER 0143010



## Ignitors

**3001020 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



BARTSCHER 01936100

**5071589 WATERTIGHT PIEZO CAP**  
made of silicone rubber




**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber



## Incandescent lamps and neon lamps

**3221382 NEUTRAL HALOGEN LAMP G9 40W 230V**  
max. temperature 250°C



BARTSCHER A01140014

BARTSCHER 0401600120

**7119423 UV RAYS LAMP T8 10W**  
length 330 mm



BARTSCHER 300334

## Indicator lights

**3221132 INDICATOR LIGHT GREEN 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



BARTSCHER 0216019

**3221164 INDICATOR LIGHT GREEN 230V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm - 120°C  
dashboard mounting



BARTSCHER 0216022

**3221045 LAMP CAP TAPERED CONICAL GREEN SU3**  
mounting hole  $\varnothing$  6 mm - head  $\varnothing$  7 mm





Suitable for:

**3221097 INDICATOR LIGHT NEUTRAL 220V**  
head  $\varnothing$  8 mm - 120°C



BARTSCHER 0216006

**3221020 LAMP RECEPTACLE ORANGE**  
 $\varnothing$  head 14.5 mm -  $\varnothing$  hole 12 mm  
universal use



BARTSCHER 0926115

**3221126 INDICATOR LIGHT NEUTRAL 24V**  
head  $\varnothing$  8 mm - 120°C



Suitable for:

**3221095 INDICATOR LIGHT ORANGE 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



BARTSCHER 0216018

BARTSCHER 0216020

**3221097 INDICATOR LIGHT NEUTRAL 220V**  
head  $\varnothing$  8 mm - 120°C



BARTSCHER 0216006

## Induction coils

**5065509 COIL FOR INDUCTION HOB**



BARTSCHER 01059305

## Interference suppression filters

**3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL**  
0.47 $\mu$ F



BARTSCHER 0926144





## Ironmongery (screws,nuts,washers)

**1241513 BLIND HEXAGONAL NUT M8 UNI 5721**  
stainless steel - height 16 mm UNI 5721 - DIN 1587



BARTSCHER 0417049

## Knobs

**3241811 BLACK KNOB ø 65 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm



BARTSCHER 02599200

**3241132 GREY KNOB ø 77 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm



BARTSCHER 018270

**7104719 KNOB BLACK ø 58 mm 0-15'**  
round hole ø 6 mm




BARTSCHER A040898

**3241841 KNOB GRAY ø 77 mm 100-190°C**  
D shaft hole 6x4.6 mm



BARTSCHER 0230921

**7117586 KNOB SILVER ø 23 mm**  
D-shaped pin 6x4.6 mm  
for Glass-ceramic plate (BARTSCHER) JG-KW02



BARTSCHER 01143562

## Labels for control panels

**5080757 ADHESIVE CONTROL PLATE 300x60 mm**  
for Glass-ceramic plate (BARTSCHER) BT-350A  
IK35S



BARTSCHER 01058351

**5062436 ADHESIVE CONTROL PLATE 545x67 mm**  
for Salamander (BARTSCHER) 100546



BARTSCHER 02012427

BARTSCHER 02016790



Suitable for:

# BARTSCHER



Suitable for:

## Lamp receptacles and spare parts

### 3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V

lamp glass  $\varnothing$  42 mm  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C




BARTSCHER A0YXD1A4A12

BARTSCHER E0301130038

BARTSCHER 030003005+


### 3221053 GASKET FOR OVEN LAMP RECEPTACLE

dimensions  $\varnothing$  48x38x5 mm  
for OVEN




### 3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE

dimensions  $\varnothing$  53x44x3 mm




### 3221041 LAMP E14 15W 230V

max temperature 300°C - dimensions  $\varnothing$  22x50 mm



### 2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V

mounting hole  $\varnothing$  38 mm  
max temperature 300°C



### 3186522 GASKET FOR OVEN LAMP RECEPTACLE

dimensions  $\varnothing$  40x30x2 mm



### 3786614 GASKET FOR OVEN LAMP RECEPTACLE

dimensions 48x41x3 mm



### 3221233 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 42 mm

thread  $\varnothing$  33 mm - overall height 26 mm



### 3221061 LAMP E14 25W 230V

max temperature 300°C -  $\varnothing$  26x57 mm



### D421015 OVEN LAMP DR FISCHER E14 15W 230V

$\varnothing$  22x49 mm - max temperature 300°C





Suitable for:

**D421016 OVEN LAMP DR FISCHER E14 25W 230V**  
ø 25x57 mm - max temperature 300°C



**BARTSCHER**



Suitable for:

**7107590 LAMP RECEPTACLE 37x23x15 mm**  
fastening holes mounting distance 28 mm  
for Potato heater (BARTSCHER) A0114001



BARTSCHER 0200201013


## Microswitches, magnetic

**3240204 MAGNETIC MICROSWITCH E5301C**  
0.4A 250V - contact NO - head 65x20x9 mm  
with magnet 63x19x11 mm  
with cable length 1900 mm



BARTSCHER 0927017

**3240181 PROTECTED MAGNET 62x18x10 mm**



BARTSCHER 0926014

## Microswitches, mechanical

**3240596 MICROSWITCH EMAS BS1010**  
16A 250V



BARTSCHER A0800045

## Motors

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan ø 150 mm



BARTSCHER 0A036410



Suitable for:

# BARTSCHER



Suitable for:

## Nozzles

3500371 GAS JET M10x1  $\varnothing$  1.75 mm



BARTSCHER 016113

3500091 GAS JET M11x1  $\varnothing$  0.80 mm



BARTSCHER 022545

3500092 GAS JET M11x1  $\varnothing$  1.05 mm



BARTSCHER 022544

3500093 GAS JET M11x1  $\varnothing$  1.15 mm




BARTSCHER 023758

3500094 GAS JET M11x1  $\varnothing$  1.25 mm



BARTSCHER 016127

3500355 GAS JET M11x1  $\varnothing$  1.40 mm



BARTSCHER 018934

3020451 GAS JET M11x1  $\varnothing$  1.70 mm



BARTSCHER 02510762

3500095 GAS JET M11x1  $\varnothing$  1.70 mm



BARTSCHER 018935

3500096 GAS JET M11x1  $\varnothing$  1.85 mm



BARTSCHER 018936

3500097 GAS JET M11x1  $\varnothing$  2.00 mm



BARTSCHER 016130

3500405 GAS JET M6x0.75  $\varnothing$  0.80 mm



BARTSCHER 053631

3500407 GAS JET M6x0.75  $\varnothing$  1.05 mm



BARTSCHER 053632

Suitable for:

**3500409 GAS JET M6x0.75  $\varnothing$  1.20 mm**



BARTSCHER 052274

Suitable for:

**3500366 GAS JET M9x1  $\varnothing$  1.40 mm**



BARTSCHER 02510756

**7109135 GAS NOZZLE M6x0.75  $\varnothing$  0.92 mm**



BARTSCHER 052273

## O-Ring and ORM gaskets

**3243009 O-RING 0106 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  6.75 mm



BARTSCHER 0456030

**3186606 O-RING 0144 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  39.69 mm



BARTSCHER 0456052

**3186697 O-RING 0159 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  55.56 mm  
for Fryer (BARTSCHER) 172.920



BARTSCHER 021145

**3186015 O-RING 0178 EPDM**  
ring thickness 5.34 mm - internal  $\varnothing$  74.63 mm  
for SANMARCO GRUPPO A LEVA



BARTSCHER 011507

**3160615 O-RING 0201 EPDM**  
ring thickness 5.34 mm - internal  $\varnothing$  120.70 mm



BARTSCHER 0456040

**1186223 O-RING 02056 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  14.00 mm




BARTSCHER 011571

BARTSCHER 011678



Suitable for:

**3122365 O-RING 02475 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  120.37 mm



BARTSCHER 019380

BARTSCHER 021858

Suitable for:

**3786668 O-RING 03024 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  6.02 mm



BARTSCHER 0456066

**3186340 O-RING 03037 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  9.19 mm



BARTSCHER 011574

BARTSCHER 011712

**1186318 O-RING 03043 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  10.78 mm



BARTSCHER 011499

BARTSCHER 011676

BARTSCHER 011677

BARTSCHER 0456048

**1186327 O-RING 03081 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  20.24 mm



BARTSCHER 011687

**1186833 O-RING 03100 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  25.07 mm



BARTSCHER 019867

BARTSCHER 020472

**3186245 O-RING 03200 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  50.47 mm



BARTSCHER 0929061

**6456047 O-RING 04036 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  9.12 mm



BARTSCHER 0456047

**1186655 O-RING 04131 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  32.93 mm



BARTSCHER 011630

BARTSCHER 012249

BARTSCHER 0456016

**3186601 O-RING 04200 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm  
for Fryer (BARTSCHER) 172.920



BARTSCHER 021146

BARTSCHER 0456061

Suitable for:

**3160607 O-RING 04400 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  101.20 mm



BARTSCHER 011691

Suitable for:

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



BARTSCHER 011510

BARTSCHER 011620

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



BARTSCHER 0929046

## Pilot burners and accessories

**3020155 PILOT BURNER POLIDORO 2 FLAMES**  
without plug and nozzle  
with pipe fitting and pilot pipe olive  
with thermocouple fitting  
with plug fitting




BARTSCHER 020496

**3020085 FITTING FOR SPARKING PLUG FIXING  $\varnothing$  7 mm**  
thread M10x1 - h 11 mm



**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm





Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



# BARTSCHER



Suitable for:

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 9.5 mm



**5026012 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8.5 mm - h 7 mm  
for pilot burner series CB 502-CB 503



**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 9 mm



**5071220 PILOT JET POLIDORO  $\varnothing$  0.22 mm**



**3020452 PILOT JET POLIDORO  $\varnothing$  0.32 mm**



**3020449 PILOT JET POLIDORO  $\varnothing$  0.54 mm**



**3020464 PILOT JET POLIDORO  $\varnothing$  0.64 mm**



**3020044 PILOT JET SIT  $\varnothing$  0.20 mm**



**3020045 PILOT JET SIT  $\varnothing$  0.50 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 - h 10.5 mm







Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 - h 10.5 mm



# BARTSCHER



Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm - h 11 mm



**3020270** PILOT BURNER TARGET SIT 2 FLAMES  
supplied without sparking plug. nozzle  
with GPL and NATUAL GAS nozzle  
with pilot pipe connection




**3020085** FITTING FOR SPARKING PLUG FIXING  $\varnothing$  7 mm  
thread M10x1 - h 11 mm



BARTSCHER 016082

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020124** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020294** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm



**3020365** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 52 mm





Suitable for:

**3020573 KIT OLIVE FOR PIPE  $\varnothing$  4 mm - 5 PCS.**



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model PEL 21-22-24-25



**3020201 PILOT JET SIT  $\varnothing$  0.14 mm**



**3020542 PILOT JET SIT  $\varnothing$  0.20 mm**



**3020202 PILOT JET SIT  $\varnothing$  0.27 mm**



**3020043 PILOT JET SIT  $\varnothing$  0.36 mm**



# BARTSCHER



Suitable for:

**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 11 mm



**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 11 mm




**3020042 PILOT JET SIT  $\varnothing$  0.19 mm**



**5047578 PILOT JET SIT  $\varnothing$  0.24 mm**



**2102405 PILOT JET SIT  $\varnothing$  0.35 mm**



**3020543 PILOT JET SIT  $\varnothing$  0.38 mm**





Suitable for:

**5022050 PILOT JET SIT  $\varnothing$  0.50 mm**



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm - h 11 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm - h 11 mm



**3020268 PILOT FLAME PIPE 80x50 mm**  
with pilot air regulator



BARTSCHER 020486

**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



BARTSCHER 020484

## BARTSCHER



Suitable for:

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 - h 10.5 mm



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 - h 10.5 mm




**3020303 BRACKET PILOT BURNER SUP. 71x42.5x22.5 mm**



## Pliers for sandwiches and toasts

**3317051 GRILL PLIER**  
length 100 mm  
height 180 mm



BARTSCHER A040894



Suitable for:



Suitable for:

## Probes

**5065508 TEMPERATURE PROBE  $\varnothing$  20/25x16 mm**  
probe 4-wires with terminals  
cable length 130 mm  
for INDUCTION TOP



BARTSCHER 01059304A

## Radiant heating elements

**3755855 RADIANT HEATING ELEMENT 1500W 230V**  
length 265 mm - width 165 mm  
complete with cables



BARTSCHER 027676

## Relays

**3351901 POWER RELAY FINDER 60.62.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 10A



BARTSCHER 0229023

**3351021 POWER RELAY FINDER 62.82.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 16A



BARTSCHER 0926021

BARTSCHER 0929115

**3351602 POWER RELAY FINDER 65.31.8.230.0300**  
230V 50/60Hz  
1 contact NO 30A



BARTSCHER 020473

BARTSCHER 0229025

BARTSCHER 0229029

**3351605 RELAY POWER FINDER 60.63.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 10A




BARTSCHER 0229024




## Selector switches

**3057087 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°  
 D-shaped pin  $\varnothing$  6x4.6 mm



BARTSCHER A010708


**3057205 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm



BARTSCHER A030008088

BARTSCHER 06553435

**3057256 SELECTOR SWITCH 4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



BARTSCHER 06552194

## Solenoid valves

**3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet  $\varnothing$  10.5 mm



BARTSCHER 0240011

**3120019 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 5.5 L/min - tolerance +/- 15%



**3120021 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 12 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
 flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
 flow rate 4.7 L/min - tolerance +/- 25%





Suitable for:

**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



**3120507 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



BARTSCHER 0927001

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



# BARTSCHER



Suitable for:

**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%





Suitable for:

**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# BARTSCHER



Suitable for:

**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



---

## Springs

**7110388 SPRING  $\varnothing$  21x100 mm**  
for Panini grill electric (BARTSCHER) GH811EA





Suitable for:

# BARTSCHER



Suitable for:

## Switches

**3319295 BIPOLAR SWITCH BLACK 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light with green led  
mounting hole 22x30 mm



BARTSCHER 06540129

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319362 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - with indicator light  
silk-screen printing 0 - I  
max temperature 120°C  
mounting hole 22x30 mm



BARTSCHER A040573

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**







Suitable for:

**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



# BARTSCHER



Suitable for:

**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319457 BLACK SINGLE-POLE SWITCH 16A 250V**  
16(4)A 250V - with green led indicator light  
max temperature 120°C  
mounting hole 11x30 mm



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



BARTSCHER OKG20510

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**




**3319781 CONNECTION BLOCK BLACK 11x30 mm**



**1319936 PROTECTIVE SWITCH COVER**  
external dimensions 36x18 mm  
for switch with mounting hole 11x30 mm



**5014426 CONTACT CEMA P9B10VN 10A**  
1 contact NO



BARTSCHER 0927035

**3319795 PLUG WITH SWITCH ON-OFF 10A 250V**  
with fuseholder  $\varnothing$  5x20 mm  
silk-screen printing 0 - I  
mounting hole 25x45 mm



BARTSCHER 0P1740P1800



Suitable for:

# BARTSCHER



**3319155 RED SINGLE-POLE PUSH-BUTTON 16A 250V**  
16(4)A 250V - with push-button cap  
with indicator light  
mounting hole  $\varnothing$  25 mm




BARTSCHER 016148

Suitable for:

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



**3319819 SWITCH 1-POLE WITH LEVER A LEVA 16A 250V**  
with plate  
threaded coupling M12x1 mm  
ON-OFF function



BARTSCHER A01140013

## Taps for tank refilling

**5005455 WATER INLET TAP  $\varnothing$  1/2"FF**  
hole for pin  $\varnothing$  8 mm




BARTSCHER 023245

**3241485 INLET TAP KNOB - BLUE**  
square hole 7x7 mm  
for cold water



## Terminal blocks

**7151084 TERMINAL BLOCK 3P W/CABLE FIXING AND LID**  
mod. PA244S - dimensions 60x40 mm



BARTSCHER 0459018

**3247011 TERMINAL BLOCK 6-POLES FV122 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



BARTSCHER

BARTSCHER 0220011

Suitable for:

Suitable for:


**3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V**  
 for cable max 6 mm<sup>2</sup>  
 operating temperature 150°C  
 nominal voltage 450 V



BARTSCHER 0220011


## Thermocouples and accessories

**3440194 THERMOCOUPLE M9x1 60 cm COUPL. M6x0,75**



BARTSCHER 0303005

**3440197 NUT FOR THERMOCOUPLE COUPL. M6x0,75**



**3440193 BUSHING HEXAGON THREADED M6x0.75**




**3440107 NUT FOR THERMOCOUPLE COUPLING M6x0.75**




## Thermostats

**3744227 SINGLE-PHASE THERMOSTAT 0-86°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 15A 250V  
 bulb  $\varnothing$  6,5x95 mm



BARTSCHER 0929044

**3444938 SINGLE-PHASE THERMOSTAT 100-175°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x100 mm



**3241637 BLACK KNOB  $\varnothing$  50 mm 60°-200°C**  
 D-shaped hole 6x4.6 mm  
 for EGO thermostat



BARTSCHER 021899



Suitable for:

# BARTSCHER



**3444765 SINGLE-PHASE THERMOSTAT 240°C**  
 with automatic reset  
 capillary length covered 550 mm - 16A 230V  
 bulb  $\varnothing$  4x90 mm



BARTSCHER A010501

BARTSCHER 1010501

Suitable for:

**3444766 SINGLE-PHASE THERMOSTAT 50-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 400 mm - 16A 230V  
 bulb  $\varnothing$  6x120 mm



BARTSCHER A010502

**3444369 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



BARTSCHER A010401

**3444423 SINGLE-PHASE THERMOSTAT 85-170°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  4x231 mm - with adapter nipple band M9x1




BARTSCHER 020491

**3444031 SINGLE-PHASE THERMOSTAT 90-185°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2500 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm




BARTSCHER 049672

**3444376 SINGLE-PHASE THERMOSTAT 95-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1



BARTSCHER 014231

**7107015 THERMOSTAT SINGLE PHASE 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 910 mm - 16A 400V  
 bulb  $\varnothing$  5x73 mm



BARTSCHER A0402503000

BARTSCHER E0402503002

**3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 15A 250V  
 bulb  $\varnothing$  6.5x95 mm



BARTSCHER 0929044

**5068649 THERMOSTAT SINGLE-PHASE 45-95°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm - 10A 250V  
 for Hot plate (BARTSCHER) JG-KW02



BARTSCHER 01143566

**3444514 THERMOSTAT SINGLE-PHASE 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 15A 230V  
 bulb  $\varnothing$  4x100 mm




BARTSCHER A0YXD1A4A11



Suitable for:

**3444361 THERMOSTAT SINGLE-PHASE 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 950 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm



BARTSCHER A039884


BARTSCHER 0104465

BARTSCHER 030008099

Suitable for:

**5103766 THERMOSTAT SINGLE-PHASE 60-190°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm - 16A 230V  
bulb  $\varnothing$  6x77 mm



BARTSCHER A039882

**5033636 THERMOSTAT SINGLE-PHASE 780°C**

manual reset  
bulb  $\varnothing$  4x170 mm



BARTSCHER 027677

**3444198 THREE-PHASE THERMOSTAT 100-180°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



BARTSCHER 023964

**3444939 THREE-PHASE THERMOSTAT 220°C**


with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x110 mm



BARTSCHER 06537879

**3444653 THREE-PHASE THERMOSTAT 245°C**

with manual reset  
capillary length covered 1750 mm - 20A 380V  
bulb  $\varnothing$  4x120 mm



BARTSCHER 023965

## Timers

**7104720 TIMER 15 MINUTES M11**

mechanical timer with sound alarm  
15 minutes manually set cycle  
contact capacity 16A 250V  
max temperature 125°C  
pin  $\varnothing$  6 mm  
for Toaster electric (BARTSCHER) AT350



BARTSCHER A040897

**5085817 TIMER 5 MINUTES**

mechanical timer with sound alarm  
5 minutes manually set cycle  
contact capacity 16A 250V  
max temperature 125°C  
pin  $\varnothing$  6 mm



BARTSCHER 01002124

BARTSCHER 010021241



Suitable for:

# BARTSCHER



Suitable for:

## Tubing and hoses

**3450124 DRAIN PIPE 720 mm**  
external  $\varnothing$  40 mm - internal  $\varnothing$  30 mm



BARTSCHER 0926069

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)