



Spare parts for the professional sector: Cooking equipment



Suitable for:

BERTO'S



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

BERTO'S



Suitable for:

Axial motor fans

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



BERTO'S 10724

3805037 CABLE FOR AXIAL MOTOR FAN
cable length 2000 mm



3240502 AXIAL FAN SUNON 80x80x25 mm
ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN



BERTO'S 10720

Burners, flame spreaders and accessories

3025406 BURNER ø 120 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31280500

3025883 BURNER ø 120 mm 6Kw
with housing for pilot and thermocouple



BERTO'S 31283500

3025888 BURNER ø 120 mm 8Kw
with housing for pilot and thermocouple



BERTO'S 31284100

3025405 BURNER ø 130 mm
for Pot stove gas (BERTO'S) - Series 900



BERTO'S 35280500

3025168 BURNER ø 75 mm 3.5 KW



BERTO'S 22280300

3025882 BURNER ø 91 mm 3.5Kw
with housing for pilot and thermocouple



BERTO'S 31283200


**3025171 BURNER ø 95 mm 5.5Kw**

BERTO'S 22280400


Suitable for:

3025364 BURNER BOWL ø 78 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900


BERTO'S 31280100

3025399 BURNER R LOFRA NARDI
ø 94 mm, 1° serie
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900

BERTO'S 31280200

3025179 BURNER RING ø 90 mm

BERTO'S 22285300

3025363 FLAME SPREADER ø 120 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900

BERTO'S 31280700

BERTO'S 31281300

3025406 BURNER ø 120 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900

BERTO'S 31280500

3025364 BURNER BOWL ø 78 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900

BERTO'S 31280100

3025575 FLAME SPREADER ø 120 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900

BERTO'S 31280600

3025362 FLAME SPREADER ASSY. ø 120 mm

BERTO'S



Suitable for:

BERTO'S



Suitable for:

3025575 FLAME SPREADER \varnothing 120 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31280600

3025886 FLAME SPREADER \varnothing 120 mm 6Kw



BERTO'S 31283600

3025892 BURNER \varnothing 122 mm 3.5Kw
with housing for ignition plug and thermocouple



3025884 VENTURI FOR BURNER \varnothing 120 mm 6Kw



3025883 BURNER \varnothing 120 mm 6Kw
with housing for pilot and thermocouple



BERTO'S 31283500

3025890 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 10 mm



BERTO'S 32328000

3025887 FLAME SPREADER \varnothing 120 mm 8Kw



BERTO'S 31284200

3025893 BURNER \varnothing 120 mm 8Kw
with housing for ignition plug and thermocouple





Suitable for:

3025888 BURNER \varnothing 120 mm 8Kw
with housing for pilot and thermocouple




BERTO'S 31284100

3025889 VENTURI FOR BURNER \varnothing 120 mm 8Kw



BERTO'S 22994300

3025398 FLAME SPREADER \varnothing 60 mm UNPOLISHED
for Pot stove gas (BERTO'S) - Series 900



BERTO'S 35281300

3025169 FLAME SPREADER \varnothing 75 mm 4.3Kw



BERTO'S 22293700

3025911 BURNER \varnothing 75 mm 3.5Kw



3025297 BURNER \varnothing 75 mm 4.3Kw




BERTO'S



Suitable for:

3025890 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 10 mm



BERTO'S 32328000

3025168 BURNER \varnothing 75 mm 3.5 KW



BERTO'S 22280300

5017734 BURNER \varnothing 75 mm 3.5Kw



3020093 NOZZLE HOLDER FOR PIPE \varnothing 12 mm
with nut and olive
thread connection for hose M20x1.5 mm
fastening fitting M14x1 mm



BERTO'S 22913400



Suitable for:

3025312 SPARKING PLUG SUPPORT
for burners \varnothing 75-95 mm



BERTO'S



Suitable for:

3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw




BERTO'S 22993300

3025176 FLAME SPREADER \varnothing 80 mm



BERTO'S 22294100


3025361 FLAME SPREADER \varnothing 90 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31280400

BERTO'S 31281000

3025399 BURNER R LOFRA NARDI
 \varnothing 94 mm, 1° serie
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31280200

3025360 VENTURI ASSY. \varnothing 90 mm



BERTO'S

3025364 BURNER BOWL \varnothing 78 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31280100

3025574 FLAME SPREADER \varnothing 90 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31280300

Suitable for:

Suitable for:

3025574 FLAME SPREADER \varnothing 90 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31280300

3025881 FLAME SPREADER \varnothing 91 mm 3,5Kw



BERTO'S 31283300

3025891 BURNER \varnothing 94 mm 3.5Kw
with housing for ignition plug and thermocouple




3025882 BURNER \varnothing 91 mm 3.5Kw
with housing for pilot and thermocouple



BERTO'S 31283200

3025890 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 10 mm



BERTO'S 32328000

3025894 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 8 mm



3025885 VENTURI FOR BURNER \varnothing 91 mm 3.5Kw



3025362 FLAME SPREADER ASSY. \varnothing 120 mm



BERTO'S



Suitable for:

BERTO'S




3025397 FLAME SPREADER EXT. SMEG IND. C00064921
ø 131/85 mm. matt black
for Pot stove gas (BERTO'S) - Series 900




BERTO'S 35281400

3025328 BURNER ø 130 mm 3.6KW



Suitable for:

3025405 BURNER ø 130 mm
for Pot stove gas (BERTO'S) - Series 900



BERTO'S 35280500

3025398 FLAME SPREADER ø 60 mm UNPOLISHED
for Pot stove gas (BERTO'S) - Series 900



BERTO'S 35281300

3025172 FLAME SPREADER 6.4Kw ø 95 mm



3025171 BURNER ø 95 mm 5.5Kw



BERTO'S 22293900

3025912 BURNER ø 95 mm 5.5Kw



BERTO'S 22280400

5035019 BURNER ø 95 mm 5.5Kw



3025298 BURNER ø 95 mm 6.4Kw



3020093 NOZZLE HOLDER FOR PIPE ø 12 mm
with nut and olive
thread connection for hose M20x1.5 mm
fastening fitting M14x1 mm



BERTO'S 22913400

3025312 SPARKING PLUG SUPPORT
for burners ø 75-95 mm



3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw



BERTO'S 22993400

Suitable for:


3025890 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 10 mm



BERTO'S 32328000


Suitable for:

3025189 JET HOLDER FOR HOSE \varnothing 10 mm
complete with nuts and olives
thread fitting for tube M16x1.5 mm
fastening fitting M14x1 mm



BERTO'S 22913400

3025199 JET HOLDER FOR PIPE \varnothing 10 mm
with nut and bicone
threaded fitting for pipe M16x1.5 mm
fixing fitting M14x1 mm




BERTO'S 32327600

3025360 VENTURI ASSY. \varnothing 90 mm



BERTO'S

3025558 VENTURI F/FLAME SPREADER "D-E" \varnothing 94-114mm



BERTO'S 39283000

BERTO'S 39283000+39284000

3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw



BERTO'S 22993300

3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw



BERTO'S 22993400


3025889 VENTURI FOR BURNER \varnothing 120 mm 8Kw



BERTO'S 22994300

Buzzers

3397302 ALARM BELL 220V



BERTO'S 1553

BERTO'S 25079300



Suitable for:

BERTO'S



Suitable for:

Cables for piezo igniters

- 5060140 IGNITION LEAD 600 mm**
 with faston \varnothing 2.4 mm for ignition
 with faston hole \varnothing 4 mm for plug
 for Boiling pan (BERTO'S) - Series 600
 Series 700 - Series 900
 for Bratt pan (BERTO'S) - Series 900
 for Fry top (BERTO'S) - Series 700 - Series 900
 for Fryer (BERTO'S) - Series 600 - Series 700
 Series 900
 for Lava rock grill (BERTO'S) - Series 900
 for Pasta cooker (BERTO'S) - Series 600
 Series 700 - Series 900
 for Solid top range (BERTO'S) - Series 700
 Series 900
 for Fry top (BERTO'S) - Series 600



BERTO'S 22189200

Contactors

- 3454005 CONTACTOR ABB AF16-30-10-13**
 17A 400V 7.5Kw - coil 100/250V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



BERTO'S 23104000

BERTO'S 23105900

- 3446561 CONTACTOR LOVATO BF0910A**
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



BERTO'S 23105800

- 3446227 AUXILIARY CONTACT LOVATO G218**
 10A
 1 contact NO
 1 contact NC



Suitable for:

3446582 CONTACTOR LOVATO BF1810A
 coil 18A 230V 50/60Hz 7.5Kw
 3 normally open contacts
 1 normally open auxiliary contact



BERTO'S 23107100

Suitable for:

3446227 AUXILIARY CONTACT LOVATO G218
 10A
 1 contact NO
 1 contact NC



3351049 CONTACTOR SIEMENS 3RT2016-1AP01
 9A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



BERTO'S 10001

3351059 THERMAL RELAY SIEMENS 1,8-2,5A
 1 contact NO
 1 contact NC
 3RU2116-1CB0 series S00



BERTO'S 10003

Cooking baskets and accessories

3055355 PASTA COOKER BASKET 105x290x200 mm
 made of stainless steel
 for Pasta cooker (BERTO'S) - Series 900



BERTO'S 31613800

BERTO'S 31614800

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



Door catches

3242298 CATCH 6195 69 mm - 42 mm
 mounting distance 57 mm - 30 mm
 RAHRBACH



BERTO'S 23577300

BERTO'S 23578800

3242747 BLACK SPACER 42x12 mm
 height 6 mm - distance between holes 30 mm





Suitable for:

BERTO'S



Suitable for:

Drain hoses

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet coupling
for TECNOINOX BAIN-MARIE-FRYER



BERTO'S 22685600

5009883 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet coupling



BERTO'S 22698100

Drain taps and accessories

3356007 DRAIN TAP ø 1"1/2F TECNO
TAPERED SEAL - swivel nut ø 1"1/2F
with gasket
for BOILING PAN



BERTO'S 31274400

3186240 ASBESTOS FREE FLAT GASKET ø 46x38x2 mm
for drain tap ø 1"1/2



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG,
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



3186199 GASKET INTERNAL EPDM FOR TAPS
NSF certified
for DRAIN TAP ø 1"1/4 and 1"1/2



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3242189 HANDGRIP FOR DRAIN TAP
for DRAIN TAP ø 1"1/2F e 1"1/4F





Suitable for:

3356128 PIN \varnothing 5x30 mm
complete with blind nut



3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to $+120^{\circ}\text{C}$
from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily



2102642 DRAIN TAP \varnothing 2" F TECNO
CONICAL SEAL - with swivel nut \varnothing 2" F
for Boiling pan (BERTO'S) G9P10IA



BERTO'S 35274800

3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



BERTO'S

Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
for drain tap \varnothing 2" old model



3356032 DRAIN TAP HANDLE
for DRAIN TAP 78x3 mm





Suitable for:

3356012 ESCUTCHEON FOR DRAIN TAP Ø 2"



3356128 PIN Ø 5x30 mm
complete with blind nut



BERTO'S

Suitable for:

3186241 O-RING 06212 VITON
ring thickness 5.34 mm - internal Ø 53.34 mm
for DRAIN TAP Ø 2" OLD MODEL AND
TECNO NEW MODEL



5009882 DRAIN TAP Ø 3/4" F
outlet Ø internal 22 mm
for Bain-marie electric (BERTO'S) - Series 700-900
for Fryer electric (BERTO'S)
for Fryer gas (BERTO'S)
for Pasta cooker electric (BERTO'S) - Series 600



BERTO'S 32685400

5009883 OIL DRAIN PIPE WITH SAFETY DEVICE
Ø 22 mm - length 210 mm - bayonet coupling



BERTO'S 22698100

5079235 DRAIN TAP KIT Ø 1" MF
complete with lever and knob



BERTO'S 35696500

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
Ø 22 mm - length 210 mm - bayonet coupling
for TECNOINOX BAIN-MARIE-FRYER



BERTO'S 22685600


3526632 GAS/WATER BALLCOCK VALVE \varnothing 3/4"FF
 heavy series with PN 40 total passage
 DIN - DVGW approved
 aluminium throttle



BERTO'S 32686300

BERTO'S 32831900

3356078 BUSHING \varnothing 11x20 mm



5009883 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet coupling



BERTO'S 22698100

5013138 WATER BALL VALVE \varnothing 1"FF
 ball valve
 heavy series, total PN 50 passage



BERTO'S 35686300

5023597 FITTING FOR DRAIN TAP \varnothing 1"MM
 laterally outlet \varnothing 18 mm - fitting height 190 mm



3241275 BLACK KNOB
 square hole: 7x7mm



3356077 CLASP \varnothing 3.5x30 mm
 UNI 6873 - DIN 1481 - ISO 8752



5023594 CAST IRON FITTING \varnothing 1"MF





Suitable for:

BERTO'S




Suitable for:

Electric hot plates

3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V

terminal block electric connections
with STAINLESS steel edge 8 mm
for electric cooking top



BERTO'S 36037500

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen (BERTO'S) E7P4M



BERTO'S 22037800

3311089 ELECTRIC HOT PLATE ø 300 mm 3500W 230V

screw electric connections
with STAINLESS steel edge
for electric cooking top



BERTO'S 35037800

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



BERTO'S 22037400

BERTO'S 22044900

3311054 ELECTRIC HOT PLATE 2600W 400V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



BERTO'S

3311064 ELECTRIC HOT PLATE 4000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (BERTO'S) SE9PQ4M



BERTO'S 35037400

BERTO'S 35038200

Electrical gas valves and accessories

3440200 THERMOPILE WITH TWIN LEAD ø 9x65 mm

cable length 800 mm - with coupling M11X1



BERTO'S 35273000



Electrical gas valves and accessories

3526090 VALVE 810 ELETTROSIT \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



BERTO'S 23270900

3526100 COIL 220V
 for VALVE ELETTROSIT



3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm
 for switching on/off buttons



3526107 FLANGE STRAIGHT \varnothing 3/4" F
 with screws and OR
 for ELETTROSIT VALVE



3526136 SPRING FOR PUSH-BUTTON



3526137 BUTTON FOR ELETTROSIT VALVE 46 mm



3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for ELETTROSIT VALVE



3526106 FLANGE STRAIGHT \varnothing 1/2" F
 with screws and OR
 for ELETTROSIT VALVE



3001008 PIEZO IGNITER
 a \varnothing 14 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT





Suitable for:

BERTO'S



3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz



BERTO'S 32271300

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526078 ELBOW FLANGE \varnothing 3/4" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



5047586 EXTENSION FOR VALVE 820 NOVA
 D-shaped pin \varnothing 10x8 mm



Suitable for:
3526270 VALVE 820 NOVA EXTENSION
 D shaft \varnothing 10x8 mm



2100054 COIL 220V 60Hz
 for VALVE 820 NOVA-822 NOVA-828 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 3 wires
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




3241141 EXTENSION FOR 820 NOVA VALVE
 D-shaped pin 10x8 mm





Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm



3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



BERTO'S

Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm



3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P




3241142 KNOB GASKET \varnothing 44 mm



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



5017951 PROTECTION RUBBER VALVE 820-824 NOVA
 \varnothing external 50 mm - \varnothing internal 20 mm
depth 1 mm



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT





Suitable for:

3526269 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



BERTO'S



Suitable for:

3526179 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
power supply 220V 50Hz



BERTO'S 32271500

3241429 BLACK KNOB \varnothing 30 mm SILK-SCREEN PRINTED



2100054 COIL 220V 60Hz
for VALVE 820 NOVA-822 NOVA-828 NOVA



3526077 ELBOW FLANGE \varnothing 1/2"F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526078 ELBOW FLANGE \varnothing 3/4"F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P






Suitable for:

3526102 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3020083 FITTING AND OLIVE \varnothing 4 mm



3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



BERTO'S




Suitable for:

5047586 EXTENSION FOR VALVE 820 NOVA
D-shaped pin \varnothing 10x8 mm




3020084 FITTING AND OLIVE \varnothing 6 mm



3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT





Suitable for:

BERTO'S



Suitable for:

3526361 VALVE 822 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz



BERTO'S 31990700

2100054 COIL 220V 60Hz
 for VALVE 820 NOVA-822 NOVA-828 NOVA



3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P




3526102 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 3 wires
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



3526075 FLANGE STRAIGHT \varnothing 1/2"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



BERTO'S




Suitable for:

2110316 MAGNETIC COIL
220/240V 50Hz
for VALVE 822 NOVA-824 NOVA-826 NOVA
for VALVE 827 NOVA-828 NOVAMIX



3526140 VALVE 836 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified



BERTO'S 11002

BERTO'S 25271500


2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



3030001 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 2 wires
for sit valve 824 NOVA-826 NOVA-836 TANDEM



2100724 COIL 24V
for valve 830 TANDEM-836 TANDEM



3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM




3526292 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for sit valve 830-836 TANDEM





Suitable for:


3020083 FITTING AND OLIVE \varnothing 4 mm



BERTO'S

Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm




3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



Electronic boxes

3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA



BERTO'S 11003

Electronic controllers

3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000
power supply 12Vca/dc 1.5VA
thermostat setting range 99+600°C
ON-OFF control with one actuation point
1 exchange relay output 6(3)A 250V
inbuilt alarm buzzer
access to configuration parameters through password
serial port for data exchange
room temperature 0+60°C
PTC/NTC/PT100/PT1000 type probe (not included)
connections by screwed terminal block
front dimensions 74x32x65 mm
mounting hole 71x29 mm



BERTO'S 1549

3445157 PROBE NTC PVC 1500 mm
probe 2 wires - temperature range -30°+80°C
bulb \varnothing 6x40 mm





Suitable for:

3445156 PROBE NTC PVC 3000 mm
temperature range -30+80°C
bulb ø 6x40 mm



3445167 PROBE NTC TPE IP68 1500 mm
temperature range -50+110°C
bulb ø 5x20 mm watertight



3445184 PROBE NTC TPE STEEL IP68 1500 mm
temperature range -40+110°C
bulb ø 6x40 mm watertight



3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb ø 6x100 mm



3445380 PROBE PT1000 IP68 3000 mm
temperature range -50+110°C
bulb ø 6x20 mm watertight



BERTO'S

Suitable for:

3445028 PROBE NTC PVC 4000 mm
temperature field -30+80°C
bulb ø 6x20 mm



3445335 PROBE NTC TPE IP68 3000 mm
temperature range -50+110°C
bulb ø 5x20 mm watertight



3445154 PROBE NTC TPE STEEL IP68 3000 mm
temperature range -40+110°C
bulb ø 6x40 mm watertight



3445379 PROBE PT1000 IP68 1500 mm
temperature range -50+110°C
bulb ø 6x20 mm watertight



3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



BERTO'S 24076500



Suitable for:

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



BERTO'S



Suitable for:

3445913 SILICONE PROBE NTC 1500 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445155 SILICONE PROBE NTC 3000 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range -55+150°C
bulb ø 6x40 mm



3445959 SILICONE PTC PROBE 5000 mm
temperature range -55+150°C
bulb ø 6x40 mm



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



BERTO'S 1551

BERTO'S 25164500

3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved






Energy regulators

3350024 ENERGY REGULATOR

contact capacity 240V 13A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for Bain-marie electric (BERTO'S) E6BM3B - E6BM3M
 E6BM6B - E6BM6M - SE9BM4M - SE9BM8M
 for Grill electric (BERTO'S) E6PL60B - E6PL60M
 E9PL40M - E9PL80M - PLE40BE - PLE40ME
 PLE80BE - PLE80ME - SE9PL40M - SE9PL80M
 for Salamander electric (BERTO'S) SA/E48 - SA/E60
 SA/E60-E - SA/E68M - SA/E68M-E
 for Bain-marie electric (BERTO'S) E7BM8M




BERTO'S 0280

BERTO'S 27114900

3350026 ENERGY REGULATOR


contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



BERTO'S 24114800

3350035 ENERGY REGULATOR

contact capacity 230V 13A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



BERTO'S 31150200

Feet

5032354 ADJUSTABLE S/ST. FOOT \varnothing 1"1/2 x h 125 mm

with fixed screw M8x20 mm
 adjustable height 125÷185 mm



BERTO'S 24684200

BERTO'S 32682600

5026730 PLASTIC FOOT \varnothing 30 mm

with fixed screw M8x20 mm



BERTO'S 30684100

Fittings

3025862 OLIVE FOR PIPE \varnothing 10 mm



BERTO'S 32277200



Suitable for:

BERTO'S



Suitable for:

Fryer baskets and accessories

5022275 FRYER BASKET KIT 345x265x150 mm
in chrome-plated iron
complete with false bottom 390x290x90 mm
overall height false bottom 255 mm
for Fryer (BERTO'S)



BERTO'S 31714900
BERTO'S 32617600

BERTO'S 32502900

BERTO'S 32502900+31714900

3055267 FRYER BASKET 235x200x100 mm
in chrome-plated iron
for Fryer electric (BERTO'S) ELT10+10B
ELT10+10B-E - ELT10B - ELT10B-E - ELT12+12B
ELT12+12B-E - ELT12B - ELT12B-E - ELT15+15B
ELT15+15B-E - ELT15B - ELT15B-E - ELT18+18B
ELT18+18BE - ELT18B - ELT18BE - ELT8+8B
ELT8+8B-E - ELT8B - ELT8B-E
for Fryer gas (BERTO'S) GL8+8B - GL8+8M - GL8B
GL8M



BERTO'S 33614400

5037567 FRYER BASKET 275x210x110 mm
in chrome plated iron
for Fryer (BERTO'S) - Series 600-700



BERTO'S 33614600

3055258 FRYER BASKET 280x100x100 mm
in chromium plated iron



BERTO'S 22502200

3055257 FRYER BASKET 280x195x105 mm
in chrome-plated iron



BERTO'S 22617400

5015886 FRYER BASKET 300x245x115 mm
of chromed iron
for Fryer electric (BERTO'S) ELT10+10B-E
ELT10B-E - ELT12+12B-E - ELT12+12M
ELT12+12M-E - ELT12B-E - ELT12M - ELT12M-E
ELT15+15B - ELT15+15B-E - ELT15+15M
ELT15+15M-E - ELT15B-E - ELT15M - ELT15M-E
ELT18+18B - ELT18+18BE - ELT18+18M
ELT18+18M-E - ELT18B - ELT18BE - ELT18M
ELT18M-E
for Fryer gas (BERTO'S) GL10+10B - GL10+10M
GL10B - GL10M - GL15+15M - GL15M - GL20+20M
GL20M



BERTO'S 32617100



Gas burners

5027919 BURNER \varnothing 60x525 mm
 overall length 620 mm
 made of STAINLESS steel
 for Pasta cooker gas (BERTO'S)
 G9CP40-G9CP40/2-G9CP80-G9CP80/2
 SG9CP40-SG9CP80



BERTO'S 35278800

BERTO'S 35278900

3023177 BURNER 445x200 mm
 made of stainless steel
 for Lava rock grill gas (BERTO'S) PLG40 - PLG40BE
 PLG40M - PLG40ME - PLG80B - PLG80BE - PLG80M
 PLG80ME



BERTO'S 31278400

3023239 BURNER 635x200 mm
 made of STAINLESS steel
 for Lava rock grill gas (BERTO'S) G9PL40B
 G9PL40M - G9PL80B - G9PL80M - SG9PL40M
 SG9PL80M



BERTO'S 35278400

3020093 NOZZLE HOLDER FOR PIPE \varnothing 12 mm
 with nut and olive
 thread connection for hose M20x1.5 mm
 fastening fitting M14x1 mm



BERTO'S 22913400

Gas taps and accessories

3348089 BRACKET FOR TAP



BERTO'S 22966200

4002900 BY-PASS SCREW \varnothing 0.45 mm FOR MOD. 20/21
 thread M5x0.5



BERTO'S 22783500

5015533 BY-PASS SCREW \varnothing 0.55 mm FOR MOD. 20/21
 thread M5x0.5



BERTO'S 22783600

5072746 BY-PASS SCREW \varnothing 0.60 mm FOR MOD. 22
 thread M6x0.5



BERTO'S 31782800



Suitable for:

BERTO'S



5014631 BY-PASS SCREW \varnothing 1 mm FORMOD. 20/21
thread M5x0.5



BERTO'S 31783400

3348014 GAS TAP 20/S
without pilot flame
fittings \varnothing M16x1.5mm
thermocouple fitting M8x1
D-shaped pin \varnothing 8x6.5mm



BERTO'S 22272900

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



Suitable for:

3348097 GAS TAP SABAF
without pilot flame
flange connection pipe \varnothing 16 mm
outlet connection \varnothing 1/4" M
with flowrate adjuster
eye thermocouple connection
D-shaped pin \varnothing 8x6.5 mm
for Pot stove (BERTO'S) - Series 600 - Series 700



BERTO'S 31274500

BERTO'S 31275000

3348020 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 20S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BERTO'S 31777500

BERTO'S 3177700



Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



BERTO'S



Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BERTO'S 32811800

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348016 GAS TAP 21/S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 8x6.5 mm



BERTO'S 22272500

BERTO'S 22273500

BERTO'S 31273600

BERTO'S 31273700

BERTO'S 31273500


3348085 BUSH FOR TAP



7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread \varnothing 3/8" F - M16x1 mm
for taps PEL 20S-21S




3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21





Suitable for:


3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



BERTO'S

Suitable for:

3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110





Suitable for:

3348044 OLIVE FOR PIPE ϕ 10 mm
for model PEL 20-21-24-25



3348037 OLIVE FOR PIPE ϕ 6 mm
for model PEL 21-22-24-25




3348029 PIPE FITTING ϕ 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING ϕ 6 mm
thread M10x1 mm



3348012 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin ϕ 10x8 mm
for Bratt pan (BERTO'S) G9P20D



BERTO'S 31274100

BERTO'S 35273800

BERTO'S

Suitable for:


3348036 OLIVE FOR PIPE ϕ 4 mm
for model PEL 21-22-24-25



BERTO'S 31777500


BERTO'S 3177700

3348043 PIPE FITTING ϕ 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



BERTO'S 32811800

3020078 PIPE FITTING ϕ 6 mm
thread M10x1



3348060 CAP WITH PIN ϕ 10x8 mm
pin length 25 mm
for model PEL 23






Suitable for:

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35 mm
for model PEL 23



3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23



3182010 MAGNETIC UNIT PEL
head \varnothing 24 mm - end piece \varnothing 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BERTO'S 31777500

BERTO'S 31777700


BERTO'S

Suitable for:

3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3348040 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 23



3348042 OLIVE FOR PIPE \varnothing 20 mm
for model PEL 23



BERTO'S

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25





Suitable for:

3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5
for model PEL 23



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1




3348042 OLIVE FOR PIPE \varnothing 20 mm
for model PEL 23



BERTO'S

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



BERTO'S 32811800

BERTO'S



Suitable for:

3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BERTO'S 31777500

BERTO'S 31777700



Suitable for:


BERTO'S

Suitable for:




Gas valves and accessories

3526258 EUROSIT VALVE FOR FRYER 110÷190°C
 with new knob
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm
 RoHS certificated
 for Fryer gas (BERTO'S) GL15+15M




BERTO'S 35271800

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



3020084 FITTING AND OLIVE \varnothing 6 mm



3526127 FLANGE FOR EXTENSION




5050401 OLIVE FOR PIPE \varnothing 10 mm
 external \varnothing 13 mm - height 8 mm



3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR



3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
 thread \varnothing 3/8" M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 22-24-25





Suitable for:

3001111 **PIEZO IGNITER EUROSIT**
M faston \varnothing 2.4 mm



BERTO'S




Suitable for:

3020079 **PIPE FITTING \varnothing 12 mm**
thread \varnothing 3/8" M



3526123 **RUBBER PROTECTION FOR EUROSIT VALVE**



5068810 **GAS VALVE MERTIK 110 \div 190 $^{\circ}$ C**
model GV31T-C4AYE1K0-003
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple fitting M9x1
max gas inlet pressure 50 mbar
complete with cable for ignition length 520 mm
capillary length 1020 mm
stuffing gland fitting M8x1
with tank sealing fitting \varnothing 1/4"
bulb \varnothing 5x160 mm
for Fryer (BERTO'S) 9GL22M



BERTO'S 38271800

3523949 **MINISIT VALVE FOR FRYER 110 \div 190 $^{\circ}$ C**
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60 $^{\circ}$ C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges



BERTO'S 32271600

3523038 **ELBOW FLANGE MINISIT \varnothing 1/2" F**
with screws and OR



2100757 **CONNECTION FOR OLIVE \varnothing 16 mm**
thread \varnothing 1/2" M



3523037 **ELBOW FLANGE MINISIT \varnothing 3/8" F**
with screws and OR





Suitable for:


3523035 KNOB MINISIT BLACK \varnothing 37 mm



3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm




3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



BERTO'S

Suitable for:

3523047 LID MINISIT



3523061 NUT \varnothing 1/4"x6 mm




3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm




3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange





Suitable for:

3523051 SENSING ELEMENT MINISIT 110÷190°C
capillary length 1050 mm
bulb ø 6x105 mm



BERTO'S



Suitable for:

5058320 TUBE NUT FITTING ø 10 mm
thread M14x1,5 mm



3523036 REDUCTION STRAIGHT ø 3/8" F - ø 1/2" F
in brass with internal and external thread
internal thread ø 3/8" F - external thread ø 1/2" F
for MINISIT flange



BERTO'S 32924100

3526133 VALVE 630 EUROSIT FRY TOP 60÷300°C
inlet ø 3/8" F - outlet ø 3/8" F
thermocouple fitting M9x1
maximum gas inlet pressure 50 mbar
outlet pressure calibration range:
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb ø 4x72 mm
for Grill (BERTO'S) SG9FR4M



3526260 CAP FOR VALVE EUROSIT ø 3/8"
with OR



BERTO'S 35274500


4056009 CAP FOR VALVE EUROSIT-MERTIK ø 3/8"
with OR




3526126 EUROSIT VALVE EXTENSION
D shaft ø 10x8 mm



3020083 FITTING AND OLIVE ø 4 mm




3020084 FITTING AND OLIVE ø 6 mm





Suitable for:

**5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M**



**5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm**



**3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25**



**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M**



3526130 VALVE 630 EUROSIT OVEN 100÷340°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



BERTO'S 35271600

BERTO'S

Suitable for:

3526127 FLANGE FOR EXTENSION




**5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm**



**3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm**



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



**3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR**





Suitable for:


4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



3526127 FLANGE FOR EXTENSION



3526128 KNOB EXTENSION LENGTH 34 mm
D-shaped pin \varnothing 8x6.5 mm



5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm




BERTO'S

Suitable for:

3526129 CLASP \varnothing 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752



3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8"M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8"M - M16x1 mm



3526125 KNOB EXTENSION LENGTH 44 mm
D-shaped pin \varnothing 8x6.5 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25





Suitable for:

3001111 **PIEZO IGNITER EUROSIT**
M faston \varnothing 2.4 mm



BERTO'S




Suitable for:

3020079 **PIPE FITTING \varnothing 12 mm**
thread \varnothing 3/8" M




3526123 **RUBBER PROTECTION FOR EUROSIT VALVE**



Gaskets and seals

3786831 **FIBERGLASS GASKET \varnothing 14 mm - 3mt**
max temperature 600°C
COLOUR WHITE



BERTO'S 31806900

5060886 **FIBREGLASS GASKET 1750 mm**
profile dimensions 25x10 mm
max temperature 600°C
COLOUR WHITE



BERTO'S 31858800

Gaskets for oven door

7112693 **GASKET FOR OVEN DOOR 800x240 mm**
made of silicone elastomer
with fastening clamps
COLOUR: BLACK
for Oven under cooktop electric (BERTO'S)
E6PQ2P9+TE - G6F6+TE
for Oven under cooktop gas (BERTO'S) G6F2H9+T
G6F2P9+T - G6F3H12+T - G6F3H9+T - G6F6+T



BERTO'S 36594100


3186102 **OVEN DOOR GASKET**
made of silicone elastomer
profile dimensions 15.8x11.5 mm
COLOUR BLACK
SOLD PER METRE
for Oven under cooktop (BERTO'S) - Series 600
Series 700 - Series 900
for Oven under cooktop (BERTO'S) G9TP4F+FG



BERTO'S 31859000

Suitable for:


3186403 OVEN DOOR GASKET 1400 mm
made of silicone elastomer
profile dimensions 21x12 mm
COLOUR BLACK



BERTO'S 22594400

Suitable for:

5024140 OVEN DOOR GASKET 530x270 mm
made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 10x9 mm
COLOUR BLACK
for BUILT-IN OVEN series 600
for Oven under cooktop (BERTO'S) - Series 600



BERTO'S 22594300

3186298 OVEN DOOR GASKET 580x290 mm
made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 10x9 mm
COLOUR BLACK
for Oven under cooktop (BERTO'S) - Series 700
Series 900



BERTO'S 22594200

Grids for kitchen

3185116 GRID 575x360 mm
for Pot stove (BERTO'S) - Series 600



BERTO'S 31856600

BERTO'S 31856700

BERTO'S 31858100

5071097 GRID 390x380 mm



BERTO'S 35856500

BERTO'S 38856500

BERTO'S 38856700

3185115 PAN SUPPORT GRID 380x380 mm
for Pot stove (BERTO'S) - Series 900



BERTO'S 35856600

BERTO'S 35856700

BERTO'S 35858700

3185071 PAN SUPPORT GRID 580x370 mm
for Pot stove (BERTO'S) - Series 700



BERTO'S 31856200

BERTO'S 31856500



Suitable for:

3185026 SHELF 580x370 mm
for Pot stove (BERTO'S) - Series 655



BERTO'S 22642100

BERTO'S



Suitable for:


3185025 SHELF 580x385 mm
for Pot stove (BERTO'S) - Series 655



BERTO'S 22642300

Handles

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm



BERTO'S 2457700

BERTO'S 24579500

5009864 PLASTIC HANDLE 110 mm BLACK
distance between holes 90 mm
for Fryer electric (BERTO'S) - Series 600-700-900
for Fryer gas (BERTO'S) - Series 600-700-900



BERTO'S 33606100


Heating elements

3355829 CERAMIC HEATING ELEMENT 650W 230V
length 245 mm - width 60 mm



BERTO'S 22016100

3355844 HEATING ELEMENT KIT 2700W 230V
length 240 mm - width 200 mm
height 120 mm - fittings \varnothing 1/4"
with bracket
for Fryer electric (BERTO'S) ELT8+8B - ELT8+8BE
ELT8B - ELT8BE




BERTO'S 33024700

3355846 HEATING ELEMENT KIT 3450W 230V
length 290 mm - width 190 mm
height 155 mm - fittings \varnothing 1/4"
with bracket
for Fryer electric (BERTO'S) ELT12+12B - ELT12B



BERTO'S 33025600


5015802 HEATING ELEMENT KIT 6000W 230/400V
length 280 mm - width 200 mm
height 215 mm - flange 270x24 mm
complete with brackets
for Fryer electric (BERTO'S) ELT12+12B-E
ELT12+12M-E - ELT12B-E - ELT12M-E



BERTO'S 33026700

Suitable for:


5015849 HEATING ELEMENT KIT 9000W 230V
length 300 mm - width 230 mm
height 200 mm - flange 325x25 mm
complete with brackets
for Fryer electric (BERTO'S)
Series ELT18M-E/ELT18+18M-E



BERTO'S 33026900

Suitable for:

5015633 HEATING ELEMENT TOP 2600W 230V
length 355 mm - width 355 mm
flange 100x22 mm



BERTO'S 22016900

3355309 HEATING ELEMENT 1000W 230V BOTTOM
length 185 mm - width 180 mm
complete with cables
for Panini grill electric (BERTO'S) PD/VTR
PDL/LD - PDL/ST - PDL/SX - PDM/LD - PDM/ST
PDR/LD - PDR/VTR - PDT/L - PDT/M - PDT/R
PDT/SX - PDT/VTR - PSL/LD - PSL/LX - PSR/LD
PSR/ST - PST/L - PST/R



BERTO'S 30023500

3355310 HEATING ELEMENT 1000W 230V TOP
length 185 mm - width 320 mm
complete with cables
for Panini grill electric (BERTO'S) PDT/VTR
PM+VTR - PML/LD - PML/ST - PMR/ST - PMR/VTR



BERTO'S 30024100

3355441 HEATING ELEMENT 1135W 220/240V
length 425 mm - width 65 mm
height 80 mm



BERTO'S 22039300

5059339 HEATING ELEMENT 1350W 240V
length 360 mm - width 66 mm
height 75 mm
for Fry top electric (BERTO'S) - Series 600



BERTO'S 36039300

3355442 HEATING ELEMENT 1500/1800W 220/240V
length 420 mm - width 50 mm
fittings \varnothing 3/8"
operating ambient: immersion



BERTO'S 22038900

3355440 HEATING ELEMENT 1500W 220V
length 435 mm - width 75 mm
height 60 mm - fittings \varnothing 1/4"



BERTO'S 22039100



Suitable for:

BERTO'S



5055311 HEATING ELEMENT 1500W 230V
 length 540 mm - width 240 mm
 height 60 mm
 for Bain-marie electric (BERTO'S) E6BM3B - E6BM3M
 E6BM6B - E6BM6M - SE9BM4M - SE9BM8M



BERTO'S 35038900

3355311 HEATING ELEMENT 1500W 230V BOTTOM
 length 185 mm - width 320 mm
 complete with cables
 for Panini grill electric (BERTO'S) PM+VTR
 PML/LD - PML/ST - PMR/LD - PMR/ST - PMR/VTR
 PMT/VTR



BERTO'S 30024300

5052809 HEATING ELEMENT 1500W 240V
 length 470 mm - width 170 mm
 2 flanges 55x18 mm
 for Fry top electric (BERTO'S) - Series 700
 Series 900
 for Oven under cooktop electric (BERTO'S)
 Series 700 - Series 900



BERTO'S 31320400

3355802 HEATING ELEMENT 1600W 230V
 length 300 mm - width 205 mm
 flange 70x22 mm
 for Salamander electric (BERTO'S) SA/E60 - SA/E68M



BERTO'S 27022300

5037814 HEATING ELEMENT 1600W 230V
 length 425 - width 65 mm
 height 85 mm
 for Fry top electric (BERTO'S) - Series 700



BERTO'S 22039400

BERTO'S 35039500

3355843 HEATING ELEMENT 1800W 230V
 length 245 mm - width 135 mm
 height 150 mm - fittings \varnothing 1/4"
 for Fryer electric (BERTO'S) ELT4+4B - ELT4B



BERTO'S 33024600

5030605 HEATING ELEMENT 1900W 240V
 length 600 mm - width 70 mm
 height 75 mm
 for Fry top electric (BERTO'S) - Series 900



BERTO'S 35039300

3755686 HEATING ELEMENT 2300W 230V
 length 300 mm - width 210 mm
 total height 85 mm - flange 70x22 mm
 for Salamander electric (BERTO'S) SA/E60
 SA/E60-E - SA/E68M - SA/E68M-E



BERTO'S 27023000

3355055 HEATING ELEMENT 2500W 220V
 external \varnothing 190 mm - internal \varnothing 178 mm
 total height 93 mm
 flange 70x22 mm



BERTO'S 23021800

3355889 HEATING ELEMENT 2500W 230V
 external \varnothing 190 mm - internal \varnothing 178 mm
 total height 70 mm
 flange 70x22 mm



BERTO'S 22015500

3455307 HEATING ELEMENT 2750W 230V
 length 300 mm - width 100 mm
 fittings M14x1 mm
 for Pasta cooker electric (BERTO'S) E6CPM - E6CP6B



BERTO'S 22015900

3755685 HEATING ELEMENT 3450W 230V
 length 265 mm - width 195 mm
 height 170 mm - fittings \varnothing 1/4"
 for Fryer electric (BERTO'S) ELT8BE



BERTO'S 33024900

Suitable for:


3186098 HEATING ELEMENT GASKET
 external dimensions 71x23 mm



3186098 HEATING ELEMENT GASKET
 external dimensions 71x23 mm



5031733 HEATING ELEMENT 2755/3000W 230/240V
 length 390 mm - width 120 mm
 height 100 mm - complete with cables
 for Bratt pan electric (BERTO'S) E7BR8



BERTO'S 31927000

3355830 HEATING ELEMENT 350W 230V
 length 280 mm - width 60 mm
 flange 110x22 mm
 for Potato heater electric (BERTO'S) E6SP6B
 E6SP6M - E7SP-4B - E7SP-4M



BERTO'S 22016400

BERTO'S 22016500



Suitable for:

BERTO'S



5075082 HEATING ELEMENT 3500W 230V
length 305 mm - width 140 mm
fittings M14x1 mm
for Pasta cooker electric (BERTO'S) E6CP3B



BERTO'S 36016000

5039868 HEATING ELEMENT 4000W 230V
immersed depth 295 mm
flange ø external 72 mm
with bulb sheath ø 9 mm
complete with O-ring
for Pasta cooker electric (BERTO'S) CPE40



BERTO'S 31015900

3355445 HEATING ELEMENT 6000W 230V
length 310 mm - width 250 mm
overall height 257 mm - complete with cables
operating ambient: immersion
for Bain-marie electric (BERTO'S) E7F10



BERTO'S 22016200

3355308 HEATING ELEMENT 700W 230V TOP
length 185 mm - width 180 mm
complete with cables
for Panini grill electric (BERTO'S) PD/VTR
PDL/LD - PDL/ST - PDL/SX - PDM/LD - PDM/ST
PDR/LD - PDR/ST - PDR/VTR - PSL/LD - PSL/SX
PSM/ST - PSR/LD - PSR/ST



BERTO'S 30022500

5050304 HEATING ELEMENT 9000W 230V
length 310 mm - width 250 mm
overall height 265 mm - complete with cables
operating ambient: immersion
for Fryer electric (BERTO'S) E6F10-3BS - E6F10-3M
E6F10-3MS - E6F10-6BS - E6F10-6M - E6F10-6MS
E7F10-4M - E7F10-4MS - E7F10-8M - E7F10-8MS



BERTO'S 22016300

3755486 HEATING ELEMENT 990W 240V
length 470 mm - width 105 mm
height 25 mm - 2 flanges 55x17 mm



BERTO'S 31320000

5037982 KIT COMPLETE HEATING ELEMENT 9000W 230V
the kit includes:
casing, knobs, indicator lamps, cables and
thermostats
heating element dimensions 300x240 mm
for Fryer electric (BERTO'S)



BERTO'S 33009300

BERTO'S 33013300

3355349 QUARTZ HEATING ELEMENT 1000W 230V
length 390 mm - flange 130x11 mm



BERTO'S 30014100



Suitable for:

3355299 QUARTZ TUBE \varnothing 10x390 mm



BERTO'S 30043100

3355343 WIRE HEATING ELEMENT 500W 110V
length 390 mm
for Toaster electric (BERTO'S) 12T - 6T



BERTO'S 30040800

3755106 STEATITE INSULATOR FOR HEATING ELEMENT
composed of 1 male piece and 1 female piece



BERTO'S 30194200

BERTO'S 30194200+30194300

Suitable for:

3755106 STEATITE INSULATOR FOR HEATING ELEMENT
composed of 1 male piece and 1 female piece



BERTO'S 30194200

BERTO'S 30194200+30194300

BERTO'S 30194300

3355299 QUARTZ TUBE \varnothing 10x390 mm



BERTO'S 30043100

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



BERTO'S 31802500

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop electric (BERTO'S)
G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop gas (BERTO'S) G9F4E+FG1
G9F6E+FG1



BERTO'S 22608200

BERTO'S 22609200



Suitable for:

BERTO'S




3053101 LEFT-HAND DOOR HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 148 mm



BERTO'S 22608100

Suitable for:

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop electric (BERTO'S)
G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop gas (BERTO'S) G9F4E+FG1
G9F6E+FG1



BERTO'S 22608200

BERTO'S 22609200

3053007 LEFTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205 mm
height 160 mm



BERTO'S 31802100

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118 mm
height 23 mm



BERTO'S 31802500

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm



3053018 LEFTHAND DOOR HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 146 mm



BERTO'S

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop electric (BERTO'S)
G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop gas (BERTO'S) G9F4E+FG1
G9F6E+FG1



BERTO'S 22608200

BERTO'S 22609200



Suitable for:

3053100 RIGHT-HAND DOOR HINGE FOR OVEN
 mounting distance 120 mm - overall length 155 mm
 height 148 mm



BERTO'S 22607800

3053221 HINGE COVER
 mounting distance 95 mm - dimensions 122x20 mm



Suitable for:

3053019 DOOR HINGE ROLL HOLDER
 mounting distance 95 mm - overall length 110 mm
 height 25 mm
 for Oven under cooktop electric (BERTO'S)
 G9F4E+FE1 - G9F6E+FE1
 for Oven under cooktop gas (BERTO'S) G9F4E+FG1
 G9F6E+FG1



BERTO'S 22608200

BERTO'S 22609200

3053006 RIGHTHAND DOOR HINGE FOR OVEN
 mounting distance 175 mm - overall length 205
 height 160 mm



BERTO'S 31802000

3053234 HINGE COVER
 mounting distance 95 mm - dimensions 124x20 mm



3053003 DOOR HINGE ROLL HOLDER
 mounting distance 95 mm - overall length 118
 height 23 mm



BERTO'S 31802500

3053299 HINGE COVER
 mounting distance 77 mm - dimensions 129x26 mm




3053017 RIGHTHAND DOOR HINGE FOR OVEN
 mounting distance 120 mm - overall length 155
 height 146 mm



BERTO'S

3053019 DOOR HINGE ROLL HOLDER
 mounting distance 95 mm - overall length 110 mm
 height 25 mm
 for Oven under cooktop electric (BERTO'S)
 G9F4E+FE1 - G9F6E+FE1
 for Oven under cooktop gas (BERTO'S) G9F4E+FG1
 G9F6E+FG1



BERTO'S 22608200

BERTO'S 22609200



Suitable for:


BERTO'S

Suitable for:



Hot plates

5023910 COOKING PLATE SMOOTH 390x385 mm
made of cast iron



BERTO'S 35642800

BERTO'S 9PLR

Ignitors

3001014 CAP WATERTIGHT PIEZO
made of silicone rubber
with ring : \varnothing external 29 mm - \varnothing internal 18 mm
for Bratt pan gas (BERTO'S) SG9BR8/1



BERTO'S 32188400

3001043 IGNITION BATTERY HOLDER
a \varnothing 22 mm hole is required for the assembly
faston M 2.8/6.3 mm
for battery 1.5V



BERTO'S 31915000

3001005 PIEZO IGNITER
a \varnothing 18 mm hole is needed for the assembly
faston M \varnothing 2.4 mm



BERTO'S 22188300

5035512 WATERTIGHT PIEZO CAP
of silicone rubber



3001020 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



BERTO'S 32188200

5035512 WATERTIGHT PIEZO CAP
of silicone rubber




5071589 WATERTIGHT PIEZO CAP
made of silicone rubber





Incandescent lamps and neon lamps

3221041 LAMP E14 15W 230V
max temperature 300°C - ø 22x50 mm



BERTO'S 23155100

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



BERTO'S 23155300

BERTO'S 3546

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C



BERTO'S 10307

Indicator lights

3221032 INDICATOR LIGHT GREEN 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



BERTO'S 30168800

3221132 INDICATOR LIGHT GREEN 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



BERTO'S 0631

BERTO'S 30168800

3221156 INDICATOR LIGHT GREEN 400V
head ø 14 mm - hole ø 12 mm
for Bain-marie electric (BERTO'S) EBMD8 - EBMM6
EBMS4 - EBR54
for Boiling pan electric (BERTO'S) E9P101
E9P101A - E9P151 - E9P151A
for Bratt pan electric (BERTO'S) E9BR8
for Fry top electric (BERTO'S) EFLD8 - EFLM6
EFLS4 - EFMD8 - EFRM6 - EFRS4
for Fryer electric (BERTO'S) E10+10MB6 - E10B4
for Grill electric (BERTO'S) EGRM4 - EGRS4
for Kitchen electric (BERTO'S) E4F+FCD8
for Pasta cooker electric (BERTO'S) ECRM6
for Pot stove electric (BERTO'S) E2FS4 - E4FD8



BERTO'S 22167900

BERTO'S 33170800



Suitable for:

BERTO'S



3221183 INDICATOR LIGHT GREEN 400V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



3221184 INDICATOR LIGHT ORANGE 400V
 \varnothing head 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



BERTO'S 33171000

3221194 INDICATOR LIGHT NEON GREEN 220V
 \varnothing head 8 mm



BERTO'S 33171100

3221197 GREY CAP \varnothing 12 mm



BERTO'S 30169100

3221196 LAMP CAP CLEAR
 \varnothing 12 mm



3221195 LAMP CAP GREEN \varnothing 12 mm
 \varnothing 12 mm



3221192 LAMP SUPPORT



3221193 ORANGE LAMP CAP
 \varnothing 12 mm



3319219 SUPPORT FOR DARK GREY PUSH-BUTTON
mounting hole 16x16 mm - for push-button \varnothing 12 mm



Suitable for:

3221095 INDICATOR LIGHT ORANGE 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



BERTO'S 0592

BERTO'S 30168500

Suitable for:

3221155 INDICATOR LIGHT ORANGE 400V
 head \varnothing 14 mm - hole \varnothing 12 mm
 for Boiling pan electric (BERTO'S) E9P10I
 E9P10IA - E9P15I - E9P15IA - SE9P10I
 SE9P10IA - SE9P15I
 for Bratt pan electric (BERTO'S) E9BR8 - E9BR8/I
 SE9BR8 - SE9BR8/I



BERTO'S 22167800

BERTO'S 33170900

3221184 INDICATOR LIGHT ORANGE 400V
 \varnothing head 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



BERTO'S 33171100

Ironmongery (screws,nuts,washers)

3242041 CLASP \varnothing 3x25 mm
 stainless steel C70 - UNI 6873 - DIN 1481 - ISO 87



BERTO'S 3780

Knobs

3241178 BLACK KNOB \varnothing 50 mm SILK-SCREEN PRINTED
 D-shaped hole 6x4.6 mm
 for Salamander (BERTO'S) SAE



BERTO'S 27653300

3241863 BLACK KNOB \varnothing 70 mm
 D-shaped hole 6x4.6 mm




BERTO'S

3241401 BLACK KNOB \varnothing 70 mm UNIVERSAL
 D-shaped hole 8x6.5 mm



BERTO'S 31875900

3241464 SELF-STICK DISK MIN/MAX
 external \varnothing 63 mm






Suitable for:


3241463 SELF-STICK DISK WITH ARROW SYMBOL
external ø 63 mm



3241465 SELF-STICK DISK 0-1-0-1
external ø 63 mm




3241467 SELF-STICK DISK 0-1-2-3-4-5-6
external ø 63 mm




3241453 SELF-STICK DISK 1-2-3-4-5-6-7-8
external ø 63 mm
for thermostatic gas taps EGA



3241456 SELF-STICK DISK 30-110°C
external ø 63 mm



3241454 SELF-STICK DISK 30-90°C
external ø 63 mm



BERTO'S




Suitable for:


3241451 SELF-STICK DISK WITHOUT PILOT SYMBOL
external ø 63 mm
for gas taps without pilot



3241466 SELF-STICK DISK 0-1-2-3
external ø 63 mm




3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8
external ø 63 mm
for thermostatic gas taps PEL




BERTO'S 31952300


3241458 SELF-STICK DISK 100-180°C
external ø 63 mm



3241457 SELF-STICK DISK 30-110°C
external ø 63 mm




3241455 SELF-STICK DISK 30-90°C
external ø 63 mm





Suitable for:

3241459 SELF-STICK DISK 50-250°C
external ø 63 mm



3241461 SELF-STICK DISK 50-300°C
external ø 63 mm



5053595 SELF-STICKING DISK RED PILOT SYMBOL
ø external 64 mm



3241860 BLACK KNOB ø 70 mm 0-1-0-1
D-shaped hole 6x4.6 mm



BERTO'S

3241862 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm



BERTO'S

3241853 BLACK KNOB ø 70 mm 30-90°C
D-shaped hole 6x4.6 mm




BERTO'S

BERTO'S



Suitable for:

3241460 SELF-STICK DISK 50-300°C
external ø 63 mm



3241462 SELF-STICK DISK 50-320°C
external ø 63 mm



3241450 SELF-STICKING DISK WITH PILOT SYMBOL
external ø 63 mm
for gas taps with pilot




3241861 BLACK KNOB ø 70 mm 0-1-2-3
D-shaped hole 6x4.6 mm



BERTO'S

3241855 BLACK KNOB ø 70 mm 30-110°C
D-shaped hole 6x4.6 mm



BERTO'S

3241854 BLACK KNOB ø 70 mm 30-90°C
D-shaped hole 6x4.6 mm



BERTO'S



Suitable for:

BERTO'S



3241402 KNOB BLACK ø 70 mm UNIVERSAL
D-shaped hole 6x4.6 mm
for thermostat, selector switch, timer,
program switch, energy regulator




BERTO'S 31876000


3241463 SELF-STICK DISK WITH ARROW SYMBOL
external ø 63 mm



3241465 SELF-STICK DISK 0-1-0-1
external ø 63 mm




3241467 SELF-STICK DISK 0-1-2-3-4-5-6
external ø 63 mm



3241453 SELF-STICK DISK 1-2-3-4-5-6-7-8
external ø 63 mm
for thermostatic gas taps EGA




3241464 SELF-STICK DISK MIN/MAX
external ø 63 mm




3241451 SELF-STICK DISK WITHOUT PILOT SYMBOL
external ø 63 mm
for gas taps without pilot



3241466 SELF-STICK DISK 0-1-2-3
external ø 63 mm




3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8
external ø 63 mm
for thermostatic gas taps PEL



BERTO'S 31952300

3241458 SELF-STICK DISK 100-180°C
external ø 63 mm






Suitable for:

3241456 SELF-STICK DISK 30-110°C
external ø 63 mm




3241454 SELF-STICK DISK 30-90°C
external ø 63 mm



3241459 SELF-STICK DISK 50-250°C
external ø 63 mm



3241461 SELF-STICK DISK 50-300°C
external ø 63 mm



3241450 SELF-STICKING DISK WITH PILOT SYMBOL
external ø 63 mm
for gas taps with pilot



3241864 KNOB BLACK MIN-MAX ø 70 mm
D-shaped hole 6x4.6 mm




BERTO'S




Suitable for:


3241457 SELF-STICK DISK 30-110°C
external ø 63 mm




3241455 SELF-STICK DISK 30-90°C
external ø 63 mm



3241460 SELF-STICK DISK 50-300°C
external ø 63 mm



3241462 SELF-STICK DISK 50-320°C
external ø 63 mm



3241342 RED KNOB ø 72 mm OFF 5-10-15
D-shaped hole 8x6.5 mm
for Panini grill (BERTO'S) - Series 600
Series 900





Suitable for:

3241154 RED KNOB \varnothing 72 mm OFF-5-10-15
D-shaped hole 6x4.6 mm
for Toaster electric (BERTO'S) 12T - 6T




BERTO'S 30949200

BERTO'S 35877500


Suitable for:

3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8
external \varnothing 63 mm
for thermostatic gas taps PEL



BERTO'S 31952300

5056470 STICKING KNOB DISK WITHOUT PILOT SYMBOL
external \varnothing 63 mm
for gas taps without pilot



BERTO'S 31952000

Lamp receptacles and spare parts

3221172 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 96x80 mm



BERTO'S 24289500

3221255 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 140x72 mm



BERTO'S 25806900

BERTO'S 3545

3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE
external dimensions 140x75 mm



BERTO'S 25597400

BERTO'S 3543

3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm



BERTO'S 24597700

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN



BERTO'S 23602800

3221173 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 73x58 mm



BERTO'S 24589900

Suitable for:

3221256 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 112x65 mm
max temperature 500°C



BERTO'S 25589200

BERTO'S 3544

Suitable for:

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
thread \varnothing 33.5 mm - overall height 34 mm



BERTO'S 23160700

3221204 HALOGEN LAMP RECEPTACLE G4 20W 12V
UL certified - wire connection length 300 mm



BERTO'S 10308

5013466 LAMP HOLDER WITH LAMP E14 25W 230V
extern size 140x72 mm
maximal temperature 300°C



BERTO'S

3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE
external dimensions 140x75 mm



BERTO'S 25597400

BERTO'S 3543

3221061 LAMP E14 25W 230V
max temperature 300°C - \varnothing 26x57 mm



BERTO'S 23155300

BERTO'S 3546

3221255 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 140x72 mm



BERTO'S 25806900

BERTO'S 3545

3221256 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 112x65 mm
max temperature 500°C



BERTO'S 25589200

BERTO'S 3544

3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
dimensioni esterne 106x65 mm



BERTO'S 25159500

BERTO'S 3542



Suitable for:

D421016 OVEN LAMP DR FISCHER E14 25W 230V
ø 25x57 mm - max temperature 300°C




BERTO'S



Suitable for:

2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V
mounting hole ø 38 mm
max temperature 300°C



BERTO'S 23158600


Lava stone grids

5078507 BURNISHED IRON GRID 525x350x20 mm




BERTO'S 31643500

5020100 GRID OF ST. STEEL 465x325x65 mm



BERTO'S 31972500

5052737 GRID OF ST. STEEL 670x328x65 mm



BERTO'S 35972500

5015843 GRID OF ST. STEEL 680x465x75 mm



BERTO'S 31972700

5080211 GRID OF ST. STEEL 685x670x75 mm



BERTO'S 35972700



Level gauges

- 3201001 WATER LEVEL GAUGE HCX127 162x32 mm**
distance between holes 130 mm
for PANS



BERTO'S 3124000

Microswitches, mechanical

- 3240225 BIPOLAR MICROSWITCH ROLD E0159-A**
16A 250V - threads \varnothing M11x1
2 NO contacts
for Fryer electric (BERTO'S) ELT4B



BERTO'S 33059200

- 3240189 MICRO SWITCH M1DX20 10A 250V**



BERTO'S 22060200

BERTO'S 22060300

- 3250071 MICROSWITCH SPRING \varnothing 13x25 mm**



- 5003350 ROD MICROSWITCH 48x30 mm**



- 3240234 LIMIT SWITCH PIN**



- 3240235 RING NUT M16x1.5 mm**





Suitable for:

BERTO'S



3240623 MICROSWITCH CHAIN 4 BURNERS
 0.2A 250V - max 140°C
 for Pot stove (BERTO'S) - Series 600 - Series 700
 Series 900



BERTO'S 31877500

BERTO'S 31877600

Suitable for:

3240624 MICROSWITCH CHAIN 6 BURNERS
 0.2A 250V - max 140°C
 for Pot stove (BERTO'S) - Series 600 - Series 700
 Series 900



BERTO'S 31877700

BERTO'S 31877800

3240918 MICROSWITCH FOR DOOR
 pin M10x0,75 - 16A 250V
 2 NO contacts
 for Fryer electric (BERTO'S) E6F103B - E6F103M
 E6F106B - E6F106M - E6F83B - E6F83M - E6F86B
 E6F86M



BERTO'S 33059400

3240410 MICROSWITCH 16(4)A 250V



BERTO'S 1519

BERTO'S 23060600

3240236 LIMIT SWITCH CONTROL



3240203 BUSHING DOOR MICROSWITCH
 external \varnothing 10x15 mm



3240234 LIMIT SWITCH PIN



3240233 MICROSWITCH FITTING M16x1.5 mm



3250071 MICROSWITCH SPRING \varnothing 13x25 mm



3240235 RING NUT M16x1.5 mm





Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm



BERTO'S 23117700

BERTO'S 23118000

Nozzles

3500021 GAS JET M10x1 \varnothing 0.95 mm



BERTO'S 40109300

BERTO'S 40109500

3500025 GAS JET M10x1 \varnothing 1.20 mm

BERTO'S 40112000

3500026 GAS JET M10x1 \varnothing 1.25 mm



BERTO'S 40112500

3500028 GAS JET M10x1 \varnothing 1.45 mm

BERTO'S 40114000

3500030 GAS JET M10x1 \varnothing 1.60 mm



BERTO'S 40116000

3500376 GAS JET M10x1 \varnothing 2.65 mm



BERTO'S 40526500

BERTO'S 40527000

5051666 GAS JET M10x1 \varnothing 4.00 mm



BERTO'S 40140000



Suitable for:

BERTO'S



Suitable for:

O-Ring and ORM gaskets

1186715 O-RING 0159 VITON
ring thickness 3.53 mm - internal \varnothing 55.56 mm



BERTO'S 22015000

3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



BERTO'S 35859500

Pilot burners and accessories

3020469 HEAD OF PILOT BURNER



BERTO'S 39286000

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket
for Kitchen (BERTO'S) G9F4P+FG1



BERTO'S 31291300


3020101 BRACKET CLAMP 2 POSITIONS



3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm
for mounting of pilot assembly



3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
for burner \varnothing 90 mm



3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
for burner \varnothing 115 mm



3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
for burner \varnothing 135 mm






Suitable for:

3020100 BRACKET 2 POSITIONS



3020083 FITTING AND OLIVE ø 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND ø 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BERTO'S 22296800

BERTO'S 22296900

3020294 IGNITION PLUG ROUND ø 7x44 mm
M faston M4x1 mm
overall length 67 mm



BERTO'S 31187000


BERTO'S

Suitable for:

3020108 DEFLECTOR 1 FLAME



3020084 FITTING AND OLIVE ø 6 mm



3001003 IGNITION PLUG ROUND ø 7x44 mm
M faston M4x1 mm
overall length 65 mm



BERTO'S 23297400

BERTO'S 35187600

3020124 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 52 mm
for Bratt pan gas (BERTO'S) G9BR12



BERTO'S 35188000





Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




3020081 OLIVE FOR PIPE \varnothing 6 mm



3020115 PILOT CAP 1 FLAME



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



BERTO'S

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BERTO'S 31777500

BERTO'S 3177700

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020054 PILOT JET \varnothing 0.20 mm



4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



BERTO'S 35997200

5075989 PILOT JET \varnothing 0.70 mm





Suitable for:

3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET




**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



3020004 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket
for Kitchen gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31291400

3020103 BRACKET 3 POSITIONS



BERTO'S



Suitable for:

3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



3020104 BRACKET CLAMP 3 POSITIONS




3020108 DEFLECTOR 1 FLAME





Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BERTO'S 22296800

BERTO'S 22296900

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



BERTO'S 31187000

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




BERTO'S



Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BERTO'S 23297400

BERTO'S 35187600

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm
for Bratt pan gas (BERTO'S) G9BR12



BERTO'S 35188000

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BERTO'S 31777500

BERTO'S 31777700



Suitable for:

3020081 OLIVE FOR PIPE \varnothing 6 mm



3020115 PILOT CAP 1 FLAME



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



BERTO'S

Suitable for:

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020054 PILOT JET \varnothing 0.20 mm



4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



BERTO'S 35997200

5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET





Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5053292 PILOT BURNER CAP
thread M8x0.75 mm
for Pot stove gas (BERTO'S) - Series 600-700



BERTO'S 24292000

3020157 PILOT JET \varnothing 0.25 mm



BERTO'S 32366300

3020541 PILOT JET \varnothing 0.35 mm



BERTO'S 32366300

3020041 PILOT JET \varnothing 0.41 mm



BERTO'S 32367100

BERTO'S



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020356 PILOT BURNER HEAD
thread M7x0.75 mm



BERTO'S 39287000

3020040 PILOT JET \varnothing 0.30 mm



BERTO'S 32366500

5015516 PILOT JET \varnothing 0.40 mm



BERTO'S 35997200

3020187 PILOT JET \varnothing 0.51 mm



BERTO'S 32366900

3020449 PILOT JET \varnothing 0.54 mm



BERTO'S 40902700

Suitable for:

5053294 PILOT THREADED WITH JET \varnothing 0.21 mm
with external air regulation
for Pot stove gas (BERTO'S) - Series 600-700



BERTO'S 24291600

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting




BERTO'S 22291200

BERTO'S 31780400

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BERTO'S 23297400

BERTO'S 35187600

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



BERTO'S 22296800

BERTO'S 22296900

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm
for Bratt pan gas (BERTO'S) G9BR12



BERTO'S 31187000

BERTO'S 35188000



Suitable for:

3020113 OLIVE FOR PIPE \varnothing 4 mm



3020114 OLIVE FOR PIPE \varnothing 6 mm



3020201 PILOT JET \varnothing 0.14 mm



3020542 PILOT JET \varnothing 0.20 mm



3020202 PILOT JET \varnothing 0.27 mm



3020043 PILOT JET \varnothing 0.36 mm



5022050 PILOT JET \varnothing 0.50 mm



BERTO'S

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BERTO'S 31777500

BERTO'S 31777700

3020086 PILOT GASKET




3020042 PILOT JET \varnothing 0.19 mm



5047578 PILOT JET \varnothing 0.24 mm



2102405 PILOT JET \varnothing 0.35 mm



3020543 PILOT JET \varnothing 0.38 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1





Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



BERTO'S

Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020360 THERMOCOUPLE FITTING \varnothing 4.5 mm
thread M12x1 mm



BERTO'S 39287500

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



BERTO'S 25291400

3020103 BRACKET 3 POSITIONS



3020104 BRACKET CLAMP 3 POSITIONS



3020109 DEFLECTOR 2 FLAMES



3020110 DEFLECTOR 3 FLAMES




5048713 DEFLECTOR 3 FLAMES





Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BERTO'S 22296800

BERTO'S 22296900

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



BERTO'S 31187000

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




BERTO'S



Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BERTO'S 23297400

BERTO'S 35187600

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm
for Bratt pan gas (BERTO'S) G9BR12



BERTO'S 35188000

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BERTO'S 31777500

BERTO'S 31777700



Suitable for:


5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



BERTO'S

Suitable for:

3020081 OLIVE FOR PIPE \varnothing 6 mm



3020054 PILOT JET \varnothing 0.20 mm



4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



BERTOS 35997200

5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET





Suitable for:

3020106 PILOT WITH 0.25 mm ø JET



**3020079 PIPE FITTING ø 12 mm
thread ø 3/8" M**



**5033138 PIPE FITTING ø 4 mm
thread ø 1/8" M**



**5014757 PIPE FITTING ø 6 mm
thread M10x1 mm**




3020199 THREE-FLAME PILOT BURNER SIT
supplied without sparking plug, nozzle and gasket
for Bratt pan gas (BERTO'S) G9BR12



BERTO'S 35272200

3020084 FITTING AND OLIVE ø 6 mm



BERTO'S



Suitable for:


3020107 PILOT WITH 0.35 mm ø JET



**3020077 PIPE FITTING ø 4 mm
thread M10x1**



**3020078 PIPE FITTING ø 6 mm
thread M10x1**



3020083 FITTING AND OLIVE ø 4 mm




3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm





Suitable for:

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BERTO'S 22296800

BERTO'S 22296900

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



BERTO'S 31187000

3020111 OLIVE FOR PIPE \varnothing 4 mm



5035324 PILOT JET \varnothing 0.18 mm



BERTO'S



Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BERTO'S 23297400

BERTO'S 35187600

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm
for Bratt pan gas (BERTO'S) G9BR12



BERTO'S 35188000

3020112 OLIVE FOR PIPE \varnothing 6 mm



3020557 PILOT JET \varnothing 0.20 mm





Suitable for:

3020157 PILOT JET \varnothing 0.25 mm



BERTO'S 32366300

3020541 PILOT JET \varnothing 0.35 mm



BERTO'S 32366300

2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Bain-marie (BERTO'S) G9BM4M



BERTO'S 27291100

BERTO'S



Suitable for:

3020040 PILOT JET \varnothing 0.30 mm



BERTO'S 32366500

3020041 PILOT JET \varnothing 0.41 mm



BERTO'S 32367100

3020187 PILOT JET \varnothing 0.51 mm



BERTO'S 32366900

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**




3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm





Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BERTO'S 22296800

BERTO'S 22296900

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



BERTO'S 31187000

3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



BERTO'S

Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BERTO'S 23297400

BERTO'S 35187600

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm
for Bratt pan gas (BERTO'S) G9BR12



BERTO'S 35188000

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



BERTO'S 31777500

BERTO'S 31777700

3020086 PILOT GASKET





Suitable for:

5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



BERTO'S 32366300

3020541 PILOT JET \varnothing 0.35 mm



BERTO'S 32366300

2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



BERTO'S

Suitable for:

3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



BERTO'S 32366500

3020041 PILOT JET \varnothing 0.41 mm




BERTO'S 32367100

3020187 PILOT JET \varnothing 0.51 mm




BERTO'S 32366900

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1





Suitable for:

**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



BERTO'S



Suitable for:

3020313 TWO-FLAME PILOT BURNER SIT
multigas type with nozzle \varnothing 0.20 mm
with 3 positions bracket



BERTO'S 22291632


3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm
for mounting of pilot assembly



3020103 BRACKET 3 POSITIONS



3020084 FITTING AND OLIVE \varnothing 6 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BERTO'S 23297400

BERTO'S 35187600

3020104 BRACKET CLAMP 3 POSITIONS



3020100 BRACKET 2 POSITIONS



3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BERTO'S 22296800

BERTO'S 22296900



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



BERTO'S



Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



BERTO'S 31187000

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



BERTO'S 31777500

BERTO'S 31777700

3020081 OLIVE FOR PIPE \varnothing 6 mm



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020117 PILOT DEFLECTOR 3 FLAMES 53x40 mm



3020116 PILOT DEFLECTOR 3 FLAMES 53x47 mm



3020054 PILOT JET \varnothing 0.20 mm



3020156 PILOT JET \varnothing 0.25 mm



4058525 PILOT JET \varnothing 0.30 mm





Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020477 VENTURI LOWER
fitting \varnothing 1/4M
thread M6x0.75 mm



BERTO'S 2429520

BERTO'S

Suitable for:

5015516 PILOT JET \varnothing 0.40 mm



BERTO'S 35997200

5075989 PILOT JET \varnothing 0.70 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



5053293 VENTURI PILOT BURNER 34 mm
for Pot stove gas (BERTO'S) - Series 600-700



BERTO'S 22993700





Suitable for:

BERTO'S



Suitable for:

Pliers for sandwiches and toasts

3317051 GRILL PLIER
length 100 mm
height 180 mm



BERTO'S 30611300

Position switches

5059692 MICROSWITCH PIZZATO FR555-K25
3A 400V



BERTO'S 31885000

BERTO'S 35997800

Pressure switches

3320134 STEAM PRESSURE SWITCH 0.2-0.9 BAR
connection 1/4"M - 15A 250V



BERTO'S 31917000

3320250 PRESSURE SWITCH SPOUT \varnothing 40x60 mm



Probes

3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb \varnothing 6x100 mm



BERTO'S 24076500



Radiant heating elements

5070141 RADIANT HEATING ELEMENT OCTAGON. \varnothing 250mm
 2500W 230V
 faston electrical connections - with cables
 complete with power adjuster
 for glass-ceramic cooking top



BERTO'S 31927100

5059940 RADIANT HEATING ELEMENT OCTAGON. \varnothing 300mm
 4000W 400V
 faston electrical connections - with cables
 complete with power adjuster
 for glass-ceramic cooking top



BERTO'S 35926000

Relays

3351007 POWER RELAY FINDER 55.32.8.230.0040
 230V 50/60Hz
 2 exchange contacts 10A
 with to test push-button + mechanic gauge



BERTO'S 10504

BERTO'S 25080600

5072234 POWER RELAY FINDER 62.83.8.230.0300
 complete with bracket
 230V 50/60Hz
 3 changeover contacts 16A



BERTO'S 31060300

BERTO'S 31060400

BERTO'S 31081810

3446057 SOCKET WITH TERMINAL BLOCK FINDER 90.26
 10A 250V



BERTO'S 10503

BERTO'S 25998400

Safety groups for pans and spare parts

3184011 DEPRESSION VALVE \varnothing 1/4" M
 in chrome plated brass
 for safety group \varnothing 3/4"
 for safety group \varnothing 1" 1/4



BERTO'S 31990600

3184007 PRESSURE GAUGE \varnothing 60 mm
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



BERTO'S 31875700



Suitable for:

BERTO'S



Suitable for:

3184017 SAFETY VALVE \varnothing 3/4" M
max pressure 0.5 atm
for safety group \varnothing 3/4"



BERTO'S 31990900

Selector switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.



BERTO'S 22699200

5057222 KIT SELECTOR SWITCH 0-1 POSITIONS
complete with indicator light, connectors
and cables - potentiometer
contact capacity 16A 250V
for Pot stove electric (BERTO'S) - Series 900
for Pot stove induction (BERTO'S)
Series 700 DA NOVEMBRE 2013



BERTO'S 38150800

BERTO'S 38151000


BERTO'S 38151200

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm




BERTO'S 22051000

3057027 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
rear hole for thermostat




BERTO'S 22050400

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



BERTO'S 22050300

3057151 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max temperature 150°
D-shaped pin \varnothing 6x4.6 mm
for Toaster electric (BERTO'S) 12T - 4T0 - 6T




BERTO'S 30051600



Suitable for:


3057002 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm



BERTO'S 22050100


Suitable for:

3057305 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 18A 240V - max 150°C
 D-shaped pin ø 6x4.6 mm




BERTO'S 35050100

5074243 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm
 for Pasta cooker electric (BERTO'S) - Series 900
 for Pot stove electric (BERTO'S) - Series 700
 Series 900
 for Pot stove glass-ceramics (BERTO'S)
 Series 700 - Series 900



BERTO'S 22049800

3057092 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm



BERTO'S 22049900

Solenoid valves

5036913 OUTLET REDUCER 0.2 L/min PINK



BERTO'S 0289

BERTO'S 25932400

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm



BERTO'S 0282

BERTO'S 23116200

3120021 ADJUSTER FOR INLET ELBI BLACK
 flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK
 flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
 flow rate 16 L/min - tolerance +/- 15%





Suitable for:

3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



BERTO'S

Suitable for:

3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



BERTO'S

Suitable for:

3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

BERTO'S



Suitable for:

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



BERTO'S 22164232
BERTO'S 32164200

BERTO'S 31002600

BERTO'S 31003000

3181501 SPARK GENERATOR 4 OUTLETS
1.5Vdc battery powered



BERTO'S 31002200

3001043 IGNITION BATTERY HOLDER
a \varnothing 22 mm hole is required for the assembly
faston M 2.8/6.3 mm
for battery 1.5V



BERTO'S 31915000

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



BERTO'S 31002400

Sparking and detection plugs

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



BERTO'S 23297400

BERTO'S 35187600

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BERTO'S 22296800

BERTO'S 22296900

Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



BERTO'S 31187000

3020127 ROUND IGNITION PLUG \varnothing 6.5x55 mm
connection \varnothing 2.4 mm
with silicone lead 625 mm
overall length with cable 680 mm



BERTO'S 22296200

Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm
for Bratt pan gas (BERTO'S) G9BR12



BERTO'S 35188000

3020258 ROUND IGNITION PLUG \varnothing 6x30 mm
F connection 2.8x0.8 mm
with silicone lead 600 mm
overall length with cable 630 mm



BERTO'S 31187800

Springs

3250003 SPRING \varnothing 20x115 mm
for ELECTRIC GRIDDLE PS-PM-PD/ST



BERTO'S 30613100

3250146 SPRING \varnothing 21.5x117 mm
for Panini grill electric (BERTO'S) PDM/LD
PDR/LD - PSL/LD - PSR/LD



BERTO'S 30612800

3250110 SPRING \varnothing 24x126 mm
for Panini grill electric (BERTO'S) PML/LD
PMR/LD



BERTO'S 30612900



Suitable for:

BERTO'S

Suitable for:



Switches

3319012 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



BERTO'S 22056600

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



Taps for tank refilling

7111268 SPOUT CONNECTION FITTING \varnothing 3/4" F
outlet spout \varnothing 18 mm
for Boiling pan (BERTO'S) G9P20D



BERTO'S 35776500

3359138 WATER INLET TAP \varnothing 1/2" FF
for Bratt pan (BERTO'S) - Series 900
for Pasta cooker (BERTO'S) - Series 600
Series 900



BERTO'S 31686800


2103687 FIXING WASHER 26xM19





Terminal blocks

3247018 **TERMINAL BLOCK 2-POLES FV77 20A 600V**
 for cable max 4 mm²
 operating temperature 150°C
 nominal voltage 450 V




BERTO'S 30184500

3247016 **TERMINAL BLOCK 3-POLES FV273 40A 450V**
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V




BERTO'S 30183800

5015893 **TERMINAL BLOCK 3-POLES FV77 25A 450V**
 for cable max 4 mm²
 operating temperature 150°C
 nominal voltage 450V



BERTO'S 30184800

3247009 **TERMINAL BLOCK 6-POLES FV122/B 40A 600V**
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



BERTO'S 30184200

Thermocouples and accessories

7115413 **CUT-OFF THERMOCOUPLE M9x1 150 cm**
 cut-off contact with cables 50 cm
 for Kitchen gas (BERTO'S) SG9TP+FG



BERTO'S 31290100

3440104 **CUT-OFF THERMOCOUPLE QUICK M9x1 60 cm**
 cut-off contact with cables 60 cm
 for Fryer gas (BERTO'S) GL15+15M



BERTO'S 32290100

3440150 **DISPLAY DEVICE FOR THERMOCOUPLES**



BERTO'S 25326200

3440107 **NUT FOR THERMOCOUPLE COUPLING M6x0.75**



BERTO'S 31807600

3440064 **NUT FOR THERMOCOUPLE M8x1**



BERTO'S 22290900

2100820 **TERMOCOUPLE SIT QUICK M9x1 40 cm**
 for Bratt pan gas (BERTO'S) G9BR8/I
 for Fry top (BERTO'S) G9FL8M-2 G7FL8M-2/CR



BERTO'S 31288600



Suitable for:

BERTO'S



Suitable for:

3440108 THERMOCOUPLE FASTON CONNECTION 70 cm
 threaded coupling M6x0.75
 for Pot stove (BERTO'S) - Series 600 - Series 700
 Series 900



BERTO'S 31289200

5034418 THERMOCOUPLE M8x1 120 cm COUPLING M8x1



BERTO'S 22287500

3440064 NUT FOR THERMOCOUPLE M8x1



BERTO'S 22290900

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



BERTO'S 23288900

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



BERTO'S 23288900

3440037 THERMOCOUPLE SIT M9x1 100 cm.



BERTO'S 23288900

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



BERTO'S 31289000

3440039 THERMOCOUPLE SIT M9x1 150 cm



BERTO'S 31289000

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



BERTO'S 22289200

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



BERTO'S 31289000

Suitable for:

3440035 THERMOCOUPLE SIT M9x1 60 cm.
for Kitchen (BERTO'S) G9F4P+FG1



BERTO'S 22289200


Suitable for:

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS




BERTO'S 22289200

5014582 THERMOCOUPLE SIT M9x1 75 cm
ALUMINIZED HEAD



BERTO'S 29289000

5070504 THERMOCOUPLE SIT M9x1 75 cm COUPL. M8x1
with round protection for pilot
with bushing for thermocouple



BERTO'S 22286900
BERTO'S 24294800

BERTO'S 22286900+...
BERTO'S 24295600


BERTO'S 22286910
BERTO'S 31288300

3440064 NUT FOR THERMOCOUPLE M8x1



BERTO'S 22290900

5083215 THERMOCOUPLE SIT M9x1 75 cm COUPL. M8x1
with bushing and nut for thermocouple



BERTO'S 22286910

3440064 NUT FOR THERMOCOUPLE M8x1



BERTO'S 22290900

Thermostatic gas valves

3345028 THERMOSTATIC TAP SABAF
setting temperature 278°C
connection to hose flange \varnothing 15 mm
outlet pipe fitting M13x1 mm
thermocouple connection M8x1
bulb \varnothing 4x155 mm
capillary length 850 mm
D-shaped pin \varnothing 6x4.6 mm
for Oven under cooktop (BERTO'S)
Series 600-700-900



BERTO'S 22274000



Suitable for:


BERTO'S



Suitable for:

Thermostatic gas valves

3345018 THERMOSTATIC TAP 25ST
 operating temperature 100-300°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x75 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6.5 mm
 for Fry top (BERTO'S) G7FL8M-2/CR



BERTO'S 22274500

BERTO'S 22274600

3348044 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 20-21-24-25




3348036 OLIVE FOR PIPE \varnothing 4 mm
 for model PEL 21-22-24-25



BERTO'S 31777500

BERTO'S 31777700

3348031 PIPE FITTING \varnothing 10 mm
 thread M20x1.5 mm
 for model PEL 22-24-25



3348032 PIPE FITTING \varnothing 12 mm
 thread M20x1.5 mm
 for model PEL 22-24-25



3348038 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 22-24-25




3020082 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
 for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
 thread M16x1.5 mm
 for model PEL 20-21-24-25



BERTO'S 32811800

3020077 PIPE FITTING \varnothing 4 mm
 thread M10x1





Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




BERTO'S



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



Thermostats

3444224 BULB HOLDING CLIP
for heating element thermostat
for pipe \varnothing 8 mm - for bulb \varnothing 6 mm



BERTO'S 22884200

5063387 SINGLE-PHASE THERMOSTAT 101-192°C
D shaped pin \varnothing 6x4.6 mm
capillary length covered 1770 mm
bulb \varnothing 6x134 mm -



BERTO'S 32065800

3444568 SINGLE-PHASE THERMOSTAT 105-185°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 230V
bulb \varnothing 6x130 mm - with adapter nipple bland M10x1



BERTO'S 32065700

3444352 SINGLE-PHASE THERMOSTAT 130°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb \varnothing 6x129 mm
for Bain-marie (BERTO'S) BM55E - BM70E



BERTO'S 25070000

5081020 SINGLE-PHASE THERMOSTAT 182°C
with manual reset
covered capillary length 2430 mm
bulb \varnothing 4x92 mm



BERTO'S 35300200

BERTO'S 35300800

3444651 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 950 mm - 16A 250V
bulb \varnothing 3x190 mm
for Fryer electric (BERTO'S) ELT10 - ELT4 - ELT8



BERTO'S 33070300



Suitable for:

BERTO'S




3444624 SINGLE-PHASE THERMOSTAT 235°C
with manual reset
covered capillary length 870 mm
bulb \varnothing 6x133 mm



BERTO'S 32070300

Suitable for:

3444372 SINGLE-PHASE THERMOSTAT 245°C
with manual reset
covered capillary length 1170 mm - 16A 250V
bulb \varnothing 6x133 mm




BERTO'S 22069400

3744094 SINGLE-PHASE THERMOSTAT 30-150°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1600 mm
bulb \varnothing 3x145 mm




BERTO'S 35301000

7107939 SINGLE-PHASE THERMOSTAT 49-291°C
D shaped pin \varnothing 6x4.6 mm
capillary length covered 1470 mm
bulb \varnothing 3x160 mm
for Bratt pan (BERTO'S)



BERTO'S 35301200

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 3x220 mm



BERTO'S 0283

BERTO'S 23063300


BERTO'S 24063323

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



BERTO'S 23063600

3444643 SINGLE-PHASE THERMOSTAT 60-150°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 3x219 mm



BERTO'S 31290000

3444388 SINGLE-PHASE THERMOSTAT 80-190°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 600 mm - 16A 250V
bulb \varnothing 6x75 mm
for Fryer electric (BERTO'S) ELT10 - ELT4 - ELT8
E9F18-8M




BERTO'S 33065600

BERTO'S 33065700



Suitable for:

5025572 THERMOSTATO THREE-PHASE 180°C
 manual reset
 covered capillary length 3000 mm - 20A 400V
 bulb \varnothing 4x125 mm



BERTO'S 35300000

Suitable for:


3444005 THERMOSTAT SINGLE-PHASE TR2 0-120°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 6.5x95 mm



BERTO'S 22062400

BERTO'S 24064000

3444336 THERMOSTAT SINGLE-PHASE TR2 0-270°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 940 mm - 15A 250V
 bulb \varnothing 3.5x190 mm



5062841 THERMOSTAT SINGLE-PHASE TR2 0-86°C
 D shaped pin \varnothing 6x4.6 mm
 capillary length 930 mm - 15A 250V
 bulb \varnothing 6.5x98 mm




BERTO'S 30064600

BERTO'S 34068300

5030859 THERMOSTAT SINGLE-PHASE 230°C
 manual reset
 covered capillary length 1800 mm - 16A 250V
 bulb \varnothing 3x160 mm
 for Fryer electric (BERTO'S)
 E6F8/3B-E6F8/3M-E6F8/6B-E6F8/6M



5080582 THERMOSTAT SINGLE-PHASE 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary covered length 870 mm - 16A 250V
 bulb \varnothing 6x113 mm
 for Pasta cooker electric (BERTO'S) E9CP3B




BERTO'S 33070100

BERTO'S 33070400

BERTO'S 31290700

5063386 THERMOSTAT THREE-PHASE 240°C
 with manual reset
 covered capillary length 1700 mm
 bulb \varnothing 6x78mm-with stuffing gland fitting M10x1
 for Fryer (BERTO'S) LXE9F22-4EL



3444198 THREE-PHASE THERMOSTAT 100-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 10A 400V
 bulb \varnothing 6x130 mm
 for Fryer (BERTO'S)



BERTO'S 32070800

BERTO'S 22062900

BERTO'S 33066000

BERTO'S 33066200




Suitable for:

BERTO'S



5083260 THREE-PHASE THERMOSTAT 100-182°C

D shaped pin \varnothing 6x4.6 mm
capillary length covered 2030 mm
bulb \varnothing 6x135 mm




BERTO'S 33066400

Suitable for:

3444040 THREE-PHASE THERMOSTAT 100-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb \varnothing 6x80 mm




BERTO'S 22062600

BERTO'S 30064900

5070336 THREE-PHASE THERMOSTAT 101-192°C

D shaped pin \varnothing 6x4.6 mm
capillary length covered 1480 mm
bulb \varnothing 6x134 mm -



BERTO'S 32065900

7101025 THREE-PHASE THERMOSTAT 157°C


with automatic reset
covered capillary length 1700 mm
bulb \varnothing 6x78 mm
for Pasta cooker electric (BERTO'S) CPE40 - E6CP3B
E9CP40 - SE9CP40



BERTO'S 36062400

3444775 THREE-PHASE THERMOSTAT 159°C


with manual reset
capillary length 1100 mm - 16A 230V
bulb \varnothing 3.1x185 mm



BERTO'S 31290200

3444631 THREE-PHASE THERMOSTAT 230°C


with manual reset
covered capillary length 1700 mm - 20A 400V
bulb \varnothing 6x80 mm
for Fryer (BERTO'S) - Series 600 - Series 700
Series 900



BERTO'S 33070800

3444632 THREE-PHASE THERMOSTAT 360°C

with manual reset
covered capillary length 1800 mm - 20A 300V
bulb \varnothing 4x120 mm
for Bratt pan (BERTO'S) - Series 900
for Fry top (BERTO'S) - Series 600 - Series 700
Series 900
for Kitchen (BERTO'S) - Series 700 - Series 900
for Grill (BERTO'S) E7FL4MP




BERTO'S 22069700

BERTO'S 35301400

3444371 THREE-PHASE THERMOSTAT 70-195°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x135 mm



BERTO'S 22062900



Timers

3446004 TIMER 120 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



BERTO'S 25078600

3446005 BLACK KNOB ABS 38x38 mm
 D-shaped hole \varnothing 6x4.6 mm
 for timer




3446056 TIMER 120 MINUTES M2
 mechanical timer with acoustic alarm
 manual left position possible
 manually set cycle 120 minutes
 contact capacity 16(4)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



BERTO'S 23078700

BERTO'S 3433


3241161 BLACK KNOB \varnothing 40 mm
 D-shaped hole 6x4.6 mm



3241173 BLACK KNOB \varnothing 44 mm
 D-shaped hole 6x4.6 mm




3241174 BLACK KNOB \varnothing 44 mm
 D-shaped hole 6x4.6 mm



3241336 KNOB BLACK \varnothing 50 mm
 D-shaped hole 6x4.6 mm



3241830 KNOB DISK FOR TIMER
 0-120 minutes



BERTO'S 24653900



Suitable for:


3446138 TIMER 15 MINUTES M2
 mechanical movement with balance wheel
 manually set mechanical timer
 manually set cycle 15 minutes
 2 poles with contact capacity 16(4)A 250V
 max temperature 125°C
 square pin 3x3 mm



BERTO'S 30082100

Suitable for:

3241380 BLACK KNOB \varnothing 44 mm
 squared hole 3.5x3.5 mm



Transformers

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



BERTO'S 1551

BERTO'S 25164500


Wheels and accessories

5056122 EXTENSION FOR TILTING SCREW \varnothing 20x543 mm



BERTO'S 35781000

5056123 SCREW NUT FOR BRATT PAN \varnothing 40x40 mm



BERTO'S 35872000

5004961 SUPPORT FLANGE WITH BEARING UCF204
 flange external dimensions 86x86 mm



BERTO'S 35288000

5056124 TILTING SCREW \varnothing 20 mm
 overall length 363 mm



BERTO'S 35993600

Suitable for:

Suitable for:

5065794 WHEEL \varnothing 200 mm
made of ALUMINIUM
middle hole \varnothing 20 mm with feather 6 mm
with folding handle of BACHELITE



BERTO'S 35414000

BERTO'S 38414000

5067182 WHEEL \varnothing 200 mm
middle hole \varnothing 20 mm - with groove 36x6 mm
completo di maniglia pieghevole



BERTO'S 35995000

5012756 SCREW NUT FOR BRATT PAN \varnothing 40x40 mm



5056122 EXTENSION FOR TILTING SCREW \varnothing 20x543 mm



BERTO'S 35781000

5056123 SCREW NUT FOR BRATT PAN \varnothing 40x40 mm



BERTO'S 35872000

5004961 SUPPORT FLANGE WITH BEARING UCF204
flange external dimensions 86x86 mm



5012754 TILTING SCREW
total length 543 mm



BERTO'S 35288000

5012755 TILTING SCREW
total length 350 mm



5056124 TILTING SCREW \varnothing 20 mm
overall length 363 mm



BERTO'S 35993600



Suitable for:

3522046 WHEEL HANDLE \varnothing 28x110 mm
thread M6

BERTO'S

Suitable for:



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com