



Spare parts for the professional sector:
Cooking equipment



Suitable for:

BOURGEAT



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:


BOURGEAT



Suitable for:

Contact thermostats

7106897 CONTACT THERMOSTAT 120°C
 with manual reset - 16A 250V
 for Bain-marie (BOURGEAT) 1x3GN
 for Dish warmer (BOURGEAT)
 BP19 CHAUFFANT N/V2 SILOS
 for Hot cupboard electric (BOURGEAT) GN10 - GN17
 GN20 - GN40 - 850120 - 850140 - 850210
 850217 - 850220 - 850240 - 850310 - 850317
 850320 - 850340 - 851217 - 851240 - 851317
 851340



BOURGEAT BM0095

BOURGEAT 480295

Electrical cables

3050059 SPIRAL CABLE WITH PLUG 750 mm
 with SCHUKO plug - 3 wires 2.5 mm²
 overall length 3000 mm




BOURGEAT EH0032

BOURGEAT 87201016

Electronic boards


7102186 ADJUSTMENT ELECTRONIC BOARD KIT
 this kit includes:
 1 display electronic board 170x45 mm
 1 relay with bracket
 1 terminal block with bracket
 connecting cables
 for Food-service trolley (BOURGEAT)
 ARMOIRE SAT.A/H GN17
 for Hot cupboard electric (BOURGEAT) GN10 - GN17
 GN20 - GN40 - 850120 - 850140 - 850210
 850217 - 850220 - 850240 - 850310 - 850317
 850320 - 850340 - 851217 - 851240 - 851317
 851340



BOURGEAT 480103

BOURGEAT 85034001

7113552 PUSH-BUTTON PANEL PC BOARD 66x43 mm
 for Food-service trolley warm (BOURGEAT) 850317



BOURGEAT EH0421



Electronic controllers

3445375 CONTROLLER ELIWELL ID PLUS 902
 230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



BOURGEAT 86029999

3445156 PROBE NTC PVC 3000 mm
 temperature range -30+80°C
 bulb ø 6x40 mm



3445167 PROBE NTC TPE IP68 1500 mm
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



3445184 PROBE NTC TPE STEEL IP68 1500 mm
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



3445379 PROBE PT1000 IP68 1500 mm
 temperature range -50+110°C
 bulb ø 6x20 mm watertight



3445157 PROBE NTC PVC 1500 mm
 probe 2 wires - temperature range -30°+80°C
 bulb ø 6x40 mm



3445028 PROBE NTC PVC 4000 mm
 temperature field -30+80°C
 bulb ø 6x20 mm



3445335 PROBE NTC TPE IP68 3000 mm
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



3445154 PROBE NTC TPE STEEL IP68 3000 mm
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



3445380 PROBE PT1000 IP68 3000 mm
 temperature range -50+110°C
 bulb ø 6x20 mm watertight





Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



BOURGEAT



Suitable for:

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



3445913 SILICONE PROBE NTC 1500 mm
temperature range -50+110°C
bulb ø 6x40 mm



BOURGEAT EH0019

3445155 SILICONE PROBE NTC 3000 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range -55+150°C
bulb ø 6x40 mm



3445959 SILICONE PTC PROBE 5000 mm
temperature range -55+150°C
bulb ø 6x40 mm



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved




3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved





Gaskets and seals


5052005 DOOR GASKET 1495x580 mm
 made of silicone elastomer
 profile dimensions 23x15 mm
 COLOUR GREY
 for Hot cupboard (BOURGEAT) GN68A/H
 for Hot cupboard electric (BOURGEAT) GN40 - 850120
 850140 - 850210 - 850217 - 850220 - 850240
 850268 - 850310 - 850317 - 850320 - 850340
 850368 - 851217 - 851240 - 851317 - 851340



BOURGEAT EH0122

BOURGEAT 480405

5043060 DOOR GASKET 1580x570 mm
 made of silicone elastomer
 profile dimensions 15x13 mm
 COLOUR GREY
 for Hot cupboard (BOURGEAT) 860020 - 860040
 860520 - 860540 SATELLITE GN40
 for Warm table (BOURGEAT) GN40



BOURGEAT EH0017


BOURGEAT 480369

7107329 DOOR GASKET 795x585 mm
 made of silicone elastomer
 profile dimensions 23x15 mm
 COLOUR GREY
 for Hot cupboard electric (BOURGEAT)
 SATELITE 20/20



BOURGEAT EH0123

5042697 DOOR GASKET 880x570 mm
 made of silicone elastomer
 profile dimensions 15x13 mm
 COLOUR GREY



BOURGEAT EH00.40

Handles

5047290 BUILT-IN HANDLE 135x170 mm
 for Hot cupboard (BOURGEAT) ARMOIRE SAT.A/H GN40
 GN10 852314



BOURGEAT 480117

BOURGEAT 85223634

5047282 HANDLE STRIKE M6
 overall length 21 mm
 for Hot cupboard (BOURGEAT) ARMOIRE SAT.A/H GN40
 GN40 852314



BOURGEAT 480116

BOURGEAT 85223633

5047280 LOCK STRIKE 125x60x25 mm
 for Hot cupboard (BOURGEAT) ARMOIRE SAT.A/H GN40
 852314



BOURGEAT EH0271

BOURGEAT 480450



Suitable for:

BOURGEAT



5063980 BUILT-IN HANDLE 135x170 mm



BOURGEAT 89200534

Suitable for:

7118284 HANDLE LOCK WITH LOCK
external dimensions 248x56x45 mm
distance between holes 25/222 mm
for Food-service trolley (BOURGEAT) SAT 4G 840221



BOURGEAT 483744


5047282 HANDLE STRIKE M6
overall length 21 mm
for Hot cupboard (BOURGEAT) ARMOIRE SAT.A/H GN40 GN40 852314



BOURGEAT 480116

BOURGEAT 85223633

3242386 LH-RH CATCH WITHOUT LOCK 880 CR
straight handgrip
base length 120x28x39h mm
mounting distance 104 mm
adjustable catch mounting distance 31 mm



BOURGEAT EH00.14

BOURGEAT EH0014

BOURGEAT 480367

3242042 STRIKE FOR DOOR HANDLE
distance between holes 45 mm



5047280 LOCK STRIKE 125x60x25 mm
for Hot cupboard (BOURGEAT) ARMOIRE SAT.A/H GN40 852314



BOURGEAT EH0271

BOURGEAT 480450



Heating elements

3455190 HEATING ELEMENT 2000W 220V
length 595 mm - width 68 mm
fittings M12x1 mm



BOURGEAT 946812

7107473 HEATING ELEMENT 3000W 230V
length 345 mm - width 310 mm
fittings M12x1.25 mm
for Hot cupboard (BOURGEAT) SATELITE GN40
SATELLITE GN40



BOURGEAT EH0010

BOURGEAT 480364

7105171 HEATING ELEMENT 620W 230V
length 475 mm - width 200 mm
for Bain-marie (BOURGEAT) BM3GN1
for Bain-marie (BOURGEAT) BM3GN1



BOURGEAT EH0109

BOURGEAT 480396

5060597 HEATING ELEMENT 500W 230V
length 220 mm - width 410 mm
height 30 mm - fittings M12x1 mm



BOURGEAT BU0027


Hot plates

3185192 COOKING PLATE 530x320 mm
with blue perforated steel sheet



BOURGEAT 310157

3185193 COOKING PLATE 530x320 mm
with blue steel sheet



BOURGEAT 310107

Incandescent lamps and neon lamps

7102295 HALOGEN LAMP INFRARED 600W 230V
length 424 mm
wire fitting length 295 mm
for Food-service trolley (BOURGEAT)
CARVING-STATION



BOURGEAT 87095014



Suitable for:

BOURGEAT



Suitable for:

Ironmongery (screws,nuts,washers)

1186192 FLAT WASHER M5

internal/external \varnothing 5.3/10 mm - thickness 1 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089
for Food-service trolley (BOURGEAT) A/H GN40
for Hot cupboard (BOURGEAT) ARMOIRE SAT.A/H GN40
852314



BOURGEAT V10072

BOURGEAT 480903

Labels for control panels

7111779 ADHESIVE CONTROL PLATE 860x45 mm for Hot cupboard (BOURGEAT) GN20



BOURGEAT EH0407

Motors

3240512 MOTOR WITH FAN 32W 230V 50Hz 0.27A TYPE R2K150-AC01-15 fan \varnothing 150 mm



BOURGEAT EH0018

Probes

3445107 PTC PVC PROBE 3000 mm 2-wire probe temperature range -30+80°C bulb \varnothing 6x40 mm



BOURGEAT EH0019



Solenoid valves

3120395 SOLENOID VALVE ROBERTSHAW 1 WAY 180°
 230V 50/60Hz - max temperature 90°C
 inlet 1/2" - outlet ø 1/2"
 NC - pressure from 0.2 to 10 bar




BOURGEAT RT0240

3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE
 flow rate 6 L/min - tolerance +/- 15%



3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN
 flow rate 5 L/min - tolerance +/- 15%



3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN
 flow rate 11 L/min - tolerance +/- 15%



3120479 ADJUSTER FOR INLET ROBERTSHAW GREY
 flow rate 12 L/min - tolerance +/- 15%



3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE
 flow rate 9 L/min - tolerance +/- 15%



3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE
 flow rate 8 L/min - tolerance +/- 15%



3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE
 flow rate 4 L/min - tolerance +/- 15%



3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE
 flow rate 10 L/min - tolerance +/- 15%



3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW
 flow rate 14.5 L/min - tolerance +/- 15%



3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU
 flow rate 1.2 L/min - tolerance +/- 25%



3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN
 flow rate 0.8 L/min - tolerance +/- 25%





Suitable for:

3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK
flow rate 3.3 L/min - tolerance +/- 20%



3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW
flow rate 0.5 L/min - tolerance +/- 15%



3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN
flow rate 1.3 L/min - tolerance +/- 25%



BOURGEAT



Suitable for:

3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE
flow rate 0.25 L/min - tolerance +/- 10%



3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN
flow rate 2.5 L/min - tolerance +/- 20%



3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN
flow rate 2 L/min - tolerance +/- 25%



Springs


7106244 SPRING \varnothing 15x160 mm
for Dish warmer electric (BOURGEAT) - Series GK
for Dish warmer (BOURGEAT) N/V2
for Dish warmer electric (BOURGEAT) - Series GK



BOURGEAT EH0052

Switches

3319371 BIPOLAR SWITCH BLACK 16A 250V
16(4)A 250V
silk screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



BOURGEAT EH0039

BOURGEAT 480379

3319780 BLOCK CONNECTION WHITE 22x30 mm





Suitable for:

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319362 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - with indicator light
silk-screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm
for Food-service trolley (BOURGEAT) 870904



BOURGEAT EH0011

BOURGEAT 480365

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



BOURGEAT

Suitable for:

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm





Suitable for:

BOURGEAT




Suitable for:

Thermostats

7106894 THERMOSTAT SINGLE-PHASE 0-110°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1195 mm - 16A 250V
bulb \varnothing 5x108 mm
for Bain-marie (BOURGEAT) BM3 GN1/1 S/ETUVE S/COUV
for Dish warmer (BOURGEAT)
BP19 CHAUFFANT N/V2 SILOS



BOURGEAT BM0030

BOURGEAT 480256

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com