



Spare parts for the professional sector:
Cooking equipment



Suitable for:

BOURGEOIS



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

BOURGEOIS



Suitable for:

Burners, flame spreaders and accessories

3025627 FLAME SPREADER \varnothing 100 mm



BOURGEOIS BRUL3017

Clamps

3449452 HOSE CLAMP 16-25
for pipes \varnothing 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



BOURGEOIS VIS804

Contactors

3454013 CONTACTOR SCHNEIDER LC1D09P7
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
1 normally closed auxiliary contact



BOURGEOIS REL1607

3454015 CONTACTOR SCHNEIDER LC1D18P7
18A 400V 7.5Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
1 normally closed auxiliary contact



BOURGEOIS REL1600

Electrical capacitors

3068027 CAPACITOR DUCATI ENERGIA 20 μ F
450V 50/60Hz
operating temperature -25 +85°C
lead connector 6.35x0.8 mm
 \varnothing 40xh70 mm



BOURGEOIS MOT2008

3068008 CAPACITOR DUCATI ENERGIA 5 μ F
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
 \varnothing 28xh55 mm



BOURGEOIS MOT2013

3068084 CAPACITOR ELECTRICAL 20 μ F
450V 50/60Hz - \varnothing 40xh71 mm



BOURGEOIS MOT2008

Suitable for:


3068096 CAPACITOR ELECTRICAL 5 μ F
450V 50/60Hz - \varnothing 30xh51 mm



BOURGEOIS MOT2013


Gas taps and accessories

3348183 GAS TAP 22/S
with horizontal flange
with pilot flame
flange fitting
outlet fitting M20x1.5 mm
thermocouple connection M8x1
D-shaped pin \varnothing 10x8 mm




BOURGEOIS ROB3001

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/0




3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S





Suitable for:


3348188 FLANGE COMPLETE FOR PEL22
holes mounting distance 40 mm - pipe \varnothing 27 mm



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22




3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



BOURGEOIS



Suitable for:

3348189 FLANGE COMPLETE FOR PEL22
holes mounting distance 34 mm - pipe \varnothing 21 mm



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22




3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



7108320 GAS TAP 22S/O
complete with connections and olives
with pilot flame
with horizontal flange
clamp connection for pipe \varnothing 21 mm
outlet fittings M20x1.5 mm
with flow regulator
thermocouple connection M8x1
pin length 25/17 mm
D-shaped pin \varnothing 10x8 mm




BOURGEOIS

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O






Suitable for:

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22




3348188 FLANGE COMPLETE FOR PEL22
holes mounting distance 40 mm - pipe \varnothing 27 mm



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



BOURGEOIS

Suitable for:


3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S




3348189 FLANGE COMPLETE FOR PEL22
holes mounting distance 34 mm - pipe \varnothing 21 mm



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S






Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3348038 **OLIVE FOR PIPE \varnothing 10 mm**
for model PEL 22-24-25



3348036 **OLIVE FOR PIPE \varnothing 4 mm**
for model PEL 21-22-24-25



3348230 **PIN FOT GAS TAP \varnothing 6x4.6 mm**
pin length 45/20 mm rh/lh
for model PEL 22



3348032 **PIPE FITTING \varnothing 12 mm**
thread M20x1.5 mm
for model PEL 22-24-25



BOURGEOIS



Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
for model PEL 22-24-25



3348037 **OLIVE FOR PIPE \varnothing 6 mm**
for model PEL 21-22-24-25



3348031 **PIPE FITTING \varnothing 10 mm**
thread M20x1.5 mm
for model PEL 22-24-25



3348029 **PIPE FITTING \varnothing 4 mm**
thread M10x1 mm
for model PEL 21-22-24-25





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BOURGEOIS




Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



Gaskets and seals

3786314 FIBREGLASS GASKET 1800 mm
profile dimensions 20x20 mm
max temperature 600°C
COLOUR WHITE



BOURGEOIS JOIN3005

Grids for kitchen

7102912 S/STEEL GRID 320x315 mm
for Pot stove gas (BOURGEOIS)



BOURGEOIS GRIL3004

Heating elements

3455050 HEATING ELEMENT 900W 230V
overall length 580 mm
width 75 mm - connections M14x1 mm



BOURGEOIS RC3005

Hot plates

3311068 COOKING PLATE RIBBED 550x350 mm
made of cast iron



BOURGEOIS PLAQ3003

3311077 COOKING PLATE SMOOTH 550x350 mm
made of cast iron



BOURGEOIS PLAQ3004



Incandescent lamps and neon lamps

3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
max. temperature 300°C



BOURGEOIS LAMP050

Indicator lights

3221499 INDICATOR LIGHT GREEN 250V
head \varnothing 14 mm - hole \varnothing 13 mm



BOURGEOIS

3221024 INDICATOR LIGHT RED 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



BOURGEOIS VOY060

3221025 INDICATOR LIGHT ORANGE 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



3221101 INDICATOR LIGHT GREEN 230V
head \varnothing 15 mm - \varnothing hole 13 mm - 120°C
M faston 6.3x0.8 mm
universal application



3221026 INDICATOR LIGHT WHITE 230V
 \varnothing head 15 mm - \varnothing hole 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



3221021 RED LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 12 mm



BOURGEOIS VOY060

3221097 INDICATOR LIGHT NEUTRAL 220V
head \varnothing 8 mm - 120°C





Suitable for:

3221126 INDICATOR LIGHT NEUTRAL 24V
head ø 8 mm - 120°C



BOURGEOIS



Suitable for:

Ironmongery (screws,nuts,washers)

1528009 HEXAGON HEAD SCREW M6x12
inox - UNI 5739 - DIN 933 - ISO 4017



BOURGEOIS VIS207

3241201 SCREW NO HEAD WITH HEXAGON SOCKET M4X6
stainless steel - cone end
UNI 5927 - DIN 914 - ISO 4027



BOURGEOIS VIS317

Knobs

3241755 BLACK KNOB ø 82 mm
square hole 5x5 mm
for selector switch



BOURGEOIS MAN3007

3241757 BLACK KNOB ø 82 mm
D-shaped hole 6x4.6 mm
for FRYER thermostat



BOURGEOIS MAN3002

BOURGEOIS MAN3006

Lamp receptacles and spare parts

3221115 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 130 mm



BOURGEOIS LAMP011

BOURGEOIS LAMP012

3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
max. temperature 300°C



BOURGEOIS LAMP050

3786366 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 78x40 mm
intern.dimens.45x34 mm - dist.bw.mount.holes 65 mm
for CONVECTION OVEN 4 LEVELS



BOURGEOIS JOIN075

BOURGEOIS JOIN109

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C



Nozzles

3500192 CONICAL GAS JET M17x1 ø 1.90 mm



BOURGEOIS INJ3002

3500198 CONICAL GAS JET M17x1 ø 2.50 mm



BOURGEOIS INJ3022

3500184 GAS JET CONICAL M17x1 ø 1.15 mm



BOURGEOIS INJ3012

O-Ring and ORM gaskets

3186290 O-RING 04187 EPDM
ring thickness 3.53 mm - internal ø 47.22 mm



BOURGEOIS JOIN261


3186339 O-RING 06175 EPDM
ring thickness 5.34 mm - internal ø 43.82 mm



BOURGEOIS JOIN057

Pilot burners and accessories

3020507 BURNER PILOT GASCO 3 FLAMES
multigas type with nozzle ø 0.35 mm
with bracket 3 positions



BOURGEOIS BRUL3001

3020101 BRACKET CLAMP 2 POSITIONS



3020100 BRACKET 2 POSITIONS



3020109 DEFLECTOR 2 FLAMES






Suitable for:

3020110 DEFLECTOR 3 FLAMES



3020083 FITTING AND OLIVE ø 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND ø 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020365 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE ø 4 mm
for model PEL 21-22-24-25




BOURGEOIS

Suitable for:

5048713 DEFLECTOR 3 FLAMES



3020084 FITTING AND OLIVE ø 6 mm



3001003 IGNITION PLUG ROUND ø 7x44 mm
M faston M4x1 mm
overall length 65 mm



3020124 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 58 mm



3020082 OLIVE FOR PIPE ø 12 mm
for model PEL 22-24-25



3020081 OLIVE FOR PIPE ø 6 mm





Suitable for:

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



BOURGEOIS



Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



BOURGEOIS



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020437 PILOT BURNER LPG 1 FLAME
with gas jet \varnothing 22 mm
jet holder connection for pipe external \varnothing 6 mm



BOURGEOIS BRUL3004

3020424 PILOT BURNER OXYPILOT SIT 2 FLAMES
supplied without sparking plug
with LPG nozzle
with thermocouple fitting
with sparking plug fitting




3020083 FITTING AND OLIVE \varnothing 4 mm



BOURGEOIS BRUL3037

3020084 FITTING AND OLIVE \varnothing 6 mm



3020462 PILOT BURNER OXYPILOT SIT 2 FLAMES
supplied without sparking plug
with NATURAL GAS nozzle




3020083 FITTING AND OLIVE \varnothing 4 mm



BOURGEOIS BRUL3036

3020084 FITTING AND OLIVE \varnothing 6 mm





Selector switches

3057258 SELECTOR SWITCH 2 POLES PR12 1102A4

contact capacity 12A 380V AC3 4Kw
square shaft 5x5 mm
start/stop function switch
height 42 mm - width 40 mm
depth 36 mm



BOURGEOIS COMU3002

Switches

3319254 CHANGEOVER SWITCH 2 POLE BLACK 16A 250V
16(4)A 250V - max. temperature 120°C
with push-button cap - mounting hole 22x30 mm



BOURGEOIS INT006

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



Thermocouples and accessories

3440037 THERMOCOUPLE SIT M9x1 100 cm.



BOURGEOIS THER3005

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS





Suitable for:


BOURGEOIS



Suitable for:

Thermostats

3444026 SINGLE-PHASE THERMOSTAT 220°C
with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 6x80 mm



BOURGEOIS THER3016

3444639 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm
bulb \varnothing 3x160 mm



BOURGEOIS THER101

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



BOURGEOIS THER001

3444694 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 880 mm
bulb \varnothing 6x77 mm



BOURGEOIS THER007

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com