



# Spare parts for the professional sector: Cooking equipment



Suitable for:

# CASTA



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# CASTA



Suitable for:

## Air regulators

**3025250 AERATION REGULATOR**  
internal  $\varnothing$  45 mm - external  $\varnothing$  47 mm  
height 60 mm



CASTA 68/50800001

CASTA 700017

## Burners, flame spreaders and accessories

**3025863 BURNER C  $\varnothing$  73 mm 3Kw**



CASTA

**3025855 BURNER D  $\varnothing$  104 mm 4.5Kw**



CASTA

**3025858 BURNER E  $\varnothing$  128 mm 7.5Kw**



CASTA

**3025248 CHINESE BURNER  $\varnothing$  180 mm**




CASTA 04/99900109

CASTA 04/99900109+...

CASTA 700020


**3025250 AERATION REGULATOR**  
internal  $\varnothing$  45 mm - external  $\varnothing$  47 mm  
height 60 mm



CASTA 68/50800001

CASTA 700017

**3025252 NOZZLE HOLDER FOR PIPE  $\varnothing$  10 mm**  
complete with nuts  
thread connection for hose M16x1.5 mm  
tapered nozzle M10x1 mm  
fastening fitting M14x1 mm



CASTA 13/99901039

CASTA 700015

**3025249 VENTURI TUBE**



CASTA 04/99900309


CASTA 700019

**3025864 FLAME SPREADER "C"  $\varnothing$  73 mm 3Kw**



CASTA

**3025865 VENTURI BURNER C  $\varnothing$  73 mm 3Kw**



CASTA

Suitable for:

**3025863 BURNER C  $\varnothing$  73 mm 3Kw**



CASTA

**3025854 FLAME SPREADER "D"  $\varnothing$  104 mm 4,5Kw**



CASTA

**3025856 VENTURI BURNER D  $\varnothing$  104 mm 4.5Kw**



CASTA

**3025855 BURNER D  $\varnothing$  104 mm 4.5Kw**




CASTA

**3025857 FLAME SPREADER "E"  $\varnothing$  128 mm 7,5Kw**



CASTA

**3025859 VENTURI BURNER E  $\varnothing$  128 mm 7.5Kw**



CASTA

**3025858 BURNER E  $\varnothing$  128 mm 7.5Kw**



CASTA



Suitable for:

# CASTA



**3025252 NOZZLE HOLDER FOR PIPE  $\varnothing$  10 mm**  
complete with nuts  
thread connection for hose M16x1.5 mm  
tapered nozzle M10x1 mm  
fastening fitting M14x1 mm



CASTA 13/99901039

CASTA 700015

Suitable for:

**3025865 VENTURI BURNER C  $\varnothing$  73 mm 3Kw**



CASTA

**3025856 VENTURI BURNER D  $\varnothing$  104 mm 4.5Kw**



CASTA

**3025859 VENTURI BURNER E  $\varnothing$  128 mm 7.5Kw**



CASTA

**3025249 VENTURI TUBE**



CASTA 04/99900309

CASTA 700019

## Drain taps and accessories

**3526673 GAS/WATER VALVE  $\varnothing$  1"FF**  
ball valve  
heavy series with PN 40 total passage  
aluminium lever



CASTA 14/99700014

**3356078 BUSHING  $\varnothing$  11x20 mm**



**5023594 CAST IRON FITTING  $\varnothing$  1"MF**



**5031496 DRAIN PIPE  $\varnothing$  1"MM**  
length 195 mm





Suitable for:

**3356138 DRAIN TAP FITTING  $\varnothing$  1"MM**  
 $\varnothing$  side outlet 28 mm - bracket 68x40x19 mm  
fitting height 100 mm



**3242049 DRAIN TAP HANDLE 140 mm**  
square hole 6x6 mm



**5036175 DRAIN TAP MANIFOLD**  
2 top connections  $\varnothing$  1"MM - 2 top connections  $\varnothing$  3/8"  
1 bottom connection  $\varnothing$  1"MM  
width 295 mm - overall length 114 mm  
distance between holes 275 mm



**7100207 HEADLESS SCREW HEXAGONAL M5x8**  
stainless steel - conical top  
UNI 5927 - DIN 914 - ISO 4027



## CASTA



Suitable for:


**5028002 DRAIN TAP FITTING  $\varnothing$  1"MM**  
side exit  $\varnothing$  30 mm - bracket 80x30 mm  
distance between holes 60 mm - coupling height 100



**3242280 DRAIN TAP KNOB BLACK 79 mm**  
square hole 6x6 mm



**5033656 FITTING OF BRASS  $\varnothing$  1"MF**




**5011612 LEVER DRAIN TAP 250 mm**  
square pin 6x6 mm



## Electrical gas valves and accessories

**3526079 VALVE 820 NOVA  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple fitting M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure setting range  
3÷30 mbar  
room temperature 0÷70°C  
power supply 230V 50Hz



**3526270 VALVE 820 NOVA EXTENSION**  
D shaft  $\varnothing$  10x8 mm





Suitable for:

**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526099 COIL 24V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




**3526078 ELBOW FLANGE  $\phi$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**5047586 EXTENSION FOR VALVE 820 NOVA**  
D-shaped pin  $\phi$  10x8 mm



**3020083 FITTING AND OLIVE  $\phi$  4 mm**



**3526075 FLANGE STRAIGHT  $\phi$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



# CASTA

Suitable for:

**2100054 COIL 220V 60Hz**  
for VALVE 820 NOVA-822 NOVA-828 NOVA



**3526077 ELBOW FLANGE  $\phi$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P




**3526102 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3241141 EXTENSION FOR 820 NOVA VALVE**  
D-shaped pin 10x8 mm



**3020084 FITTING AND OLIVE  $\phi$  6 mm**



**3526076 FLANGE STRAIGHT  $\phi$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P






Suitable for:

**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm



**3526269 VALVE 820 NOVA EXTENSION**  
D shaft  $\varnothing$  10x8 mm



## CASTA

Suitable for:


**3241142 KNOB GASKET  $\varnothing$  44 mm**



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**5017951 PROTECTION RUBBER VALVE 820-824 NOVA**  
 $\varnothing$  external 50 mm -  $\varnothing$  internal 20 mm  
depth 1 mm



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT





Suitable for:

# CASTA

Suitable for:



## Gas taps and accessories

**3348014 GAS TAP 20/S**  
without pilot flame  
fittings  $\varnothing$  M16x1.5mm  
thermocouple fitting M8x1  
D-shaped pin  $\varnothing$  8x6.5mm



CASTA 16/99600019

**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25




**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25







Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25




**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## CASTA

Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



**3348016** GAS TAP 21/S  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Pasta cooker (CASTA) 17/CPG20




CASTA 16/99600059

CASTA 700003

**3348085** BUSH FOR TAP



**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21



**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348221** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/17,5 mm upper/lower  
for model PEL 21





Suitable for:

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



## CASTA

Suitable for:

**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S




**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25





Suitable for:

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



## CASTA

Suitable for:

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



## Gas valves and accessories

**3526131 EUROSIT VALVE FOR FRYER 110÷190°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure setting range  
3÷18 mbar outlet  
ambient temperature 0÷120°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x200 mm



CASTA 17/99600299

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR



**3241435 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm






Suitable for:

**3526126 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8"M



**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8"M - M16x1 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25




**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8"M




# CASTA

Suitable for:

**3526677 EXTENSION FOR EUROSIT VALVE**  
D-shaped pin  $\varnothing$  10x8 mm



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3526127 FLANGE FOR EXTENSION**




**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**




**3526130 VALVE 630 EUROSIT OVEN 100÷340°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm



CASTA 770032

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR



Suitable for:

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR



**3526129 CLASP  $\varnothing$  3x14 mm**  
 UNI 6873 - DIN 1481 - ISO 8752




**3526677 EXTENSION FOR EUROSIT VALVE**  
 D-shaped pin  $\varnothing$  10x8 mm



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8" M



**3526127 FLANGE FOR EXTENSION**



**5021481 GAS OUTLET VALVE FITTING**  
 thread  $\varnothing$  3/8" M - M16x1 mm





Suitable for:

**3526128** **KNOB EXTENSION LENGTH 34 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm



## CASTA



Suitable for:

**3526125** **KNOB EXTENSION LENGTH 44 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm



**5050401** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3020082** **OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25




**3001111** **PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3020079** **PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



**3526123** **RUBBER PROTECTION FOR EUROSIT VALVE**



---

## Grids for kitchen

**3185095** **GRID RING  $\varnothing$  380 mm**



CASTA 01/99900019

CASTA 744003

---

## Indicator lights

**3221614** **INDICATOR LIGHT ORANGE 230V**  
 $\varnothing$  head 18 mm -  $\varnothing$  hole 12 mm - 120°C



CASTA 14/99901629



## Knobs

- 3241384 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm  
for Pot stove (CASTA)



CASTA 29/99800029  
CASTA 700001

CASTA 29/99800029+...

CASTA 29/99901109

## Pilot burners and accessories

- 3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



CASTA 14/10030329

- 3020055 PILOT JET  $\varnothing$  0.35 mm**



CASTA 99/99908029

- 3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



CASTA 770025

- 3020104 BRACKET CLAMP 3 POSITIONS**



- 3020103 BRACKET 3 POSITIONS**



- 3020109 DEFLECTOR 2 FLAMES**




- 3020110 DEFLECTOR 3 FLAMES**




- 5048713 DEFLECTOR 3 FLAMES**



- 3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



- 3020084 FITTING AND OLIVE  $\varnothing$  6 mm**





Suitable for:

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



# CASTA



Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



CASTA 770026

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



CASTA 14/10030329






Suitable for:

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



**3020156 PILOT JET  $\varnothing$  0.25 mm**



**3020055 PILOT JET  $\varnothing$  0.35 mm**



CASTA 99/99908029

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



## CASTA

Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**





Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



**5033138** PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# CASTA



Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



**3020002** TWO-FLAME PILOT BURNER SIT  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



CASTA 700011

**3020100** BRACKET 2 POSITIONS



**3020101** BRACKET CLAMP 2 POSITIONS




**3020109** DEFLECTOR 2 FLAMES



**3020083** FITTING AND OLIVE  $\varnothing$  4 mm



**3020084** FITTING AND OLIVE  $\varnothing$  6 mm





Suitable for:

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



## CASTA

Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



CASTA 770026

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



CASTA 14/10030329



Suitable for:

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



**3020156 PILOT JET  $\varnothing$  0.25 mm**



**3020055 PILOT JET  $\varnothing$  0.35 mm**



CASTA 99/99908029

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



# CASTA

Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**





Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



**5033138** PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## CASTA

Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




---

## Selector switches


---

**3057177** SELECTOR SWITCH 0-1 POSITIONS  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




CASTA 09/8590009

**3057001** SELECTOR SWITCH 0-3 POSITIONS  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



CASTA 09/99900049

**5062875** SELECTOR SWITCH 0-3 POSITIONS  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



CASTA 09/16520139



Suitable for:

# CASTA



Suitable for:

## Sparking and detection plugs

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



CASTA 770026

## Thermocouples and accessories

**3440038 THERMOCOUPLE SIT M9x1 120 cm**



CASTA 700010

CASTA 770024

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



CASTA 700010

CASTA 770024

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



CASTA 700010

CASTA 770024

**3440094 THERMOCOUPLE SIT QUICK M9x1 100 cm**




CASTA 17/12160129

**3440894 THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS**



## Thermostatic gas valves

**3345018 THERMOSTATIC TAP 25ST**  
operating temperature 100-300°C  
connections M16x1.5 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x75 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Fry top gas (CASTA)



CASTA 16/99600089

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25





Suitable for:


**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



## CASTA

Suitable for:


**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1





Suitable for:

**CASTA**



Suitable for:

## Thermostats

**3444894 THREE-PHASE THERMOSTAT 50-275°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 380V  
bulb  $\varnothing$  3x220 mm



CASTA 08/85900009

## Wire pan supports

**3354018 REDUCTION F/CHINESE PAN SUPPORT 370x370**  
cast iron



CASTA 01/99900008

CASTA 15/50700001

CASTA 744002



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)