



Spare parts for the professional sector: Cooking equipment



Suitable for:

CB



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

CB



Suitable for:

Accessories for rotisserie

3162001 END FORK
shaft square hole 11.3x11.3 mm
overall length 72 mm



CB 01080018
CB 04010537

CB 01080018+03010062

CB 03010062

3162003 WING BOLT M6x20 UNI 5449
for end fork



CB 03010002

CB 03010062

CB 03011212

5047569 LONG FORK
overall length 675 mm



CB 14080016

3162002 MIDDLE FORK
shaft square hole 11.3x11.3 mm
overall length 122 mm



CB 01080017

CB 04010536

5081362 ROAST BASKET 625x155x110 mm
FOR VENTILATED ROTISSERIE



CB 14080078

5051711 ROAST BASKET 625x172x155 mm



CB 14080015

5004348 ROAST SPIT FOR ROTISSERIE 713 mm
section 10x10 mm - coupling ø 9x29 mm




CB 04040535

5047568 ROTISSERIE FORKS PULLER
for Rotisserie electric (CB)



CB 01090003

5057768 ROTISSERIE MOVEMENT ASSEMBLY 498 mm
poppet ø 300 mm - shaft ø 12 mm
for Rotisserie electric (CB) GV16 - GV16MAN



CB 04040007

3162003 WING BOLT M6x20 UNI 5449
for end fork



CB 03010002

CB 03010062

CB 03011212



Air regulators

3352014 AERATION REGULATOR
 internal \varnothing 16 mm - external \varnothing 18 mm
 height 42 mm



CB 08120045

3352015 AERATION REGULATOR
 internal \varnothing 18 mm - external \varnothing 20 mm
 height 42 mm



CB 08120029

Bearings

1199062 BEARING 6001 ZZ NSK
 external \varnothing 28mm - internal \varnothing 12mm - thickness 8mm



CB 03CC0004

CB 03050626

D063017 BEARING 6001-2Z SKF



Burners, flame spreaders and accessories

3025189 JET HOLDER FOR HOSE \varnothing 10 mm
 complete with nuts and olives
 thread fitting for tube M16x1.5 mm
 fastening fitting M14x1 mm



CB 08100003

Cables for piezo igniters

3001016 IGNITION LEAD 1000 mm
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 4 mm for electrode



CB 08061352

3001039 IGNITION LEAD 900 mm
 with faston 2.8x0.8 mm for ignition
 with faston 2.8x0.8 mm for plug



CB 08060601



Suitable for:

CB



Suitable for:


Contactors

3351049 CONTACTOR SIEMENS 3RT2016-1AP01
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



CB 07070001

5062037 TERMIC T11-211 3A 240V 50/60Hz



CB 07110122

Controllers and changeover switches

3322257 CONTROLLER 11902F3 2 CAMS
230V 50/60Hz - cycle 144 minutes
D-shaped pin \varnothing 6x4.6 mm
for Rotisserie electric (CB) GV-16MAN - GV-20MAN
GV-24MAN - GV-28MAN - GV-35MAN - GV-42MAN




CB 09030002

CB 09030160

Drip trays

5071206 TRAY STAINLESS STEEL COMPLETE KIT
the kit includes:
1 stainless steel tray 543x457x50 mm
1 stainless steel bracket 767x70x25 mm



CB 04040079

Energy regulators

3350026 ENERGY REGULATOR
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



CB 09020004



Feet


5071205 PLASTIC FOOT ϕ 40 mm
 threaded pin M10x1,5 length 25 mm
 base thickness 13 mm



CB 10CC0012

Gas burners

2111365 BURNER COMPLETE KIT
 complete with coupling
 total length 240 mm - height 55 mm
 stainless steel
 for Gyros gas (CB) 1B/10 - 2B/30 - 3B/50 - 4B/100



CB 08110012

CB 08110016

3023092 BURNER 400x270 mm
 overall length 500 mm
 made of stainless steel - Kcal/h 18000 ca
 for old series
 for Lava rock grill gas (CB)



CB 08CC0005

CB 08111361

3020093 NOZZLE HOLDER FOR PIPE ϕ 12 mm
 with nut and olive
 thread connection for hose M20x1.5 mm
 fastening fitting M14x1 mm



CB 01007000

CB 08100001

CB 08100003

3352013 AERATION REGULATOR
 internal ϕ 20 mm - external ϕ 22 mm
 height 42 mm





Suitable for:

CB



3023093 BURNER 400x370 mm
 overall length 500 mm
 made of stainless steel - Kcal/h 22000 ca
 for old series
 for Lava rock grill gas (CB)



CB 08CC0026

CB 08111343

3020093 NOZZLE HOLDER FOR PIPE \varnothing 12 mm
 with nut and olive
 thread connection for hose M20x1.5 mm
 fastening fitting M14x1 mm




CB 01007000

CB 08100001

CB 08100003

3023094 BURNER 400x430 mm
 overall length 500 mm
 made of stainless steel - Kcal/h 27000 ca
 for old series
 for Lava rock grill gas (CB)



CB 08CC0013

CB 08111328

3020093 NOZZLE HOLDER FOR PIPE \varnothing 12 mm
 with nut and olive
 thread connection for hose M20x1.5 mm
 fastening fitting M14x1 mm



CB 01007000

CB 08100001

CB 08100003

3023220 BURNER 480x250 mm
 made of stainless steel
 for Lava rock grill gas (CB) I80MOB/P - I80P



CB 08CC0056

CB 08110013

Suitable for:

3352013 AERATION REGULATOR
 internal \varnothing 20 mm - external \varnothing 22 mm
 height 42 mm



3352013 AERATION REGULATOR
 internal \varnothing 20 mm - external \varnothing 22 mm
 height 42 mm



3352014 AERATION REGULATOR
 internal \varnothing 16 mm - external \varnothing 18 mm
 height 42 mm



CB 08120045



3023221 BURNER 480x325 mm
made of stainless steel
for Lava rock grill gas (CB) I47 - I47MOB



CB 08CC0044 CB 08110009

Suitable for:

3352015 AERATION REGULATOR
internal \varnothing 18 mm - external \varnothing 20 mm
height 42 mm



CB 08120029

3023222 BURNER 480x510 mm
made of stainless steel
for Lava rock grill gas (CB) I65 - I65MOB




CB 08CC0046 CB 08110010

3352015 AERATION REGULATOR
internal \varnothing 18 mm - external \varnothing 20 mm
height 42 mm



CB 08120029

5004314 BURNER 490x273 mm
made of stainless steel



CB 08111685

3023150 BURNER 725x40 mm
overall length 755 mm
made of STAINLESS steel
for Rotisserie gas (CB) G-12P - G-20P



CB 08CC0016 CB 08110583

3023151 GAS BURNER 995x40 mm
overall length 1050 mm
made of STAINLESS STEEL
for Rotisserie gas (CB) P10/4GAS - P10/5GAS
P10/6GAS - P10/8GAS



CB 08CC0029 CB 08110614

5022619 NOZZLE HOLDER BURNER COMPLETE
internal \varnothing 12 mm - thread \varnothing 1/4"



CB 08CC0028

3020093 NOZZLE HOLDER FOR PIPE \varnothing 12 mm
with nut and olive
thread connection for hose M20x1.5 mm
fastening fitting M14x1 mm



CB 01007000 CB 08100001 CB 08100003



Suitable for:


CB

Suitable for:



Gas taps and accessories


3348002 GAS TAP 22S/O
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm




CB 08020022

CB 08020023


3348017 CAP WITH PIN \varnothing 10x8 mm
 pin length 26 mm
 for model PEL 22



3348019 CAP WITH PIN \varnothing 10x9 mm
 pin length 26 mm
 for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 39/7 mm upper/lower
 for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22



3348229 CAP WITH PIN \varnothing 10 mm
 pin length 31 mm
 for model PEL 22S/O




3348245 CAP WITH PIN \varnothing 10x8 mm
 pin length 34/26 mm upper/lower
 for model PEL 22S



3348231 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 35/21 mm upper/lower
 for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
 without adjustment
 thread M20x1.5 mm
 for model PEL 22S




3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22





Suitable for:

3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



CB

Suitable for:

3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25





Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



CB

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




Gearmotors

5047170 GEAR MOTOR mm56A4-STD 0.09kW 230V
50Hz - 1,1A - 1300rpm
capacitor 6,3 μ F
for Rotisserie electric (CB) GV16 - GV16MAN - GV20
GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN
GV35 - GV35MAN - GV42 - GV42MAN




CB 0701006

5044895 GEAR MOTOR BCZ 30W 230V 50Hz
2rpm
 \varnothing extern pin 16 mm
for Rotisserie electric (CB)




CB 0701009

5057557 GEAR MOTOR SUPPORT



CB 0110003

3240101 GEARMOTOR KENTA 330N 25W 230V 50Hz
TYPE K9113061 - 2rpm
pin 8.5x5 mm - pin height 15 mm
for Rotisserie electric (CB) E-12P - E-8P - G-8P
for Rotisserie gas (CB) G-12P
for Sausage grill (CB)




CB 07010053

CB 07010084

CB 07010510



5027156 GEARMOTOR 12W 220/240V 50/60Hz
 1,5/1,8rpm
 complete with bushing
 ø external pin size 15 mm
 for Rotisserie (CB)




CB 07010108

CB 07010144

CB 07010156

Suitable for:


3240924 GEARMOTOR 12W 230V 50/60Hz
 1.5/1.8rpm
 complete with bushing
 external pin ø 16 mm - internal pin ø 12 mm
 for Rotisserie (CB)



CB 07010116

CB 07010155

3240050 MOTOR 0.09kW 230V 50Hz
 TYPE mm56A4-STD - 1300rpm
 ø pin 9 mm - pin height 20 mm
 for Rotisserie electric (CB) GV16 - GV16MAN - GV20
 GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN
 GV35 - GV35MAN - GV42 - GV42MAN



CB 07010635

5054807 REDUCER BSK30/40
 for Rotisserie electric (CB) GV16 - GV16MAN - GV20
 GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN
 GV35 - GV35MAN - GV42 - GV42MAN



CB 13010003

Gears

5054266 LOCK BUSHING FOR MIDDLE ROD
 made of stainless steel
 external ø 21 mm - internal ø 18 mm - height 22 mm




CB 04710001

5058714 MAIN SHAFT 155 mm
 for Rotisserie electric (CB) GV35 - GV70



CB 04CC0019

5054267 PIN FOR MOTOR SHAFT
 overall length 95 mm - coupling hole ø 8 mm



CB 04010152

5071642 PIN RIGHT MILLED COMPLETE
 length 55 mm - ø milling 15 mm
 for Rotisserie (CB)



CB 04CC0081



Suitable for:

CB




5031094 PIN THREADED SPIT HOLDER COMPLETE
 length 55 mm - ø 30 mm
 for Rotisserie electric (CB) P10/4E - P10/5E
 P10/6E - P10/8E - P7/5E
 for Rotisserie gas (CB) P10/4GAS - P10/5GAS
 P10/6GAS - P10/8GAS - P7/5GAS



CB 04040668

5053804 SUPPORT LEFT FOR HANDLING
 pin M10 with nut - ø 13 mm slot
 for Rotisserie (CB)




CB 04CC0010

5056182 SUPPORT LEFT FOR HANDLING
 pin M10 with nut - ø milling 11 mm
 for Rotisserie (CB)



CB 04CC0012

5066526 SUPPORT LEFT FOR HANDLING
 pin M10 with nut - milling ø 13 mm
 for Rotisserie (CB)



CB 04CC0020

Glasses

5067095 DOOR GLASS 550x357 mm



CB 02010045

5021316 DOOR GLASS 590x415 mm
 for Rotisserie electric (CB) GV16 - GV16MAN




CB 02010999

5074405 DOOR GLASS 750x415 mm
 for Rotisserie electric (CB) GV24 - GV24MAN




CB 02010009

5047171 DOOR GLASS 750x625 mm
 for Rotisserie electric (CB) GV35 - GV42 - GV70



CB 02011000

5004354 FRONT GLASS 738x470 mm
 for Rotisserie (CB)



CB 02010575

5050617 SLIDING GLASS 350x317 mm




CB 02CC0018



Handles

3398021 OVEN DOOR CATCH
 distance between holes 47 mm
 catch distance 27 mm



CB

3242337 OVEN DOOR HANDLE ø 26x80 mm M10



3242343 HAND GUARD WASHER



CB 1001126

5036009 PLASTIC HANDLE 150 mm BLACK
 distance between holes 130 mm



CB 10CC0001

Heating elements

3755830 CERAMIC HEATING ELEMENT 1000W 230V
 length 240 mm - width 60 mm



CB 07030064

3355829 CERAMIC HEATING ELEMENT 650W 230V
 length 245 mm - width 60 mm



CB 07030063

3355362 HEATING ELEMENT 1400W 230V
 total length 580 mm
 internal length 525 mm
 width 40 mm - fittings ø 1/4"
 for Rotisserie electric (CB) E-6P/E-15P



CB 07030070

CB 07030963

3355357 HEATING ELEMENT 1450W 230V
 overall length 740 mm
 internal length 680 mm
 width 40 mm - fittings ø 1/4"
 for Rotisserie electric (CB) E-12P



CB 07030563

CB 07032325



Suitable for:

CB




Suitable for:

3755673 HEATING ELEMENT 1500W 230V
 overall length 588 mm
 internal length 519 mm
 width 45 mm - fittings M14x1.5 mm
 for Rotisserie electric (CB) GV16 - GV16MAN - GV20
 GV20MAN



CB 07030017

5008340 HEATING ELEMENT 1700W 230V
 length 225 mm - width 330 mm
 fittings M10x1 mm
 for Neutral counter electric (CB) ECV3110
 ECV4143



CB 07030023

3355353 HEATING ELEMENT 1800W 380V
 overall length 740 mm
 internal length 680 mm
 width 40 mm - fittings M14x1.5 mm
 for Rotisserie electric (CB) E-8P




CB 07031230

3355354 HEATING ELEMENT 1900W 240V
 overall length 770 mm
 internal length 680 mm
 width 40 mm - fittings \varnothing 1/4"
 for Rotisserie electric (CB) E-8P




CB 07032324

3355363 HEATING ELEMENT 2000W 230V
 length 200 mm - width 35 mm
 for 180 mm tangential fan



CB 07032361

5008902 HEATING ELEMENT 2000W 230V
 length 220 mm - width 370 mm
 fittings M10x1 mm
 for Neutral counter electric (CB) ECV2076



CB 07030022

3355351 HEATING ELEMENT 220W 240V
 length 410 mm
 for Sausage grill electric (CB)



CB 07030052

3355358 HEATING ELEMENT 2480/2700W 230/240V
 overall length 740 mm
 internal length 680 mm
 width 40 mm - fittings M14x1.25 mm
 for Rotisserie electric (CB) GV24 - GV28 - GV35
 GV42 - P7/5E



CB 07030564

CB 07032326



Suitable for:

3755674 HEATING ELEMENT 2570/2800W 230/240V
 external \varnothing 190 mm - total height 70 mm
 overall h 70 mm
 flange 100x22 mm



CB 07030065

Suitable for:

3355361 HEATING ELEMENT 3280W 230V
 overall length 1050 mm
 internal length 970 mm
 width 40 mm - fittings M14x1.5 mm
 for Rotisserie electric (CB) P10/4E - P10/5E
 P10/6E - P10/8E



CB 07030900


3355364 HEATING ELEMENT 80W 230V
 \varnothing extern 24mm - length 104 mm
 with cables



CB 07031500

Hinges, catches and accessories

5027745 DOOR HINGE
 pin \varnothing 5x36 mm
 for Rotisserie electric (CB) GV16 - GV16MAN - GV20
 GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN
 GV35 - GV35MAN - GV42 - GV42MAN



CB 04040008

Ignitors

3001007 PIEZO IGNITER
 a \varnothing 22 mm hole is needed for the assembly
 faston M \varnothing 2.4 mm



CB 08061351



Suitable for:

CB



Suitable for:

Incandescent lamps and neon lamps

3221330 HALOGEN LAMP OSRAM 1000W 230V
 halogen lamp infrared
 overall length 480 mm
 glass length 338 mm
 for Rotisserie electric (CB) GV16 - GV16MAN - GV20
 GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN
 GV35 - GV35MAN - GV42 - GV42MAN



CB 07020001

3221061 LAMP E14 25W 230V
 max temperature 300°C - ø 26x57 mm



CB

3221140 OVEN LAMP E14 40W 230V
 max temperature 300°C



CB 07020966

5025951 UV LAMP OSRAM G8 8W
 length 288 mm



CB 07020025

Indicator lights

3221095 INDICATOR LIGHT ORANGE 230V
 head ø 13.5 mm - hole ø 10 mm - 120°C
 universal application



CB 07051486


3221080 INDICATOR LIGHT RED 230V
 head ø 13.5 mm - hole ø 10 mm - 120°C



CB 07050994

Ironmongery (screws,nuts,washers)

5062704 SHAFT KEY STAINLESS STEEL 6x6x30 mm
 UNI 6604/A - DIN 6685/A



CB 03080001



Knobs

5008736 BLACK KNOB \varnothing 39 mm SCREEN PRINTING
 D-shaped hole 6x4.6 mm
 for Display cabinet warm (CB)
 ECV4143-ECV2076-ECV3110-ECV1050
 for Rotisserie (CB)
 GV16/20MAN-GV24/48MAN-GV35/42MAN



CB 10010012

3444187 BLACK KNOB \varnothing 50 mm 50-500°C
 D-shaped pin \varnothing 6x4.6 mm
 for EGO thermostat




CB 10010030

3241400 BLACK KNOB \varnothing 70 mm UNIVERSAL
 D-shaped hole 10x8 mm




CB 10010607

3241464 SELF-STICK DISK MIN/MAX
 external \varnothing 63 mm




3241463 SELF-STICK DISK WITH ARROW SYMBOL
 external \varnothing 63 mm




3241451 SELF-STICK DISK WITHOUT PILOT SYMBOL
 external \varnothing 63 mm
 for gas taps without pilot




3241465 SELF-STICK DISK 0-1-0-1
 external \varnothing 63 mm




3241466 SELF-STICK DISK 0-1-2-3
 external \varnothing 63 mm



3241467 SELF-STICK DISK 0-1-2-3-4-5-6
 external \varnothing 63 mm



3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8
 external \varnothing 63 mm
 for thermostatic gas taps PEL






Suitable for:


3241453 SELF-STICK DISK 1-2-3-4-5-6-7-8
external \varnothing 63 mm
for thermostatic gas taps EGA




3241456 SELF-STICK DISK 30-110°C
external \varnothing 63 mm




3241454 SELF-STICK DISK 30-90°C
external \varnothing 63 mm



3241459 SELF-STICK DISK 50-250°C
external \varnothing 63 mm



3241461 SELF-STICK DISK 50-300°C
external \varnothing 63 mm



3241450 SELF-STICKING DISK WITH PILOT SYMBOL
external \varnothing 63 mm
for gas taps with pilot




CB




Suitable for:


3241458 SELF-STICK DISK 100-180°C
external \varnothing 63 mm




3241457 SELF-STICK DISK 30-110°C
external \varnothing 63 mm




3241455 SELF-STICK DISK 30-90°C
external \varnothing 63 mm



3241460 SELF-STICK DISK 50-300°C
external \varnothing 63 mm



3241462 SELF-STICK DISK 50-320°C
external \varnothing 63 mm



Suitable for:

5055243 KNOB RED ø 40 mm
 D-shaped hole 6x4.6 mm
 for Rotisserie electric (CB) E-15P



CB 10010042

Suitable for:

1241542 KNOB SELECTOR SWITCH BLACK ø 33 mm
 hole for square pin 5x5 mm
 for selector switch



CB 10010017

3241450 SELF-STICKING DISK WITH PILOT SYMBOL
 external ø 63 mm
 for gas taps with pilot



CB 11050003

Labels for control panels

5026546 COMMAND PLATE 485x160 mm
 for Rotisserie (CB) GV16MAN



CB 11030001

5050616 CONTROL PLATE
 for Rotisserie (CB) GV35/42MAN



CB 11030002

5066622 FRONT CONTROL PANEL STAINLESS STEEL
 external dimensions 723x170 mm
 for Rotisserie electric (CB) GV35



CB 01020217

5076300 PANEL CONTROL FRONT STAINLESS STEEL
 external dimensions 723x170 mm
 for Display cabinet (CB) EV16 - EV24 - EV35



CB 01020088

Lamp receptacles and spare parts

3221349 GLASS F.OVEN RECEPTACLE LAMP ø 73 mm
 thread ø 63 mm - overall height 45 mm



CB

3221612 LAMP PROTECTION OF GLASS ø 30x290 mm
 for Rotisserie (CB)



CB 02030001



Suitable for:

CB



Suitable for:

3221613 LAMP RECEPTACLE FOR QUARTZ LAMP
length 70 mm - width 50 mm
height 70 mm
for Rotisserie (CB) GV16 - GV16MAN - GV20
GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN
GV35 - GV35MAN - GV42 - GV42MAN



CB 07CC0021

CB 07020008

5021371 HALOGEN LAMP INFRARED 1000W 240V
overall length 480 mm
glass length 300 mm



3421003 HALOGEN LAMP INFRARED 1000W 240V
overall length 480 mm
glass length 335 mm



3221330 HALOGEN LAMP OSRAM 1000W 230V
halogen lamp infrared
overall length 480 mm
glass length 338 mm
for Rotisserie electric (CB) GV16 - GV16MAN - GV20
GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN
GV35 - GV35MAN - GV42 - GV42MAN



CB 07020001

3221612 LAMP PROTECTION OF GLASS ø 30x290 mm
for Rotisserie (CB)



CB 02030001

3221649 LAMP RECEPTACLE WITH GLASS E14
WITHOUT BULB
lamp glass ø 72 mm
mounting hole ø 68 mm
max temperature 300°C



CB 07020002

3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V
 lamp glass \varnothing 72 mm
 mounting hole \varnothing 68 mm
 max temperature 300°C
 for Display cabinet warm (CB) ESP/2 - EV16 - EV24
 EV35 - VR12E - VR12G - VR20 - VR24 - VR30
 VR36 - VR48 - VR8E



CB 07020018

CB 07020968

3221349 GLASS F.OVEN RECEPTACLE LAMP \varnothing 73 mm
 thread \varnothing 63 mm - overall height 45 mm



CB

D421020 HOOD LAMP DR FISCHER E14 40W 230V
 \varnothing 25x86 mm



3221649 LAMP RECEPTACLE WITH GLASS E14 WITHOUT BULB
 lamp glass \varnothing 72 mm
 mounting hole \varnothing 68 mm
 max temperature 300°C



CB 07020002

3221140 OVEN LAMP E14 40W 230V
 max temperature 300°C



CB 07020966

3221351 GASKET FOR LAMP RECEPTACLE \varnothing 79.5 mm



5026552 HALOGEN LAMP OSRAM E14 40W 230V
 dimensions 80x26 mm
 max temperature 300°C



5059251 LAMP FOR OVEN E14 40W 220/230V
 max. temperature 500°C
 dimensions \varnothing 67x25 mm



D421019 OVEN LAMP DR FISCHER E14 40W 230V
 \varnothing 45x78 mm - max temperature 300°C





Suitable for:

5050618 LAMP RECEPTACLE WITH LAMP G9 40W 230V
external dimensions 96x80 mm
wire connection length 800 mm
max temperature 300°C



CB 07020033


3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm



D221004 HALOGEN LAMP OSRAM G9 40W 230V SMEG
OSRAM
max. temperature 200°C



3221382 NEUTRAL HALOGEN LAMP G9 40W 230V
max. temperature 250°C



3186532 PTFE GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x77 mm
for OVEN



CB

Suitable for:

3221172 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 96x80 mm



3221173 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 73x58 mm



3421002 LAMP HALOGEN NEUTRAL G9 33W 230V
max. temperature 250°C



5049560 NEUTRAL HALOGEN LAMP OSRAM G9 20W 240V
max. temperature 250°C



5053961 LAMP RECEPTACLE WITH LAMP G9 40W 230V
 external dimensions 80x65 mm
 wire connection length 800 mm
 max temperature 300°C
 for Rotisserie electric (CB) E-15P - E-6P



CB 07020027

3421016 HALOGEN LAMP NEUTRAL G9 28W 230V
 max temperature 250°C



3421002 LAMP HALOGEN NEUTRAL G9 33W 230V
 max. temperature 250°C



5049560 NEUTRAL HALOGEN LAMP OSRAM G9 20W 240V
 max. temperature 250°C



Suitable for:

5064670 GLASS FOR LIGHT RECEPTACLE OVEN
 external dimensions 80x65 mm



D221004 HALOGEN LAMP OSRAM G9 40W 230V SMEG
 OSRAM
 max. temperature 200°C



3221382 NEUTRAL HALOGEN LAMP G9 40W 230V
 max. temperature 250°C



Lava stone

3310001 LAVA ROCK LARGE Kg 9
 large size



CB 05050501

3310007 LAVA ROCK MEDIUM-FINE Kg 5
 medium size



CB



Suitable for:

CB



Suitable for:

3310008 LAVA ROCK MEDIUM-LARGE Kg 5
medium-large size



CB

Lava stone grids

3185021 STAINLESS STEEL GRILL 426x250x20 mm
for Lava rock grill gas (CB) I65 - I65MOB



CB 01039000

CB 14081897

3185020 STAINLESS STEEL GRILL 426x323x20 mm
for Lava rock grill gas (CB) I47 - I47MOB
I80MOB/P - I80P



CB 14081834

Magnets

5053962 DOOR LOCK MAGNET ø 22 mm
thread MA5
for Rotisserie electric (CB) E-15P - E-6P



CB 10060005

Measuring tools

5073502 THERMOMETER WHITE ø 52 mm 0-120°C
metal case
rear connection ø 1/4"



CB 09050002



Microswitches, mechanical

- 3240040** MICROSWITCH ROLD VRSR03DA1AC33
12A 250V - 6.3x0.8 terminal
complete with boss and button



CB 08060613

Motors

- 3240620** MOTOR FAN 47W 230V 50Hz
TYPE G2S150-AB08-44
complete with fan ø 150 mm
for Rotisserie (CB)



CB 07010007

- 3240000** MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



CB 07010013

CB 07010078

Nozzles

- 3500051** GAS JET M9x1 ø 1.90 mm



CB 08050030

- 3500052** GAS JET M9x1 ø 2.00 mm



CB 08052140

- 3500055** GAS JET M9x1 ø 2.50 mm



CB 08052143

Pilot burners and accessories

- 3020092** BRACKET PILOT BURNER SUPP. LH 92x55x45mm
for mounting of pilot assembly



CB 01110014

CB 01111303

- 3020091** BRACKET PILOT BURNER SUPP. RH 92x55x45mm
for mounting of pilot assembly



CB 01110013

CB 01111302



Suitable for:

3020088 FLAME TRANSITION PIPE 130 mm



CB 04030010

CB 04360001

CB 4360001

CB



Suitable for:


3020090 INJECTOR ASSEMBLY FOR PILOT BURNER
with tube for flame passing



CB 08070002

CB 08100123

3020023 LEFTHAND PILOT ASSEMBLY
with sparking plug, tube, pilot and bracket



CB

3020088 FLAME TRANSITION PIPE 130 mm



CB 04030010

CB 04360001

3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm
for mounting of pilot assembly



CB 01110014

CB 01111303

3020064 IGNITION PLUG ROUND \varnothing 7x44 mm
model 5/A
fitting M11x1 mm - with fixing nuts
total length 70 mm



CB 08080003

CB 08080005

3020090 INJECTOR ASSEMBLY FOR PILOT BURNER
with tube for flame passing



CB 08070002

CB 08100123

3020054 PILOT JET \varnothing 0.20 mm



CB 08120030



3020022 RIGHTHAND PILOT ASSEMBLY
with sparking plug, tube, pilot and bracket



CB

3020088 FLAME TRANSITION PIPE 130 mm



CB 04030010

CB 04360001

3020090 INJECTOR ASSEMBLY FOR PILOT BURNER
with tube for flame passing



CB 08070002

CB 08100123

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



CB 08100602

3020103 BRACKET 3 POSITIONS




3020110 DEFLECTOR 3 FLAMES



Suitable for:

3020091 BRACKET PILOT BURNER SUPP. RH 92x55x45mm
for mounting of pilot assembly



CB 01110013

CB 01111302

3020064 IGNITION PLUG ROUND \varnothing 7x44 mm
model 5/A
fitting M11x1 mm - with fixing nuts
total length 70 mm



CB 08080003

CB 08080005

3020104 BRACKET CLAMP 3 POSITIONS



3020109 DEFLECTOR 2 FLAMES




5048713 DEFLECTOR 3 FLAMES





Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



CB

Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm





Suitable for:

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



CB

Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



CB 08120030

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET





Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



CB

Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



Probes

3397093 PROBE THERMOCOUPLE TCJ
2 fili - temperature 0-250°C
bulb \varnothing 6x100 mm
cable length 950 mm



CB 09040001

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb \varnothing 6x40 mm



CB 09040008

Relays

3351158 BASE UNDECAL FINDER 90.83.3
11 poles - 10A 400V



CB 07072135



Relays

3351151 POWER RELAY FINDER 60.12.8.230.0040
 230V 50/60Hz
 2 changeover contacts 10A
 with test push-button and mechanical indicator



CB 07072134

3446057 SOCKET WITH TERMINAL BLOCK FINDER 90.26
 10A 250V



Selector switches


3211004 SELECTOR SWITCH 0-1-2 POSITIONS
 contact capacity 25A 600V - max 60/75°C
 square shaft 6x6 mm
 for Rotisserie electric (CB)



CB 07CC0084

CB 07040976

5054269 SELECTOR SWITCH 0-1-2 POSITIONS
 contact capacity 16A 690V - max 75°C
 square pin 7x8 mm



CB 07040031

Shock absorbers

5004345 SHOCK ABSORBER FOR BACK GLASS
 total length 330 mm
 for Display cabinet warm (CB) ECV1050-ECV2076



CB 10080005

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
 220/240V 50/60Hz



CB 08060011



Suitable for:

CB



Suitable for:

Sparking and detection plugs

3020064 IGNITION PLUG ROUND \varnothing 7x44 mm
model 5/A
fitting M11x1 mm - with fixing nuts
total length 70 mm



CB 0808003

CB 0808005


3020067 SQUARE IGNITION PLUG 6/7x53 mm
total length 85 mm



CB

Supports

5036017 FAN SUPPORT 248x135 mm



CB 01100022

Switches

3319464 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V
with indicator light and protection cap
silk-screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm



CB 07040015

3319780 BLOCK CONNECTION WHITE 22x30 mm



3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm




3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319376 BLACK BIPOLAR PUSH-BUTTON 16A 250V
 16(4)A 250V - with push-button cap
 max temperature 120°C
 mounting hole 22x30 mm



CB 07040033

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319054 BLACK BIPOLAR SWITCH 16A 250V
 16(4)A 250V - with green led indicator light
 "gearmotor" silk-screen printing
 max temperature 120°C
 mounting hole 22x30 mm
 for Rotisserie electric (CB)
 for Sausage grill electric (CB)



CB 07040519

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm





Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



CB

Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319055 BLACK BIPOLAR SWITCH 16A 250V
16(4)A 250V - with red led indicator light
"heating element" silk-screen printing
max temperature 120°C
mounting hole 22x30 mm
for Rotisserie electric (CB) E-12P - E-8P



3319780 BLOCK CONNECTION WHITE 22x30 mm



CB 07042133

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm




3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319463 BLACK DOUBLE-POLE SWITCH 16A 250V
16(4)A 250V
with orange indicator light and protection cap
silk-screet printing "light on"
max temperature 120°C
mounting hole 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



CB 07040518



Suitable for:

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319374 BLACK TWO-POLE PUSH-BUTTON 16A 250V
16(4)A 250V - with protection cap
silk-screen printing "ignition"
max temperature 120°C
mounting hole 22x30 mm
for Rotisserie gas (CB) G-12P - G-20P - P10/4
P10/5 - P10/6 - P10/8 - P7/5



CB 0704002

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



CB

Suitable for:

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm





Suitable for:

3319375 BLACK TWO-POLE SWITCH 16A 250V
with protection cap
"manual - automatic" silk-screen printing
max temperature 120°C
mounting hole 22x30 mm



CB 07040011

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319254 CHANGEOVER SWITCH 2 POLE BLACK 16A 250V
16(4)A 250V - max. temperature 120°C
with push-button cap - mounting hole 22x30 mm



CB 07040032

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



CB

Suitable for:

3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm





Tangential and radial motor fans

3526150 TANGENTIAL FAN 180 mm LH
25W 230V 50/60Hz - \varnothing 60 mm
operating temperature $-30^{\circ}+100^{\circ}\text{C}$



CB 07012360

2102307 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan
with cable length 340 mm




3526200 ELECTRONIC SPEED CONTROLLER 170W 230V
for tangential fan



2102796 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for tangential fan 180 mm
with cables length 240 mm



3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan




7103628 HEATING ELEMENT 2000W 230V
length 195 mm - width 38 mm
for tangential ventilator 180 mm
with cable length 230 mm



CB 07032361

Terminal blocks

3247050 TERMINAL BLOCK 3-POLES FV110 40A 450V
for cable \varnothing 6 mm² max.
operating temperature 150°C



CB 07100010

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



CB 07100009



Suitable for:


CB

Suitable for:



Thermocouples and accessories

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
CONNECTOR M8x1**




CB 0809003

3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1



CB 0809003

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
CONNECTOR M8x1**



CB 0809003

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



CB 0809064

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1



CB 0809001

3440064 NUT FOR THERMOCOUPLE M8x1



**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
CONNECTOR M8x1**



CB 0809001

3440064 NUT FOR THERMOCOUPLE M8x1





Suitable for:

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
CONNECTOR M8x1**



CB 0809001

CB

Suitable for:



3440036 THERMOCOUPLE SIT M9x1 85 cm.



CB 0809064


3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



CB 0809064


Thermostats

3444266 SINGLE-PHASE THERMOSTAT 338°C
with manual reset
covered capillary length 830 mm - 16A 250V
button bulb \varnothing 14x10 mm
for Rotisserie (CB)



CB 09010019

3444627 SINGLE-PHASE THERMOSTAT 45-255°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 6x74 mm
for Rotisserie (CB)



CB 09010014

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



CB 09010021

3444586 SINGLE-PHASE THERMOSTAT 75-450°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x228 mm



CB 09010027

Timers

5004337 ELECTRONIC TIMER 230V 50/60Hz
front dimensions 105x71 mm
distance between the holes 101x66 mm
for Rotisserie electric (CB) GV16 - GV20 - GV24
GV28 - GV35 - GV42



CB 09030001



Suitable for:

CB




Suitable for:

Timers

3446001 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



CB 09030065

CB 09030100

3446005 BLACK KNOB ABS 38x38 mm

D-shaped hole \varnothing 6x4.6 mm
for timer



3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



CB 07062363

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com