



Spare parts for the professional sector:
Cooking equipment



Suitable for:

CHARVET



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:


CHARVET



Suitable for:

Bearings

9063012 BEARING 6004 DDU NSK
external \varnothing 42mm - internal \varnothing 20mm - thickness 12mm




CHARVET 05640A

D063031 BEARING 6004-2RS SKF
 \varnothing extern 42 mm - \varnothing intern 20 mm - thickness 12 mm
single box packaging



Burners, flame spreaders and accessories

3025771 BURNER ASSEMBLY MOUNTING DISTANCE 120 mm
with central flame
5000-7000 Kcal/h
height 95 mm - \varnothing 80 mm - pipe \varnothing 27 mm
for Kitchen (CHARVET) P3216



CHARVET 00102A

3025593 FLAME SPREADER \varnothing 80 mm



CHARVET 00134A

3025679 GAS BURNER SUPPORT GR5 \varnothing 27 mm



CHARVET

3500185 GAS JET CONICAL M17x1 \varnothing 1.20 mm



CHARVET 00195A

3500193 GAS JET CONICAL M17x1 \varnothing 2.00 mm



CHARVET 00204A

3025694 BURNER BASE \varnothing 147 mm 9Kw
chrome-plated nickel
overall height 79 mm - length 385 mm




CHARVET A08022A



Suitable for:

3025695 BURNER CAP \varnothing 170 mm
internal \varnothing 117 mm - overall height 58 mm



CHARVET A08494A

Suitable for:

3025694 BURNER BASE \varnothing 147 mm 9Kw
chrome-plated nickel
overall height 79 mm - length 385 mm



CHARVET A08022A

3025605 FLAME SPREADER \varnothing 115 mm



CHARVET 135A

3025606 FLAME SPREADER \varnothing 120 mm



CHARVET 135A

3025671 FLAME SPREADER \varnothing 120 mm



CHARVET 3658A

3025593 FLAME SPREADER \varnothing 80 mm



CHARVET 00134A

3025679 GAS BURNER SUPPORT GR5 \varnothing 27 mm



CHARVET

3025688 NOZZLE HOLDER WITH BRACKET



CHARVET

Cable glands

3050325 NUT THREAD PG16
nichel plated brass
height 3 mm
wrench size 26



CHARVET 02407A

3050315 PRESSURE PLUG FITTING PG16
nichel plated brass
 \varnothing cable 12-14 mm
mounting hole \varnothing 21.5 mm



CHARVET 02404A



Suitable for:

CHARVET



Suitable for:

Cables for piezo igniters

3001053 IGNITION LEAD 1300 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for plug



CHARVET 03013A

Contactors

3454064 CONTACTOR ABB AF09-40-00-13
9A 400V 4Kw - coil 100/250V 50/60Hz
4 normally open contacts
for Bratt pan gas (CHARVET) - Series DBRG



CHARVET 07679A

3454065 CONTACTOR ABB B6-30-10
coil 220/240V 40/450Hz
3 normally open contacts
1 normally open auxiliary contact
for Bratt pan electric (CHARVET) - Series DBRE



CHARVET 07667A

Drain taps and accessories

3356114 DRAIN TAP \varnothing 1" F
fixed connection \varnothing 1" F - folding handle
for Boiling pan (CHARVET)



CHARVET 3914A

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3180039 VASELINE WUERTH 750 g

for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



3356116 DRAIN TAP ø 1"1/2F

fixed connection ø 1"1/2" F - folding handle
for Boiling pan (CHARVET)



CHARVET 3917A

CHARVET



Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m

length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m

length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3180039 VASELINE WUERTH 750 g

for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



3356115 DRAIN TAP ø 1"1/4F

fixed connection ø 1"1/4"F - folding handle
for Boiling pan (CHARVET)



CHARVET 3915A

CHARVET



Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m

length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m

length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3180039 VASELINE WUERTH 750 g

for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



3356117 DRAIN TAP ø 2" F

fixed connection ø 2" F - folding handle
for Boiling pan (CHARVET)



CHARVET 3919A

CHARVET



Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m

length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m

length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3180039 VASELINE WUERTH 750 g

for lubrication of food processing machines
it protects chromed and rubber parts from weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



CHARVET



Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m

length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3356149 DRAIN TAP Ø 2" F TECNO

BRASS CAP - with swivel nut Ø 2" F



CHARVET 03919A

3356101 CAP FOR DRAIN TAP

for DRAIN TAP Ø 2" OLD MODEL



3242190 DRAIN TAP HANDGRIP

for DRAIN TAP Ø 2" OLD MODEL
AND FOR TECNO NEW MODEL



3186242 ASBESTOS FREE FLAT GASKET Ø 61x46x2 mm

for drain tap Ø 2" old model



3356016 DRAIN NIPPLE Ø 2"x80 mm

in brass



3356012 ESCUTCHEON FOR DRAIN TAP Ø 2"





Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature -45°/+120°
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



3356128 PIN ø 5x30 mm
 complete with blind nut



3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to +120°C
 from +50°C to +120 °C the grease becomes oily



CHARVET



Suitable for:

5015573 GASKET FLAT ASBE. FREE ø 61x48x2 mm
 for drain tap ø 2"



3186241 O-RING 06212 VITON
 ring thickness 5.34 mm - internal ø 53.34 mm
 for DRAIN TAP ø 2" OLD MODEL AND
 TECNO NEW MODEL



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved





Suitable for:

CHARVET



Suitable for:

Electric hot plates

3311174 ELECTRIC HOT PLATE 3000W 400V
dimensions 300x300 mm
terminal block electric connections
for electric cooking top
for Kitchen (CHARVET) V01653



CHARVET 06048A

3311075 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
tilting plate
terminal block electric connections
for electric cooking top



CHARVET 2078A

3311049 ELECTRIC HOT PLATE 5000W 400V
dimensions 400x400 mm
terminal block electric connections
for electric cooking top
for Hot plate (CHARVET) V00725



CHARVET 06129A

Electrical cables

3050107 NICKEL CABLE 4 mm² BLUE - 5 m
temperature -60°+450°C
for 10 m coils see 3050213
for 100 m coils see 3050607



CHARVET 2361A

3050108 NICKEL CABLE 6 mm² BLUE - 5 m
temperature -60°+450°C
for 10 m coils see 3050077
for 100 m coils see 3050608



CHARVET 2364A

3050098 NICKEL-PLATED CABLE 4 mm² BLACK - 5 m
temperature -60°+400°C
for 10 m coils see 3050071
for 100 m coils see 3050603



CHARVET 2353A

3050099 NICKEL-PLATED CABLE 6 mm² BLACK - 5 m
temperature -60°+400°C
for 10 m coils see 3050074
for 100 m coils see 3050604



CHARVET 2356A



Electrical gas valves and accessories

3523076 GAS VALVE UNITROL 7000BER-S7CL
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection 11/32"
 NATURAL GAS pressure switch 6.7" W.C.
 slow opening
 supply 12Vdc/24Vac 50/60Hz



CHARVET

3241929 GREY KNOB \varnothing 30 mm SILK-SCREEN PRINTED
 for EUROPEAN MARKET



3241707 GREY KNOB \varnothing 30 mm ON-OFF-PILOT
 for USA MARKET




3120360 MAGNETIC UNIT UNITROL
 head \varnothing 23 mm - length 59 mm
 thermocouple connection 11/32"
 for GAS VALVE UNITROL 7000 BMSER/BMSGOR



3526238 PRESSURE REGULATOR FOR GAS VALVE
 for NATURAL GAS 3.5" W.C.
 for GAS VALVE UNITROL 7000



3526287 PRESSURE REGULATOR FOR GAS VALVE
 for NATURAL GAS 6.7" W.C.
 for VALVOLA GAS UNITROL 7000



3440125 VALVE MICROSWITCH
 length 300 mm
 for GAS VALVE UNITROL



3523082 VALVE MICROSWITCH
 length 415 mm
 for GAS VALVE UNITROL 7000 BER



3526283 VALVE MICROSWITCH
 length 450 mm
 for GAS VALVE UNITROL





Suitable for:

CHARVET



3523098 VALVE 824 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 2÷50 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz



CHARVET 07834A

3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



Suitable for:

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3030001 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 2 wires
 for sit valve 824 NOVA-826 NOVA-836 TANDEM




3526102 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 3 wires
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



5017303 FITTING WITH OLIVE \varnothing 1/2"x14 mm





Suitable for:

3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT




3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



5030042 RING NUT FOR VALVE 824 NOVASIT
external \varnothing 60 mm - internal \varnothing 21/24 mm
height 14 mm



CHARVET



Suitable for:

3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P




2110316 MAGNETIC COIL
220/240V 50Hz
for VALVE 822 NOVA-824 NOVA-826 NOVA
for VALVE 827 NOVA-828 NOVAMIX



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



5017951 PROTECTION RUBBER VALVE 820-824 NOVA
 \varnothing external 50 mm - \varnothing internal 20 mm
depth 1 mm



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT





Suitable for:


CHARVET



Suitable for:


Energy regulators

3350026 ENERGY REGULATOR
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



CHARVET 09099A

3350031 ENERGY REGULATOR
 contact capacity 400V 7A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 for Boiling pan (CHARVET) V00719



CHARVET 09088A

3350065 ENERGY REGULATOR
 contact capacity 230V 12A
 D-shaped pin ø 6x4.6 mm



CHARVET 02004A


3350066 ENERGY REGULATOR
 contact capacity 400V 7A
 D-shaped pin ø 6x4.6 mm



CHARVET 02005A

CHARVET 02006A

3350067 ENERGY REGULATOR
 contact capacity 24V 16A
 D-shaped pin ø 6x4.6 mm



CHARVET 2003A

Fryer baskets and accessories

3055598 FRYER BASKET 305x105x165 mm
 made of chrome-plated iron
 for Fryer (CHARVET) FFR1618



CHARVET 07590A

5042228 FRYER BASKET 305x240x165 mm
 chrome plate iron
 for Fryer (CHARVET)



CHARVET 04062A



Gas burners


- 3023337 BURNER \varnothing 40x550 mm**
 overall length 585 mm
 made of STAINLESS steel
 for Bratt pan gas (CHARVET) - Series DBRG



CHARVET 505209

Gas taps and accessories

- 3348010 GAS TAP 22N/O**
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 D-shaped pin \varnothing 10x8 mm




CHARVET 00310A


- 3348017 CAP WITH PIN \varnothing 10x8 mm**
 pin length 26 mm
 for model PEL 22




- 3348231 CAP WITH PIN \varnothing 6x4.6 mm**
 pin length 35/21 mm upper/lower
 for model PEL 22




- 3348213 FLANGE \varnothing 12/10 mm**
 without adjustment
 thread M20x1.5 mm
 for model PEL 22S




- 3348229 CAP WITH PIN \varnothing 10 mm**
 pin length 31 mm
 for model PEL 22S/O



- 3348019 CAP WITH PIN \varnothing 10x9 mm**
 pin length 26 mm
 for model PEL 22



- 3348232 CAP WITH PIN \varnothing 8x6.5 mm**
 pin length 39/7 mm upper/lower
 for model PEL 22



- 3348023 FLANGE HORIZONTAL \varnothing 12/10 mm**
 thread M20x1.5
 for model PEL 22






Suitable for:

3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22




3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



CHARVET

Suitable for:

3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



CHARVET 00325A

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22





Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



CHARVET



Suitable for:


3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm
for Bratt pan (CHARVET) V01506
for Grill (CHARVET) ? PRO800 G1GR V01629
for Kitchen (CHARVET) 1/OPRO900G2FN V01494
for Salamander gas (CHARVET) G600 - G800



CHARVET 00311A

CHARVET 08094A

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O




3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S






Suitable for:

3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22




3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




CHARVET

Suitable for:

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22





Suitable for:

3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



CHARVET 00325A

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



CHARVET



Suitable for:

3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm






Suitable for:

CHARVET



Suitable for:

3348011 GAS TAP 23S/O
 with pilot flame
 with horizontal flange
 inlet fitting M28x1.5mm
 outlet fitting M24x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm
 for Bain-marie (CHARVET)
 for Boiling pan (CHARVET)
 for Fryer (CHARVET)
 for Boiling pan (CHARVET) 900 61MF200CD
 850GMA150CD V00527
 for Bratt pan (CHARVET) PR0800 61MF100CD V01638
 for Fryer (CHARVET) PR0800 1/2 GFR16




3348060 CAP WITH PIN \varnothing 10x8 mm
 pin length 25 mm
 for model PEL 23



CHARVET 00312A


3348062 CAP WITH PIN \varnothing 10x8 mm
 pin length 35 mm
 for model PEL 23




3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
 thread M24x1.5 mm
 for model PEL 23



3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
 without adjustment
 thread M24x1.5 mm
 for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
 thread M24x1.5
 for model PEL 23



3348040 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 23



3348041 OLIVE FOR PIPE \varnothing 16 mm
 for model PEL 23



3348042 OLIVE FOR PIPE \varnothing 20 mm
 for model PEL 23



3348036 OLIVE FOR PIPE \varnothing 4 mm
 for model PEL 21-22-24-25





Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5
for model PEL 23



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



CHARVET

Suitable for:

3182020 PEL MAGNETIC GROUP
head \varnothing 24 mm - end \varnothing 18 mm - length 59 mm
thermocouple fitting M9x1
for tap PEL model 23S



3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



Gas valves and accessories

3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
with screws and OR



CHARVET 00442A

3523097 GAS VALVE STN3R 110°C
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
capillary length 1200 mm
bulb \varnothing 6,5x200 mm
for Boiling pan gas (CHARVET) PRO900G1MF
for Boiling pan (CHARVET) V00689 1000GMA150BM
1000GMA260BM V00693 1000 61MF260BME V00693
for Boiling pan gas (CHARVET)
1000G1MF200BME/C V01169



CHARVET 00303A

CHARVET 104851



Suitable for:

CHARVET



Suitable for:

3523093 MINISIT VALVE FOR FRYER 70÷210°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 length capillary 1300 mm
 bulb \varnothing 4x122 mm
 without cover. knob and flanges



CHARVET 00306A

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
 with screws and OR



CHARVET 00442A


3523035 KNOB MINISIT BLACK \varnothing 37 mm



3182003 MAGNETIC UNIT SIT
 head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



3523060 OIL SEAL FITTING \varnothing 6.5 mm
 internal thread M10x0.75 - external thread M14x1.5




2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR



3523047 LID MINISIT



3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 20-21-24-25





Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523096 SENSING ELEMENT MINISIT 50 \div 190 $^{\circ}$ C
stainless steel capillary length 1200 mm
bulb \varnothing 4x120 mm



3523091 VALVE 710 MINISIT OVEN 70 \div 310 $^{\circ}$ C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60 $^{\circ}$ C
capillary length 1300 mm
bulb \varnothing 4x75 mm
without cover. knob and flanges



CHARVET



Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M





Suitable for:

3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
with screws and OR



CHARVET 00442A


3523035 KNOB MINISIT BLACK \varnothing 37 mm



3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT




3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



CHARVET




Suitable for:

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523047 LID MINISIT



3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm





Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



CHARVET



Suitable for:

3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



Gaskets and seals

3786631 LEVEL GASKET \varnothing 20x14x3,1 mm
for Boiling pan gas (CHARVET) PRO900G1MF



CHARVET 04087A

Heating elements

7101183 FLAT HEATING ELEMENT 1000W 240V
length 630 mm - width 40 mm
height 10 mm



CHARVET 06877A

3455197 HEATING ELEMENT 1000W 240V
length 675 mm - width 40 mm
for Bratt pan electric (CHARVET) - Series 1000



CHARVET 02030A

CHARVET 2030A

3455227 HEATING ELEMENT 1000W 230V
length 415 mm - width 210 mm
height 45 mm
operating ambient: dry



CHARVET 06835A

7101264 HEATING ELEMENT 1250W 240V
length 695 mm - width 40 mm
height 10 mm
for Bratt pan (CHARVET) V00684E V00803



CHARVET 09032A




Suitable for:

CHARVET




3455103 HEATING ELEMENT 2500W 230V
length 585 mm - width 430 mm
height 35 mm
for Oven under cooktop electric (CHARVET)
Series 500



CHARVET 02062A

Suitable for:

3455198 HEATING ELEMENT 2500W 400V
length 620 mm - width 480 mm
height 30 mm
for Oven under cooktop electric (CHARVET)
for Oven under cooktop (CHARVET) V01653



CHARVET 02063A

CHARVET 2063A

3756001 HEATING ELEMENT 3300W 230V
length 560 mm - width 100 mm
height 140 mm
for Bratt pan electric (CHARVET) - Series DBRE




CHARVET 07668A

CHARVET 4040020

Incandescent lamps and neon lamps

3221259 OVEN NEON LAMP Ba9s 0.9mA 400V
dimensions \varnothing 10x28 mm



CHARVET 2835A

3221270 OVEN NEON LAMP E10 1,2mA 380/400V
dimensions \varnothing 10x28 mm
for Bratt pan (CHARVET) PT0800E15B



CHARVET 02142A

Indicator lights

3221165 INDICATOR LIGHT ORANGE 400V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C
universal application



CHARVET 07664A

3221166 INDICATOR LIGHT GREEN 400V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C
universal application



3221543 INDICATOR LIGHT ORANGE 400V
 head \varnothing 14 mm - hole \varnothing 12 mm
 wire connection length 190 mm
 nichel plated brass case



CHARVET 505925

3221629 INDICATOR LIGHT RED COMPLETE 380V
 mounting hole \varnothing 22 mm
 for high temperature
 for Boiling pan gas (CHARVET) PRO900G1MF
 for Bratt pan (CHARVET) PRO90061SBM601



CHARVET F14551

CHARVET 02131A

3221270 OVEN NEON LAMP E10 1,2mA 380/400V
 dimensions \varnothing 10x28 mm
 for Bratt pan (CHARVET) PTO800E15B




CHARVET 02142A

3221545 INDICATOR LIGHT RED 400V
 head \varnothing 14 mm - hole \varnothing 12 mm
 wire connection length 190 mm
 nichel plated brass case



CHARVET 505924

3221630 INDICATOR LIGHT YELLOW COMPLETE 380V
 mounting hole \varnothing 22 mm
 for high temperatures
 for Boiling pan gas (CHARVET) PRO900G1MF



CHARVET F14652

CHARVET 05075A

Knobs

3241725 BLACK KNOB \varnothing 45 mm
 D-shaped hole 6x4.6 mm
 for energy regulator
 for Bratt pan (CHARVET) V00680



CHARVET 02016A

3241724 INDEXED PLATE \varnothing 70 mm 0-100
 for energy regulator



CHARVET 02021A



Suitable for:

CHARVET



3241724 INDEXED PLATE \varnothing 70 mm 0-100
for energy regulator



CHARVET 02021A

Suitable for:

3241309 KNOB BLACK \varnothing 50 mm 0-1-2-3
D-shaped hole 6x4.6 mm
for energy adjuster EGO



CHARVET 08561A

Level gauges

3600048 LEVEL GLASS \varnothing 15x158 mm
for Boiling pan gas (CHARVET) PRO900G1MF



CHARVET 03001A

CHARVET 3001

3786631 LEVEL GASKET \varnothing 20x14x3,1 mm
for Boiling pan gas (CHARVET) PRO900G1MF



CHARVET 04087A

Level regulators

3351088 LEVEL REGULATOR 230V
temporized - model C2AICNRVA1FLT



CHARVET 02681A

Magnet groups

3182010 MAGNETIC UNIT PEL
head \varnothing 24 mm - end piece \varnothing 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



CHARVET 00394A

3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24




CHARVET 00325A

Suitable for:

Suitable for:


- 3182011 MAGNETIC UNIT PEL SMALL HEAD**
 head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
 for PEL tap models 20-21
 for EGA tap model 25213
 for JUNKERS tap model CH110



CHARVET 00366A


Microswitches, mechanical

- 3803052 MICRO SWITCH PIZZATO MS35**
 15A 250V
 lever length 155 mm - lever width 5 mm
 for Bratt pan electric (CHARVET) DBRE
 for Bratt pan gas (CHARVET) DBRG



CHARVET 08233A


- 3803051 MICROSWITCH PIZZATO MS42**
 5A 250V
 for Bratt pan electric (CHARVET) DBRE
 for Bratt pan gas (CHARVET) DBRG



CHARVET 07675A

CHARVET 40100010

- 3240406 MICROSWITCH SAIA-BURGESS**
 model XGK2-88-S20Z1
 10(4)A 250V



CHARVET 504985

Nozzles

- 3500175 CONICAL GAS JET M17x1 \varnothing 0.50 mm**



CHARVET 00191A

- 3500177 CONICAL GAS JET M17x1 \varnothing 0.70 mm**



CHARVET 00192A

- 3500178 CONICAL GAS JET M17x1 \varnothing 0.80 mm**



CHARVET 00264A

- 3500179 CONICAL GAS JET M17x1 \varnothing 0.85 mm**



CHARVET



CHARVET



Suitable for:

3500180 CONICAL GAS JET M17x1 \varnothing 0.90 mm



CHARVET

Suitable for:

3500182 CONICAL GAS JET M17x1 \varnothing 1.00 mm



CHARVET 00193A

3500183 CONICAL GAS JET M17x1 \varnothing 1.10 mm



CHARVET 00194A

3500187 CONICAL GAS JET M17x1 \varnothing 1.40 mm



CHARVET 00198A

3500188 CONICAL GAS JET M17x1 \varnothing 1.50 mm



CHARVET 00199A

3500189 CONICAL GAS JET M17x1 \varnothing 1.60 mm



CHARVET 00200A

3500190 CONICAL GAS JET M17x1 \varnothing 1.70 mm



CHARVET 00201A

3500191 CONICAL GAS JET M17x1 \varnothing 1.80 mm



CHARVET 00202A

3500192 CONICAL GAS JET M17x1 \varnothing 1.90 mm



CHARVET 00203A

3500194 CONICAL GAS JET M17x1 \varnothing 2.10 mm



CHARVET G00205A

CHARVET 00205A

3500197 CONICAL GAS JET M17x1 \varnothing 2.40 mm



CHARVET 00208A

3500198 CONICAL GAS JET M17x1 \varnothing 2.50 mm



CHARVET 00209A

Suitable for:

Suitable for:

3500199 CONICAL GAS JET M17x1 \varnothing 2.60 mm

3500200 CONICAL GAS JET M17x1 \varnothing 2.70 mm



CHARVET 00210A

CHARVET 00211A

3500201 CONICAL GAS JET M17x1 \varnothing 2.80 mm

3500202 CONICAL GAS JET M17x1 \varnothing 2.90 mm



CHARVET 00212A

CHARVET 00213A

3500203 CONICAL GAS JET M17x1 \varnothing 3.00 mm

3500204 CONICAL GAS JET M17x1 \varnothing 3.10 mm



CHARVET 00214A

CHARVET 00215A

3500205 CONICAL GAS JET M17x1 \varnothing 3.20 mm

3500206 CONICAL GAS JET M17x1 \varnothing 3.30 mm



CHARVET 00216A

CHARVET 00217A

3500207 CONICAL GAS JET M17x1 \varnothing 3.50 mm

3500208 CONICAL GAS JET M17x1 \varnothing 3.60 mm



CHARVET 00218A

CHARVET 00219A

3500209 CONICAL GAS JET M17x1 \varnothing 3.80 mm

3500211 CONICAL GAS JET M17x1 \varnothing 5.10 mm



CHARVET 00221A

CHARVET



Suitable for:

3500185 GAS JET CONICAL M17x1 \varnothing 1.20 mm



CHARVET 00195A

Suitable for:

3500186 GAS JET CONICAL M17x1 \varnothing 1.30 mm



CHARVET 00197A

3500193 GAS JET CONICAL M17x1 \varnothing 2.00 mm



CHARVET 00204A

3500195 GAS JET CONICAL M17x1 \varnothing 2.20 mm



CHARVET 00206A

3500196 GAS JET CONICAL M17x1 \varnothing 2.30 mm



CHARVET 00207A

3500210 GAS JET CONICAL M17x1 \varnothing 4.10 mm



CHARVET

Pilot burners and accessories

3020436 PILOT BURNER NATURAL GAS 1 FLAME
with nozzle \varnothing 40 mm
nozzle holder coupling for pipe \varnothing external 6 mm



CHARVET A8284A

3020424 PILOT BURNER OXYPILOT SIT 2 FLAMES
supplied without sparking plug
with LPG nozzle
with thermocouple fitting
with sparking plug fitting



CHARVET GAZ0085


3020083 FITTING AND OLIVE \varnothing 4 mm





Suitable for:

3020084 FITTING AND OLIVE ø 6 mm



CHARVET



Suitable for:

3020054 PILOT JET ø 0.20 mm



3020156 PILOT JET ø 0.25 mm



CHARVET 07357A

CHARVET 7357A

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet ø 0.20 mm
with 3 positions bracket



3020104 BRACKET CLAMP 3 POSITIONS



CHARVET 00177A
CHARVET 7550A

CHARVET 07551A
CHARVET 7550P

CHARVET 177A

3020103 BRACKET 3 POSITIONS



3020109 DEFLECTOR 2 FLAMES




3020110 DEFLECTOR 3 FLAMES




5048713 DEFLECTOR 3 FLAMES



3020083 FITTING AND OLIVE ø 4 mm



3020084 FITTING AND OLIVE ø 6 mm





Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



CHARVET

Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



CHARVET 05315A

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm






Suitable for:

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm



CHARVET 7357A

3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



CHARVET

Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



CHARVET 07357A

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET





Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



CHARVET




Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



Position switches

7106928 LIMIT MICROSWITCH ERSCE E300-00-EM
6A 230V
for Bratt pan (CHARVET) MODUL 1000 G1 SBM
for Fryer (CHARVET) EFR14/12 - EFR16/18 - V00880
V00990
for Bratt pan (CHARVET) V02942



CHARVET 05091A

CHARVET 506116

Pressure switches

3320134 STEAM PRESSURE SWITCH 0.2-0.9 BAR
connection 1/4" M - 15A 250V



CHARVET 07399A

3320250 PRESSURE SWITCH SPOUT \varnothing 40x60 mm





Probes

- 3397189 TEMPERATURE PROBE TCK \varnothing 4x64 mm**
 2 wires
 cable length 2400 mm - flange 22x12 mm
 for Bratt pan (CHARVET) - Series DBRE
 Series DBRG



CHARVET 07666A

Relays

- 3351008 POWER RELAY FINDER 62.83.8.230.0000**
 230V 50/60Hz
 3 exchange contacts 16A



CHARVET 07660A

- 3351602 POWER RELAY FINDER 65.31.8.230.0300**
 230V 50/60Hz
 1 contact NO 30A



CHARVET 07661A

Safety groups for pans and spare parts


- 3184007 PRESSURE GAUGE \varnothing 60 mm**
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



CHARVET 07986A


Selector switches

- 3057095 SELECTOR SWITCH 0-1 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



CHARVET 300027

- 3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Salamander (CHARVET) E600 - V02228



CHARVET ELE0083




Suitable for:

CHARVET




3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



CHARVET 02096A

Suitable for:

3057308 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Hot plate electric (CHARVET)



CHARVET 02093A

Sleeving for cables

3050302 METAL SHEATH \varnothing 21/25 mm
operating temperature -15°+60°C
SOLD PER METER



CHARVET 02385A

Solenoid valves

3120034 CONNECTOR LARGE F-FITTING
for coils



CHARVET 40100018

3120405 SOLEN. VALVE T&P 1 WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet \varnothing 10.5 mm



CHARVET 07662A

3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
flow rate 1.2 L/min - tolerance +/- 25%



3120421 ADJUSTER FOR OUTLET T&P BLACK
flow rate 5 L/min - tolerance +/- 20%



3120568 ADJUSTER FOR OUTLET T&P GREEN
flow rate 3 L/min - tolerance +/- 25%





Suitable for:

3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
flow rate 1 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
flow rate 0.5 L/min - tolerance +/- 25%



3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min



CHARVET

Suitable for:

3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
flow rate 1.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
flow rate 0.25 L/min - tolerance +/- 25%



3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min



D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min



D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min





Suitable for:

D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



CHARVET



Suitable for:

D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/-25%



D120092 COIL T&P 12Vdc
for solenoid valves T&P



3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



D120093 COIL T&P 24Vdc
for solenoid valves T&P



Spark generators

3001061 SPARK GENERATOR 2 OUTLETS
220V
for Boiling pan (CHARVET) 900 61MF200CD



CHARVET 02161A

CHARVET 2161A

Sparking and detection plugs

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



CHARVET 05315A

3806007 ROUND IGNITION PLUG \varnothing 6.5x45 mm
male faston M4x1 mm
overall length 60 mm



CHARVET 07010A

3455354 ROUND IGNITION PLUG \varnothing 7x45 mm
overall length 52 mm
complete with cable of length 1500 mm



CHARVET 08287A

Springs


5043523 SPRING FOR LID
for Bratt pan (CHARVET) GSBM/150



CHARVET 04118A

Switches

3319732 PUSH-BUTTON RED 8A 250V
1 contact NO
with push-button cap
mounting hole \varnothing 22 mm
for Boiling pan gas (CHARVET) PRO900G1MF
for Boiling pan (CHARVET) 1000GMA260BM V00693



CHARVET 03967A



Suitable for:


CHARVET



Suitable for:

Taps for tank refilling

3359330 TAP WATER INLET \varnothing 1/2"MM-1/8"FF
fittings \varnothing 1/2"MM - \varnothing 1/8"FF



CHARVET 00361

CHARVET 03865A

CHARVET 3865A

Thermocouples and accessories

3440015 INTERRUPTION CONNECTOR M9x1



CHARVET 05690A

3440074 THERMOCOUPLE LF 90 cm
7 slotted elements kit



CHARVET 5945A

3440039 THERMOCOUPLE SIT M9x1 150 cm
for Boiling pan (CHARVET) 900 61MF200CD
for Bratt pan (CHARVET) 850GSBM/150 V00450



CHARVET 00290A

CHARVET 00296A

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



CHARVET 00290A

CHARVET 00296A

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



CHARVET 00290A

CHARVET 00296A

3440036 THERMOCOUPLE SIT M9x1 85 cm.



CHARVET 00291A

CHARVET 9/291A

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



3440170 THERMOCOUPLE 11/32 P.ASA 120 cm
 coupling M5x1
 for GAS VALVE UNITROL 7000 BGO ROBERTSHAW
 for GAS VALVE UNITROL 7000 BER ROBERTSHAW
 for GAS VALVE UNITROL 7000 BER S7C ROBERTSHAW



CHARVET 286A


Thermostatic gas valves

3348170 THERMOSTATIC TAP ROBERTSHAW BJW
 adjustment temperature 93-287°C
 inlet fitting \varnothing 10 mm
 outlet pipe fitting \varnothing 3/8"NPT
 bulb \varnothing 5x290 mm
 capillary length 1200 mm



CHARVET 00295A

3345017 THERMOSTATIC TAP 24STS
 operating temperature 120-320°C
 connections M20x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x75 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 10x8 mm



CHARVET 473A

3348044 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 20-21-24-25



3348038 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 22-24-25



3020082 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 22-24-25





Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



CHARVET



Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




Thermostats

3744004 SINGLE-PHASE THERMOSTAT 150-200°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 2000 mm
bulb \varnothing 6x135 mm
for Fryer (CHARVET) EFR1018 - V00733 1/2 850GFR15
1/2 PRO800 EFR 16/16 V01708 - 1/2 850EFR14/12
V01513 - V01706




2000134 THERMOSTAT 3-PHASE 50-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 800 mm
bulb \varnothing 6x77 mm



Suitable for:

3444562 THREE-PHASE THERMOSTAT 100-350°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1800 mm - 16A 230V
 bulb \varnothing 6x80 mm
 for Bratt pan (CHARVET) 800ESBC/L33
 for Bratt pan (CHARVET) PRO90061SBM601
 800ESBC/L33
 for Fry top (CHARVET) PRO800R-E PLANCHA/CHR V02435



CHARVET 01999A

3444972 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 capillary length 2300 mm
 bulb \varnothing 6x88 mm
 for Fryer (CHARVET) EFR1018
 1/2 PRO800 EFR 16/16 V01708 - 1/2 850EFR14/12
 V01513 - V01706



CHARVET 05996A

3444088 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x140 mm - with stuffing gland fitting M9x1



CHARVET 1995A

Suitable for:

3444939 THREE-PHASE THERMOSTAT 220°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x110 mm



CHARVET 02823A

3443075 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 900 mm
 bulb \varnothing 6x80 mm
 with stuffing gland fitting M9x1
 for Bratt pan electric (CHARVET) - Series DBRE
 for Bratt pan gas (CHARVET) - Series DBRG



CHARVET 07665A

Timers

3446149 TIMER 15 MINUTES S43V
 mechanical timer with sound alarm
 manual winding cycle 15 minutes
 complete with screenprinted plate and knob
 size \varnothing 60x27 mm
 for Fryer electric (CHARVET) EFR14/12 - EFR16/18
 V00880 - V00881 - V00990 - V00991



CHARVET 2167A

3446150 TIMER 30 MINUTES S43V
 mechanical timer with sound alarm
 manual winding cycle 30 minutes
 complete with screenprinted plate and knob
 size \varnothing 60x27 mm



CHARVET 2692A



Suitable for:


CHARVET



Suitable for:

Wheels and accessories

5043248 BEARING WITH SUPPORT
for Bratt pan (CHARVET) MCD1000 V00680



CHARVET 04197A

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com