



Spare parts for the professional sector: Cooking equipment



Suitable for:

DESCO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:


DESCO



Suitable for:

Actuators

5034021 ACTUATOR ELECTRICAL MINGARDI S1 2700662
20W 230V 50Hz
strength max 200 N - stroke 180 mm



DESCO_R_60930

DESCO 350161

DESCO 60930

5034116 BASKET LIFT SHAFT KIT
overall length 425 mm



DESCO_R_62195

DESCO_R_62572

5034116 BASKET LIFT SHAFT KIT
overall length 425 mm



DESCO_R_62195

DESCO_R_62572

DESCO 60931

DESCO 60935

DESCO 60937

DESCO 62195

Air regulators

3352502 AERATION REGULATOR
length 60 mm



DESCO 544147400

Axial motor fans

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



DESCO FX0068-12

3805037 CABLE FOR AXIAL MOTOR FAN
cable length 2000 mm



Ball valves and accessories

5005304 DRAIN TAP EXTENSION 73 mm



DESCO 110136

5005303 DRAIN TAP LEVER
length 140 mm



DESCO 110137

3526693 WATER VALVE \varnothing 1"MF
ball valve
heavy series with PN 25 total passage
aluminium lever



DESCO 110135

5030274 CROSS FITTING OF CAST IRON \varnothing 1" F



DESCO ID0104

5005304 DRAIN TAP EXTENSION 73 mm



DESCO 110136

5005303 DRAIN TAP LEVER
length 140 mm



DESCO 110137

5003313 ELBOW FITTING OF CAST IRON \varnothing 1" F



5061849 ELBOW FITTING OF CAST IRON \varnothing 1" F




DESCO ID0047

5023502 ELBOW FITTING OF CAST IRON 4 WAYS \varnothing 1" F



5033656 FITTING OF BRASS \varnothing 1"MF



DESCO ID0085

DESCO 61194



Suitable for:

5030273 FITTING OF CAST IRON \varnothing 1"MM



DESCO ID0038

DESCO

Suitable for:



Burners, flame spreaders and accessories

3025432 BURNER \varnothing 48 mm




DESCO 532003200

3025429 FLAME SPREADER \varnothing 130 mm POLISHED



DESCO 532003600

3025433 VENTURI F/FLAME SPREADER 130 mm



DESCO 532003000

Cables for piezo igniters

3001027 IGNITION LEAD 500 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for plug



DESCO 547003200

3001032 IGNITION LEAD 600 mm
with faston terminal \varnothing 2.4 mm for ignition
with faston hole \varnothing 4 mm for plug



DESCO 547002700

3001068 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2,4 mm for electrode



DESCO 110263

5081354 IGNITION LEAD 900 mm
with faston \varnothing 2,4 mm for ignition
with faston \varnothing 4 mm for plug



DESCO R_63265

DESCO 63265



Clamps

3449401 DOUBLE-WIRE CLAMP 7-7.5 - 100 PCS
for hoses \varnothing 7÷7.5 mm



DESCO 05110001

3449462 HOSE CLAMP 12-20
for pipes \varnothing 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



DESCO 05100007

3449452 HOSE CLAMP 16-25
for pipes \varnothing 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



DESCO 05100001

DESCO 11807

3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



DESCO 05100005

DESCO 11806

3449468 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



DESCO 61198

3449455 HOSE CLAMP 40-60
for pipes \varnothing 40÷60 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



DESCO 05100003

3449474 HOSE CLAMP 50-70
for pipes \varnothing 50÷70 mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



DESCO 05100004

3168002 HOSE CLAMP 70-90
for pipes \varnothing 70÷90 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



DESCO 05100008



Suitable for:

DESCO



Suitable for:

Contact thermostats


3444283 CONTACT THERMOSTAT +110°C
boiler security
with manual reset - 10A 250V



DESCO 15550


Contactors

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



DESCO 15086/B

3351260 AUXILIARY CONTACT AEG HS0501
10A
1 normally closed contact



3351261 AUXILIARY CONTACT AEG HS0510
10A
1 normally open contact



3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



DESCO 00006280

3446516 AUXILIARY CONTACT AEG HS7K01
10A
1 normally closed contact



3454032 AUXILIARY CONTACT AEG HS7K10
1 NO contact



Suitable for:

3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw
 coil 230V 50/60Hz
 4 normally open contacts
 no auxiliary contact



DESCO 31280

Suitable for:

5021314 AUXILIARY CONTACT AEG HS8K11
 1 contact NO
 1 contact NC



3446562 CONTACTOR LOVATO BF0901A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally closed auxiliary contact



3446227 AUXILIARY CONTACT LOVATO G218
 10A
 1 contact NO
 1 contact NC



DESCO 537010100

3446214 CONTACTOR LOVATO BG09T4A
 4KW 400V 9A - 4 normally open contacts
 coil 230V 50/60Hz



DESCO 15086

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



3446227 AUXILIARY CONTACT LOVATO G218
 10A
 1 contact NO
 1 contact NC



DESCO LC-310

Cooking baskets and accessories

3055283 BASKET FOR PASTA COOKER ø 145x200 mm
 of STAINLESS steel
 for Pasta cooker (DESCO) - Series 700 - Series 900




DESCO CD047
 DESCO 60989

DESCO KCP0080

DESCO R_60989

5091110 FALSE BOTTOM 320x293x88 mm
 of stainless steel



DESCO KCP0250



Suitable for:

DESCO



3055142 FALSE BOTTOM 490x295x85 mm
made of stainless steel
for old series
for Pasta cooker (DESCO) - Series 900



DESCO CD048

DESCO KCP0260

Suitable for:

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



DESCO R_61361

DESCO 711051

3055141 PASTA COOKER BASKET ø 185x204 mm
for 8 portions approx.
made of STAINLESS STEEL
for old series
for Pasta cooker (DESCO) - Series 900



DESCO CD050

DESCO KCP0070

3055144 PASTA COOKER BASKET 150x275x180 mm
made of stainless steel



DESCO

3055135 PASTA COOKER BASKET 160x290x200 mm
for 13 portions approx
made of STAINLESS STEEL
for Pasta cooker (DESCO) - Series 1 - Series 2
Series 3




DESCO CD044

DESCO KCP0040

DESCO KCP0100

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



DESCO R_61361

DESCO 711051

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055134 PASTA COOKER BASKET 165x304x204 mm
for 13 portions approx
made of STAINLESS STEEL
for Pasta cooker (DESCO) - Series 7



DESCO CD043

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



DESCO R_61361

DESCO 711051



Suitable for:

3155002 KNOB BLACK PLASTIC \varnothing 28x84 mm M8x1



DESCO

Suitable for:



3055136 PASTA COOKER BASKET 242x290x204 mm
for 20 portions approx
made of STAINLESS STEEL
for Pasta cooker (DESCO) - Series 1 - Series 2
Series 3



DESCO CD045

DESCO KCP0030

DESCO KCP0170

3055125 KNOB BLACK BAKELITE \varnothing 28x89 mm M8x1



DESCO R_61361

DESCO 711051

3155002 KNOB BLACK PLASTIC \varnothing 28x84 mm M8x1



Drain hoses

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet coupling
for TECNOINOX BAIN-MARIE-FRYER



DESCO 544120300

Drain taps and accessories

3356107 DRAIN TAP \varnothing 1/2" F
TECO BLOCK safety handle
brass tap body CW617N UNI 12165
polished chrome-plated surface finishing
Hostaform handle with metal core
operating temperature 120°C max
operating pressure 4 bar max
for Bain-marie (DESCO) - Series 700 - Series 900



DESCO 60450



Suitable for:

DESCO



Suitable for:

Drain taps and accessories

3356052 DRAIN TAP \varnothing 3/4" F
lateral lever fitting
outlet internal \varnothing 22 mm



DESCO 531000100

5012801 DRAIN TAP LEVER 62 mm
thread M6



DESCO 533009600

5033104 LEVER FOR DRAIN TAP 76 mm
thread M6x1 mm



3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet coupling
for TECNOINOX BAIN-MARIE-FRYER



DESCO 544120300

5012801 DRAIN TAP LEVER 62 mm
thread M6



DESCO 533009600

3356053 DRAIN TAP HANDLE \varnothing 17x40 mm
thread M8



3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



5015500 LEVER HANDLE TAP BLACK
dimensions 35x22 mm - distance between holes 20 mm



5036175 DRAIN TAP MANIFOLD
2 top connections \varnothing 1"MM - 2 top connections \varnothing 3/8
1 bottom connection \varnothing 1"MM
width 295 mm - overall length 114 mm
distance between holes 275 mm
for Pasta cooker electric (DESCO) 7CPE1-9CPE1
for Pasta cooker gas (DESCO) 7CPG1-9CPG1



DESCO R_61192

DESCO 61192

DESCO 832134

5037966 DRAIN TAP MANIFOLD
 1 top connection \varnothing 33 mm - 1 top connection \varnothing 1" M
 1 bottom connection \varnothing 1" M
 width 165 mm - overall length 114 mm
 distance between holes 145 mm
 for Pasta cooker electric (DESCO) 7CPE1-9CPE1
 for Pasta cooker gas (DESCO) 7CPG1-9CPG1



DESCO_R_61191

DESCO 830034

DESCO 831134

3526673 GAS/WATER VALVE \varnothing 1" FF
 ball valve
 heavy series with PN 40 total passage
 aluminium lever
 for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2
 9CPE1 - 9CPE2
 for Pasta cooker gas (DESCO) 9CPG1 - 9CPG2




DESCO_R_61193

DESCO 61193

DESCO 831135

3356078 BUSHING \varnothing 11x20 mm



5023594 CAST IRON FITTING \varnothing 1" MF



5031496 DRAIN PIPE \varnothing 1" MM
 length 195 mm



3356138 DRAIN TAP FITTING \varnothing 1" MM
 \varnothing side outlet 28 mm - bracket 68x40x19 mm
 fitting height 100 mm



5028002 DRAIN TAP FITTING \varnothing 1" MM
 side exit \varnothing 30 mm - bracket 80x30 mm
 distance between holes 60 mm - coupling height 100



3242049 DRAIN TAP HANDLE 140 mm
 square hole 6x6 mm



3242280 DRAIN TAP KNOB BLACK 79 mm
 square hole 6x6 mm





Suitable for:

5036175 DRAIN TAP MANIFOLD

2 top connections \varnothing 1"MM - 2 top connections \varnothing 3/8
1 bottom connection \varnothing 1"MM
width 295 mm - overall length 114 mm
distance between holes 275 mm
for Pasta cooker electric (DESCO) 7CPE1-9CPE1
for Pasta cooker gas (DESCO) 7CPG1-9CPG1



DESCO_R_61192

DESCO 61192

DESCO 832134

7100207 HEADLESS SCREW HEXAGONAL M5x8


stainless steel - conical top
UNI 5927 - DIN 914 - ISO 4027



DESCO

Suitable for:

5033656 FITTING OF BRASS \varnothing 1"MF



DESCO ID0085

DESCO 61194

5011612 LEVER DRAIN TAP 250 mm


square pin 6x6 mm



Electric hot plates

3311100 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



DESCO 60208

Electrical capacitors

3068016 CAPACITOR DUCATI ENERGIA 10 μ F

450V 50/60Hz
operating temperature -25 +85°C
lead connector 6.35x0.8 mm
 \varnothing 36xh58 mm



DESCO 18043

3068024 CAPACITOR DUCATI ENERGIA 16 μ F

450V 50/60Hz
operating temperature -25 +85°C
lead connector 6.35x0.8 mm
 \varnothing 36xh70 mm



DESCO 2410004

Suitable for:

3068008 CAPACITOR DUCATI ENERGIA 5µF
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connection 6.35x0.8 mm
 ø 28xh55 mm



DESCO 10702

Suitable for:

3068080 CAPACITOR ELECTRICAL 10µF
 450V 50/60Hz - ø 30xh71 mm



DESCO 18043

3068083 CAPACITOR ELECTRICAL 16µF
 450V 50/60Hz - ø 35xh71 mm



DESCO 2410004

3068096 CAPACITOR ELECTRICAL 5µF
 450V 50/60Hz - ø 30xh51 mm



DESCO 10702

Electrical gas valves and accessories

3526361 VALVE 822 NOVA ø 1/2"FF
 inlet ø 1/2" F - outlet ø 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz



DESCO C5350-00

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



2100054 COIL 220V 60Hz
 for VALVE 820 NOVA-822 NOVA-828 NOVA



3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE ø 1/2" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE ø 3/4" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

3526102 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




DESCO




Suitable for:

3020083 FITTING AND OLIVE ø 4 mm



3020084 FITTING AND OLIVE ø 6 mm



3526075 FLANGE STRAIGHT ø 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



DESCO ID0097

3526076 FLANGE STRAIGHT ø 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



2110316 MAGNETIC COIL
220/240V 50Hz
for VALVE 822 NOVA-824 NOVA-826 NOVA
for VALVE 827 NOVA-828 NOVAMIX



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



Electronic controllers

3446147 TIMER EVK701D7E
power supply 230V 3VA
time range from 1 ds to 99 HOURS and 59 MINUTES
1 exchange relay output 8(3)A 250V
room temperature -5+55°C
buzzer included
connections by screw terminal block
front dimensions 74x32x59 mm
mounting hole 71x29 mm
for Pasta cooker (DESCO) 7MAC2 - 9MAC3



DESCO 35355

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved





Suitable for:

3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved




DESCO

Suitable for:



Energy regulators

3350026 ENERGY REGULATOR
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



DESCO C2192-00

Equipment, complete

3235953 HEAT. ELEMENT KIT PASTA COOKER 9600W 230
immersed depth 504x228 mm
mounting distance \varnothing 50 mm
for RH-side mounting
for Pasta cooker (DESCO) 9CPE2



DESCO 60716

Fittings

1349109 COUNTER NUT FLAT OF BRASS 1"



DESCO ID0071

DESCO R_ID0071

5005316 COUNTER NUT OF CAST IRON \varnothing 1"1/2



DESCO ID0072



Suitable for:

DESCO



5030274 CROSS FITTING OF CAST IRON \varnothing 1" F



DESCO ID0104


Suitable for:

5061849 ELBOW FITTING OF CAST IRON \varnothing 1" F



DESCO ID0047

5033656 FITTING OF BRASS \varnothing 1" MF



DESCO ID0085

DESCO 61194

5030273 FITTING OF CAST IRON \varnothing 1" MM



DESCO ID0038

3349342 NICHEL-PL.HOSE-END FITTING \varnothing 1/4" M \varnothing 7



DESCO HR-595

3349347 NICHEL-PL.HOSE-END FITTING \varnothing 3/8" M \varnothing 12



DESCO 10221311

Fryer baskets and accessories

3055274 FRYER BASKET 250x200x100 mm
in chrome-plated iron



DESCO 531005700

3055256 FRYER BASKET 270x200x105 mm
in chrome-plated iron



DESCO 531000700

5021921 FRYER BASKET 290x290x105 mm
made of chrome-plated iron



DESCO CD110

DESCO KFR0010

5066069 FRYER BASKET 300x200x105 mm
of chromed iron



DESCO 531024100



Fuses

3049016 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 2A



DESCO LC-422

Gas burners

3023271 BURNER \varnothing 60x390 mm
overall length 450 mm
made of stainless steel
for Pasta cooker gas (DESCO) CPG1 - CPG2 - CPG3



DESCO 110153

3023210 BURNER 530x195 mm
made of chrome-plated iron



DESCO R_60359

DESCO 60359

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



5032809 JET HOLDER FOR HOSE \varnothing 10 mm
thread connection for hose M16x1,5 mm
tapered nozzle M10x1 mm
fastening fitting M14x1 mm



DESCO 531025600

5080432 JET HOLDER NUT M14x1



DESCO 533010900



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



DESCO 533039300

DESCO



Suitable for:

5080432 JET HOLDER NUT M14x1



DESCO 533010900

3023255 VERTICAL BURNER \varnothing 75x180 mm
made of chrome-plated iron



DESCO 531006400


3352502 AERATION REGULATOR
length 60 mm



DESCO 544147400

Gas taps and accessories

3348098 GAS TAP SKG
with microswitch
with pilot flame
pipe flange fitting \varnothing 16 mm
outlet fitting M13x1 mm
with flowrate adjuster
thermocouple connection M8x1
D-shaped pin \varnothing 6x4.6 mm



DESCO 531034600

3020131 OLIVE FOR PIPE \varnothing 8 mm



DESCO 533016100

3240625 TAP MICROSWITCH 250V
0,005A - max temperature 125°C



DESCO 537023600

Suitable for:

Suitable for:

3348099 GAS TAP SKG
 with microswitch
 with pilot flame
 pipe flange fitting \varnothing 16 mm
 outlet fitting M13x1 mm
 thermocouple connection M8x1
 D-shaped pin \varnothing 6x4.6 mm



DESCO 531047700

3020131 OLIVE FOR PIPE \varnothing 8 mm



DESCO 533016100

3240625 TAP MICROSWITCH 250V
 0,005A - max temperature 125°C



DESCO 537023600

5052175 GAS TAP 21/S
 with pilot flame
 pipe flange fitting \varnothing 21 mm
 outlet connection \varnothing M16x1.5 mm
 thermocouple connection M9x1
 D-shaped pin \varnothing 8x6.5 mm




DESCO 60024


7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
 thread \varnothing 3/8" F - M16x1 mm
 for taps PEL 20S-21S



3348219 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 45/20 mm upper/lower
 for model PEL 21



3348220 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 30/23 mm upper/lower
 for model PEL 21



3348221 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 30/17,5 mm upper/lower
 for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 22 mm
 for model PEL 21S





Suitable for:

3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S




3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110




3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



DESCO

Suitable for:

3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



DESCO 533039300

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25





Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25




DESCO 533010800

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



DESCO ID0103

3348183 GAS TAP 22/S
with horizontal flange
with pilot flame
flange fitting
outlet fitting M20x1.5 mm
thermocouple connection M8x1
D-shaped pin \varnothing 10x8 mm




DESCO 60495

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



DESCO

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O



3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S




3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22





Suitable for:


3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22




3348188 FLANGE COMPLETE FOR PEL22
holes mounting distance 40 mm - pipe \varnothing 27 mm



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



DESCO

Suitable for:

3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S




3348189 FLANGE COMPLETE FOR PEL22
holes mounting distance 34 mm - pipe \varnothing 21 mm



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1 mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm





Suitable for:

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



DESCO

Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




DESCO 533017900

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm






Suitable for:

DESCO



Suitable for:


3348002 GAS TAP 22S/O
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm




DESCO 180163

DESCO 7060012


3348017 CAP WITH PIN \varnothing 10x8 mm
 pin length 26 mm
 for model PEL 22




3348245 CAP WITH PIN \varnothing 10x8 mm
 pin length 34/26 mm upper/lower
 for model PEL 22S




3348019 CAP WITH PIN \varnothing 10x9 mm
 pin length 26 mm
 for model PEL 22



3348231 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 35/21 mm upper/lower
 for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 39/7 mm upper/lower
 for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
 without adjustment
 thread M20x1.5 mm
 for model PEL 22S



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22




3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22





Suitable for:


3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



DESCO

Suitable for:

3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




DESCO 533017900

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25





Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



DESCO



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




DESCO ID0103

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



DESCO 533039300

DESCO 533010800

Gas valves and accessories

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR




DESCO 533018200




Gas valves and accessories

3526258 EUROSIT VALVE FOR FRYER 110÷190°C
 with new knob
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm
 RoHS certificated




DESCO 821161

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



3020084 FITTING AND OLIVE \varnothing 6 mm



DESCO ID0097

3526127 FLANGE FOR EXTENSION




5050401 OLIVE FOR PIPE \varnothing 10 mm
 external \varnothing 13 mm - height 8 mm




3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR



3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
 thread \varnothing 3/8" M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 22-24-25



DESCO 533017900



Suitable for:

3001111 **PIEZO IGNITER EUROSIT**
M faston \varnothing 2.4 mm



DESCO




Suitable for:

3020079 **PIPE FITTING \varnothing 12 mm**
thread \varnothing 3/8" M



DESCO 533018000

3526123 **RUBBER PROTECTION FOR EUROSIT VALVE**




3523035 **KNOB MINISIT BLACK \varnothing 37 mm**



DESCO 536000600

3523047 **LID MINISIT**



DESCO 536000700

3523949 **MINISIT VALVE FOR FRYER 110÷190°C**
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges



DESCO 531002700

2100757 **CONNECTION FOR OLIVE \varnothing 16 mm**
thread \varnothing 1/2" M



3523038 **ELBOW FLANGE MINISIT \varnothing 1/2" F**
with screws and OR



3523037 **ELBOW FLANGE MINISIT \varnothing 3/8"**
with screws and OR



DESCO 533018200



Suitable for:

3523035 KNOB MINISIT BLACK \varnothing 37 mm




DESCO 53600600

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



DESCO 531001200

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



DESCO 533017900


3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



DESCO

Suitable for:

3523047 LID MINISIT



DESCO 53600700

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25




DESCO 533039300

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm





Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M




DESCO 533018000

3523051 SENSING ELEMENT MINISIT 110 \div 190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



DESCO 531014100

3523051 SENSING ELEMENT MINISIT 110 \div 190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



DESCO 531014100

DESCO



Suitable for:

3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



Gaskets and seals

3786043 GASKET FOR BOILER ELBOW
 \varnothing external 19/16 mm - \varnothing internal 10 mm
depth 6 mm



DESCO 00010504

DESCO 02150006

5022848 GASKET OF COPPER \varnothing 40x33x1.5 mm



DESCO ID0126

DESCO R_ID0126



Gaskets for oven door

5081287 DOOR GASKET FOR OVEN 970x310 mm
made of silicone elastomer
with fixing clips - 3 sides
profile dimensions 12x10 mm
BLACK COLOUR



DESCO MC0184

5034193 OVEN DOOR GASKET 650x260 mm
made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 12x10 mm
COLOUR BLACK
for Oven under cooktop electric (DESCO) 7CE4FE
7CE6FEA - 9CE4FE - 9CE6FEA



DESCO R_60045

DESCO 60045

Heating elements

5053519 HEATING ELEMENT OF SILICONE 1000W 230V
length 400 mm - width 270 mm
complete with automatic reset thermostat
complete with cables
operating environment: dry



DESCO R_3710040-EM

3355436 HEATING ELEMENT 1800W 230V
length 305 mm - width 65 mm
height 195 mm - fittings M12x1 mm



DESCO 537003500

5005327 HEATING ELEMENT 2000W 230V
length 275 mm - width 125 mm
height totale 74 mm - flangia 50x27 mm



DESCO EL0004

DESCO R_EL0004

3355435 HEATING ELEMENT 3000W 230V
length 275 mm - width 190 mm
height 185 mm - fittings ϕ 1/4"



DESCO 537003300

5049326 HEATING ELEMENT 3300W 230V
length 340 mm - width 180 mm
with two holes for bulb - complete with cables



DESCO 537027000

1186190 O-RING 04187 VITON
ring thickness 3.53 mm - internal ϕ 47.22 mm



DESCO 536009800



Suitable for:

DESCO



Suitable for:

5063138 HEATING ELEMENT 5000W 230V
 length 395 mm - width 90 mm
 fittings \varnothing 3/8"



DESCO 930060

5036797 KIT HEATING ELEMENT 7800W 230V
 length 290 mm - width 195 mm
 with two holes for bulb
 with cables



DESCO R_62665

DESCO 60715

DESCO 62665

7105274 O-RING 0176 VITON
 ring thickness 3.53 mm - internal \varnothing 73.03 mm
 for Pasta cooker (DESCO) CPE
 for Pasta cooker (DESCO) CPE - FRE



DESCO 62380

7119503 KIT HEATING ELEMENT 9600W 230V
 length 460 mm - width 195 mm
 with two holes for bulb
 with cables



DESCO R_62666

3455295 MIDDLE HEATING ELEMENT 1800W 230V
 length 315 mm - body \varnothing 30 mm
 connection thread \varnothing 1"-1/2 - flange 70x60 mm
 with thermostat probe receptacle - with cables
 for Pasta cooker electric (DESCO) CPE7



DESCO 241061

3755101 MIDDLE HEATING ELEMENT 2500W 220V
 immersed length 490 mm - body \varnothing 30 mm
 threaded connection \varnothing 1"-1/2 - flange 70x60 mm
 with bulb sheath - complete with cables
 for Pasta cooker electric (DESCO) CPE1 - CPE2
 CPE7



DESCO 210061

5005316 COUNTER NUT OF CAST IRON \varnothing 1"1/2



DESCO ID0072

1186655 O-RING 04131 EPDM
 ring thickness 3.53 mm - internal \varnothing 32.93 mm



DESCO ID0087

DESCO R_ID0087

Suitable for:

Suitable for:

3455294 SIDE HEATING ELEMENT 1800W 230V
 length 325 mm - body \varnothing 30 mm
 fitting thread \varnothing 1" - flange 45x50 mm
 complete with cables
 for Pasta cooker electric (DESCO) CPE7



DESCO 241050

3755102 SIDE HEATING ELEMENT 2500W 220V
 immersed length 490 mm - body \varnothing 30 mm
 threaded connection \varnothing 1" - flange 45x50 mm
 complete with cables
 for Pasta cooker electric (DESCO) CPE1 - CPE2
 CPE7



DESCO EL0029

DESCO R_210050

DESCO 210050

1349109 COUNTER NUT FLAT OF BRASS 1"



DESCO ID0071

DESCO R_ID0071

1186655 O-RING 04131 EPDM
 ring thickness 3.53 mm - internal \varnothing 32.93 mm



DESCO ID0087

DESCO R_ID0087

Hose-end fittings

5088434 HOSE-END FITTING \varnothing 1" M - \varnothing 30 mm



DESCO ID0093



Suitable for:

DESCO



Suitable for:

Hydraulic piping

3450152 HOSE RUBBER REINFORCED \varnothing 13/19 mm
internal \varnothing 13 mm - external \varnothing 19 mm
temperature -40+100°C
sold per meter



DESCO PTUN-016

DESCO 00013411

DESCO 2907350

3450209 RUBBER PIPE \varnothing 13x20 mm - 40 m
operating temperature -40+100°C



DESCO 00013411

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
operating temperature -40+100°C



DESCO 00013411

1449681 SILICONE HOSE \varnothing 4x7 SHORE 60 - 5 m
alimentary



DESCO 00003750

DESCO 07125002

Ignitors

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm



DESCO 110164

Incandescent lamps and neon lamps

3221457 NEUTRAL HALOGEN LAMP G6.35 35W 12V
max. temperature 250°C



DESCO C5252-00

3221382 NEUTRAL HALOGEN LAMP G9 40W 230V
max. temperature 250°C



DESCO LC-051



Indicator lights

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm



DESCO EL0028

DESCO 60119

3221091 INDICATOR LIGHT GREEN 230V
head \varnothing 7 mm - hole \varnothing 6 mm
with cable 250 mm



DESCO 10711

3221132 INDICATOR LIGHT GREEN 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



DESCO 10711/B

3221176 INDICATOR LIGHT GREEN 230V
head \varnothing 10 mm - hole \varnothing 9 mm - 120°C



DESCO C5410-00

3221152 INDICATOR LIGHT GREEN 250V
head \varnothing 14 mm - hole \varnothing 11 mm - 120°C



DESCO 537014200

3221199 INDICATOR LIGHT GREEN 250V
head \varnothing 8 mm - 150°C
wire connection length 300 mm



DESCO 60145

3221097 INDICATOR LIGHT NEUTRAL 220V
head \varnothing 8 mm - 120°C



DESCO 15826

3221094 INDICATOR LIGHT ORANGE 230V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C



DESCO 28100011

3221170 INDICATOR LIGHT ORANGE 230V
head \varnothing 10 mm - hole \varnothing 9 mm - 120°C



DESCO C5411-00

3221176 INDICATOR LIGHT GREEN 230V
head \varnothing 10 mm - hole \varnothing 9 mm - 120°C



DESCO C5410-00



Suitable for:

3221177 INDICATOR LIGHT WHITE 230V
head \varnothing 10 mm - \varnothing hole 9 mm - 120°C



DESCO



Suitable for:

3221215 INDICATOR LIGHT ORANGE 230V
head \varnothing 16 mm - hole \varnothing 11.5 mm - 120°C



DESCO 28110100

DESCO 28110101

3221202 INDICATOR LIGHT TRANSPARENT 250V
head \varnothing 8 mm - 150°C
wire connection length 300 mm



DESCO EL0007

DESCO R_EL0007

DESCO 61307

3221151 INDICATOR LIGHT WHITE 250V
head \varnothing 14 mm - hole \varnothing 11 mm - 120°C



DESCO 537014100

3221167 RED LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



DESCO EL0027

DESCO 60120

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm




DESCO EL0028

DESCO 60119

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



3221168 TRANSPARENT LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



DESCO 60144

3221168 TRANSPARENT LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



DESCO 60144



Ironmongery (screws,nuts,washers)

5039329 COUNTERSUNK FLAT HEAD SCREWS M5x25
cross recessed - stainless steel
UNI 7688 - DIN 965 - ISO 7046



DESCO 11219

1528631 CYLINDER HEAD SCREW M4x8
stainless steel - cross recessed
UNI 7687 - DIN 7985 - ISO 7045



DESCO 11121

3528010 FLAT WASHER M6
ø internal/external 6.4/12 mm - thickness 1.6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



DESCO 0212006

3743145 FLAT WASHER M8
internal/external ø 8.4/16 mm - thickness 1.6 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



DESCO 0212008

1348813 HEXAGONAL NUT M4 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



DESCO 11703

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



DESCO 11702

1528030 MID HEXAGONAL NUT M6
stainless steel - UNI 5588 - DIN 934 - ISO 4032



DESCO 0310006

Knobs

3241547 BLACK KNOB ø 40 mm SCREENPRINTED
D-shaped hole 6x4.6 mm



DESCO 536002501

3241548 BLACK KNOB ø 40 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm



DESCO 536020200



Suitable for:


Suitable for:

3241222 BLACK KNOB ø 40 mm 100-180°C
D-shaped hole 6x4.6 mm



DESCO 536002400


3444129 BLACK KNOB ø 50 mm
D-shaped hole 6x4.6 mm
with symbol
for thermostats and timers



DESCO 31051

DESCO 863151

5034028 BLACK KNOB ø 70 mm 0-1-2-3
D-shaped hole 6x4.6 mm
for Pasta cooker electric (DESCO) CPE1-CPE2



DESCO R_803150

DESCO 803150

3241719 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6-7-8
D-shaped hole 6x4.6 mm
for Bain-marie (DESCO) BME72 - Series OLD
for Fry top electric (DESCO) - Series OLD



DESCO 803151

5036298 BLACK KNOB-RED ø 75 mm SILK-SCREENED
D-shaped hole 10x8 mm
for Pasta cooker gas (DESCO) 7CPG1-9CPG1



DESCO 60802

DESCO 62302

5051223 BLACK KNOB-RED ø 75 mm SILK-SCREENED
D-shaped hole 8x6.5 mm
for Pot stove gas (DESCO) 7CG



DESCO R_62300

DESCO 60800

DESCO 62300

7102943 BLACK KNOB-RED ø 75 mm 120-270°C
D-shaped hole 8x6.5 mm
for Fry top gas (DESCO)



DESCO R_62303

DESCO 62303

3241803 BLACK-BLUE KNOB ø 75mm SILK-SCREEN PRINT
D-shaped hole 10x8 mm
for Pasta cooker electric (DESCO) 9CPE2



DESCO 60817

DESCO 62317

3241802 BLACK-RED KNOB ø 75 mm 0-1-2-3
D-shaped hole 6x4.6 mm
for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2
9CPE1 - 9CPE2



DESCO 60806

DESCO 62306

3241804 BLACK-RED KNOB ø 75 mm 30-90°C
D-shaped hole 6x4.6 mm
for Bain-marie electric (DESCO) 7BME1P - 7BME2P
9BME1P - 9BME2P



DESCO R_62316

DESCO 62316

Suitable for:


3241247 KNOB BLACK \varnothing 16x25 mm
round hole \varnothing 6 mm



DESCO 536000300


Suitable for:

5025192 KNOB BLACK \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm




DESCO 800150

5065967 KNOB BLACK \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm




DESCO 800152

5067923 KNOB BLACK \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



DESCO 970150

5065966 KNOB BLACK \varnothing 70 mm 1-2-3-4-5-6-7-8
D-shaped hole 10x8 mm



DESCO 800155

5034575 KNOB BLACK-RED \varnothing 75 mm 0-6
D-shaped hole 6x4.6 mm



DESCO R_62308

DESCO 60808

5060201 KNOB BLACK-RED \varnothing 75 mm 120-190°C
D-shaped hole 10x8 mm



DESCO 60804

DESCO 62304

5054920 KNOB BLACK-RED \varnothing 75 mm 70-260°C
D-shaped hole 6x4.6 mm



DESCO R_62307

7107949 KNOB BLACK-RED \varnothing 75 mm 90-190°C
D-shaped hole 6x4.6 mm
for Fryer electric (DESCO) FRE72



DESCO R_62305

DESCO 60805

3241826 TAP KNOB
for Pasta cooker gas (DESCO) CPG1/PS



DESCO 115142

DESCO 115143



Suitable for:

DESCO



Suitable for:

Lamp receptacles and spare parts

3221172 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 96x80 mm



DESCO C6073D-00

3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm



DESCO C6073F-00

3221173 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 73x58 mm



DESCO C6073C-00

3221212 HALOGEN LAMP RECEPTACLE G4-6.35 35W 12V
wire connection length 150 mm



DESCO C5251-00

5055001 HALOGEN LAMP OSRAM G6.35 35W 12V
max temperature 250°C



DESCO C5259-00

3221416 NEUTRAL HALOGEN LAMP G4 35W 12V
max. temperature 250°C



3621005 LAMP CAP FOR HALOGEN G9 40W 230V
external dimensions 74x59 mm
max. temperature 300°C



DESCO LC-050



Level regulators

3341000 LEVEL REGULATOR RL30/3ES/F/G
230V 50/60Hz



DESCO HC-055

3341002 LEVEL PROBE \varnothing 1/4"M-114.5 mm



3341003 LEVEL PROBE \varnothing 1/4"M-110 mm



3341001 LEVEL PROBE \varnothing 1/4"M-155 mm



3391037 LEVEL PROBE SPACER
external \varnothing 8 mm
internal \varnothing 2.5 mm
overall length 11.5 mm



3391038 LEVEL PROBE SPACER
external \varnothing 8 mm - 7.5 mm height



Magnet groups

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



DESCO 531001200

Microswitches, mechanical

3240843 MICROSWITCH HONEYWELL
mod. V7-3E19E9-263 - 10A 250V
for Pasta cooker electric (DESCO) 9CPE2



DESCO R_61599

DESCO 61599



Suitable for:

DESCO



Suitable for:

Microswitches, mechanical

3240407 MICROSWITCH KIT 16A 250V

2 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



DESCO 10704

3240568 MICROSWITCH CROUZET EF83161.3

1NO+NC 16A 250V
complete with roll lever 28 mm



3240410 MICROSWITCH 16(4)A 250V



DESCO C6018-00


DESCO 537011500

3240203 BUSHING DOOR MICROSWITCH

external \varnothing 10x15 mm



3240236 LIMIT SWITCH CONTROL



3240234 LIMIT SWITCH PIN



3240233 MICROSWITCH FITTING M16x1.5 mm



3250071 MICROSWITCH SPRING \varnothing 13x25 mm



3240235 RING NUT M16x1.5 mm



3240625 TAP MICROSWITCH 250V

0,005A - max temperature 125°C



DESCO 537023600



Nozzles

5012520 GAS JET M10x1 ø 1.35 mm



DESCO 533014800

O-Ring and ORM gaskets

1186304 O-RING 0112 EPDM
ring thickness 2.62 mm - internal ø 9.92 mm



DESCO 13003

1186805 O-RING 0115 EPDM
ring thickness 2.62 mm - internal ø 11.91 mm



DESCO 15285

5005318 O-RING 0153 VITON
ring thickness 3.53 mm - internal ø 49.21 mm



DESCO ID0088

DESCO R_62381

DESCO 62381

7105274 O-RING 0176 VITON
ring thickness 3.53 mm - internal ø 73.03 mm
for Pasta cooker (DESCO) CPE
for Pasta cooker (DESCO) CPE - FRE



DESCO 62380

1186421 O-RING 02018 EPDM
ring thickness 1.78 mm - internal ø 4.48 mm



DESCO 13016

1186362 O-RING 02021 EPDM
ring thickness 1.78 mm - internal ø 5.28 mm



DESCO 13001

1186411 O-RING 02031 EPDM
ring thickness 1.78 mm - internal ø 7.66 mm



DESCO 13002

1186352 O-RING 02050 EPDM
ring thickness 1.78 mm - internal ø 12.42 mm



DESCO 13009




Suitable for:

DESCO



3122365 O-RING 02475 EPDM
ring thickness 1.78 mm - internal \varnothing 120.37 mm



DESCO 0614008

3186244 O-RING 03125 EPDM
ring thickness 2.62 mm - internal \varnothing 31.42 mm



DESCO 13000

1186655 O-RING 04131 EPDM
ring thickness 3.53 mm - internal \varnothing 32.93 mm



DESCO ID0087

DESCO R_ID0087

3067198 O-RING 04162 EPDM
ring thickness 3.53 mm - internal \varnothing 40.86 mm



DESCO 16067/A

1186190 O-RING 04187 VITON
ring thickness 3.53 mm - internal \varnothing 47.22 mm



DESCO 536009800

1186799 O-RING 04225 EPDM
ring thickness 3.53 mm - internal \varnothing 56.74 mm
for DISHWASHERS LAMBER



DESCO 06140018

3186271 O-RING 04312 EPDM
ring thickness 3.53 mm - internal \varnothing 78.97 mm



DESCO 06140026

3186001 O-RING 06150 EPDM
ring thickness 5.34 mm - internal \varnothing 37.47 mm



DESCO 13010

3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm




DESCO 13005



Pilot burners and accessories

3020084 FITTING AND OLIVE \varnothing 6 mm




DESCO ID0097

3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



DESCO 110163

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



DESCO 110176

**5027854 OLIVE FITTING \varnothing 10 mm
thread \varnothing 3/8"G**



DESCO 533009500

**3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25**



DESCO 533017900

3020081 OLIVE FOR PIPE \varnothing 6 mm



DESCO 533039100

3020112 OLIVE FOR PIPE \varnothing 6 mm



DESCO ID0098

DESCO 533010400

3020131 OLIVE FOR PIPE \varnothing 8 mm



DESCO 533016100

**5081353 PILOT BURNER 3 FLAMES
without plug. nozzle and gasket**



DESCO R_61892

DESCO 61892

3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



DESCO 110163



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



DESCO 110176

**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



DESCO R_61068

DESCO 537003000

**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020044 PILOT JET \varnothing 0.20 mm



3020452 PILOT JET \varnothing 0.32 mm



DESCO



Suitable for:

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



DESCO R_61602

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



**3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**



3020112 OLIVE FOR PIPE \varnothing 6 mm



DESCO ID0098

DESCO 533010400

5071220 PILOT JET \varnothing 0.22 mm



3020045 PILOT JET \varnothing 0.50 mm






Suitable for:

3020449 PILOT JET \varnothing 0.54 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020040 PILOT JET \varnothing 0.30 mm



DESCO 110160

DESCO 533020200

3020041 PILOT JET \varnothing 0.41 mm



DESCO 110161

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



DESCO 533018000

DESCO

Suitable for:

3020464 PILOT JET \varnothing 0.64 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



DESCO ID0103

3020043 PILOT JET \varnothing 0.36 mm



DESCO 111006

DESCO 61070

3020187 PILOT JET \varnothing 0.51 mm



DESCO 533020400

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



DESCO ID0103





Suitable for:

DESCO




3020288 TARGET TWO-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Pasta cooker gas (DESCO) CPG1 - CPG2



DESCO 111003

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



DESCO 110176

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



DESCO R_61068

DESCO 537003000

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



Suitable for:

3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



DESCO 110163

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



DESCO R_61602

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020113 OLIVE FOR PIPE \varnothing 4 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25





Suitable for:

3020114 OLIVE FOR PIPE \varnothing 6 mm




3020042 PILOT JET \varnothing 0.19 mm



5047578 PILOT JET \varnothing 0.24 mm



2102405 PILOT JET \varnothing 0.35 mm



3020543 PILOT JET \varnothing 0.38 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



DESCO

Suitable for:

3020201 PILOT JET \varnothing 0.14 mm



3020542 PILOT JET \varnothing 0.20 mm



3020202 PILOT JET \varnothing 0.27 mm



3020043 PILOT JET \varnothing 0.36 mm



DESCO 111006

DESCO 61070

5022050 PILOT JET \varnothing 0.50 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



DESCO ID0103

DESCO



Suitable for:


3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



DESCO 110159

DESCO 533011000

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



DESCO 110176

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



DESCO R_61068

DESCO 537003000

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



DESCO 110163

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



DESCO R_61602

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm





Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



DESCO ID0098

DESCO 533010400

5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



3020541 PILOT JET \varnothing 0.35 mm



2106308 PILOT JET \varnothing 0.45 mm



DESCO

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020086 PILOT GASKET



3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



DESCO 110160

DESCO 533020200

3020041 PILOT JET \varnothing 0.41 mm



DESCO 110161

3020187 PILOT JET \varnothing 0.51 mm



DESCO 533020400





Suitable for:

4053669 PILOT JET \varnothing 0.75 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



DESCO

Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



DESCO ID0103

Radiant heating elements

3311169 RADIANT HEATING ELEM. \varnothing 200mm 1700W 230V
faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



DESCO 860060

Relays

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



DESCO 15620

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



DESCO 16047






Selector switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.



DESCO 537001200

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
back connection for thermostat



DESCO EL0140


DESCO 537000200

3057027 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
rear hole for thermostat




DESCO 537000400

3057216 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 230V - max 150°C
D-shaped pin 6x4.6 mm



DESCO 60777


3057098 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Pasta cooker electric (DESCO) CPE2 - CPE2-7



DESCO EL0127


DESCO 60773

3057159 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




DESCO EL0114

5087950 SELECTOR SWITCH 0-3 POSITIONS
contacts flowrate 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



DESCO R_62592

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



DESCO 60452



Suitable for:

DESCO

Suitable for:



Solenoid valves

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



DESCO AZ005-00

DESCO 10703

DESCO 23120021

3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

3120204 **OUTLET ADJUSTER ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 25%



DESCO



Suitable for:

3120007 **SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



DESCO 15098

DESCO 2312001

3120021 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 12 L/min - tolerance +/- 15%



3120019 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 15%



3120022 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 16 L/min - tolerance +/- 15%



3120037 **ADJUSTER FOR OUTLET ELBI GREEN**
flow rate 0.25 L/min - tolerance +/- 25%



3120201 **ADJUSTER FOR OUTLET ELBI GREY**
flow rate 4.7 L/min - tolerance +/- 25%



3120016 **ADJUSTER FOR OUTLET ELBI NEUTRAL**
flow rate 1.2 L/min - tolerance +/- 25%



3120017 **ADJUSTER FOR OUTLET ELBI ORANGE**
flow rate 2.5 L/min - tolerance +/- 25%



3120015 **ADJUSTER FOR OUTLET ELBI RED**
flow rate 0.5 L/min - tolerance +/- 25%



3120203 **ADJUSTER FOR OUTLET ELBI WHITE**
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



DESCO



Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120013 SOLENOID VALVE ELBI TYPE 359 3-WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



DESCO 15099

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%





Suitable for:

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm



DESCO C2088-00

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



DESCO

Suitable for:

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%





Suitable for:

3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



3120495 SOLENOID VALVE RPE 1 WAY 180°
230V 50/60Hz - max. temperature 60°C
inlet 1/2" - outlet stem ø 1/2" M



DESCO 34130

3120640 ADJUSTER FOR OUTLET 0.60 L/min GREY



DESCO

Suitable for:

3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120639 ADJUSTER FOR OUTLET 0.50 L/min LIME



3120641 ADJUSTER FOR OUTLET 0.90 L/min BLUE





Suitable for:


3120642 ADJUSTER FOR OUTLET 1.10 L/min WHITE



3120644 ADJUSTER FOR OUTLET 2.15 L/min VIOLETT



3120280 COIL CONNECTOR
cable length 1 m
max temperature 70°C



5036913 OUTLET REDUCER 0.2 L/m in PINK



5028983 OUTLET REDUCER 15 L/m in RED



3120414 SOLENOID VALVE T&P 3-WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" with flowrate adjuster 10 L/min
three ø 10.5 mm outlets



DESCO 23120003

DESCO



Suitable for:

3120643 ADJUSTER FOR OUTLET 1.70 L/min YELLOW



3120645 ADJUSTER FOR OUTLET 2.70 L/min BLACK



5046981 OUTLET REDUCER 0.10 L/Min BROWN



5073916 OUTLET REDUCER 0.40L/min GREEN



3120421 ADJUSTER FOR OUTLET T&P BLACK
flow rate 5 L/min - tolerance +/- 20%





Suitable for:

3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
flow rate 1.2 L/min - tolerance +/- 25%



3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
flow rate 1 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
flow rate 0.5 L/min - tolerance +/- 25%



3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



DESCO

Suitable for:

3120568 ADJUSTER FOR OUTLET T&P GREEN
flow rate 3 L/min - tolerance +/- 25%



3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
flow rate 1.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
flow rate 0.25 L/min - tolerance +/- 25%



3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min



D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min





Suitable for:

D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min



D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



DESCO



Suitable for:

D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min



D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/-25%



D120092 COIL T&P 12Vdc
for solenoid valves T&P



3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



D120093 COIL T&P 24Vdc
for solenoid valves T&P



Spark generators

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz





Suitable for:

DESCO



Suitable for:

Sparking and detection plugs

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



DESCO R_61602

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



DESCO R_61068

DESCO 537003000

3020232 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 61 mm



DESCO 110262

DESCO 537008300

3020284 ROUND IGNITION PLUG \varnothing 6x29 mm
F connection 2.8x0.8 mm
overall length 34 mm



DESCO 537021700

Switches

1319202 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 2500V - with indicator light
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



DESCO 01382

3319780 BLOCK CONNECTION WHITE 22x30 mm



3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



Suitable for:

Suitable for:

3319012 BIPOLAR SWITCH GREEN 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator light and push-button cap
 mounting hole 22x30 mm - silk screen print 0 - I



DESCO EL0006

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



3319949 BIPOLAR SWITCH ORANGE 16A 250V
 16(4)A 250V - with indicator light
 max. temperature 120°C
 mounting hole \varnothing 25 mm



DESCO AZ129-00

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



3319644 PUSH-BUTTON BIPOLAR BLACK 16A 250V
 with protection cap
 mounting hole 13x20 mm



DESCO R_62240

DESCO 62240




Suitable for:

DESCO



3319372 RED SINGLE-POLE PUSH-BUTTON 16A 250V
for IGNITION
with protection cap
mounting hole 13x20 mm



DESCO 61286

Suitable for:

3452004 SWITCH COVER
external dimensions 25x20 mm
for switch with mounting hole 20x13 mm



5034026 SELECTOR SWITCH BLACK 1-0-2 15A 230V
SCHNEIDER - 2 NO contacts
silk-screen printed "RESET-START"



DESCO R_60971

DESCO 350124

DESCO 60971

Taps for tank refilling

5036546 BLACK KNOB RING NUT \varnothing 67 mm



DESCO R_60609

DESCO 60609

3183040 SPOUT \varnothing 3/8" M
for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2
9CPE1 - 9CPE2
for Pasta cooker gas (DESCO) 7CPG1 - 9CPG1



DESCO 110035

DESCO 60166

DESCO 62709

3358009 WATER INLET TAP \varnothing 1/2" FF
for Pasta cooker electric (DESCO) CPE1 - CPE2
for Pasta cooker gas (DESCO)
since 1/03/02 CPG1 - CPG1/PS - CPG2 - CPG3
CPG7/1 - CPG7/2



DESCO ID0064

DESCO 115120

DESCO 115120+ID0064(X2)

DESCO 115120+ID0064+

DESCO 115141

3241826 TAP KNOB
for Pasta cooker gas (DESCO) CPG1/PS



DESCO 115142

DESCO 115143

Suitable for:

Suitable for:


3358003 WATER INLET TAP \varnothing 1/2"MM
 square shaft 7x7 mm
 for Pasta cooker electric (DESCO) CPE1 - CPE2
 for Pasta cooker gas (DESCO)
 till 31/12/01 CPG1 - CPG1/PS - CPG2 - CPG3
 CPG7/1 - CPG7/2

3241108 KNOB CAP



DESCO 110120

3241107 TAP KNOB - BLACK \varnothing 50 mm
 square hole 7x7 mm



3525052 WATER INLET TAP DX \varnothing 1/2"FF
 D-shaped pin \varnothing 10x8 mm
 for Pasta cooker electric (DESCO) 7CPE2 - 9CPE2

5036546 BLACK KNOB RING NUT \varnothing 67 mm



DESCO 60903

DESCO R_60609

DESCO 60609

3241803 BLACK-BLUE KNOB \varnothing 75mm SILK-SCREEN PRINT
 D-shaped hole 10x8 mm
 for Pasta cooker electric (DESCO) 9CPE2



DESCO 60817

DESCO 62317

3525053 WATER INLET TAP LH \varnothing 1/2"FF
 D shaft 10x8 mm
 for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2
 9CPE1 - 9CPE2
 for Pasta cooker gas (DESCO) 7CPG1 - 9CPG1

5036546 BLACK KNOB RING NUT \varnothing 67 mm



DESCO 60902

DESCO R_60609

DESCO 60609



Suitable for:

3241802 BLACK-RED KNOB \varnothing 75 mm 0-1-2-3
D-shaped hole 6x4.6 mm
for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2
9CPE1 - 9CPE2



DESCO 60806

DESCO 62306

DESCO



Suitable for:

Terminal blocks

3247016 TERMINAL BLOCK 3-POLES FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



DESCO 537007600

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V




DESCO FX0144-00

DESCO 500551

DESCO 537007700

Thermocouples and accessories

5081356 CUT-OFF THERMOCOUPLE M9x1 100 cm
cut-off contact with cables 80 cm



DESCO R_62398

DESCO 62398

3440019 EXTENSION FOR THERMOCOUPLE M9x1 60 cm.
female nut M9x1



DESCO R_61604

5017781 THERMOCOUPLE CUT-OFF M9x1 50 cm
cut-off contact with cables 40 cm



DESCO 533067200

3440109 THERMOCOUPLE M8x1 60 cm



DESCO 533077200

3440110 THERMOCOUPLE M8x1 60 cm



DESCO 533077100



Suitable for:

3440039 THERMOCOUPLE SIT M9x1 150 cm



DESCO_R_61061

Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



DESCO_R_61061

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



DESCO_R_61061

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



DESCO_R_61060

3440049 THERMOCOUPLE SIT M9x1 75 cm
for Pot stove (DESCO) TPG73MEO



DESCO_R_61060


3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



DESCO_R_61060

Thermostatic gas valves

7102711 THERMOSTATIC TAP 25ST
adjustment temperature 120-320°C
flange coupling \varnothing 21 mm
coupling outlet M16x1.5 mm
thermocouple fitting M9x1
bulb \varnothing 6x100 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm
for Fry top gas (DESCO) FTG71-FTG72-FTG92



DESCO 60365

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



DESCO 533039300

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



DESCO 533017900



Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



DESCO

Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



DESCO 533010800

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



DESCO ID0103





Thermostats

3444233 SINGLE-PHASE THERMOSTAT 100-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1750 mm - 16A 250V
 bulb \varnothing 6x133 mm - with adapter nipple bland M9x1




DESCO 60775

3444568 SINGLE-PHASE THERMOSTAT 105-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x130 mm - with adapter nipple bland M10x1



DESCO 537014300

3444367 SINGLE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x133 mm



DESCO 537001300

3444372 SINGLE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 1170 mm - 16A 250V
 bulb \varnothing 6x133 mm



DESCO 537010000

3744045 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 6x130 mm



DESCO EL0125

3444289 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 3000 mm - 16A 250V
 bulb \varnothing 3x210 mm - with adapter nipple band M9x1



DESCO C2190-00

3444380 SINGLE-PHASE THERMOSTAT 90-180°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x135 mm - with adapter nipple band M9x1



DESCO 537000600

5034020 TERMOSTATO THREE-PHASE 135°C
 manual reset
 covered capillary length 1490 mm
 bulb \varnothing 6x75 mm - with adapter nipple gland M9x1
 for Bain-marie electric (DESCO)
 7BME2A-P/7BME1A-P/9BME1A-P/9BME2A-P
 for Pasta cooker electric (DESCO)
 7CPE1-7CPE2-CPE71-CPE91-9CPE1-9CPE2



DESCO R_60774

DESCO 60774



Suitable for:

DESCO




5057542 THERMOSTATO THREE-PHASE 235°C
 manual reset
 covered capillary length 1800 mm - 10A 400V
 bulb \varnothing 6x88 mm - with adapter nipple gland M9x1
 for Fryer electric (DESCO) 7FRE1-9FRE1-9FRE2



DESCO 60776


3744204 THERMOSTAT SINGLE PHASE 238°C
 with manual reset
 covered capillary length 1780 mm - 16A 250V
 bulb \varnothing 6x134 mm - with stuffing gland fitting M9x1



DESCO 60986

DESCO 821169

5056257 THERMOSTAT SINGLE PHASE 358°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x78 mm



DESCO 60761

3444364 THERMOSTAT THREE-PHASE 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple band M10x1
 for Bain-marie (DESCO)



DESCO 60781

3444644 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 900 mm
 bulb \varnothing 6x89 mm
 for Pasta cooker electric (DESCO) CPE1 - CPE2
 CPE2-7 - CPE7




DESCO 210044

3444368 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x80 mm



DESCO 537001400

3444067 THREE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm - 10A 400V
 bulb \varnothing 6x130 mm



DESCO 864169

5022599 THREE-PHASE THERMOSTAT 90-185°C
 D shaped pin \varnothing 6x4.6 mm
 capillary length covered 870 mm
 bulb \varnothing 4x238 mm
 for Fryer electric (DESCO) FRE72 - FRE91




DESCO 823169

Suitable for:

Suitable for:

3444695 3-PHASE THERMOSTAT 160°C
 with manual reset
 covered capillary length 900 mm - 20A 380V
 bulb \varnothing 6x89 mm - with stuffing gland fitting M10x1



DESCO LC-351

Timers

5034025 TIMER OMRON H3CR-A 100-240Vac
 50/60Hz - 100-125Vdc
 programmable time scale from 0,05s a 300h
 for Pasta cooker (DESCO)



DESCO R_60970

DESCO 350122

3446007 TIMER 60 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 60 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



DESCO C2191-00

3446005 BLACK KNOB ABS 38x38 mm
 D-shaped hole \varnothing 6x4.6 mm
 for timer



Tubing and hoses

5039545 DRAIN PIPE 640 mm
 \varnothing external 40 mm - \varnothing internal 32 mm
 for Pasta cooker electric (DESCO)
 7CPE1-7CPE2-9CPE1-9CPE2-CPE71-CPE91
 for Pasta cooker gas (DESCO) 9CPG1



DESCO MC0014

DESCO MC0051

DESCO R_61197



Suitable for:


DESCO



Suitable for:

Watertight seals and rings

3786455 **SCRAPER RING \varnothing 20x28x6.5 mm**
for Bain-marie electric (DESCO) BME70 - BME90



DESCO 61605

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com