



Spare parts for:

Cooking equipment



Suitable for:

EBERHARDT



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

EBERHARDT



Suitable for:

Actuators

- 5033430 ACTUATOR LINEAR 24VDC**
max power 5000 N - piston 190 mm
max. speed 5 mm/s



EBERHARDT 290271

Air regulators

- 3020097 PILOT AERATION REGULATOR**
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



EBERHARDT 249930

Axial motors

- 3240501 AXIAL FAN SUNON 120x120x38 mm**
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



EBERHARDT 283601

Bulb sheathes

- 5063591 SHEATHING FOR THERMOSTAT M14x1.5 mm**
bulb length 240 mm



EBERHARDT 2005204



Burners, flame spreaders and accessories

3025299 BURNER ø 120 mm 7Kw



EBERHARDT

3025168 BURNER ø 75 mm 3.5 Kw



EBERHARDT 213610

5017734 BURNER ø 75 mm 3.5Kw



EBERHARDT 232531

3025171 BURNER ø 95 mm 5.5Kw



EBERHARDT 233287

5035019 BURNER ø 95 mm 5.5Kw



EBERHARDT 232532

3025300 BURNER CAP ø 120 mm 7Kw



EBERHARDT 213631

3025299 BURNER ø 120 mm 7Kw




EBERHARDT

3025306 BURNER ø 120 mm 7Kw



5017735 BURNER ø 120 mm 7Kw



3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe ø 12 mm



EBERHARDT

3025314 SPARKING PLUG SUPPORT
for burners ø 120 mm



EBERHARDT 213336



Suitable for:

3025315 THERMOCOUPLE SUPPORT
for burners \varnothing 120 mm



EBERHARDT 213337

3025307 VENTURI F/BURNER CAP 120 mm 7Kw



EBERHARDT



Suitable for:

3025301 VENTURI F/BURNER CAP 120 mm 7Kw



EBERHARDT

3025169 FLAME SPREADER \varnothing 75 mm 4.3Kw



EBERHARDT 213630

5017734 BURNER \varnothing 75 mm 3.5Kw



EBERHARDT 232531

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe \varnothing 12 mm



EBERHARDT

3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw



EBERHARDT

3025168 BURNER \varnothing 75 mm 3.5 KW



EBERHARDT 213610

3025297 BURNER \varnothing 75 mm 4.3Kw



3025312 SPARKING PLUG SUPPORT
for burners \varnothing 75-95 mm



EBERHARDT 213039

Suitable for:

3025172 FLAME SPREADER 6.4Kw ø 95 mm



EBERHARDT 213629

5035019 BURNER ø 95 mm 5.5Kw



EBERHARDT 232532

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe ø 12 mm



EBERHARDT

3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw



EBERHARDT

3025312 SPARKING PLUG SUPPORT
for burners ø 75-95 mm



EBERHARDT 213039

3025315 THERMOCOUPLE SUPPORT
for burners ø 120 mm



EBERHARDT 213337

Suitable for:

3025171 BURNER ø 95 mm 5.5Kw



EBERHARDT 233287

3025298 BURNER ø 95 mm 6.4Kw



3025312 SPARKING PLUG SUPPORT
for burners ø 75-95 mm



EBERHARDT 213039

3025314 SPARKING PLUG SUPPORT
for burners ø 120 mm



EBERHARDT 213336

3025301 VENTURI F/BURNER CAP 120 mm 7Kw



EBERHARDT



Suitable for:

3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw



EBERHARDT

Suitable for:

3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw



EBERHARDT

Cables for piezo igniters

3001032 IGNITION CABLE 600 mm
with faston terminal \varnothing 2.4 mm for ignition
with faston hole \varnothing 4 mm for plug



EBERHARDT 212995

EBERHARDT 222081

3001040 IGNITION CABLE 850 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 4 mm for plug



EBERHARDT 213363

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



EBERHARDT 212837

EBERHARDT 212953

5017976 IGNITION LEAD 1700 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



EBERHARDT 212841

3001017 IGNITION LEAD 600 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode



EBERHARDT 201497

Capacitors, electrical

3068080 CAPACITOR ELECTRICAL 10 μ F
450V 50/60Hz - \varnothing 30xh71 mm



EBERHARDT 215478

3068096 CAPACITOR ELECTRICAL 5 μ F
450V 50/60Hz - \varnothing 30xh51 mm



EBERHARDT 6090015



Contact thermostats

5030555 CONTACT THERMOSTAT 110°C 16A 230V
automatic reset



EBERHARDT 221381

Contactors

3454065 CONTACTOR ABB B6-30-10
coil 240V 50Hz
3 normally open contacts
1 normally open auxiliary contact



EBERHARDT 6046045

3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact



EBERHARDT 213909

3446583 CONTACTOR LOVATO BF18T4A
coil 18A 230V 50/60Hz 8Kw
4 normally open contacts
no auxiliary contact



EBERHARDT 6046046

5021314 AUXILIARY CONTACT AEG HS8.K11
1 contact NO
1 contact NC



3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC





Suitable for:

EBERHARDT



3446591 CONTACTOR LOVATO BF3800A230
coil 38A 230V 50Hz 18.5Kw
3 normally open contacts



EBERHARDT 6046041

Suitable for:

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



Cooking baskets and accessories

3055283 BASKET FOR PASTA COOKER ø 145x200 mm
of STAINLESS steel



EBERHARDT 2003080

3055125 BLACK KNOB ø 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



3055521 PASTA COOKER BASKET 490x290x215 mm
made of STAINLESS STEEL



EBERHARDT 2101603

3055125 BLACK KNOB ø 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



Drain hoses

5031496 DRAIN PIPE ø 1"MM
length 195 mm



EBERHARDT 2005131

3356138 DRAIN TAP FITTING ø 1"MM
ø side outlet 28 mm - bracket 68x55x19 mm
fitting height 100 mm



EBERHARDT 2106617

Drain taps and accessories

3356007 DRAIN TAP ø 1"1/2F TECNO
TAPERED SEAL - swivel nut ø 1"1/2F
with gasket
for BOILING PAN



EBERHARDT 213737

3186240 ASBESTOS FREE FLAT GASKET ø 46x38x2 mm
for drain tap ø 1"1/2





Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



3242189 HANDGRIP FOR DRAIN TAP
 for DRAIN TAP \varnothing 1"1/2F e 1"1/4F



3180061 TAPE FOR JOINT SEALING LOCTITE 55 - 150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



3356052 DRAIN TAP \varnothing 3/4" F
 lateral lever fitting
 outlet internal \varnothing 22 mm



EBERHARDT 221991

EBERHARDT



Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature $-45^{\circ}/+120^{\circ}$
 beige color - NSF approval H1
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



3356128 PIN \varnothing 5x30 mm
 completa di dado cieco



3180039 VASELINE 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to $+120^{\circ}\text{C}$
 from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily



3356053 DRAIN TAP HANDLE \varnothing 17x40 mm
 thread M8



EBERHARDT 5900235



Suitable for:

5012801 DRAIN TAP LEVER 62 mm
thread M6



EBERHARDT



Suitable for:

3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



5033104 LEVER FOR DRAIN TAP 76 mm
thread M6x1 mm



EBERHARDT 2103109

5015500 LEVER HANDLE TAP BLACK
dimensions 35x22 mm - distance between holes 20 mm



3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



3356053 DRAIN TAP HANDLE ø 17x40 mm
thread M8



3242049 DRAIN TAP HANDLE 140 mm
square hole 6x6 mm



EBERHARDT 5900235

3526673 GAS/WATER VALVE ø 1"FF
ball valve
heavy series with PN 40 total passage
aluminum lever



EBERHARDT 282366

3356078 BUSHING ø 11x20 mm



EBERHARDT 214296



Suitable for:

5023594 CAST IRON FITTING \varnothing 1"MF



EBERHARDT 7050164

3356138 DRAIN TAP FITTING \varnothing 1"MM
 \varnothing side outlet 28 mm - bracket 68x55x19 mm
fitting height 100 mm



EBERHARDT 2106617

3242049 DRAIN TAP HANDLE 140 mm
square hole 6x6 mm



EBERHARDT 282366

5036175 DRAIN TAP MANIFOLD
2 top connections \varnothing 1"MM - 2 top connections \varnothing 3/8"
1 bottom connection \varnothing 1"MM
width 295 mm - overall length 114 mm
distance between holes 275 mm



5011612 LEVER DRAIN TAP 250 mm
square pin 6x6 mm



EBERHARDT




Suitable for:

5031496 DRAIN PIPE \varnothing 1"MM
length 195 mm



EBERHARDT 2005131

5028002 DRAIN TAP FITTING \varnothing 1"MM
side exit \varnothing 30 mm - bracket 80x30 mm
distance between holes 60 mm - coupling height 100



3242280 DRAIN TAP KNOB BLACK 79 mm
square hole 6x6 mm



7100207 HEADLESS SCREW HEXAGONAL M5x8
st./steel - conical top
UNI 5927 - DIN 914 - ISO 4027
for DISHWASHER COMENDA ACS152





Suitable for:

EBERHARDT



Suitable for:

3356167 LEVER FOR DRAIN TAP 65 mm m
thread M8x0.75



EBERHARDT 2103109

Electric hot plates

3311168 ELECTRIC HOT PLATE ø 165 mm 1200W 230V
faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



EBERHARDT 213962

3311169 ELECTRIC HOT PLATE ø 200 mm 1700W 230V
faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



EBERHARDT 213963

3311166 ELECTRIC HOT PLATE ø 200 mm 1800W 230V
faston electric connections
complete with energy regulation
for glass-ceramic cooking top



EBERHARDT 222231

3311053 ELECTRIC HOT PLATE 2600W 230V
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EBERHARDT 213968

Electrical gas valves and accessories

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EBERHARDT 202812



Electrical gas valves and accessories

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3 ÷ 30 mbar
 room temperature 0 ÷ 70°C
 power supply 230V 50Hz



EBERHARDT 214394

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526270 VALVE 820 NOVA EXTENSION
 D shaft \varnothing 10x8 mm



3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



5047586 EXTENSION FOR VALVE 820 NOVA
 D-shaped pin \varnothing 10x8 mm



3241141 EXTENSION FOR 820 NOVA VALVE
 D-shaped pin 10x8 mm
 for OVEN- FRYER



4057862 FITTING \varnothing 3/4" M-3/4" M BRASS





Suitable for:

3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



EBERHARDT



Suitable for:

3241142 KNOB GASKET \varnothing 44 mm



3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
for valve SIT NOVASIT 820



3020083 NUT & OLIVE \varnothing 4 mm



3020084 NUT & OLIVE \varnothing 6 mm



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



3526269 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



3526176 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷30 mbar
 ambient temperature 0÷70°C
 power supply 230V 50Hz



EBERHARDT 286100

3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



5047586 EXTENSION FOR VALVE 820 NOVA
 D-shaped pin \varnothing 10x8 mm



3526124 KNOB EXTENSION LENGTH 67 mm
 for VALVE 820 NOVA-824 NOVASIT



3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
 for valve SIT NOVASIT 820



3020083 NUT & OLIVE \varnothing 4 mm





Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



EBERHARDT 212636

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EBERHARDT 202812

EBERHARDT



Suitable for:

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



EBERHARDT 212629

3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



Suitable for:

3526104 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷50 mbar
 with slow start
 room temperature 0÷60°C
 power supply 230V 50Hz



EBERHARDT 214188

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2" M



EBERHARDT 212665

3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM




3020084 NUT & OLIVE \varnothing 6 mm



Suitable for:

2100724 COIL 24V
 for valve 830 TANDEM-836 TANDEM



3526292 COUPLING ELECTRIC WITH CABLE
 for valve sit 836 TANDEM



3020083 NUT & OLIVE \varnothing 4 mm




3348041 PIPE OLIVE \varnothing 16 mm
 for model PEL 23



EBERHARDT 212629

Electronic printed-circuit boards

7103308 ELECTRONIC CONTROL BOARD 190x60 mm



EBERHARDT 6010083



Suitable for:

EBERHARDT



Suitable for:

Electronic printed-circuit boards


5004497 KIT CONTROL PC BOARD

complete with mother board and flat cable
control board dimensions 90x43 mm
mother board dimensions 105x90 mm
flat cable length 1600 mm



EBERHARDT GK6011142

5044960 CIRCUIT BOARD -KEYBOARD 90x43 mm



3445195 TCJ VETROTEX PROBE 700 mm

2-wire probe temperature range -50+600°C
error limit $\pm 0.75\%$ below 0°C
30 seconds response time
bulb $\varnothing 6 \times 200$ mm



EBERHARDT 6000106

3397101 TEMPERATURE PROBE TCJ

2 wires
bulb $\varnothing 6 \times 100$ mm
vetrotex cable length 900 mm



EBERHARDT JK6000095

EBERHARDT 6000095

5033813 KIT CONTROL PC BOARD

complete with mother board and flat cable
control board dimensions 90x43 mm
mother board dimensions 105x90 mm
flat cable length 300 mm



EBERHARDT 286955

Energy regulators

3350024 ENERGY ADJUSTER


contact capacity 240V 13A
max temperature 125°C
D-shaped pin $\varnothing 6 \times 4.6$ mm
double rotation direction



EBERHARDT 214366

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing 6 \times 4.6$ mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



EBERHARDT 214345


EBERHARDT 222223

EBERHARDT 233189

Suitable for:

Suitable for:

3350035 ENERGY ADJUSTER
 contact capacity 230V 13A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



EBERHARDT 231253

Filters

5031595 S/STEEL DRAIN FILTER \varnothing 65 mm



EBERHARDT 2002241

Fittings

5023594 CAST IRON FITTING \varnothing 1"MF



EBERHARDT 7050164


Fryer baskets and accessories

7103523 CESTO FRIGGITRICE 290x255x120 mm
 in ferro cromato



EBERHARDT 0109143

5009028 FALSE BOTTOM COMPLETE MESH 335x315 mm
 height 105 mm
 of chromed iron



EBERHARDT 2101365

3055279 FRYER BASKET 285x140x120 mm
 in chrome-plated iron



EBERHARDT 286160

3055466 FRYER BASKET HANDLE 140x40 mm
 distance between holes 115 mm
 of plastic





Suitable for:

EBERHARDT




3055264 FRYER BASKET 305x180x110 mm
in chrome-plated iron



EBERHARDT 222001

Suitable for:

7107334 RETINA FALSO FONDO COMPLETA 315x140 mm
altezza 100 mm
in ferro cromato



EBERHARDT 0101118

Fuses

3049016 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 2A



EBERHARDT 215489

Gas burners

3023146 BURNER \varnothing 120x345 mm
height 103 mm
made of STAINLESS steel



EBERHARDT 213662

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe \varnothing 12 mm



EBERHARDT

3023284 BURNER VERTICAL LH 300x55 mm
NICKEL PLATED



EBERHARDT 2112968

3023285 BURNER VERTICAL RH 300x55 mm
NICKEL PLATED



EBERHARDT 2112967

5034284 BURNER 1010x525 mm
chrome-plated iron



EBERHARDT 289287

3023161 BURNER 445x200 mm
made of stainless steel



EBERHARDT 222062

Suitable for:

3023230 BURNER 525x205 mm
made of STAINLESS steel



EBERHARDT 281220

Suitable for:

5028943 NOZZLE HOLDER FOR BURNER
tapered coupling for pipe M16x1.5 mm
fixing M14x1 mm - tube \varnothing 10 mm



3023286 CENTRAL BURNER VERTICAL 300x55mm
NICKEL PLATED



EBERHARDT 2112969

3023237 CENTRAL VERTICAL BURNER 300x55 m m
NICKEL-PLATED



EBERHARDT 2001231

3023236 VERTICAL BURNER LH 300x55 mm
NICKEL PLATED



EBERHARDT 2001230


3023283 VERTICAL BURNER 305x55 mm
NICKEL PLATED



EBERHARDT 2112970

Gas taps and accessories

3348020 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 20S



EBERHARDT 213779


EBERHARDT 213780

3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



EBERHARDT 216409


3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22





Suitable for:

3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



EBERHARDT




Suitable for:

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348023 HORIZONTAL FLANGE \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348025 HORIZONTAL FLANGE CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



EBERHARDT 213783

3020082 OLIVE FOR 12 mm \varnothing PIPE



EBERHARDT 231457

EBERHARDT 212664



Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



3020078 PIPE FITTING ø 6 mm
thread M10x1




EBERHARDT 234744

3348013 GAS TAP 23S/V
with pilot flame
with vertical flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin ø 10x8 mm



EBERHARDT 216410

3348062 CAP WITH PIN ø 10x8 mm
pin length 35 mm
for model PEL 23




EBERHARDT




Suitable for:

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22




3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



3348038 PIPE OLIVE ø 10 mm
for model PEL 22



3348060 CAP WITH PIN ø 10x8 mm
pin length 25 mm
for model PEL 23




5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm





Suitable for:

3348028 **FLANGE VERTICAL** \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



EBERHARDT



Suitable for:

3348027 **HORIZONTAL FLANGE** \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3182010 **MAGNETIC UNIT PEL**
 \varnothing head 24 mm - \varnothing end 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



3348037 **OLIVE FOR PILOT PIPE** \varnothing 6 mm
for model PEL 21-22-25



3348036 **OLIVE FOR 4 mm \varnothing PIPE**
for model PEL 21-22




EBERHARDT 231457

3348033 **PIPE FITTING** \varnothing 12 mm
thread M24x1.5
for model PEL 23




3348034 **PIPE FITTING** \varnothing 16 mm
thread M24x1.5
for model PEL 23



3348035 **PIPE FITTING** \varnothing 20 mm
thread M28x1.5
for model PEL 23



3348029 **PIPE FITTING** \varnothing 4 mm
thread M10x1
for model PEL 21-22



3020078 **PIPE FITTING** \varnothing 6 mm
thread M10x1



EBERHARDT 234744



Suitable for:

3348040 PIPE OLIVE \varnothing 12 mm
for model PEL 23



EBERHARDT



Suitable for:

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



EBERHARDT 212629

3348042 PIPE OLIVE \varnothing 20 mm
for model PEL 23



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



EBERHARDT 231457

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



EBERHARDT 286290

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



EBERHARDT 212635

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



EBERHARDT 212629

5046402 TAP GAS 21S
with flame PILOT
connections M16x1.5 mm
with flow rate adjuster
thermocouple connection M8x1mm
D-shaped pin \varnothing 6x4.6 mm



EBERHARDT 222011

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182011 **MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



EBERHARDT 213778

3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



EBERHARDT 212635

EBERHARDT



Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25




EBERHARDT 231457

3348043 **PIPE FITTING ø 10 mm**
thread M16x1.5
for model PEL 20-21



EBERHARDT 286290

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



EBERHARDT 234744



Gas valves and accessories

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M



EBERHARDT 212665

3526130 EUROSIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



EBERHARDT 214464

EBERHARDT 214465


EBERHARDT 222074

EBERHARDT 222123


3526129 CLASP \varnothing 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752



4056009 CAP FOR VALVE EUROSIT



3526260 EUROSIT VALVE CAP



3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



3526127 FLANGE FOR KNOB EXTENSION



3526128 KNOB EXTENSION LENGTH 34 mm
D-shaft \varnothing 8x6.5 mm





Suitable for:

3526125 KNOB EXTENSION 47 mm
D-shaped pin \varnothing 8x6.5 mm



3020084 NUT & OLIVE \varnothing 6 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE




EBERHARDT 212664

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



EBERHARDT 212663

3526123 RUBBER PROTECTION FOR EUROSIT VALVE



EBERHARDT



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



5050401 OLIVE FOR PIPE \varnothing 10 MM
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm



5021481 RACCORDO USCITA GAS VALVOLA
entrata \varnothing 3/8" F - uscita \varnothing 3/8" F
attacco termocoppia M9x1
pressione massima di ingresso gas 50 mbar
campo di taratura della pressione di uscita 3÷18 mbar
temperatura ambiente 0÷120°C
capillare lunghezza 1050 mm
bulbo \varnothing 4x72 mm



EBERHARDT 213027

3523035 KNOB MINISIT BLACK \varnothing 37 mm



EBERHARDT 202483

3523949 MINISIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 6x105 mm
 supplied without lid knob and flanges



EBERHARDT 214272

3523035 KNOB MINISIT BLACK \varnothing 37 mm



EBERHARDT 202483

3523047 MINISIT COVER



3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
 with screws and "O" ring



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M




EBERHARDT 212665

3182003 MAGNETIC UNIT SIT
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



3523038 MINISIT ELBOW FLANGE \varnothing 1/2"F
 with screws and "O" ring



3001070 MINISIT PIEZO IGNITER
 a \varnothing 22 mm hole is required for the assembly
 male faston \varnothing 2.4 mm






Suitable for:

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



3523061 NUT \varnothing 1/4"x6 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



EBERHARDT 212664

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



EBERHARDT 212635

5058320 RACCORDO PER TUBO \varnothing 10 mm
entrata \varnothing 1/2"F - uscita \varnothing 3/8"F
attacco termocoppia M9x1
pressione massima di ingresso gas 50 mbar
temperatura ambiente 0÷60°C
capillare lunghezza 1050 mm
bulbo \varnothing 6x105 mm
fornita senza coperchio manopola e flange



EBERHARDT



Suitable for:

3523051 MINISIT SENSING ELEMENT 110÷190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M



EBERHARDT 212663

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



EBERHARDT 212629

3523036 REDUCTION STRAIGHT \varnothing 3/8"F - \varnothing 1/2"F
in brass with internal and external thread
 \varnothing internal thread 3/8"F - \varnothing external thread 1/2"F
for MINISIT flange



3523020 **MINISIT VALVE FOR OVEN 100÷340°C**
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 with an elbow flange \varnothing 3/8"F



EBERHARDT 205368

3523035 **KNOB MINISIT BLACK \varnothing 37 mm**



EBERHARDT 202483

3523047 **MINISIT COVER**



3523037 **MINISIT ELBOW FLANGE \varnothing 3/8"**
 with screws and "O" ring



3001071 **MINISIT PIEZO IGNITER WITH COVER**
 male faston 2.4 mm



2100757 **CONNECTION FOR OLIVE \varnothing 16 mm**
 thread \varnothing 1/2"M



EBERHARDT 212665

3182003 **MAGNETIC UNIT SIT**
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



3523038 **MINISIT ELBOW FLANGE \varnothing 1/2"F**
 with screws and "O" ring



3001070 **MINISIT PIEZO IGNITER**
 a \varnothing 22 mm hole is required for the assembly
 male faston \varnothing 2.4 mm



3523040 **MINISIT SENSING ELEMENT 100÷340°C**
 capillary length 1050 mm
 bulb \varnothing 5x70 mm





Suitable for:

3523061 NUT \varnothing 1/4"x6 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



EBERHARDT 212664

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



EBERHARDT 212635

5058320 RACCORDO PER TUBO \varnothing 10 mm
entrata \varnothing 1/2"F - uscita \varnothing 3/8"F
attacco termocoppia M9x1
pressione massima di ingresso gas 50 mbar
temperatura ambiente 0÷60°C
capillare lunghezza 1050 mm
bulbo \varnothing 5x70 mm
fornita con una flangia ad angolo \varnothing 3/8"F



5021481 RACCORDO USCITA GAS VALVOLA
filetto \varnothing 3/8"M - M16x1 mm



EBERHARDT 213027

EBERHARDT



Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M



EBERHARDT 212663

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



EBERHARDT 212629

3523036 REDUCTION STRAIGHT \varnothing 3/8"F - \varnothing 1/2"F
in brass with internal and external thread
 \varnothing internal thread 3/8"F - \varnothing external thread 1/2"F
for MINISIT flange



Gaskets and seals


3355284 HEATING ELEMENT GASKET \varnothing 45x40x4 mm



EBERHARDT 231673

Gaskets for oven door


3786338 OVEN DOOR GASKET 1850 mm
made of silicone elastomer
profile dimensions 8x10 mm
COLOUR BLACK



EBERHARDT 201786

Grids for kitchen

3185075 GRILL 442x355 mm
for PASS-THROUGH version



EBERHARDT 201005

Handles

7105021 HANDLE PLASTIC 470 mm BLACK
distance between holes 455 mm



EBERHARDT 2008612

5001497 PLASTIC HANDLE 120 mm BLACK
distance between holes 105 mm




EBERHARDT 5900143

5001432 SILKSCREENED BLACK RING \varnothing 75 mm
for water inlet pipe



EBERHARDT 5900274

3242111 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm



EBERHARDT 5900124



Suitable for:

EBERHARDT



Suitable for:

Heating elements

3355286 BUSH FOR HEATING ELEMENT



EBERHARDT 222060

EBERHARDT 242422

3355288 HEAT. ELEMENT THREADED PIPE \varnothing 10 mm



EBERHARDT 239851

3755856 HEATING ELEMENT 10200W 230/400V
length 300 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets



EBERHARDT 214290

3186697 O-RING 0159 EPDM



EBERHARDT 214289

EBERHARDT 6090145

3186601 O-RING 04200 EPDM



3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



EBERHARDT 214288

EBERHARDT 2010655

3755649 HEATING ELEMENT 10500W 230V
length 320 mm - width 253 mm
connection M54x1.5 mm - complete with cables
with two holes for bulb



3786459 O-RING 04200 VITON



EBERHARDT 243019

EBERHARDT 222120

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655



EBERHARDT



Suitable for:

3355888 HEATING ELEMENT 1100W 240V
length 375 mm - width 95 mm
fittings M10x1 mm



EBERHARDT 213973

Suitable for:

3355441 HEATING ELEMENT 1135W 220/240V
length 425 mm - width 65 mm
height 80 mm



EBERHARDT 214410

3355473 HEATING ELEMENT 1333W 230V
length 280 mm - width 20 mm
height 40 mm - fittings M12x1 mm



EBERHARDT 6001139

3755661 HEATING ELEMENT 15000W 230V
length 300 mm - width 285 mm
connection M54x1.5 mm - complete with cables
complete with OR gaskets
with two holes per bulb



EBERHARDT 214297

3186601 O-RING 04200 EPDM



EBERHARDT 214288

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655

1186715 O-RING 0159 VITON



3786459 O-RING 04200 VITON



EBERHARDT 222120



Suitable for:

EBERHARDT



3755488 HEATING ELEMENT 1580W 230V
length 455 mm - width 65 mm
height 70 mm



EBERHARDT 244207

Suitable for:

3755492 HEATING ELEMENT 1600W 240V
length 450 mm - width 175 mm



EBERHARDT 213971

3755004 HEATING ELEMENT 1650W 240V
length 490 mm - width 43 mm
height 45 mm - fittings \varnothing 1/4"



EBERHARDT 213985

3755648 HEATING ELEMENT 16500W 230V
length 400 mm - width 305 mm
connection M54x1.5 mm- complete with cables
with two holes for bulb



EBERHARDT 231566

EBERHARDT 281337

3786459 O-RING 04200 VITON



EBERHARDT 222120

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655

3755097 HEATING ELEMENT 1800W 230V
length 500 mm - width 90 mm
flange 125x30 mm
operating ambient: dry



EBERHARDT 285443

3355834 HEATING ELEMENT 1840W 230V
length 250 mm - width 85 mm
height 185 mm - fittings \varnothing 1/4"
complete with cables



EBERHARDT 6002055

Suitable for:

3755487 HEATING ELEMENT 1840W 230V
length 280 mm - width 70 mm
fittings \varnothing 1/4"



EBERHARDT 214315

3755484 HEATING ELEMENT 2000W 230V
length 555 mm - width 95 mm
height 70 mm



EBERHARDT 213981

5030554 HEATING ELEMENT 2200W 230V
external \varnothing 190 mm - total height 85 mm
flange 70x22 mm



EBERHARDT 210617

3755482 HEATING ELEMENT 2500W 230V
external \varnothing 193 mm - total height 75 mm
flange 70x22 mm



EBERHARDT 213995

3455307 HEATING ELEMENT 2750W 230V
length 300 mm - width 100 mm
fittings M14x1 mm



EBERHARDT 214409

Suitable for:

3355832 HEATING ELEMENT 2000W 230V
length 260 mm - width 130 mm
height 175 mm - complete with cables
shaped flange length 90 mm




EBERHARDT 6001129

3755815 HEATING ELEMENT 2000W 230V
length 550 mm - width 70 mm
height 70 mm



EBERHARDT 213982

3455214 HEATING ELEMENT 2350W 230V
length 400 mm - width 170 mm
height 100 mm - fittings \varnothing 1/4"




EBERHARDT 202822

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



3755483 HEATING ELEMENT 2750W 240V
length 565 mm - width 622 mm
flange 160x22 mm



EBERHARDT 213977



Suitable for:

EBERHARDT




3355807 HEATING ELEMENT 3000W 380V
length 490 mm - width 270 mm
fittings \varnothing 1/4"



EBERHARDT 6003052

Suitable for:

3355833 HEATING ELEMENT 3280W 230V
length 315 mm - width 180 mm
height 175 mm - flange 70x22 mm




EBERHARDT 6002054

3355472 HEATING ELEMENT 3300W 230V
length 280 mm - width 70 mm
height 40 mm - fittings M12x1 mm



EBERHARDT 6001144

3355812 HEATING ELEMENT 3300W 230V
length 240 mm - width 380 mm
flange 70x22 mm




EBERHARDT 6001133

5016338 HEATING ELEMENT 3300W 230V
length 295 mm - width 75 mm
height 340 mm - fittings \varnothing 1/4"



EBERHARDT 202434

3355813 HEATING ELEMENT 3300W 380V
length 240 mm - width 380 mm
flange 70x22 mm



EBERHARDT 6003133

3355825 HEATING ELEMENT 460W 230V
length 350 mm - width 190 mm
height 60 mm - connections \varnothing 1/4"
complete with cables



EBERHARDT 6002015

5046774 HEATING ELEMENT 5000W 230V
length 570 mm - width 180 mm
flange 170x30 mm



EBERHARDT 287867

3755475 HEATING ELEMENT 5850W 240V
length 525 mm - width 285 mm
height 90 mm



EBERHARDT 281122


5012749 HEATING ELEMENT 650W 230V
length 280 mm - width 75 mm
flange 115x25 mm



EBERHARDT 214414

Suitable for:

5034009 HEATING ELEMENT 6800W 230/400V
 length 365 mm - width 450 mm
 fitting M54x1,5 mm - complete with cables
 complete with OR



EBERHARDT 6002143+6090144+

3186601 O-RING 04200 EPDM



EBERHARDT 214288

Suitable for:

3186697 O-RING 0159 EPDM



EBERHARDT 214289

EBERHARDT 6090145

3755489 HEATING ELEMENT 6800W 230V
 length 300 mm - width 110 mm
 connection M54x1.5 mm - with cables
 with O-rings



EBERHARDT 214291

3186601 O-RING 04200 EPDM



EBERHARDT 214288

3186697 O-RING 0159 EPDM



EBERHARDT 214289

EBERHARDT 6090145

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655

3755857 HEATING ELEMENT 7000W 230/400V
 length 325 mm - width 105 mm
 coupling M54x1.5 mm - complete with cables
 complete with OR gaskets



EBERHARDT 6002150

3186697 O-RING 0159 EPDM



EBERHARDT 214289

EBERHARDT 6090145



Suitable for:

3186601 O-RING 04200 EPDM



EBERHARDT 214288

3755485 HEATING ELEMENT 7500W 230V
immersed length 475 mm
fitting \varnothing 1-1/2"
with bulb holder sheathing



EBERHARDT 213972

3355887 HEATING ELEMENT 800W 230V
length 385 mm - width 110 mm
2 flanges 55x17 mm



EBERHARDT 213994

3355282 HEATING ELEMENT 8500W 230V
length 410 mm - width 220 mm
fitting \varnothing 40 mm
with gaskets
with cables - with bulb sheath



EBERHARDT 242909

3355288 HEAT. ELEMENT THREADED PIPE \varnothing 10 mm



EBERHARDT 239851

EBERHARDT



Suitable for:

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655

3186011 FLAT CARBO GASKET \varnothing 63x48x2 mm
universal carbo
for heating element



3355286 BUSH FOR HEATING ELEMENT



EBERHARDT 222060

EBERHARDT 242422

3355284 HEATING ELEMENT GASKET \varnothing 45x40x4 mm



EBERHARDT 231673



EBERHARDT



Suitable for:

3355287 LOCKING BUSH FOR HEATING ELEMENT



EBERHARDT 285388

Suitable for:

3186580 OR GASKET 04131 VITON



EBERHARDT 231672

EBERHARDT 239853

3355811 HEATING ELEMENT 930W 230V
length 260 mm - width 55 mm
fittings M15x1 mm



EBERHARDT 214356

3355287 LOCKING BUSH FOR HEATING ELEMENT



EBERHARDT 285388

7100202 RESISTENZA 1500W 230V
lunghezza 260 mm - larghezza 105 mm
altezza 70 mm



EBERHARDT 213980

375652 RING NUT 1"-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655

Hinges, catches and accessories

5046689 LEFT HINGE FOR OVEN
mounting distance 175 mm - overall length 205 mm
height 160 mm



EBERHARDT 213670

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205 mm
height 160 mm



EBERHARDT 213672

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm





Suitable for:

3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm



EBERHARDT



Suitable for:

3053299 HINGE COVER
distance between holes 77 mm - size 129x26 mm



3053034 LID HINGE RADIUS 320 mm
for lid \varnothing 640 mm
for BOILING KETTLE with round lid



3053111 SPRING LH \varnothing 4 mm
for hinges with radius 320-395 mm



EBERHARDT 213675

3053110 SPRING RH \varnothing 4 mm
for hinges with radius 320-395 mm



5046703 RIGHT HINGE FOR OVEN
mounting distance 175 mm - overall length 205 mm
height 160 mm



3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



EBERHARDT 213669

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205 mm
height 160 mm



3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



EBERHARDT 213673

3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm



3053299 HINGE COVER
distance between holes 77 mm - size 129x26 mm





Hydraulic piping

5046756 TUBO IN GOMMA TELATO \varnothing 30/45 mm 1000 mm
 \varnothing interno 30 mm - \varnothing esterno 45 mm



EBERHARDT 287383

Ignitors

3001005 PIEZO IGNITER
 a \varnothing 18 mm hole is needed for assembling
 faston M \varnothing 2.4 mm



5035512 WATERTIGHT PIEZO CAP
 of silicone rubber



EBERHARDT 235113

3001020 PIEZO IGNITER
 a \varnothing 18 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



5035512 WATERTIGHT PIEZO CAP
 of silicone rubber



EBERHARDT 235113

3001041 PIEZO IGNITER JUNKERS
 a \varnothing 22 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



EBERHARDT 213820

Incandescent lamps and neon lamps

3221382 NEUTRAL HALOGEN LAMP G9 42W 230V
 max. temperature 250°C



EBERHARDT 74401460



Suitable for:

EBERHARDT



Suitable for:

Indicator lights

3221166 INDICATOR LAMP GREEN 400V
ø head 14 mm - ø hole 11.5 mm - 120°C
universal application



EBERHARDT 215527

3221165 INDICATOR LAMP ORANGE 400V
ø head 14 mm - ø hole 11.5 mm - 120°C
universal application



EBERHARDT 212797

3221166 INDICATOR LAMP GREEN 400V
ø head 14 mm - ø hole 11.5 mm - 120°C
universal application



EBERHARDT 215527

3221095 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



EBERHARDT 222229

3221215 ORANGE INDICATOR LAMP 230V
head ø 16 mm - hole ø 11.5 mm - 120°C



EBERHARDT 215526

3221342 RED INDICATOR LAMP 400V
head ø 16 mm - hole ø 12 mm - 120°C



EBERHARDT 201449

EBERHARDT 202721

Injectors

3500024 GAS JET M10x1 ø 1.15 mm



EBERHARDT 212683

3500027 GAS JET M10x1 ø 1.30 mm



EBERHARDT 212761

EBERHARDT 233814

Suitable for:

Suitable for:

3500093 GAS JET M11x1 \varnothing 1.15 mm

3500095 GAS JET M11x1 \varnothing 1.70 mm



EBERHARDT 201659

EBERHARDT 201656

3500096 GAS JET M11x1 \varnothing 1.85 mm

3500097 GAS JET M11x1 \varnothing 2.00 mm



EBERHARDT 201658

EBERHARDT 201667

3500061 GAS JET M7x1 \varnothing 0.80 mm

3500063 GAS JET M7x1 \varnothing 0.95 mm



EBERHARDT 212783

EBERHARDT 212784

3500041 GAS JET M9x1 \varnothing 0.95 mm

3500042 GAS JET M9x1 \varnothing 1.00 mm



EBERHARDT 202538

EBERHARDT 206249

EBERHARDT 212935

3500353 GAS NOZZLE \varnothing 0.90 mm M11x1

3500273 GAS NOZZLE \varnothing 1.35 mm M11x1



EBERHARDT 201692

EBERHARDT 201721

5008758 GAS NOZZLE M10x1 \varnothing 1.10 mm

5000530 GAS NOZZLE M10x1 \varnothing 1.15 mm



EBERHARDT 242842

EBERHARDT 223533

EBERHARDT 233908



EBERHARDT



Suitable for:

5005655 GAS NOZZLE M10x1 \varnothing 1.25 mm



EBERHARDT 222047

Suitable for:

5005743 GAS NOZZLE M10x1 \varnothing 1.60 mm



EBERHARDT 286297

5035694 GAS NOZZLE M10x1 \varnothing 1.70 mm



EBERHARDT 287051

3500371 GAS NOZZLE M10x1 \varnothing 1.75 mm



EBERHARDT 205751

5000531 GAS NOZZLE M10x1 \varnothing 1.95 mm



EBERHARDT 223557

3500296 GAS NOZZLE M10x1 \varnothing 1,90 mm



EBERHARDT 0102033

3500359 GAS NOZZLE M11x1 \varnothing 1,25 mm



EBERHARDT 201803

3500355 GAS NOZZLE M11x1 \varnothing 1,40 mm



EBERHARDT 201654

3500287 GAS NOZZLE M11x1 \varnothing 2,60 mm



EBERHARDT 201726

3500038 GAS NOZZLE M6x0,75 \varnothing 0,90 mm



EBERHARDT 222164

3500366 GAS NOZZLE M9x1 \varnothing 1,40 mm




EBERHARDT 206252



Interference suppression filters


3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47 μ F



EBERHARDT 242710

Ironmongery (screws,nuts,washers)

3183051 NUT M20x1.5



EBERHARDT 5340043

Knobs

3241249 BLACK KNOB ϕ 39 mm
D shaft hole 6x4.6 mm



EBERHARDT 5900198

3241179 BLACK KNOB ϕ 50 mm 0-1-2-3-4-5
D-shaft 6x4.6 mm



EBERHARDT 2002915

5022855 BLACK KNOB ϕ 60 mm 140-185 $^{\circ}$ C
D-shaft 6x4.6 mm



EBERHARDT 2002909

3241081 BLACK KNOB ϕ 65 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm



EBERHARDT 214005

EBERHARDT 214059

EBERHARDT 214060

3241157 KNOB BLUE STICKER



EBERHARDT 222195



Suitable for:

3241082 KNOB EXTENSION



EBERHARDT 212475

3241576 BLACK KNOB \varnothing 65 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm



EBERHARDT 214006

5046749 TAPPO GIALLO PER MANOPOLA
foro a mezzaluna 10x8 mm



EBERHARDT 212851

3241573 BLACK KNOB \varnothing 65 mm 0-295°C
D shaft hole 6x4.6 mm



EBERHARDT 214069

5046749 TAPPO GIALLO PER MANOPOLA
foro a mezzaluna 6x4,6 mm



EBERHARDT 212851

3241579 BLACK KNOB \varnothing 73 mm 0-110°C
D shaft hole 6x4.6 mm



EBERHARDT 214010

EBERHARDT



Suitable for:

5046749 TAPPO GIALLO PER MANOPOLA
foro a mezzaluna 8x6,5 mm



EBERHARDT 212851

3241157 KNOB BLUE STICKER



EBERHARDT 222195

3241157 KNOB BLUE STICKER



EBERHARDT 222195

3241581 BLACK KNOB \varnothing 73 mm 0-295°C
D shaft hole 6x4.6 mm



EBERHARDT 214016

Suitable for:

3241585 BLACK KNOB \varnothing 73 mm 0-310°C
D shaft hole 6x4.6 mm



EBERHARDT 214008

Suitable for:

3241575 BLACK KNOB \varnothing 73 mm 0-90°C
D shaft hole 6x4.6 mm



EBERHARDT 214014

3241276 BLACK KNOB \varnothing 75 mm SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm




EBERHARDT 2008672

3241823 BLACK KNOB \varnothing 75 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm



EBERHARDT 2008671

3241824 BLACK KNOB \varnothing 75 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm



EBERHARDT 2012984

3241882 BLACK KNOB \varnothing 75 mm 0-110°C
D shaft hole 6x4.6 mm




EBERHARDT 2008675

3241232 GREY KNOB \varnothing 77 mm 1-2-3-4-5-6
D shaft hole 6x4.6 mm



EBERHARDT 209525

5017724 KNOB BLACK \varnothing 73 mm 0-190°C
D-shaped hole 6x4.6 mm



EBERHARDT 243015

5047093 KNOB BLACK \varnothing 75 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm



EBERHARDT 2008677

5001435 KNOB BLACK \varnothing 60 MM 0-1
D-shaped hole 6x4.6 mm



EBERHARDT 2002908

3241157 KNOB BLUE STICKER



EBERHARDT 222195

3241082 KNOB EXTENSION



EBERHARDT 212475



Suitable for:

Suitable for:

3241841 KNOB GRAY \varnothing 77 mm 100-190°C
D shaft hole 6x4.6 mm



EBERHARDT 202106

7102613 MANOPOLA NERA \varnothing 45 mm SERIGRAFATA
foro a mezzaluna 6x4,6 mm



EBERHARDT 1036712600

5058318 TAPPO GRIGIO PER MANOPOLA
foro a mezzaluna 6x4,6 mm



5046391 MANOPOLA NERA \varnothing 65 mm 0-90°C
foro a mezzaluna 6x4,6 mm



EBERHARDT 222214

3241157 KNOB BLUE STICKER



EBERHARDT 222195

5046749 TAPPO GIALLO PER MANOPOLA
foro a mezzaluna 6x4,6 mm



EBERHARDT 212851

5033564 MANOPOLA NERA \varnothing 73 mm SERIGRAFATA
foro a mezzaluna 10x8 mm



EBERHARDT 284178

5017725 MANOPOLA NERA \varnothing 73 mm 0-100°C
foro a mezzaluna 6x4,6 mm



EBERHARDT 214198

5046749 TAPPO GIALLO PER MANOPOLA



EBERHARDT 212851



Labels for control panels

5061967 CONTROL PLATE ADHESIVE 100x53 mm



EBERHARDT 2018825

7102817 CONTROL PLATE ADHESIVE 100x53 mm



EBERHARDT 2011256

5037624 CONTROL PLATE ADHESIVE 545x67 mm



EBERHARDT 2012890

7102621 CONTROL PLATE ADHESIVE 545x67 mm




EBERHARDT 2012438

7103307 CONTROL PLATE ADHESIVE 715x67 mm



EBERHARDT 2012422

3399067 STICKING CONTROL PANEL 125x100 mm



EBERHARDT 2007069

Lamp receptacles and spare parts

3221320 LAMP RECEPTACLE WITH LAMP E14 25W 230V
 ceramic foot \varnothing 30 mm
 external dimensions 75x60 mm
 max. temperature 300°C



EBERHARDT 216495

3221041 OVEN LAMP E14 15W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



3221061 OVEN LAMP E14 25W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN





Suitable for:


EBERHARDT



Suitable for:


Lava rock grids

5054085 GRID STAINLESS STEEL 390x300x20 mm




EBERHARDT 2011297

5052322 S/STEEL GRID 390x345x20 mm



EBERHARDT 2011321

3185131 S/STEEL PAN SUPPORT GRID 538x395x20 mm



EBERHARDT 2005384

3185132 S/STEEL PAN SUPPORT GRID 540x340x20 mm



EBERHARDT 2010949

Level sensors

3341068 LEVEL PROBE \varnothing 1/4" M-350 mm



EBERHARDT 214185

3341039 WATER LEVEL PROBE \varnothing 3x205 mm
overall length 220 mm



EBERHARDT 6000090

Magnet groups

3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



EBERHARDT 213783

3182011 MAGNETIC UNIT PEL SMALL HEADED
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



EBERHARDT 213778



Measuring tools

3394206 DIGITAL THERMOMETER -50+70°C WHITE

battery powered
front battery
working temperature 0+50°C
accuracy $\pm 1^\circ\text{C}$
resolution 0.1°C
dimensions 62.5x29.5x19 mm
remote probe 1600 mm



EBERHARDT 290330

Microswitches

3240927 MICRO SWITCH XGG2 88 S21 16A 250V

lever with roller $\varnothing 4.8$ mm
length 25.9 mm - 6.6 mm width



EBERHARDT 214292

3240410 MICROSWITCH 16(4)A 250V



EBERHARDT 202729

EBERHARDT 215517

3240236 LIMIT SWITCH CONTROL



3240233 MICROSWITCH FITTING M16x1.5 mm



3240203 BUSHING DOOR MICROSWITCH external $\varnothing 10 \times 15$ mm



3240234 LIMIT SWITCH PIN



3250071 MICROSWITCH SPRING $\varnothing 13 \times 25$ mm





Suitable for:

3240235 RING NUT M16x1.5 mm



EBERHARDT



Suitable for:

3240820 MICROSWITCH 16A 250V



EBERHARDT 204865

3240473 GASKET FOR BUSHING




3240152 BUSHING FOR MICROSWITCH



5035454 MICRO SUPPORT
for WASHING MACHINE LF25



3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



3240153 ROD FOR MICROSWITCH



3240154 SPRING FOR MICROSWITCH ROD



3240181 PROTECTED MAGNET 62x18x10 mm




EBERHARDT



Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm



EBERHARDT F9900505420

EBERHARDT 208480

EBERHARDT 230970

OR and ORM gaskets

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



EBERHARDT 87039

3186697 O-RING 0159 EPDM



EBERHARDT 214289

EBERHARDT 6090145

3186601 O-RING 04200 EPDM



EBERHARDT 214288

3786459 O-RING 04200 VITON



EBERHARDT 222120

3186580 OR GASKET 04131 VITON



EBERHARDT 231672

EBERHARDT 239853

Pilot burners and accessories

3020281 BRASS NUT M10x1



EBERHARDT 286298

3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



EBERHARDT 212652

EBERHARDT 255039

EBERHARDT 7050028



Suitable for:

EBERHARDT



3020285 GASKET FOR TARGET PILOT



EBERHARDT 212613

Suitable for:

5062254 HOUSING FOR PILOT WITH NOZZLE \varnothing 0.21 mm threaded connection M6x1



EBERHARDT 7070015

5022050 NOZZLE FOR PILOT BURNER \varnothing 0.50 mm



EBERHARDT 255038

3020121 NOZZLE FOR PILOT BURNER METHAN 25mBAR for pilot burner series CB 5050..



EBERHARDT 286303

3020082 OLIVE FOR 12 mm \varnothing PIPE



EBERHARDT 212664

3020081 OLIVE FOR 6 mm \varnothing PIPE



EBERHARDT 216413

3020286 ONE-FLAME PILOT BURNER SIT PRINTED without sparking plug, gas nozzle and gasket thermocouple fitting included



EBERHARDT 245040

5014757 CONNECTION PIPE \varnothing 6 mm thread M10x1 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



EBERHARDT 212652

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm thread M10x1



EBERHARDT 255039

EBERHARDT 7050028

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



3020111 OLIVE FOR 4 mm \varnothing PIPE





Suitable for:


3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3020086 PILOT GASKET



3020157 PILOT JET \varnothing 0.25 mm



3020041 PILOT JET \varnothing 0.41 mm



EBERHARDT 222170

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



EBERHARDT 212636

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



EBERHARDT 234744

EBERHARDT



Suitable for:

3020112 OLIVE FOR 6 mm \varnothing PIPE



3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



EBERHARDT 212647

EBERHARDT 287426

3020187 PILOT NOZZLE \varnothing 0.51 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm





Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



EBERHARDT



Suitable for:

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

EBERHARDT 214338

EBERHARDT 221933

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



5035324 UGELLO PER PILOTA \varnothing 0,18 mm
fornito senza candela, ugello e guarnizione
fornito con raccordo per termocoppia



4053669 UGELLO PER PILOTA \varnothing 0,75 mm
fornito senza candela, ugello e guarnizione
fornito con raccordo per termocoppia



3020282 PILOT BURNER



3020281 BRASS NUT M10x1



EBERHARDT 222026

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



EBERHARDT 286298

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



3345021 OLIVE FOR PIPE \varnothing 4 mm



3020111 OLIVE FOR 4 mm \varnothing PIPE






Suitable for:

3020112 OLIVE FOR 6 mm Ø PIPE



3020557 PILOT JET ø 0.20 mm



3020040 PILOT JET ø 0.30 mm



EBERHARDT 212647

EBERHARDT 287426

3020187 PILOT NOZZLE ø 0.51 mm



5035324 UGELLO PER PILOTA ø 0,18 mm



3020270 PILOT BURNER TARGET SIT 2 FLAMES
supplied without sparking plug. nozzle
with GPL and NATUAL GAS nozzle
with pilot pipe connection



EBERHARDT 202087

EBERHARDT




Suitable for:

3020139 PILOT BURNER CAP



3020157 PILOT JET ø 0.25 mm



3020041 PILOT JET ø 0.41 mm



EBERHARDT 222170

3020078 PIPE FITTING ø 6 mm
thread M10x1



EBERHARDT 234744

4053669 UGELLO PER PILOTA ø 0,75 mm



5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm





Suitable for:

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



EBERHARDT 212652

EBERHARDT 255039

EBERHARDT 7050028

5022050 NOZZLE FOR PILOT BURNER \varnothing 0.50 mm




EBERHARDT 255038

**3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22**



3020042 PILOT GAS JET \varnothing 0.19 mm



3020202 PILOT GAS JET \varnothing 0.27 mm



EBERHARDT 202514

3020543 PILOT GAS JET \varnothing 0.38 mm



EBERHARDT



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



3020114 OLIVE FOR PIPE \varnothing 6 mm




3020201 PILOT GAS JET \varnothing 0.14 mm




EBERHARDT 233815

3020542 PILOT GAS JET \varnothing 0.20 mm



3020043 PILOT GAS JET \varnothing 0.36 mm



3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



EBERHARDT 212636

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



EBERHARDT 234744

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



EBERHARDT



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EBERHARDT 214338

EBERHARDT 221933

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020290 PILOT BURNER 1 FLAME



EBERHARDT 243901

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm





Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



3020081 OLIVE FOR 6 mm \varnothing PIPE



EBERHARDT 216413

3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



3020156 PILOT JET \varnothing 0.25 mm



EBERHARDT 233910

5015516 PILOT NOZZLE \varnothing 0.40 mm



EBERHARDT 242571

3020105 PILOT WITH 0.20 mm \varnothing JET



EBERHARDT



Suitable for:

4058525 NOZZLE FOR PILOT BURNER \varnothing 0.30 mm



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



EBERHARDT 249930

3020054 PILOT JET \varnothing 0.20 mm



EBERHARDT 212658

3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT NOZZLE \varnothing 0.45 mm



3020106 PILOT WITH 0.25 mm \varnothing JET





Suitable for:

3020107 PILOT WITH 0.35 mm ø JET



EBERHARDT



Suitable for:

**3020078 PIPE FITTING ø 6 mm
thread M10x1**



EBERHARDT 234744

5054339 PILOT BURNER 2 FLAMES
without plug
supplied with natural gas nozzles
supplied with thermocouple connection
with plug connection
with pipe connection and pipe pilot olive



**5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm**



EBERHARDT 7090027

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



**3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm
thread M10x1**



EBERHARDT 212652

EBERHARDT 255039

EBERHARDT 7050028

3020111 OLIVE FOR 4 mm ø PIPE



3020112 OLIVE FOR 6 mm ø PIPE



3020044 PILOT GAS JET ø 0.20 mm



3020452 PILOT GAS JET ø 0.32 mm



3020045 PILOT GAS JET ø 0.50 mm



3020449 PILOT GAS JET ø 0.54 mm



EBERHARDT 202519



Suitable for:

3020464 PILOT NOZZLE \varnothing 0.64 mm



EBERHARDT



Suitable for:

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



EBERHARDT 212636

**3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



EBERHARDT 234744

**3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm**



**3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

EBERHARDT 214338

EBERHARDT 221933

**3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



**3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**



3020117 PILOT DEFLECTOR 3 FLAMES 53x40 mm



3020201 PILOT GAS JET \varnothing 0.14 mm




EBERHARDT 236352

EBERHARDT 233815

Suitable for:

3020202 PILOT GAS JET \varnothing 0.27 mm



EBERHARDT 202514

Suitable for:

3020449 PILOT GAS JET \varnothing 0.54 mm



EBERHARDT 202519

3020054 PILOT JET \varnothing 0.20 mm



EBERHARDT 212658

3020156 PILOT JET \varnothing 0.25 mm



EBERHARDT 233910

EBERHARDT 242571

3020040 PILOT JET \varnothing 0.30 mm



EBERHARDT 212647

EBERHARDT 287426

3020041 PILOT JET \varnothing 0.41 mm



EBERHARDT 222170

**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M**



EBERHARDT 212663

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



EBERHARDT 212636

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



EBERHARDT 234744

3020283 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



EBERHARDT 222075

3020249 BRACKET PILOT BURN. SUPPORT 60x50x25 mm





Suitable for:

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



EBERHARDT



Suitable for:

3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



EBERHARDT 212652

EBERHARDT 255039

EBERHARDT 7050028

5022050 NOZZLE FOR PILOT BURNER \varnothing 0.50 mm



3020114 OLIVE FOR PIPE \varnothing 6 mm



EBERHARDT 255038

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3020201 PILOT GAS JET \varnothing 0.14 mm



3020042 PILOT GAS JET \varnothing 0.19 mm



EBERHARDT 233815

3020542 PILOT GAS JET \varnothing 0.20 mm



3020202 PILOT GAS JET \varnothing 0.27 mm



3020043 PILOT GAS JET \varnothing 0.36 mm



EBERHARDT 202514

3020543 PILOT GAS JET \varnothing 0.38 mm





Suitable for:

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EBERHARDT 214338

EBERHARDT 221933

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



EBERHARDT



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



EBERHARDT 212636

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



EBERHARDT 234744

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm





EBERHARDT



Suitable for:

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



EBERHARDT 214413

EBERHARDT 286244

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm




EBERHARDT 212652

EBERHARDT 255039

EBERHARDT 7050028

5022050 NOZZLE FOR PILOT BURNER ø 0.50 mm



EBERHARDT 255038

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3020042 PILOT GAS JET ø 0.19 mm



3020202 PILOT GAS JET ø 0.27 mm



EBERHARDT 202514

Suitable for:

5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm



3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm
thread M10x1



3020114 OLIVE FOR PIPE ø 6 mm




3020201 PILOT GAS JET ø 0.14 mm




EBERHARDT 233815

3020542 PILOT GAS JET ø 0.20 mm




3020043 PILOT GAS JET ø 0.36 mm





Suitable for:


3020543 PILOT GAS JET \varnothing 0.38 mm



3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm



**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22**



**3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



EBERHARDT 214338

EBERHARDT 221933

EBERHARDT



Suitable for:

3020086 PILOT GASKET



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



EBERHARDT 212636

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



EBERHARDT 234744

**3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm**



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

**3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**





Suitable for:

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



EBERHARDT



Suitable for:

3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting



EBERHARDT 214313

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



EBERHARDT 212652

EBERHARDT 255039

EBERHARDT 7050028

3020111 OLIVE FOR 4 mm \varnothing PIPE



3020044 PILOT GAS JET \varnothing 0.20 mm



3020045 PILOT GAS JET \varnothing 0.50 mm



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3020112 OLIVE FOR 6 mm \varnothing PIPE



3020452 PILOT GAS JET \varnothing 0.32 mm



3020449 PILOT GAS JET \varnothing 0.54 mm



EBERHARDT 202519



Suitable for:

3020464 PILOT NOZZLE \varnothing 0.64 mm



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



EBERHARDT 234744

**3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm**



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

**3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



EBERHARDT



Suitable for:

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



EBERHARDT 212636

**3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



EBERHARDT 214338

EBERHARDT 221933

**3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**



Pressure gauges

**5033563 CAPILLARE PER MANOMETRO 1200 mm
filetto \varnothing 1/4"M - 1/8"F**



EBERHARDT 214193

**3054034 PRESSURE GAUGE \varnothing 62 mm
coupling \varnothing 1/8"M
range 0-1 bar**



EBERHARDT 214194



Suitable for:

EBERHARDT



Suitable for:

Probes

3445157 PROBE NTC PVC 1500 mm
temperature range -30°+80°C
bulb ø 6x40 mm



EBERHARDT 6000100

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



EBERHARDT 220833

3397164 SILICONE PTC PROBE 1500 mm
2 wire probe temperature range -55+150°C
bulb ø 6x40 mm



EBERHARDT 232212


3445195 TCJ VETROTEX PROBE 700 mm
2-wire probe temperature range -50+600°C
error limit ±0.75% below 0°C
30 seconds response time
bulb ø 6x200 mm



EBERHARDT 6000106

Refractory tiles

5001481 CERAMIC RADIANT PLATE 70x50x13 mm



EBERHARDT 7090073

Rotary switches


3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.



EBERHARDT 212830

EBERHARDT 217726

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
back connection for thermostat



EBERHARDT 213920

Suitable for:


3057026 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm



EBERHARDT 258100


Suitable for:

3057027 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 rear hole for thermostat




EBERHARDT 214421

3057082 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°
 D-shaft 6x4.6 mm




EBERHARDT 214269

3057176 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm



EBERHARDT 214422

3057177 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




EBERHARDT 202767

EBERHARDT 213938

EBERHARDT 252339

3057178 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin 6x4.6 mm




EBERHARDT 214252

3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



EBERHARDT 213921

3057002 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




EBERHARDT 213940

3057159 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm



EBERHARDT 214359

3057180 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm



EBERHARDT 213937

EBERHARDT 222041




Suitable for:

EBERHARDT



3057024 **SELECTOR SWITCH 0-6 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



EBERHARDT 201443

3057146 **SELECTOR SWITCH 0-7 POSITIONS**
contact capacity 16A 400V - max 150°C
rectangular pin 4x5 mm




EBERHARDT 6030030

5012546 **SELECTOR SWITCH 3 POSITIONS**
mounting hole ø 22 mm



EBERHARDT 256339

5058338 **CONTACT 10A 400V**
2 normally open contacts



Safety groups for pans and spare parts

3184007 **PRESSURE GAUGE ø 60 mm**
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



EBERHARDT 213756

3184017 **SAFETY VALVE ø 3/4" M**
max pressure 0.5 atm
for safety group ø 3/4"



EBERHARDT 214180

Solenoid valves

3120004 **SOLEN. VALVE ELBI TYPE 319 1 WAY 90°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



EBERHARDT 213913

3120019 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 15%



3120021 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 12 L/min - tolerance +/- 15%



3120022 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 16 L/min - tolerance +/- 15%





Suitable for:

3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



EBERHARDT



Suitable for:

3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



EBERHARDT



Suitable for:
3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



Suitable for:

Suitable for:

3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



EBERHARDT 215411

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%





Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



EBERHARDT



Suitable for:

5062166 SOLENOID VALVE RPE 3-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
3/4" inlet with filter - three outlets ø 10.5 mm



EBERHARDT 6042080

5046981 OUTLET REDUCER 0.10 L/Min BROWN



EBERHARDT 215409

5013420 VALVE CEME 2 VAYS ø 1/4" F 230V
9934 - max 25bar
with coil 18,5VA 230V 50/60Hz



EBERHARDT 6042089

5036913 ADJUSTER OUTLET 0.2 L/min PINK



5028983 OUTLET REDUCER 15 L/min RED



Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



EBERHARDT 213868

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



EBERHARDT 213870



Sparking and detection plugs

5047386 ROUND SPARK PLUG \varnothing 7x35 mm
male faston M4x1 mm
overall length 52 mm



EBERHARDT 6010062

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

3020230 ROUND SPARKING PLUG \varnothing 7x54 mm
male faston M4x1 mm
overall length 63 mm
for COOKING RANGE series 700 PROTAGONISTA NUOVA
for COOKING RANGE series 900 PROTAGONISTA NUOVA
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



EBERHARDT 6010061

3020126 SPARKING PLUG ROUND \varnothing 6.5x55 mm
connection \varnothing 2.4 mm
with silicone lead 1760 mm
overall length with cable 1830 mm



EBERHARDT 213332

EBERHARDT 213333

3020127 SPARKING PLUG ROUND \varnothing 6.5x55 mm
connection \varnothing 2.4 mm
with silicone lead 625 mm
overall length with cable 680 mm



3020138 SPARKING PLUG ROUND \varnothing 6.5x55 mm
connection \varnothing 2.4 mm
with silicone lead 970 mm
overall length with cable 1030 mm



EBERHARDT 213335

EBERHARDT 213804

3020073 SPARKING PLUG ROUND \varnothing 7/10x52 mm
model 1/B
connection F 2.8x0.8 mm - complete with spring
overall length 54 mm



EBERHARDT 212661

EBERHARDT 213334

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EBERHARDT 214338

EBERHARDT 221933



Suitable for:

EBERHARDT



3020068 SPARKING PLUG ROUND \varnothing 7x44 mm
square coupling
faston M M4x1 mm
overall length 63 mm



EBERHARDT 212588

Suitable for:

3020062 SPARKING PLUG ROUND \varnothing 9x39 mm
faston M4x1 mm
overall length 57 mm
for pilot burner series CB 505...



EBERHARDT 222105

Switches

3319529 BIPOLAR SWITCH BLACK 10A 250V
16(4)A 250V - max. temperature 120°C
mounting hole 22x30 mm - silk screen printing 0 -



EBERHARDT 74500210

3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



1319202 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - with indicator lamp
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



EBERHARDT 220707

3319780 BLOCK CONNECTION WHITE 30x22 mm



3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319780 BLOCK CONNECTION WHITE 30x22 mm



3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



3319012 BIPOLAR SWITCH GREEN 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator lamp and push-button cap
 mounting hole 22x30 mm - silk screen print 0 - I



EBERHARDT 10402

EBERHARDT 222094

3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



3319928 BIPOLAR SWITCH GREEN 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator light - mounting hole \varnothing 25 mm



EBERHARDT 220755

EBERHARDT



Suitable for:

3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm



3319501 PUSH-BUTTON PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



3319780 BLOCK CONNECTION WHITE 30x22 mm



3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm



3319501 PUSH-BUTTON PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm





Suitable for:

5035907 **BUTTON UNIPOLAR BLACK 16A 250V**
mounting hole \varnothing 25 mm



EBERHARDT 283599

Suitable for:

3319151 **SWITCH PROTECTION CAP**
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



3319510 **CONTACT SIEMENS 3SB3400-0B 10A 400V**
1 contact NO



EBERHARDT 256338

3454040 **CONTACT SIEMENS 3SB3400-0C 12A 400V**
1 contact NC



EBERHARDT 214200

Taps for tank refilling

3183050 **NUT 1/2"**



EBERHARDT 7070085

3183045 **SPOUT**
pipe \varnothing 18 mm




EBERHARDT 2101769

3183050 **NUT 1/2"**



EBERHARDT 7070085

3183051 **NUT M20x1.5**



EBERHARDT 5340043

3020082 **OLIVE FOR 12 mm \varnothing PIPE**



EBERHARDT 212664

Suitable for:

3242233 TAP KNOB - BLACK
D-shape hole \varnothing 9x8 mm



EBERHARDT 2001250

Suitable for:

5046792 VALVOLA CARICO ACQUA \varnothing 1/2"FF



EBERHARDT 214203

3359120 WATER INLET TAP \varnothing 1/2"FF
D shaft 9x8 mm



EBERHARDT 7060018

5001432 SILKSCREENED BLACK RING \varnothing 75 mm
for water inlet pipe



EBERHARDT 5900274

3242233 TAP KNOB - BLACK
D-shape hole \varnothing 9x8 mm



EBERHARDT 2001250

3359129 WATER INLET TAP \varnothing 1/2"FF




EBERHARDT 246538

3525041 WATER INLET TAP LH \varnothing 1/2"FF
D-shaft \varnothing 10x8 mm




EBERHARDT 243206


3241285 BLACK KNOB \varnothing 66 mm COLD WATER
D shaft hole 10x8 mm



5025702 FITTING WITH OLIVE \varnothing 1/2"x14 mm



3241286 KNOB BLACK \varnothing 66 mm HOT WATER
D-shaped hole 10x8 mm





Suitable for:

EBERHARDT



Suitable for:

Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



EBERHARDT 222222

Thermocouples and accessories

3440103 CUT-OFF THERMOCOUPLE M9x1 60 cm


cut-off contact with cables 60 cm



EBERHARDT 281136

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm

interrupted contact with fastons



EBERHARDT 202504

EBERHARDT 213788

3440015 INTERRUPTION CONNECTOR M9x1



EBERHARDT 212662

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS



EBERHARDT 202499

5062253 THERMOCOUPLE M9x1 60 cm JOINT M6x0.75



EBERHARDT 6010171

3440193 BUSHING HEXAGON THREADED M6x0.75



3440107 NUT FOR THERMOCOUPLE JOINT M6x0.75





EBERHARDT



Suitable for:

Suitable for:

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



EBERHARDT 256169

EBERHARDT 256169

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



EBERHARDT 256169

EBERHARDT 202496

3440080 THERMOCOUPLE SIT M9x1 40 cm.

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



EBERHARDT 202496

EBERHARDT 202496

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



EBERHARDT 213791

EBERHARDT 213791

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EBERHARDT 213791

EBERHARDT 202498

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
CONNECTOR M8x1**



EBERHARDT 213795



EBERHARDT



Suitable for:

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



EBERHARDT 213795

Suitable for:

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS CONNECTOR M8x1



EBERHARDT 213795

3440035 THERMOCOUPLE SIT M9x1 60 cm.



EBERHARDT 202498

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EBERHARDT 202498

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



EBERHARDT 201208

EBERHARDT 256102

3440036 THERMOCOUPLE SIT M9x1 85 cm.



EBERHARDT 201208

EBERHARDT 256102

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



EBERHARDT 201208

EBERHARDT 256102

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



EBERHARDT 222029

3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm




EBERHARDT 222010

3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm



EBERHARDT 202499

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS




EBERHARDT 202499



Thermostatic gas valves

- 3345027 THERMOSTATIC TAP SABAF**
 setting temperature 295°C
 fitting inlet M13x1 mm
 outlet pipe fitting \varnothing 3/8" M
 thermocouple connection M8x1
 bulb \varnothing 4x155 mm
 capillary length 850 mm
 D-shaped pin \varnothing 6x4.6 mm



EBERHARDT 220420


Thermostats

- 5009027 BULB HOLDING CLIP**
 for heating element thermostat
 for bulb \varnothing 4 mm



EBERHARDT 243021

- 5029092 SINGLE PHASE THERMOSTAT 30-110°C**
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 6x130 mm




EBERHARDT 216516

- 3444652 SINGLE-PHASE THERMOSTAT 100-190°C**
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 870 mm
 bulb \varnothing 4x235 mm



EBERHARDT 201165

- 3444772 SINGLE-PHASE THERMOSTAT 140°C**
 with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x130 mm



EBERHARDT 213934

- 3444649 SINGLE-PHASE THERMOSTAT 200°C**
 with manual reset
 covered capillary length 870 mm
 bulb \varnothing 6x133 mm



EBERHARDT 202403

- 3444107 SINGLE-PHASE THERMOSTAT 220°C**
 with manual reset
 capillary length 870 mm - 16A 250V
 bulb \varnothing 6x142 mm - with adapter nipple bland M9x1



EBERHARDT 202806



Suitable for:

EBERHARDT



3444372 SINGLE-PHASE THERMOSTAT 245°C
with manual reset
covered capillary length 1170 mm - 16A 250V
bulb \varnothing 6x133 mm




EBERHARDT 214420

3444489 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb \varnothing 6x125 mm



EBERHARDT 213924

3444346 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x130 mm - with stuffing gland fitting M9x1




EBERHARDT 213943

5015693 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 900 mm - 16A 250V
bulb \varnothing 6x80 mm - with stuffing gland fitting M10x1



EBERHARDT 222227

3444293 SINGLE-PHASE THERMOSTAT 320°C
with manual reset
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x80 mm - with oval coupling \varnothing 10 mm




EBERHARDT A34100780

3444312 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
capillary length covered 1500 mm - 16A 250V
bulb \varnothing 4x110 mm



EBERHARDT 245787

3444774 SINGLE-PHASE THERMOSTAT 45-295°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 230V
bulb \varnothing 4x95 mm



EBERHARDT 213919

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 3x220 mm



EBERHARDT 215377

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



EBERHARDT 249022


3444643 SINGLE-PHASE THERMOSTAT 60-150°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 3x219 mm



EBERHARDT 214195

Suitable for:

5015518 SINGLE-PHASE THERMOSTAT 62-189°C
complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 700 mm - 16A 250V
bulb \varnothing 4x120 mm



EBERHARDT MACM097800

Suitable for:


5047926 SINGLE-PHASE THERMOSTAT 71-170°C
D-shaped pin \varnothing 6x4.6 mm
capillary length coated 1475 mm - 16A 250V
bulb \varnothing 3x180 mm



EBERHARDT A34100270


EBERHARDT A34102180

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1010 mm - 16A 250V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1



EBERHARDT 214259

3444239 THERMOSTAT SINGLE-PHASE 240°C
with manual reset
covered capillary length 860 mm - 16A 250V
bulb \varnothing 6x77 mm - with stuffing gland fitting M10x1
with M9x1 thermocouple interruption fitting



EBERHARDT 214274

3444000 THERMOSTAT SINGLE-PHASE 75-172°C
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 900 mm - 16A 250V
button bulb \varnothing 14x10 mm
complete with nut and gasket



EBERHARDT 214418

3444769 THREE-PHASE THERMOSTAT 132°C
with automatic reset
capillary length 900 mm - 16A 230V
bulb \varnothing 6x80 mm - with adapter nipple band M10x1




EBERHARDT 221856

3444770 THREE-PHASE THERMOSTAT 157°C
with manual reset
covered capillary length 900 mm - 16A 230V
bulb \varnothing 6x80 mm



EBERHARDT 214317

3444775 THREE-PHASE THERMOSTAT 159°C
with manual reset
capillary length 1100 mm - 16A 230V
bulb \varnothing 3.1x185 mm



EBERHARDT 214196



Suitable for:

EBERHARDT




3444375 THREE-PHASE THERMOSTAT 225°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x90 mm - with adapter nipple band M10x1



EBERHARDT 214299

Suitable for:

3444307 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1




EBERHARDT 214298

3744113 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 600 mm - 10A 400V
bulb \varnothing 4x122 mm



EBERHARDT 282267

3444364 THREE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple band M10x1




EBERHARDT 217725

3444620 THREE-PHASE THERMOSTAT 45-120°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm - 16A 380V
bulb \varnothing 6x140 mm



EBERHARDT 214316


3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm



EBERHARDT 213925


EBERHARDT 222042

3444371 THREE-PHASE THERMOSTAT 70-195°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x135 mm



EBERHARDT 214419

3444779 THREE-PHASE THERMOSTAT 75-295°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 230V
bulb \varnothing 4x92 mm



EBERHARDT 252338

Tools

3394406 SCRAPER
with 1 blade 102 mm



EBERHARDT 233570

3394408 SCRAPER BLADE - 10 PCS





Tubing and hoses


- 5001488 DRAIN PIPE**
external \varnothing 36 mm - internal \varnothing 28 mm
SOLD PER METER



EBERHARDT 7090105

Wheels and accessories

- 5046755 SUPPORT FOR BRATT PAN LIFTING**



EBERHARDT 281115

- 5012754 VITE PER RIBALTAMENTO**
lunghezza totale 543 mm



EBERHARDT 213257

- 5012755 VITE PER RIBALTAMENTO**
lunghezza totale 350 mm



EBERHARDT 214550

- 3522046 WHEEL HANDLE \varnothing 28x110 mm**
thread M6



EBERHARDT 213711

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us