



Spare parts for the professional sector:
Cooking equipment



Suitable for:

ECHTERMANN



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ECHTERMANN



Suitable for:

Drain taps and accessories

3356162 \varnothing 1"1/2F DRAIN TAP REPAIR SET
for drain tap



ECHTERMANN 6724.60-21

3356161 COVER WITH HANDLE F/DRAIN TAP



ECHTERMANN 6724.60-5/12

3356152 DRAIN TAP \varnothing 1"F
with fixed connection \varnothing 1"F



ECHTERMANN 0403-4102-190-0

ECHTERMANN 6722.40

3356164 DRAIN TAP HANDLE \varnothing 1"F



ECHTERMANN 6722.40-5

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3356166 PIN WITH LOCK FOR DRAIN TAP



ECHTERMANN 6722.00-1

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved





Suitable for:

3180039 VASELINE WUERTH 750 g

for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



ECHTERMANN



Suitable for:

3356171 DRAIN TAP ø 1"1/2F

complete with food grease tube
GASKET SEAL
flanged connection with screw fastening ø 47 mm
made of STAINLESS steel
COMPLIANT WITH THE EUROPEAN REGULATION 1935/2004
SUITABLE FOR USE IN CONTACT WITH FOOD



ECHTERMANN 6724.60
ECHTERMANN 6822.60

ECHTERMANN 6724.63

ECHTERMANN 6726.60

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m

length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



5078364 TAP REPAIR KIT ø 1"1/2F

for drain tap



ECHTERMANN 6726.60-4.1



Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



ECHTERMANN



Suitable for:

3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to +120°C
 from +50°C to +120 °C the grease becomes oily



3356173 DRAIN TAP ø 1"1/2F
 complete with food grease tube
 GASKET SEAL
 fixed connection ø 1"1/2F
 made of STAINLESS steel
 IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004
 FOODSAFE



3356162 ø 1"1/2F DRAIN TAP REPAIR SET
 for drain tap



ECHTERMANN 3302

ECHTERMANN 6722.60

ECHTERMANN 6726.62

ECHTERMANN 6724.60-21

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature -45°/+120°
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline





Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



ECHTERMANN



Suitable for:

3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to +120°C
 from +50°C to +120 °C the grease becomes oily



3356172 DRAIN TAP ø 2" F
 complete with food grease tube
 GASKET SEAL
 flanged connection with screw fastening ø 59 mm
 made of STAINLESS steel
 IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004
 FOODSAFE



ECHTERMANN 6724.80

ECHTERMANN 6726.80

ECHTERMANN 6822.80

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature -45°/+120°
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



3356166 PIN WITH LOCK FOR DRAIN TAP



ECHTERMANN 6722.00-1



Suitable for:

3356177 TAP REPAIR KIT ø 2" F
for drain tap



ECHTERMANN 6726.80-4.1

3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



3356174 DRAIN TAP ø 2" F
complete with food grease tube
GASKET SEAL
fixed connection ø 2" F
made of STAINLESS steel
COMPLIANT WITH THE EUROPEAN REGULATION 1935/2004
SUITABLE FOR USE IN CONTACT WITH FOOD



ECHTERMANN 6722.80

ECHTERMANN 6726.82

ECHTERMANN



Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature -45°/+120°
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



ECHTERMANN



Suitable for:

3356163 TAP REPAIR KIT ø 2"F
 for drain tap



ECHTERMANN 6724.80-21

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to +120°C
 from +50°C to +120 °C the grease becomes oily



3356164 DRAIN TAP HANDLE ø 1"F



ECHTERMANN 6722.40-5

5035583 DRAIN VALVE ø 1/2"F - 3/4"F



ECHTERMANN

3356166 PIN WITH LOCK FOR DRAIN TAP



ECHTERMANN 6722.00-1

3356165 TAP HANDLE ø 1"1/4-1"1/2-2"F
 for drain tap



ECHTERMANN 6722.60-5



Suitable for:

5078364 TAP REPAIR KIT \varnothing 1"1/2F
for drain tap



ECHTERMANN 6726.60-4.1

Suitable for:

3356163 TAP REPAIR KIT \varnothing 2"F
for drain tap



ECHTERMANN 6724.80-21

3356177 TAP REPAIR KIT \varnothing 2"F
for drain tap



ECHTERMANN 6726.80-4.1

Fittings


3358021 NET-THROUGH FITTING \varnothing 1/2"M
overall length 32 mm - thread length 26 mm



ECHTERMANN 5030

Non-return and expansion valves

5090358 SAFETY VALVE \varnothing 1/2"F-1/2"F
operating pressure 0,65bar



ECHTERMANN

Safety groups for pans and spare parts

3184051 ANTI-DEPRESSION VALVE \varnothing 3/4"M



ECHTERMANN 6704.30

ECHTERMANN 6704.35

5038745 SAFETY VALVE
 \varnothing inlet 3/4"F - \varnothing outlet 1"F
operating pressure 0,65 bar



ECHTERMANN

Suitable for:

3184049 SAFETY VALVE KNOB \varnothing 20 mm
thread \varnothing M5



ECHTERMANN 6944.20-9

Suitable for:

3184050 SAFETY VALVE KNOB \varnothing 32 mm
thread \varnothing M6



ECHTERMANN 6650.60-8

ECHTERMANN 6802-20

3184047 VACUUM RELIEF VALVE \varnothing 1/2" M
chrome-plated brass - for safety group 1"



ECHTERMANN 6700.20

3184048 VACUUM RELIEF VALVE \varnothing 1/2" M
chrome-plated brass - for safety group 1"



ECHTERMANN 6704.20

Steam valves

3524003 STEAM VALVE \varnothing 1" FF



ECHTERMANN 6862.40/5.0.2

Taps for tank refilling

3358017 HEAD VALVE WITH RED/BLUE HANDLE
for water inlet tap \varnothing 1/2" FF



ECHTERMANN 2149.20/8.6.1

3358018 HEAD VALVE WITH RED/BLUE KNOB
for water filling tap \varnothing 3/4" FF



ECHTERMANN 2149.30/8.6.1

5093484 SPOUT CONNECTION \varnothing 3/4" M
outlet spout \varnothing 20 mm



ECHTERMANN 6950.30



Suitable for:

ECHTERMANN



5012438 WATER INLET TAP \varnothing 1/2"FF



ECHTERMANN

5052606 CHROMED PLATE SILK-SCREEN PRINTED
external \varnothing 35.5 mm



5052604 RING NUT FOR WATER INLET TAP
external \varnothing 58/30 mm - internal \varnothing 26 mm
height 27 mm



Suitable for:

3541055 BLUE PLASTIC RING FOR KNOB "MAMOLI"
external \varnothing 39 mm - height 7 mm



5052605 RED PLASTIC RING FOR KNOB "MAMOLI"
external \varnothing 39 mm - height 7 mm



5036597 TAP HEAD CONNECTION \varnothing 1/2"



7115467 WATER INLET TAP \varnothing 1/2"FF



ECHTERMANN

3358013 WATER INLET TAP \varnothing 3/4"FF



ECHTERMANN 6863.30/8.6.1

3358018 HEAD VALVE WITH RED/BLUE KNOB
for water filling tap \varnothing 3/4"FF



ECHTERMANN 2149.30/8.6.1

3183055 WATER INLET TAP \varnothing 3/8"FF
 \varnothing int. outlet 8 mm



ECHTERMANN 181114

Water inlet taps

3358012 LEVEL TAP \varnothing 3/8"F
with fixed connection \varnothing 3/8"F



ECHTERMANN 6137.00

3358011 LEVEL TAP WITH FUNNEL \varnothing 1/2"F
flanged connection with screw fastening \varnothing 1/2"F



ECHTERMANN 6944.20

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com