



## Spare parts for the professional sector: **Cooking equipment**



Suitable for:

# EGO



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

EGO



Suitable for:

## Electric hot plates

**3311090 ELECTRIC HOT PLATE ø 145 mm 1000W 230V**  
MODEL "ECODESIGN"  
terminal block electric connections  
with STAINLESS steel edge 8 mm  
for electric cooking top



EGO 1214453002

EGO 1214453194

EGO 1814453002

**3311092 ELECTRIC HOT PLATE ø 145 mm 1500W 230V**  
terminal block electric connections  
with STAINLESS steel edge 8 mm  
for electric cooking top



EGO 1214463196

EGO 1514474030

EGO 1214474030

EGO 1814463196

EGO 1214474040

EGO 1814474030

**3311093 ELECTRIC HOT PLATE ø 145 mm 1500W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1214463197

EGO 1814463197

**2104675 ELECTRIC HOT PLATE ø 180 mm 1500W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1218474002

EGO 1218474140

EGO 1818474002

**3311094 ELECTRIC HOT PLATE ø 180 mm 1500W 230V**  
MODEL "ECODESIGN"  
terminal block electric connections  
with STAINLESS steel edge 8 mm  
for electric cooking top



EGO 1218453002

EGO 1818453002

EGO 1218453022

EGO 1218453196

**3311095 ELECTRIC HOT PLATE ø 180 mm 1500W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top




EGO 1218453001

EGO 1818453001

EGO 1218453021

EGO 1218453025

**3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V**  
terminal block electric connections  
with STAINLESS steel edge 8 mm  
for electric cooking top




EGO 1218463194

EGO 1818474040

EGO 1218474040

EGO 1818463194

**3311097 ELECTRIC HOT PLATE ø 180 mm 2000W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1218463198

EGO 1218474050

EGO 1818463198



Suitable for:

Suitable for:

**2111541 ELECTRIC HOT PLATE ø 220 mm 2000W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top




EGO 1222474002

EGO 1222474140

EGO 1822474002

**3311098 ELECTRIC HOT PLATE ø 220 mm 2000W 230V**  
"ECODESIGN" MODEL  
electrical screw connections  
with STAINLESS steel edge  
for electric cooking top




EGO 1222453002

EGO 1222453199

EGO 1822453002

**3311099 ELECTRIC HOT PLATE ø 220 mm 2000W 400V**  
MODEL "ECODESIGN"  
terminal block electric connections  
with stainless steel edge  
for electrical cooking top



EGO 1222453001

EGO 1222453021

EGO 1222453025

EGO 1822453001

EGO 1822453021

**3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1222463012

EGO 1222463018

EGO 1222474030

EGO 1222474040

EGO 1822463018

EGO 1822474040

**3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1222454021

EGO 1222463011

EGO 1222463019

EGO 1822454021

EGO 1822463019

**3311102 ELECTRIC HOT PLATE ø 300 mm 2500W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1230453195

**3311089 ELECTRIC HOT PLATE ø 300 mm 3500W 230V**  
screw electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1230454194

**3311078 ELECTRIC HOT PLATE ø 300 mm 3500W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1230454195



Suitable for:

EGO



**3311175 ELECTRIC HOT PLATE ø 400 mm 5000W 400V**

2 screw electric connections  
with STAINLESS steel edge  
for electric cooking top




EGO 1240670231

Suitable for:

**3311176 ELECTRIC HOT PLATE ø 400 mm 5000W 400V**

4 terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1240870001

EGO 1240870007

**2102077 ELECTRIC HOT PLATE 2000W 230V**

dimensions 220x220 mm  
terminal block electric connections  
with stainless STEEL edge  
for pot stove electric



EGO 1122454234

**3311052 ELECTRIC HOT PLATE 2000W 400V**

dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1122454235

EGO 1122454268

**2111979 ELECTRIC HOT PLATE 2500W 230V**

dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1133454252

**3311070 ELECTRIC HOT PLATE 2500W 230V**

dimensions 300x300 mm  
tilting plate  
electric screw couplings  
for electric cooking top



EGO 1133370242

EGO 1133370247

EGO 1133460302

**3311171 ELECTRIC HOT PLATE 2500W 230V**

dimensions 300x300 mm  
plug electric connections  
for electric cooking top




EGO 1133310002

EGO 1133310009

**3311071 ELECTRIC HOT PLATE 2500W 400V**

dimensions 300x300 mm  
tilting plate  
electric screw couplings  
for electric cooking top



EGO 1133460301

EGO 1133460349



**3311076 ELECTRIC HOT PLATE 2500W 400V**

dimensions 300x300 mm  
plug electric connections  
for electric cooking top



EGO 1133310001

EGO 1133310008

**3311173 ELECTRIC HOT PLATE 2500W 400V**

dimensions 300x300 mm  
overturning plate  
screw electric connections  
for electrical cooking top



EGO 1133370241

EGO 1133370246

**3311053 ELECTRIC HOT PLATE 2600W 230V**

dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1122454232

EGO 1122454233

EGO 1122454237

**3311054 ELECTRIC HOT PLATE 2600W 400V**

dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1122454238

**40C6244 ELECTRIC HOT PLATE 2600W 440V**

dimensions 220x220 mm  
screw terminal block  
with STAINLESS steel rim



EGO 1122454264

**3311062 ELECTRIC HOT PLATE 3000W 230V**

dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1133454236

EGO 1133454247

**3311072 ELECTRIC HOT PLATE 3000W 230V**

size 300 x 300 mm.  
turnover plate  
electric screw couplings



EGO 1133460305

**3311063 ELECTRIC HOT PLATE 3000W 400V**

dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1133454248



Suitable for:

# EGO



**3311174 ELECTRIC HOT PLATE 3000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
for electric cooking top



EGO 1133350507

EGO 1133460197

EGO 1133470195

**2101733 ELECTRIC HOT PLATE 3000W 440V**  
dimensions 300x300 mm  
screw terminal box  
for electrical cooking top




EGO 1133470196

**2101229 ELECTRIC HOT PLATE 4000W 115V**  
dimensions 610x305 mm  
screw terminal box  
for electrical cooking hob



EGO 1163471115

**3110001 ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
for electric cooking top



EGO 1133460194

**3311064 ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1133454239

EGO 1133454246

**3311074 ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
tilting plate  
terminal block electric connections  
for electric cooking top



EGO 1133460308

EGO 1133460342

EGO 133460342

**2101189 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
tilting plate  
terminal block electric connections  
for electric cooking top



EGO 1133460318

**3311048 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
for electric cooking top



EGO 1133460195



Suitable for:

Suitable for:

**3311065 ELECTRIC HOT PLATE 4000W 400V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



EGO 1133454249

**3311075 ELECTRIC HOT PLATE 4000W 400V**  
 dimensions 300x300 mm  
 tilting plate  
 terminal block electric connections  
 for electric cooking top



EGO 1133460304  
 EGO 1133460351.05

EGO 1133460307

EGO 1133460341

**2101621 ELECTRIC HOT PLATE 4000W 440V**  
 dimensions 300x300 mm  
 tilting plate  
 terminal block electric connections  
 for electric cooking top



EGO 1133460344

**2110843 ELECTRIC HOT PLATE 4000W 440V**  
 dimensions 300x300 mm  
 screw terminal box  
 with stainless STEEL edge  
 for electric cooking top



EGO 1133454336

**5031972 ELECTRIC HOT PLATE 5000W 240V**  
 dimensions 400x400 mm  
 terminal block electric connections  
 for electric cooking top



EGO 1144870003

**3311049 ELECTRIC HOT PLATE 5000W 400V**  
 dimensions 400x400 mm  
 terminal block electric connections  
 for electric cooking top



EGO 1144460001

**3311104 ELECTRIC HOT PLATE 5000W 400V**  
 dimensions 600x300 mm  
 electrical connections electrical connections  
 for electric cooking top



EGO 1163471111

**2101230 ELECTRIC HOT PLATE 5000W 440V**  
 dimensions 610x305 mm  
 terminal block electric connections  
 for electric cooking top



EGO 1163461114



Suitable for:

**EGO**



**2111956 ELECTRIC HOT PLATE 5000W 440V**  
dimensions 610x305 mm  
terminal block electric connections  
for electric cooking top



EGO 1163471114

Suitable for:

**5057941 ELECTRIC HOT PLATE 6000W 230V**  
dimensions 560x285 mm  
terminal block electric connections  
for electric cooking top




EGO 1152879112

**7106515 ELECTRIC HOT PLATE 6000W 400V**  
dimensions 610x305 mm  
terminal block electric connections  
for electric cooking top



EGO 1163461116

**2111458 ELECTRIC HPLATE 3000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
for electric cooking top



EGO 1133470194

**4003929 ELECTRIC PLATE 2600W 440V ø 220 mm**  
terminal block electric connections  
with stainless STEEL edge  
for pot stove electric



EGO 1222463014  
EGO 1822474210

EGO 1222474210

EGO 1822463014

**5009182 ELECTRIC PLATE 3000W 440V**  
size 300x300 mm  
electrical screw fittings  
with stainless STEEL edge  
for pot stove electric



EGO 1133454335

**4004014 HOTPLATE**  
attacchi elettrici a vite  
con bordo in acciaio INOX  
per piano di cottura elettrico



EGO 1214463017

EGO 1814463017

**2102660 PIASTRA ELETTRICA 5000W 240V**  
dimensioni 610x305 mm  
attacchi elettrici a vite  
per piano di cottura elettrico



EGO 1163471143

## Electronic boards

**3390405 CIRCUIT BOARD 230V 123x65 mm**



EGO 7505011001

**3390400 ELECTRONIC BOARD 230V 123x65 mm**



EGO 7505011004




**3390399 ELECTRONIC BOARD 400V 123x65 mm**



EGO 7505011000



**5037834 POWER ELECTRONIC BOARD 2x3,5kW 400V**  
ext. sizes 220x170 mm



EGO 7891026131


**Energy regulators**

**2111882 ENERGY REGULATOR**  
contact capacity 240V 13A  
max. temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double direction of rotation



EGO 5059070048


**2111902 ENERGY REGULATOR**  
contacts 240V 13A  
temperature max 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 5055071100

EGO 5067079601


**3350024 ENERGY REGULATOR**  
contact capacity 240V 13A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction



EGO 5017071000

EGO 5057071010

**3350026 ENERGY REGULATOR**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



EGO 5017011000

EGO 5037021000


EGO 5017021000

EGO 5057011000

EGO 5037011000

EGO 5057021010

**3350031 ENERGY REGULATOR**  
contact capacity 400V 7A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 5017031000


EGO 5057031010

EGO 5017051000

EGO 5057051010

EGO 5037051000

**3350035 ENERGY REGULATOR**  
contact capacity 230V 13A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 5027021300

EGO 5055021100

EGO 5055024100

EGO 5027021580

EGO 5055021105

EGO 5067021591

EGO 5047011600

EGO 5055021120



Suitable for:

**EGO**




**3350069 ENERGY REGULATOR**  
contact capacity 240V 13A  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm



EGO 5057071150

**3350084 ENERGY REGULATOR**  
contact capacity 230V 13A  
max. temperature 125°C  
D-shaped pin ø 6x4.6 mm



EGO 5057024010

**3350089 ENERGY REGULATOR**  
contact capacity 240V 13A  
max temperature 125°C  
D-shaped pin ø 6x4,6 mm  
double rotation sense  
for FRY TOP  
for GLASS-CERAMIC HOB



EGO 5087071000

**3350090 ENERGY REGULATOR**  
contact capacity 240V 13A  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm  
for GLASS-CERAMIC HOB




EGO 5085071000

**5063288 ENERGY REGULATOR**  
contact capacity 230V 13A  
temperature max 125°C  
D-shaped pin ø 6x4.6 mm



EGO 5055021109

**5085506 ENERGY REGULATOR**  
contact capacity 400V 7A  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm



EGO 5055031100

**3350078 POWER REGULATOR**  
contacts capacity 230V 13A  
maximum temperature 125 °C  
D-shaped pin 6x4.6 mm



EGO 5055021171



## Gaskets and seals

**3786273 HEATING ELEMENT GASKET  $\varnothing$  192x160x3 mm**



EGO 624074

## Glasses

**3520015 CUVETTE GLASS  $\varnothing$  300 mm**  
for INDUCTION HOB WOK 1 FLAME



EGO 787500001

## Heating elements

**3755299 HEATING ELEMENT BRACKET**



EGO 2724039000

**3355066 HEATING ELEMENT 1000W 220V**  
length 295 mm - width 90 mm  
fittings M14x1 mm  
operating ambient: dry



EGO 2040259000

**3755554 HEATING ELEMENT 1000W 230V**  
length 260 mm - width 30 mm  
fittings M10x1 mm - complete with nut and gasket  
operating ambient: immersion



EGO 2422164020

**3355243 HEATING ELEMENT 1000W 230V BOTTOM**  
length 180 mm - width 195 mm  
complete with cables



EGO 2410083630

EGO 2413875023

**3455142 HEATING ELEMENT 1100W 220V**  
length 330 mm - width 65 mm  
height 75 mm



EGO 2413545023

**3455125 HEATING ELEMENT 1100W 230V**  
length 325 mm - width 250 mm  
flange 80x27 mm



EGO 2811907024




Suitable for:

EGO



**3855016 HEATING ELEMENT 1100W 230V**  
length 100 mm - width 335 mm  
height 74 mm - 2 flanges 24x20 mm



EGO 2021699000

Suitable for:

**3355888 HEATING ELEMENT 1100W 240V**  
length 375 mm - width 95 mm  
fittings M10x1 mm



EGO 2410001310

**3455368 HEATING ELEMENT 1260W 230V**  
external  $\varnothing$  190 mm - overall height 415 mm  
flange 100x22 mm



EGO 2410085900

**3355076 HEATING ELEMENT 1300W 220V**  
length 425 mm - width 80 mm  
height 70 mm



EGO 2434593023


**3355202 HEATING ELEMENT 1300W 240V**  
length 370 mm - width 95 mm  
fittings M10x1 mm  
operating ambient: immersion



EGO 2422866024

EGO 8720290B

**3755446 HEATING ELEMENT 1350W 400V**  
length 215 mm - width 225 mm  
total length 90 mm



EGO 2410079730

**3355207 HEATING ELEMENT 1370W 240V**  
length 430 mm - width 95 mm  
height 65 mm  
nut and washer on demand  
for second series



EGO 2410002030

**3528238 FLAT WASHER M4**  
internal/external  $\varnothing$  4.3/9 mm - thickness 0.8 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



**3528232 HEXAGONAL NUT MEDIUM SIZE M4**  
brass - UNI 5588 - DIN 934 - ISO 4032





Suitable for:

**5037249 HEATING ELEMENT 150W 230V**  
length 560 mm - width 155 mm  
2 flanges 30x16 mm  
operating ambient: dry



EGO 2029665000

Suitable for:

**3855073 HEATING ELEMENT 1500W 220V**  
length 350 mm - width 270 mm



EGO 2035812010

**7106755 HEATING ELEMENT 1500W 220V**  
length 430 mm - width 105 mm  
height 65 mm



EGO 2035819000

**3755133 HEATING ELEMENT 1500W 230V**  
length 395 mm - width 200 mm  
2 flanges 30x16 mm  
operating ambient: dry



EGO 2023487000

**3755721 HEATING ELEMENT 1500W 230V**  
length 340 mm - width 37 mm  
fittings M10x1 mm  
operating ambient: immersion




EGO 2422165020

**3855082 HEATING ELEMENT 1500W 230V**  
length 453 mm - width 98 mm  
height 65 mm



EGO 2035826000

**3855012 HEATING ELEMENT 1500W 400V**  
length 465 mm - width 480 mm  
flange 104x32 mm



EGO 2021706050

**3355127 HEATING ELEMENT 1600W 220V**  
ø external 190 mm - internal ø 178 mm  
total height 65 mm  
flange 70x22 mm  
operating ambient: dry



EGO 2413870022

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm





Suitable for:

EGO



**3755447 HEATING ELEMENT 1650W 400V**  
length 245 mm - width 255 mm  
total height 94 mm



EGO 2410079830

**3755431 HEATING ELEMENT 1700W 400V**  
length 305 mm - width 215 mm  
total height 85 mm



EGO 2410062620

**3755300 HEATING ELEMENT 1800W 230V**  
ø external 200 mm - total height 75 mm  
flange 70x22 mm



EGO 2028907000

**3455209 HEATING ELEMENT 1950W 230V**  
length 455 mm - width 105 mm  
fittings M12x1 mm




EGO 2434105023

**5056228 HEATING ELEMENT 2000/2071W 400/415V**  
length 490 mm - width 575 mm  
flange 104x32 mm



EGO

**3855035 HEATING ELEMENT 2000/2177W 230/240V**  
length 205 mm - width 260 mm  
flange 25x11 mm



EGO 2080763000

**3755226 HEATING ELEMENT 2000W 230V**  
length 455 mm - width 260 mm  
height 20 mm - fittings M10x1 mm  
operating ambient: immersion



EGO 2023661000

**3855078 HEATING ELEMENT 2000W 230V**  
length 568 mm - width 98 mm  
height 75 mm



EGO 2035806000

**3755432 HEATING ELEMENT 2000W 400V**  
length 335 mm - width 232 mm  
total height 85 mm




EGO 2410082520

**5029332 HEATING ELEMENT 2200W 230V**  
length 395 mm - width 200 mm  
2 flanges 30x16 mm



EGO 2029970000

**3755584 HEATING ELEMENT 2300W 230V**  
external  $\varnothing$  193 mm - total height 73 mm  
flange 70x22 mm



EGO 2021291010

EGO 2021291101

Suitable for:

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



**3855017 HEATING ELEMENT 2350W 230V**  
length 510 mm - width 130 mm  
height 75 mm - flange 70x22 mm



EGO 2027610000

**3755302 HEATING ELEMENT 2400W 230V**  
external  $\varnothing$  193 mm - total length 60 mm  
flange 70x22 mm



**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



EGO 2023077000

**3755135 HEATING ELEMENT 250W 230V**  
length 495 mm - width 200 mm  
2 flanges 30x16 mm



EGO 2021843000

**3355055 HEATING ELEMENT 2500W 220V**  
external  $\varnothing$  190 mm - internal  $\varnothing$  178 mm  
total height 93 mm  
flange 70x22 mm



**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



EGO 2413881023



Suitable for:

**EGO**



**3355214 HEATING ELEMENT 2500W 220V**  
length 530 mm - width 615 mm  
flange 70x22 mm



EGO 2410025310

Suitable for:

**3855074 HEATING ELEMENT 2500W 220V**  
length 350 mm - width 270 mm



EGO 2035812000

**3755583 HEATING ELEMENT 2500W 230V**  
outer  $\varnothing$  193 mm - overall height 60 mm  
flange 47x17 mm



EGO 2017983000

EGO 2019584000


EGO 2021693000

EGO 2021697000

EGO 2035031000

EGO 92035031000

**3755723 HEATING ELEMENT 2600W 230V**  
 $\varnothing$  external 200 mm - total height 65 mm  
flange 70x22 mm



EGO 2020219050

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



**3755364 HEATING ELEMENT 275W 230V**  
length 395 mm - width 33 mm  
flange 40x24 mm




EGO 2029888000

**3855080 HEATING ELEMENT 2750W 220V**  
length 300 mm - width 105 mm  
fittings M14x1.5 mm




EGO 2035825000

**3855014 HEATING ELEMENT 3000W 400V**  
length 420 mm - width 330 mm  
flange 70x22 mm



EGO 2023019010

**3455140 HEATING ELEMENT 3100W 220V**  
length 380 mm - width 255 mm  
flange 127x22 mm



EGO 12434034024



Suitable for:


**3355209 HEATING ELEMENT 3200W 240V**  
length 675 mm - width 120 mm



EGO 3380000171

Suitable for:

**3755185 HEATING ELEMENT 3200W 240V**  
length 570 mm - width 520 mm  
flange 70x22 mm



EGO 2410094800

**3755366 HEATING ELEMENT 350W 230V**  
length 425 mm - width 300 mm  
with cables



EGO 2029666000

**5047576 HEATING ELEMENT 350W 230V**  
length 425 mm - width 270 mm  
complete with cables



EGO 2030269000

**5069740 HEATING ELEMENT 380W 230V**  
external  $\varnothing$  205 mm - overall height 57 mm  
flange 70x22 mm



EGO 2030332000

**3755103 HEATING ELEMENT 3800W 230V**  
immersed length 250 mm  
flange external  $\varnothing$  72 mm  
with O-ring




EGO 2430081560

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



**3755656 HEATING ELEMENT 3950W 230V**  
length 510 mm - width 545 mm  
flange 160x22 mm



EGO 2430094700

**3755363 HEATING ELEMENT 400W 230V**  
length 560 mm - width 33 mm  
flange 40x22 mm - complete with cables



EGO 2028910000



Suitable for:

**EGO**



**3855013 HEATING ELEMENT 4000W 230V**  
ø ext. 215 mm - overall height 98 mm  
flange 70x22 mm



EGO 2021988010

**3855081 HEATING ELEMENT 4000W 230V**  
length 413 mm - width 85 mm  
fittings M14x1.5 mm



EGO 2035841000

**3855083 HEATING ELEMENT 4000W 230V**  
length 415 mm - width 88 mm  
fittings M14x1.5 mm




EGO 2035840000

**3355733 HEATING ELEMENT 4000W 400V**  
external ø 215 mm - overall height 98 mm  
flange 70x22 mm



EGO 2021874010

**3455139 HEATING ELEMENT 4050W 230V**  
overall length 460 mm - overall width 470 mm  
immersed length 400 mm  
flange 127x22 mm



EGO 12434226023

**3455097 HEATING ELEMENT 4500W 220/380V**  
immersion depth 390 mm  
flange external ø 63 mm  
with O-ring



EGO 2463345000

**3186013 O-RING 06187 EPDM ø 58 mm**  
ring thickness 5.34 mm - internal ø 47.00 mm



**3355732 HEATING ELEMENT 4800W 400V**  
internal ø 180 mm - total height 55 mm  
flange 70x22 mm



EGO 2026863010

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm




**3755219 HEATING ELEMENT 500W 230V**  
 immersed length 295 mm  
 fitting  $\varnothing$  3/4" - complete with cables



EGO 2080461000

Suitable for:

**3755367 HEATING ELEMENT 550W 230V**  
 length 430 mm - width 470 mm  
 complete with cables



EGO 2029667000

**3755436 HEATING ELEMENT 6000W 230V**  
 immersed length 395 mm  
 flange external  $\varnothing$  63 mm  
 with thermostat probe receptacle  
 with O-ring  
 with cables



EGO 2430066030

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



**3755114 HEATING ELEMENT 6000W 400V**  
 $\varnothing$  ext. 215 mm - overall height 95 mm  
 flange 70x22 mm



EGO 2019696020

**3455452 HEATING ELEMENT 700W 230V**  
 length 430 mm - width 200 mm



EGO 2029861000

**3755131 HEATING ELEMENT 700W 230V**  
 length 395 mm - width 200 mm  
 operating ambient: dry



EGO 2030194000

**3755485 HEATING ELEMENT 7500W 230V**  
 immersed length 475 mm  
 fitting  $\varnothing$  1-1/2"  
 with bulb holder sheathing



EGO 2430018040

**3186011 FLAT CARBO GASKET  $\varnothing$  63x48x2 mm**  
 universal carbo  
 for heating element






Suitable for:

# EGO



**5072808 HEATING ELEMENT 760W 230V**  
external  $\varnothing$  203 mm - overall height 67 mm  
flange 70x22 mm



EGO 2030395010

**3355159 HEATING ELEMENT 800W 220V**  
length 395 mm - width 60 mm  
couplings  $\varnothing$  1/4"  
operating ambient: dry



EGO 2413871022

**5029084 HEATING ELEMENT 800W 230V**  
length 232 mm - width 65 mm  
flange 81x28 mm



EGO 2040631000

**5086722 HEATING ELEMENT 800W 230V**  
length 270 mm - width 98 mm  
2 flanges 32x17 mm



EGO LF-50786722

**3355204 HEATING ELEMENT 800W 240V**  
length 475 mm - width 70 mm



EGO 3340000491

**3755511 HEATING ELEMENT 8000W 230V**  
immersed length 385 mm  
flange external  $\varnothing$  63 mm  
with thermostat probe receptacle  
with O-ring  
with cables




EGO 2430066010

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



**3455123 HEATING ELEMENT 850W 220V**  
length 645 mm - width 145 mm  
flange 70x22 mm



EGO 2434548023

**3455124 HEATING ELEMENT 850W 230V**  
length 645 mm - width 150 mm



EGO 2433580022

Suitable for:

**5066551 HEATING ELEMENT 850W 240V**  
external  $\varnothing$  195 mm



EGO 2035246000

Suitable for:

**3355150 HEATING ELEMENT 900W 220V**  
length 430 mm - width 120 mm  
flange 100x20 mm



EGO 2410021630

**3455084 HEATING ELEMENT 900W 230V**  
length 420 mm - width 45 mm  
fittings M12x1 mm  
operating ambient: immersion



EGO 0087203311

EGO 87203311

**3755136 HEATING ELEMENT 900W 230V**  
length 645 mm - width 180 mm  
2 flanges 36x16 mm



EGO 2028908000

**3755365 HEATING ELEMENT 900W 230V**  
length 665 mm - width 602 mm  
flange 70x15 mm



EGO 2029739000

**3855024 HEATING ELEMENT 9000W 230V**  
immersed depth 535 mm  
flange  $\varnothing$  ext. 63 mm




EGO 2029335000

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm




**3755361 PLATE HEATING ELEMENT 1800W 230V**  
with adjustment thermostat



EGO 2806013200

**3786273 HEATING ELEMENT GASKET  $\varnothing$  192x160x3 mm**



EGO 624074



Suitable for:

**EGO**



**3755362 PLATE HEATING ELEMENT 1800W 230V**  
with adjusting thermostat  
with safety thermostat



EGO 2806013300

Suitable for:

**3786273 HEATING ELEMENT GASKET ø 192x160x3 mm**



EGO 624074

**7100878 PLATE HEATING ELEMENT 3000W 230V**  
with adjustment thermostat  
with safety thermostat



EGO 2806013400

**3786273 HEATING ELEMENT GASKET ø 192x160x3 mm**



EGO 624074

## Induction coils

**3075004 COIL FOR INDUCTION HOB WOK ø 300 mm**  
for INDUCTION HOB WOK 1 FLAME 5kW 400V



EGO 7893208027

**3075003 INDUCTION GENERATOR HOB-WOK 5kW 400V**  
50/60Hz  
for INDUCTION HOB WOK



EGO 7899260084


**3075002 INDUCTION GENERATOR WOK 5kW 400V**  
50/60Hz  
for INDUCTION HOB WOK



EGO 7899111306


## Knobs

**2111711 BLACK KNOB ø 50 mm**  
D-shaped hole 6x4.6 mm  
with reference symbol  
for EGO thermostat



EGO 524808

**3444129 BLACK KNOB ø 50 mm**  
D-shaped hole 6x4.6 mm  
with symbol  
for thermostats and timers



EGO 524413

EGO 8335612010



Suitable for:

**2111526 BLACK KNOB ø 50 mm SCREEN-PRINTED**  
D shaped pin 6x4.6 mm  
for thermostat EGO



EGO 524406

EGO 8335622010

Suitable for:

**3241565 BLACK KNOB ø 50 mm SILK-SCREEN PRINTED**  
D-shaped hole 6x4.6 mm  
for EGO energy regulator



EGO 0000524162

**3241567 BLACK KNOB ø 50 mm SILK-SCREEN PRINTED**  
D-shaped hole 6x4.6 mm  
for thermostat EGO



EGO 0000524830

**3241564 BLACK KNOB ø 50 mm 0-1-2-3**  
D-shaped hole 6x4.6 mm  
for EGO energy regulator



EGO 0000524054

**3241566 BLACK KNOB ø 50 mm 0-1-2-3**  
D-shaped hole 6x4.6 mm  
for EGO energy regulator



EGO 0000524010

EGO 524010

**3241827 BLACK KNOB ø 50 mm 100-180°C**  
D-shaped pin ø 6x4.6 mm  
for EGO thermostat



EGO 524813

**3241870 BEZEL RING NUT ø 52 mm**  
chrome plated metal Bezel  
for EGO thermostate knob



EGO 6762000020

EGO 6762105

EGO 6762105000

EGO 6762108

**3241741 BLACK KNOB ø 50 mm 100-350°C**  
D-shaped hole 6x4.6 mm  
for EGO thermostat



EGO 0000524810

EGO 524810

**3241870 BEZEL RING NUT ø 52 mm**  
chrome plated metal Bezel  
for EGO thermostate knob



EGO 6762000020

EGO 6762105

EGO 6762105000

EGO 6762108



Suitable for:

**EGO**



**3444126 BLACK KNOB  $\varnothing$  50 mm 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for EGO thermostat



EGO 524407

EGO 8335623010

Suitable for:

**3444125 BLACK KNOB  $\varnothing$  50 mm 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for EGO thermostat



EGO 0000524401

EGO 524401

EGO 8335601010

**3444128 BLACK KNOB  $\varnothing$  50 mm 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for EGO thermostat



EGO 524403

EGO 8335604010

**3444441 BLACK KNOB  $\varnothing$  50 mm 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for EGO thermostat



EGO 0000524807

**3444187 BLACK KNOB  $\varnothing$  50 mm 50-500°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for EGO thermostat



EGO 0000524834

EGO 524834

**3241637 BLACK KNOB  $\varnothing$  50 mm 60°-200°C**  
D-shaped hole 6x4.6 mm  
for EGO thermostat



EGO 524806

**3445000 BLACK KNOB  $\varnothing$  50 mm 90-200°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for EGO thermostat



EGO 524848


**3241055 FIXING CLIP**  
for knob with  $\varnothing$  8 mm hole



EGO 0000607007

EGO 607007

**5081001 GASKET FOR PIN KNOB 6x4.6 mm**  
external  $\varnothing$  17 mm - thickness 4 mm



EGO

**3241165 KNOB BLACK  $\varnothing$  43 mm 50-300°C**  
D-shaped hole 6x4.6 mm



EGO





Suitable for:


**3241726 KNOB BLACK ø 45 mm ON-1-2-3-4-FULL**  
D-shaped hole 4.8x4.1 mm  
for energy adjuster EGO



EGO 524235

Suitable for:

**3241829 KNOB BLACK ø 50 mm 0-1-0-1**  
D-shaped hole 6x4.6 mm  
for energy adjuster EGO



EGO 0000524056

EGO 524056


**3241309 KNOB BLACK ø 50 mm 0-1-2-3**  
D-shaped hole 6x4.6 mm  
for energy adjuster EGO



EGO 0000524058

EGO 524058

**3241320 KNOB BLACK ø 50 mm 0-1-2-3**  
D-shaped hole 6x4.6 mm  
for energy adjuster EGO



EGO 0000524051

EGO 524051

**3241552 KNOB BLACK ø 50 mm 0-1-2-3-4**  
D-shaped hole 6x4.6 mm  
for energy adjuster EGO



EGO 0000524059

EGO 524059

**3241319 KNOB BLACK ø 50 mm 30°-85°C**  
D-shaped hole 6x4.6 mm  
for THERMOSTAT EGO



EGO 0000524837

EGO 524803

**3241721 KNOB BLACK ø 50 mm 30°-90°C**  
D-shaped hole 6x4.6 mm  
for thermostat EGO



EGO 524804

**5069708 KNOB WHITE ø 44,5mm ON-1-2-3-4-FULL**  
D-shaped hole 4,8x4,1 mm  
for energy regulator EGO



EGO 524234

**3241944 PIN EXTENSION LENGTH 18 mm**  
overall length 28 mm  
D-shaped hole 6x4.6 mm



EGO 4772018000

**3241318 PIN EXTENSION 28 mm**  
overall length 38 mm  
D-shaped hole 6x4.6 mm



EGO 4772028000



Suitable for:

EGO



Suitable for:

## Potentiometers

- 3350091 DIGITAL POTENTIOMETER**  
 temperature max 85°C  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 double totating sense  
 for INDUCTION HOB 1 FLAME 5kW 400V  
 for INDUCTION HOB WOK 1 FLAME 5kW 400V



EGO 7898100100

## Radiant heating elements

- 3311165 RADIANT HEATING ELEM.  $\varnothing$  165mm 1200W 230V**  
 faston electric connections  
 complete with energy regulation  
 for glass-ceramic cooking top



EGO 1054111004

- 3311168 RADIANT HEATING ELEM.  $\varnothing$  165mm 1200W 230V**  
 faston electric connections  
 complete with energy adjuster  
 for glass-ceramic cooking top



EGO 1074631004

EGO 1084631040

- 2101631 RADIANT HEATING ELEM.  $\varnothing$  175 mm 700W 230V**  
 faston electric connections  
 complete with power setting  
 for glass-ceramic cooking top



EGO 1078631007

- 3311169 RADIANT HEATING ELEM.  $\varnothing$  200mm 1700W 230V**  
 faston electric connections  
 complete with energy adjuster  
 for glass-ceramic cooking top



EGO 1078631004

EGO 1088631040

- 3311166 RADIANT HEATING ELEM.  $\varnothing$  200mm 1800W 230V**  
 faston electric connections  
 complete with energy regulation  
 for glass-ceramic cooking top



EGO 1058111004

- 3311088 RADIANT HEATING ELEM.  $\varnothing$  230mm 2100W 230V**  
 faston electric connections  
 complete with energy adjuster  
 for glass-ceramic cooking hob



EGO 1071261004

Suitable for:

**3311108 RADIANT HEATING ELEM. ø 230mm 2100W 230V**  
 faston electric connections  
 complete with energy adjuster  
 for glass-ceramic cooking hob



EGO 1071431004

EGO 6025176295

Suitable for:


**3311170 RADIANT HEATING ELEM. ø 230mm 2100W 230V**  
 faston electric connections  
 complete with energy adjuster  
 for glass-ceramic cooking top



EGO 1071631004

EGO 1081631040

**2110855 RADIANT HEATING ELEM. ø 230mm 2200W 230V**  
 faston electric connections  
 complete with energy adjuster  
 for glass-ceramic cooking hob



EGO 1051211004

EGO 1051211005

**3311107 RADIANT HEATING ELEM. ø 230mm 2200W 230V**  
 faston electric connections  
 complete with energy adjuster  
 for glass-ceramic cooking hob



EGO 1051211004


EGO 6025171012

**3311122 RADIANT HEATING ELEM. ø 230mm 2300W 230V**  
 faston electric fitting  
 complete with energy regulator  
 for glass-ceramic cooking top




EGO 1051116004

**3311167 RADIANT HEATING ELEM. ø 230mm 2300W 230V**  
 faston electric connections  
 complete with energy adjuster  
 for glass-ceramic cooking top



EGO 1051111004

**2110751 RADIANT HEATING ELEM. ø 250mm 2500W 230V**  
 faston electric connections  
 complete with power setting  
 for glass-ceramic cooking top



EGO 1053111004

**3311087 RADIANT HEATING ELEM. ø 250mm 2500W 230V**  
 faston electric connections  
 complete with energy regulation  
 for glass-ceramic cooking top



EGO 1053211004

**3311160 RADIANT HEATING ELEM. ø 250mm 2500W 230V**  
 faston electric connections  
 complete with energy regulation  
 for glass-ceramic cooking top



EGO 1073631004

**5072130 RADIANT HEATING ELEM. ø 250mm 2500W 230V**  
 faston electric connections  
 complete with power setting  
 for glass-ceramic cooking top



EGO 1073631014



Suitable for:

**EGO**



**2101023 RADIANT HEATING ELEM. ø 250mm 2500W 400V**  
faston terminal block  
complete with power setting  
for glass-ceramic cooking top



EGO 1053111106

**7107573 RADIANT HEATING ELEM. ø 250mm 3000W 230V**  
faston electric connections  
complete with power setting  
for glass-ceramic cooking top



EGO 1073636014

**3311106 RADIANT HEATING ELEM. ø165mm 1200W 230V**  
faston electric connections  
complete with energy adjuster  
for glass-ceramic cooking hob



EGO 1074431004


**3755855 RADIANT HEATING ELEMENT 1500W 230V**  
length 265 mm - width 165 mm  
complete with cables



EGO 1057401340


EGO 1057401344

**7105359 RADIANT HEATING ELEMENT 2300W 230V**  
length 320 mm - width 190 mm  
height 30 mm - faston electrical connections




EGO 1057413204

**3311123 RADIANT HEATING ELEMENT 2500W 400V**  
size 300x300 mm  
radiating size 270x270 mm  
screw electric connections  
for glass-ceramic cooking top  
WITHOUT PAN DETECTION SENSOR




EGO 1077828001

**3311125 RADIANT HEATING ELEMENT 2500W 400V**  
size 300x300 mm  
radiating size 270x270 mm  
screw electric connections  
for glass-ceramic cooking top  
WITH PAN DETECTION SENSOR



EGO 1077848001

**3311105 RADIANT HEATING ELEMENT 3500W 240V**  
dimensions 300x300 mm  
radiant size 270x270 mm  
terminal block electric connections  
for glass-ceramic cooking hob  
NO PAN DETECTION SENSOR




EGO 1077828002

EGO 1077828003

**3311124 RADIANT HEATING ELEMENT 3500W 400V**


dimensions 300x300 mm  
 radiant size 270x270 mm  
 terminal block electric connections  
 for glass-ceramic cooking top  
 NOT EQUIPPED WITH PAN DETECTOR



EGO 1077828008

**3311126 RADIANT HEATING ELEMENT 3500W 400V**

size 300x300 mm  
 radiating size 270x270 mm  
 screw electric connections  
 for glass-ceramic cooking top  
 WITH PAN DETECTION SENSOR



EGO 1077848008

**2105893 RADIANT HEATING ELEMENT 4000W 400V**


dimensions 300x300 mm  
 radiant size 270x270 mm  
 electric connections with cables length 1600 mm  
 for glass-ceramic cooking hob  
 WITHOUT PAN DETECTION SENSOR



EGO 1077827006

**3311103 RADIANT HEATING ELEMENT 4000W 400V**

dimensions 300x300 mm  
 radiant size 270x270 mm  
 terminal block screw connections  
 for glass-ceramic cooking top  
 WITH PAN DETECTOR




EGO 1077848006

EGO 1083848060

**3311151 RADIANT HEATING ELEMENT 4000W 400V**

dimensions 300x300 mm  
 radiant size 270x270 mm  
 terminal block electric connections  
 for glass-ceramic cooking hob  
 WITHOUT PAN DETECTOR




EGO 1077823006

EGO 1083816060

EGO 1083818060

**3311152 RADIANT HEATING ELEMENT 4000W 400V**

dimensions 300x300 mm  
 radiant size 270x270 mm  
 terminal block electric connections  
 for glass-ceramic cooking hob  
 WITH PAN DETECTOR




EGO 1077843006

EGO 1083846060

**7105767 RADIANT HEATING ELEMENT 4000W 400V**

dimensions 300x300 mm  
 radiant size 270x270 mm  
 terminal block electric connections  
 for glass-ceramic cooking hob  
 NO PAN DETECTION SENSOR



EGO 1077828006



Suitable for:


EGO



Suitable for:

## Selector switches

**5084921** **COMMUTATORE 0-1-0-1 POSIZIONI**  
portata contatti 16A 250V - max 150°C  
perno mezzaluna  $\varnothing$  6x4,6 mm



EGO 4204900012

**3057050** **CONNECTING BRACKET 28x21x16 mm**  
distance between hooking brackets 27 mm  
f/connection between selector switch and thermost.



EGO 0000617079

EGO 617078

EGO 617079

**3057307** **CONNECTION BRACKET 28x21x11 mm**  
distance between fixing brackets 27 mm  
for connection between selector switch and thermos



EGO 617078

**5034631** **EXTENSION SELECTOR SWITCH PIN  $\varnothing$  6x4.6 mm**  
length 45 mm



EGO 4709045000

**5061304** **KIT SELECTOR SWITCH 0-1 POSITION**  
with indicator light,connectors, cables and  
potentiometer - contacts 16A 250V  
max 150°C - D-shaped pin  $\varnothing$  6x4.6 mm




EGO 7894031506

**5066902** **KIT SELECTOR SWITCH 0-1 POSITION**  
with indicator lamp,connectors, cables and  
potentiometer - contacts 16A 250V  
max 150°C - D-shaped pin  $\varnothing$  6x4.6 mm



EGO 7894032009

**40G3278** **KIT SELECTOR SWITCH 0-1 POSITIONS**  
complete with potentiometer  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4202900027

**40K5063** **KIT SELECTOR SWITCH 0-1 POSITIONS**  
complete with potentiometer and cables  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4341832030

**40K5090** **KIT SELECTOR SWITCH 0-1 POSITIONS**  
complete with potentiometer and cables  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4941015500

**40K5118** **KIT SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4624866803

EGO 4921015610



**40K5163 KIT SELECTOR SWITCH 0-1 POSITIONS**  
complete with potentiometer and cables  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4341832030

**5034955 KIT SELECTOR SWITCH 0-1 POSITIONS**  
with indicator lamp,connectors, cables and  
potentiometer - contacts 16A 250V  
max 150°C - D-shaped pin  $\varnothing$  6x4.6 mm



EGO 7894031544

**5057222 KIT SELECTOR SWITCH 0-1 POSITIONS**  
complete with indicator light, connectors  
and cables - potentiometer  
contact capacity 16A 250V




EGO 7894031519

**5061829 KIT SELECTOR SWITCH 0-1 POSITIONS**  
with indicator lamp,connectors, cables and  
potentiometer - contacts 16A 250V  
contact capacity 16A 250V




EGO 7894031504

**40C0084 KIT SELECTOR SWITCH 0-9 POSITIONS**  
complete with indicator lamp, connectors  
and cables - potentiometer  
contact capacity 16A 250V



EGO 7894030503

**5031041 SELECTOR SWITCH KIT 0-1 POSITIONS**  
complete with potentiometer and board  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4202900002

**5072978 SELECTOR SWITCH KIT 0-1 POSITIONS**  
with indicator lamps, connector, cables and  
potentiometer - contact flow rate 16A 250V  
max 150°C - D-shaped pin  $\varnothing$  6x4.6 mm




EGO 7894031503

**2101104 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4202900014

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
back connection for thermostat




EGO 4922015500

EGO 4941015300

EGO 4941015700

**3057018 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
back connection for thermostat



EGO 4921015711



Suitable for:

EGO



**3057019** **SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4914915709

EGO 4922015700

**3057026** **SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



EGO 4921015501

EGO 4921015600


**3057027** **SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
rear hole for thermostat



EGO 4921015300


EGO 4921015733

**3057032** **SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4331832000

**3057060** **SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4204400026

**3241123** **KNOB  $\varnothing$  50 mm**  
D-shaped hole 6x4.6 mm




**3057082** **SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm




EGO 4941015705

**3057095** **SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4931015020

**3057121** **SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm



EGO 4203400009

**3057140** **SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4341832000

EGO 4341832030






**3057176** **SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4341832700

EGO 4342032703

**3057177** **SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4941015500

EGO 4941015701


EGO 4941015710

**3057178** **SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin 6x4.6 mm




EGO 4942915707

**3057186** **SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4922015705

**3057196** **SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4623966541


**3057216** **SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 230V - max 150°C  
 D-shaped pin 6x4.6 mm



EGO 4941015702


EGO 4942915704

**3057255** **SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4921015610

**5030542** **SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4202900000

**5036256** **SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4921015320

**5059917** **SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4202900002




Suitable for:

EGO




**7105807** **SELECTOR SWITCH 0-1 POSITIONS**  
with connecting bracket  
contacts capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm



EGO

EGO 4921015600


**5088814** **SELECTOR SWITCH 0-1 POSITIONS KIT**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm



EGO 4921015705


EGO 4942915707

**3057013** **SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin 6x4.6 mm




EGO 4342032700

**3057017** **SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm




EGO 4922015723

**3057022** **SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm




EGO 4942015500

**3057073** **SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm



EGO 4942015000


**3057094** **SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin 6x4.6 mm



EGO 4332032000


EGO 4342032000

**5033121** **SELECTOR SWITCH 0-1 0-2 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin 6x4.6 mm




EGO 4324932040

**3057015** **SELECTOR SWITCH 0-1-0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm



EGO 4922015000


**3057342** **SELECTOR SWITCH 0-1-0-2 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin 6x4.6 mm



EGO 4344032020




**3057349** **SELECTOR SWITCH 0-1-2 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 420240003

Suitable for:

**3057346** **SELECTOR SWITCH 0-1-2-3-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4925215520

**2102983** **SELECTOR SWITCH 0-2 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 420400021

**3057078** **SELECTOR SWITCH 0-2 POSITIONS**  
 contact capacity 16A 250V - max temperature 150°  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4941915707

**3057139** **SELECTOR SWITCH 0-2 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 420440003

**3057151** **SELECTOR SWITCH 0-2 POSITIONS**  
 contact capacity 16A 250V - max temperature 150°  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4914915705

**7100585** **SELECTOR SWITCH 0-2 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4623866557

**2101527** **SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4924015000


**3057001** **SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4324232000

EGO 4324432000

**3057002** **SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4334232000




Suitable for:

# EGO



**3057030 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4921015300+  
EGO 4964215715+

EGO 4944215700+


EGO 4964215715

**3057038 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4924915736

**3057064 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4624866803

**3057087 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4924215000

**3057090 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4942915705

**3057093 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4924215520

**3057098 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4944015702

**3057159 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4944915703

**3057165 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4924215001


**3057180 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4944015714




**3057254 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4932015000

**3057281 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4204000023

**3057305 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 18A 240V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4944015702

**3057306 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4324832060

**3057308 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4324032000

**3057336 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4334232800

**3057337 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4204400002

**3057338 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4324216000

**3057339 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4624966501

**3057343 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4204000010




Suitable for:

EGO




**40KV044** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
Halbmondachse ø 6x4,6 mm




EGO 4334832003

**4032857** **SELECTOR SWITCH 0-3 POSITIONS**  
contact flow rate 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm



EGO 4922015724

**4048719** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm




EGO 4926915782

**5022563** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm



EGO 4204000020

**5050233** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm




EGO 4623966811

**5060576** **SELECTOR SWITCH 0-3 POSITIONS**  
contacts capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm




EGO 4204400001

**5062875** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm




EGO 4934615701

**5074243** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm




EGO 4934615400

**5087950** **SELECTOR SWITCH 0-3 POSITIONS**  
contacts flowrate 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm



EGO 4929915763


**7104056** **SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm



EGO 4922015550




**3057004** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4925915769

**3057006** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4325232020

**3057028** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V-25A 400V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4325232000

**3057031** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V-25A 400V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4325432000


**3057069** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4335232000


EGO 4335232020

**3057096** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4925215530

**3057187** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4925215723

**3057270** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4205100000

**5002051** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4925215000

**7101414** **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4623866802




Suitable for:

# EGO




**3057083 SELECTOR SWITCH 0-5 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4923815000


EGO 4923815050

**3057172 SELECTOR SWITCH 0-5 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4623866500

**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm




EGO 4327232000

**3057024 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4927215746

**3057045 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4927215500

**3057076 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm




EGO 4627266813

**3057089 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



EGO 4207000025


**3057092 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4927215520

EGO 4927215747

**3057205 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



EGO 4627266500

**3057079 SELECTOR SWITCH 0-9 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm




EGO 4200000015






**3057340 SELECTOR SWITCH 1-2-1-2**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4954915510

**3057341 SELECTOR SWITCH 1-2-1-2 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4922915500

**3057335 SELECTOR SWITCH 10 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4929815733

**3057256 SELECTOR SWITCH 4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4923815560

**5055327 SELECTOR SWITCH 7 POS. SMEG 811730316**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4155710004

**5076655 SELECTOR SWITCH 9 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4200000050

**7104329 SELECTOR SWITCH 9 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4200400003

**5076559 SELECTRO SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4923815831

**5093519 SELECTRO SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4205001007

**5034977 SWITCH 0-3 POSITIONS**  
 contacts 16A 250V - max 150°C  
 D-Shaft 6x4.6 mm



EGO 4204400025



Suitable for:

EGO



Suitable for:

## Terminal blocks

**3247010** TERMINAL BLOCK 2-POLES OF CERAMIC  
dimensions 32x46x15 mm



EGO 3805021000

## Thermostats

**3444149** ADAPTER FOR SELECTOR SWITCH 45x22x9 mm



EGO 0004695500

**3241870** BEZEL RING NUT  $\varnothing$  52 mm  
chrome plated metal Bezel  
for EGO thermostate knob



EGO 6762000020  
EGO 6762108

EGO 6762105

EGO 6762105000

**3444617** BULB CONNECTION  $\varnothing$  9.5 mm HOLE  $\varnothing$  3/8"  
stuffing gland  $\varnothing$  1/4" - washer  $\varnothing$  11.5 mm  
gasket  $\varnothing$  10.5 mm - thickness 6.5 mm



EGO 6700700100

**3444616** BULB CONNECTION M12 HOLE  $\varnothing$  6 mm  
stuffing gland M9x1 - washer  $\varnothing$  7.7 mm  
gasket  $\varnothing$  7.8 mm - thickness 5 mm



EGO 6706100100

**3444279** BULB HOLDING CLIP  
for heating element thermostat  
for pipe  $\varnothing$  9 mm - for bulb  $\varnothing$  6 mm



EGO

**3444605** BULB HOLDING CLIP  
for heating element thermostat  
for pipe  $\varnothing$  8.5 mm - for bulb  $\varnothing$  6 mm



EGO

**3250220** BULB HOLDING CLIP  $\varnothing$  6 mm  
for heating element thermostat



EGO

**2111161** GASKET STUFFING GLAND  $\varnothing$  7.5 mm  
height 7 mm  
for THERMOSTAT EGO



EGO 0000624043

EGO 624043

**3786474 GASKET STUFFING GLAND  $\varnothing$  7.8 mm**  
height 5 mm  
for thermostat EGO



EGO 0006706103

EGO 6706103


Suitable for:

**4006098 GASKET STUFFING GLAND  $\varnothing$  8 mm**  
height 8 mm for thermostat EGO




EGO

**3444657 KIT SINGLE-PHASE THERMOSTAT 222°C**  
with manual reset  
complete with bulb and plate fastening clips  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x158 mm



EGO 5610542610

**5062202 PIN M4 THERMOSTAT FASTENING**



EGO 0000615004


**3444124 PROTECTION CAP**  
for safety thermostat  
for THERMOSTAT EGO



EGO 0000525020


EGO 525020

**5038124 SET THERMOSTAT SINGLE-PHASE 101-187°C**  
complete with bracket and stuffing gland fitting M  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 520 mm - 16A 250V  
bulb  $\varnothing$  6x133 mm - with stuffing gland fitting M10x



EGO 5519032100

**2111707 SINGLE PHASE THERMOSTAT 175°C**  
with automatic reset  
capillary length 600 mm - 16A 250V  
bulb  $\varnothing$  7,5x30 mm




EGO 5514139800

**5011446 SINGLE PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2700 mm - 16A 250V  
bulb  $\varnothing$  5x90 mm




EGO 5519026800

**5029092 SINGLE PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm



EGO 5519024804

**3744201 SINGLE-PHASE THERMOSTAT 60-190°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 2040 mm - 16A 250V  
bulb  $\varnothing$  6x69 mm



EGO 5513039250



Suitable for:

**EGO**



**2111792 SINGLE-PHASE THERMOSTAT 0-40°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulbo  $\varnothing$  6x218 mm



EGO 5519202800

Suitable for:

**5067910 SINGLE-PHASE THERMOSTAT 0-40°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 840 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm



EGO 5517002020

**3444784 SINGLE-PHASE THERMOSTAT 100-175°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1470 mm - 16A 230V  
bulb  $\varnothing$  6x130 mm



EGO 5519034800

**3444938 SINGLE-PHASE THERMOSTAT 100-175°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x100 mm



EGO 5513032370

**3241637 BLACK KNOB  $\varnothing$  50 mm 60°-200°C**

D-shaped hole 6x4.6 mm  
for EGO thermostat



EGO 524806

**3744008 SINGLE-PHASE THERMOSTAT 100-180°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm  
bulb  $\varnothing$  6x130 mm - with adapter nipple bland M9x1  
with complete tank coupling M12x1



EGO 5519032203

**3444482 SINGLE-PHASE THERMOSTAT 100-185°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1800 mm  
bulb  $\varnothing$  4x230 mm - with adapter nipple bland M9x1



EGO 5519035802




**3444666 SINGLE-PHASE THERMOSTAT 100-185°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2400 mm - 16A 230V  
 bulb  $\varnothing$  6x90 mm - with stuffing gland fitting M9x1  
 with complete tank sealing fitting M12x1



EGO 5513639030

EGO 9755136156

**7101561 SINGLE-PHASE THERMOSTAT 100-185°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 700 mm  
 bulb  $\varnothing$  4x235 mm



EGO 5519632040

**3444111 SINGLE-PHASE THERMOSTAT 100-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm - with adapter nipple bland M9x1



EGO 5519032805

**3444233 SINGLE-PHASE THERMOSTAT 100-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1750 mm - 16A 250V  
 bulb  $\varnothing$  6x133 mm - with adapter nipple bland M9x1



EGO 5519035800

**3444652 SINGLE-PHASE THERMOSTAT 100-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm  
 bulb  $\varnothing$  4x235 mm



EGO 5519032807

**3744096 SINGLE-PHASE THERMOSTAT 100-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x74 mm



EGO 5519052802

**5038072 SINGLE-PHASE THERMOSTAT 100-350°C**  
 complete with auxiliary switch  
 D-Shaft 6x4.6 mm  
 covered capillary length 870 mm - 16A 400V  
 bulb  $\varnothing$  3x144 mm



EGO 5519662010

**2101739 SINGLE-PHASE THERMOSTAT 100-500°C**  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 capillary length 860 mm  
 bulb  $\varnothing$  4x165 mm



EGO 5513082010



Suitable for:

**EGO**



**3444974 SINGLE-PHASE THERMOSTAT 100-615°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm



EGO 5534683010

**3443073 SINGLE-PHASE THERMOSTAT 100-680°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 16A 230V  
 bulb  $\varnothing$  4x230 mm



EGO 5534683070

**5056716 SINGLE-PHASE THERMOSTAT 101-187°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 890 mm - 16A 250V  
 $\varnothing$  6x133 mm bulb - with stuffing gland fitting M10x




EGO 5519032100

**5063387 SINGLE-PHASE THERMOSTAT 101-192°C**  
 D shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1770 mm  
 bulb  $\varnothing$  6x134 mm -



EGO 5519035020

**3444260 SINGLE-PHASE THERMOSTAT 105-185°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 threaded bulb  $\varnothing$  1/2"x91 mm



EGO PO98161705

EGO 5519032816

EGO 5519932801

**3444358 SINGLE-PHASE THERMOSTAT 105-185°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple bland M10x1



EGO PO98311705

EGO 5519032831+...

EGO 5519932802

**3444568 SINGLE-PHASE THERMOSTAT 105-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x130 mm - with adapter nipple bland M10x1



EGO 5102918250

EGO 5519032831

EGO 5519039815


**3744061 SINGLE-PHASE THERMOSTAT 125°C**  
 with manual reset  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x150 mm



EGO 5513322020



**3444352 SINGLE-PHASE THERMOSTAT 130°C**  
with manual reset  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x129 mm




EGO 5510522802

EGO 5510522830

EGO 5519522020

**3444736 SINGLE-PHASE THERMOSTAT 130°C**  
with manual reset  
capillary length 850 mm - 16A 230V  
bulb  $\varnothing$  6x130 mm




EGO 5513522090

**2101415 SINGLE-PHASE THERMOSTAT 130-190°C**  
D-shaped pin 6x4.6 mm  
capillary length 1250 mm - 16A 250V  
bulb  $\varnothing$  6x120 mm



EGO 5517039010

**2111771 SINGLE-PHASE THERMOSTAT 130-190°C**  
D-shaped pin 6x4.6 mm  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x117 mm



EGO 5518032020


**3444494 SINGLE-PHASE THERMOSTAT 130-400°C**  
complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 800 mm  
bulb  $\varnothing$  4x165 mm



EGO 5513672020

EGO 6404010010

**3444782 SINGLE-PHASE THERMOSTAT 132°C**  
with manual reset  
capillary length 850 mm - 16A 230V  
bulb  $\varnothing$  3.1x250 mm - with adapter nipple bland M9x1



EGO 5513522020


EGO 5513522400

**3444545 SINGLE-PHASE THERMOSTAT 140°C**  
with automatic reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x158 mm



EGO 5519322801

**3444564 SINGLE-PHASE THERMOSTAT 140°C**  
with manual reset  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  3.1x226 mm



EGO 5510522808

EGO 5519522030

**3444772 SINGLE-PHASE THERMOSTAT 140°C**  
with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x130 mm



EGO 5510522803

EGO 5519522010

**3444929 SINGLE-PHASE THERMOSTAT 140°C**  
with manual reset  
capillary length 900 mm  
bulb  $\varnothing$  6x90 mm



EGO 5513122110




Suitable for:

EGO




**3444665 SINGLE-PHASE THERMOSTAT 140-195°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 880 mm-16A 250V  
 bulb  $\varnothing$  6x77 mm-with adapter nipple bland M9x1



EGO 5513632030

**3444757 SINGLE-PHASE THERMOSTAT 145°C**  
 with manual reset  
 capillary length 1170 mm  
 bulb 4x100 mm



EGO 5513523070

**3444495 SINGLE-PHASE THERMOSTAT 147°C**  
 with manual reset  
 covered capillary length 1800 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm



EGO 5131995080


EGO 5610539550

**3444319 SINGLE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 capillary length covered 900 mm - 16A 250V  
 bulb  $\varnothing$  6x70 mm



EGO 5519122803

**3444350 SINGLE-PHASE THERMOSTAT 150°C**  
 with automatic reset  
 covered capillary length 1000 mm  
 bulb  $\varnothing$  6x86 mm



EGO 5510129827

EGO 5519129010

**3444485 SINGLE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 capillary length 900 mm  
 bulb  $\varnothing$  3x220 mm



EGO 5510522819


EGO 5519522080

**3744004 SINGLE-PHASE THERMOSTAT 150-200°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 2000 mm  
 bulb  $\varnothing$  6x135 mm



EGO 5519039201

**3444476 SINGLE-PHASE THERMOSTAT 170°C**  
 2 contacts  
 covered capillary length 560 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm



EGO 5511539801

**5081020 SINGLE-PHASE THERMOSTAT 182°C**  
 with manual reset  
 covered capillary length 2430 mm  
 bulb  $\varnothing$  4x92 mm



EGO 5610539590

**3444670 SINGLE-PHASE THERMOSTAT 190°C**  
 with manual reset  
 capillary length 350 mm - 16A 250V  
 bulb  $\varnothing$  3.1x178 mm - with adapter nipple bland M9x1




EGO 5513531010





**3444137 SINGLE-PHASE THERMOSTAT 20-120°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 button bulb  $\varnothing$  14x9 mm



EGO PO58691705


EGO 5510922800

EGO 5519022030

**5013373 KNOB BLACK-RED  $\varnothing$  68 mm**  
 D-shaped hole 6x4.6 mm




**3444316 SINGLE-PHASE THERMOSTAT 200°C**  
 with manual reset  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x70 mm




EGO 5532532817

**3444649 SINGLE-PHASE THERMOSTAT 200°C**  
 with manual reset  
 covered capillary length 870 mm  
 bulb  $\varnothing$  6x133 mm




EGO 5519532010

**3444908 SINGLE-PHASE THERMOSTAT 210°C**  
 with manual reset  
 capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1



EGO 5513532020

**3444733 SINGLE-PHASE THERMOSTAT 213°C**  
 with manual reset  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x90 mm



EGO 5532542380

**3444554 SINGLE-PHASE THERMOSTAT 216°C**  
 with automatic reset  
 covered capillary length 1250 mm  
 bulb  $\varnothing$  6x80 mm



EGO 5534143802

**3444026 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x80 mm



EGO 5510542831

EGO 5519542200

**3444064 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 790 mm - 16A 250V  
 bulb  $\varnothing$  3x178 mm



EGO 5510549811

EGO 5519549040

**3444080 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 covered capillary length 2020 mm - 16A 250V  
 bulb  $\varnothing$  6x133 mm



EGO 5510549829

EGO 5519549020



Suitable for:

EGO



**3444107 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  6x142 mm - with adapter nipple bland M9x1



EGO 5510542814

EGO 5510542830

EGO 5519542010


**3444629 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 covered capillary length 2000 mm  
 bulb  $\varnothing$  6x87 mm



EGO 5510549800


EGO 5519549030

**3444903 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M9x1




EGO 5513542200

**3444922 SINGLE-PHASE THERMOSTAT 225°C**  
 with manual reset  
 capillary length 900 mm  
 bulb  $\varnothing$  6x90 mm




EGO 5513542140

**2101288 SINGLE-PHASE THERMOSTAT 230°C**  
 with automatic reset  
 capillary length 700 mm - 16A 250V  
 bulb  $\varnothing$  6x78 mm - with stuffing gland fitting M9x1




EGO 5610549510

**2111022 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 2020 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm



EGO 5610549560


**3444071 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm



EGO 5510542805

EGO 5519542130

**3444138 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 850 mm - 16A 250V  
 button bulb  $\varnothing$  14x10 mm



EGO 5510542815

EGO 5510542828

EGO 5519542050

EGO 5519542190



Suitable for:

Suitable for:

**3444199 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 complete with wiring  
 covered capillary length 850 mm - 16A 230V  
 bulb  $\varnothing$  4x120 mm - with adapter nipple bland M9x1

**3444238 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 850 mm - 15A 250V  
 button bulb  $\varnothing$  14x26 mm



EGO 5510542807



EGO 5519542140

EGO 5510542850

EGO 5519542030

**3444389 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 600 mm - 16A 250V  
 bulb  $\varnothing$  6x83 mm


**3444483 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 900 mm - 0.5A 12V  
 bulb  $\varnothing$  6x87 mm



EGO 5514549804

EGO 5532542836

**3444497 SINGLE-PHASE THERMOSTAT 230°C**  
 with automatic reset  
 capillary 850 mm - 16A 250V  
 bulb  $\varnothing$  6x78 mm - with adapter nipple bland M9x1



EGO 5532542833

**3444690 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 complete with wiring  
 covered capillary length 1480 mm  
 bulb  $\varnothing$  4x125 mm

**3444124 PROTECTION CAP**  
 for safety thermostat  
 for THERMOSTAT EGO



EGO 5519549050

EGO 0000525020

EGO 525020



Suitable for:

**EGO**




**3444696 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 with knob and nut  
 capillary length 850 mm  
 bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1



EGO 525020


EGO 5513542270

**3444789 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x96 mm - with adapter nipple bland M9x1  
 with complete tank coupling M12x1



EGO 5513549030

**3444637 SINGLE-PHASE THERMOSTAT 234°C**  
 with manual reset  
 capillary length 870 mm  
 bulb  $\varnothing$  11x18 mm - bulb connection M14x1



EGO 5519542170


**3444367 SINGLE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  6x133 mm



EGO 5510542842


EGO 5519542090

**3444624 SINGLE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 covered capillary length 870 mm  
 bulb  $\varnothing$  6x133 mm




EGO 5519542080

**2102036 SINGLE-PHASE THERMOSTAT 238°C**  
 with manual reset  
 capillary length 1500 mm - 16A 230V  
 bulb  $\varnothing$  6x78 mm - with stuffing gland fitting M9x1



EGO 5513544010

**5034252 SINGLE-PHASE THERMOSTAT 238°C**  
 with manual reset  
 complete with cables  
 capillary length 1470 mm - 15A 250V  
 bulb  $\varnothing$  4x124 mm



EGO 5519544010

**3444377 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  6x80 mm - with adapter nipple bland M10x1



EGO 5514549826

Suitable for:


Suitable for:

**3444765 SINGLE-PHASE THERMOSTAT 240°C**  
 with automatic reset  
 capillary length covered 550 mm - 16A 230V  
 bulb  $\varnothing$  4x90 mm



EGO 5511549080

**3744065 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 double bulb  
 covered capillary length 2000 mm  
 bulb  $\varnothing$  6x135 mm



EGO 5510549801

EGO 5519549010

**3444124 PROTECTION CAP**  
 for safety thermostat  
 for THERMOSTAT EGO



EGO 0000525020

EGO 525020

**3744191 SINGLE-PHASE THERMOSTAT 240°C**  
 complete with sealing braiding  
 with automatic reset  
 capillary length 750 mm - 16A 250V  
 bulb  $\varnothing$  6x78 mm  
 with stuffing gland fitting M9x1



EGO 5610549580

**3444259 SINGLE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 850 mm - 16A 250V  
 bulb  $\varnothing$  3x200 mm - with stiffing gland fitting M9x1



EGO 5513542250

EGO 5513542280

**3444372 SINGLE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 1170 mm - 16A 250V  
 bulb  $\varnothing$  6x133 mm




EGO 5510543802

EGO 5510545800

EGO 5519542220

**3444645 SINGLE-PHASE THERMOSTAT 245°C**  
 with automatic reset  
 covered capillary length 2330 mm  
 bulb  $\varnothing$  6x80 mm



EGO 5511549050

EGO 5519543010




Suitable for:

**EGO**




**3444646 SINGLE-PHASE THERMOSTAT 245°C**  
with manual reset  
capillary length 870 mm  
button bulb  $\varnothing$  14x10 mm



EGO 5513542110


Suitable for:

**3744196 SINGLE-PHASE THERMOSTAT 245°C**  
complete with sealing braiding  
with automatic reset  
capillary length 750 mm - 16A 250V  
bulb  $\varnothing$  6x78mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1




EGO 5610549591

**3444732 SINGLE-PHASE THERMOSTAT 246°C**  
with manual reset  
capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M9x1  
with tank sealing fitting complete M12x1




EGO 5513542100

**3444475 SINGLE-PHASE THERMOSTAT 250°C**  
with manual reset  
capillary length 900 mm  
bulb  $\varnothing$  3.1x174 mm




EGO 5514542040

**3444684 SINGLE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  6x90 mm




EGO 5532542858

**40C0999 SINGLE-PHASE THERMOSTAT 268°C**  
with automatic reset  
capillary length covered 1250 mm  
bulb  $\varnothing$  6x78 mm



EGO 5534153800

**3744112 SINGLE-PHASE THERMOSTAT 27-106°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1750 mm - 16A 250V  
bulb  $\varnothing$  6x113 mm



EGO 5518025020

**3444320 SINGLE-PHASE THERMOSTAT 285°C**  
with manual reset  
covered capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  4x115 mm



EGO 5532554800

**3444656 SINGLE-PHASE THERMOSTAT 285°C**  
 with manual reset  
 covered capillary length 730 mm  
 bulb  $\varnothing$  4x112 mm



EGO 5513559010


Suitable for:

**5037327 SINGLE-PHASE THERMOSTAT 299°C**  
 with manual reset  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm



EGO 5532554080


**2101325 SINGLE-PHASE THERMOSTAT 30°-110°C**  
 with switch  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 capillary length 1470 mm - 16A 250V  
 bulb  $\varnothing$  6x112 mm



EGO 5513624010


EGO 5513624020

**3444422 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 830 mm - 16A 250V  
 bulb  $\varnothing$  6x113 mm




EGO 5513222010

**3444470 SINGLE-PHASE THERMOSTAT 30-110°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm - 16A 400V  
 bulb  $\varnothing$  6x113 mm



EGO 5513622080


**3444473 SINGLE-PHASE THERMOSTAT 30-110°C**  
 with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm - 16A 400V  
 bulb  $\varnothing$  4x125 mm



EGO 5510621010

EGO 5513622100


**3444489 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  6x125 mm



EGO 5519022809

EGO 5519224801

**3444664 SINGLE-PHASE THERMOSTAT 30-110°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1470 mm - 16A 250V  
 bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1  
 with complete tank coupling M12x1



EGO 5513624060




Suitable for:

**EGO**




**3444672 SINGLE-PHASE THERMOSTAT 30-110°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2400 mm - 16A 230V  
 bulb  $\varnothing$  6x110 mm - with adapter nipple bland M9x1



EGO 5513629050

EGO 9755136157

**3444698 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm  
 bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1



EGO 5513022010


EGO 5513022370

**3744010 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1800 mm  
 bulb  $\varnothing$  6x135 mm - with stuffing gland coupling M9x  
 with tank sealing coupling complete M12x1




EGO 5519025201

**5014545 SINGLE-PHASE THERMOSTAT 30-110°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 920 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm




EGO 5519622010

**5070709 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1000 mm  
 button bulb  $\varnothing$  11x28 mm




EGO 5519229805

**3444421 SINGLE-PHASE THERMOSTAT 30-115°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1750 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm



EGO 5513025040

**3444313 SINGLE-PHASE THERMOSTAT 30-120°C**  
 with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 890 mm - 16A 250V  
 bulb  $\varnothing$  6x115 mm




EGO 5141918050

EGO 5513622160

EGO 9755136234

**5078008 SINGLE-PHASE THERMOSTAT 30-120°C**  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 capillary length covered 870 mm  
 bulb  $\varnothing$  6x113 mm



EGO 5513022740





**3444742 SINGLE-PHASE THERMOSTAT 30-130°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 850 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm



EGO 5514022120

**3744094 SINGLE-PHASE THERMOSTAT 30-150°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1600 mm  
bulb  $\varnothing$  3x145 mm



EGO 5519029806

**3444913 SINGLE-PHASE THERMOSTAT 30-85°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm  
bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1



EGO 5513012060

**5038099 SINGLE-PHASE THERMOSTAT 30-85°C**


D-shaped pin  $\varnothing$  6x4,6 mm  
capillary length covered 900 mm  
bulb  $\varnothing$  6x130 mm



EGO 5519212816

**3444019 SINGLE-PHASE THERMOSTAT 30-90°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm



EGO 5519012800

**3444346 SINGLE-PHASE THERMOSTAT 30-90°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1



EGO 5519012801

**3444674 SINGLE-PHASE THERMOSTAT 30-90°C**

complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 2400 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1



EGO 5513619210

EGO 9755136155

**3744045 SINGLE-PHASE THERMOSTAT 30-90°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x130 mm



EGO 5519012805

**3744069 SINGLE-PHASE THERMOSTAT 30-90°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm



EGO 5519019822

**5015693 SINGLE-PHASE THERMOSTAT 30-90°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M10x1



EGO 5514012800




Suitable for:

EGO




**7109415 SINGLE-PHASE THERMOSTAT 30-91°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1780 mm - 16A 230V  
 bulb  $\varnothing$  3x200 mm




EGO 5513215250

**4031247 SINGLE-PHASE THERMOSTAT 30-92°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm  
 bulb  $\varnothing$  6x130 mm




EGO 5519919800

**2101069 SINGLE-PHASE THERMOSTAT 30-93°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1  
 with complete tank sealing fitting M12x1



EGO 5513212330

**3444056 SINGLE-PHASE THERMOSTAT 30-93°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 button bulb  $\varnothing$  23.5 mm



EGO 5141918030


EGO 5141918500

EGO 5513612150

**D186016 GASKET THERMOSTAT  $\varnothing$  41 mm**




**3444687 SINGLE-PHASE THERMOSTAT 300°C**  
 with manual reset  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x74 mm



EGO 5510552806

EGO 5519552020


**2101404 SINGLE-PHASE THERMOSTAT 32-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary 870 mm - 16A 240V  
 bulb  $\varnothing$  6x100 mm - adapter nipple bland M9x1



EGO 5518022010



**3444120 SINGLE-PHASE THERMOSTAT 320°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm




EGO 5510562830

EGO 5519562020


Suitable for:

**3444293 SINGLE-PHASE THERMOSTAT 320°C**  
with manual reset  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm - with oval coupling  $\varnothing$  10 mm




EGO 5532562820

**3444655 SINGLE-PHASE THERMOSTAT 320°C**  
with manual reset  
covered capillary length 1800 mm - 16A 250V  
bulb  $\varnothing$  4x100 mm




EGO 5610555500

**3444600 SINGLE-PHASE THERMOSTAT 325°C**  
capillary length 900 mm  
bulb  $\varnothing$  3x185 mm



EGO 5532562828

**3444673 SINGLE-PHASE THERMOSTAT 330°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3.1x140 mm



EGO 5513562060

**3444266 SINGLE-PHASE THERMOSTAT 338°C**  
with manual reset  
covered capillary length 830 mm - 16A 250V  
button bulb  $\varnothing$  14x10 mm



EGO 5510562816

EGO 5510562903


EGO 5532562816

**5054462 SINGLE-PHASE THERMOSTAT 34-120°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
button bulb  $\varnothing$  31 mm



EGO 5513023070

**3444689 SINGLE-PHASE THERMOSTAT 340°C**  
with manual reset  
covered capillary length 870 mm  
bulb  $\varnothing$  3x160 mm



EGO 525014

EGO 5513562170

**5026558 SINGLE-PHASE THERMOSTAT 340°C**  
with automatic reset  
covered capillary length 900 mm - 16A 250V  
bulbo  $\varnothing$  3x226 mm



EGO 5519162805

**3444474 SINGLE-PHASE THERMOSTAT 35-128°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 880 mm  
bulb  $\varnothing$  3.1x174 mm



EGO 5514022100



Suitable for:

EGO



Suitable for:

**5042918 SINGLE-PHASE THERMOSTAT 35-130°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 885 mm - 16A 250V  
 bulb  $\varnothing$  6x115 mm



EGO 5518022040

**3444658 SINGLE-PHASE THERMOSTAT 35-188°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 500 mm - 16A 250V  
 bulb  $\varnothing$  3x155 mm




EGO 5513039380

**3186790 GASKET FOR THERMOSTAT  $\varnothing$  11x6x2 mm**




**3444523 SINGLE-PHASE THERMOSTAT 35-85°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2000 mm  
 bulb  $\varnothing$  6x115 mm



EGO 5514024020

EGO 5518019130

**3444285 SINGLE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm




EGO 5510562800

EGO 5519562110

EGO 5510562811

EGO 5519562100

**3444686 SINGLE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm



EGO 5519562090

**3444209 SINGLE-PHASE THERMOSTAT 355°C**  
 with manual reset  
 covered capillary length 880 mm - 16A 250V  
 bulb  $\varnothing$  4x124 mm



EGO 5510572800

EGO 5519572010


**3444278 SINGLE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary length 890 mm - 16A 230V  
 bulb  $\varnothing$  3x200 mm



EGO 5510572803

EGO 5519572020

**3444310 SINGLE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x75 mm



EGO 5532562819



**3444312 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length covered 1500 mm - 16A 250V  
bulb  $\varnothing$  4x110 mm




EGO 5134955030  
EGO 5532574800

EGO 5532562820  
EGO 5534955030


EGO 5532572801

**3444831 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length 900 mm  
bulb  $\varnothing$  3x145 mm




EGO 5513562900

**40H9835 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length covered 1430 mm  
bulb  $\varnothing$  4x111 mm




EGO 5513574010

**3744199 SINGLE-PHASE THERMOSTAT 365°C**  
with manual reset  
capillary length 910 mm - 16A 250V  
bulb  $\varnothing$  3.1x160 mm



EGO 5610572500

**3444743 SINGLE-PHASE THERMOSTAT 38-125°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2200 mm - 16A 230V  
bulb  $\varnothing$  3.1x160 mm



EGO 5513229050

**3444256 SINGLE-PHASE THERMOSTAT 420°C**  
with manual reset  
covered capillary length 1100 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm




EGO 5513583010

**3444391 SINGLE-PHASE THERMOSTAT 45-170°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm  
bulb  $\varnothing$  3x220 mm



EGO 5519032850

**3444627 SINGLE-PHASE THERMOSTAT 45-255°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x74 mm




EGO 5519252807

**3444074 SINGLE-PHASE THERMOSTAT 45-265°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



EGO 5103998400

**3444774 SINGLE-PHASE THERMOSTAT 45-295°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x95 mm



EGO 5519052843




Suitable for:

# EGO



**7107939 SINGLE-PHASE THERMOSTAT 49-291°C**

D shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1470 mm  
bulb  $\varnothing$  3x160 mm




EGO 5513054040

Suitable for:

**3444524 SINGLE-PHASE THERMOSTAT 50-116°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1750 mm  
bulb  $\varnothing$  6x110 mm



EGO 5518025010

**3444569 SINGLE-PHASE THERMOSTAT 50-120°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 3000 mm  
bulb  $\varnothing$  6x85 mm



EGO 5513026050

**3444659 SINGLE-PHASE THERMOSTAT 50-175°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 680 mm  
bulb  $\varnothing$  4x155 mm



EGO 5513039070

**3444766 SINGLE-PHASE THERMOSTAT 50-190°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 400 mm - 16A 230V  
bulb  $\varnothing$  6x120 mm



EGO 5518031010

**3444663 SINGLE-PHASE THERMOSTAT 50-195°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2300 mm  
bulb  $\varnothing$  4x160 mm



EGO 5513039110

**3444699 SINGLE-PHASE THERMOSTAT 50-195°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x75 mm - with stuffing gland M9x1




EGO 5513032430

EGO 5513032550

**3444633 SINGLE-PHASE THERMOSTAT 50-205°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x77 mm  
for fryer 7-8-10 L



EGO 5513042310

EGO 5613042001

**3444258 SINGLE-PHASE THERMOSTAT 50-215°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 850 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm - with adapter nipple band M9x1



EGO 5513042290

**3444647 SINGLE-PHASE THERMOSTAT 50-215°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2300 mm  
bulb  $\varnothing$  6x78 mm



EGO 5513039120

Suitable for:

**3444414 SINGLE-PHASE THERMOSTAT 50-250°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1430 mm - 16A 230V  
 bulb  $\varnothing$  3x160 mm - with adapter nipple band M9x1



EGO 5513244010

Suitable for:

**3444628 SINGLE-PHASE THERMOSTAT 50-250°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 800 mm  
 bulb  $\varnothing$  3x180 mm




EGO 5517042060

**3444747 SINGLE-PHASE THERMOSTAT 50-250°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1150 mm - 16A 230V  
 bulb  $\varnothing$  3.1x197 mm



EGO 5513043010

**3444477 SINGLE-PHASE THERMOSTAT 50-260°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1270 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm



EGO 5510659800

EGO 5519659010

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



EGO 5519059805

EGO 5519059808

EGO 5519259811

**3444176 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm



EGO 5519059803

**3444289 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 3000 mm - 16A 250V  
 bulb  $\varnothing$  3x210 mm - with adapter nipple band M9x1



EGO 5519052832

EGO 5519256800

**3744099 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 800 mm  
 bulb  $\varnothing$  3x230 mm



EGO 5519052846

**3444744 SINGLE-PHASE THERMOSTAT 50-280°C**  
 D-shaped hole  $\varnothing$  6x4.6 mm  
 covered capillary length 1270 mm - 16A 250V  
 bulb  $\varnothing$  3.1x160 mm



EGO 5513059020

**5090792 SINGLE-PHASE THERMOSTAT 50-280°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 16A 250V  
 bulb  $\varnothing$  3x146 mm



EGO 5517059590



Suitable for:

# EGO



**3444648 SINGLE-PHASE THERMOSTAT 50-295°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm  
bulb  $\varnothing$  3x220 mm




EGO 5513069150

EGO 5519053807

**2101033 SINGLE-PHASE THERMOSTAT 50-300°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
Capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x78 mm



EGO 5519052825

**3444543 SINGLE-PHASE THERMOSTAT 50-300°C**


D-shaped pin 6x4.6 mm  
capillary length 840 mm - 16A 250V  
bulb  $\varnothing$  3x185 mm



EGO 5517052100

**3444935 SINGLE-PHASE THERMOSTAT 50-300°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm



EGO 5513062140

**5050074 SINGLE-PHASE THERMOSTAT 50-300°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1130 mm-16A 250V  
bulb  $\varnothing$  4x94 mm



EGO 5513053140

**5093046 SINGLE-PHASE THERMOSTAT 50-300°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  3x153 mm



EGO 5517059250

**3444145 SINGLE-PHASE THERMOSTAT 50-310°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1600 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm  
for OVEN



EGO 5519064010

EGO 5519064800

**3444177 SINGLE-PHASE THERMOSTAT 50-310°C**

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  4x128 mm



EGO 5143958630

EGO 5519662804






Suitable for:

Suitable for:

**3444062 SINGLE-PHASE THERMOSTAT 50-320°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



EGO TT52011060

EGO 5519962809

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



EGO 5519062010

EGO 5519062800

EGO 5519063020

**3444369 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



EGO 5519062802

EGO 5519062806

**3444550 SINGLE-PHASE THERMOSTAT 50-320°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  3x225 mm



EGO 5519062845


EGO 5534062802

**3444635 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1200 mm  
 double bulb  $\varnothing$  3x120 mm



EGO 5519069831

**3444668 SINGLE-PHASE THERMOSTAT 50-320°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 3100 mm - 16A 230V  
 bulb  $\varnothing$  3.1x160 mm



EGO 5513669010

EGO 5513669050


EGO 9755136154

**3444675 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 3150 mm - 16A 250V  
 bulb  $\varnothing$  3.1x160 mm



EGO 5513069540

**3444697 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 2300 mm  
 bulb  $\varnothing$  3x160 mm



EGO 5513069020




Suitable for:

# EGO



**3444257 SINGLE-PHASE THERMOSTAT 50-324°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 850 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm



EGO 5513063160

EGO 5518062170

**3444305 SINGLE-PHASE THERMOSTAT 50-500°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm




EGO 5173948130  
EGO 6473948160

EGO 5519082302


EGO 5519082802

**3444525 SINGLE-PHASE THERMOSTAT 50-95°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1470 mm  
 bulb  $\varnothing$  6x113 mm



EGO 5514014040

**3444526 SINGLE-PHASE THERMOSTAT 50-95°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1450 mm  
 bulb  $\varnothing$  6x110 mm



EGO 5518014020

**5036553 SINGLE-PHASE THERMOSTAT 52-260°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 950 mm - 16A 250V  
 bulb  $\varnothing$  3x140 mm



EGO 5517049030


**3444885 SINGLE-PHASE THERMOSTAT 53-180°C**  
 with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 16A 400V  
 bulb  $\varnothing$  6x140 mm



EGO 5510633800


EGO 5519639020

**40K6908 SINGLE-PHASE THERMOSTAT 54-324°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm  
 bulb  $\varnothing$  3x145 mm



EGO 5513662020

**3444467 SINGLE-PHASE THERMOSTAT 55-180°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm




EGO 5510632800

EGO 5519632020



**3444893 SINGLE-PHASE THERMOSTAT 55-195°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm  
bulb  $\varnothing$  4x90 mm



EGO 5519034060

EGO 5519034809

Suitable for:

**3444701 SINGLE-PHASE THERMOSTAT 55-250°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  3.1x226 mm - with stuffing gland M9x1



EGO 5510243010

EGO 5519243010

**3444964 SINGLE-PHASE THERMOSTAT 60°C**

with automatic reset  
capillary length 1800 mm - 16A 250V  
bulb  $\varnothing$  6x135 mm



EGO 5519315202

**3444643 SINGLE-PHASE THERMOSTAT 60-150°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  3x219 mm



EGO 5519022813

**3444397 SINGLE-PHASE THERMOSTAT 60-180°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 16A 250V  
bulb  $\varnothing$  6x135 mm




EGO 5510033800

EGO 5519033010

**3444070 SINGLE-PHASE THERMOSTAT 60-200°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm



EGO 5519232801

EGO 5519234800

**3744068 SINGLE-PHASE THERMOSTAT 60-200°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm  
bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1  
with complete tank coupling M12x1



EGO 5510032020

EGO 5510032170

EGO 5519032827

**3744011 SINGLE-PHASE THERMOSTAT 60-287°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1470 mm  
bulb  $\varnothing$  3.1x226 mm



EGO 5519054201

EGO 5519039202




Suitable for:

EGO



Suitable for:

**3444359 SINGLE-PHASE THERMOSTAT 60-320°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary 1400 mm - 4 contacts 16A 250V  
 bulb  $\varnothing$  4x123 mm



EGO 5534064805+COMM.


EGO 5534964800

**3444478 SINGLE-PHASE THERMOSTAT 60-335°C**  
 complete with knob and indexed ring nut  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm



EGO 5519082806

**3241942 SILVER KNOB  $\varnothing$  55 mm 120-400°C**  
 complete with ring nut  
 D-shaped hole 6x4.6 mm




**5069896 SINGLE-PHASE THERMOSTAT 64-360°C**  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 capillary length covered 900 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm



EGO 5519082806

**5015518 SINGLE-PHASE THERMOSTAT 62-189°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 700 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm



EGO 5519632030

**5021649 SINGLE-PHASE THERMOSTAT 64-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1470 mm - 16A 250V  
 bulb  $\varnothing$  4x125 mm



EGO 5519064020



Suitable for:

**5069896 SINGLE-PHASE THERMOSTAT 64-360°C**  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 capillary length covered 900 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm



EGO 5519082806

**2102867 SINGLE-PHASE THERMOSTAT 70-184°C**  
 D shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 490 mm  
 bulb  $\varnothing$  6x87 mm



EGO 5517039030

**3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1**



EGO 0000270611

EGO 615121

**3444621 WASHER FOR CAPILLARY THERMOSTAT**  
 $\varnothing$  7.7 mm



EGO 6706101

**3444586 SINGLE-PHASE THERMOSTAT 75-450°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  4x228 mm




EGO 5513082080

EGO 5519082805

Suitable for:

**3444384 SINGLE-PHASE THERMOSTAT 65-204°C**  
 D shaft  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  4x95 mm



EGO 5519039805

**3786474 GASKET STUFFING GLAND  $\varnothing$  7.8 mm**  
 height 5 mm  
 for thermostat EGO



EGO 0006706103

EGO 6706103


**3444122 STUFFING GLAND FOR THERMOSTAT MILLED M10**



EGO 2702130001

EGO 616085

**3444539 SINGLE-PHASE THERMOSTAT 80°C**  
 with automatic reset  
 covered capillary length 1500 mm  
 bulb  $\varnothing$  6x90 mm



EGO 5513114020




Suitable for:

# EGO



**3444388 SINGLE-PHASE THERMOSTAT 80-190°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 600 mm - 16A 250V  
bulb  $\varnothing$  6x75 mm




EGO 5519039822

Suitable for:

**2101246 SINGLE-PHASE THERMOSTAT 82°-96°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 870 mm  
bulb  $\varnothing$  6 x 147 mm - adapter nipple M9x1



EGO 5513212370

**3744135 SINGLE-PHASE THERMOSTAT 82°C**


with automatic reset  
capillary length 400 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm



EGO 5513301050

**3444423 SINGLE-PHASE THERMOSTAT 85-170°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x231 mm - with adapter nipple band M9x1



EGO 5519032808

**3444623 SINGLE-PHASE THERMOSTAT 85-182°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x135 mm - with stuffing gland fitting M9x1



EGO 5519032070

**3444380 SINGLE-PHASE THERMOSTAT 90-180°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x135 mm - with adapter nipple band M9x1



EGO 5519032813

**3444438 SINGLE-PHASE THERMOSTAT 90-180°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 0.5A 12V  
bulb  $\varnothing$  4x230 mm



EGO 5510039802

EGO 5519039010

**3444031 SINGLE-PHASE THERMOSTAT 90-185°C**

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2500 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm



EGO 5510639800

EGO 5519639800




**3444032 SINGLE-PHASE THERMOSTAT 90-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm



EGO 5510039807

EGO 5519039800


**3444492 SINGLE-PHASE THERMOSTAT 90-185°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 2410 mm - 16A 230V  
 bulb  $\varnothing$  6x130 mm



EGO 5510639010

EGO 5513639010

**3444376 SINGLE-PHASE THERMOSTAT 95-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1




EGO 5102918253

EGO 5102918320

EGO 5513039300

**3744104 SINGLE-PHASE THERMOSTAT 97-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  6x90 mm - with stuffing gland fitting M9x1



EGO 5513034120

**2101660 SINGLE-PHASE THERMOSTAT 99-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm




EGO 5513032330

**4059295 STUFF. GLAND THERMOSTAT M12x1**  
 $\varnothing$  hole 4 mm



EGO


**3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1**



EGO 0000270611

EGO 615121

**3444122 STUFFING GLAND FOR THERMOSTAT MILLED M10**



EGO 2702130001

EGO 616085

**3444215 STUFFING GLAND FOR THERMOSTAT M12x1**  
 hole  $\varnothing$  6.3 mm



EGO

**5009025 STUFFING GLAND THERMOSTAT M10x1**  
 hole  $\varnothing$  4.5 mm



EGO



Suitable for:

EGO



**2111720 THERMOSTAT SINGLE-PHASE 30-71°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm



EGO 5519012823

**5033184 TERMOSTATO THREE-PHASE 100-180°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm  
bulb  $\varnothing$  6x130 mm



EGO 5534033800

**5034020 TERMOSTATO THREE-PHASE 135°C**  
manual reset  
covered capillary length 1490 mm  
bulb  $\varnothing$  6x75 mm - with adapter nipple gland M9x1




EGO 5532524160

**5025572 TERMOSTATO THREE-PHASE 180°C**  
manual reset  
covered capillary length 3000 mm - 20A 400V  
bulb  $\varnothing$  4x125 mm



EGO 5532532829

**5057542 TERMOSTATO THREE-PHASE 235°C**  
manual reset  
covered capillary length 1800 mm - 10A 400V  
bulb  $\varnothing$  6x88 mm - with adapter nipple gland M9x1




EGO 5532545090

**3744140 TERMOSTATO THREE-PHASE 360°C**  
manual reset  
covered capillary length 1490 mm  
bulb  $\varnothing$  3x190 mm




EGO 5532574040

**3444178 THERMOSTAT MODIFICATION KIT 105-185°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
complete with auxiliary commutator  
complete with substitution manual  
covered capillary length 900 mm - 16A 250V  
threaded bulb  $\varnothing$  1/2" x91 mm  
complete with screenprinted plates



EGO 4202900000

**5030542 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4202900000




**5056716 SINGLE-PHASE THERMOSTAT 101-187°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 890 mm - 16A 250V  
 $\varnothing$  6x133 mm bulb - with stuffing gland fitting M10x



EGO 5519032100




**3744204 THERMOSTAT SINGLE PHASE 238°C**  
 with manual reset  
 covered capillary length 1780 mm - 16A 250V  
 bulb  $\varnothing$  6x134 mm - with stuffing gland fitting M9x1




EGO 5519545010

**3744159 THERMOSTAT SINGLE PHASE 30-85°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary covered length 840 mm  
 bulb  $\varnothing$  6x94 mm



EGO 5517012010

**5056257 THERMOSTAT SINGLE PHASE 358°C**  
 with manual reset  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x78 mm




EGO 5519562010

**3444347 THERMOSTAT SINGLE-PHASE TR2 0-195°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1000 mm - 15A 250V  
 bulb  $\varnothing$  5x120 mm



EGO 5510022828

**5028257 THERMOSTAT SINGLE-PHASE 100-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 840 mm - 16A 250V  
 bulb  $\varnothing$  6x98 mm



EGO 5517032010

**40K0662 THERMOSTAT SINGLE-PHASE 100-470°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1100 mm  
 bulb  $\varnothing$  4x225 mm



EGO 5534683040



Suitable for:

**EGO**



**5059793 THERMOSTAT SINGLE-PHASE 102-187°C**  
 with selector switch  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  4x238mm-with stuffing gland fitting M10x1




EGO 5519932020

**5052839 THERMOSTAT SINGLE-PHASE 104-192°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 910 mm  
 bulb  $\varnothing$  6x134 mm - with adapter nipple gland M9x1



EGO 5519032060

**3444387 THERMOSTAT SINGLE-PHASE 105-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary covered 3000 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1



EGO 5510936801

EGO 5519036800

EGO 5519036801

**7150012 THERMOSTAT SINGLE-PHASE 105-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  4x235 mm - stuffing gland fitting M10x1




EGO 5519034070

**3744146 THERMOSTAT SINGLE-PHASE 120°C**  
 automatic reset  
 covered capillary length 720 mm  
 bulb  $\varnothing$  3x305 mm




EGO 5534329040

**3744123 THERMOSTAT SINGLE-PHASE 130°C**  
 with manual reset  
 covered capillary length 850 mm - 16A 250V  
 bulb  $\varnothing$  6x90 mm - with stuffing gland fitting M9x1  
 with tank sealing fitting complete M12x1




EGO 5513522380

**2111537 THERMOSTAT SINGLE-PHASE 130-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm  
 bulb  $\varnothing$  6x117 mm - with stuffing gland fitting M9x1  
 with tank sealing fitting complete M12x1



EGO 5513032260

**3444899 THERMOSTAT SINGLE-PHASE 135°C**  
 manual reset  
 capillary length 1500 mm  
 bulb  $\varnothing$  6x80 mm




EGO 5513524070

**3444763 THERMOSTAT SINGLE-PHASE 140°C**  
 manual reset  
 covered capillary 1550 mm - 16A 230V  
 bulb  $\varnothing$  6x77 mm - 16A 230V



EGO 5513529170

**40K8105 THERMOSTAT SINGLE-PHASE 145°C**  
 with manual reset  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x78 mm - with stuffing gland fitting M9x1  
 with tank sealing coupling complete M12x1



EGO 5513522340

**7106049 THERMOSTAT SINGLE-PHASE 150°C**  
 automatic reset  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm




EGO 5519322808

**3744149 THERMOSTAT SINGLE-PHASE 215°C**  
 complete with 2-wire thermocouple M8x1  
 manuale reset  
 capillary length 1470 mm - 16A 250V  
 bulb  $\varnothing$  6x87 mm - with stuffing gland




EGO 5532544110

**3444915 THERMOSTAT SINGLE-PHASE 220°C**  
 with automatic reset  
 capillary length 1500 mm  
 bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M9x1  
 with tank seal connection complete M12x1



EGO 5533544020

**3744002 THERMOSTAT SINGLE-PHASE 230°C**  
 with manual reset  
 capillary length 1200 mm  
 bulb  $\varnothing$  6x77 mm - with stuffing gland fitting M9x1  
 with tank sealing fitting complete M12x1



EGO 5610543500

**3744097 THERMOSTAT SINGLE-PHASE 230°C**  
 complete with cut-off thermocouple  
 manual reset  
 covered capillary length 860 mm-16A 250V  
 bulb  $\varnothing$  6x77 mm-with adapter nipple gland M10x1



EGO 5610542560

EGO 5610549500

**5027901 THERMOSTAT SINGLE-PHASE 230°C**  
 complete with cut-off thermocouple  
 manual reset  
 covered capillary length 750 mm  
 bulb  $\varnothing$  3x100 mm



EGO 5610549540




Suitable for:

EGO




**5030859 THERMOSTAT SINGLE-PHASE 230°C**  
 manual reset  
 covered capillary length 1800 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm



EGO 5610545510

**5059787 THERMOSTAT SINGLE-PHASE 230°C**  
 with manual reset  
 covered capillary length 730 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm



EGO 5510542853  
EGO 5610549500

EGO 5519542040

EGO 5610542560

**3444239 THERMOSTAT SINGLE-PHASE 240°C**  
 with manual reset  
 covered capillary length 860 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm - with stuffing gland fitting M10x1  
 with M9x1 thermocouple interruption fitting




EGO 5610542560

**5020718 THERMOSTAT SINGLE-PHASE 240°C**  
 complete with cut-off thermocouple  
 manual reset  
 covered capillary length 860 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm - with adapter nipple gland M10x1



EGO 5610542560

**3444344 THERMOSTAT SINGLE-PHASE 25-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1600 mm - 29A 250V  
 bulb  $\varnothing$  3x160 mm



EGO 5513059280

EGO 5519059030

**3444378 THERMOSTAT SINGLE-PHASE 25-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1780 mm  
 bulb  $\varnothing$  3x160 mm



EGO 5513055010

**2111019 THERMOSTAT SINGLE-PHASE 275°C**  
 with manual reset  
 covered capillary length 1430 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm - with stuffing gland fitting M9x1  
 with complete tank sealing fitting M12x1



EGO 5513554020


**5081598 THERMOSTAT SINGLE-PHASE 281°C**  
 with manual reset  
 covered capillary length 2000 mm - 16A 250V  
 bulb  $\varnothing$  6x79 mm



EGO 5532559815



**2100284 THERMOSTAT SINGLE-PHASE 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1  
 with complete tank sealing fitting M12x1



EGO 5519022801

**3444510 THERMOSTAT SINGLE-PHASE 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 850 mm - 16A 250V  
 bulb  $\varnothing$  6x138 mm - w/ stuffing gland fitting M9x1  
 with complete tank sealing fitting M12x1




EGO 5510022010  
 EGO 5519022823

EGO 5510022910

EGO 5519022819


**3444746 THERMOSTAT SINGLE-PHASE 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 3000 mm - 16A 230V  
 bulb  $\varnothing$  3.1x197 mm



EGO 5513224060


EGO 5513229030

**5080582 THERMOSTAT SINGLE-PHASE 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary covered length 870 mm - 16A 250V  
 bulb  $\varnothing$  6x113 mm




EGO 5513022270

**3444980 THERMOSTAT SINGLE-PHASE 30-120°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm  
 bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1




EGO 5513022310

**7103093 THERMOSTAT SINGLE-PHASE 30-135°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 890 mm - 16A 250V  
 bulb  $\varnothing$  4x127 mm



EGO 5513022530

**3444758 THERMOSTAT SINGLE-PHASE 30-85°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 850 mm - 16A 230V  
 bulb  $\varnothing$  6x92 mm



EGO 5513012010

**3444018 THERMOSTAT SINGLE-PHASE 30-90°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1000 mm - 16A 250V  
 bulb  $\varnothing$  6x175 mm



EGO 5519619030

EGO 5519719800




Suitable for:

EGO



**3444571 THERMOSTAT SINGLE-PHASE 30-90°C**  
 for BOILER  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 700 mm - 16A 250V  
 D-shaped pin  $\varnothing$  6x4.6 mm




EGO 5513219320

EGO 5513219610

Suitable for:


**3444669 THERMOSTAT SINGLE-PHASE 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2450 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1



EGO 5513219440


EGO 9755132397

**5091283 THERMOSTAT SINGLE-PHASE 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 840 mm  
 bulb  $\varnothing$  6x83 mm



EGO 5517012020

**1444012 THERMOSTAT SINGLE-PHASE 30-95°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 850 mm - 16A 250V  
 bulb  $\varnothing$  6x140 mm - with stuffing gland fitting M9x1



EGO 5510212100

EGO 5519212020

**3444681 THERMOSTAT SINGLE-PHASE 318°C**  
 with automatic reset  
 length capillary 800 mm  
 bulb  $\varnothing$  4x110 mm - with stuffing gland fitting M9x1  
 with tank sealing coupling complete M12x1



EGO 5511569020

**3444731 THERMOSTAT SINGLE-PHASE 34-114°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 230V  
 button bulb  $\varnothing$  31 mm



EGO 5513022450

**5010841 THERMOSTAT SINGLE-PHASE 340°C**  
 manual reset  
 covered capillary length 900 mm  
 bulb  $\varnothing$  3x190 mm



EGO 5532562800

**5044987 THERMOSTAT SINGLE-PHASE 40-280°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1000 mm - 16A 250V  
 bulb  $\varnothing$  3x198 mm



EGO 5103938000

EGO 5517059160

EGO 5517064070



Suitable for:

**3744141 THERMOSTAT SINGLE-PHASE 440°C**  
 automatic reset  
 covered capillary length 1130 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm



EGO 5513183020


Suitable for:

**3744212 THERMOSTAT SINGLE-PHASE 50-250°C**  
 with knob  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 800 mm  
 bulb  $\varnothing$  3x180 mm



EGO 5517042060

**5022956 THERMOSTAT SINGLE-PHASE 50-275°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x133 mm



EGO 5519052815

**2101520 THERMOSTAT SINGLE-PHASE 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm



EGO 5517062220

**2101871 THERMOSTAT SINGLE-PHASE 50-320°C**  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 capillary length 840 mm - 16A 250V  
 bulb  $\varnothing$  3x178 mm



EGO 5517062140

**3444361 THERMOSTAT SINGLE-PHASE 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary 950 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm



EGO 5513062040  
 EGO 5517062500

EGO 5513069500  
 EGO 5518062050

EGO 5517062120

**5067441 THERMOSTAT SINGLE-PHASE 50-320°C**  
 with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1430 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm



EGO 5513664060

**3744142 THERMOSTAT SINGLE-PHASE 54-330°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1270 mm - 16A 250V  
 bulb  $\varnothing$  3x145 mm



EGO 5513069140



Suitable for:

**EGO**



**4031379 THERMOSTAT SINGLE-PHASE 55°C**  
with automatic reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x135 mm




EGO 5519112802

**5052885 THERMOSTAT SINGLE-PHASE 55-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 600 mm - 15A 250V  
bulb  $\varnothing$  4x128 mm



EGO 5519069856


**2111653 THERMOSTAT SINGLE-PHASE 55-325°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm  
double bulb  $\varnothing$  3x120 mm



EGO 5519063805

EGO 5519069858

**7119147 THERMOSTAT SINGLE-PHASE 60-200°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x74 mm




EGO 5519032820

**3444725 THERMOSTAT SINGLE-PHASE 70-180°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x87 mm



EGO 5519034805

**3444000 THERMOSTAT SINGLE-PHASE 75-172°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 16A 250V  
button bulb  $\varnothing$  14x10 mm  
complete with nut and gasket



EGO 5519032810

EGO 5519032814


EGO 5519032825

**5033636 THERMOSTAT SINGLE-PHASE 780°C**  
manual reset  
bulb  $\varnothing$  4x170 mm



EGO 6023172525

**3744151 THERMOSTAT SINGLE-PHASE 80-131°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1730 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm



EGO 5513025070





Suitable for:

**3744148 THERMOSTAT SINGLE-PHASE 85-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 2990 mm - 20A 400V  
 bulb  $\varnothing$  6x265 mm - with stuffing gland fitt.M14x1



EGO 5513026070

Suitable for:

**3444900 THERMOSTAT SINGLE-PHASE 85-175°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1  
 with tank sealing fitting M12x1



EGO 5510035201


EGO 5519035201

**5058340 THERMOSTAT SINGLE-PHASE 85-470°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 length capillary covered 900 mm - 16A 250V  
 bulb  $\varnothing$  4x165 mm




EGO 5519082809

**5010864 THERMOSTAT SINGLE-PHASE 95-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2000 mm  
 bulb  $\varnothing$  6x130 mm



EGO 5519039808

**5023958 THERMOSTAT SINGLE-PHASE 95-210°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 covered capillary length 1770 mm - 16A 250V  
 bulb  $\varnothing$  3x200 mm




EGO 5513645010

**5017767 THERMOSTAT THREE PHASE**  
 with manual reset  
 capillary length covered 900 mm  
 bulb  $\varnothing$  6x178 mm




EGO 5532522808

**5067188 THERMOSTAT THREE PHASE 360°C**  
 with manual reset  
 covered capillary length 1490 mm  
 bulb  $\varnothing$  4x122 mm



EGO 5532574070

**5050566 THERMOSTAT THREE-PHASE 100-350°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 length capillary 900 mm - 10A 400V  
 bulb  $\varnothing$  3x145 mm



EGO 5534062160



Suitable for:

**EGO**



**3444086 THERMOSTAT THREE-PHASE 108-192°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x200 mm



EGO 5534032800

**40KW841 THERMOSTAT THREE-PHASE 109-190°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1800 mm - 16A 400V  
bulb  $\varnothing$  4x160 mm



EGO 5534235040

**40M2160 THERMOSTAT THREE-PHASE 120-206°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1780 mm - 10A 400V  
bulb  $\varnothing$  4x160 mm



EGO 5534235020

**5016348 THERMOSTAT THREE-PHASE 132°C**

with manual reset  
capillary length covered 900 mm - 10A 400V  
bulb  $\varnothing$  6x87 mm



EGO 5532522550

**3444221 THERMOSTAT THREE-PHASE 140°C**

with manual reset  
covered capillary length 1000 mm - 10A 400V  
bulb  $\varnothing$  6x175 mm



EGO 5531532060

**3444331 THERMOSTAT THREE-PHASE 140°C**

with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x88 mm  
for boiler




EGO 5532522800

EGO 5532522815

EGO 5532522821

**3444565 THERMOSTAT THREE-PHASE 140°C**

with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x87 mm



EGO 5532522846

**40C2983 THERMOSTAT THREE-PHASE 140°C**


with manual reset  
capillary length covered 890 mm - 20A 380V  
bulb  $\varnothing$  6x87 mm



EGO 5532522480

**5011445 THERMOSTAT THREE-PHASE 140°C**


with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x88 mm - with fitting and olive  $\varnothing$  6 mm



EGO 5532522800

**5035531 THERMOSTAT THREE-PHASE 160°C**

with manual reset  
covered capillary length 900 mm - 20A 380V  
bulb  $\varnothing$  6x89 mm




EGO 5532532805



Suitable for:

Suitable for:

**7150613 THERMOSTAT THREE-PHASE 220°C**  
with manual reset  
covered capillary length 1450 mm - 10A 400V  
button bulb  $\varnothing$  14x11 mm




EGO 5532544180

**3444090 THERMOSTAT THREE-PHASE 230°C**  
with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x240 mm - with stuffing gland fitting M9x1



EGO 5531542050

**5063386 THERMOSTAT THREE-PHASE 240°C**  
with manual reset  
covered capillary length 1700 mm  
bulb  $\varnothing$  6x78mm-with stuffing gland fitting M10x1



EGO 5532549140

**5017402 THERMOSTAT THREE-PHASE 247°C**  
with automatic reset  
capillary length covered 1200 mm - 16A 380V  
bulb  $\varnothing$  3x228 mm



EGO 5534163800

**3744147 THERMOSTAT THREE-PHASE 250°C**  
manual reset  
covered capillary length 710 mm  
bulb  $\varnothing$  3x305 mm




EGO 5533559020

**40K5117 THERMOSTAT THREE-PHASE 275°C**  
with manual reset  
capillary length covered 940 mm  
bulb  $\varnothing$  6x158 mm




EGO 5531559040

**3744150 THERMOSTAT THREE-PHASE 282°C**  
with manual reset  
capillary length covered 1750 mm  
bulb  $\varnothing$  4x160 mm




EGO 5533555030

**40K1686 THERMOSTAT THREE-PHASE 295°C**  
with manual reset  
capillary length covered 1770 mm - 10A 400V  
bulb  $\varnothing$  4x128 mm



EGO 5533555010

**2105238 THERMOSTAT THREE-PHASE 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 3000 mm - 10A 400V  
bulb  $\varnothing$  6x140 mm



EGO 5534026030

**3444364 THERMOSTAT THREE-PHASE 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm - with adapter nipple band M10x1



EGO 5534012806

EGO 5534012859

EGO 5534212030



Suitable for:

**EGO**



**3744064 THERMOSTAT THREE-PHASE 30-90°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm  
bulb  $\varnothing$  6x130 mm




EGO 5534012030

EGO 5534012160

Suitable for:

**3744155 THERMOSTAT THREE-PHASE 32-110°C**


complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
length capillary covered 1180 mm  
bulb  $\varnothing$  6x138 mm



EGO 5534613010

**5010676 THERMOSTAT THREE-PHASE 32-112°C**

with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



EGO 5534923800

**5034956 THERMOSTAT THREE-PHASE 355°C**


with manual reset  
covered capillary length 880 mm - 10A 400V  
bulb  $\varnothing$  3x122 mm



EGO 5532572090

**2102671 THERMOSTAT THREE-PHASE 360°C**


with automatic reset  
capillary length 1780 mm - 16A 400V  
bulb  $\varnothing$  4x128 mm



EGO 5534175010

**3744152 THERMOSTAT THREE-PHASE 365°C**

with manual reset  
length capillary covered 1190 mm - 20A 400V  
bulb  $\varnothing$  4x100 mm



EGO 5532573100

**5050178 THERMOSTAT THREE-PHASE 370°C**

with automatic reset  
covered capillary length 900 mm - 16A 250V  
halfway capillaries length 450 mm  
triple bulb  $\varnothing$  3x175 mm



EGO 5534372800

**7105534 THERMOSTAT THREE-PHASE 40-110°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 16A 380V  
bulb  $\varnothing$  6x130 mm



EGO 5534022809



Suitable for:

**3744143 THERMOSTAT THREE-PHASE 480°C**  
 manual reset  
 covered capillary length 890 mm  
 bulb  $\varnothing$  4x228 mm



EGO 5532582020


Suitable for:

**5056753 THERMOSTAT THREE-PHASE 50-273°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 380V  
 bulb  $\varnothing$  3x226 mm  
 complete with silicone sheathing 580 mm



EGO 5534052815

**40K5022 THERMOSTAT THREE-PHASE 50-300°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 2260 mm - 10A 400V  
 bulb  $\varnothing$  4x292 mm



EGO 5534059080

EGO 5534059080+...

**5016737 THERMOSTAT THREE-PHASE 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 900 mm - 10A 400V  
 bulb  $\varnothing$  3x225 mm



EGO 5534062816

**3744154 THERMOSTAT THREE-PHASE 520°C**  
 with manual reset  
 length capillary covered 890 mm - 20A 400V  
 bulb  $\varnothing$  4x228 mm




EGO 5532582030

**40G2760 THERMOSTAT THREE-PHASE 60-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1200 mm - 10A 400V  
 bulb  $\varnothing$  4x235 mm - with stuffing gland fitting M9x1



EGO 5534033020

**3744144 THERMOSTAT THREE-PHASE 60-204°/135-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 880 mm  
 bulb  $\varnothing$  4x130 mm



EGO 5540052070

**5043662 THERMOSTAT THREE-PHASE 60-390°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1110 mm - 16A 230V  
 bulb  $\varnothing$  4x228 mm



EGO 5534673010




Suitable for:

**EGO**




**3744153 THERMOSTAT THREE-PHASE 77-300°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 length capillary covered 880 mm - 16A 230V  
 bulb  $\varnothing$  4x128 mm



EGO 5534652010

**5063606 THERMOSTAT THREE-PHASE 85-550°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 capillary length covered 1120 mm  
 bulb  $\varnothing$  4x228 mm



EGO 5534683090

**5054375 THERMOSTAT THREE-PHASE 95°C**  
 with automatic reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x228 mm




EGO 5534312802

**3744145 THERMOSTAT THREE-PHASE 95-210°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1780 mm - 16A 400V  
 bulb  $\varnothing$  3x225 mm




EGO 5534035100

**2101017 THERMOSTAT 3-PHASE 124°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x96 mm




EGO 5532522858

**2111485 THERMOSTAT 3-PHASE 177°C**  
 with manual reset  
 covered capillary length 1500 mm - 10A 400V  
 bulb  $\varnothing$  4x130 mm



EGO 5532534802

**7117241 THERMOSTAT 3-PHASE 230°C**  
 with manual reset  
 covered capillary length 870 mm - 10A 400V  
 bulb  $\varnothing$  6x107 mm



EGO 5533542050

**5004988 THERMOSTAT 3-PHASE 360°C**  
 with manual reset  
 covered capillary length 1500 mm  
 bulb  $\varnothing$  4x120 mm



EGO 5532574110

**5039211 THERMOSTAT 3-PHASE 362°C**  
 with manual reset  
 covered capillary length 3000 mm - 10A 400V  
 bulb  $\varnothing$  6x78 mm



EGO 5532566807

**2111457 THERMOSTAT 3-PHASE 464°C**  
 with manual reset  
 covered capillary length 1190 mm - 10A 400V  
 bulb  $\varnothing$  4x163 mm




EGO 5532583801



Suitable for:

**2000134 THERMOSTAT 3-PHASE 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 800 mm  
 bulb  $\varnothing$  6x77 mm



EGO 5534052110


Suitable for:

**5096669 THERMOSTAT 3-PHASE 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x219 mm



EGO 5534052819

**3444078 THREE-PHASE THERMOSTAT 100-175°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2000 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm



EGO 5534039837

**3444198 THREE-PHASE THERMOSTAT 100-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2000 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm



EGO 5534035010  
 EGO 5534039804

EGO 5534035201

EGO 5534039800

**3444702 THREE-PHASE THERMOSTAT 100-180°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 720 mm - 16A 230V  
 bulb  $\varnothing$  3.1x305 mm




EGO 5534639010

**5035660 KNOB BLACK  $\varnothing$  50 mm 100-180°C**  
 D-shaped hole 6x4.6 mm



**5083260 THREE-PHASE THERMOSTAT 100-182°C**  
 D shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 2030 mm  
 bulb  $\varnothing$  6x135 mm



EGO 5534039160

**3444234 THREE-PHASE THERMOSTAT 100-195°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 10A 400V  
 bulb  $\varnothing$  6x134 mm



EGO 5534034801




Suitable for:

# EGO




**3444311 THREE-PHASE THERMOSTAT 100-260°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 10A 400V  
 bulb  $\varnothing$  6x70 mm



EGO 5534959801

**3444040 THREE-PHASE THERMOSTAT 100-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1150 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm




EGO 5534052804  
EGO 5534059814

EGO 5534059804

EGO 5534059806

**3444146 THREE-PHASE THERMOSTAT 100-300°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1250 mm - 10A 400V  
 bulb  $\varnothing$  6x78 mm



EGO PO38064130  
EGO 5534959800

EGO 4941015300+


EGO 5534059806+

**3444638 THREE-PHASE THERMOSTAT 100-330°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 380V  
 bulb  $\varnothing$  6x75 mm



EGO 5534062803


**3444562 THREE-PHASE THERMOSTAT 100-350°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1800 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm



EGO 5534069010


EGO 5534069030

**3744062 THREE-PHASE THERMOSTAT 100-350°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1470 mm - 16A 400V  
 bulb  $\varnothing$  6x75 mm



EGO 5534064010

**3744110 THREE-PHASE THERMOSTAT 100-350°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1800 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm



EGO 5534062010

**3444490 THREE-PHASE THERMOSTAT 100-470°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1000 mm  
 bulb  $\varnothing$  4x165 mm




EGO 5540083010





Suitable for:

**40G2529 THREE-PHASE THERMOSTAT 100-470°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1120 mm  
 bulb  $\varnothing$  4x228 mm



EGO 4941015300

EGO 5534083070

Suitable for:

**3444756 THREE-PHASE THERMOSTAT 100-650°C/100-680**  
 2 temperatures  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1200 mm - 16A 230V  
 bulb  $\varnothing$  3.1x230 mm



EGO 5534683800

**5070336 THREE-PHASE THERMOSTAT 101-192°C**  
 D shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1480 mm  
 bulb  $\varnothing$  6x134 mm -



EGO 5534034230


**3444028 THREE-PHASE THERMOSTAT 105-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2800 mm - 10A 400V  
 bulb  $\varnothing$  4x235 mm



EGO 5534039080

EGO 5534039807

**3444443 THREE-PHASE THERMOSTAT 115-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1150 mm - 10A 400V  
 bulb  $\varnothing$  3x144 mm




EGO 5534059812

**2101663 THREE-PHASE THERMOSTAT 118-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 880 mm  
 bulb  $\varnothing$  6x135 mm



EGO 5534232030

**3444479 THREE-PHASE THERMOSTAT 120°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x100 mm



EGO 5532522802

EGO 5532522861

**2101244 THREE-PHASE THERMOSTAT 130°-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary 880 mm - 10A 400V  
 bulb  $\varnothing$  6x220 mm



EGO 5534032300




Suitable for:

**EGO**




**3443072 THREE-PHASE THERMOSTAT 130°C**  
 with manual reset  
 capillary length 890 mm  
 bulb  $\varnothing$  6x90 mm - with stuffing gland M8x1  
 with tank seal  $\varnothing$  1/4"




EGO 5532522160

**40K4856 THREE-PHASE THERMOSTAT 130°C**  
 with manual reset  
 capillary length covered 900 mm  
 bulb  $\varnothing$  6x74 mm




EGO 5532522100

**3444769 THREE-PHASE THERMOSTAT 132°C**  
 with automatic reset  
 capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm - with adapter nipple band M10x1



EGO 5532522843

**3444315 THREE-PHASE THERMOSTAT 135°C**  
 with manual reset  
 covered capillary length 1000 mm - 10A 400V  
 bulb a bottone  $\varnothing$  14x20 mm



EGO 5532529812

**3444618 THREE-PHASE THERMOSTAT 135°C**  
 with manual reset  
 covered capillary length 890 mm - 20A 380V  
 bulb  $\varnothing$  3x225 mm



EGO 5532522814

**3444644 THREE-PHASE THERMOSTAT 135°C**  
 with manual reset  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x89 mm



EGO 5532522825

**3444734 THREE-PHASE THERMOSTAT 135°C**  
 with manual reset  
 covered capillary length 1470 mm - 16A 230V  
 bulb  $\varnothing$  6x175 mm - with adapter nipple band M9x1



EGO 5531524030


**2103937 THREE-PHASE THERMOSTAT 135-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1770 mm  
 double bulb  $\varnothing$  6x87 mm -  $\varnothing$  6x167 mm  
 with stuffing gland fitting M9x1



EGO 5560035010

EGO 5560035020

**3444925 THREE-PHASE THERMOSTAT 140°C**  
 with automatic reset  
 capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M9x1  
 with complete tank sealing fitting M12x1




EGO 5534122070

**3444567 THREE-PHASE THERMOSTAT 145°C**  
 with manual reset  
 capillary length 1750 mm - 16A 230V  
 bulb  $\varnothing$  3.1x180 mm - with adapter nipple band M9x1



EGO 5532525060

**3444142 THREE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 covered capillary length 1500 mm - 10A 400V  
 bulb  $\varnothing$  6x90 mm - stuffing gland fitting M9x1



EGO 5532524030

**3444471 THREE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x230 mm



EGO 5532522827

**3444626 THREE-PHASE THERMOSTAT 150°C**  
 with manual reset  
 covered capillary length 800 mm - 20A 380V  
 bulb  $\varnothing$  6x90 mm




EGO 5532522837

**3744121 THREE-PHASE THERMOSTAT 154°C**  
 with manual reset  
 covered capillary length 870 mm - 20A 400V  
 bulb  $\varnothing$  6x100 mm




EGO 5533522040

**3744046 THREE-PHASE THERMOSTAT 156°C**  
 with manual reset  
 covered capillary length 1500 mm  
 bulb  $\varnothing$  6x90 mm




EGO 5532524802

**3444770 THREE-PHASE THERMOSTAT 157°C**  
 with manual reset  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm




EGO 5532522811

**7101025 THREE-PHASE THERMOSTAT 157°C**  
 with automatic reset  
 covered capillary length 1700 mm  
 bulb  $\varnothing$  6x78 mm



EGO 5532539090

**3444775 THREE-PHASE THERMOSTAT 159°C**  
 with manual reset  
 capillary length 1100 mm - 16A 230V  
 bulb  $\varnothing$  3.1x185 mm



EGO 5532529810



Suitable for:

EGO



**3444024 THREE-PHASE THERMOSTAT 160°C**  
with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x175 mm



EGO 5531532050


Suitable for:

**3444318 THREE-PHASE THERMOSTAT 160°C**  
with automatic reset  
capillar covered length 850 mm - 10A 400V  
bulb  $\varnothing$  6x70 mm  
for ELECTRICAL BAIN MARIE / ALPHA-DELTA series



EGO 5534122801


**3444442 THREE-PHASE THERMOSTAT 170°C**  
with manual reset  
covered capillary 880 mm  
bulb  $\varnothing$  6x78 mm



EGO 5532532340

EGO 5532532824

**3444556 THREE-PHASE THERMOSTAT 170°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x87 mm




EGO 5532532820

**40K5143 THREE-PHASE THERMOSTAT 180°C**  
with manual reset  
capillary length 1200 mm  
bulb  $\varnothing$  4x165 mm



EGO 5532533010

**3444079 THREE-PHASE THERMOSTAT 220°C**  
with manual reset  
covered capillary length 1790 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



EGO 5532549060

**3444939 THREE-PHASE THERMOSTAT 220°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x110 mm



EGO 5533542040

**3444959 THREE-PHASE THERMOSTAT 220°C**  
with manual reset  
capillary length 1000 mm  
bulb  $\varnothing$  6x90 mm



EGO 5532542010

**2111694 THREE-PHASE THERMOSTAT 225°C**  
with manual reset  
capillary 830 mm  
bulb  $\varnothing$  6x270 mm



EGO 5531542100

**3444323 THREE-PHASE THERMOSTAT 225°C**  
with manual reset  
covered capillary length 950 mm - 20A 380V  
bulb  $\varnothing$  6x155 mm




EGO 5531549050



Suitable for:


**3444375 THREE-PHASE THERMOSTAT 225°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x90 mm - with adapter nipple band M10x1



EGO 5532542835


Suitable for:

**5014523 THREE-PHASE THERMOSTAT 230 °C**  
jbhpblik



EGO 5532542090


**2102268 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
capillary length 870 mm - 10A 400V  
bulb  $\varnothing$  6x110 mm



EGO 5533542090

EGO 5533543020


**2111236 THREE-PHASE THERMOSTAT 230°C**  
with automatic reset  
covered capillary length 2420 mm - 10A 400V  
bulb  $\varnothing$  6x117 mm - with stuffing gland M9x1



EGO 5533544010


EGO 5533549040

**3444307 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1



EGO 5532542857

**3444342 THREE-PHASE THERMOSTAT 230°C**  
with automatic reset  
covered capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x75 mm - with adapter nipple band M9x1



EGO 5532543803

**3444390 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
capillary 900 mm - 10A 400V  
bulb  $\varnothing$  6x230 mm



EGO 5531542120


EGO 5531542140

**3444472 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
capillary length 1700 mm - 20A 380V  
bulb  $\varnothing$  6x220 mm



EGO 5531545020

**3444625 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x90 mm




EGO 5532542070

EGO 5532542120

EGO 5532542850

**3444631 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 1700 mm - 20A 400V  
bulb  $\varnothing$  6x80 mm



EGO 5532544805

EGO 5532549130

EGO 5532549812



Suitable for:

EGO




**3444970 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 1800 mm  
 bulb  $\varnothing$  6x75 mm - with adapter nipple bland M9x1  
 with complete tank coupling M12x1



EGO 5533545040

**3744113 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 600 mm - 10A 400V  
 bulb  $\varnothing$  4x122 mm



EGO 5532542370


EGO 5532542848

**5015412 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length covered 3000 mm - 20A 400V  
 bulb  $\varnothing$  6x90 mm



EGO 5532546801

**2102177 THREE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 covered capillary length 1800 mm  
 bulb  $\varnothing$  6x83 mm - with stuffing gland fitting M9x1  
 with complete tank sealing fitting M12x1



EGO 5532545030


**3444204 THREE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 covered capillary length 1700 mm - 10A 400V  
 bulb  $\varnothing$  4x120 mm - with adapter nipple band M9x1



EGO 5532544800

EGO 5532545802

**3744192 THREE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 covered capillary length 1470 mm - 10A 400V  
 bulb  $\varnothing$  6x108 mm




EGO 5533544050

**3444035 THREE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 covered capillary length 2600 mm - 10A 400V  
 bulb  $\varnothing$  6x240 mm



EGO 5531546020

**3444143 THREE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 capillary length 1600 mm - 10A 400V  
 bulb  $\varnothing$  6x85 mm




EGO 5532542807

EGO 5532549816

EGO 5532549827



**3444506 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x150 mm



EGO 5532542230


Suitable for:

**3444737 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 1430 mm - 16A 230V  
bulb  $\varnothing$  6x177 mm - with adapter nipple band M9x1



EGO 5531544050

**3444738 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 2600 mm - 16A 230V  
bulb  $\varnothing$  6x177 mm - with adapter nipple band M9x1




EGO 5531549010

**3444972 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 2300 mm  
bulb  $\varnothing$  6x88 mm



EGO 5532549050

**5023957 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 1170 mm  
bulb  $\varnothing$  3x226 mm



EGO 5533543010

**3443075 THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  6x80 mm  
with stuffing gland fitting M9x1




EGO 5532542803

**3444036 THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x160 mm



EGO 5531549020

**3444368 THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm



EGO 5532542823


EGO 5532542842

**3444436 THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 2700 mm - 20A 400V  
bulb  $\varnothing$  6x90 mm



EGO 5532549811

**3444439 THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  6x80 mm



EGO 5532549814




Suitable for:

EGO



**3444653** **THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
capillary length covered 1750 mm - 20A 380V  
bulb  $\varnothing$  4x120 mm




EGO 5532545800

**3444437** **THREE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 2500 mm - 20A 380V  
bulb  $\varnothing$  6x240 mm



EGO 5531549040

**3444444** **THREE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x90 mm



EGO 5532542859

**3444739** **THREE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 1470 mm - 10A 400V  
bulb  $\varnothing$  6x100 mm - adapter nipple bland M9x1




EGO 5533544040

**3444706** **THREE-PHASE THERMOSTAT 255°C**  
with manual reset  
covered capillary length 730 mm - 10A 400V  
bulb  $\varnothing$  3.1x307 mm



EGO 5532559010


**3444317** **THREE-PHASE THERMOSTAT 270°C**  
with manual reset  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x70 mm



EGO 5532559809

EGO 5532559814

**3444557** **THREE-PHASE THERMOSTAT 270°C**  
with manual reset  
covered capillary length 870 mm - 20A 400V  
bulb  $\varnothing$  6x78 mm




EGO 5532552814

**5048870** **THREE-PHASE THERMOSTAT 270°C**  
with manual reset  
covered capillary length 2050 mm - 10A 400V  
bulb  $\varnothing$  6x78 mm



EGO 5532559080

**40K4964** **THREE-PHASE THERMOSTAT 275°C**  
with manual reset  
covered capillary length 1470 mm  
bulb 4x157 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



EGO 5533554010

**3444776** **THREE-PHASE THERMOSTAT 280°C**  
with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x125 mm



EGO 5532552808






**3444575 THREE-PHASE THERMOSTAT 285°C**  
with manual reset  
covered capillary 940 mm - 20A 380V  
bulb  $\varnothing$  6x157 mm




EGO 5531559020

**7106266 THREE-PHASE THERMOSTAT 285°C**  
with manual reset  
covered capillary length 870 mm  
bulb  $\varnothing$  4x128 mm




EGO 5533542100

**3444351 THREE-PHASE THERMOSTAT 295°C**  
with manual reset  
covered capillary 1800 mm - 10A 400V  
bulb  $\varnothing$  4x125 mm - 10A 400V  
for TECNOINOX OVEN  
for EMMEPI OVEN 900-750-700-650 - FRY TOP 900-750




EGO 5532555800

**40G2825 THREE-PHASE THERMOSTAT 295°C**  
with manual reset  
capillary length covered 900 mm  
bulb  $\varnothing$  6x78 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



EGO 5532552200

**3444076 THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



EGO 5534022010

EGO 5534023815

EGO 5534024801

EGO 6301010010

EGO 6301058080


EGO 6341010010

**3444088 THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x140 mm - with stuffing gland fitting M9x1



EGO 5534022020

**3444190 THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 3000 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm - with adapter nipple band M9x1  
with complete tank coupling M12x1



EGO 5534226040

EGO 6301058080

**3444711 THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



EGO 5534024805




Suitable for:

EGO



**3444546 THREE-PHASE THERMOSTAT 30-120°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
button bulb  $\varnothing$  11x28 mm - nut M14x1




EGO 5534022829

Suitable for:

**3444357 THREE-PHASE THERMOSTAT 30-150°C**

complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 10A 400V  
bulb  $\varnothing$  6x120 mm



EGO 5534923801

**3444468 THREE-PHASE THERMOSTAT 30-85°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm  
bulb  $\varnothing$  6x138 mm - with adapter nipple band M9x1



EGO 5534014150

**3444067 THREE-PHASE THERMOSTAT 30-90°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm




EGO 5534012801

EGO 5534019805

EGO 6301018190

**3444812 THREE-PHASE THERMOSTAT 30-90°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm - 16A 380V  
bulb  $\varnothing$  6x129 mm



EGO 5534012800

**3444703 THREE-PHASE THERMOSTAT 315°C**

with manual reset  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1



EGO 5532564010

**3444707 THREE-PHASE THERMOSTAT 320°C**


with manual reset  
covered capillary length 1450 mm - 10A 400V  
bulb  $\varnothing$  6x176 mm - with adapter nipple band M9x1



EGO 5531554020

**7113944 THREE-PHASE THERMOSTAT 330°C**


with manual reset  
capillary length covered 880 mm  
bulb  $\varnothing$  6x78 mm



EGO 5532562230

**3444298 THREE-PHASE THERMOSTAT 337°C**

with manual reset  
covered capillary length 850 mm - 20A 400V  
button bulb  $\varnothing$  14x10 mm



EGO 5532562804

**3444592 THREE-PHASE THERMOSTAT 340°C**

with manual reset  
capillary length 1190 mm  
bulb  $\varnothing$  4x128 mm



EGO 5532563010



Suitable for:

Suitable for:

**3444025** **THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x160 mm



EGO 5531566010

EGO 5531569010


**3444354** **THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
capillary length coated 950 mm - 10A 400V  
bulb  $\varnothing$  3x190 mm



EGO 5532562805

EGO 5532562808

**3444356** **THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
covered capillary length 1300 mm - 10A 400V  
bulb  $\varnothing$  4x120 mm



EGO 5164945010


EGO 5164945020

EGO 5532569814

EGO 5532579800

EGO 9755325529

**3444370** **THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
covered capillary length 3000 mm - 10A 400V  
bulb  $\varnothing$  6x90 mm



EGO 5532566806

**3444445** **THREE-PHASE THERMOSTAT 350°C**  
with automatic reset  
capillary length covered 900 mm - 16A 380V  
bulb  $\varnothing$  3x190 mm



EGO 5534162800

**3444704** **THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm



EGO 5532564040

**7107650** **THREE-PHASE THERMOSTAT 350°C**  
D shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1180 mm  
bulb  $\varnothing$  4x228 mm




EGO 5534069203

**2000135** **THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 1710 mm - 10A 400V  
bulb  $\varnothing$  4x120 mm



EGO 5532579010

**3444306** **THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x120 mm



EGO 5532562806

EGO 5532562835

**3444382** **THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm



EGO 5532562822




Suitable for:

EGO



**3444484** **THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length 1300 mm  
bulb  $\varnothing$  4x120 mm



EGO 5532563800

EGO 5532563804

Suitable for:

**3444493** **THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length 1500 mm  
bulb  $\varnothing$  4x120 mm




EGO 5532568202

EGO 5532574010

EGO 5532574020

**3444574** **THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 1200 mm - 20A 400V  
bulb  $\varnothing$  6x79 mm



EGO 5532573801

**3444632** **THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 1800 mm - 20A 300V  
bulb  $\varnothing$  4x120 mm




EGO 5532566808

EGO 5532575040

EGO 5532575801

**3444904** **THREE-PHASE THERMOSTAT 370°C**  
with manual reset  
covered capillary length 1500 mm  
bulb  $\varnothing$  6x77 mm



EGO 5532574050

**5070456** **THREE-PHASE THERMOSTAT 380°C**  
with manual reset  
capillary length covered 1500 mm  
bulb  $\varnothing$  4x228 mm



EGO 5534174010

**3444713** **THREE-PHASE THERMOSTAT 40-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 380V  
bulb  $\varnothing$  3x219 mm



EGO 5534062801

EGO 6303010010

**3444363** **THREE-PHASE THERMOSTAT 420°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x310 mm



EGO 5532582802

EGO 5532582804

EGO 5532582807

**3444620** **THREE-PHASE THERMOSTAT 45-120°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm - 16A 380V  
bulb  $\varnothing$  6x140 mm



EGO 5534222807

**2105402** **THREE-PHASE THERMOSTAT 50-270°C**  
D shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulbo  $\varnothing$  3,1x263 mm



EGO 5534052230

**3444630 THREE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



EGO 5534052831

Suitable for:

**3444894 THREE-PHASE THERMOSTAT 50-275°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 380V  
 bulb  $\varnothing$  3x220 mm



EGO 5534052809

**3444251 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 10A 400V  
 bulb  $\varnothing$  3x220 mm



EGO 5534052807

EGO 5534052817

EGO 5534059801

EGO 5534059802

**3444349 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 860 mm - 10A 400V  
 bulb  $\varnothing$  4x240 mm



EGO 5534062826

**3444435 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1150 mm - 16A 380V  
 bulb  $\varnothing$  2.5x330 mm




EGO 5534059824

**3444469 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 880 mm  
 bulb  $\varnothing$  3x226 mm



EGO 5534052150

**3444504 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 880 mm - 10A 400V  
 bulb  $\varnothing$  4x128 mm




EGO 5534052020

**3444505 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1440 mm - 10A 400V  
 bulb  $\varnothing$  4x292 mm



EGO 5534054060

**3444561 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1740 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm



EGO 5534054050

EGO 5534055020

**3444619 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x219 mm



EGO 5534052812




Suitable for:

EGO



**3444694 THREE-PHASE THERMOSTAT 50-300°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm



EGO 5534052010

Suitable for:

**3444749 THREE-PHASE THERMOSTAT 50-300°C**

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm



EGO 5540654010

**3444168 THREE-PHASE THERMOSTAT 50-310°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x220 mm



EGO 5540062030

**3444052 THREE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm



EGO 5534062807

EGO 5534062815

**3444103 THREE-PHASE THERMOSTAT 50-320°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x220 mm



EGO 5534062800

**3444790 THREE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 800 mm - 10A 400V  
bulb  $\varnothing$  4x120 mm



EGO 5534062819

**5083823 THREE-PHASE THERMOSTAT 50-330°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 380V  
bulb  $\varnothing$  4x230 mm



EGO 5534062180

**3444778 THREE-PHASE THERMOSTAT 55-240°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x95 mm



EGO 5534042805

**5060649 THREE-PHASE THERMOSTAT 55-300°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 880 mm-10A 400V  
bulb  $\varnothing$  4x295 mm



EGO 5534052060

**5083271 THREE-PHASE THERMOSTAT 560°C**

with automatic reset  
capillary length covered 1080 mm  
bulb  $\varnothing$  4x228 mm



EGO 5534189010



Suitable for:


**3444033 THREE-PHASE THERMOSTAT 60-165°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 900 mm - 10A 400V  
 bulb  $\varnothing$  8x115 mm - with stuffing gland fitting M14x



EGO 5534039811

Suitable for:

**3444748 THREE-PHASE THERMOSTAT 60-180°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1800 mm - 16A 230V  
 bulb  $\varnothing$  6x133 mm - with adapter nipple bland M9x1




EGO 5534635010

**3444559 THREE-PHASE THERMOSTAT 60-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1200 mm - 16A 250V  
 bulb  $\varnothing$  4x229 mm



EGO 5534033801


**3444102 THREE-PHASE THERMOSTAT 60-200°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm



EGO 5534032030

EGO 5534032210

**3444503 THREE-PHASE THERMOSTAT 60-200°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1



EGO 5534032160

**3444044 THREE-PHASE THERMOSTAT 60-260°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 10A 400V  
 bulb  $\varnothing$  4x130 mm



EGO 5534059805

**3444038 THREE-PHASE THERMOSTAT 60-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 10A 400V  
 bulb  $\varnothing$  4x130 mm



EGO 5534069804




Suitable for:

EGO



**40K5034 THREE-PHASE THERMOSTAT 60-350°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 880 mm  
 bulb  $\varnothing$  4x128 mm



EGO 4941015500

EGO 5534062150

EGO 5534062150+.....

**3057050 CONNECTING BRACKET 28x21x16 mm**  
 distance between hooking brackets 27 mm  
 f/connection between selector switch and thermost.




EGO 0000617079

EGO 617078

EGO 617079

**3057177 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4941015500

EGO 4941015701

EGO 4941015710

**3444752 THREE-PHASE THERMOSTAT 30-350°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 880 mm - 16A 230V  
 bulb  $\varnothing$  4x128 mm




EGO 5534062150

**5069818 THREE-PHASE THERMOSTAT 62-550°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1120 mm  
 bulb  $\varnothing$  4x228 mm



EGO 5534683080

**3444147 THREE-PHASE THERMOSTAT 63-300°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1400 mm - 10A 400V  
 bulb  $\varnothing$  3x220 mm



EGO 5534963817

**3444425 THREE-PHASE THERMOSTAT 65-125°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x70 mm



EGO 5534022813

**3444594 THREE-PHASE THERMOSTAT 65-200°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 880 mm  
 bulb  $\varnothing$  6x77 mm - with adapter nipple bland M9x1  
 with complete tank coupling M12x1




EGO 5534032060





Suitable for:


**3444371 THREE-PHASE THERMOSTAT 70-195°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 10A 400V  
 bulb  $\varnothing$  6x135 mm



EGO 5534034050      EGO 5534034845      EGO 5534035010

Suitable for:

**3444779 THREE-PHASE THERMOSTAT 75-295°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  4x92 mm




EGO 5534052811

**5050807 THREE-PHASE THERMOSTAT 75/90°C**  
 with automatic reset  
 covered capillary length 860 mm - 16A 400V  
 bulb  $\varnothing$  6x134 mm



EGO 5534322802

**3444366 THREE-PHASE THERMOSTAT 90-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple bland M10x1




EGO 5534032814      EGO 5534032858      EGO 5534032863  
 EGO 6301918220      EGO 6302018190      EGO 6302918220

**3444420 THREE-PHASE THERMOSTAT 90-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1600 mm - 16A 250V  
 bulb  $\varnothing$  3x240 mm




EGO 5534034210

**5022599 THREE-PHASE THERMOSTAT 90-185°C**  
 D shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 870 mm  
 bulb  $\varnothing$  4x238 mm



EGO 5534032864

**3744007 THREE-PHASE THERMOSTAT 90-195°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 10A 400v  
 bulb  $\varnothing$  6x135 mm



EGO 5534032090

**3444166 THREE-PHASE THERMOSTAT 95-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1800 mm - 10A 400V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple bland M9x1  
 with complete tank coupling M12x1



EGO 5534032813      EGO 5534035080      EGO 5534035800



Suitable for:

# EGO



**3744098 THREE-PHASE THERMOSTAT 95-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1800 mm  
 bulb  $\varnothing$  6x130 mm - with adapter nipple bland M10x1




EGO 5534035130

**3444745 THREE-PHASE THERMOSTAT 95-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2420 mm - 16A 230V  
 bulb  $\varnothing$  6x133 mm - with adapter nipple bland M9x1



EGO 5534039020

**3744055 THREE-PHASE THERMOSTAT 95-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1480 mm - 16A 400V  
 bulb  $\varnothing$  6x120 mm



EGO 5534034010


EGO 5534034805

**3444491 THREE-PHASE THERMOSTAT 95-220°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1480 mm - 16A 400V  
 bulb  $\varnothing$  6x120 mm - with adapter nipple bland M9x1  
 with complete tank coupling M12x1



EGO 5534044020


**3444570 THREE-PHASE THERMOSTAT 95-230°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1250 mm  
 bulb  $\varnothing$  4x128 mm



EGO 5534043020

EGO 5534043800

**5081664 THREE-PHASE THERMOSTAT 99-198°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1780 mm - 16A 380V  
 bulb  $\varnothing$  4x158 mm



EGO 5534235050

EGO 5534235060

**3444621 WASHER FOR CAPILLARY THERMOSTAT**  
 $\varnothing$  7.7 mm



EGO 6706101

**3444695 3-PHASE THERMOSTAT 160°C**  
 with manual reset  
 covered capillary length 900 mm - 20A 380V  
 bulb  $\varnothing$  6x89 mm - with stuffing gland fitting M10x1



EGO 5532532805

EGO 5532532827

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)