



## Spare parts for the professional sector: Cooking equipment



Suitable for:

# EURAST



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# EURAST



Suitable for:

## Accessories for rotisserie

**3162010 END FORK**  
shaft square hole 12x12 mm  
overall length 92 mm




EURAST 7024S001  
EURAST 70240795+702R1949

EURAST 7024S001+702R1949

EURAST 70240795

**3162011 MIDDLE FORK**  
shaft square hole 12x12 mm  
overall length 130 mm



EURAST 7024D001

EURAST 70241905

**3162004 PIVOT END SCREW M6x10**



EURAST 702R1949

EURAST 70330003

**3162006 SPIT GUARD**



EURAST 7029C009

**3162007 SPIT GUARD**



EURAST 70250121

**3162005 SPIT HANDLE ø 30x70 mm**



EURAST 70290489

## Air regulators

**3025850 AERATION REGULATOR FOR BURNER D**  
external ø 18 mm - height 77 mm



EURAST

**3025851 AERATION REGULATOR FOR BURNER E**  
external ø 18 mm - height 84 mm



EURAST

**3025565 AIR REGULATOR**  
internal ø 16 mm - external ø 18 mm  
height 61 mm



EURAST 14031193

EURAST 14031193Z

**Burners, flame spreaders and accessories**

**3025564 BURNER  $\varnothing$  120 mm**  
for Pot stove gas (EURAST) - Series 900



EURAST 14071064

**3025841 BURNER D  $\varnothing$  104 mm 4.5Kw**



EURAST C5815109

**3025557 BURNER D  $\varnothing$  94 mm**



EURAST

**3025572 BURNER E  $\varnothing$  114 mm**



EURAST

**3025844 BURNER E  $\varnothing$  128 mm 7.5Kw**



EURAST C5815039

**3025563 FLAME SPREADER  $\varnothing$  120 mm**  
for Pot stove gas (EURAST) - Series 900



EURAST 14070530

**3025565 AIR REGULATOR**  
internal  $\varnothing$  16 mm - external  $\varnothing$  18 mm  
height 61 mm



EURAST 14031193

EURAST 14031193Z

**3025564 BURNER  $\varnothing$  120 mm**  
for Pot stove gas (EURAST) - Series 900



EURAST 14071064



# EURAST



Suitable for:

**3025568 FLAME SPREADER  $\varnothing$  150 mm**  
for Pot stove gas (EURAST) - Series 900



EURAST 14070520

**3025840 FLAME SPREADER "D"  $\varnothing$  104 mm 4,5Kw**




EURAST C5815119

**3025841 BURNER D  $\varnothing$  104 mm 4.5Kw**



EURAST C5815109

**3025856 VENTURI BURNER D  $\varnothing$  104 mm 4.5Kw**



**3025556 FLAME SPREADER "D"  $\varnothing$  94 mm**  
for COOKING HOB EGH



EURAST

**3025557 BURNER D  $\varnothing$  94 mm**



EURAST

Suitable for:

**3025565 AIR REGULATOR**  
internal  $\varnothing$  16 mm - external  $\varnothing$  18 mm  
height 61 mm



EURAST 14031193

EURAST 14031193Z

**3025867 BURNER "D-TC"  $\varnothing$  104 mm 4,5Kw**



**3025861 ELBOW FOR BURNER D**



**3025842 VENTURI FOR FLAME SPREADER 104 mm 4.5Kw**



**3025850 AERATION REGULATOR FOR BURNER D**  
external  $\varnothing$  18 mm - height 77 mm



EURAST

**3025560 BURNER GASKET**  
dimensions  $\varnothing$  71x45x1 mm





Suitable for:

**3025853 FITTING FOR GAS HOSE  $\varnothing$  10 mm**  
fitting M14




**2111289 JET HOLDER**  
fitting  $\varnothing$  1/8F  
thread M12x1



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



**3025558 VENTURI F/FLAME SPREADER "D-E"  $\varnothing$ 94-114mm**



EURAST

**3025571 FLAME SPREADER "E"  $\varnothing$  114 mm**



EURAST

**3025572 BURNER E  $\varnothing$  114 mm**



EURAST

## EURAST

Suitable for:

**3025852 FITTING FOR GAS HOSE  $\varnothing$  8 mm**  
fitting M12



**3025849 JET HOLDER**  
fitting  $\varnothing$  1/8F  
thread M14x1



**3020131 OLIVE FOR PIPE  $\varnothing$  8 mm**



**3025851 AERATION REGULATOR FOR BURNER E**  
external  $\varnothing$  18 mm - height 84 mm



EURAST

**3025560 BURNER GASKET**  
dimensions  $\varnothing$  71x45x1 mm





Suitable for:

**3025853 FITTING FOR GAS HOSE  $\varnothing$  10 mm  
fitting M14**



**2111289 JET HOLDER  
fitting  $\varnothing$  1/8F  
thread M12x1**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25**



**3025843 FLAME SPREADER "EL"  $\varnothing$  128 mm 7,5Kw**




EURAST C5815049

**3025844 BURNER E  $\varnothing$  128 mm 7.5Kw**



EURAST C5815039

**3025874 VENTURI BURNER EL  $\varnothing$  128 mm 7.5Kw**



## EURAST

Suitable for:

**3025852 FITTING FOR GAS HOSE  $\varnothing$  8 mm  
fitting M12**



**3025849 JET HOLDER  
fitting  $\varnothing$  1/8F  
thread M14x1**



**3025558 VENTURI F/FLAME SPREADER "D-E"  $\varnothing$ 94-114mm**



EURAST

**3025873 BURNER "EL"  $\varnothing$  128 mm 7,5Kw**



**3025879 ELBOW FOR BURNER EL**



**3025845 VENTURI FOR FLAME SPREADER 128 mm 7.5Kw**



**3025558 VENTURI F/FLAME SPREADER "D-E" ø94-114mm**




EURAST

## Electric hot plates

**3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V**

terminal block electric connections  
with STAINLESS steel edge 8 mm  
for electric cooking top



EURAST 321600

**3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**

terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EURAST 323500

## Energy regulators

**3350026 ENERGY REGULATOR**

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin ø 6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



EURAST 6031023

EURAST 96031023

## Fryer baskets and accessories

**3055197 FRYER BASKET 290x165x120 mm**

in chromium plated iron



EURAST 60890000

**3055466 FRYER BASKET HANDLE 140x40 mm**

distance between holes 115 mm  
of plastic





Suitable for:

**3055195 FRYER BASKET 330x290x120 mm**  
in chromium plated iron



# EURAST



Suitable for:

**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



EURAST 60580000

## Gas taps and accessories

**3348244 GAS TAP 21/S**  
complete with fitting  
with pilot flame  
clamp connection for pipe  $\varnothing$  21 mm  
outlet fittings M16x1.5 mm  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  8x6.5 mm




**7102841 BODY FITTING TAP**  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



EURAST

**3348219 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348220 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348221 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/17,5 mm upper/lower  
for model PEL 21



**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S







Suitable for:

**3348236** FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059** MAGNET PROTECTION NUT M9x1  
thread M18x1mm  
for model PEL 20-21-22




**3182011** MAGNETIC UNIT PEL SMALL HEAD  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



# EURAST

Suitable for:

**3348058** MAGNET PROTECTION NUT M8x1  
thread M18x1 mm  
for model PEL 20-21-22



**3182022** MAGNETIC GROUP PEL SMALL HEAD  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25



**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm






Suitable for:

# EURAST




Suitable for:

**3348112 GAS TAP 22/S**  
 with pilot flame  
 with turned horizontal flange  
 pipe flange fitting  $\varnothing$  27 mm  
 outlet fitting M20x1.5 mm  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  8x6.5 mm - long pin




**3348229 CAP WITH PIN  $\varnothing$  10 mm**  
 pin length 31 mm  
 for model PEL 22S/0



EURAST


**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 26 mm  
 for model PEL 22




**3348245 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 34/26 mm upper/lower  
 for model PEL 22S




**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
 pin length 26 mm  
 for model PEL 22



**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 35/21 mm upper/lower  
 for model PEL 22



**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 39/7 mm upper/lower  
 for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
 without adjustment  
 thread M20x1.5 mm  
 for model PEL 22S



**3348188 FLANGE COMPLETE FOR PEL22**  
 holes mounting distance 40 mm - pipe  $\varnothing$  27 mm



**3348189 FLANGE COMPLETE FOR PEL22**  
 holes mounting distance 34 mm - pipe  $\varnothing$  21 mm






Suitable for:

**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



# EURAST

Suitable for:

**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25





Suitable for:

**3348230** PIN FOT GAS TAP  $\varnothing$  6x4.6 mm  
pin length 45/20 mm rh/lh  
for model PEL 22



## EURAST

Suitable for:

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## Gas valves and accessories

**3523923** MINISIT VALVE FOR FRYER 50 $\div$ 190°C  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0 $\div$ 60°C  
length capillary 1200 mm  
bulb  $\varnothing$  5x95 mm  
without cover. knob and flanges



**2100757** CONNECTION FOR OLIVE  $\varnothing$  16 mm  
thread  $\varnothing$  1/2"M



EURAST 371300

**3523038** ELBOW FLANGE MINISIT  $\varnothing$  1/2"F  
with screws and OR



**3523037** ELBOW FLANGE MINISIT  $\varnothing$  3/8"  
with screws and OR





Suitable for:


**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm




**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



# EURAST

Suitable for:

**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**




**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm




**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange





Suitable for:

**3523042 SENSING ELEMENT MINISIT 50÷190°C**  
capillary length 1200 mm  
bulb ø 5x95 mm



# EURAST



Suitable for:

**5058320 TUBE NUT FITTING ø 10 mm**  
thread M14x1,5 mm



**3523920 VALVE 710 MINISIT OVEN 100÷340°C**  
inlet ø 1/2"F - outlet ø 3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1050 mm  
bulb ø 5x70 mm  
without cover, knob and flanges



**2100757 CONNECTION FOR OLIVE ø 16 mm**  
thread ø 1/2"M



EURAST 310300

**3523038 ELBOW FLANGE MINISIT ø 1/2"F**  
with screws and OR




**3523037 ELBOW FLANGE MINISIT ø 3/8"**  
with screws and OR



**3523035 KNOB MINISIT BLACK ø 37 mm**



**3523047 LID MINISIT**



**3182003 MAGNETIC UNIT SIT**  
head ø 25 mm - end piece ø 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT




**3523061 NUT ø 1/4"x6 mm**





Suitable for:

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25




**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



**3523040 SENSING ELEMENT MINISIT 100 $\pm$ 340°C**  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm



## EURAST

Suitable for:


**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm





Suitable for:

# EURAST



Suitable for:

## Grids for kitchen

**3185151 GRID 400x345 mm**  
for Pot stove (EURAST)



EURAST 31440000

## Heating elements

**3755936 HEATING ELEMENT 1000W 220V**  
length 780 mm



EURAST 70320289

EURAST 70320389

**3355804 HEATING ELEMENT 2185W 230V**  
length 227 mm - width 300 mm  
flange 70x22 mm



EURAST 6001067

EURAST 96001067

**3528242 CYLINDER HEAD SCREW M5x8**  
stainless steel - slotted  
UNI 6107 - DIN 84 - ISO 1207



## Hinges, catches and accessories

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118  
height 23 mm




EURAST





## Hinges, catches and accessories

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205  
height 160 mm



EURAST 616000

**3053234 HINGE COVER**  
mounting distance 95 mm - dimensions 124x20 mm



**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118  
height 23 mm



EURAST

**3053299 HINGE COVER**  
mounting distance 77 mm - dimensions 129x26 mm



**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205  
height 160 mm



EURAST 616300

**3053234 HINGE COVER**  
mounting distance 95 mm - dimensions 124x20 mm



**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118  
height 23 mm



EURAST

**3053299 HINGE COVER**  
mounting distance 77 mm - dimensions 129x26 mm



## Hot plates

**3312078 RIBBED PLATE 390x340 mm**  
made of cast iron  
for Pot stove (EURAST)



EURAST 31270000

**3312077 SMOOTH PLATE 390x340 mm**  
made of cast iron  
for Pot stove (EURAST)



EURAST 31450000



Suitable for:

# EURAST



Suitable for:

## Ignitors

**3001009 PIEZO IGNITER JUNKERS**  
with faston 6.35x0.8 mm



EURAST 373900

## Indicator lights

**3221368 INDICATOR LIGHT RED 230V**  
head  $\varnothing$  12 mm - hole  $\varnothing$  10 mm  
wire connection length 200 mm



EURAST 2014

**3221202 INDICATOR LIGHT TRANSPARENT 250V**  
head  $\varnothing$  8 mm - 150°C  
wire connection length 300 mm



EURAST 6061067

EURAST 96061067

**3221358 LAMP RECEPTACLE CLEAR**  
head  $\varnothing$  16 mm - hole  $\varnothing$  13 mm



EURAST 6061069

EURAST 96061069

## Knobs

**3241654 RED KNOB  $\varnothing$  68 mm**  
D-shaped hole 10x8 mm  
for Rotisserie (EURAST)



EURAST A1018028

EURAST 14090819

## Pilot burners and accessories

**3020481 PILOT  $\varnothing$  35x44 mm**



EURAST

**3020483 PILOT GASKET  $\varnothing$  35 mm**  
holes mounting distance 25 mm



EURAST

Suitable for:

**3020479 PILOT THREADED WITH JET  $\varnothing$  0.21 mm**



EURAST C5815189

Suitable for:

**3020478 PILOT THREADED WITH JET  $\varnothing$  0.40 mm**



EURAST C5815169


**3020482 VENTURI PILOT 23.5 mm**



EURAST

## Switches

**3319622 CHANGEOVER SWITCH 2 POLE WHITE 16A 250V**  
16(4)A 250V - max. temperature 120°C  
mounting hole 22x30 mm



EURAST C5120039

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



## Thermocouples and accessories

**3440033 THERMOCOUPLE SIT M9x1 32 cm**



EURAST C5820049

**3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS**



EURAST C5820049



Suitable for:

# EURAST



Suitable for:

**3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS**



EURAST C5820049

## Thermostats

**3444361 THERMOSTAT SINGLE-PHASE 50-320°C**


D-shaped pin  $\varnothing 6 \times 4.6$  mm  
capillary 950 mm - 16A 250V  
bulb  $\varnothing 3 \times 160$  mm



EURAST 2221

## Wire pan supports

**3354024 REDUCER FOR MOKA POT 215x215 mm**  
made of chrome plated iron



EURAST 30230000

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)