



Spare parts for the professional sector: Cooking equipment



Suitable for:

FALCON



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included

Rel. 2018-03021530





Suitable for:

FALCON



Suitable for:


Axial motor fans

3240515 AXIAL FAN EBM 8556N
230V 50Hz 12W 2800rpm
80x80x38 mm
ball bearing



FALCON 534500190

3240612 FAN GRID 80x80 mm
distance between mounting holes 95 mm



Ball valves and accessories

3411007 BALL VALVE ϕ 1/4"MF



FALCON 730843090

Burners, flame spreaders and accessories

3025899 BURNER HEAD ϕ 105 mm



FALCON 535290001

3025896 BURNER HEAD ϕ 118 mm



FALCON 535400060

3025898 FLAME SPREADER ϕ 105 mm



FALCON 535290000

3025900 FLAME SPREADER ϕ 114 mm 7,5Kw



FALCON 537060080

3025895 FLAME SPREADER ϕ 118 mm



FALCON 535480006

3025896 BURNER HEAD ϕ 118 mm



FALCON 535400060




FALCON



Suitable for:

3025901 JET HOLDER F/FLAME SPREADER 118 mm



FALCON 537101096

Suitable for:

3025897 VENTURI FOR FLAME SPREADER 118 mm



FALCON 535400070

3025903 FLAME SPREADER AND BURNER ø 105 mm KIT with jet holder and jet



FALCON 535290006

3025899 BURNER HEAD ø 105 mm




FALCON 535290001

3025898 FLAME SPREADER ø 105 mm




FALCON 535290000

3025902 JET HOLDER F/FLAME SPREADER




FALCON 535290003

3025902 JET HOLDER F/FLAME SPREADER




FALCON 535290003

3025901 JET HOLDER F/FLAME SPREADER 118 mm



FALCON 537101096

3025897 VENTURI FOR FLAME SPREADER 118 mm



FALCON 535400070

Cables for piezo igniters

3801005 IGNITION LEAD 500 mm
with faston 3x0.8 mm for ignition
with faston hole ø 4 mm for plug



FALCON 535010001

3801004 IGNITION LEAD 650 mm
with faston 3x0.8 mm for ignition
with faston 3x0.8 mm for plug



FALCON 537101590



Suitable for:

Suitable for:

3801003 IGNITION LEAD 800 mm
with faston 3x0.8 mm for ignition
with faston 3x0.8 mm for plug



FALCON 535710115

Castors, rollers and accessories

3346221 CASTOR SWIVELS WITH BRAKE KIT 4 PCS
dimensions \varnothing 100x32 mm
fixing plate 96x90 mm
distance between holes 70-55 mm



FALCON 535400211

Contact thermostats

3444609 CONTACT THERMOSTAT KSD301-R 95°C
manual reset - 10A 250V



FALCON 738603249

3444608 CONTACT THERMOSTAT 60°C
automatic reset - for wash tank



FALCON 738061070

Drain taps and accessories

5034036 DRAIN TAP \varnothing 1"MF



FALCON 534510060




Electric hot plates

3311094 **ELECTRIC HOT PLATE** \varnothing 180 mm 1500W 230V
MODEL "ECODESIGN"
 terminal block electric connections
 with STAINLESS steel edge 8 mm
 for electric cooking top



FALCON 735010100

3311096 **ELECTRIC HOT PLATE** \varnothing 180 mm 2000W 230V
 terminal block electric connections
 with STAINLESS steel edge 8 mm
 for electric cooking top



FALCON 730960050

3311130 **ELECTRIC HOT PLATE** 240V
 with cables length 500 mm
 dimensions 560x240 mm
 for electrical cooking hob



FALCON 730960010

Electrical gas valves and accessories

2110743 **VALVE 810 ELETTROSIT** \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 50 mbar
 setting range of the regulator
 pressure 3 ÷ 18 mbar
 room temperature 0 ÷ 60°C
 power supply 230V 50Hz
 pilot connection and LOWER thermocouple



FALCON 531740600

FALCON 531750330

3526100 **COIL** 220V
 for VALVE ELETTROSIT



3526108 **ELBOW FLANGE** \varnothing 1/2" F
 with screws and OR
 for ELETTROSIT VALVE



3526106 **FLANGE STRAIGHT** \varnothing 1/2" F
 with screws and OR
 for ELETTROSIT VALVE





Suitable for:

3526107 FLANGE STRAIGHT \varnothing 3/4" F
with screws and OR
for ELETTROSIT VALVE



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



FALCON

Suitable for:

3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



2111851 VALVE 820 NOVA mV \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
pressure calibration range of
outlet 5 \div 50 mbar
room temperature 0 \div 70°C
power supply through double wire thermopile
(TPH-TP terminal)
slow ignition level 3-5 mbr



FALCON 537350016

2100054 COIL 220V 60Hz
for VALVE 820 NOVA-822 NOVA-828 NOVA



3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm




3526077 ELBOW FLANGE \varnothing 1/2" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P




3020083 FITTING AND OLIVE \varnothing 4 mm





Suitable for:


3020084 FITTING AND OLIVE \varnothing 6 mm



3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



3440200 THERMOPILE WITH TWIN LEAD \varnothing 9x65 mm
cable length 800 mm - with coupling M11X1



FALCON

Suitable for:

3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



Electronic boards

3390427 CONTROL ELECTRONIC BOARD 90x65 mm
D-shaped pin \varnothing 6x4.6 mm



FALCON 731350002



Suitable for:


FALCON



Suitable for:

Energy regulators

- 3350024 ENERGY REGULATOR**
 contact capacity 240V 13A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction



FALCON E2512/22-LD22

FALCON 737630011

Feet

- 3313125 ADJUSTABLE S/ST. FOOT \varnothing 2"1/2 x h 115 mm**
 with rectangular flange 90x70 mm
 adjustable height 115÷185 mm



FALCON 535480067

Fryer baskets and accessories

- 3255003 FRYER BASKET 290x205x140 mm**
 chrome-plated iron



FALCON 531312010

- 3255002 FRYER BASKET 340x150x140 mm**
 made of chromed-plated steel



FALCON 536430126

- 3255004 FRYER BASKET 435x145x150 mm**
 chrome-plated iron



FALCON 535770089



Gas burners


- 3023349 COMPLETE BURNER KIT 400x150 mm**
total length 430 mm - height 100 mm



FALCON 537210660

Gas taps and accessories

- 3348208 GAS TAP COPRECI CAL24200**
with pilot flame
flange connection tube \varnothing 21 mm
outlet fitting M17x1 mm
thermocouple connection M8x1
pilot burner connection M8x1
pin length 43 mm
D-shaped pin \varnothing 8x6 mm



FALCON 535100921

- 3348209 GAS TAP COPRECI CAL24200**
with pilot flame
flange fitting tube \varnothing 21 mm
outlet fitting M17x1 mm
thermocouple fitting M8x1
pin length 22 mm
D-shaped pin \varnothing 8x6.5 mm




FALCON 537220360

- 3348211 GAS TAP COPRECI CAL3200**
with pilot flame
fitting M18x1.5 mm
thermocouple fitting M10x1
pilot burner fitting M8x1
frontal fastening M14x1
pin length 34.5 mm
D-shaped pin \varnothing 7x5 mm



FALCON 537560020

- 3348212 GAS TAP COPRECI CAL5200**
with pilot flame
flange fitting tube \varnothing 21 mm
outlet fitting M14x1,5 mm
thermocouple fitting M8x1
pin length 45 mm
D-shaped pin \varnothing 7x5 mm



FALCON 535200021

- 3348210 GAS TAP COPRECI CAL5200 KIT**
with tubes and accessories
flange fitting tube \varnothing 21 mm
outlet fitting M14x1,5 mm
thermocouple fitting M8x1
pin length 45 mm
D-shaped pin \varnothing 7x5 mm



FALCON 535200023



Suitable for:

FALCON

Suitable for:



Gas valves and accessories

3523103 GAS VALVE MERTIK MAXITROL KIT
 the kit includes:
 1 sailing braiding length 750 mm
 2 fittings \varnothing 3/8" M - \varnothing tube 12-14 mm
 1 valve mod. GV30A-D3TE3JYK0-04
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple fitting M8x1
 max gas inlet pressure 50 mbar
 capillary length 1130 mm - with fitting \varnothing 1/4"



FALCON 535580017

3523104 GAS VALVE MERTIK MAXITROL KIT
 the kit includes:
 1 sailing braiding length 800 mm
 2 fittings \varnothing 3/8" M - \varnothing tube 12-14 mm
 1 valve mod. GV30A-D3TE3JYK0-05
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple fitting M8x1
 max gas inlet pressure 50 mbar
 capillary length 1130 mm - with fitting \varnothing 1/4"



FALCON 535580012

Gaskets for oven door

3586013 DDOR GASKET KIT
 the kit includes 2 gaskets:
 1 gasket length 930 mm
 1 gasket length 1370 mm
 with fixing rivets



FALCON 530962183

3586012 DOOR GASKET LEFT SIDE 930 mm
 with fixing rivets



FALCON 535480057

3586009 DOOR GASKET RH SIDE 1370 mm
 with fixing rivets



FALCON 535480056

3586011 DOOR GASKET 455x405 mm
 made of silicone elastomer
 with fastening clips
 BLACK COLOUR



FALCON 732910000

3586014 GASKET FOR OVEN DOOR 3000 mm
 made of silicone elastomer
 profile dimensions 30x12 mm
 WHITE COLOUR



FALCON 530843130



Grids for kitchen

3195007 GRID 560x295 mm



FALCON 535290027

3195008 GRID 560x295 mm



FALCON 535400130

Handles

3242800 HANDLE OF PLASTIC 204 mm BLACK
distance between holes 177 mm - thread M8x1,25 mm



FALCON 535480055

3242798 SNAP LOCK 28 mm
fastening plate 64x26 mm
distance between hole plate 48 mm



FALCON 530962150

3242797 SNAP LOCK 60 mm
fastening plate 63x28 mm
distance between hole plate 43.5 mm



FALCON 535480054

3242799 SNAP LOCK 60 mm
fastening plate 63x28 mm
distance between hole plate 43.5 mm
distance between hole match. part 43.5 mm



FALCON 534100090

Heating elements

3855068 HEATING ELEMENT 2650W 230V
length 458 mm - width 225 mm
2 flanges 30x18 mm



FALCON 737630010

3855069 HEATING ELEMENT 3000W 240V
length 95 mm - width 415 mm
height 50 mm - fitting M40x1,5 mm



FALCON 730840010

3855070 HEATING ELEMENT 3200W 230V
external \varnothing 193 mm - internal \varnothing 178 mm
total height 78 mm
flange 50x22 mm



FALCON 535420009

3855067 HEATING ELEMENT 940W 240V
length 385 mm - width 50 mm
flange 60x20 mm - complete with cables



FALCON 731540400



Suitable for:

FALCON

Suitable for:



Hinges, catches and accessories

3053687 BUSHING FOR DOOR HINGE
external \varnothing 17/13 mm - internal \varnothing 9 mm
height 10 mm



FALCON 537101290

Ignitors

3001076 IGNITER PIEZO
a \varnothing 18 mm hole is required for the assembly
faston F2,8x0,8 mm



FALCON 535480040

3001077 IGNITION PIEZO WITH CABLE KIT
a \varnothing 22 mm hole is required for the assembly
ignition lead 500 mm
with faston 3x0.8mm for ignition
with faston \varnothing 4 mm for plug
earthing cable 250 mm



FALCON 535150015

3001005 PIEZO IGNITER
a \varnothing 18 mm hole is needed for the assembly
faston M \varnothing 2.4 mm



FALCON 531401560

5035512 WATERTIGHT PIEZO CAP
of silicone rubber



3001075 PIEZO IGNITER
a \varnothing 22 mm hole is required for the assembly
faston F2,8x0,8 mm



FALCON 535010000

3001073 PIEZO IGNITER KIT
with bracket of metal 80x40x20 mm
distance between holes 30 mm



FALCON 531750340

Suitable for:

Suitable for:

- 3001074 PIEZO IGNITER WITH PLUG KIT**
 a \varnothing 22 mm hole is required for the assembly
 faston F2,8x0,8 mm
 with cable length 500 mm
 with round ignition plug \varnothing 7x63 mm



FALCON 53500015

Incandescent lamps and neon lamps

- 3221662 HALOGEN LAMP INFRARED 500W 240V**
 length 216 mm
 wire connection length 210 mm



FALCON 539215170

- 3221140 OVEN LAMP E14 40W 230V**
 max temperature 300°C



FALCON 531740340

Indicator lights

- 3221008 GREEN LAMP RECEPTACLE**
 head \varnothing 15 mm - hole \varnothing 12 mm
 universal application



FALCON 738160140

- 3221097 INDICATOR LIGHT NEUTRAL 220V**
 head \varnothing 8 mm - 120°C



FALCON 539113510

- 3221126 INDICATOR LIGHT NEUTRAL 24V**
 head \varnothing 8 mm - 120°C



- 3221262 GREEN LAMP RECEPTACLE**
 head \varnothing 14.5 mm - hole \varnothing 12 mm



FALCON 738160140

- 3221097 INDICATOR LIGHT NEUTRAL 220V**
 head \varnothing 8 mm - 120°C



FALCON 539113510



Suitable for:

FALCON



3221112 INDICATOR LIGHT ORANGE 220V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



FALCON 738010490

3221111 INDICATOR LIGHT RED 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



FALCON 738010480

3221687 LAMP CAP TAPERED CONICAL WHITE SU3



Suitable for:

5037049 LAMP CAP TAPERED CONICAL ORANGE SU3
mounting hole \varnothing 6 mm - head \varnothing 7 mm



3221594 LAMP CAP TAPERED CONICAL RED SU3
mounting hole \varnothing 6 mm - head \varnothing 7 mm



3221007 LAMP RECEPTACLE ORANGE
head \varnothing 15 mm - hole \varnothing 12 mm
universal application



FALCON 738010520

3221126 INDICATOR LIGHT NEUTRAL 24V
head \varnothing 8 mm - 120°C



3221097 INDICATOR LIGHT NEUTRAL 220V
head \varnothing 8 mm - 120°C



FALCON 539113510

Suitable for:

3221020 LAMP RECEPTACLE ORANGE
 ø head 14.5 mm - ø hole 12 mm
 universal use



FALCON 738010520

Suitable for:

3221097 INDICATOR LIGHT NEUTRAL 220V
 head ø 8 mm - 120°C



FALCON 539113510

3221126 INDICATOR LIGHT NEUTRAL 24V
 head ø 8 mm - 120°C



Knobs

3541027 KNOB BLACK ø 55 mm
 D-shaped hole 7x5 mm



FALCON 531880520

3541023 KNOB BLACK ø 65 mm SILK SCREEN PRINTED
 D-shaped hole 7x5 mm



FALCON 536000021

3541026 KNOB BLACK ø 65 mm SILK SCREEN PRINTED
 D-shaped hole 7x5 mm



FALCON 535900000

3541030 KNOB BLACK ø 65 mm SILK SCREEN PRINTED
 D-shaped hole 7x5 mm



FALCON 535400010

3541029 KNOB BLACK ø 65 mm 130-190°C
 D-shaped hole 6x4.6 mm



FALCON 731350001

3541022 KNOB GREY ø 65 mm SILK SCREEN PRINTED
 D-shaped hole 7x5 mm



FALCON 535050007



Suitable for:

Suitable for:

3541028 KNOB GREY ø 65 mm SILKSCREEN PRINTED
D-shaped hole 7x5 mm



FALCON 535290025

Lava stone grids

3265001 BURNER TILE 635x100x75 mm

3314005 SUPPORT FOR CENTRAL PLATE 185 mm



FALCON 535010013

FALCON 531620010

Microswitches, magnetic

3803117 MAGNETIC MICROSWITCH
0,4A 24V - contact NO - head 27x25x7 mm
with cable length 300 mm



FALCON 735750014

Microswitches, mechanical

3803118 KIT MICROSWICHTH WITH TERMINAL BLOCK
with plate 63x30 mm

3803115 MICROSWITCH 16(6)A 250V



FALCON 731350051

FALCON 735011420

Motors

3240512 MOTOR WITH FAN 32W 230V 50Hz 0.27A
TYPE R2K150-AC01-15
fan ø 150 mm



FALCON 535420010



O-Ring and ORM gaskets

1186318 O-RING 03043 EPDM
ring thickness 2.62 mm - internal \varnothing 10.78 mm



FALCON

1186655 O-RING 04131 EPDM
ring thickness 3.53 mm - internal \varnothing 32.93 mm



FALCON 738060570

Pilot burners and accessories

3020496 PILOT BURNER 3 FLAMES KIT
with bracket 75x20x30 mm
without plug
with NATURAL GAS nozzle
with fitting tube and olive pilot tube
with fitting for thermocouple
with small parts




FALCON 535010005

3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



FALCON 530961630



Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



FALCON



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



5026012 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503



3020112 OLIVE FOR PIPE \varnothing 6 mm



3020044 PILOT JET \varnothing 0.20 mm



5071220 PILOT JET \varnothing 0.22 mm



3020452 PILOT JET \varnothing 0.32 mm



3020045 PILOT JET \varnothing 0.50 mm



3020449 PILOT JET \varnothing 0.54 mm



3020464 PILOT JET \varnothing 0.64 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



FALCON



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020406 PILOT BURNER 6CH14-2 3 FLAMES
supplied with LPG jet



FALCON 531300050

3020410 PILOT JET \varnothing 0.26 mm



3020411 PILOT JET \varnothing 0.16 mm



FALCON 531300070

3020495 PILOT BURNER 6CH24-1 3 FLAMES
with NATURAL GAS nozzle



FALCON 537210280

3020410 PILOT JET \varnothing 0.26 mm



3020411 PILOT JET \varnothing 0.16 mm



FALCON 531300070

3500435 PILOT JET



FALCON 537220270

3020411 PILOT JET \varnothing 0.16 mm



FALCON 531300070



Suitable for:

3020042 PILOT JET \varnothing 0.19 mm



FALCON 535410015

Suitable for:

3020043 PILOT JET \varnothing 0.36 mm



FALCON 530961100

3500334 PILOT JET NATURAL GAS



FALCON 531720020

2100476 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket




FALCON 535820022


3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3020285 GASKET FOR TARGET PILOT



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



FALCON 530961630

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm





Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



FALCON



Suitable for:

3020113 OLIVE FOR PIPE \varnothing 4 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020114 OLIVE FOR PIPE \varnothing 6 mm



3020201 PILOT JET \varnothing 0.14 mm



3020042 PILOT JET \varnothing 0.19 mm



3020542 PILOT JET \varnothing 0.20 mm



FALCON 535410015


5047578 PILOT JET \varnothing 0.24 mm



3020202 PILOT JET \varnothing 0.27 mm



2102405 PILOT JET \varnothing 0.35 mm



3020043 PILOT JET \varnothing 0.36 mm



3020543 PILOT JET \varnothing 0.38 mm



FALCON 530961100



Suitable for:

5022050 PILOT JET \varnothing 0.50 mm



FALCON



Suitable for:

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



3020494 TARGET PILOT BURNER SIT 2 FLAMES LH
supplied without plug, gasket
supplied with pilot tube connection
supplied with nozzle
supplied with olibve



3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



FALCON 531600050

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**





Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



FALCON 530961630

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020113 OLIVE FOR PIPE \varnothing 4 mm



3020114 OLIVE FOR PIPE \varnothing 6 mm



3020042 PILOT JET \varnothing 0.19 mm



FALCON 535410015

5047578 PILOT JET \varnothing 0.24 mm



FALCON

Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020201 PILOT JET \varnothing 0.14 mm



3020542 PILOT JET \varnothing 0.20 mm




3020202 PILOT JET \varnothing 0.27 mm





Suitable for:

2102405 PILOT JET \varnothing 0.35 mm



FALCON



Suitable for:

3020043 PILOT JET \varnothing 0.36 mm



3020543 PILOT JET \varnothing 0.38 mm



FALCON 530961100

5022050 PILOT JET \varnothing 0.50 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



Probes

3397225 TEMPERATURE PROBE NTC \varnothing 5x130 mm
probe 2 threads with connector
cable length 350 mm
with fastening coupling M10x1.25 mm



3397224 TEMPERATURE PROBE NTC \varnothing 5x310 mm
probe 2 threads with clamps
cable length 100 mm
with fastening coupling M10x1.25 mm



FALCON 536300034

FALCON 731350020



Refractory tiles

5084374 CERAMIC RADIANT PLATE 180x75x13 mm



FALCON 531600010

Relays


3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A



FALCON 738603330

Selector switches

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



FALCON 539110400

Sleeving for cables

3652016 SEALING BRAIDING FOR CIRCULAR PLATES
length 600 mm - external \varnothing 10 mm



FALCON 730960116



Suitable for:

FALCON

Suitable for:



Solenoid valves

3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



FALCON 738270080

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%




FALCON



Suitable for:

3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm



FALCON 738010600

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



FALCON



Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



Sparking and detection plugs

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



FALCON 530961630

3806027 ROUND IGNITION PLUG \varnothing 7x45 mm
fitting M10x1 mm - with fastening nut
total length 59 mm



FALCON 535950022

3020230 ROUND IGNITION PLUG \varnothing 7x54 mm
male faston M4x1 mm
overall length 63 mm
for COOKING HOB series 700 PROTAGONISTA NUOVA
for COOKING HOB series 900 PROTAGONISTA NUOVA
for COOKING HOB series 1100 PROTAGONISTA NUOVA



FALCON 537742004

3806029 ROUND IGNITION PLUG \varnothing 8x50 mm
fitting M14x2 mm - with fastening nut
total length 70 mm



FALCON 535480033

Springs

3250287 DOOR SPRING \varnothing 27x50 mm
total length 95 mm




FALCON 531880210



Telethermometers

3441007 TELE-THERMOMETER WHITE \varnothing 60 mm 0-120°C

metal case
PVC covered capillary 3000 mm
spring bulb \varnothing 8x32 mm
bulb fitting M10x1



FALCON 738013861

Thermocouples and accessories

3440208 CUT-OFF THERMOCOUPLE SIT M9x1 60 cm


cut-off contact with cables 40 cm



FALCON 537350015

3440207 EXTENSION FOR THERMOCOUPLE M8x1 150 cm


F nut M10x1



FALCON 535400120

3440209 KIT CUT-OFF THERMOCOUPLE SIT M9x1 85cm

with accessories



FALCON 535670024

3440203 THERMOCOUPLE M10x1 60 cm COUPL. M8x1



FALCON 535400180

3440064 NUT FOR THERMOCOUPLE M8x1



3440187 THERMOCOUPLE M8x1 32 cm COUPLING M8x1



FALCON 535480011

3440064 NUT FOR THERMOCOUPLE M8x1





Suitable for:

3440210 THERMOCOUPLE M8x1 33 cm COUPL. M8x1 KIT with accessories



FALCON 537060102

Suitable for:

3440064 NUT FOR THERMOCOUPLE M8x1



3440201 THERMOCOUPLE M8x1 60 cm COUPLING M8x1



FALCON 535480012

3440064 NUT FOR THERMOCOUPLE M8x1



3440205 THERMOCOUPLE M8x1 70 cm COUPL. M8x1 KIT with accessories



FALCON 537060112

3440064 NUT FOR THERMOCOUPLE M8x1



3440198 THERMOCOUPLE NICHEL-PLATED M8x1 90 cm



FALCON 537883018

3440204 THERMOCOUPLE NICKEL-PLAT SIT M10x1 100cm COUPLING M10x1



FALCON 534101001

3440206 THERMOCOUPLE NICKEL-PLATED M8x1 75 cm COUPLING M8x1




FALCON 537220330

3440064 NUT FOR THERMOCOUPLE M8x1



3440199 THERMOCOUPLE SIT M10x1 50cm COUPL. M10x1 ALUMINIZED HEAD




FALCON 531600040



Thermostatic gas valves

3345042 THERMOSTATIC TAP COPRECI MT7200

flange coupling \varnothing 21 mm
 outlet fitting M16x1.5 mm
 thermocouple fitting M8x1
 bulb \varnothing 4.5x92 mm - capillary length 1000 mm
 pin length 41.5 mm
 D-shaped pin \varnothing 7x5 mm



FALCON 535200022

3345043 THERMOSTATIC TAP KIT MT7200

setting temperature 120-270°C
 the kit includes:
 1 black knob \varnothing 65 mm
 D-shaped hole 7x5 mm
 1 tube with different fittings
 1 thermostatic tap COPRECI MT7200
 pipe flange fitting \varnothing 21 mm
 outlet fitting M16x1.5 mm
 thermocouple fitting M8x1
 bulb \varnothing 4.5x92 mm - capillary length 1000 mm
 D-shaped pin \varnothing 7x5 mm



FALCON 535200024

3345044 THERMOSTATIC TAP KIT MT7200

setting temperature 120-270°C
 the kit includes:
 1 black knob \varnothing 65 mm
 D-shaped hole 7x5 mm
 1 tube with different fittings
 1 thermocouple M10x1 60 cm COUPLING M8x1
 1 extension thermocouple M8x1 150 cm M10x1
 1 thermostatic tap COPRECI MT7200
 pipe flange fitting \varnothing 21 mm
 outlet fitting M16x1.5 mm
 thermocouple fitting M8x1
 bulb \varnothing 4.5x92 mm - capillary length 1000 mm
 D-shaped pin \varnothing 7x5 mm



FALCON 534101050

Thermostats

3744195 SINGLE-PHASE THERMOSTAT KIT

complete with bracket and cables
 with manual reset
 capillary length 720 mm
 bulb \varnothing 6x78mm-with stuffing gland fitting M9x1



FALCON 536300036

3744197 SINGLE-PHASE THERMOSTAT KIT

the kit includes:
 1 support bracket 103x70x43 mm
 1 ignition hole \varnothing 22 mm
 1 ignition lead 800 mm
 1 cut-off thermocouple SIT M9x1 85 cm
 1 plug with fittings
 1 single-phase thermostat complete with cables
 with manual reset
 capillary length 700 mm
 bulb \varnothing 6x78 mm - with stuffing gland fitting M9x1



FALCON 537350031



Suitable for:

FALCON




3744194 SINGLE-PHASE THERMOSTAT 206°C
 with cables
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1400 mm
 bulb \varnothing 6x110mm - with stuffing gland fitting M9x1



FALCON 537810100

Suitable for:

2101288 SINGLE-PHASE THERMOSTAT 230°C
 with automatic reset
 capillary length 700 mm - 16A 250V
 bulb \varnothing 6x78 mm - with stuffing gland fitting M9x1



FALCON 539216220

FALCON 731350021

3744190 SINGLE-PHASE THERMOSTAT 237°C
 with cables
 with automatic reset
 capillary length 710 mm
 bulb \varnothing 6x78 mm - with stuffing gland fitting M9x1



FALCON 537350032

3744191 SINGLE-PHASE THERMOSTAT 240°C
 complete with sealing braiding
 with automatic reset
 capillary length 750 mm - 16A 250V
 bulb \varnothing 6x78 mm
 with stuffing gland fitting M9x1



FALCON 535580008

3744196 SINGLE-PHASE THERMOSTAT 245°C
 complete with sealing braiding
 with automatic reset
 capillary length 750 mm - 16A 250V
 bulb \varnothing 6x78mm - with stuffing gland fitting M9x1
 with complete tank sealing fitting M12x1



FALCON 535670017

3744193 SINGLE-PHASE THERMOSTAT 270°C
 with cables
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1445 mm
 bulb \varnothing 6x110mm - with stuffing gland fitting M9x1



FALCON 535670014

3444813 SINGLE-PHASE THERMOSTAT 310°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1350 mm
 bulb \varnothing 6x300 mm




FALCON 730961040

FALCON 731402080

FALCON 731880190

2101404 SINGLE-PHASE THERMOSTAT 32-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 870 mm - 16A 240V
 bulb \varnothing 6x100 mm - adapter nipple bland M9x1



FALCON 539113130




Suitable for:

Suitable for:

2101246 SINGLE-PHASE THERMOSTAT 82°-96°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 870 mm
 bulb \varnothing 6 x 147 mm - adapter nipple M9x1

3444361 THERMOSTAT SINGLE-PHASE 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 950 mm - 16A 250V
 bulb \varnothing 3x160 mm



FALCON

FALCON 531139110
 FALCON 539113110

FALCON 531750500
 FALCON 731910500

FALCON 5391103700

2101244 THREE-PHASE THERMOSTAT 130°-190°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 880 mm - 10A 400V
 bulb \varnothing 6x220 mm

3744192 THREE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 1470 mm - 10A 400V
 bulb \varnothing 6x108 mm



FALCON 539215840
 FALCON 735120012+...


FALCON 735010330

FALCON 735120012

FALCON 539113830

Timers

3446145 TIMER 120 MINUTES M2
 mechanical movement with balance wheel
 manually set cycle 120 minutes
 contact capacity 16(4)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



FALCON 731910460

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com