



Spare parts for the professional sector: Cooking equipment



Suitable for:

FB FABBA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

FB FAB A



Suitable for:

Burners, flame spreaders and accessories

3025406 BURNER ø 120 mm




FB FAB A PR3G031

3025364 BURNER BOWL ø 78 mm



FB FAB A PR3G032

3025363 FLAME SPREADER ø 120 mm



FB FAB A PR3G029

3025406 BURNER ø 120 mm



FB FAB A PR3G031

3025364 BURNER BOWL ø 78 mm



FB FAB A PR3G032

3025575 FLAME SPREADER ø 120 mm



FB FAB A PR3G030

3025362 FLAME SPREADER ASSY. ø 120 mm



FB FAB A PR3G030+PR3G031

3025575 FLAME SPREADER ø 120 mm



FB FAB A PR3G030


3025362 FLAME SPREADER ASSY. ø 120 mm



FB FAB A PR3G030+PR3G031

Contact thermostats

3443045 CONTACT THERMOSTAT 180°C 16A 250V
with manual reset - 16A 250V



FB FAB A PR10015

3443046 CONTACT THERMOSTAT 200°C 16A 250V
with automatic reset
fixing pin M4



FB FAB A PR40026

Contactors

3446562 CONTACTOR LOVATO BF0901A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact



FB FAB A PR70015

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



Drain taps and accessories


3356107 DRAIN TAP \varnothing 1/2" F
TECO BLOCK safety handle
brass tap body CW617N UNI 12165
polished chrome-plated surface finishing
Hostaform handle with metal core
operating temperature 120°C max
operating pressure 4 bar max



FB FAB A PR70014

Handles

5029706 BRASS CLUTCH FOR HANDLE
extern dimensions 35x15x13 mm
for Panini grill electric (FB FAB A) - Series E
Series S



FB FAB A PR10014



Suitable for:

FB FABA

Suitable for:



Heating elements

3755458 HEATING ELEMENT 1000W 230V
width 180 mm - length 180 mm




FB FABA PR1003

3355327 HEATING ELEMENT 1000W 230V BOTTOM
length 180 mm - width 180 mm




FB FABA

3755430 HEATING ELEMENT 1200W 230V
length 175 mm - width 225 mm



FB FABA PR103/1

3755478 HEATING ELEMENT 1500W 230V
length 180 mm - width 205 mm



FB FABA PR103/2

3755406 HEATING ELEMENT 2000W 230V
external ø 300 mm
for CRÊPE PAN 350 mm
for Crêpe pan electric (FB FABA)




FB FABA PR30001

3755407 HEATING ELEMENT 2750W 230V
external ø 360 mm
for CRÊPE PAN 400 mm
for Crêpe pan electric (FB FABA)



FB FABA PR30060

5052031 HEATING ELEMENT 3300W 230V
length 320 mm - width 200 mm
height 190 mm - fittings M12x1 mm



FB FABA PR70054

5071054 HEATING ELEMENT 3500W 230V
length 305 mm - width 175 mm
height 225 mm - fittings ø 1/4"
for Fryer electric (FB FABA) F5+5S - F5S - F6+6M
F6M



FB FABA PR70211

3755429 HEATING ELEMENT 600W 230V
width 175 mm - length 180 mm



FB FABA PR10072

3755428 HEATING ELEMENT 800W 230V
length 175 mm - width 180 mm



FB FABA PR10013



Suitable for:

3755425 PIPE QUARTZ \varnothing 10x440 mm
for Toaster electric (FB FABA) MAXI-GRILL



FB FABA PR4G017

3755410 QUARTZ HEATING ELEMENT 300W 115V
410 mm length - \varnothing 12 mm
for Toaster electric (FB FABA) MAXI-GRILL



FB FABA PR4G015

FB FABA PR4G018

3755769 QUARTZ HEATING ELEMENT 500W 115V
total length 365 mm - \varnothing 11.5 mm
for Toaster electric (FB FABA) TN3 - TN3-TN6 - TN6



FB FABA PR40057

Suitable for:

3755427 QUARTZ HEATING ELEMENT 1000W 230V
length 390 mm - \varnothing 10 mm
flange 110x25 mm
for Toaster electric (FB FABA) P3 - P6



FB FABA PR404/1

3755408 QUARTZ HEATING ELEMENT 400W 115V
length 260 mm - \varnothing 12 mm
for Toaster electric (FB FABA) TN2



FB FABA PR40058

3755426 QUARTZ HEATING ELEMENT 800W 230V
length 310 mm - flange 110x25 mm



FB FABA PR40004

Ignitors

3001020 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



FB FABA PR3G047

5071589 WATERTIGHT PIEZO CAP
made of silicone rubber



5035512 WATERTIGHT PIEZO CAP
of silicone rubber





Suitable for:

FB FABA



Suitable for:

Indicator lights

3221293 INDICATOR LIGHT GREEN 250V
head \varnothing 20 mm - hole \varnothing 10 mm - 120°C



FB FABA PR10006

3221294 INDICATOR LIGHT ORANGE 250V
head \varnothing 20 mm - hole \varnothing 10 mm - 120°C



FB FABA PR10010

Knobs

3241357 BLACK KNOB \varnothing 40 mm
D-shaped hole 6x4.6 mm



FB FABA PR10008

3241373 BLACK KNOB \varnothing 44 mm
pin hole 7x5 mm



FB FABA PR40054

Microswitches, mechanical

3240410 MICROSWITCH 16(4)A 250V



FB FABA PR70011

3240203 BUSHING DOOR MICROSWITCH
external \varnothing 10x15 mm



3240236 LIMIT SWITCH CONTROL



3240234 LIMIT SWITCH PIN



3240233 MICROSWITCH FITTING M16x1.5 mm



3250071 MICROSWITCH SPRING \varnothing 13x25 mm



3240235 RING NUT M16x1.5 mm



O-Ring and ORM gaskets

3186143 O-RING 04093 EPDM
ring thickness 3.53 mm - internal \varnothing 23.40 mm



FB FAB A PR75505

Pliers for sandwiches and toasts


3317051 GRILL PLIER
length 100 mm
height 180 mm



FB FAB A PR40029


Radiant heating elements

5086268 RADIANT HEATING ELEMENT 1000W 230V
length 265 mm - width 365 mm
faston electric connections



FB FAB A PR13095

3755480 RADIANT HEATING ELEMENT 850W 230V
length 265 mm - width 235 mm
faston electrical connections



FB FAB A PR13007

FB FAB A PR13009


Refractory tiles

5033156 GLASS-CERAMIC PLATE 545x302 mm



FB FAB A PR13004

5031130 GROOVED TOP UPPER 303x243 mm
for Panini grill electric (FB FAB A)
Series VETROCERAMICA MODELLO 2006



FB FAB A PR13023



Suitable for:

FB FABA



Suitable for:


5037540 SMOOTH TOP UPPER 303x243 mm
for Panini grill electric (FB FABA)
Series VETROCERAMICA MODELLO 2006



FB FABA PR13026

Selector switches

3057216 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 230V - max 150°C
D-shaped pin 6x4.6 mm
for Panini grill electric (FB FABA) - Series E
Series S



FB FABA PR10007

Springs

3250124 SPRING FOR PLATE ø 22x100 mm



FB FABA PR13032

3250122 SPRING FOR PLATE ø 22x130 mm



FB FABA PR10012

Switches

3319363 BIPOLAR SWITCH BLACK 16A 250V
with orange indicator light
silk-screen printing I - II
mounting hole 22x30 mm



FB FABA PR40027

3319780 BLOCK CONNECTION WHITE 22x30 mm



3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm





Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



FB FABA



Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319362 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - with indicator light
silk-screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm



FB FABA PR10007

FB FABA PR6008

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319364 DOUBLE THREE-POLE SWITCH 16A 250V
16(4)A 250V - with yellow led indicator light
temperature max. 120°C
mounting hole 22x30 mm



FB FABA PR4G026

3319780 BLOCK CONNECTION WHITE 22x30 mm





Suitable for:

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



FB FABA

Suitable for:

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



Thermocouples and accessories


3440079 THERMOCOUPLE M8x1 75 cm COUPLING M6x1



FB FABA PR3G034

Thermostatic gas valves

5030050 THERMOSTATIC TAP SABAF
setting temperature 300°C
connection to hose flange \varnothing 15 mm
outlet fitting M13x1 mm
thermocouple connection M8x1
bulb \varnothing 4x140 mm
capillary length 850 mm
D-shaped pin \varnothing 8x6.5 mm



FB FABA PR3G044



Thermostats

5028250 BULB HOLDING CLIP \varnothing 8 mm
for heating element thermostat



FB FAB A PR70044

2101415 SINGLE-PHASE THERMOSTAT 130-190°C
D-shaped pin 6x4.6 mm
capillary length 1250 mm - 16A 250V
bulb \varnothing 6x120 mm
for Fryer (FB FAB A) F5+5S - F5S - F6+6M - F6M



FB FAB A PR70009

3444641 SINGLE-PHASE THERMOSTAT 235°C
with manual reset
covered capillary length 1000 mm
bulb \varnothing 3x185 mm



FB FAB A PR70008

3444543 SINGLE-PHASE THERMOSTAT 50-300°C
D-shaped pin 6x4.6 mm
capillary length 840 mm - 16A 250V
bulb \varnothing 3x185 mm



FB FAB A PR10009

3444586 SINGLE-PHASE THERMOSTAT 75-450°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x228 mm



FB FAB A PR13012

Timers

3446107 TIMER 15 MINUTES IT/ITS
mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(3)A 250V
max temperature 125°C
pin 7x5 mm
for Toaster (FB FAB A)



FB FAB A PR40014

3241373 BLACK KNOB \varnothing 44 mm
pin hole 7x5 mm



FB FAB A PR40054

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com