



Spare parts for the professional sector: Cooking equipment



Suitable for:

FIMAR



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

FIMAR

Suitable for:



Sparking and detection plugs

FIMAR

3242811 AXIAL FAN 80x80x25 mm
18Vdc



FIMAR CO0649

3526699 BALL VALVE \varnothing 1/4" MF




FIMAR SL1622

3063116 BEARING 6001 DDU NSK
external \varnothing 28 mm-internal \varnothing 12 mm-thickness 8 mm



FIMAR SL2189

9063012 BEARING 6004 DDU NSK
external \varnothing 42mm - internal \varnothing 20mm - thickness 12mm



FIMAR SL0223

FIMAR SL1799

9063007 BEARING 6005 DDU NSK
external \varnothing 47mm - internal \varnothing 25mm - thickness 12mm
for OEM KNEADER F201/1-VE201/2
for FIMAR KNEADER IM25-IM38
for FIMAR PLANETARY IP10-IP20
for SIRMAN BONE BAND SAW SO3100



FIMAR SL0081

FIMAR SL0241

3063005 BEARING 6202 DDU NSK
external \varnothing 35mm - internal \varnothing 15mm - thickness 11mm



FIMAR CO0714

FIMAR CO3204

FIMAR SL0323

FIMAR SL2472

D063050 BEARING 6202-2RS SKF
single box packaging



FIMAR CO0714

FIMAR CO3204


FIMAR SL0323

FIMAR SL2472



Suitable for:

3063017 BEARING 6203 DDU NSK
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm



FIMAR CO2106

FIMAR SL0015

FIMAR SL0131

Suitable for:

1063906 BEARING 6203 ZZ NSK
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm




FIMAR SL0126

1063901 BEARING 6204 DDU NSK
external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm



FIMAR SL2592

D063052 BEARING 6204-2RS SKF
single box packaging




FIMAR SL2592

3319310 BIPOLAR SWITCH BLACK 16A 250V
silk-screen printing 0 - I
mounting hole 13x20 mm
faston 4.8 mm



FIMAR CO1661

3319012 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



FIMAR CO1038

3319362 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - with indicator light
silk-screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm



FIMAR SL3322

FIMAR SL3811

3241357 BLACK KNOB \varnothing 40 mm
D-shaped hole 6x4.6 mm



FIMAR CO1947

5050033 BLACK KNOB \varnothing 42 mm
D-shaped hole 6x4.6 mm



FIMAR SL3550

3444187 BLACK KNOB \varnothing 50 mm 50-500°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



FIMAR CO3611



Suitable for:

FIMAR




3241401 BLACK KNOB \varnothing 70 mm UNIVERSAL
D-shaped hole 8x6.5 mm



FIMAR CO3134

Suitable for:

5035540 BOARD FOR SPEED VARIATOR 85x70 mm



FIMAR CO1044

5029716 BRASS BRAKE HINGE PLATE
external dimensions 40x30x20 mm
for Panini grill electric (FIMAR)



FIMAR CO1699

3025406 BURNER \varnothing 120 mm



FIMAR CO2266

3023156 BURNER \varnothing 25x545 mm
made of stainless steel
for Lava rock grill gas (FIMAR)
till 31/12/98 B115 B50 - B80



FIMAR CO3100

3023157 BURNER \varnothing 25x545 mm
made of stainless steel
for Lava rock grill gas (FIMAR)
since 1/01/99 B115



FIMAR CO3158

3025364 BURNER BOWL \varnothing 78 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



FIMAR CO2267

3068016 CAPACITOR DUCATI ENERGIA 10 μ F
450V 50/60Hz
operating temperature -25 +85°C
lead connector 6.35x0.8 mm
 \varnothing 36xh58 mm



FIMAR CO1442

3068019 CAPACITOR DUCATI ENERGIA 12,5 μ F
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
 \varnothing 36xh70 mm



FIMAR CE605272

FIMAR SL1421

3068008 CAPACITOR DUCATI ENERGIA 5 μ F
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
 \varnothing 28xh55 mm



FIMAR CO1478



Suitable for:

Suitable for:

3068080 CAPACITOR ELECTRICAL 10 μ F
450V 50/60Hz - \varnothing 30xh71 mm



FIMAR CO1442

3068081 CAPACITOR ELECTRICAL 12.5 μ F
450V 50/60Hz - \varnothing 35xh71 mm



FIMAR CE605272

FIMAR CO1442

FIMAR SL1421

3068096 CAPACITOR ELECTRICAL 5 μ F
450V 50/60Hz - \varnothing 30xh51 mm




FIMAR CO1478

3185081 CAST IRON GRID 540x160x15 mm
for Lava rock grill gas (FIMAR) B115 - B50 - B80



FIMAR CO3126

5062920 CIRCUIT BOARD 237x230 mm
for INDUCTION PLATE PDF35
for Hot plate induction (FIMAR) PFD35




FIMAR CO0653

5068874 COIL FOR INDUCTION HOB 3500W 230V 50Hz
for INDUCTION PLATE PDF35



FIMAR CO0651

3443045 CONTACT THERMOSTAT 180°C 16A 250V
with manual reset - 16A 250V



FIMAR CO1942

1528092 COUNTERSUNK FLAT HEAD SCREWS M3x10
cross recessed - stainless steel
UNI 7688 - DIN 965 - ISO 7046
for shower fixing



FIMAR 31C8190

5021381 COUNTERSUNK FLAT HEAD SCREWS M4x12
cross recessed - stainless steel
UNI 7688 - DIN 965 - ISO 7046



FIMAR SL0296

FIMAR SL1513

3356107 DRAIN TAP \varnothing 1/2" F
TECO BLOCK safety handle
brass tap body CW617N UNI 12165
polished chrome-plated surface finishing
Hostaform handle with metal core
operating temperature 120°C max
operating pressure 4 bar max



FIMAR CO1145



Suitable for:

FIMAR



5009882 DRAIN TAP \varnothing 3/4" F
outlet \varnothing internal 22 mm
for Pasta cooker electric (FIMAR) CP11



FIMAR CO0439

Suitable for:

5009883 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet coupling




FIMAR CO0697

3390435 ELECTRONIC BOARD PANEL 235x52 mm
with cable
for INDUCTION PLATE PDF35



FIMAR CO0648

3350024 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction



FIMAR CO1953


3350026 ENERGY REGULATOR
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



FIMAR CO1953

FIMAR CO4875

3025363 FLAME SPREADER \varnothing 120 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



FIMAR CO2264

3025406 BURNER \varnothing 120 mm



FIMAR CO2266

3025364 BURNER BOWL \varnothing 78 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



FIMAR CO2267

3025575 FLAME SPREADER \varnothing 120 mm



FIMAR CO2265



Suitable for:

3025362 FLAME SPREADER ASSY. ø 120 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



FIMAR CO2265+CO2266

3025575 FLAME SPREADER ø 120 mm



FIMAR CO2265

5029439 FLANGE F/SUPPORT WITH BEARING UCF205
external size flange 95x95 mm



FIMAR SL0086

3055327 FRYER BASKET 245x220x100 mm
folding handle
made of chrome-plated iron
for Fryer electric (FIMAR) FT8 - FT8N - FT8RN
FT88 - SF9 - SF9N - SF99



FIMAR CO1127

3348016 GAS TAP 21/S
with pilot flame
fittings ø M16x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin ø 8x6.5 mm



FIMAR CO3139

FIMAR

Suitable for:

3025362 FLAME SPREADER ASSY. ø 120 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



FIMAR CO2265+CO2266

3055326 FRYER BASKET 245x140x100 mm
folding handle
made of chrome-plated iron
for Fryer electric (FIMAR) FT4 - FT4N - FT44
FT44N



FIMAR CO1126

3348043 PIPE FITTING ø 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



FIMAR CO3136





Suitable for:

Suitable for:

3348076 GAS TAP 21/S
 with pilot flame
 fittings \varnothing M16x1.5mm
 with flow regulator
 thermocouple connection M8x1 mm
 D-shaped pin \varnothing 8x6.5 mm

3348043 PIPE FITTING \varnothing 10 mm
 thread M16x1.5 mm
 for model PEL 20-21-24-25




FIMAR CO3139

FIMAR CO3136

3240340 GEAR MOTOR CROUZET 24V 3000RPM
 D-shaped pin 7x8 mm - pin height 26 mm

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
 thread \varnothing 33.5 mm - overall height 34 mm




FIMAR CO1680

FIMAR CO1273

5086549 GLASS-CERAMIC INDUCTION PLATE PFD35
 external dimensions 285x285x4 mm

3317051 GRILL PLIER
 length 100 mm
 height 180 mm





FIMAR CO0646

FIMAR CO1056

5059571 GROOVED LOWER TOP 235x205 mm

5087511 HEATING ELEMENT 1000W 230V
 length 178 mm - width 180 mm
 height 40 mm




FIMAR CO4460

FIMAR CO6139

3355309 HEATING ELEMENT 1000W 230V BOTTOM
 length 185 mm - width 180 mm
 complete with cables

3355310 HEATING ELEMENT 1000W 230V TOP
 length 185 mm - width 320 mm
 complete with cables



FIMAR CO4415

FIMAR CO4433

Suitable for:

3755022 HEATING ELEMENT 1150W 240V BOTTOM
length 190 mm - width 310 mm



FIMAR CO1060

Suitable for:

3355311 HEATING ELEMENT 1500W 230V BOTTOM
length 185 mm - width 320 mm
complete with cables



FIMAR CO4438

3755406 HEATING ELEMENT 2000W 230V
external \varnothing 300 mm
for CRÊPE PAN 350 mm
for Crêpe pan electric (FIMAR) CRP - CRP2



FIMAR CO1765

3755534 HEATING ELEMENT 2000W 230V
length 285 mm - width 125 mm
height 170 mm - flange 50x22 mm
for Fryer electric (FIMAR) FT4 - FT44



FIMAR CO1116

5080075 HEATING ELEMENT 2200W 230V
length 335 mm - width 255 mm
fittings \varnothing 1/4"



FIMAR CO4876

3755686 HEATING ELEMENT 2300W 230V
length 300 mm - width 210 mm
total height 85 mm - flange 70x22 mm



FIMAR CO0426

3755407 HEATING ELEMENT 2750W 230V
external \varnothing 360 mm
for CRÊPE PAN 400 mm
for Crêpe pan electric (FIMAR)



FIMAR CO3676

3755530 HEATING ELEMENT 3000W 230V
length 610 mm - width 310 mm
fittings M12x1 mm
for Salamander electric (FIMAR) SAL600




FIMAR CO1279

5080250 HEATING ELEMENT 3000W 230V
length 295 mm - width 175 mm
height 190 mm - fittings \varnothing 1/4"



FIMAR CO6950

3755535 HEATING ELEMENT 3200W 230V
length 275 mm - width 185 mm
height 170 mm - flange 50x22 mm
for Fryer electric (FIMAR) FT6 - FT66 - FT8 - FT88
SF9 - SF99



FIMAR CO1117

FIMAR CO1959



Suitable for:

FIMAR



5075082 HEATING ELEMENT 3500W 230V
length 305 mm - width 140 mm
fittings M14x1 mm
for Pasta cooker electric (FIMAR) CP11



FIMAR CO0787

3355308 HEATING ELEMENT 700W 230V TOP
length 185 mm - width 180 mm
complete with cables



FIMAR CO1057


FIMAR CO4410

5080276 HEATING ELEMENT 800W 230V UPPER
length 165 mm - width 183 mm



FIMAR CO6129

3755024 HEATING ELEMENT 850W 240V BOTTOM
length 180 mm - width 175 mm
with cables



FIMAR CO1058

5059232 HEX NUT SELF-BLOCKING M3
stainless steel - with built-in nylon ring
UNI 7473 - DIN 982 - ISO 7040



FIMAR 3110080

5017499 IGNITION LEAD 900 mm
with faston 2.8x0.8 mm for ignition
with faston \varnothing 2.4 mm for plug
for ALPHA-DELTA-GAMMA-BIFRONT



FIMAR CO3130

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm
for Lava rock grill gas (FIMAR) B115 - B50 - B80



FIMAR CO3106

FIMAR CO5734

3221032 INDICATOR LIGHT GREEN 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



FIMAR 32W2970

3221132 INDICATOR LIGHT GREEN 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



FIMAR CO1948

3221025 INDICATOR LIGHT ORANGE 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



FIMAR CO1108

Suitable for:

3221095 INDICATOR LIGHT ORANGE 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



FIMAR CO1039

Suitable for:

3221294 INDICATOR LIGHT ORANGE 250V
head \varnothing 20 mm - hole \varnothing 10 mm - 120°C



FIMAR CO1948

3221960 INDICATOR LIGHT WHITE 230V
mounting hole 22x30 mm - 125°C



FIMAR CO1711

3235046 INDUCTION HOB 3500W 230V 50Hz
external dimensions 343x440x120 mm




FIMAR PFD35N235M

3242811 AXIAL FAN 80x80x25 mm
18Vdc



FIMAR CO0649

5062920 CIRCUIT BOARD 237x230 mm
for INDUCTION PLATE PDF35
for Hot plate induction (FIMAR) PFD35



FIMAR CO0653

5068874 COIL FOR INDUCTION HOB 3500W 230V 50Hz
for INDUCTION PLATE PDF35




FIMAR CO0651

3390435 ELECTRONIC BOARD PANEL 235x52 mm
with cable
for INDUCTION PLATE PDF35



FIMAR CO0648

5086549 GLASS-CERAMIC INDUCTION PLATE PFD35
external dimensions 285x285x4 mm



FIMAR CO0646




FIMAR



Suitable for:


5072293 INDUCTION PLATE GLASS-CERAMIC PFD27
dimensions 280x280x4 mm



FIMAR CO0645

Suitable for:

5059792 KNOB BLACK ø 30 mm
round hole M5



FIMAR CO1102

5035660 KNOB BLACK ø 50 mm 100-180°C
D-shaped hole 6x4.6 mm



FIMAR CO1112

5071370 KNOB BLACK ø 70 mm SILKSCREEN PRINTED
D-shaped hole 8x6.5 mm
for Grill gas (FIMAR) GL40 - GL70



FIMAR CO4160

3241402 KNOB BLACK ø 70 mm UNIVERSAL
D-shaped hole 6x4.6 mm
for thermostat, selector switch, timer,
program switch, energy regulator



FIMAR CO4422

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



FIMAR CO1272

3221643 LAMP RECEPTACLE W/LAMP E14 25W 230V
lamp glass ø 58 mm
mounting hole ø 38 mm
max. temperature 300°C



FIMAR CO3654

3221052 GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm
thread ø 33.5 mm - overall height 34 mm



FIMAR CO1273

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



FIMAR CO1272

Suitable for:

3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V
 lamp glass \varnothing 42 mm
 mounting hole \varnothing 38 mm
 max temperature 300°C



FIMAR CO1271

FIMAR CO5325


Suitable for:

3221061 LAMP E14 25W 230V
 max temperature 300°C - \varnothing 26x57 mm



FIMAR CO1272

3240144 MICROSWITCH BITRON TYPE S16
 16A 250V



FIMAR CO1109

3240820 MICROSWITCH ELECTRICA NR48W 5
 1NO + 1NC 16A 250V



FIMAR CO1109

3240407 MICROSWITCH KIT 16A 250V
 2 locking positions
 the kit includes 5 levers:
 lever 75 mm - lever 27 mm - lever 15 mm
 lever 15 mm with wheel - lever 27 mm with wheel



FIMAR CO1424

FIMAR CO1457

3240406 MICROSWITCH SAIA-BURGESS
 model XGK2-88-S20Z1
 10(4)A 250V



FIMAR SL0885

3240410 MICROSWITCH 16(4)A 250V



FIMAR CO6977

1186591 O-RING 0128 VITON
 ring thickness 2.62 mm - internal \varnothing 20.63 mm



FIMAR SL0773

3186143 O-RING 04093 EPDM
 ring thickness 3.53 mm - internal \varnothing 23.40 mm



FIMAR CO1454

5050109 O-RING 08537
 ring thickness 7.00 mm - internal \varnothing 135.90 mm



FIMAR CO2323



Suitable for:

FIMAR



5009883 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet coupling



FIMAR CO0697

Suitable for:

3020081 OLIVE FOR PIPE ø 6 mm



FIMAR CO3105

3020131 OLIVE FOR PIPE ø 8 mm



FIMAR CO2271

3242336 OVEN DOOR HANDLE ø 28x90 mm M10



FIMAR SL0106

3001007 PIEZO IGNITER
a ø 22 mm hole is needed for the assembly
faston M ø 2.4 mm




FIMAR CO3119

3001020 PIEZO IGNITER
a ø 18 mm hole is required for the assembly
faston M ø 2.4 mm



FIMAR CO3119

3020166 PILOT ASSEMBLY BRACKET 3 POSITIONS
for Lava rock grill gas (FIMAR) B115 - B50 - B80



FIMAR CO3108

3020181 PILOT JET ø 0.20 mm
thread M10x1 mm



FIMAR CO3151

3348043 PIPE FITTING ø 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



FIMAR CO3136

5026730 PLASTIC FOOT ø 30 mm
with fixed screw M8x20 mm
for Fryer electric (FIMAR) SF10DM - SF10M - SF16P
for Pasta cooker electric (FIMAR) CP11



FIMAR CO0894

Suitable for:

5070285 QUARTZ HEATING ELEMENT 290W 115V
length 220 mm - \varnothing 11 mm



FIMAR CO6681

Suitable for:

5073078 QUARTZ HEATING ELEMENT 500W 115V
length 385 mm - \varnothing 12 mm



FIMAR CO6876

3755025 QUARTZ HEATING ELEMENT 500W 230V
length 340 mm - \varnothing 12 mm
for Toaster electric (FIMAR) TOP3 - TOP6



FIMAR CO1085

3755325 QUARTZ PIPE \varnothing 12x255 mm




FIMAR CO2030

5015337 SEEGER RING E-20
of stainless steel for springs C60
 \varnothing internal 18.5 mm - thickness 1.2 mm
UNI 7435 - DIN 471



FIMAR SL0075

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




FIMAR CO6973

3057162 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 25A 600V - max 60/75°C
square shaft 5x5 mm




FIMAR CO1043

3057216 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 230V - max 150°C
D-shaped pin 6x4.6 mm



FIMAR CO1943

5047858 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V
D-shaped pin \varnothing 6x4.6 mm
for Fryer electric (FIMAR)
FT4N-FT44N-FT8N-FT88N-FT8RN-FT88RN
SF9N-SF99N



FIMAR CO0408

3057163 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 600V - max 60/75°C
square shaft 5x5 mm



FIMAR CO1045




Suitable for:

FIMAR




3057335 SELECTOR SWITCH 10 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



FIMAR CO0820

Suitable for:

3444111 SINGLE-PHASE THERMOSTAT 100-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x130 mm - with adapter nipple bland M9x1



FIMAR CO1111

3444568 SINGLE-PHASE THERMOSTAT 105-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x130 mm - with adapter nipple bland M10x1



FIMAR CO1111

3444392 SINGLE-PHASE THERMOSTAT 50-300°C
 complete with knob
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 240V
 bulb \varnothing 4x100 mm
 for Panini grill electric (FIMAR) PD50 - PS24
 PS36



FIMAR CO1708

FIMAR CO1745

3444543 SINGLE-PHASE THERMOSTAT 50-300°C
 D-shaped pin 6x4.6 mm
 capillary length 840 mm - 16A 250V
 bulb \varnothing 3x185 mm



FIMAR CO1941

5086818 SINGLE-PHASE THERMOSTAT 50-300°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 630 mm - 16A 400V
 bulb \varnothing 3x168 mm



FIMAR CO7184

3444145 SINGLE-PHASE THERMOSTAT 50-310°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length covered 1600 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for OVEN
 for Crêpe pan (FIMAR) CRP4 - CRP42
 for Crêpe pan electric (FIMAR) CRP - CRP2



FIMAR CO1941

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm



FIMAR CO1941



Suitable for:


3444305 SINGLE-PHASE THERMOSTAT 50-500°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 4x230 mm



FIMAR CO3601

Suitable for:

5084746 SINGLE-PHASE THERMOSTAT 58-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 630 mm - 16A 400V
 bulb \varnothing 6x70 mm



FIMAR CO6969

3120004 SOLEN. VALVE ELBITYPE 319 1 WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



FIMAR 33D1371

3250003 SPRING \varnothing 20x115 mm
 for ELECTRIC GRIDDLE PS-PM-PD/ST



FIMAR CO4475

3250146 SPRING \varnothing 21.5x117 mm
 for Panini grill electric (FIMAR) PE25L - PE25R
 PE50L - PE50M - PE50R



5088877 SPRING \varnothing 21.5x125 mm



FIMAR CO4402

3250110 SPRING \varnothing 24x126 mm
 for Panini grill electric (FIMAR) PE35L - PE35R



FIMAR CO4430

FIMAR CO4464

3250029 SPRING LH \varnothing 22x40 mm
 for PLATE PS24-36-PD50
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
 for SIRMAN ELECTRIC PLATE PD ECO since 99
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99
 for SIRMAN ELECTRIC PLATE PD POWER since 99



FIMAR CO1055

FIMAR CO1755



Suitable for:

FIMAR



3250028 SPRING RH \varnothing 20x40 mm
 for PLATE PS24-36-PD50
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
 for SIRMAN ELECTRIC PLATE PD ECO since 99
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99
 for SIRMAN ELECTRIC PLATE PD POWER since 99



FIMAR CO1054

FIMAR CO1754

Suitable for:

3185082 STAINLESS STEEL GRILL 500x320x20 mm
 for Lava rock grill gas (FIMAR) B50 - B80



FIMAR CO2927

3185083 STAINLESS STEEL GRILL 500x480x20 mm
 for Lava rock grill gas (FIMAR) B115



FIMAR CO3128

3455376 STRIKE FOR HEATING ELEMENT
 \varnothing external 12.5 mm - for screw \varnothing 4 mm
 total length 28 mm



FIMAR CO1107

3319967 SWITCH 1-POLE GREEN 16A 250V
 16(4)A 250V - with indicator light
 max. temperature 120°C
 mounting hole 11x30 mm



FIMAR CO1269

5048096 TERMINAL BLOCK 14W 230V 50Hz
 1,8rpm
 pin \varnothing 8 mm
 for Gyros electric (FIMAR) GYR60 - GYR80
 for Gyros gas (FIMAR) GYR60M - GYR80M



FIMAR CO0725

3247016 TERMINAL BLOCK 3-POLES FV273 40A 450V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



FIMAR CO4425

3440079 THERMOCOUPLE M8x1 75 cm COUPLING M6x1



FIMAR CO2269

3440032 THERMOCOUPLE SIT M8x1 150 cm



FIMAR CO3110


3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



FIMAR CO3110

Suitable for:

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS




FIMAR CO3110

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



FIMAR CO3031

7107015 THERMOSTAT SINGLE PHASE 50-300°C
 D-shaped pin \varnothing 6x4,6 mm
 capillary length covered 910 mm - 16A 250V
 bulb \varnothing 5x73 mm
 for Fry top electric (FIMAR) FRY1 - FR2L - FR2LR
 FR2R



FIMAR CO4883

3444548 THERMOSTAT SINGLE-PHASE 240°C
 with manual reset
 capillary length covered 400 mm
 bulb \varnothing 4x90 mm
 for Fryer (FIMAR) - Series FT - Series SF



FIMAR CO1110

7110749 THERMOSTAT 1-PHASE 75-450°C
 with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 4x228 mm
 for Panini grill electric (FIMAR) PV55RL-LL



FIMAR CO5286

Suitable for:

3440091 THERMOCOUPLE SIT QUICK M8x1 150 cm



FIMAR CO3161

3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm




FIMAR CO4157

3444336 THERMOSTAT SINGLE-PHASE TR2 0-270°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 940 mm - 15A 250V
 bulb \varnothing 3.5x190 mm
 for Hot plate electric (FIMAR)




FIMAR CO4421

5080582 THERMOSTAT SINGLE-PHASE 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary covered length 870 mm - 16A 250V
 bulb \varnothing 6x113 mm
 for Pasta cooker electric (FIMAR) CP11



FIMAR CO0788

5030050 THERMOSTATIC TAP SABAF
 setting temperature 300°C
 connection to hose flange \varnothing 15 mm
 outlet fitting M13x1 mm
 thermocouple connection M8x1
 bulb \varnothing 4x140 mm
 capillary length 850 mm
 D-shaped pin \varnothing 8x6.5 mm
 for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



FIMAR CO2279



Suitable for:

FIMAR



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket




FIMAR CO7312

3020081 OLIVE FOR PIPE \varnothing 6 mm



FIMAR CO3105

7101025 THREE-PHASE THERMOSTAT 157°C
with automatic reset
covered capillary length 1700 mm
bulb \varnothing 6x78 mm
for Pasta cooker electric (FIMAR) CPM30 - CP11



FIMAR CO0789

3446051 TIMER 15 MINUTES C20
manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
complete with knob
for Toaster electric (FIMAR) TOP3 - TOP6



FIMAR CO1012

Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm
for Lava rock grill gas (FIMAR) B115 - B50 - B80



FIMAR CO3106

FIMAR CO5734

3446100 TIMER 15 MINUTES CD15
manually set mechanical timer
manually set cycle 15 minutes
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



FIMAR

5050033 BLACK KNOB \varnothing 42 mm
D-shaped hole 6x4.6 mm



FIMAR SL3550

Suitable for:

3235076 TOASTER 2 SHELVES 3300W 230V
with quartz heating elements
grill 355x200 mm
dimensions 520x300xh355 mm



FIMAR TOP/6D

Suitable for:

3359138 WATER INLET TAP \varnothing 1/2"FF
for Pasta cooker electric (FIMAR) CP11



FIMAR CO0785

1319350 WHITE BIPOLAR SWITCH 16A 250V
16(4)A 250V - with push-button cap
silk-screen printing 0 - I
mounting hole 22x30 mm



FIMAR CO1445

3755328 WIRE HEATING ELEMENT 380W 230V
length 180 mm
for Toaster (FIMAR) TOCS



FIMAR CO2031

3755325 QUARTZ PIPE \varnothing 12x255 mm



FIMAR CO2030

3755533 WIRE HEATING ELEMENT 400W 115V
length 340 mm



FIMAR CO1020

3755325 QUARTZ PIPE \varnothing 12x255 mm



FIMAR CO2030

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com