



Spare parts for the professional sector: Cooking equipment



Suitable for:

FOEMM



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

FOEMM



Suitable for:

Burners, flame spreaders and accessories

3025096 FLAME SPREADER \varnothing 100 mm
in brass



FOEMM 0509108902

FOEMM 305000012530

3025094 FLAME SPREADER \varnothing 70 mm
in brass



FOEMM 05019909102

FOEMM 305000012630

Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for ignition plug



FOEMM 05000080350

Drain taps and accessories

3356004 DRAIN TAP \varnothing 1" F
TAPERED SEAL - fixed connection \varnothing 1" F
for BOILING PAN



FOEMM

3186009 ASBESTOS FREE FLAT GASKET \varnothing 45x33x2 mm



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline





Suitable for:

3356029 HANDLE FOR DRAIN TAP
for drain tap \varnothing 3/4" and 1"



3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to $+120^{\circ}\text{C}$
from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily



FOEMM

Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3356149 DRAIN TAP \varnothing 2" F TECNO
BRASS CAP - with swivel nut \varnothing 2" F



FOEMM 05030035831

3356101 CAP FOR DRAIN TAP
for DRAIN TAP \varnothing 2" OLD MODEL



3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
for drain tap \varnothing 2" old model



3356016 DRAIN NIPPLE \varnothing 2"x80 mm
in brass



3356012 ESCUTCHEON FOR DRAIN TAP \varnothing 2"





Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature -45°/+120°
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



3356128 PIN ø 5x30 mm
 complete with blind nut



3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to +120°C
 from +50°C to +120 °C the grease becomes oily



FOEMM



Suitable for:

5015573 GASKET FLAT ASBE. FREE ø 61x48x2 mm
 for drain tap ø 2"



3186241 O-RING 06212 VITON
 ring thickness 5.34 mm - internal ø 53.34 mm
 for DRAIN TAP ø 2" OLD MODEL AND
 TECNO NEW MODEL



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved





Electrical gas valves and accessories

3526063 VALVE V4600C HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 60 mbar
 room temperature 0÷70°C
 power supply 220V 50Hz



FOEMM 05750107300

3526078 ELBOW FLANGE \varnothing 3/4"FF
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526077 ELBOW FLANGE \varnothing 1/2"FF
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526075 FLANGE STRAIGHT \varnothing 1/2"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526076 FLANGE STRAIGHT \varnothing 3/4"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526090 VALVE 810 ELETROSIT \varnothing 3/4"FF
 inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



FOEMM 05150036150

3526137 BUTTON FOR ELETROSIT VALVE 46 mm





Suitable for:

3526100 COIL 220V
for VALVE ELETTROSIT



3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm
for switching on/off buttons



3526107 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for ELETTROSIT VALVE



3526136 SPRING FOR PUSH-BUTTON



FOEMM

Suitable for:

3526108 ELBOW FLANGE \varnothing 1/2"
with screws and OR
for ELETTROSIT VALVE



3526106 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for ELETTROSIT VALVE



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm




3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



Energy regulators

3350026 ENERGY REGULATOR
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



FOEMM 05050204750





Gas taps and accessories

- 3348002 GAS TAP 22S/O**
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm




FOEMM 05000070430

FOEMM 05019917330

- 3348017 CAP WITH PIN \varnothing 10x8 mm**
 pin length 26 mm
 for model PEL 22



- 3348019 CAP WITH PIN \varnothing 10x9 mm**
 pin length 26 mm
 for model PEL 22



- 3348232 CAP WITH PIN \varnothing 8x6.5 mm**
 pin length 39/7 mm upper/lower
 for model PEL 22



- 3348023 FLANGE HORIZONTAL \varnothing 12/10 mm**
 thread M20x1.5
 for model PEL 22



- 3348229 CAP WITH PIN \varnothing 10 mm**
 pin length 31 mm
 for model PEL 22S/O




- 3348245 CAP WITH PIN \varnothing 10x8 mm**
 pin length 34/26 mm upper/lower
 for model PEL 22S



- 3348231 CAP WITH PIN \varnothing 6x4.6 mm**
 pin length 35/21 mm upper/lower
 for model PEL 22



- 3348213 FLANGE \varnothing 12/10 mm**
 without adjustment
 thread M20x1.5 mm
 for model PEL 22S




- 3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm**
 thread M20x1.5
 for model PEL 22





Suitable for:


3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



FOEMM

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22




FOEMM

Suitable for:

3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm




3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25





Suitable for:


3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3348003 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



FOEMM 05050302400

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



FOEMM

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O



3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S




3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22





Suitable for:


3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



FOEMM

Suitable for:

3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



FOEMM

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25






Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348012 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin \varnothing 10x8 mm



FOEMM

Suitable for:

3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23






Suitable for:

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35 mm
for model PEL 23



3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23



3182010 MAGNETIC UNIT PEL
head \varnothing 24 mm - end piece \varnothing 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5
for model PEL 23




FOEMM

Suitable for:

3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3348040 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 23



3348042 OLIVE FOR PIPE \varnothing 20 mm
for model PEL 23



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23





Suitable for:

3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5
for model PEL 23



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



FOEMM

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



Gas valves and accessories

3523020 VALVE 710 MINISIT OVEN 100 \pm 340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \pm 60°C
capillary length 1050 mm
bulb \varnothing 5x70 mm
with an elbow flange \varnothing 3/8"F



FOEMM 05010014700

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm




2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523047 LID MINISIT






Suitable for:

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523040 SENSING ELEMENT MINISIT 100 \pm 340 $^{\circ}$ C
capillary length 1050 mm
bulb \varnothing 5x70 mm



FOEMM

Suitable for:

3523061 NUT \varnothing 1/4"x6 mm




3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm





Gaskets for oven door

- 3186051 OVEN DOOR GASKET**
 made of silicone elastomer
 width 37 mm
 COLOUR BLACK
 SOLD PER METRE
 for Oven under cooktop (FOEMM)



FOEMM 305150318740

Heating elements

- 3355230 HEATING ELEMENT 2000W 220V**
 length 395 mm - width 140 mm
 fittings M10x1 mm



FOEMM 305060090151

Hinges, catches and accessories

- 3053003 DOOR HINGE ROLL HOLDER**
 mounting distance 95 mm - overall length 118
 height 23 mm



FOEMM

- 3053007 LEFTHAND DOOR HINGE FOR OVEN**
 mounting distance 175 mm - overall length 205
 height 160 mm



FOEMM 05010001201

- 3053003 DOOR HINGE ROLL HOLDER**
 mounting distance 95 mm - overall length 118
 height 23 mm



FOEMM



Suitable for:

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



FOEMM



Suitable for:

3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm



3053018 LEFTHAND DOOR HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 146 mm



FOEMM 05150024501

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



3053006 RIGHTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205 mm
height 160 mm



FOEMM 05010001101

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118 mm
height 23 mm



FOEMM

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm



3053017 RIGHTHAND DOOR HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 146 mm



FOEMM 05150024401

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm





Ignitors

3001005 PIEZO IGNITER
a \varnothing 18 mm hole is needed for the assembly
faston M \varnothing 2.4 mm



FOEMM 05000080200

5035512 WATERTIGHT PIEZO CAP
of silicone rubber



Indicator lights

3221012 INDICATOR LIGHT GREEN 230V
mounting hole 22x30 mm - 105°C
universal application



FOEMM 05000096150

Knobs

3241055 FIXING CLIP
for knob with \varnothing 8 mm hole



FOEMM 00000022001


Magnet groups

3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



FOEMM

3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



FOEMM



Suitable for:

FOEMM



Suitable for:

Pilot burners and accessories

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



FOEMM 05019906800

3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm
for mounting of pilot assembly




3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
for burner \varnothing 115 mm



3020100 BRACKET 2 POSITIONS



3020083 FITTING AND OLIVE \varnothing 4 mm




3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020101 BRACKET CLAMP 2 POSITIONS



3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
for burner \varnothing 90 mm




3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
for burner \varnothing 135 mm



3020108 DEFLECTOR 1 FLAME



3020084 FITTING AND OLIVE \varnothing 6 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



FOEMM 05000078750

FOEMM 05000098550

FOEMM 05050103450



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




3020081 OLIVE FOR PIPE \varnothing 6 mm



3020115 PILOT CAP 1 FLAME



3020156 PILOT JET \varnothing 0.25 mm



FOEMM

Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020054 PILOT JET \varnothing 0.20 mm



FOEMM 0977030

4058525 PILOT JET \varnothing 0.30 mm





Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



FOEMM

Suitable for:

5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm




3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



Suitable for:

3020018 PILOT BURNER GPL CB 503.003
with LPG jet and pilot olive
with pilot pipe connection



FOEMM 05010055800

5026012 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503



3020048 PILOT JET \varnothing 0.21 mm
for pilot burner series CB 503-CB 50203.



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



Suitable for:

3020051 FITTING FOR PILOT \varnothing 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



3020112 OLIVE FOR PIPE \varnothing 6 mm



3020049 PILOT JET \varnothing 0.28 mm
for pilot burner series CB 503



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020054 PILOT JET \varnothing 0.20 mm



FOEMM 0977030



Suitable for:

FOEMM



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



FOEMM 05000010100

FOEMM 05000027300


3020103 BRACKET 3 POSITIONS



3020110 DEFLECTOR 3 FLAMES



3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



Suitable for:

3020104 BRACKET CLAMP 3 POSITIONS




3020109 DEFLECTOR 2 FLAMES



5048713 DEFLECTOR 3 FLAMES



3020084 FITTING AND OLIVE \varnothing 6 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



FOEMM 05000078750

FOEMM 05000098550

FOEMM 05050103450

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm





Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



FOEMM

Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm



3020054 PILOT JET \varnothing 0.20 mm



FOEMM 0977030

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm





Suitable for:

3500269 PILOT JET \varnothing 0.45 mm



FOEMM



Suitable for:

5075989 PILOT JET \varnothing 0.70 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020106 PILOT WITH 0.25 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M




3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm





Safety groups for pans and spare parts

3184013 DEPRESSION VALVE \varnothing 3/4" M
in chrome plated brass
for safety group \varnothing 3/4"
for safety group \varnothing 1" 1/4



FOEMM 05030032301

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



FOEMM 05030033701

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"
for security group 3/4"
for security group 1" 1/4



FOEMM 05030034401

3184002 SAFETY GROUP VERTICAL \varnothing 1" 1/4
vertical connection \varnothing 1" 1/4
calibration pressure 0.50bar \pm 10%
system with spring opening device
complete with safety valve, depression valve,
tap for pressure gauge holder and pressure gauge
for STEAM BOILING KETTLE



FOEMM 05030033801

3184013 DEPRESSION VALVE \varnothing 3/4" M
in chrome plated brass
for safety group \varnothing 3/4"
for safety group \varnothing 1" 1/4



FOEMM 05030032301

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



FOEMM 05030033701

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"
for security group 3/4"
for security group 1" 1/4



FOEMM 05030034401



Suitable for:

3184018 SAFETY VALVE \varnothing 1"1/4M
max pressure 0.5 atm
for safety group 1"1/4
ISPESL approved



FOEMM 05030032201

FOEMM



Suitable for:

3184016 SAFETY VALVE "FUMANA" \varnothing 1" M
chrome plated brass
for safety group 3/4"
for safety group 1"1/4



3184018 SAFETY VALVE \varnothing 1"1/4M
max pressure 0.5 atm
for safety group 1"1/4
ISPESL approved



FOEMM 05030032201

3184019 TAP WITH FUNNEL \varnothing 1/2" M
with cover



FOEMM 05030031601


Selector switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermostat.




FOEMM 305150320700

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm




FOEMM 05150320550

3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




FOEMM 305010078050

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



FOEMM 05010076150

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



FOEMM 05000083150



Sparking and detection plugs

- 3001003 IGNITION PLUG ROUND \varnothing 7x44 mm**
 M faston M4x1 mm
 overall length 65 mm



FOEMM 05000078750

FOEMM 05000098550

FOEMM 05050103450

Switches

- 3319019 BIPOLAR SWITCH RED 16A 250V**
 16(4)A 250V - max. temperature 120°C
 with indicator light - mounting hole 22x30 mm



FOEMM 05000078750

FOEMM 305000046250

- 3319780 BLOCK CONNECTION WHITE 22x30 mm**



- 3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



- 3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



- 3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



- 3319501 PUSH-BUTTON PROTECTION CAP**
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



Taps for tank refilling

- 3359285 WATER INLET TAP \varnothing 1/2" M**
 internal output \varnothing 7.5 mm



FOEMM 05030033101



Suitable for:

FOEMM



Suitable for:

Telethermometers

3441026 TELE-THERMOMETER BLACK \varnothing 60 mm 50-350°C

metal body
capillary length 1500 mm
bulb \varnothing 4x104 mm



FOEMM 05159905800

3441027 TELE-THERMOMETER WHITE \varnothing 60 mm 50-350°C

metal body
capillary length 1500 mm
bulb \varnothing 4x105 mm



FOEMM 05159905700

3441029 TELE-THERMOMETER WHITE 56x25 mm 50-350°C

plastic body
capillary length 1000 mm
bulb \varnothing 6x25 mm



FOEMM 05150015150


Thermocouples and accessories

3440030 THERMOCOUPLE SIT M8x1 100 cm




FOEMM 05150065800

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



FOEMM 05150065800

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



FOEMM 05150065800

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



FOEMM 05019906700

FOEMM 05050103900

3440037 THERMOCOUPLE SIT M9x1 100 cm.



FOEMM 05019906700

FOEMM 05050103900

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



FOEMM 05019906700

FOEMM 05050103900



FOEMM



Suitable for:

Suitable for:

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



FOEMM 05000097100

FOEMM 05000097100

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



FOEMM 05000097100

3440039 THERMOCOUPLE SIT M9x1 150 cm

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



FOEMM 05000026900

FOEMM 05000026900

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



FOEMM 05000026900

3440033 THERMOCOUPLE SIT M9x1 32 cm

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



FOEMM 05021300200

FOEMM 05021300200

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



FOEMM 05021300200

FOEMM 05000010200

FOEMM 05019906600



Suitable for:

FOEMM



3440036 THERMOCOUPLE SIT M9x1 85 cm.



FOEMM 05000010200

FOEMM 05019906600

Suitable for:

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS




FOEMM 05000010200

FOEMM 05019906600


Thermostats

3444071 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 870 mm - 16A 250V
bulb \varnothing 6x77 mm
for Fryer (FOEMM)




FOEMM 305750107250

3444074 SINGLE-PHASE THERMOSTAT 45-265°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm - 16A 250V
bulb \varnothing 3x220 mm
for Oven under cooktop (FOEMM)




FOEMM 305150068450

3444070 SINGLE-PHASE THERMOSTAT 60-200°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb \varnothing 6x80 mm
for Fryer (FOEMM)



FOEMM 305000087150

3444067 THREE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 10A 400V
bulb \varnothing 6x130 mm



FOEMM 05000087250

FOEMM 305000036450

FOEMM 305000087250

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm



FOEMM 05000087350

3444366 THREE-PHASE THERMOSTAT 90-180°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M10x1



FOEMM 05050033650

**Timers**

3446005 BLACK KNOB ABS 38x38 mm
D-shaped hole \varnothing 6x4.6 mm
for timer



FOEMM 305000040540

3446008 TIMER 30 MINUTES
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
30 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



FOEMM 305000080050

3446005 BLACK KNOB ABS 38x38 mm
D-shaped hole \varnothing 6x4.6 mm
for timer



FOEMM 305000040540

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com