



Spare parts for the professional sector: Cooking equipment



Suitable for:

FRIMA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included

Rel. 2018-03021630





Suitable for:

FRIMA



Suitable for:

Axial motor fans

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN




FRIMA 31011008

3805037 CABLE FOR AXIAL MOTOR FAN
cable length 2000 mm



Buzzers

3397302 ALARM BELL 220V



FRIMA 30060101

Cable glands

3050312 PRESSURE PLUG FITTING PG9
nichel plated brass
ø cable 6-8 mm
mounting hole ø 15.2 mm



FRIMA 40070600

Castors, rollers and accessories

3738007 SWIVELLING WHEEL
with STAINLESS STEEL supports
polypropylene nucleus - TPE ring
dimension ø 100x30 mm - load capacity 80 Kg
pin hole ø 12 mm



FRIMA 20050403



Circlips

- 1250023 RADIAL SEEGER RING \varnothing 5 mm**
 stainless steel - external \varnothing 11.3 - thickness 0.7
 UNI 7434 - DIN 6799



FRIMA 12511000V

Clamps

- 3449408 DOUBLE-WIRE CLAMP 14.4-15.1 - 100 PCS**
 for hoses \varnothing 14.4÷15.1 mm



FRIMA 20660527

- 3449451 HOSE CLAMP 10-16**
 for pipes \varnothing 10÷16 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



FRIMA 20660205

- 3449453 HOSE CLAMP 25-40**
 for pipes \varnothing 25÷40 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



FRIMA 20660503

- 3449454 HOSE CLAMP 32-50**
 for pipes \varnothing 32÷50 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



FRIMA 20660507

FRIMA 20660519

- 3449455 HOSE CLAMP 40-60**
 for pipes \varnothing 40÷60 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



FRIMA 20660504

- 3449476 HOSE CLAMP 70-90**
 for pipes \varnothing 70÷90 mm
 made of stainless steel AISI 304
 height 12 mm and screw E7
 suitable for food industry



FRIMA 20660505



Suitable for:

FRIMA

Suitable for:



Contact thermostats

3443026 CONTACT THERMOSTAT 110°C 16A 250V
with automatic reset



FRIMA 30140325

Contactors

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



FRIMA 4002641V

3397401 MOTOR PROTECTION SWITCH AEG Mbs25
50/60Hz - 0.55Kw
1 ÷ 1.6A
3 NO contacts



FRIMA 30310105

3397403 AUXILIARY CONTACT AEG HS9.11
6A
1 normally open contact
1 normally closed contact



3397402 MOTOR PROTECTION SWITCH AEG Mbs25
50/60Hz - 1.1Kw
1.6 ÷ 2.5A
3 NO contacts



FRIMA 30310107



Electrical gas valves and accessories

- 3526102 ELECTRIC COUPLING WITH CABLE**
 cable length 1000 mm - 3 wires
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



FRIMA 30390205

Electronic controllers

- 3445375 CONTROLLER ELIWELL ID PLUS 902**
 230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



FRIMA 4001360

- 3445156 PROBE NTC PVC 3000 mm**
 temperature range -30+80°C
 bulb ø 6x40 mm



- 3445167 PROBE NTC TPE IP68 1500 mm**
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



- 3445184 PROBE NTC TPE STEEL IP68 1500 mm**
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



- 3445157 PROBE NTC PVC 1500 mm**
 probe 2 wires - temperature range -30+80°C
 bulb ø 6x40 mm



- 3445028 PROBE NTC PVC 4000 mm**
 temperature field -30+80°C
 bulb ø 6x20 mm



- 3445335 PROBE NTC TPE IP68 3000 mm**
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



- 3445154 PROBE NTC TPE STEEL IP68 3000 mm**
 temperature range -40+110°C
 bulb ø 6x40 mm watertight





Suitable for:

3445379 PROBE PT1000 IP68 1500 mm
temperature range -50+110°C
bulb ø 6x20 mm watertight



FRIMA



Suitable for:

3445380 PROBE PT1000 IP68 3000 mm
temperature range -50+110°C
bulb ø 6x20 mm watertight



3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



3445913 SILICONE PROBE NTC 1500 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445155 SILICONE PROBE NTC 3000 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range -55+150°C
bulb ø 6x40 mm



3445959 SILICONE PTC PROBE 5000 mm
temperature range -55+150°C
bulb ø 6x40 mm



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved





Feet

3313016 ADJUSTABLE S/STEEL FOOT \varnothing 30 mm
 for tubular 40x40 mm
 adjustable height 35÷70 mm
 max capacity 400 Kg



FRIMA 20390111

Fuses

3049020 DELAY FUSE \varnothing 5x20 mm - 10 PCS
 250V 6.3A



FRIMA 30190200

3049065 DELAY FUSE \varnothing 6.3x32 mm - 10 PCS
 250V 6.3A



FRIMA 40010224

3049049 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
 250V 2A



FRIMA 30190120

3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
 250V 4A



FRIMA 30190112

3049034 QUICK ACTING FUSE \varnothing 6.3x32 mm - 10 PCS
 500V 10A



FRIMA 40010225



Suitable for:

FRIMA



Suitable for:

Glues

3392003 RED SILICONE SUPERSIL 60 ml
 temperature max +350°C
 STRONG ADHESION
 excellent for the sealing of parts exposed to high temperatures, OVENS, MOTORS, STOVES, BOILERS
 suitable as sealer for OVEN GASKETS




FRIMA 50060200

FRIMA 50060207

Heating elements

7105318 HEATING ELEMENT KIT 1400W 230V
 the kit includes:
 1 heating element external dimensions 140x125 mm
 1 graphite gasket 140x125 mm
 4 cables length 200 mm
 1 mounting kit
 for Hot plate (FRIMA) - Series VCC



FRIMA 4001939

FRIMA 4002398

FRIMA 8700240

FRIMA 8700586

Hydraulic piping

3450209 RUBBER PIPE \varnothing 13x20 mm - 40 m
 operating temperature -40+100°C



FRIMA 20670301

FRIMA 20670301-40MT

FRIMA 20670315

FRIMA 20670315-40MT

FRIMA 21101017

FRIMA 21101017-40MT

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
 operating temperature -40+100°C



FRIMA 20670300

FRIMA 20670315

FRIMA 21101017-5MT

FRIMA 20670301

FRIMA 20670315-5MT

FRIMA 20670301-5MT

FRIMA 21101017

Incandescent lamps and neon lamps

3221250 HALOGEN LAMP NEUTRAL G4 10W 12V
 max. temperature 250°C



FRIMA 30240201

FRIMA 30240201P

3221041 LAMP E14 15W 230V
 max temperature 300°C - \varnothing 22x50 mm




FRIMA 30240200



Interference suppression filters


3351240 INTERFERENCE SUPPR.FILTER AEG EB05-A240
72-240V



FRIMA 30350517

Ironmongery (screws,nuts,washers)

1528013 BLIND HEXAGONAL NUT M6
stainl. steel -height 16 mm -UNI 5721 - DIN 1587



FRIMA 11060360

5022406 COUNTERSUNK FLAT HEAD SCREWS M5x16
hexagon socket - stainless steel
UNI 5933 - DIN 7991 - ISO 10642



FRIMA 10051960

3528226 COUNTERSUNK FLAT HEAD SCREWS M5x35
hexagon socket - stainless steel
UNI 5933 - DIN 7991 - ISO 10642



FRIMA 10051962

5015285 COUNTERSUNK FLAT HEAD SCREWS M6x16
hexagon socket - stainless steel
UNI 5933 - DIN 7991 - ISO 10642



FRIMA 10061960

1184012 CYLINDER HEAD SCREW M5x10
stainless steel - with hexagon socket
UNI 9327 - DIN 7984



FRIMA 10050663

3528206 CYLINDER HEAD SCREW M5x20
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



FRIMA 10050661

1186192 FLAT WASHER M5
internal/external \varnothing 5.3/10 mm - thickness 1 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



FRIMA 1000802

FRIMA 1001321

3743145 FLAT WASHER M8
internal/external \varnothing 8.4/16 mm - thickness 1.6 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



FRIMA 13080160



Suitable for:

FRIMA



5022029 **HEXAGON HEAD SCREW M10x16**
stainless steel - UNI 5739 - DIN 933 - ISO 4017



FRIMA 10100760

Suitable for:

3528028 **HEXAGON HEAD SCREW M10x20**
stainless steel - UNI 5739 - DIN 933 - ISO 4017



FRIMA 10100762

3528088 **HEXAGON HEAD SCREW M8x20**
stainless steel - UNI 5739 - DIN 933 - ISO 4017



FRIMA 1000936

FRIMA 10080763

FRIMA 10080763V

9528028 **HEXAGON HEAD SCREW M8x30**
stainless steel - UNI 5739 - DIN 933 - ISO 4017



FRIMA 10080766

3528112 **HEXAGONAL HEAD SCREW M6x16**
st./steel - UNI 5739 - DIN 933 - ISO 4017



FRIMA 10060760

3528135 **HEXAGONAL NUT HIGH M5**
stainless steel - UNI 5587 - ISO 4033



FRIMA 11050121

3528018 **HEXAGONAL NUT M14 SHORT**
brass - UNI 5589 - DIN 936 - ISO 4035



FRIMA 30041406

3528202 **HEXAGONAL NUT M6 SHORT**
stainless steel - UNI 5589 - DIN 936 - ISO 4035



FRIMA 11060220

1528030 **MID HEXAGONAL NUT M6**
stainless steel - UNI 5588 - DIN 934 - ISO 4032



FRIMA 11060160

FRIMA 11060803

1186504 **WASHER FLAT M10**
internal/external \varnothing 10.5/20 mm - thickness 2 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



FRIMA 13100160



Knobs


- 3444128 BLACK KNOB \varnothing 50 mm 50-300°C**
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



FRIMA 30130201

Lamp receptacles and spare parts

- 3221053 GASKET FOR OVEN LAMP RECEPTACLE**
dimensions \varnothing 48x38x5 mm
for OVEN



FRIMA 30250003

FRIMA 50120509

- 3786614 GASKET FOR OVEN LAMP RECEPTACLE**
dimensions 48x41x3 mm



FRIMA 50120535

- 3221232 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 53 mm**
thread \varnothing 33 mm - overall height 32 mm




FRIMA 30250002

- 3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V**
lamp glass \varnothing 53 mm
mounting hole \varnothing 36 mm
max temperature 300°C



FRIMA 30230501

- 3221053 GASKET FOR OVEN LAMP RECEPTACLE**
dimensions \varnothing 48x38x5 mm
for OVEN



FRIMA 30250003


FRIMA 50120509

- 3221232 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 53 mm**
thread \varnothing 33 mm - overall height 32 mm



FRIMA 30250002

- 3221041 LAMP E14 15W 230V**
max temperature 300°C - \varnothing 22x50 mm




FRIMA 30240200



Suitable for:

3221311 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 36 mm
max temperature 300°C



FRIMA



Suitable for:

D421015 OVEN LAMP DR FISCHER E14 15W 230V
 \varnothing 22x49 mm - max temperature 300°C



3221625 OVEN LAMP RECEPTACLE \varnothing 51 mm
thread \varnothing 33 mm - overall height 27 mm




FRIMA 3025002

3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C




3186522 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 40x30x2 mm




FRIMA 30230502

FRIMA 30230506

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN




3786614 GASKET FOR OVEN LAMP RECEPTACLE
dimensions 48x41x3 mm



FRIMA 30250003

FRIMA 50120509

3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 53x44x3 mm



FRIMA 50120535


3221233 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 42 mm
thread \varnothing 33 mm - overall height 26 mm






Suitable for:

3221041 LAMP E14 15W 230V
max temperature 300°C - ø 22x50 mm



FRIMA 30240200

2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V
mounting hole ø 38 mm
max temperature 300°C



FRIMA



Suitable for:

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



D421015 OVEN LAMP DR FISCHER E14 15W 230V
ø 22x49 mm - max temperature 300°C



D421016 OVEN LAMP DR FISCHER E14 25W 230V
ø 25x57 mm - max temperature 300°C



Microswitches, magnetic


3240436 MAGNETIC MICRO SWITCH MK12
with cable 4000 mm - head 32x15 mm



FRIMA 30161408

FRIMA 30161415


3240437 MAGNET FOR MICROSWITCH 25x12x9 mm



FRIMA 30161412

Microswitches, mechanical

3240054 MICROSWITCH CROUZET 83731
5A 250V - with cable length 2000 mm



FRIMA 30161400

FRIMA 30161403

FRIMA 30161407



Suitable for:

FRIMA

Suitable for:



O-Ring and ORM gaskets

1186803 O-RING 02037 EPDM
ring thickness 1.78 mm - internal \varnothing 9.25 mm



FRIMA 20600228

Probes

7106182 THERMOCOUPLE PROBE
2 threads
200 mm probe length
silicone cable length 4000 mm
for Bratt pan electric (FRIMA) THERMOJET
THERMOJET200PLUS



FRIMA 4000624

Relays

3351102 TIME LIMIT RELAY 80.11 16A 240V 50/60Hz
1 switching contact
slow release on excitation



FRIMA 30350453

3351109 TIME LIMIT RELAY 80.41 16A 240V 50/60Hz
multifunctional
1 control contact



FRIMA 30350402

3351116 TIME LIMIT RELAY 83.11 24/240V 50/60Hz
1 switching contact
slow release on excitation
timer 0.05" ÷ 10h



FRIMA 30350401



Solenoid valves

- 3120274 COIL MÜLLER 220/240V 50/60Hz**
 max. temperature 90°C
 with cable length 2000 mm




FRIMA 30020324

FRIMA 30020325

FRIMA 30020329

- 3120398 SOLENOID VALVE INVENSYS 2 WAY 180°**
 220/240V 50/60Hz - max temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm
 with cable length 2000 mm



FRIMA 30020304

- 3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE**
 flow rate 6 L/min - tolerance +/- 15%




- 3120479 ADJUSTER FOR INLET ROBERTSHAW GREY**
 flow rate 12 L/min - tolerance +/- 15%



- 3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE**
 flow rate 8 L/min - tolerance +/- 15%



- 3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN**
 flow rate 5 L/min - tolerance +/- 15%



- 3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN**
 flow rate 11 L/min - tolerance +/- 15%



- 3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE**
 flow rate 9 L/min - tolerance +/- 15%



- 3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE**
 flow rate 4 L/min - tolerance +/- 15%





Suitable for:

3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE
flow rate 10 L/min - tolerance +/- 15%



3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU
flow rate 1.2 L/min - tolerance +/- 25%



3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK
flow rate 3.3 L/min - tolerance +/- 20%



3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW
flow rate 0.5 L/min - tolerance +/- 15%



3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN
flow rate 1.3 L/min - tolerance +/- 25%



3120625 OUTLET REDUCER ROBERTSHAW GRIGIO
flow rate 0.35 L/min - tolerance +/- 10%



FRIMA

Suitable for:

3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW
flow rate 14.5 L/min - tolerance +/- 15%



3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN
flow rate 0.8 L/min - tolerance +/- 25%



3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE
flow rate 0.25 L/min - tolerance +/- 10%



3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN
flow rate 2.5 L/min - tolerance +/- 20%



3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN
flow rate 2 L/min - tolerance +/- 25%



Suitable for:

Suitable for:

3120264 SOLENOID VALVE MÜLLER 3-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
DN10 - inlet 3/4" - three outlets ø 10.5 mm
with cable length 2000 mm



FRIMA 30020328

3120274 COIL MÜLLER 220/240V 50/60Hz
max. temperature 90°C
with cable length 2000 mm



FRIMA 30020324

FRIMA 30020325

FRIMA 30020329

3120325 COIL MÜLLER 24Vac 50/60Hz
max temperature 90°C



3120271 COIL MÜLLER 220/240V 50/60Hz
max temperature 90°C



3120273 COIL MÜLLER 230V 60Hz
temperature 90°C - for dispenser



5023165 FILTER INLET FOR SOLENOID VALVE MÜLLER
ø 19 mm



3523088 SOLENOID VALVE ROBERTSHAW 1-WAY 180°
200-240V 50/60Hz 6,4W - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm




FRIMA 5000316

FRIMA 5000618


3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE
flow rate 6 L/min - tolerance +/- 15%



3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN
flow rate 5 L/min - tolerance +/- 15%



3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN
flow rate 11 L/min - tolerance +/- 15%





Suitable for:

3120479 ADJUSTER FOR INLET ROBERTSHAW GREY
flow rate 12 L/min - tolerance +/- 15%



3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE
flow rate 8 L/min - tolerance +/- 15%



3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE
flow rate 10 L/min - tolerance +/- 15%



3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU
flow rate 1.2 L/min - tolerance +/- 25%



3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK
flow rate 3.3 L/min - tolerance +/- 20%



3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW
flow rate 0.5 L/min - tolerance +/- 15%



FRIMA

Suitable for:

3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE
flow rate 9 L/min - tolerance +/- 15%



3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE
flow rate 4 L/min - tolerance +/- 15%



3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW
flow rate 14.5 L/min - tolerance +/- 15%



3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN
flow rate 0.8 L/min - tolerance +/- 25%



3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE
flow rate 0.25 L/min - tolerance +/- 10%



3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN
flow rate 2.5 L/min - tolerance +/- 20%





Suitable for:

3120485 **OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN**
flow rate 1.3 L/min - tolerance +/- 25%



FRIMA

Suitable for:

3120486 **OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN**
flow rate 2 L/min - tolerance +/- 25%



3120625 **OUTLET REDUCER ROBERTSHAW GRIGIO**
flow rate 0.35 L/min - tolerance +/- 10%



5027729 **SPRING FOR MÜLLER SOLENOID VALVE COIL**



FRIMA 30020326

Tangential and radial motor fans

3526962 **TANGENTIAL FAN 120 mm LH**
25W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



FRIMA 31011004

Terminals and electrical connectors

3051010 **FASTON 100 PCS PACKING UNIT**
nickel-plated metal made
flat faston 6.3 mm
for cable section from ø 1 to 2.5 mm
max temperature +300°C



FRIMA 40020100



Suitable for:

FRIMA




Suitable for:

Thermostats

3444540 SINGLE-PHASE THERMOSTAT 0-110°C


D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1400 mm
bulb \varnothing 6x140 mm



FRIMA 33060301

40K0662 THERMOSTAT SINGLE-PHASE 100-470°C


complete with selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 1100 mm
bulb \varnothing 4x225 mm



FRIMA 4000799

3444959 THREE-PHASE THERMOSTAT 220°C

with manual reset
capillary length 1000 mm
bulb \varnothing 6x90 mm



FRIMA 4000673

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com