



## Spare parts for the professional sector: Cooking equipment



Suitable for:

# GAYC



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

**GAYC**



Suitable for:

## Fryer baskets and accessories

**3055345 FRYER BASKET 280x200x100 mm**  
made of chrome-plated iron  
for Fryer electric (GAYC) F8 - F8+8



GAYC 14110060

GAYC 14111070

GAYC 14111080

GAYC 44110040

## Gas taps and accessories

**3348089 BRACKET FOR TAP**



GAYC 13451020

**3348088 GAS TAP SABAF**  
without pilot flame  
pipe coupling  $\varnothing$  16 mm  
hose outlet fitting  $\varnothing$  12 mm  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Hot plate gas (GAYC) EUROPA60 - EUROPA90  
for Pot stove gas (GAYC) 120 - 150 - 30 - 60 - 90



GAYC 11203410

GAYC 16330100

**3348089 BRACKET FOR TAP**



GAYC 13451020

**3186695 TAP GASKET SHAPED**  
external  $\varnothing$  12 mm



GAYC 13511920

GAYC 14410320

## Gaskets and seals

**3186695 TAP GASKET SHAPED**  
external  $\varnothing$  12 mm




GAYC 13511920

GAYC 14410320

## Gearmotors

**3240597 GEARMOTOR KELVIN 15.16062.111.00480**  
230V 50Hz  
D-shaped pin 6x5.5 mm - pin height 15 mm



GAYC 12511020

GAYC 12720020

## Heating elements

**3755644 HEATING ELEMENT LOWER 900W 230V**  
length 165 mm - width 325 mm  
height 50 mm - fittings M12x1.25 mm



GAYC 12420080

GAYC 12507140

**3755643 HEATING ELEMENT UPPER 900W 230V**  
length 200 mm - width 325 mm  
height 120 mm - fittings M12x1.25 mm



GAYC 12420060

**3755641 HEATING ELEMENT 1000W 230V**  
external  $\varnothing$  185 mm - couplings M12x1,25 mm



GAYC 12430300

GAYC 12503050

**3755639 HEATING ELEMENT 1150W 220V**  
length 370 mm - width 200 mm  
fittings M12x1.25 mm  
for Salamander electric (GAYC)  
for Toaster electric (GAYC)



GAYC 12420100

GAYC 12507020



Suitable for:

# GAYC



**3755640 HEATING ELEMENT 1200W 220V**  
external  $\varnothing$  190 mm -  $\varnothing$  internal 178 mm  
total height 65 mm  
flange 70x22 mm



GAYC 12420180

GAYC 12507620

Suitable for:

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm




**3755642 HEATING ELEMENT 1800W 220V**  
length 265 mm - width 110 mm  
height 170 mm - couplings M12x1,25 mm  
for Fryer electric (GAYC) F4 - F4+4



GAYC 12430060

GAYC 12501020

**3755638 HEATING ELEMENT 3000W 230V**  
length 260 mm - width 195 mm  
height 160 mm - couplings M12x1,25 mm  
for Fryer electric (GAYC) F8 - F8+8



GAYC 12430080

GAYC 12501040

**3755935 HEATING ELEMENT 3000W 230V**  
external  $\varnothing$  195 mm - total height 78 mm  
flange 70x22 mm




GAYC 12420150

GAYC 12507700

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



**3755636 HEATING ELEMENT 3500W 220V**  
length 305 mm - width 220 mm  
height 155 mm - couplings M12x1,25 mm  
for Fryer electric (GAYC) F15 SNACK - F8 SNACK




GAYC 0441413045

GAYC 12430100

GAYC 12501100

**3755637 HEATING ELEMENT 3500W 220V**  
length 265 mm - width 285 mm  
height 170 mm - couplings M12x1,25 mm  
for Fryer electric (GAYC) F10



GAYC 12430120

GAYC 12501060

## Hinges, catches and accessories

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205  
height 160 mm



GAYC 37760110

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118  
height 23 mm





Suitable for:

**3053234 HINGE COVER**  
mounting distance 95 mm - dimensions 124x20 mm



## GAYC



Suitable for:

**3053299 HINGE COVER**  
mounting distance 77 mm - dimensions 129x26 mm



**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205  
height 160 mm



GAYC 37760100

**3053234 HINGE COVER**  
mounting distance 95 mm - dimensions 124x20 mm



**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118  
height 23 mm



**3053299 HINGE COVER**  
mounting distance 77 mm - dimensions 129x26 mm



## Ignitors

**3001020 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



GAYC 12410100

**5071589 WATERTIGHT PIEZO CAP**  
made of silicone rubber



**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber





Suitable for:

**GAYC**



Suitable for:

## Indicator lights

**3221324 INDICATOR LIGHT GREEN 250V**  
 head  $\varnothing$  10 mm - hole  $\varnothing$  9 mm - 120°C  
 wire connection length 200 mm  
 for Fryer electric (GAYC) F-10 - F-15 SNACK  
 F-15 SUPERSNACK - F-15+15 SNACK  
 F-15+15 SUPERSNACK - F-15+15P SUPEREXTRASNACK  
 F-15P SNACK - F-4 - F-4+4 - F-8 SNACK  
 F-8 SUPERSNACK - F-8+8 SNACK - F-8+8G - F-8G  
 F8+8 SUPERSNACK



GAYC 12220220

**3221302 INDICATOR LIGHT RED 250V**  
 $\varnothing$  head 10 mm -  $\varnothing$  hole 9 mm  
 wire connection length 200 mm



GAYC 12220200

**3221323 INDICATOR LIGHT RED 250V**  
 head  $\varnothing$  14 mm - hole  $\varnothing$  13 mm  
 for Salamander (GAYC)  
 for Toaster (GAYC)



GAYC 12220280

GAYC 12301250


## Lamp receptacles and spare parts

**3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V**  
 lamp glass  $\varnothing$  42 mm  
 mounting hole  $\varnothing$  38 mm  
 max temperature 300°C  
 for OVEN



GAYC 12220050


**3186522 GASKET FOR OVEN LAMP RECEPTACLE**  
 dimensions  $\varnothing$  40x30x2 mm



**3786614 GASKET FOR OVEN LAMP RECEPTACLE**  
 dimensions 48x41x3 mm



**3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE**  
 dimensions  $\varnothing$  53x44x3 mm





Suitable for:

**3221061 LAMP E14 25W 230V**  
max temperature 300°C - ø 26x57 mm



**D421016 OVEN LAMP DR FISCHER E14 25W 230V**  
ø 25x57 mm - max temperature 300°C




## GAYC



Suitable for:

**2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V**  
mounting hole ø 38 mm  
max temperature 300°C



**2110636 OVEN LAMP RECEPTACLE GLASS ø 41 mm**  
thread ø 34 mm - overall height 36 mm



## Microswitches, mechanical

**3240410 MICROSWITCH 16(4)A 250V**



GAYC 1221100

**3240236 LIMIT SWITCH CONTROL**



**3240233 MICROSWITCH FITTING M16x1.5 mm**



**3240235 RING NUT M16x1.5 mm**



**3240203 BUSHING DOOR MICROSWITCH**  
external ø 10x15 mm



**3240234 LIMIT SWITCH PIN**



**3250071 MICROSWITCH SPRING ø 13x25 mm**





Suitable for:

**GAYC**



Suitable for:

## Motors

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan  $\varnothing$  150 mm



GAYC 12531100

## Nozzles

**3500038 GAS JET M6x0.75  $\varnothing$  0.90 mm**



GAYC 13630050

GAYC 13632085

**3500039 GAS JET M6x0.75  $\varnothing$  1.00 mm**



GAYC 13630090

GAYC 13632100

**3500037 GAS JET M6x0.75  $\varnothing$  1.25 mm**



GAYC 13630100

GAYC 13632120

## O-Ring and ORM gaskets

**1186411 O-RING 02031 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  7.66 mm



GAYC 14441440

**3186440 O-RING 02075 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  18.77 mm



GAYC 14441430

**1186472 O-RING 04075 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  18.64 mm



GAYC 14441400

**3243142 O-RING 04118 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  29.75 mm



GAYC 14441420



Suitable for:

Suitable for:

**3186197 O-RING 04150 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  37.69 mm



GAYC 14441410

## Pilot burners and accessories

**3020131 OLIVE FOR PIPE  $\varnothing$  8 mm**



GAYC 16330110

## Selector switches

**3057167 SELECTOR SWITCH 0-3 POSITIONS**  
contact flow rate 16A 250V  
D-shaped pin 6x4.6 mm  
for Salamander (GAYC)  
for Toaster (GAYC)



GAYC 12210080

GAYC 12220030

## Terminal blocks

**3247003 TERMINAL BLOCK 2-POLES OF CERAMIC**  
for cable 0.75-4 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 21x18x16 mm



GAYC 12150200

**3247004 TERMINAL BLOCK 3-POLES OF CERAMIC**  
for cable 1.5-4 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 250V  
dimensions 33x18x15 mm



GAYC 12150240



Suitable for:

**GAYC**



Suitable for:

## Thermocouples and accessories

**3440064 NUT FOR THERMOCOUPLE M8x1**



GAYC 13210260

**3440251 THERMOCOUPLE M8x1 32cm THREAD M8x1**



GAYC 12410020

**3440064 NUT FOR THERMOCOUPLE M8x1**



GAYC 13210260

## Thermostats

**3444007 THERMOSTAT SINGLE-PHASE TR2 0-300°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 15A 250V  
bulb  $\varnothing$  3.5x190 mm




GAYC 12410300

GAYC 12411020

**3444348 THERMOSTAT SINGLE-PHASE TR2 235°C**

with manual reset  
capillary length 1000 mm - 15A 250V  
bulb  $\varnothing$  5x100 mm




GAYC 12411040

## Timers

**3446056 TIMER 120 MINUTES M2**

mechanical timer with acoustic alarm  
manual left position possible  
manually set cycle 120 minutes  
contact capacity 16(4)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



GAYC 12241220

**3241161 BLACK KNOB  $\varnothing$  40 mm**

D-shaped hole 6x4.6 mm





Suitable for:

**3241173 BLACK KNOB  $\varnothing$  44 mm**  
D-shaped hole 6x4.6 mm




**3241336 KNOB BLACK  $\varnothing$  50 mm**  
D-shaped hole 6x4.6 mm



## GAYC

Suitable for:

**3241174 BLACK KNOB  $\varnothing$  44 mm**  
D-shaped hole 6x4.6 mm



**3241830 KNOB DISK FOR TIMER**  
0-120 minutes



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)