



Spare parts for the professional sector: **Cooking equipment**



Suitable for:

GICO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

GICO



Suitable for:

Air regulators

3025068 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



GICO 741312350

Axial motor fans

3240519 AXIAL FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



GICO


3805036 CABLE FOR AXIAL MOTOR FAN
cable length 1500 mm



3805037 CABLE FOR AXIAL MOTOR FAN
cable length 2000 mm



3240600 FAN GRID 119x119 mm
distance between mounting holes 145 mm



3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



GICO 607008

3805037 CABLE FOR AXIAL MOTOR FAN
cable length 2000 mm





Bulb sheathes

5048328 THERMOSTAT SHEATH \varnothing 3/4"
complete with fixing nut and washer
bulbs length 225 mm



GICO A00431

Burners, flame spreaders and accessories

3025383 BURNER \varnothing 110 mm
for Pot stove gas (GICO) - Series 110 - Series 500



GICO A00419

3025384 BURNER \varnothing 110 mm
for Pot stove gas (GICO) - Series 900 - Series 920




GICO A00418

5086033 BURNER \varnothing 110 mm



GICO A00504

5010810 BURNER \varnothing 180 mm



GICO A00176

5010811 NOZZLE HOLDER FOR TUBE \varnothing 12 mm
threaded fitting for tube M20x1,5 mm
nozzle thread M10x1 mm
fastening fittings M14x1 mm



GICO A00024

3025381 BURNER \varnothing 60 mm
for Pot stove gas (GICO) - Series 700 - Series 900



GICO 770339300

3025395 BURNER \varnothing 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760305080

GICO 764305190



Suitable for:

GICO



3025382 BURNER \varnothing 85 mm
for new series
for Pot stove gas (GICO) - Series 900



GICO 770336750

3025410 BURNER \varnothing 90 mm
for Pot stove gas (GICO) 110-700



GICO A00420

3025076 BURNER BASE \varnothing 60 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 790300780

GICO 790300789

3025079 BURNER BASE \varnothing 85 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 290202870

GICO 790300799

GICO 790300810

3025077 BURNER CAP \varnothing 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64
Series 700 - Series 900 - Series 920



GICO A00003

GICO 290200450

3025068 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



GICO 741312350

3025381 BURNER \varnothing 60 mm
for Pot stove gas (GICO) - Series 700 - Series 900



GICO 770339300

3025395 BURNER \varnothing 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760305080

GICO 764305190

3025076 BURNER BASE \varnothing 60 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 790300780

GICO 790300789

3025078 FLAME SPREADER \varnothing 55 mm
for Pot stove gas (GICO) - Series 600 - Series 64
Series 700 - Series 900 - Series 920



GICO A00003

GICO 270204230

GICO 290200460



Suitable for:

3025069 JET HOLDER
jet threaded seat M10x1
for burner \varnothing 60-75-85-90-110 mm



GICO 241202412

3025062 VENTURI PIPE FOR FLAME SPREADER 60 mm
without pilot hosing
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760311640

3025080 BURNER CAP \varnothing 85 mm
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO A00004

GICO 290200480

3025382 BURNER \varnothing 85 mm
for new series
for Pot stove gas (GICO) - Series 900



GICO 770336750

3025081 FLAME SPREADER \varnothing 80 mm
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO A00004

GICO 270204240

GICO 290200490

GICO



Suitable for:

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025068 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



GICO 741312350

3025079 BURNER BASE \varnothing 85 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 290202870

GICO 790300799

3025069 JET HOLDER
jet threaded seat M10x1
for burner \varnothing 60-75-85-90-110 mm



GICO 241202412



Suitable for:

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

GICO



Suitable for:

3025071 FLAME SPREADER ø 100 mm
for Pot stove gas (GICO) - Series 700



GICO 241200410

GICO 770319560

3025079 BURNER BASE ø 85 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 290202870

GICO 790300799

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025340 FLAME SPREADER ø 110 mm
for Pot stove gas (GICO) - Series 110 - Series 500
Series 900 - Series 920



GICO 270203540

3025068 AERATION REGULATOR
internal ø 36 mm - external ø 40 mm
height 36 mm



GICO 741312350

3025069 JET HOLDER
jet threaded seat M10x1
for burner ø 60-75-85-90-110 mm



GICO 241202412

3025068 AERATION REGULATOR
internal ø 36 mm - external ø 40 mm
height 36 mm



GICO 741312350



Suitable for:

3025383 BURNER \varnothing 110 mm
for Pot stove gas (GICO) - Series 110 - Series 500



GICO A00419

3025069 JET HOLDER
jet threaded seat M10x1
for burner \varnothing 60-75-85-90-110 mm



GICO 241202412

5086034 FLAME SPREADER \varnothing 110 mm



GICO 290204930

5086033 BURNER \varnothing 110 mm



GICO A00504

5086032 VENTURI F/FLAME SPREAD. 110 mm



GICO 790341600

GICO



Suitable for:

3025384 BURNER \varnothing 110 mm
for Pot stove gas (GICO) - Series 900 - Series 920



GICO A00418

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025068 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



GICO 741312350

3025069 JET HOLDER
jet threaded seat M10x1
for burner \varnothing 60-75-85-90-110 mm



GICO 241202412



Suitable for:

GICO



Suitable for:

3025078 FLAME SPREADER \varnothing 55 mm
for Pot stove gas (GICO) - Series 600 - Series 64
Series 700 - Series 900 - Series 920



GICO A00003

GICO 270204230

GICO 290200460

3025066 FLAME SPREADER \varnothing 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 270200190

GICO 770319550

3025395 BURNER \varnothing 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760305080

GICO 764305190

3025062 VENTURI PIPE FOR FLAME SPREADER 60 mm
without pilot hosing
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760311640

3025068 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



GICO 741312350

3025069 JET HOLDER
jet threaded seat M10x1
for burner \varnothing 60-75-85-90-110 mm



GICO 241202412

3025081 FLAME SPREADER \varnothing 80 mm
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO A00004

GICO 270204240

GICO 290200490

Suitable for:

3025370 FLAME SPREADER \varnothing 90 mm
for Pot stove gas (GICO) - Series 700



GICO 270203550

3025410 BURNER \varnothing 90 mm
for Pot stove gas (GICO) 110-700



GICO A00420

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025069 JET HOLDER
jet threaded seat M10x1
for burner \varnothing 60-75-85-90-110 mm



GICO 241202412

5086032 VENTURI F/FLAME SPREAD. 110 m m



GICO 790341600

Suitable for:

3025068 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



GICO 741312350

3025069 JET HOLDER
jet threaded seat M10x1
for burner \varnothing 60-75-85-90-110 mm



GICO 241202412

5010811 NOZZLE HOLDER FOR TUBE \varnothing 12 mm
threaded fitting for tube M20x1,5 mm
nozzle thread M10x1 mm
fastening fittings M14x1 mm



GICO A00024

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790



Suitable for:

GICO



Suitable for:


3025062 VENTURI PIPE FOR FLAME SPREADER 60 mm
without pilot hosing
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760311640

Buzzers

3397117 ALARM WITH CARD
dimensions 45x48 mm



GICO 293202320

Cables for piezo igniters

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



GICO 5509080

3001018 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



GICO 5509040

5025408 IGNITION LEAD 920 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for ignition plug




GICO 270112320



Contactors

5000853 CONTACTOR AEG LS05400
 4Kw 400V - coil 230V 50/60Hz
 4 contacts NO
 for Bain-marie electric (GICO)
 Series 700-900-920-110
 for Fryer electric (GICO)
 Series 500-64-700-900-920



GICO 53002420904

GICO 66300010

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



GICO 6300240600

3446227 AUXILIARY CONTACT LOVATO G218
 10A
 1 contact NO
 1 contact NC



5068368 THERMAL RELAY LOVATO 0,6-1 A
 RF9-1
 1 contact NO
 1 contact NC



GICO 6310004

Cooking baskets and accessories

3055194 PASTA COOKER BASKET 300x115x180 mm
 made of STAINLESS steel
 for Pasta cooker electric (GICO) 64/755T



GICO 264200230



Suitable for:

GICO



Suitable for:

Drain assembly

5050728 DRAIN ASSEMBLY \varnothing 3/4"
height 30 mm - overflow pipe \varnothing 20 mm
external \varnothing 32 mm



GICO 739308000

5050731 DRAIN ASSEMBLY ZINC-COATED IRON \varnothing 3/4"



GICO 42195034

1186759 O-RING 03106 EPDM
ring thickness 2.62 mm - internal \varnothing 26.65 mm



GICO 370003106

5050731 DRAIN ASSEMBLY ZINC-COATED IRON \varnothing 3/4"



GICO 42195034

Drain plugs


5026053 OVERFLOW PIPE \varnothing 20x122 mm



GICO 738300870

Drain taps and accessories

3356068 DRAIN TAP \varnothing 1/2"MM
for Bain-marie (GICO) - Series 700
for Pasta cooker (GICO) - Series 500 - Series 700
Series 900 - Series 920



GICO 433206

5077721 DRAIN TAP \varnothing 1"FF



GICO 4332010

3356007 DRAIN TAP ø 1"1/2F TECNO
TAPERED SEAL - swivel nut ø 1"1/2F
with gasket
for BOILING PAN



GICO 422116

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3356128 PIN ø 5x30 mm
complete with blind nut



Suitable for:

3186240 ASBESTOS FREE FLAT GASKET ø 46x38x2 mm
for drain tap ø 1"1/2



3186199 GASKET INTERNAL EPDM FOR TAPS
NSF certified
for DRAIN TAP ø 1"1/4 and 1"1/2



3242189 HANDGRIP FOR DRAIN TAP
for DRAIN TAP ø 1"1/2F e 1"1/4F



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved





Suitable for:

3180039 VASELINE WUERTH 750 g

for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



GICO

Suitable for:



3356005 DRAIN TAP ø 1"1/4F TECNO

TAPERED SEAL - fixed connection ø 1"1/4F
with gasket
for BOILING PAN



3186240

ASBESTOS FREE FLAT GASKET ø 46x38x2 mm
for drain tap ø 1"1/2



GICO

3356010 ESCUTCHEON FOR DRAIN TAP ø 1"1/4



3179010

FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



3186199 GASKET INTERNAL EPDM FOR TAPS

NSF certified
for DRAIN TAP ø 1"1/4 and 1"1/2



1180001

GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline





Suitable for:

3242189 HANDGRIP FOR DRAIN TAP
for DRAIN TAP \varnothing 1"1/2F e 1"1/4F



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



GICO

Suitable for:

3356128 PIN \varnothing 5x30 mm
complete with blind nut



3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



3356149 DRAIN TAP \varnothing 2" F TECNO
BRASS CAP - with swivel nut \varnothing 2" F



GICO A00087

GICO 422107

3356101 CAP FOR DRAIN TAP
for DRAIN TAP \varnothing 2" OLD MODEL



3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
for drain tap \varnothing 2" old model



3356016 DRAIN NIPPLE \varnothing 2"x80 mm
in brass



3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



3356012 ESCUTCHEON FOR DRAIN TAP \varnothing 2"





Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature -45°/+120°
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



3356128 PIN Ø 5x30 mm
 complete with blind nut



3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to +120°C
 from +50°C to +120 °C the grease becomes oily



GICO



Suitable for:

5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm
 for drain tap Ø 2"



3186241 O-RING 06212 VITON
 ring thickness 5.34 mm - internal Ø 53.34 mm
 for DRAIN TAP Ø 2" OLD MODEL AND
 TECNO NEW MODEL



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



Suitable for:

5028509 DRAIN TAP KIT \varnothing 1"FF
complete with tube, handle and extension



GICO A00450

Suitable for:

3526672 WATER VALVE \varnothing 3/4"FF
ballcock valve
heavy series with PN 40 total passage
aluminium lever
for Pasta cooker electric (GICO)
Series 500-700-900-920
for Pasta cooker gas (GICO)
Series 500-700-900-920



GICO 433207


Electric hot plates

3311090 ELECTRIC HOT PLATE \varnothing 145 mm 1000W 230V
MODEL "ECODESIGN"
terminal block electric connections
with STAINLESS steel edge 8 mm
for electric cooking top




GICO 611062410

3311094 ELECTRIC HOT PLATE \varnothing 180 mm 1500W 230V
MODEL "ECODESIGN"
terminal block electric connections
with STAINLESS steel edge 8 mm
for electric cooking top



GICO 611062415

3311100 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 511022426

3311101 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 400V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 5110001

3311063 ELECTRIC HOT PLATE 3000W 400V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 5110003

3311064 ELECTRIC HOT PLATE 4000W 230V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 511012440



Suitable for:

3311048 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
terminal block electric connections
for electric cooking top



GICO

GICO



Suitable for:

3311065 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 5110002

Electrical gas valves and accessories

3440200 THERMOPILE WITH TWIN LEAD \varnothing 9x65 mm
cable length 800 mm - with coupling M11X1



GICO 434010580

3526061 VALVE VR4605P HONEYWELL \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple connection ASA pitch
maximum gas inlet pressure 100 mbar
room temperature 0÷60°C
power supply 220V 50Hz



GICO 43330001

3526077 ELBOW FLANGE \varnothing 1/2"F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4"F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526090 VALVE 810 Elettrosit \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



GICO 43300012

GICO 433012224

GICO 790202500

3526100 COIL 220V
 for VALVE Elettrosit



3526093 EXTENSION FOR Elettrosit BUTTON 34 mm
 for switching on/off buttons



3526107 FLANGE STRAIGHT \varnothing 3/4" F
 with screws and OR
 for Elettrosit VALVE



3526136 SPRING FOR PUSH-BUTTON



Suitable for:

3526137 BUTTON FOR Elettrosit VALVE 46 mm



3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for Elettrosit VALVE



3526106 FLANGE STRAIGHT \varnothing 1/2" F
 with screws and OR
 for Elettrosit VALVE



3001008 PIEZO IGNITER
 a \varnothing 14 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE Elettrosit-820 NOVA-824 NOVASIT





Suitable for:

GICO



3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model



GICO 43300820

2100054 COIL 220V 60Hz
 for VALVE 820 NOVA-822 NOVA-828 NOVA



3526270 VALVE 820 NOVA EXTENSION
 D shaft \varnothing 10x8 mm



3526077 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P




3526078 ELBOW FLANGE \varnothing 3/4" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P




5047586 EXTENSION FOR VALVE 820 NOVA
 D-shaped pin \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



3526075 FLANGE STRAIGHT \varnothing 1/2"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526076 FLANGE STRAIGHT \varnothing 3/4"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



3526141 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



GICO 433012


2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



GICO

Suitable for:

3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



3440200 THERMOPILE WITH TWIN LEAD \varnothing 9x65 mm
cable length 800 mm - with coupling M11X1



GICO 434010580

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



2100724 COIL 24V
for valve 830 TANDEM-836 TANDEM



3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM






Suitable for:

3526292 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for sit valve 830-836 TANDEM




3020084 FITTING AND OLIVE ø 6 mm



GICO

Suitable for:

3020083 FITTING AND OLIVE ø 4 mm




3348041 OLIVE FOR PIPE ø 16 mm
for model PEL 23



Electronic boxes

3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA



GICO 43331001

Electronic controllers

3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000
power supply 12Vca/dc 1.5VA
thermostat setting range 99+600°C
ON-OFF control with one actuation point
1 exchange relay output 6(3)A 250V
inbuilt alarm buzzer
access to configuration parameters through
password
serial port for data exchange
room temperature 0+60°C
PTC/NTC/PT100/PT1000 type probe (not included)
connections by screwed terminal block
front dimensions 74x32x65 mm
mounting hole 71x29 mm



GICO 629601

3445157 PROBE NTC PVC 1500 mm
probe 2 wires - temperature range -30°+80°C
bulb ø 6x40 mm





Suitable for:

3445156 PROBE NTC PVC 3000 mm
temperature range -30+80°C
bulb ø 6x40 mm



3445167 PROBE NTC TPE IP68 1500 mm
temperature range -50+110°C
bulb ø 5x20 mm watertight



3445184 PROBE NTC TPE STEEL IP68 1500 mm
temperature range -40+110°C
bulb ø 6x40 mm watertight



3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb ø 6x100 mm



GICO A00317

3445380 PROBE PT1000 IP68 3000 mm
temperature range -50+110°C
bulb ø 6x20 mm watertight



GICO

Suitable for:

3445028 PROBE NTC PVC 4000 mm
temperature field -30+80°C
bulb ø 6x20 mm



3445335 PROBE NTC TPE IP68 3000 mm
temperature range -50+110°C
bulb ø 5x20 mm watertight



3445154 PROBE NTC TPE STEEL IP68 3000 mm
temperature range -40+110°C
bulb ø 6x40 mm watertight



3445379 PROBE PT1000 IP68 1500 mm
temperature range -50+110°C
bulb ø 6x20 mm watertight



3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm





Suitable for:

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



GICO



Suitable for:

3445913 SILICONE PROBE NTC 1500 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445155 SILICONE PROBE NTC 3000 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range -55+150°C
bulb ø 6x40 mm



3445959 SILICONE PTC PROBE 5000 mm
temperature range -55+150°C
bulb ø 6x40 mm



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



GICO 639603


3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved





Energy regulators


3350026 ENERGY REGULATOR
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Hot plate (GICO) - Series 110 - Series 700
 Series 920



GICO 539205

GICO 539206

3350035 ENERGY REGULATOR
 contact capacity 230V 13A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



GICO 539209

GICO 539208

Fittings


7118636 STRAIGHT FITTING \varnothing 1/2" F
 tube \varnothing 10 mm



GICO 421541012

Fryer baskets and accessories

5076336 FALSE BOTTOM MESH COMPLETE 315x295 mm
 height 90 mm
 of chrome-plated iron




GICO 270205620

5010898 FALSE BOTTOM MESH COMPLETE 325x217 mm
 height 245 mm
 of chrome-plated iron



GICO 270202120

5026498 FALSE BOTTOM MESH COMPLETE 390x235 mm
 height 95 mm
 of chromed iron
 for Fryer (GICO)



GICO 290203850

5026715 FRYER BASKET 265x230x100 mm
 of chromed iron
 for Fryer (GICO)



GICO 270203830



Suitable for:

GICO



5024794 FRYER BASKET 365x115x103 mm
of chromed iron
for Fryer (GICO)



GICO 270203840

Suitable for:

5019988 FRYER BASKET 365x230x105 mm
of chrome-plated iron



GICO 270203850

5000821 FRYER BASKET 400x130x105 mm
of chrome-plated iron



GICO 290201220

Gas burners

3023015 BURNER \varnothing 40x460 mm
overall length 485 mm
made of stainless steel
for Bratt pan gas (GICO) - Series 900



GICO 4323105

5023850 BURNER \varnothing 40x510 mm
overall length 555 mm
of STAINLESS steel



GICO A00458


GICO 790117780

5010800 BURNER \varnothing 50x310 mm
overall length 335 mm
made of ST. STEEL



GICO 4323115

5069070 BURNER \varnothing 50x320 mm
overall length 350 mm
of STAINLESS steel



GICO 770125060

5025407 BURNER \varnothing 50x465 mm
overall length 510 mm
of STAINLESS steel



GICO 4323117

GICO 790118660

3023325 BURNER 445x200 mm
made of stainless steel
for Lava rock grill gas (GICO) - Series 700



GICO A00273

GICO A00673

GICO 260202640



GICO



Suitable for:

3023238 BURNER 510x200 mm
made of stainless steel
for Lava rock grill gas (GICO) - Series 900



GICO A00274

GICO 290203290

Suitable for:

5090424 BURNER 560x425 mm
of stainless steel



GICO A00632

5031423 BURNER 580x315 mm
of stainless steel



GICO A00454

5085522 BURNER 772x313 mm
of stainless steel



GICO A00455

Gas hoses

5093599 PILOT PIPE \varnothing 4 mm
complete with fittings and olives



GICO A00512

5093598 PILOT PIPE \varnothing 4 mm.
complete with fittings and olives



GICO A00511

5085431 PIPE FOR GAS TAP \varnothing 10 mm
complete with nuts and olives



GICO A00506

Gas taps and accessories

4002909 BY-PASS SCREW \varnothing 0.95 mm FOR MOD. 20/21
thread M5x0.5



GICO 4399257

5053753 BY-PASS SCREW \varnothing 0.95 mm FOR MOD. 22
thread M6x0.5




GICO 4399218



Suitable for:

5014631 BY-PASS SCREW \varnothing 1 mm FOR MOD. 20/21
thread M5x0.5



GICO 4399250

3348015 GAS TAP 20/N
with pilot flame
fittings M16x1.5 mm
with flow regulator
D-shaped pin \varnothing 8x6.5 mm



GICO 435213

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



GICO




Suitable for:

5053754 BY-PASS SCREW \varnothing 1.30 mm FOR MOD. 20/21
thread M5x0.5



GICO 4399200

3348020 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 20S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25





Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



GICO

Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3348014 GAS TAP 20/S
without pilot flame
fittings \varnothing M16x1.5mm
thermocouple fitting M8x1
D-shaped pin \varnothing 8x6.5mm



3348020 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 20S



GICO 435212

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22





Suitable for:

3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm




GICO



Suitable for:

3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348016 GAS TAP 21/S
 with pilot flame
 fittings \varnothing M16x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 8x6.5 mm




GICO 435210

3348085 BUSH FOR TAP



3348220 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 30/23 mm upper/lower
 for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 22 mm
 for model PEL 21S



3348243 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 22/15 mm right/lef
 for model PEL 21S



Suitable for:


7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
 thread \varnothing 3/8" F - M16x1 mm
 for taps PEL 20S-21S



3348219 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 45/20 mm upper/lower
 for model PEL 21



3348221 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 30/17,5 mm upper/lower
 for model PEL 21



3348238 CAP WITH PIN \varnothing 8x6.5 mm
 pin 35/15 mm upper/lower
 for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
 thread M16x1,5 mm - M10x1,25 mm
 for model PEL 21S





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182022 **MAGNETIC GROUP PEL SMALL HEAD**
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3348044 **OLIVE FOR PIPE \varnothing 10 mm**
for model PEL 20-21-24-25



3348037 **OLIVE FOR PIPE \varnothing 6 mm**
for model PEL 21-22-24-25



3348029 **PIPE FITTING \varnothing 4 mm**
thread M10x1 mm
for model PEL 21-22-24-25



5014757 **PIPE FITTING \varnothing 6 mm**
thread M10x1 mm




GICO

Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22




3182011 **MAGNETIC UNIT PEL SMALL HEAD**
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348036 **OLIVE FOR PIPE \varnothing 4 mm**
for model PEL 21-22-24-25




3348043 **PIPE FITTING \varnothing 10 mm**
thread M16x1.5 mm
for model PEL 20-21-24-25



3020078 **PIPE FITTING \varnothing 6 mm**
thread M10x1



3348010 GAS TAP 22N/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
D-shaped pin \varnothing 10x8 mm



GICO 435220

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22




Suitable for:


3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O




3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22




3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S




3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22




3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22





Suitable for:

3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



GICO

Suitable for:

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



GICO 270201580

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25





Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



GICO

Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1




3348005 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5 mm
with flow regulator
thermocouple connection M8x1
D-shaped pin \varnothing 10x8 mm




GICO 435221

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22




3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O



3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S




3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22





Suitable for:


3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



GICO

Suitable for:

3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm





Suitable for:

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



GICO 270201580

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



GICO

Suitable for:


3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



GICO 270201680

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm





Suitable for:

GICO



Suitable for:

3348012 GAS TAP 23S/O
 with pilot flame
 with horizontal flange
 inlet fitting M28x1.5mm
 outlet connection M24x1.5mm
 with flow regulator
 thermocouple connection M10x1
 D-shaped pin \varnothing 10x8 mm




3348060 CAP WITH PIN \varnothing 10x8 mm
 pin length 25 mm
 for model PEL 23



GICO 435280

3348062 CAP WITH PIN \varnothing 10x8 mm
 pin length 35 mm
 for model PEL 23




3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
 thread M24x1.5 mm
 for model PEL 23



3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
 without adjustment
 thread M24x1.5 mm
 for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
 thread M24x1.5
 for model PEL 23



3182010 MAGNETIC UNIT PEL
 head \varnothing 24 mm - end piece \varnothing 18 mm - length 59 mm
 thermocouple coupling M10x1
 for PEL tap model 23



3348040 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 23



3348041 OLIVE FOR PIPE \varnothing 16 mm
 for model PEL 23



3348042 OLIVE FOR PIPE \varnothing 20 mm
 for model PEL 23





Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5
for model PEL 23



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



GICO 270201580

GICO

Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23




3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



GICO 270201680





Suitable for:

GICO



Suitable for:

Gas valves and accessories


3526131 EUROSIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure setting range
 3÷18 mbar outlet
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm



GICO A00405

GICO 433023

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR




3241435 EUROSIT VALVE EXTENSION
 D shaft \varnothing 10x8 mm




3526126 EUROSIT VALVE EXTENSION
 D shaft \varnothing 10x8 mm




3526677 EXTENSION FOR EUROSIT VALVE
 D-shaped pin \varnothing 10x8 mm




3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M



3526127 FLANGE FOR EXTENSION





Suitable for:

5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



2111083 MINISIT FRYER VALVE 110 \pm 190°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0 \pm 80°C
capillary length 1050 mm
button bulb \varnothing 14.4x26 mm
supplied without cover, knob and flanges



GICO A00044

GICO 433015

3020083 FITTING AND OLIVE \varnothing 4 mm



3523035 KNOB MINISIT BLACK \varnothing 37 mm



GICO

Suitable for:


5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm




3526123 RUBBER PROTECTION FOR EUROSIT VALVE




2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M



3020084 FITTING AND OLIVE \varnothing 6 mm



3523047 LID MINISIT





Suitable for:

3182018 MAGNETIC UNIT MINISIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
thermocouple connection M10x1



3523061 NUT \varnothing 1/4"x6 mm




3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3523036 REDUCTION STRAIGHT \varnothing 3/8"F - \varnothing 1/2"F
in brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"F
for MINISIT flange



GICO




Suitable for:

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M




3523043 SENSING ELEMENT MINISIT 110÷190°C
capillary length 1050 mm
button bulb \varnothing 13x26 mm
for Fryer gas (GICO)



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



3523040 SENSING ELEMENT MINISIT 100 \div 340 $^{\circ}$ C
capillary length 1050 mm
bulb \varnothing 5x70 mm



GICO 439631034

3523043 SENSING ELEMENT MINISIT 110 \div 190 $^{\circ}$ C
capillary length 1050 mm
button bulb \varnothing 13x26 mm
for Fryer gas (GICO)




GICO 439621019

3523051 SENSING ELEMENT MINISIT 110 \div 190 $^{\circ}$ C
capillary length 1050 mm
bulb \varnothing 6x105 mm



GICO 439611019

2110349 VALVE 630 EUROSIT BAIN MARIE 30 \div 100 $^{\circ}$ C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
gas inlet maximum pressure 50 mbar
calibration field of outlet
pressure 3 \div 18 mbar
ambient temperature 0 \div 80 $^{\circ}$ C
capillary length 1050 mm
bulb \varnothing 5x122 mm
for Bain-marie (GICO)



GICO A00414

3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR



4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



3241435 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm






Suitable for:

3526126 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8"M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8"M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M




GICO

Suitable for:

3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



3526127 FLANGE FOR EXTENSION




5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm




3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE




3526133 VALVE 630 EUROSIT FRY TOP 60÷300°C
 inlet \varnothing 3/8"F - outlet \varnothing 3/8"F
 thermocouple fitting M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure calibration range:
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm



GICO A00406

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR




3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR




3526126 EUROSIT VALVE EXTENSION
 D shaft \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8"M



3526127 FLANGE FOR EXTENSION



5021481 GAS OUTLET VALVE FITTING
 thread \varnothing 3/8"M - M16x1 mm



5050401 OLIVE FOR PIPE \varnothing 10 mm
 external \varnothing 13 mm - height 8 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 22-24-25



3001111 PIEZO IGNITER EUROSIT
 M faston \varnothing 2.4 mm





Suitable for:


3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



GICO

Suitable for:

3526123 RUBBER PROTECTION FOR EUROSIT VALVE



3523020 VALVE 710 MINISIT OVEN 100÷340°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 5x70 mm
with an elbow flange \varnothing 3/8" F



GICO 433011

GICO 770203180


3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
with screws and OR



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M




3523037 ELBOW FLANGE MINISIT \varnothing 3/8" F
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



3523047 LID MINISIT



3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT




3523061 NUT \varnothing 1/4"x6 mm





Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523040 SENSING ELEMENT MINISIT 100÷340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm



GICO

Suitable for:


3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm





Suitable for:

GICO



Suitable for:

3523031 VALVE 710 MINISIT OVEN 100±340°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 with screw for gas outlet pressure regulation
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 with an elbow flange \varnothing 3/8"F



GICO 790200800

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
 with screws and OR



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M




3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



3523047 LID MINISIT




3182003 MAGNETIC UNIT SIT
 head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



3523061 NUT \varnothing 1/4"x6 mm



3523060 OIL SEAL FITTING \varnothing 6.5 mm
 internal thread M10x0.75 - external thread M14x1.5



3348044 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 20-21-24-25






Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523040 SENSING ELEMENT MINISIT 100 \pm 340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm



GICO 439631034

GICO

Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



Gaskets and seals

5086026 GASKET FRONT/REAR FIRE
length 630 mm - width 20 mm
thickness 5 mm



GICO 770350060





Suitable for:

GICO



Suitable for:

Grids for kitchen

7108305 GRID 350x350 mm
for Pot stove (GICO) - Series 900



GICO 290204940

5022139 GRID 355x355 mm



GICO 290204150

5081966 GRID 388x388 mm



GICO 211200369

3185117 PAN SUPPORT GRID 385x290 mm
for Pot stove (GICO) - Series 700



GICO 270203609

Grids for oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



GICO 793108350

Handles

5000885 HANDLE PLASTIC GREY HEAD
distance between holes 22 mm



GICO 270202680

5000886 HANDLE 575x45x17 mm GREY



GICO 770314660

5000885 HANDLE PLASTIC GREY HEAD
distance between holes 22 mm



GICO 270202680



Heating elements

3355829 CERAMIC HEATING ELEMENT 650W 230V
length 245 mm - width 60 mm



GICO 51012300650

5065078 FITTING ASSEMBLY RH HEATING ELM. SUPPORT
external dimensions 56x56x43 mm
holes \varnothing 44/24 mm
for Fryer (GICO) 62/703T



GICO 770123420

5065079 FITTING ASSEMBLY SH HEATING ELM. SUPPORT
external dimensions 56x56x43 mm
holes \varnothing 44/24 mm
for Fryer (GICO) 62/703T



GICO 770123430

5032506 HEATING ELEMENT 1000W 230V
length 388 mm - width 275 mm
with bulb sheath



GICO 239200910

5000873 HEATING ELEMENT 1100W 230V
length 340 mm - width 80 mm
height 60 mm
for Fryer electric (GICO) - Series 64



GICO 260200020

3355202 HEATING ELEMENT 1300W 240V
length 370 mm - width 95 mm
fittings M10x1 mm
operating ambient: immersion
for Bain-marie electric (GICO)



GICO A00084

GICO 241200562

3355207 HEATING ELEMENT 1370W 240V
length 430 mm - width 95 mm
height 65 mm
nut and washer on demand
for second series
for Fry top electric (GICO)



GICO 270200662

3528238 FLAT WASHER M4
internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089





Suitable for:

3528232 HEXAGONAL NUT MEDIUM SIZE M4
brass - UNI 5588 - DIN 934 - ISO 4032



GICO



Suitable for:

5000869 HEATING ELEMENT 1400W 230V
length 250 mm - width 65 mm
height 55 mm



GICO 250200240

GICO 750303510

5048965 HEATING ELEMENT 1400W 230V
length 315 mm - width 42 mm
fittings M16x1.5 mm



GICO 264200180

5026346 HEATING ELEMENT 1500W 230V
length 388 mm - width 275 mm
with bulb sheath



GICO 270204530

5010865 HEATING ELEMENT 1900W 230V
length 300 mm - width 35 mm
height 235 mm - fittings M12x1 mm
for Pasta cooker electric (GICO)




GICO 270203090

5039932 HEATING ELEMENT 1900W 230V
length 205 mm - width 40 mm
height 230 mm - fittings M12x1 mm



GICO 250200200

3755681 HEATING ELEMENT 2000W 230V
length 500 mm - width 320 mm
flange 70x22 mm
for new series
for Oven under cooktop electric (GICO) - Series 64



GICO 260200070

3355205 HEATING ELEMENT 2020W 240V
length 550 mm - width 90 mm
height 60 mm
nut and washer on demand
for first series
for Fry top electric (GICO)



GICO 290200112

3528238 FLAT WASHER M4
internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089





Suitable for:

3528232 **HEXAGONAL NUT MEDIUM SIZE M4**
brass - UNI 5588 - DIN 934 - ISO 4032



GICO

Suitable for:



5000858 **HEATING ELEMENT 2100W 230V**
length 260 mm - width 50 mm
height 280 mm - fittings M12x1 mm
for Fryer electric (GICO)



GICO 260200360

5000867 **HEATING ELEMENT 2100W 230V**
length 240 mm - width 55 mm
height 285 mm - fittings M12x1 mm



GICO 250200170

5027595 **HEATING ELEMENT 2200W 230V**
length 195 mm - width 55 mm
height 230 mm - fittings M12x1 mm



GICO 264200110

5010913 **HEATING ELEMENT 2300W 230V**
length 510 mm - width 90 mm
height 50 mm
for Bratt pan electric (GICO) - Series 900-920



GICO 290202450

3455277 **HEATING ELEMENT 2600W 230V**
length 445 mm - width 40 mm
height 225 mm - fittings M12x1 mm
for Pasta cooker electric (GICO)
since 1/01/88
till 1/01/00 - Series 900



GICO 290203600

3755682 **HEATING ELEMENT 2700W 230V**
length 500 mm - width 275 mm
with bulb sheath



GICO 290204050

3755683 **HEATING ELEMENT 2700W 230V**
length 350 mm - width 60 mm
fittings M16x1.5 mm
for Pasta cooker electric (GICO) - Series 500-700



GICO 270204220

GICO 270205870

3755075 **HEATING ELEMENT 2740W 230V**
length 500 mm - width 480 mm
flange 70x22 mm
for Oven under cooktop electric (GICO)
Series 700



GICO 270200402



Suitable for:

GICO



3355210 HEATING ELEMENT 2740W 400V
 length 500 mm - width 480 mm
 flange 70x22 mm
 for Oven under cooktop electric (GICO)
 Series 700



GICO 270201220

GICO 270203360

5040110 HEATING ELEMENT 300W 230V
 immersed length 275 mm
 flange external \varnothing 63 mm
 with bulb sheath
 complete with O-ring



GICO 290202790

5048768 HEATING ELEMENT 3000W 230V
 length 370 mm - width 40 mm
 height 265 mm - fittings M12x1 mm



GICO 290203710

5067518 HEATING ELEMENT 3000W 230V
 length 225 mm - width 50 mm
 height 235 mm - fittings M12x1 mm



GICO 270204600


3355209 HEATING ELEMENT 3200W 240V
 length 675 mm - width 120 mm
 for Bratt pan electric (GICO)



GICO 241201401


GICO 290200770

3355211 HEATING ELEMENT 3275W 240V
 length 535 mm - width 620 mm
 flange 160x22 mm
 for Oven under cooktop electric (GICO)



GICO 241200922

3755679 HEATING ELEMENT 3275W 400V
 length 535 mm - width 620 mm
 flange 160x22 mm
 for Oven under cooktop electric (GICO)
 Series 900 - Series 920



GICO 290203720

3755684 HEATING ELEMENT 4000W 230V
 length 480 mm - width 60 mm
 fittings M16x1.5 mm
 for Pasta cooker electric (GICO) - Series 900
 Series 920



GICO 290203880

GICO 290205360

5000842 HEATING ELEMENT 4000W 240V
 length 375 mm - width 70 mm
 height 270 mm - fittings M12x1 mm



GICO 290201090

GICO 290203650

5000847 HEATING ELEMENT 4500W 230V
 immersed length 420 mm
 fitting \varnothing 1"1/2
 complete with O-ring



GICO A00149



5038413 HEATING ELEMENT 4500W 230V
length 335 mm - width 55 mm
height 245 mm - fittings M12x1 mm



GICO 290204060

Suitable for:


3355204 HEATING ELEMENT 800W 240V
length 475 mm - width 70 mm
for Bratt pan electric (GICO)



GICO 290200091

Hinges, catches and accessories

3053014 LEFTHAND DOOR HINGE FOR OVEN
mounting distance 200 mm - overall length 285
height 140 mm
for Oven under cooktop electric (GICO)
Series 110 - Series 500 - Series 64 - Series 700
Series 900 - Series 920
for Oven under cooktop gas (GICO) - Series 110
Series 500 - Series 64 - Series 700 - Series 900
Series 920



GICO A00006(SOLO_SX)

GICO 741105831

3053442 RIGHT-LEFTHAND DOOR HINGE FOR OVEN
mounting distance mobile part 65 mm
mounting distance fix part 33 mm
length 97 mm - width 20 mm
height 46 mm



GICO

3053013 RIGHTHAND DOOR HINGE FOR OVEN
mounting distance 200 mm - overall length 285
height 140 mm
for Oven under cooktop electric (GICO)
Series 110 - Series 500 - Series 64 - Series 700
Series 900 - Series 920
for Oven under cooktop gas (GICO) - Series 110
Series 500 - Series 64 - Series 700 - Series 900
Series 920



GICO A00006(SOLO_DX)

GICO 741105741

5010868 ROD \varnothing 28x144 mm



GICO 741308670

Ignitors

5071849 IGNITER PIEZO WITH CAP
with watertight cap
con brass washer
a \varnothing 22 mm hole is required for the assembly
with faston \varnothing 2,4 mm for powerup
with faston \varnothing 2,4 mm for spark-plug



GICO A00477

3001029 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm
for SNACK SERIES



GICO 4398050



Suitable for:

5071589 WATERTIGHT PIEZO CAP
made of silicone rubber



GICO

Suitable for:



3001029 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm
for SNACK SERIES



GICO 4398050

3001009 PIEZO IGNITER JUNKERS
with faston 6.35x0.8 mm



GICO 00073

Incandescent lamps and neon lamps

3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
max. temperature 300°C



GICO 6242122001


3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C



GICO 6242122001

Indicator lights

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm



GICO 6229044

3221132 INDICATOR LIGHT GREEN 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



GICO A00409

3221117 INDICATOR LIGHT GREEN 400V
head \varnothing 18 mm - hole \varnothing 12 mm - 150°C



GICO 5229054

7118858 INDICATOR LIGHT GREEN 400V
head \varnothing 15 mm - hole \varnothing 10 mm - 150°C
for Kitchen electric (GICO) CE9N054C



GICO A00502

Suitable for:

3221194 INDICATOR LIGHT NEON GREEN 220V
 ø head 8 mm



GICO 6229046

3221196 LAMP CAP CLEAR
 ø 12 mm



Suitable for:

3221197 GREY CAP ø 12 mm



3221195 LAMP CAP GREEN ø 12 mm
 ø 12 mm



3221192 LAMP SUPPORT



3221193 ORANGE LAMP CAP
 ø 12 mm



3319219 SUPPORT FOR DARK GREY PUSH-BUTTON
 mounting hole 16x16 mm - for push-button ø 12 mm



3221097 INDICATOR LIGHT NEUTRAL 220V
 head ø 8 mm - 120°C



GICO 6229045

1221014 INDICATOR LIGHT ORANGE 400V
 ø head 15 mm - ø hole 10 mm - 120°C



GICO A00503

3221095 INDICATOR LIGHT ORANGE 230V
 head ø 13.5 mm - hole ø 10 mm - 120°C
 universal application



GICO A00410

3221116 INDICATOR LIGHT ORANGE 400V
 head ø 18 mm - hole ø 12 mm - max 150°C



GICO 5229052



Suitable for:

GICO



Suitable for:

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm




GICO 6229043

3221167 RED LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



GICO 6229047

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm




GICO 6229043

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm




GICO 6229044

3221168 TRANSPARENT LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



Knobs

3241540 BLACK KNOB \varnothing 60 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Pot stove (GICO)
Series 64-PROFONDITA' 600 NUOVA



GICO 766100020

GICO 790106630

GICO 790119470

3241139 KNOB RING RED
external \varnothing 72 mm



GICO 290202350

3241143 KNOB SPRING \varnothing 42x26 mm




GICO 290202430

Suitable for:

Suitable for:

5056197 BLUE RING FOR KNOB
external \varnothing 82 mm



GICO 290204920

3241038 GREY KNOB \varnothing 60 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for Pasta cooker gas (GICO) CP5N750A-CP5N800A



GICO 766100000
GICO 790119450

GICO 790106610

GICO 790109350

3241139 KNOB RING RED
external \varnothing 72 mm



GICO 290202350

3241143 KNOB SPRING \varnothing 42x26 mm



GICO 290202430

3241147 GREY KNOB \varnothing 60 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Pot stove (GICO) - Series 500 - Series 700
Series 900 - Series 920



GICO 766100010
GICO 790119460

GICO 790106620

GICO 790109340

3241139 KNOB RING RED
external \varnothing 72 mm



GICO 290202350

3241143 KNOB SPRING \varnothing 42x26 mm



GICO 290202430




Suitable for:

GICO



3241539 GREY KNOB \varnothing 60 mm 1-2-3
D-shaped hole 6x4.6 mm
for Pot stove electric (GICO) - Series 110
Series 500 - Series 900 - Series 920



GICO 766100050
GICO 790119510

GICO 790106910

GICO 790109370

3241139 KNOB RING RED
external \varnothing 72 mm



GICO 290202350

3241143 KNOB SPRING \varnothing 42x26 mm



GICO 290202430

3241538 GREY KNOB \varnothing 60 mm 1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for Pot stove electric (GICO) - Series 64
Series 700



GICO 766100070

GICO 790119520

3241139 KNOB RING RED
external \varnothing 72 mm



GICO 290202350

3241143 KNOB SPRING \varnothing 42x26 mm



GICO 290202430

5029506 GREY KNOB \varnothing 60 mm 100-180°C
D-shaped hole 6x4.6 mm
for Fryer electric (GICO)



GICO 766100120
GICO 790119560

GICO 790106940

GICO 790109410

5078481 KNOB BLACK \varnothing 40 mm
D-shaped hole 6x4.6 mm



GICO 296200030

Suitable for:

Suitable for:

5010804 KNOB BLACK \varnothing 52 mm
D-shaped hole 6x4.6 mm



GICO A00250

GICO 284200070

GICO 293202250

3241814 KNOB BLACK \varnothing 60 mm 1-0-1
D-shaped hole 6x4.6 mm
for Bain-marie (GICO) - Series 110 - Series 500
Series 64 - Series 700 - Series 900 - Series 920
for Self service counter (GICO) - Series 39



GICO 766100040

GICO 790106900

GICO 790119490

3241139 KNOB RING RED
external \varnothing 72 mm




GICO 290202350

3241143 KNOB SPRING \varnothing 42x26 mm



GICO 290202430

5011814 KNOB GREY \varnothing 60 mm 1-0-1
D-shaped hole 6x4.6 mm



GICO 766100100

GICO 790119500

3241139 KNOB RING RED
external \varnothing 72 mm



GICO 290202350

3241143 KNOB SPRING \varnothing 42x26 mm



GICO 290202430



Suitable for:

5010925 KNOB GREY ø 60 mm 30-110°C
D-shaped hole 6x4.6 mm



GICO 766100160

GICO 790106930

GICO 790119590

Suitable for:

3241139 KNOB RING RED
external ø 72 mm



GICO 290202350

3241143 KNOB SPRING ø 42x26 mm



GICO 290202430

5000844 KNOB GREY ø 60 mm 30-90°C
D-shaped hole 6x4.6 mm



GICO 766100110

GICO 790106970

GICO 790119550

3241139 KNOB RING RED
external ø 72 mm



GICO 290202350

3241143 KNOB SPRING ø 42x26 mm



GICO 290202430

3241134 KNOB GREY ø 60 mm 50-300°C
D-shaped hole 6x4.6 mm
for Fry top (GICO) - Series 110 - Series 500
Series 700 - Series 900 - Series 920
for Oven under cooktop (GICO) - Series 110
Series 900 - Series 920



GICO 766100130

GICO 790106950

GICO 790109400

3241139 KNOB RING RED
external ø 72 mm



GICO 290202350

GICO 790119570



Suitable for:

3241143 KNOB SPRING \varnothing 42x26 mm



GICO 290202430

GICO



Suitable for:

5011815 KNOB GREY \varnothing 60 mm 50-300°C
D-shaped hole 6x4.6 mm



GICO 766100170

GICO 790119580

3241139 KNOB RING RED
external \varnothing 72 mm



GICO 290202350

3241143 KNOB SPRING \varnothing 42x26 mm




GICO 290202430

5056196 KNOB GREY \varnothing 71 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



GICO 770124660

5056197 BLUE RING FOR KNOB
external \varnothing 82 mm



GICO 290204920

3241143 KNOB SPRING \varnothing 42x26 mm




GICO 290202430

5074891 KNOB GREY \varnothing 71 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



GICO 770124670

5056197 BLUE RING FOR KNOB
external \varnothing 82 mm



GICO 290204920



Suitable for:

3241143 KNOB SPRING \varnothing 42x26 mm



GICO 290202430

GICO




Suitable for:

5064472 KNOB GREY \varnothing 71 mm 1-2-3
D-shaped hole 6x4.6 mm



GICO 770124700

5056197 BLUE RING FOR KNOB
external \varnothing 82 mm



GICO 290204920

3241143 KNOB SPRING \varnothing 42x26 mm




GICO 290202430

5064464 KNOB GREY \varnothing 71 mm 1-2-3-4-5-6-7-8
D-shaped hole 8x6.5 mm



GICO 770124970

5056197 BLUE RING FOR KNOB
external \varnothing 82 mm



GICO 290204920

3241143 KNOB SPRING \varnothing 42x26 mm



GICO 290202430

3241139 KNOB RING RED
external \varnothing 72 mm



GICO 290202350

3241143 KNOB SPRING \varnothing 42x26 mm



GICO 290202430

3241271 TAP KNOB - BLACK
round hole \varnothing 10 mm



GICO 3336019200

GICO 760308790

GICO 790305070

Lamp receptacles and spare parts

3221115 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 130 mm



GICO 6242122002

3786366 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 78x40 mm
intern.dimens.45x34 mm - dist.bw.mount.holes 65 mm
for CONVECTION OVEN 4 LEVELS



3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
max. temperature 300°C



GICO 6242122001

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C




GICO 6242122001

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for OVEN



GICO 6230001


3186522 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 40x30x2 mm



3786614 GASKET FOR OVEN LAMP RECEPTACLE
dimensions 48x41x3 mm



3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 53x44x3 mm





Suitable for:

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



D421016 OVEN LAMP DR FISCHER E14 25W 230V
ø 25x57 mm - max temperature 300°C




GICO



Suitable for:

2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V
mounting hole ø 38 mm
max temperature 300°C



2110636 OVEN LAMP RECEPTACLE GLASS ø 41 mm
thread ø 34 mm - overall height 36 mm



Level probes

3341020 LEVEL PROBE ø 1/4"M-220 mm



GICO 639314125

Level regulators

3341000 LEVEL REGULATOR RL30/3ES/F/G
230V 50/60Hz



GICO 639624051

3341003 LEVEL PROBE ø 1/4"M-110 mm



3341002 LEVEL PROBE ø 1/4"M-114.5 mm



3341001 LEVEL PROBE ø 1/4"M-155 mm





Suitable for:

3391037 LEVEL PROBE SPACER
external \varnothing 8 mm
internal \varnothing 2.5 mm
overall length 11.5 mm



GICO

Suitable for:

3391038 LEVEL PROBE SPACER
external \varnothing 8 mm - 7.5 mm height



5034258 LEVEL REGULATOR R3/1SC/1/2HP/30K
230V 50/60Hz



GICO 5398001

Microswitches, mechanical

5047579 MICROSWITCH CROUZET 83169.0
8A 250V - testa 31x24x10 mm
with cable length 1500 mm



GICO 539504

3240410 MICROSWITCH 16(4)A 250V



GICO 522583131

3240236 LIMIT SWITCH CONTROL



3240203 BUSHING DOOR MICROSWITCH
external \varnothing 10x15 mm



3240234 LIMIT SWITCH PIN





Suitable for:

3240233 MICROSWITCH FITTING M16x1.5 mm



3240235 RING NUT M16x1.5 mm



GICO

Suitable for:

3250071 MICROSWITCH SPRING \varnothing 13x25 mm



Motors

5055284 MOTOR WITH FAN 36W 230V 50Hz
fan \varnothing 152 mm



GICO 507009

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm



GICO 507005

GICO 507007

Nozzles

3500020 GAS JET M10x1 \varnothing 0.80 mm



GICO 241204861

3500021 GAS JET M10x1 \varnothing 0.95 mm



GICO 241204871

3500022 GAS JET M10x1 \varnothing 1.00 mm



GICO 270200910

3500023 GAS JET M10x1 \varnothing 1.10 mm



GICO 270202150

3500024 GAS JET M10x1 \varnothing 1.15 mm



GICO 241204881

3500025 GAS JET M10x1 \varnothing 1.20 mm



GICO 241202341

Suitable for:

Suitable for:

3500026 GAS JET M10x1 \varnothing 1.25 mm

3500027 GAS JET M10x1 \varnothing 1.30 mm



GICO 29020060

GICO 241203401

3500028 GAS JET M10x1 \varnothing 1.45 mm

3500029 GAS JET M10x1 \varnothing 1.50 mm



GICO 241204901

GICO 241204911

3500030 GAS JET M10x1 \varnothing 1.60 mm

3500031 GAS JET M10x1 \varnothing 1.90 mm



GICO 241203441

GICO 241204921

3500032 GAS JET M10x1 \varnothing 2.00 mm

3500033 GAS JET M10x1 \varnothing 2.20 mm



GICO 290200050

GICO 241202650

3500034 GAS JET M10x1 \varnothing 2.30 mm

3500035 GAS JET M10x1 \varnothing 2.50 mm



GICO 241203451

GICO 241204941

O-Ring and ORM gaskets

1186414 O-RING 0119 EPDM
ring thickness 2.62 mm - internal \varnothing 15.08 mm

1186759 O-RING 03106 EPDM
ring thickness 2.62 mm - internal \varnothing 26.65 mm



GICO 370000119

GICO 370003106



Suitable for:


GICO



Suitable for:

Pilot burners and accessories

3020051 FITTING FOR PILOT \varnothing 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



GICO 241202480

5026012 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503



GICO 241202490

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



GICO LF-3020434


3020101 BRACKET CLAMP 2 POSITIONS



3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm
for mounting of pilot assembly



3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
for burner \varnothing 90 mm



3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
for burner \varnothing 115 mm



3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
for burner \varnothing 135 mm




3020100 BRACKET 2 POSITIONS




3020108 DEFLECTOR 1 FLAME



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm





Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm



GICO

Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GICO 4398070

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm





Suitable for:

3020115 PILOT CAP 1 FLAME



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



GICO 4370002

3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



GICO

Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



GICO 4370001

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



GICO



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020030 PILOT BURNER 2 FLAMES
with connector and air adjuster
nozzle not included



GICO A00001

GICO 270200020

5026012 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503



GICO 241202490

3020557 PILOT JET \varnothing 0.20 mm



3020051 FITTING FOR PILOT \varnothing 4 mm
thread M10x1
for pilot burner JUNKERS/ORCLI



GICO 241202480

5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



3020040 PILOT JET \varnothing 0.30 mm



GICO 43701025

3020541 PILOT JET \varnothing 0.35 mm



GICO 43703030

3020041 PILOT JET \varnothing 0.41 mm



GICO 43701035

2106308 PILOT JET \varnothing 0.45 mm



GICO 43701041



Suitable for:

3020187 PILOT JET \varnothing 0.51 mm



GICO 43703051

GICO

Suitable for:

4053669 PILOT JET \varnothing 0.75 mm



3020201 PILOT JET \varnothing 0.14 mm



GICO

3020042 PILOT JET \varnothing 0.19 mm



GICO 43702019

3020054 PILOT JET \varnothing 0.20 mm



GICO 4370001

5047578 PILOT JET \varnothing 0.24 mm



GICO 43701024

3020157 PILOT JET \varnothing 0.25 mm



GICO 43701025

3020040 PILOT JET \varnothing 0.30 mm



GICO 43703030

3020055 PILOT JET \varnothing 0.35 mm



GICO 4370002

3020541 PILOT JET \varnothing 0.35 mm



GICO 43701035

3020043 PILOT JET \varnothing 0.36 mm



GICO 43702036

3020041 PILOT JET \varnothing 0.41 mm



GICO 43701041

Suitable for:

Suitable for:

3020187 PILOT JET \varnothing 0.51 mm



GICO 43703051

3020449 PILOT JET \varnothing 0.54 mm



GICO 4372027

3020257 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 700 - Series 900 - Series 920




GICO A00407

GICO A00424

3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 4398070

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



GICO 270200700

GICO 4398060

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm





Suitable for:

3020113 OLIVE FOR PIPE \varnothing 4 mm



3020114 OLIVE FOR PIPE \varnothing 6 mm



3020042 PILOT JET \varnothing 0.19 mm




GICO 43702019

5047578 PILOT JET \varnothing 0.24 mm



GICO 43701024

2102405 PILOT JET \varnothing 0.35 mm



3020543 PILOT JET \varnothing 0.38 mm



GICO

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020201 PILOT JET \varnothing 0.14 mm



GICO

3020542 PILOT JET \varnothing 0.20 mm



3020202 PILOT JET \varnothing 0.27 mm



3020043 PILOT JET \varnothing 0.36 mm



GICO 43702036


5022050 PILOT JET \varnothing 0.50 mm





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



GICO 790200900

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

GICO

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GICO 4398070

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm





Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



GICO



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020113 OLIVE FOR PIPE \varnothing 4 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020114 OLIVE FOR PIPE \varnothing 6 mm



3020086 PILOT GASKET



3020201 PILOT JET \varnothing 0.14 mm



3020042 PILOT JET \varnothing 0.19 mm



GICO
3020542 PILOT JET \varnothing 0.20 mm




GICO 43702019
5047578 PILOT JET \varnothing 0.24 mm



3020202 PILOT JET \varnothing 0.27 mm



GICO 43701024
2102405 PILOT JET \varnothing 0.35 mm





Suitable for:

3020043 PILOT JET \varnothing 0.36 mm



GICO 43702036

5022050 PILOT JET \varnothing 0.50 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



GICO

Suitable for:

3020543 PILOT JET \varnothing 0.38 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020269 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



GICO A00283


3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm





Suitable for:

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



5071220 PILOT JET \varnothing 0.22 mm



GICO

Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GICO 4398070

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



5026012 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503



GICO 241202490

3020044 PILOT JET \varnothing 0.20 mm



3020452 PILOT JET \varnothing 0.32 mm





Suitable for:

3020045 PILOT JET \varnothing 0.50 mm




3020464 PILOT JET \varnothing 0.64 mm



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



3020289 THREE-FLAME PILOT BURNER
supplied without sparking plug, nozzle
with pipe fitting and pipe pilot olive
with thermocouple fitting
with sparking plug fitting
for Grill gas (GICO) - Series 500 - Series 600
Series 700 - Series 900



GICO 436201

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



GICO

Suitable for:

3020449 PILOT JET \varnothing 0.54 mm



GICO 4372027

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



GICO 4398070





Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020044 PILOT JET \varnothing 0.20 mm



3020452 PILOT JET \varnothing 0.32 mm



3020449 PILOT JET \varnothing 0.54 mm



GICO 4372027

GICO



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



5071220 PILOT JET \varnothing 0.22 mm



3020045 PILOT JET \varnothing 0.50 mm




3020464 PILOT JET \varnothing 0.64 mm





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



GICO

Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



GICO A00132

GICO 436006

3020103 BRACKET 3 POSITIONS



3020104 BRACKET CLAMP 3 POSITIONS



3020109 DEFLECTOR 2 FLAMES




3020110 DEFLECTOR 3 FLAMES




5048713 DEFLECTOR 3 FLAMES



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm





Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



GICO

Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GICO 4398070

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm






Suitable for:

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



GICO 4370002

3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



GICO

Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



GICO 4370001

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET






Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



GICO




Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1




3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



GICO A00282

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GICO 4398070



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



GICO 43701025

GICO

Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020086 PILOT GASKET



3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



GICO 43703030





Suitable for:

3020541 PILOT JET \varnothing 0.35 mm



GICO 43701035

2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm



**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



**3020014 TWO-FLAME PILOT BURNER LH
without sparking plug, gas jet and gasket
with thermocouple fitting**



GICO A00281

GICO



Suitable for:

3020041 PILOT JET \varnothing 0.41 mm




GICO 43701041

3020187 PILOT JET \varnothing 0.51 mm



GICO 43703051

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**




3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m





Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



GICO 270200700

GICO 4398060

**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



5035324 PILOT JET \varnothing 0.18 mm



GICO

Suitable for:

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



GICO 4398070

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



**3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**



**3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25**



3020086 PILOT GASKET



3020557 PILOT JET \varnothing 0.20 mm





Suitable for:

3020157 PILOT JET \varnothing 0.25 mm



GICO 43701025

3020541 PILOT JET \varnothing 0.35 mm



GICO 43701035

2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm



**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



GICO

Suitable for:

3020040 PILOT JET \varnothing 0.30 mm



GICO 43703030

3020041 PILOT JET \varnothing 0.41 mm



GICO 43701041

3020187 PILOT JET \varnothing 0.51 mm




GICO 43703051

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket




GICO

3020100 BRACKET 2 POSITIONS



3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

Suitable for:


3020101 BRACKET CLAMP 2 POSITIONS



3020109 DEFLECTOR 2 FLAMES



3020084 FITTING AND OLIVE \varnothing 6 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GICO 4398070

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm





Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



GICO 4370002

GICO



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm



3020054 PILOT JET \varnothing 0.20 mm



GICO 4370001

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm





Suitable for:

3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




GICO

Suitable for:

5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET




3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1





Suitable for:

GICO



Suitable for:

Probes

- 3445117 PROBE PT100 VETROTEX 3000 mm**
 3-wire probe temperature range 0+350°C
 bulb ø 6x100 mm



GICO A00317

Radiant heating elements

- 3311169 RADIANT HEATING ELEM. ø 200mm 1700W 230V**
 faston electric connections
 complete with energy adjuster
 for glass-ceramic cooking top



GICO 511062317

- 3311166 RADIANT HEATING ELEM. ø 200mm 1800W 230V**
 faston electric connections
 complete with energy regulation
 for glass-ceramic cooking top



GICO 260203260

- 3311160 RADIANT HEATING ELEM. ø 250mm 2500W 230V**
 faston electric connections
 complete with energy regulation
 for glass-ceramic cooking top



GICO 260203240

GICO 511062325

- 5034037 RADIANT HEATING ELEMENT 10000W 400/415V**
 length 510 mm - width 310 mm
 terminal block electric connections



GICO 790122300

- 5056805 RADIANT HEATING ELEMENT 10000W 400/415V**
 length 480 mm - width 280 mm
 terminal block electric connections



GICO 290204600

- 5059323 RADIANT HEATING ELEMENT 4000W 400/415V**
 length 450 mm - width 270 mm
 terminal block electric connections




GICO 270204800



Suitable for:

7105767 RADIANT HEATING ELEMENT 4000W 400V
 dimensions 300x300 mm
 radiant size 270x270 mm
 terminal block electric connections
 for glass-ceramic cooking hob
 NO PAN DETECTION SENSOR



GICO 511064041


Suitable for:

5033236 RADIANT HEATING ELEMENT 5000W 400/415V
 length 605 mm - width 240 mm
 screw terminal box



GICO 290204520

5052700 RADIANT HEATING ELEMENT 5000W 400/415V
 length 607 mm - width 290 mm
 electrical screw couplings
 for Bratt pan electric (GICO) 900/962A
 for Fry top electric (GICO) - Series 900-920
 for Pot stove electric (GICO) - Series 900-920



GICO 290204530

5083822 RADIANT HEATING ELEMENT 5000W 400/415V
 length 380 mm - width 300 mm
 terminal block electric connections



GICO 250200510

5033270 RADIANT HEATING ELEMENT 6000W 400/415V
 length 335 mm - width 310 mm
 terminal block electric connections
 for Pasta cooker electric (GICO) 700/755A



GICO 270205010

GICO 770124250

Safety groups for pans and spare parts

3184011 DEPRESSION VALVE \varnothing 1/4" M
 in chrome plated brass
 for safety group \varnothing 3/4"
 for safety group \varnothing 1" 1/4"



GICO 42233014

3184029 DEPRESSION VALVE \varnothing 3/8" M
 in chrome plated brass
 for security valve 3/4"



GICO 42230030



Suitable for:

GICO



3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



GICO 422905

Suitable for:

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"
for security group 3/4"
for security group 1"1/4



GICO 422108

3184018 SAFETY VALVE \varnothing 1"1/4M
max pressure 0.5 atm
for safety group 1"1/4
ISPESL approved



GICO 42230020

GICO 42230114

3184017 SAFETY VALVE \varnothing 3/4"M
max pressure 0.5 atm
for safety group \varnothing 3/4"



GICO 42230010

3184016 SAFETY VALVE "FUMANA" \varnothing 1"M
chrome plated brass
for safety group 3/4"
for safety group 1"1/4



GICO A00088

3184014 SIPHON FOR PRESSURE GAUGE HOLDER \varnothing 3/8"M
made of chrome plated brass
for safety group 3/4"



GICO 422805

GICO 422806

3184019 TAP WITH FUNNEL \varnothing 1/2"M
with cover



GICO 741202030

Selector switches


3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermostat.



GICO 5200995

GICO 5200996

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
back connection for thermostat



GICO 00423

GICO 52004115



Suitable for:


3057026 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Fryer (GICO) - Series 500 - Series 700
 Series 900 - Series 920
 for Oven under cooktop (GICO) - Series 500
 Series 700



GICO 52002115


Suitable for:

3057140 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




GICO 52004132

3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



GICO 52021625


3057001 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



GICO 00410


GICO 52002432

3057002 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



GICO 52003432

3057024 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Kitchen electric (GICO) - Series 700



GICO 00424

GICO 52002715

Solenoid valves

3120004 SOLEN. VALVE ELBITYPE 319 1 WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



GICO 53943410240

GICO 63943410240

3120019 ADJUSTER FOR INLET ELBI BLACK
 flow rate 5.5 L/min - tolerance +/- 15%



3120021 ADJUSTER FOR INLET ELBI BLACK
 flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
 flow rate 16 L/min - tolerance +/- 15%





Suitable for:

3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



3120504 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



GICO



Suitable for:

3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



GICO

Suitable for:

3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

GICO



3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



GICO 53943410240

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



Suitable for:

3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

3120204 **OUTLET ADJUSTER ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 25%



GICO

Suitable for:



3120505 **SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



GICO LF-3120530

3120021 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 12 L/min - tolerance +/- 15%



3120019 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 15%



3120022 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 16 L/min - tolerance +/- 15%



3120037 **ADJUSTER FOR OUTLET ELBI GREEN**
flow rate 0.25 L/min - tolerance +/- 25%



3120201 **ADJUSTER FOR OUTLET ELBI GREY**
flow rate 4.7 L/min - tolerance +/- 25%



3120016 **ADJUSTER FOR OUTLET ELBI NEUTRAL**
flow rate 1.2 L/min - tolerance +/- 25%



3120017 **ADJUSTER FOR OUTLET ELBI ORANGE**
flow rate 2.5 L/min - tolerance +/- 25%



3120015 **ADJUSTER FOR OUTLET ELBI RED**
flow rate 0.5 L/min - tolerance +/- 25%



3120203 **ADJUSTER FOR OUTLET ELBI WHITE**
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



GICO



Suitable for:
3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
24V 50Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



GICO

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%





Suitable for:

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



3120512 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



GICO

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



GICO

Suitable for:


3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%





Suitable for:

3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



3120408 SOLEN. VALVE T&P 1 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



GICO

3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
flow rate 1.2 L/min - tolerance +/- 25%



GICO

Suitable for:

3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120421 ADJUSTER FOR OUTLET T&P BLACK
flow rate 5 L/min - tolerance +/- 20%



3120568 ADJUSTER FOR OUTLET T&P GREEN
flow rate 3 L/min - tolerance +/- 25%





Suitable for:

3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
flow rate 1 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
flow rate 0.5 L/min - tolerance +/- 25%



3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min



GICO

Suitable for:

3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
flow rate 1.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
flow rate 0.25 L/min - tolerance +/- 25%



3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min



D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min



D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min





Suitable for:

D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



3120400 SOLENOID VALVE INVENSYS 1-WAY 90°
12Vac/dc 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
operating pressure from 0.2 to 10 bar
flow rate 1.2 m3/h



GICO

3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE
flow rate 6 L/min - tolerance +/- 15%



GICO

Suitable for:

D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/- 25%



D120092 COIL T&P 12Vdc
for solenoid valves T&P



3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



D120093 COIL T&P 24Vdc
for solenoid valves T&P



3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN
flow rate 5 L/min - tolerance +/- 15%



3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN
flow rate 11 L/min - tolerance +/- 15%





Suitable for:

3120479 ADJUSTER FOR INLET ROBERTSHAW GREY
flow rate 12 L/min - tolerance +/- 15%



3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE
flow rate 8 L/min - tolerance +/- 15%



3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE
flow rate 10 L/min - tolerance +/- 15%



3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU
flow rate 1.2 L/min - tolerance +/- 25%



3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK
flow rate 3.3 L/min - tolerance +/- 20%



3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW
flow rate 0.5 L/min - tolerance +/- 15%



GICO

Suitable for:

3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE
flow rate 9 L/min - tolerance +/- 15%



3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE
flow rate 4 L/min - tolerance +/- 15%



3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW
flow rate 14.5 L/min - tolerance +/- 15%



3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN
flow rate 0.8 L/min - tolerance +/- 25%



3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE
flow rate 0.25 L/min - tolerance +/- 10%



3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN
flow rate 2.5 L/min - tolerance +/- 20%





Suitable for:

3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN
flow rate 1.3 L/min - tolerance +/- 25%



3120625 OUTLET REDUCER ROBERTSHAW GRIGIO
flow rate 0.35 L/min - tolerance +/- 10%



GICO




Suitable for:


3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN
flow rate 2 L/min - tolerance +/- 25%



3120399 SOLENOID VALVE ROBERTSHAW 1 WAY 180°
12V 50/60Hz - max temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
operating pressure from 0.2 to 10 bar



3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN
flow rate 5 L/min - tolerance +/- 15%



GICO

3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE
flow rate 6 L/min - tolerance +/- 15%



3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN
flow rate 11 L/min - tolerance +/- 15%



3120479 ADJUSTER FOR INLET ROBERTSHAW GREY
flow rate 12 L/min - tolerance +/- 15%



3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE
flow rate 9 L/min - tolerance +/- 15%



3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE
flow rate 8 L/min - tolerance +/- 15%



3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE
flow rate 4 L/min - tolerance +/- 15%





Suitable for:

3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE
flow rate 10 L/min - tolerance +/- 15%



3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU
flow rate 1.2 L/min - tolerance +/- 25%



3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK
flow rate 3.3 L/min - tolerance +/- 20%



3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW
flow rate 0.5 L/min - tolerance +/- 15%



3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN
flow rate 1.3 L/min - tolerance +/- 25%



GICO

Suitable for:

3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW
flow rate 14.5 L/min - tolerance +/- 15%



3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN
flow rate 0.8 L/min - tolerance +/- 25%



3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE
flow rate 0.25 L/min - tolerance +/- 10%



3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN
flow rate 2.5 L/min - tolerance +/- 20%



3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN
flow rate 2 L/min - tolerance +/- 25%



Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



GICO 539613240

GICO 539613242



Suitable for:

GICO



Suitable for:

Sparking and detection plugs

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GICO 4398070

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

3020073 ROUND IGNITION PLUG \varnothing 7/10x52 mm
model 1/B
connection F 2.8x0.8 mm - complete with spring
overall length 54 mm



GICO 4398300001

5033385 ROUND IGNITION PLUG \varnothing 7x55 mm
overall length 113 mm
for Bratt pan gas (GICO) - Series 700-900-920



GICO 792311420

Springs

5000807 HINGE SPRING \varnothing 35x175 mm



GICO 241200840

Switches

3319928 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - mounting hole \varnothing 25 mm



GICO 5209201

GICO 52221025

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



GICO 55463001

Suitable for:

5018074 PUSH-BUTTON 1-POLE NEUTRAL 16A 250V
 16(6)A 250V - max temperature 120°C
 with indicator light
 "flash" silk-screen printed
 mounting hole \varnothing 25 mm



GICO A00413

Suitable for:

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



GICO 55463001

5063017 PUSH-BUTTON 1-POLE RED 16A 250V
 16(6)A 250V - max temperature 120°C
 with indicator light
 "water inlet tap" silk-screen printed
 mounting hole \varnothing 25 mm



GICO A00292

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



GICO 55463001

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



GICO 55463001

Taps for tank refilling

5087362 SPOUT CONNECTION FITTING \varnothing 1/2" M
 outlet spout \varnothing 12 mm



GICO 270205940



Suitable for:

GICO



Suitable for:

Taps for tank refilling

3183014 SPOUT CONNECTION 1/2" M
 chrome-plated brass swivel
 outlet spout \varnothing 18 mm
 for Boiling pan electric (GICO) - Series 700-900
 for Boiling pan gas (GICO) - Series 700-900
 for Pasta cooker electric (GICO) - Series 700-900
 for Pasta cooker gas (GICO) - Series 700-900



GICO A00086

3528056 COUNTER NUT FLAT OF BRASS 1/2"



3359099 WATER INLET TAP \varnothing 1/2" FF
 for old series
 for Boiling pan (GICO) - Series 90 - Series 92
 for Pasta cooker (GICO) - Series 50 - Series 70
 Series 90 - Series 92



GICO 422101

GICO 790304640

3241271 TAP KNOB - BLACK
 round hole \varnothing 10 mm



GICO 3336019200

GICO 760308790

3356139 WATER INLET TAP \varnothing 3/8" F
 internal output \varnothing 7.5 mm




GICO 42239038

3359131 WATER INLET TAP \varnothing 3/8" MM
 D-shaped pin \varnothing 10x8 mm




GICO 422338038

3541003 DISK STICKER COLD WATER
 external \varnothing 50 mm



5029684 DISK STICKER COLD WATER
 external \varnothing 50 mm



5010966 KNOB BLACK \varnothing 70 mm SILK-SCREEN PRINT.
 D-shaped hole 10x8 mm





Suitable for:

3411004 WATER INLET TAP \varnothing 3/8"FF
D-shaped pin \varnothing 10x8 mm



GICO

Suitable for:



5082554 WATER INLET TAP KIT \varnothing 1/2"FF
complete with handle



GICO 422129

5023301 WATER INLET TAP KIT \varnothing 3/8"MM
complete with fittings
D-shaped pin \varnothing 10x8 mm
for Pasta cooker (GICO)
Series 700-900 DAL 2003 AL 2010



GICO A00434

GICO A00465

Telethermometers


3441027 TELE-THERMOMETER WHITE \varnothing 60 mm 50-350°C
metal body
capillary length 1500 mm
bulb \varnothing 4x105 mm



GICO 4251103552

Terminal blocks

3247037 TERMINAL BLOCK 4-POLES FV173 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



GICO 652501

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



GICO 652502



Suitable for:


GICO



Suitable for:

Thermocouples and accessories

5072141 CUT-OFF THERMOCOUPLE M9x1 100 cm
with milled fitting M8x1
cut-off contact with cables 35 cm



GICO A00589


3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



GICO 434009100

GICO 4343103

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



GICO A00425
GICO 4343106

GICO 434099045

GICO 4343102

3440064 NUT FOR THERMOCOUPLE M8x1



GICO

3440030 THERMOCOUPLE SIT M8x1 100 cm



GICO A00426

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00426

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00426

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
CONNECTOR M8x1



GICO A00270

GICO 434008100

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1



GICO A00270

GICO 434008100

3440064 NUT FOR THERMOCOUPLE M8x1




GICO



Suitable for:

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
CONNECTOR M8x1**



GICO A00270

GICO 434008100

GICO




Suitable for:

3440032 THERMOCOUPLE SIT M8x1 150 cm



GICO A00201

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GICO A00201

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GICO A00201

2101464 THERMOCOUPLE SIT M8x1 50 cm



GICO 434008050


3440028 THERMOCOUPLE SIT M8x1 60 cm



GICO A00016

GICO 434008060

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GICO A00016

GICO 434008060

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GICO A00016

GICO 434008060

**3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS
CONNECTOR M8x1**



GICO A00017

3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1



GICO A00017

3440064 NUT FOR THERMOCOUPLE M8x1




GICO



Suitable for:

**3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS
CONNECTOR M8x1**



GICO A00017

3440033 THERMOCOUPLE SIT M9x1 32 cm



GICO 434010100

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



GICO 434010100

3440034 THERMOCOUPLE SIT M9x1 50 cm



GICO

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GICO LF-3440034

3440035 THERMOCOUPLE SIT M9x1 60 cm.



GICO 434209075

GICO

Suitable for:



3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



GICO 434010100

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GICO LF-3440034

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GICO 434209075

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GICO 434209075



Suitable for:

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS




GICO 434009175

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1



GICO A00022

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
CONNECTOR M8x1



GICO A00022

3440049 THERMOCOUPLE SIT M9x1 75 cm



GICO 434009175

3440094 THERMOCOUPLE SIT QUICK M9x1 100 cm



GICO 434009000

Suitable for:

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
CONNECTOR M8x1



GICO A00022

3440064 NUT FOR THERMOCOUPLE M8x1



GICO

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



GICO 434009175

3440894 THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS





Suitable for:

GICO



Suitable for:

Thermostatic gas valves

5072142 THERMOSTATIC TAP KIT 25ST
 complete with thermocouple SIT M9x1 75 cm
 setting temperature 140-300°C
 fittings M16x1.5 mm
 thermocouple fitting M8x1
 bulb ø 6x90 mm
 capillary length 1250 mm
 D-shaped pin ø 8x6.5 mm



GICO A00767

GICO 435223


3348044 OLIVE FOR PIPE ø 10 mm
 for model PEL 20-21-24-25



3348036 OLIVE FOR PIPE ø 4 mm
 for model PEL 21-22-24-25



3348031 PIPE FITTING ø 10 mm
 thread M20x1.5 mm
 for model PEL 22-24-25



GICO 270201680

3348032 PIPE FITTING ø 12 mm
 thread M20x1.5 mm
 for model PEL 22-24-25



3348038 OLIVE FOR PIPE ø 10 mm
 for model PEL 22-24-25



GICO 270201580


3020082 OLIVE FOR PIPE ø 12 mm
 for model PEL 22-24-25



3348037 OLIVE FOR PIPE ø 6 mm
 for model PEL 21-22-24-25



3348043 PIPE FITTING ø 10 mm
 thread M16x1.5 mm
 for model PEL 20-21-24-25



3020077 PIPE FITTING ø 4 mm
 thread M10x1





Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



GICO




Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3345006 THERMOSTATIC TAP 24ST
adjustment temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x100 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm



GICO 435215

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



GICO 270201580

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25





Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



GICO 270201680

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



GICO

Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25




3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3345010 THERMOSTATIC TAP 24ST
adjustment temperature 55-110°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x160 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm



GICO 435218

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



GICO 270201580

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25





Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



GICO 270201680


3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3345013 THERMOSTATIC TAP 25ST
adjustment temperature 30-90°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x160 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



GICO 435217

GICO

Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



GICO 270201580





Suitable for:


3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



GICO 270201680

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



GICO

Suitable for:


3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25




3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3345018 THERMOSTATIC TAP 25ST
 operating temperature 100-300°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x75 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6.5 mm



GICO 435219


3348044 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 20-21-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
 for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
 thread M20x1.5 mm
 for model PEL 22-24-25



GICO 270201680

3348032 PIPE FITTING \varnothing 12 mm
 thread M20x1.5 mm
 for model PEL 22-24-25



Suitable for:

3348038 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 22-24-25



GICO 270201580


3020082 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
 for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
 thread M16x1.5 mm
 for model PEL 20-21-24-25



3020077 PIPE FITTING \varnothing 4 mm
 thread M10x1





Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




GICO




Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5000872 THERMOSTATIC TAP 25ST
adjustment temperature 120-280°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x120 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



GICO 435219

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



GICO 270201580

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



GICO 270201680

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



Thermostats

3444974 SINGLE-PHASE THERMOSTAT 100-615°C
complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 16A 250V
bulb \varnothing 4x230 mm



GICO 53401100615

3444629 SINGLE-PHASE THERMOSTAT 220°C
with manual reset
covered capillary length 2000 mm
bulb \varnothing 6x87 mm
for Fryer (GICO) - Series 500 - Series 700
Series 900 - Series 920



GICO 53400112220




Suitable for:

GICO



3444138 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 850 mm - 16A 250V
 button bulb \varnothing 14x10 mm



GICO 5340101230

3444199 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 complete with wiring
 covered capillary length 850 mm - 16A 230V
 bulb \varnothing 4x120 mm - with adapter nipple bland M9x1
 for Boiling pan (GICO) - Series 700 - Series 900
 Series 920
 for Fryer (GICO) - Series 500 - Series 700
 Series 900 - Series 920
 for Pasta cooker (GICO) - Series 500 - Series 700
 Series 900 - Series 920




GICO 5340011200

3744045 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 6x130 mm
 for Bain-marie (GICO) - Series 110 - Series 39
 Series 500 - Series 64 - Series 700 - Series 900
 Series 920
 for Hot cupboard (GICO) - Series 370 - Series 96
 for Potato heater (GICO) - Series 64 - Series 700
 for Self service counter (GICO) - Series 39




GICO 53401003090

3444120 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm



GICO 6340004032001

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm



GICO 53401005270

GICO 63401005270

3444369 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Bain-marie (GICO) 110 - Series 700
 Series 900 - Series 920
 for Bratt pan (GICO) - Series 700 - Series 900
 Series 920



GICO 53401005320

3744140 THERMOSTATO THREE-PHASE 360°C
 manual reset
 covered capillary length 1490 mm
 bulb \varnothing 3x190 mm



GICO

Suitable for:

7106049 THERMOSTAT SINGLE-PHASE 150°C
 automatic reset
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x130 mm
 for Boiling pan electric (GICO)
 Series 700-900-920



GICO 53400112150

3444510 THERMOSTAT SINGLE-PHASE 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 850 mm - 16A 250V
 bulb \varnothing 6x138 mm - w/ stuffing gland fitting M9x1
 with complete tank sealing fitting M12x1
 for Pasta cooker electric (GICO)
 Series 500-700-900-920



GICO 53401030110

GICO 53401030125

5010841 THERMOSTAT SINGLE-PHASE 340°C
 manual reset
 covered capillary length 900 mm
 bulb \varnothing 3x190 mm
 for Fry top gas (GICO) - Series 500-64-700-900-920



GICO 53403000340

5010864 THERMOSTAT SINGLE-PHASE 95-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm
 bulb \varnothing 6x130 mm
 for Fryer electric (GICO)
 Series 500-64-700-900-920
 for Fryer gas (GICO) 700/609A-900/609A-920/609A



GICO 5340101

3444090 THERMOSTAT THREE-PHASE 230°C
 with manual reset
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x240 mm - with stuffing gland fitting M9x1



GICO

3444198 THREE-PHASE THERMOSTAT 100-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 10A 400V
 bulb \varnothing 6x130 mm



GICO 53401031820

3444088 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x140 mm - with stuffing gland fitting M9x1



GICO 00400

GICO 53403003090

GICO 53403003110



Suitable for:

GICO



3444354 **THREE-PHASE THERMOSTAT 350°C**
 with manual reset
 capillary length coated 950 mm - 10A 400V
 bulb \varnothing 3x190 mm



GICO 53403000350

Suitable for:

3444363 **THREE-PHASE THERMOSTAT 420°C**
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x310 mm



GICO 53403000420

3444630 **THREE-PHASE THERMOSTAT 50-270°C**
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Fry top (GICO) - Series 110 - Series 500
 Series 700 - Series 900 - Series 920
 for Oven under cooktop (GICO) - Series 110
 Series 900 - Series 920



GICO 53403050390

3444052 **THREE-PHASE THERMOSTAT 50-320°C**
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 3x230 mm



GICO 00402

GICO 270200341

GICO 53402705320

GICO 53403050300

5083823 **THREE-PHASE THERMOSTAT 50-330°C**
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 380V
 bulb \varnothing 4x230 mm



GICO 53403050330

5050807 **THREE-PHASE THERMOSTAT 75/90°C**
 with automatic reset
 covered capillary length 860 mm - 16A 400V
 bulb \varnothing 6x134 mm



GICO 6340007509002

3444166 **THREE-PHASE THERMOSTAT 95-180°C**
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1800 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
 with complete tank coupling M12x1




GICO 6010004



Timers

3446001 TIMER 120 MINUTES

complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



GICO 6351120

3446005 BLACK KNOB ABS 38x38 mm

D-shaped hole \varnothing 6x4.6 mm
 for timer



3446002 TIMER 120 MINUTES

complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



GICO 63510120

3446005 BLACK KNOB ABS 38x38 mm

D-shaped hole \varnothing 6x4.6 mm
 for timer



Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



GICO 639603



Suitable for:

GICO



Suitable for:

Wheels and accessories

- 5023797 WHEEL ø 180 mm**
central hole ø 17 mm - lateral hole pin ø 5 mm
with folding handle
for Bratt pan electric (GICO) 700/930 - 900/930
900/950 - 920/930 - 920/950
for Bratt pan gas (GICO) 700/900 - 900/900
900/940 - 920/900 - 920/940



GICO 3336118080

GICO 790325450

Wire pan supports

- 3354001 REDUCER FOR MOKA POT 265x265 mm**
in stainless steel



GICO 241200480

GICO 554

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com