



Spare parts for the professional sector: Cooking equipment



Suitable for:

GIORIK



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

GIORIK



Suitable for:

Air regulators

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



GIORIK 7070014

GIORIK 7090007

Axial motor fans

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



GIORIK 6033175

3805037 CABLE FOR AXIAL MOTOR FAN
cable length 2000 mm



5049717 VENTILATORE ASSIALE FULLTECH 93x93x38 mm
230V 12/11W 50/60Hz
UF-92AM23



GIORIK 2000983

Bulb sheathes

5063591 THERMOSTAT SHEATH M14x1.5 mm
bulb length 240 mm



GIORIK 2005204



Burners, flame spreaders and accessories

3025883 BURNER \varnothing 120 mm 6Kw
with housing for pilot and thermocouple



GIORIK 7090229

3025882 BURNER \varnothing 91 mm 3.5Kw
with housing for pilot and thermocouple



GIORIK 7090233

5083514 BURNER BASE \varnothing 65 mm 4kW



GIORIK 7090216

3025913 BURNER BASE \varnothing 95 mm 8kW



GIORIK 7090217

3025886 FLAME SPREADER \varnothing 120 mm 6Kw



GIORIK 7090227

3025883 BURNER \varnothing 120 mm 6Kw
with housing for pilot and thermocouple




GIORIK 7090229

3025892 BURNER \varnothing 122 mm 3.5Kw
with housing for ignition plug and thermocouple



3025890 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 10 mm



3025884 VENTURI FOR BURNER \varnothing 120 mm 6Kw



GIORIK 7090228

3025914 FLAME SPREADER \varnothing 65 mm 4kW



GIORIK 7090212

5083514 BURNER BASE \varnothing 65 mm 4kW



GIORIK 7090216



Suitable for:

3025920 SUPPORT FOR FLAME SPREADER 65-95 mm



GIORIK 2016144

3025881 FLAME SPREADER \varnothing 91 mm 3,5Kw



GIORIK 7090231

3025891 BURNER \varnothing 94 mm 3.5Kw
with housing for ignition plug and thermocouple



3025894 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 8 mm



5083516 FLAME SPREADER \varnothing 95 mm 8kW



GIORIK 7090213

3025920 SUPPORT FOR FLAME SPREADER 65-95 mm



GIORIK 2016144

GIORIK



Suitable for:

3025918 VENTURI PIPE FOR FLAME SPREADER 65 mm




GIORIK 7090214

3025882 BURNER \varnothing 91 mm 3.5Kw
with housing for pilot and thermocouple




GIORIK 7090233

3025890 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 10 mm



3025885 VENTURI FOR BURNER \varnothing 91 mm 3.5Kw



GIORIK 7090232

3025913 BURNER BASE \varnothing 95 mm 8kW



GIORIK 7090217

3025917 VENTURI PIPE FOR FLAME SPREADER 95 mm



GIORIK 7090215

Suitable for:

3025920 SUPPORT FOR FLAME SPREADER 65-95 mm



GIORIK 2016144

Suitable for:

3025884 VENTURI FOR BURNER \varnothing 120 mm 6Kw



GIORIK 7090228

3025885 VENTURI FOR BURNER \varnothing 91 mm 3.5Kw



GIORIK 7090232

3025918 VENTURI PIPE FOR FLAME SPREADER 65 mm



GIORIK 7090214


3025917 VENTURI PIPE FOR FLAME SPREADER 95 mm



GIORIK 7090215

Buzzers

3397117 ALARM WITH CARD
dimensions 45x48 mm



GIORIK 6010090

Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for ignition plug



GIORIK 6050065

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



GIORIK 6050610



Suitable for:

GIORIK



Suitable for:

3001028 IGNITION LEAD 500 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for sparking plug



GIORIK 6050051

Contactors

3454065 CONTACTOR ABB B6-30-10
coil 220/240V 40/450Hz
3 normally open contacts
1 normally open auxiliary contact



GIORIK 6046045

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



GIORIK 6046043

3446516 AUXILIARY CONTACT AEG HS7K01
10A
1 normally closed contact



3454032 AUXILIARY CONTACT AEG HS7K10
1 NO contact



3446554 CONTACTOR LOVATO BF0901A
coil 9A 380/400V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact
for Fryer electric (GIORIK) FE20S



GIORIK 6041039

GIORIK 6046040

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



Suitable for:

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



GIORIK 6046033

GIORIK 6046038

Suitable for:

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



3446583 CONTACTOR LOVATO BF18T4A
coil 18A 230V 50/60Hz 8Kw
4 normally open contacts
no auxiliary contact



GIORIK 6046046

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



3446591 CONTACTOR LOVATO BF3800A230
coil 38A 230V 50Hz 18.5Kw
3 normally open contacts



GIORIK 6046041

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC




Cooking baskets and accessories

3055283 BASKET FOR PASTA COOKER ø 145x200 mm
of STAINLESS steel
for Pasta cooker electric (GIORIK) CP2 - CP3



GIORIK 2003080

5013449 FALSE BOTTOM 480x280x57 mm
of stainless steel



GIORIK 2003634

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



GIORIK 2001110



Suitable for:

3055213 PASTA COOKER BASKET LH 165x145x230 mm
made of stainless steel
for Pasta cooker electric (GIORIK)
for Pasta cooker gas (GIORIK)



GIORIK 2003047

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



Suitable for:

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



GIORIK 2001110

3055204 PASTA COOKER BASKET RH 165x145x230 mm
made of stainless steel
for Pasta cooker electric (GIORIK)
for Pasta cooker gas (GIORIK)



GIORIK 2003045

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



GIORIK 2001110

3055509 PASTA COOKER BASKET 160x290x230 mm
made of stainless steel
for Pasta cooker (GIORIK)



GIORIK 2003046

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



GIORIK 2001110



Suitable for:

3055505 PASTA COOKER BASKET 325x300x230 mm
made of STAINLESS STEEL
for Pasta cooker (GIORIK)



GIORIK 2003075

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



Suitable for:

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



GIORIK 2001110

3055521 PASTA COOKER BASKET 490x290x215 mm
made of STAINLESS STEEL
for Pasta cooker (GIORIK)



GIORIK 2101603

Drain hoses

5031496 DRAIN PIPE ø 1"MM
length 195 mm



GIORIK 2005131

3356138 DRAIN TAP FITTING ø 1"MM
ø side outlet 28 mm - bracket 68x40x19 mm
fitting height 100 mm
for Pasta cooker gas (GIORIK)
3CPG-CPG726-CPG746-CPG926-CPG946



GIORIK 2106617

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet coupling
for TECNOINOX BAIN-MARIE-FRYER



GIORIK 7060060



Suitable for:

GIORIK

Suitable for:



Drain taps and accessories

3356051 DRAIN TAP \varnothing 3/4" F



GIORIK 7060026

GIORIK 7060031

3356052 DRAIN TAP \varnothing 3/4" F
lateral lever fitting
outlet internal \varnothing 22 mm
for Fryer electric (GIORIK)
for Fryer gas (GIORIK)



GIORIK 7060030

5012801 DRAIN TAP LEVER 62 mm
thread M6



5033104 LEVER FOR DRAIN TAP 76 mm
thread M6x1 mm



3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet coupling
for TECNOINOX BAIN-MARIE-FRYER



GIORIK 7060060

3356053 DRAIN TAP HANDLE \varnothing 17x40 mm
thread M8



GIORIK 5900235

3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



GIORIK 2103109

5015500 LEVER HANDLE TAP BLACK
dimensions 35x22 mm - distance between holes 20 mm



Suitable for:

Suitable for:

3356053 DRAIN TAP HANDLE \varnothing 17x40 mm
thread M8



GIORIK 5900235

3526673 GAS/WATER VALVE \varnothing 1"FF
ball valve
heavy series with PN 40 total passage
aluminium lever



GIORIK 7060056

5023594 CAST IRON FITTING \varnothing 1"MF
for Pasta cooker electric (GIORIK)
Series VECCHIE
for Pasta cooker gas (GIORIK) - Series VECCHIE




GIORIK 7050164

3356138 DRAIN TAP FITTING \varnothing 1"MM
 \varnothing side outlet 28 mm - bracket 68x40x19 mm
fitting height 100 mm
for Pasta cooker gas (GIORIK)
3CPG-CPG726-CPG746-CPG926-CPG946




GIORIK 2106617

3242049 DRAIN TAP HANDLE 140 mm
square hole 6x6 mm



3356078 BUSHING \varnothing 11x20 mm



5031496 DRAIN PIPE \varnothing 1"MM
length 195 mm



GIORIK 2005131

5028002 DRAIN TAP FITTING \varnothing 1"MM
side exit \varnothing 30 mm - bracket 80x30 mm
distance between holes 60 mm - coupling height 100



3242280 DRAIN TAP KNOB BLACK 79 mm
square hole 6x6 mm





Suitable for:

5036175 DRAIN TAP MANIFOLD
2 top connections \varnothing 1"MM - 2 top connections \varnothing 3/32
1 bottom connection \varnothing 1"MM
width 295 mm - overall length 114 mm
distance between holes 275 mm




7100207 HEADLESS SCREW HEXAGONAL M5x8
stainless steel - conical top
UNI 5927 - DIN 914 - ISO 4027



GIORIK

Suitable for:

5033656 FITTING OF BRASS \varnothing 1"MF



5011612 LEVER DRAIN TAP 250 mm
square pin 6x6 mm



3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



GIORIK 2103109

Electric hot plates

3311053 ELECTRIC HOT PLATE 2600W 230V
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GIORIK 6001062

3311064 ELECTRIC HOT PLATE 4000W 230V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GIORIK 6001059

3311065 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GIORIK 6001061



Electrical capacitors

3068008 CAPACITOR DUCATI ENERGIA 5µF
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connection 6.35x0.8 mm
 ø 28xh55 mm



GIORIK 6090015

3068096 CAPACITOR ELECTRICAL 5µF
 450V 50/60Hz - ø 30xh51 mm



GIORIK 6090015

Electrical gas valves and accessories

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



GIORIK 6010054

3526089 VALVE 810 ELETTROSIT ø 1/2"FF
 inlet ø 1/2" F - outlet ø 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LOWER thermocouple



GIORIK 7020060

3526100 COIL 220V
 for VALVE ELETTROSIT



3526108 ELBOW FLANGE ø 1/2" F
 with screws and OR
 for ELETTROSIT VALVE



3526106 FLANGE STRAIGHT ø 1/2"
 with screws and OR
 for ELETTROSIT VALVE





Suitable for:

3526107 FLANGE STRAIGHT \varnothing 3/4" F
with screws and OR
for ELETTROSIT VALVE



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



GIORIK



Suitable for:

3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



GIORIK 6010054

3526179 VALVE 820 NOVA \varnothing 1/2" FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
power supply 220V 50Hz



3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



GIORIK 7020070

3241429 BLACK KNOB \varnothing 30 mm SILK-SCREEN PRINTED



3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



2100054 COIL 220V 60Hz
for VALVE 820 NOVA-822 NOVA-828 NOVA



3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:


3526077 ELBOW FLANGE \varnothing 1/2" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3020083 FITTING AND OLIVE \varnothing 4 mm



3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



GIORIK



Suitable for:


3526078 ELBOW FLANGE \varnothing 3/4" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



5047586 EXTENSION FOR VALVE 820 NOVA
D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm




GIORIK 7050020

3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:

5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



GIORIK



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



GIORIK 6010054

2106171 VALVE 840 SIGMA \varnothing 16/18 mm
inlet \varnothing 18 mm - outlet \varnothing 16 mm
gas inlet maximum pressure 60 mbar
pressure calibration field outlet
2-50 mbar
ambient temperature 0-60°C
power supply 230V 50Hz



GIORIK 7020207

5076905 DOUBLE COIL FOR VALVE
220V 60Hz
for VALVE 840 SIGMA-845 SIGMA-848 SIGMA



2110618 DOUBLE COIL FOR VALVE
230V 50Hz
for VALVE 840 SIGMA-848 SIGMA



2102658 ELECTRIC COUPLING WITH CABLE
cable length 550 mm - 4 wires
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA
for valve sit 848 SIGMA



5068646 ELECTRIC COUPLING WITH CABLE
cable length 1100 mm - 3 threads
for valve sit 840 SIGMA-843 SIGMA-845 SIGMA
for valve sit 848 SIGMA



Electronic boards

5044960 CIRCUIT BOARD -KEYBOARD 90x43 mm
for Fryer (GIORIK)




GIORIK 6011142T

5062820 CONTROL PC BOARD 445x67 mm



GIORIK 6010115

7109367 ELECTRONIC BOARD TRIAC 230x90 mm
for Salamander (GIORIK) SEC3FM



GIORIK 6010111

GIORIK 6010111X

5004497 KIT CONTROL PC BOARD
complete with mother board and flat cable
control board dimensions 90x43 mm
mother board dimensions 105x90 mm
flat cable length 1600 mm
for Fryer electric (GIORIK)
F10CL-F15CL-F20CL-F210CL-F215CL-F220CL
for Fryer gas (GIORIK)
FG07CL-FG17CL-FG213CL-FG217CL
for Fryer (GIORIK) 210FE



GIORIK 6011142

3445195 TCJ VETROTEX PROBE 700 mm
2-wire probe temperature range -50+600°C
error limit $\pm 0.75\%$ below 0°C
30 seconds response time
bulb \varnothing 6x200 mm
for Fryer gas (GIORIK) FG213 - FG217



GIORIK 6000106

7106496 PCB KEYBOARD 163x70 mm
for Salamander electric (GIORIK) SRM1060F




GIORIK 6010110




Suitable for:

7103308 ELECTRONIC CONTROL BOARD 190x60 mm
for Salamander electric (GIORIK)
SH505N-SH511-SH510-SH520GM-SH520G



GIORIK 6010083

5044960 CIRCUIT BOARD -KEYBOARD 90x43 mm
for Fryer (GIORIK)



GIORIK 6011142T

3397101 TEMPERATURE PROBE TCJ
2 wires
bulb \varnothing 6x100 mm
vetrotex cable length 900 mm



GIORIK 6000095



Suitable for:

GIORIK



Suitable for:

Energy regulators

3350026 ENERGY REGULATOR

contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



GIORIK 6031020

GIORIK 6031023

GIORIK 6031024

Filters

5031595 S/STEEL DRAIN FILTER \varnothing 65 mm

for Pasta cooker electric (GIORIK)
for Pasta cooker gas (GIORIK)



GIORIK 2002241

Fittings

5023594 CAST IRON FITTING \varnothing 1"MF

for Pasta cooker electric (GIORIK)
Series VECCHIE
for Pasta cooker gas (GIORIK) - Series VECCHIE



GIORIK 7050164

5075873 STUFFING BUSHING EXTENSION 35 mm-M10x1




GIORIK 2011422

Fryer baskets and accessories

5009028 FALSE BOTTOM MESH COMPLETE 335x315 mm


height 105 mm
of chromed iron
for Fryer electric (GIORIK)
F20L-F220L-F920N-F940N-F20CL-F220CL
for Fryer gas (GIORIK)
FG17L-FG17CL-FG217L-FG217CL-FG917



GIORIK 2101365

5069328 FALSE BOTTOM MESH COMPLETE 340x305 mm

height 100 mm
chrome plated iron
for Fryer (GIORIK)



GIORIK 2012894

Suitable for:

Suitable for:

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055272 FRYER BASKET 260x220x100 mm
in chrome-plated iron
for Fryer electric (GIORIK) FT5



GIORIK 2003018

3055207 FRYER BASKET 270x185x120 mm
made of chrome-plated iron



GIORIK 2004579

3055414 FRYER BASKET 290x115x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) F15L - F215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2003002

3055279 FRYER BASKET 290x135x120 mm
in chrome-plated iron
for Fryer electric (GIORIK) F10L - F210L - F922N
for Fryer gas (GIORIK) FG07L - FG207L



GIORIK 2003001

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828



Suitable for:

GIORIK



3055197 FRYER BASKET 290x165x120 mm
in chromium plated iron
for Fryer electric (GIORIK) F220CL - F220L - F940N
for Fryer gas (GIORIK) FG217L



GIORIK 2003008

Suitable for:

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055360 FRYER BASKET 290x230x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) F15L - F215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2003003

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055524 FRYER BASKET 290x330x120 mm
in chromium plated iron
for Fryer (GIORIK)



GIORIK

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055436 FRYER BASKET 300x110x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) FE15L - FE215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2012892

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055415 FRYER BASKET 300x120x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) FE15L - FE215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2012898

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828



GIORIK



Suitable for:

3055438 FRYER BASKET 300x140x120 mm
made of chrome plated iron
for Fryer gas (GIORIK) FG17L - FG217L - FG917
FG934



GIORIK 2012895

Suitable for:

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055437 FRYER BASKET 300x220x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) FE15L - FE215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2012893

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055439 FRYER BASKET 300x290x120 mm
made of chrome plated iron
for Fryer gas (GIORIK) FG17L - FG217L - FG917
FG934



GIORIK 2012896

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055195 FRYER BASKET 330x290x120 mm
in chromium plated iron
for Fryer electric (GIORIK) F20L - F220L
for Fryer gas (GIORIK) FG17L - FG217L



GIORIK 2003009

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

5072931 FRYER BASKET 400x140x125 mm
made of chrome-plated iron



GIORIK 2017307



Suitable for:

GIORIK



Suitable for:


Gas burners

5082837 BURNER \varnothing 50x365 mm
overall length 435 mm
of stainless steel



GIORIK 7090097

5070461 BURNER \varnothing 60x260 mm
overall length 325 mm
of stainless steel



GIORIK 7090079

3023271 BURNER \varnothing 60x390 mm
overall length 450 mm
made of stainless steel
for Pasta cooker (GIORIK) CP43G



GIORIK 7090085

5038799 BURNER VENTURIHOSE 255 mm
bracket dimensions 190x68 mm
of chrome-plated iron



GIORIK 2103522

3023284 BURNER VERTICAL LH 300x55 mm
NICKEL PLATED
for Fryer gas (GIORIK) FRG7113 - FRG7113C
FRG7213 - FRG7213C




GIORIK 2112968

3023285 BURNER VERTICAL RH 300x55 mm
NICKEL PLATED
for Fryer gas (GIORIK) FRG7113 - FRG7113C
FRG7213 - FRG7213C



GIORIK 2112967

5070157 BURNER 380x345 mm
of stainless steel



GIORIK 2109150

3023235 BURNER 450x220 mm
made of stainless steel



GIORIK 2010923

5046822 BURNER 575x190x43 mm
made of chrome-plated iron



GIORIK 2103520

Suitable for:

3023144 BURNER 575x225 mm
made of stainless steel



GIORIK 2010924

Suitable for:

3352015 AERATION REGULATOR
internal \varnothing 18 mm - external \varnothing 20 mm
height 42 mm



5059137 BURNER 580x255 mm
made of chrome-plated iron



GIORIK 2001246

3023286 CENTRAL BURNER VERTICAL 300x55 mm
NICKEL PLATED
for Fryer gas (GIORIK) FRG9117 - FRG9217



GIORIK 2112969

3023237 CENTRAL VERTICAL BURNER 300x55 mm
NICKEL-PLATED



GIORIK 2001231

5063113 NOZZLE HOLDER FOR PIPE \varnothing 12 mm
thread fitting for tube M20x1.5 mm
nozzle thread M9x1 mm
fastenint fittings M14x1.5 mm



GIORIK 7050070

3023236 VERTICAL BURNER LH 300x55 mm
NICKEL PLATED



GIORIK 2001230


3023283 VERTICAL BURNER 305x55 mm
NICKEL PLATED
for Fryer gas (GIORIK) FRG7207 - FRG9207



GIORIK 2112970

Gas hoses

5081444 GAS HOSE \varnothing 12 mm 400 mm



GIORIK 7050453

5061090 GAS HOSE \varnothing 6 mm 750 mm



GIORIK 7050459



Suitable for:

GIORIK

Suitable for:



Gas taps and accessories

3348014 GAS TAP 20/S
without pilot flame
fittings \varnothing M16x1.5mm
thermocouple fitting M8x1
D-shaped pin \varnothing 8x6.5mm



GIORIK 7060013

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3348020 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 20S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25




3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25





Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



GIORIK



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1




GIORIK 7050029

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




5052175 GAS TAP 21/S
with pilot flame
pipe flange fitting \varnothing 21 mm
outlet connection \varnothing M16x1.5 mm
thermocouple connection M9x1
D-shaped pin \varnothing 8x6.5 mm




GIORIK 7060016


3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21




7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread \varnothing 3/8" F - M16x1 mm
for taps PEL 20S-21S




3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S





Suitable for:

3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S




3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



GIORIK

Suitable for:

3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25





Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



GIORIK



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



GIORIK 7050029

3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O



GIORIK 7060012


3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22




3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22





Suitable for:


3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



GIORIK

Suitable for:

3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm





Suitable for:

3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



GIORIK

Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




GIORIK 7070025

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm






Suitable for:

GIORIK



5066414 GAS TAP 5KG
 without pilot flame
 pipe flange fitting \varnothing 16 mm
 outlet fitting M13x1 mm
 thermocouple fitting M8x1
 D-shaped pin \varnothing 6x4.6 mm



GIORIK 7060015

Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
 for model PEL 23



GIORIK 7070036

Gas valves and accessories

3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR



GIORIK 7050016

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
 with screws and OR



GIORIK 7050010

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR



GIORIK 7050015

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure setting range
 3÷18 mbar outlet
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm



GIORIK 7020215

3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR



GIORIK 7050016

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



3241435 EUROSIT VALVE EXTENSION
 D shaft \varnothing 10x8 mm






Suitable for:

3526126 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



GIORIK 7070025


3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M




GIORIK

Suitable for:

3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



GIORIK 7050020

3526127 FLANGE FOR EXTENSION




5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE






Suitable for:

GIORIK



Suitable for:

3523047 LID MINISIT



GIORIK 7020220

3523949 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges



GIORIK 7020200

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
with screws and OR



GIORIK 7050010

3523035 KNOB MINISIT BLACK \varnothing 37 mm



3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M




3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



GIORIK 7050015

3523047 LID MINISIT



GIORIK 7020220


3523061 NUT \varnothing 1/4"x6 mm





Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5




GIORIK 7050025

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



GIORIK 7070025

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523051 SENSING ELEMENT MINISIT 110 \pm 190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



GIORIK 7020216

GIORIK

Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25




3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



GIORIK 7070036

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



GIORIK 7020230

3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm






Suitable for:

GIORIK



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



GIORIK 7050025

Suitable for:

3523051 SENSING ELEMENT MINISIT 110 \div 190 $^{\circ}$ C
capillary length 1050 mm
bulb \varnothing 6x105 mm



GIORIK 7020216

3523933 VALVE MINISIT FOR FRYER 110 \div 190 $^{\circ}$ C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 80 $^{\circ}$ C
with screw for gas outlet pressure regulation
capillary length 1050 mm
bulb \varnothing 6x105 mm
without cover, knob and flanges



GIORIK 7020210

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
with screws and OR



GIORIK 7050010

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm




3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



GIORIK 7050015

3523047 LID MINISIT



GIORIK 7020220


3523061 NUT \varnothing 1/4"x6 mm





Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5




GIORIK 7050025

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



GIORIK 7070025

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523051 SENSING ELEMENT MINISIT 110 \div 190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



GIORIK 7020216

GIORIK

Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25




3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



GIORIK 7070036

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



GIORIK 7020230

3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm





Suitable for:

GIORIK



3526134 VALVE 630 EUROSIT FRY TOP 40÷280°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure calibration range
 outlet 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm




GIORIK 7020211

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



3020084 FITTING AND OLIVE \varnothing 6 mm



GIORIK 7050020

3526127 FLANGE FOR EXTENSION



5050401 OLIVE FOR PIPE \varnothing 10 mm
 external \varnothing 13 mm - height 8 mm



Suitable for:

3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR



GIORIK 7050016

3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
 thread \varnothing 3/8" M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 22-24-25



GIORIK 7070025



Suitable for:

3001111 **PIEZO IGNITER EUROSIT**
M faston \varnothing 2.4 mm




GIORIK

Suitable for:

3020079 **PIPE FITTING \varnothing 12 mm**
thread \varnothing 3/8" M



3526123 **RUBBER PROTECTION FOR EUROSIT VALVE**



3526130 **VALVE 630 EUROSIT OVEN 100÷340°C**
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



GIORIK 7020218

4056009 **CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"**
with OR



3526260 **CAP FOR VALVE EUROSIT \varnothing 3/8"**
with OR



GIORIK 7050016

3526129 **CLASP \varnothing 3x14 mm**
UNI 6873 - DIN 1481 - ISO 8752



3526677 **EXTENSION FOR EUROSIT VALVE**
D-shaped pin \varnothing 10x8 mm




3020083 **FITTING AND OLIVE \varnothing 4 mm**





Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm



GIORIK 7050020

3526127 FLANGE FOR EXTENSION



3526128 KNOB EXTENSION LENGTH 34 mm
D-shaped pin \varnothing 8x6.5 mm




5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm




3526123 RUBBER PROTECTION FOR EUROSIT VALVE



GIORIK

Suitable for:

5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3526125 KNOB EXTENSION LENGTH 44 mm
D-shaped pin \varnothing 8x6.5 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



GIORIK 7070025

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523091 VALVE 710 MINISIT OVEN 70÷310°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1300 mm
 bulb \varnothing 4x75 mm
 without cover. knob and flanges



GIORIK

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
 with screws and OR



GIORIK 7050010


3523035 KNOB MINISIT BLACK \varnothing 37 mm



3182003 MAGNETIC UNIT SIT
 head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



3523060 OIL SEAL FITTING \varnothing 6.5 mm
 internal thread M10x0.75 - external thread M14x1.5



GIORIK 7050025

Suitable for:

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M




3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR



GIORIK 7050015

3523047 LID MINISIT



GIORIK 7020220

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 20-21-24-25





Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



GIORIK 7070025

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



GIORIK


Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



GIORIK 7070036

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



GIORIK 7020230

3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



Gaskets and seals

5048302 GASKET CERAPAPER VENTURI 190x68 mm



GIORIK 2015185

5048301 GASKET LOWER 442x142 mm



GIORIK 2015184



Suitable for:

Suitable for:

5048300 GASKET UPPER 455x155 mm



GIORIK 2015183

Glasses

5062086 GLASS LOWER 540x310 mm
for Salamander (GIORIK) SH520G - SH560P



GIORIK 5900800

Grids for kitchen

5077389 GRID 395x372 mm



GIORIK 2016194

Handles

7105021 HANDLE PLASTIC 470 mm BLACK
distance between holes 455 mm
for Salamander electric (GIORIK) SH510R




GIORIK 2008612

5088850 KNOB BLACK ø 32 mm MA6



GIORIK 5900102

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm



GIORIK 2000160

5001497 PLASTIC HANDLE 120 mm BLACK
distance between holes 105 mm
for Fryer electric (GIORIK)
for Fryer gas (GIORIK)
for Salamander electric (GIORIK) SE520
for Salamander gas (GIORIK) SG520



GIORIK 5900143



Suitable for:

GIORIK



Suitable for:

Heating elements

3355826 CERAMIC HEATING ELEMENT 400W 230V
length 245 mm - width 60 mm



GIORIK 6001124

5022858 DISASSEMBLY KEY FOR ROTATING HEATING EL.
length 258 mm - width 82 mm



GIORIK 2010311

3755856 HEATING ELEMENT 10200W 230/400V
length 300 mm - width 180 mm
coupling M54 - complete with cables
with two holes for bulb
complete with OR gaskets
for Fryer electric (GIORIK) F15



GIORIK 6002137

GIORIK 6002137+...

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



GIORIK 6090145

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



GIORIK 6090144

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

3755858 HEATING ELEMENT 12000W 230/400V
length 325 mm - width 180 mm
fitting M54x1.5 mm - complete with cables
complete with O-rings
with 2 holes for bulb
for Fryer electric (GIORIK) FE15 - FE215



GIORIK 6002151

GIORIK 6002151+...

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



GIORIK 6090145

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



GIORIK 6090144

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

Suitable for:

3355473 HEATING ELEMENT 1333W 230V
 length 280 mm - width 20 mm
 height 40 mm - fittings M12x1 mm
 for Fryer electric (GIORIK) FRE33 - FRE63 - FTR6T



GIORIK 6001139

Suitable for:

3355447 HEATING ELEMENT 1380W 230V
 length 350 mm - width 190 mm
 fittings \varnothing 1/4"
 operating ambient: immersion
 for Bain-marie electric (GIORIK) BME62



GIORIK 6001024

3755661 HEATING ELEMENT 15000W 230V
 length 300 mm - width 285 mm
 connection M54x1.5 mm - complete with cables
 complete with OR gaskets
 with two holes per bulb
 for Fryer electric (GIORIK)



GIORIK 6002138

GIORIK 6002138+

3186601 O-RING 04200 EPDM
 ring thickness 3.53 mm - internal \varnothing 50.39 mm



GIORIK 6090144

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

3755859 HEATING ELEMENT 16500W 230/400V
 length 325 mm - width 255 mm
 fitting M54x1.5 mm - complete with cables
 complete with O-rings
 with 2 holes for bulb
 for Fryer electric (GIORIK) FE20 - FE220 - FE920



GIORIK 6002152

GIORIK 6002152+...

1186715 O-RING 0159 VITON
 ring thickness 3.53 mm - internal \varnothing 55.56 mm



3786459 O-RING 04200 VITON
 ring thickness 3.53 mm - internal \varnothing 50.39 mm



GIORIK OR4200FP75

3186697 O-RING 0159 EPDM
 ring thickness 3.53 mm - internal \varnothing 55.56 mm



GIORIK 6090145



Suitable for:

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



GIORIK 6090144

GIORIK



Suitable for:


3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

3355448 HEATING ELEMENT 1680/2000W 220/240V
length 350 mm - width 200 mm
height 90 mm - with cables



GIORIK 6002061

3355834 HEATING ELEMENT 1840W 230V
length 250 mm - width 85 mm
height 185 mm - fittings \varnothing 1/4"
complete with cables
for Fryer electric (GIORIK) FT7



GIORIK 6002055

3755487 HEATING ELEMENT 1840W 230V
length 280 mm - width 70 mm
fittings \varnothing 1/4"
for Pasta cooker electric (GIORIK) - Series 700



GIORIK 6002063

3355837 HEATING ELEMENT 1840W 230V.
length 340 mm - width 70 mm
height 230 mm - fittings \varnothing 1/4"
with cables



GIORIK 6002056

5071243 HEATING ELEMENT 2000W 230V
length 435 mm - width 85 mm
height 65 mm



GIORIK 6001152

3355804 HEATING ELEMENT 2185W 230V
length 227 mm - width 300 mm
flange 70x22 mm
for Salamander electric (GIORIK) SR514 - S505



GIORIK 6001067

3528242 CYLINDER HEAD SCREW M5x8
stainless steel - slotted
UNI 6107 - DIN 84 - ISO 1207



Suitable for:

5001484 HEATING ELEMENT 2185W 230V
length 400 mm - width 190 mm
height 210 mm - fittings \varnothing 1/4"
with cables



GIORIK 6002048

GIORIK 6002049


Suitable for:

3755077 HEATING ELEMENT 2520W 220V
length 445 mm - width 65 mm
fittings \varnothing 1/4" mm



GIORIK 6002064

3355808 HEATING ELEMENT 2570W 230V
length 310 mm - width 297 mm
flange 70x22 mm
for Salamander electric (GIORIK) S510



GIORIK 6002021

7118844 HEATING ELEMENT 2600W 230V
length 605 mm - width 80 mm
height 65 mm



GIORIK 6001151

3355806 HEATING ELEMENT 2730W 230V
length 490 mm - width 270 mm
fittings \varnothing 1/4"
for Salamander electric (GIORIK) S511



GIORIK 6002066

5013409 HEATING ELEMENT 300W 220V
 \varnothing external 175 mm - overall height 64 mm
connections \varnothing 1/4"
for Hot cupboard electric (GIORIK)



GIORIK 6001053

3355807 HEATING ELEMENT 3000W 380V
length 490 mm - width 270 mm
fittings \varnothing 1/4"
for Salamander electric (GIORIK) S511S



GIORIK 6003052

3355805 HEATING ELEMENT 3060W 230V
length 227 mm - width 300 mm
flange 70x22 mm
for Salamander electric (GIORIK) S505R



GIORIK 6001068

3528242 CYLINDER HEAD SCREW M5x8
stainless steel - slotted
UNI 6107 - DIN 84 - ISO 1207






Suitable for:

GIORIK



5090306 HEATING ELEMENT 3100W 230V
length 598 mm - width 425 mm
flange 70x22 mm



GIORIK 6001153

Suitable for:

3355809 HEATING ELEMENT 3100W 400V
length 310 mm - width 297 mm
flange 70x22 mm
for Salamander electric (GIORIK) S510S



GIORIK 6003022

3355833 HEATING ELEMENT 3280W 230V
length 315 mm - width 180 mm
height 175 mm - flange 70x22 mm
for Fryer electric (GIORIK) FT5



GIORIK 6002054


3355472 HEATING ELEMENT 3300W 230V
length 280 mm - width 70 mm
height 40 mm - fittings M12x1 mm
for Fryer electric (GIORIK)
FRE46F-FRE66F-FRE31F-FRE61F-FTR26F-FTR6F



GIORIK 6001138


GIORIK 6001144

3355812 HEATING ELEMENT 3300W 230V
length 240 mm - width 380 mm
flange 70x22 mm
for Salamander electric (GIORIK) SE520



GIORIK 6001133

3355813 HEATING ELEMENT 3300W 380V
length 240 mm - width 380 mm
flange 70x22 mm
for Salamander electric (GIORIK) SE520



GIORIK 6003133


3355825 HEATING ELEMENT 460W 230V
length 350 mm - width 190 mm
height 60 mm - connections \varnothing 1/4"
complete with cables
for Bain-marie electric (GIORIK) BME31
for Potato heater electric (GIORIK) SPE31R



GIORIK 6002015

Suitable for:

5019192 HEATING ELEMENT 5000W 230/400V
 length 365 mm - width 450 mm
 fitting M54x1.5 mm - complete with cables
 complete with OR gasket
 with two holes for bulb
 for Fryer electric (GIORIK) FP27S



GIORIK 6002144

3186601 O-RING 04200 EPDM
 ring thickness 3.53 mm - internal \varnothing 50.39 mm




GIORIK 6090144

5082945 HEATING ELEMENT 5000W 230V
 length 550 mm - width 180 mm
 height 30 mm - 2 flanges 40x18 mm



GIORIK 6002163

5034009 HEATING ELEMENT 6800W 230/400V
 length 365 mm - width 450 mm
 fitting M54x1.5 mm - complete with cables
 complete with OR gasket
 with two holes for bulb
 for Fryer electric (GIORIK) FP18S



GIORIK 6002143

3186601 O-RING 04200 EPDM
 ring thickness 3.53 mm - internal \varnothing 50.39 mm



GIORIK 6090144

Suitable for:

3186697 O-RING 0159 EPDM
 ring thickness 3.53 mm - internal \varnothing 55.56 mm



GIORIK 6090145

3355810 HEATING ELEMENT 650W 230V
 length 260 mm - width 55 mm
 fittings M15x1 mm
 for Salamander electric (GIORIK) SR512 - SR512D



GIORIK 6002058

3186697 O-RING 0159 EPDM
 ring thickness 3.53 mm - internal \varnothing 55.56 mm



GIORIK 6090145



Suitable for:

3755489 HEATING ELEMENT 6800W 230V
length 300 mm - width 110 mm
fitting M54x1.5 mm - with cables
with O-rings
with 2 holes for bulb



GIORIK 6002136

GIORIK 6002136+...

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



GIORIK 6090144

Suitable for:

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



GIORIK 6090145

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

3755857 HEATING ELEMENT 7000W 230/400V
length 325 mm - width 105 mm
fitting M54x1.5 mm - complete with cables
complete with O-rings
with 2 holes for bulb
for Fryer electric (GIORIK) FE210 - FE922



GIORIK 6002150

GIORIK 6002150+...

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



GIORIK 6090144

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



GIORIK 6090145

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

5065532 HEATING ELEMENT 800W 230V
length 350 mm - width 85 mm
height 27 mm - fittings \varnothing 1/4"



GIORIK 6002070

5080919 HEATING ELEMENT 9000W 230/400V
length 365 mm - width 450 mm
fitting M54x1.5 mm - complete with cables
complete with OR gasket
with two holes for bulb



GIORIK 6002145

Suitable for:

3355811 HEATING ELEMENT 930W 230V
length 260 mm - width 55 mm
fittings M15x1 mm
for Salamander electric (GIORIK) SR512



GIORIK 6001071

Suitable for:

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



GIORIK 5900402

3053007 LEFTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205
height 160 mm



GIORIK 5900401

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



GIORIK 5900402

3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm



3053006 RIGHTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205
height 160 mm



GIORIK 5900400

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



GIORIK 5900402



Suitable for:

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



GIORIK



Suitable for:

3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm



Hose reels

3359553 WASHING UNIT MINIREEL
stainless steel case aisi 304
with automatic retractor
EPDM hose \varnothing 13 mm
pull-out hose length 1.6 meters
complete with shower ECO/F
for fixing to any equipment



GIORIK 708001

3359610 BLACK SHOWER HEAD ECO \varnothing 1/2" M
with coupling 3/8" Mx1/2" M




GIORIK 7080010

3359611 SPRAY CUP WITH FILTER



Hot plates

5059136 PLATE OF CAST IRON 242x102 mm



GIORIK 3602410

Ignitors

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm



GIORIK 6010047

3001041 PIEZO IGNITER JUNKERS
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm




GIORIK 6010048

Suitable for:

Suitable for:

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



GIORIK 7020230


Incandescent lamps and neon lamps

3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
max. temperature 300°C



GIORIK 6061054

3221041 LAMP E14 15W 230V
max temperature 300°C - ø 22x50 mm



GIORIK 6061052

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



GIORIK 6061053

Indicator lights

3221110 INDICATOR LIGHT GREEN 230V
ø head 7 mm - ø hole 6 mm - 120°C
wire connection length 210 mm



GIORIK 6061061

3221045 LAMP CAP TAPERED CONICAL GREEN SU3
mounting hole ø 6 mm - head ø 7 mm



5008748 INDICATOR LIGHT GREEN 230V
ø head 10 mm - 150°C
wire connection length 250 mm
for Bain-marie electric (GIORIK)
for Fryer electric (GIORIK)
for Pasta cooker electric (GIORIK)



GIORIK 6061073

3221199 INDICATOR LIGHT GREEN 250V
head ø 8 mm - 150°C
wire connection length 300 mm



GIORIK 6061068



Suitable for:

GIORIK



3221367 INDICATOR LIGHT GREEN 250V
head \varnothing 16 mm - hole \varnothing 13 mm - 120°C
wire connection length 240 mm



GIORIK 6061068

GIORIK 6061068+6061070

GIORIK 6061070

Suitable for:

3221166 INDICATOR LIGHT GREEN 400V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C
universal application



GIORIK 6061050

5008747 INDICATOR LIGHT ORANGE 230V
head \varnothing 10 mm - 150°C
wire connection length 250 mm
for Bain-marie electric (GIORIK)
for Fry top electric (GIORIK)
for Fryer electric (GIORIK)
for Pasta cooker electric (GIORIK)
for Pot stove electric (GIORIK)



GIORIK 6061072

3221165 INDICATOR LIGHT ORANGE 400V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C
universal application



GIORIK 6061051

3221166 INDICATOR LIGHT GREEN 400V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C
universal application



GIORIK 6061050

3221202 INDICATOR LIGHT TRANSPARENT 250V
head \varnothing 8 mm - 150°C
wire connection length 300 mm



GIORIK 6061067

3221031 INDICATOR LIGHT WHITE 220V
head \varnothing 16 mm - hole \varnothing 13 mm - 130°C
wire connection length 200 mm



GIORIK 6061067+6061069

3221358 LAMP RECEPTACLE CLEAR
head \varnothing 16 mm - hole \varnothing 13 mm



GIORIK 6061069



Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47 μ F



GIORIK 6090050

5039130 INTERFERENCE SUPPRES. FILTER 0.1 μ F 275V



GIORIK 6090052


Knobs

3241249 BLACK KNOB \varnothing 39 mm
D-shaped hole 6x4.6 mm
for Fryer (GIORIK)



GIORIK 5900198

3241179 BLACK KNOB \varnothing 50 mm 0-1-2-3-4-5
D-shaped hole 6x4.6 mm
for Salamander (GIORIK) SR514-SR512R-SE520
S504-S505-S505R-S510-S510S-S511-S511S



GIORIK 2002915

5022855 BLACK KNOB \varnothing 60 mm 140-185 $^{\circ}$ C
D-shaped hole 6x4.6 mm
for Fryer electric (GIORIK)
F920N-F922N-F940N-FP18S-FP27S



GIORIK 2002909

3241081 BLACK KNOB \varnothing 65 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



GIORIK 5900254

5046749 CAP YELLOW FOR KNOB



3241157 KNOB BLUE STICKER



3241082 KNOB EXTENSION





Suitable for:

GIORIK



3241576 BLACK KNOB ø 65 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



GIORIK 5900246

Suitable for:


5046749 CAP YELLOW FOR KNOB



3241157 KNOB BLUE STICKER




3241276 BLACK KNOB ø 75 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm
for Fryer (GIORIK) - Series 600 - Series 700
Series 900
for Fryer (GIORIK) 217FG



GIORIK 2008672

3241823 BLACK KNOB ø 75 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for Grill gas (GIORIK) GG66
for Pasta cooker gas (GIORIK) CPG1 - CPG1BM
CPG2L - CPG66 - 2CPG - 22CPG - 23CPG - 3CPG




GIORIK 2008671

3241824 BLACK KNOB ø 75 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Pot stove (GIORIK) - Series GIO70
Series GIO90



GIORIK 2012984

3241882 BLACK KNOB ø 75 mm 0-110°C
D-shaped hole 6x4.6 mm
for Pasta cooker (GIORIK) CP1 - CP2L - CP22L




GIORIK 2008675

3241055 FIXING CLIP
for knob with ø 8 mm hole



GIORIK 5900242

3241615 GREY KNOB ø 49 mm
D-shaped hole 6x4.6 mm
for Salamander (GIORIK)



GIORIK 2008823



Suitable for:


5001435 KNOB BLACK \varnothing 60 mm 0-1
D-shaped hole 6x4.6 mm



GIORIK 2002908

Suitable for:

5047093 KNOB BLACK \varnothing 75 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm



GIORIK 2008677

5072414 KNOB GOLD \varnothing 75 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



GIORIK 2018654

5093166 KNOB GOLD \varnothing 75 mm 1-2-3
D-shaped hole 6x4.6 mm



GIORIK 2018898

5080885 KNOB GOLD \varnothing 75 mm 1-2-3-4-5-6
D-shaped hole 6x4.6 mm



GIORIK 2019142

7119428 KNOB GOLD \varnothing 75 mm 1-2-3-4-5-6
D-shaped hole 6x4.6 mm



GIORIK 2018656

5084351 KNOB GOLD \varnothing 75 mm 1-2-3-4-5-6-7-8
D-shaped hole 6x4.6 mm



GIORIK 2018655

5069346 KNOB GOLDEN \varnothing 75 mm SILK SCREEN PRINT
D-shaped hole 8x6.5 mm




GIORIK 2018653

7104356 KONB BLACK \varnothing 50 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm



GIORIK 2017630

5074634 KONB BLACK \varnothing 75 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm



GIORIK 2008676



Suitable for:

GIORIK



Suitable for:

Labels for control panels

5061967 ADHESIVE CONTROL PLATE 100x53 mm
for Fryer (GIORIK)



GIORIK 2018825

7102817 ADHESIVE CONTROL PLATE 100x53 mm
for Fryer (GIORIK)



GIORIK 2011256

3399067 ADHESIVE CONTROL PLATE 125x100 mm
for Fryer gas (GIORIK) FG213 - FG217



GIORIK 2007069

5013431 ADHESIVE CONTROL PLATE 545x67 mm
for Salamander electric (GIORIK)
SH511-SH520G-SH520GM



GIORIK 2008613

GIORIK 2012425

5037624 ADHESIVE CONTROL PLATE 545x67 mm
for Salamander (GIORIK) SRH2060



GIORIK 2012890

5062436 ADHESIVE CONTROL PLATE 545x67 mm



GIORIK 2012427

GIORIK 2016790

7102621 ADHESIVE CONTROL PLATE 545x67 mm
for Salamander (GIORIK) SH520G
for Salamander electric (GIORIK) SH520G



GIORIK 2012438

7109366 ADHESIVE CONTROL PLATE 548x67 mm
for Salamander (GIORIK) SEC3FM



GIORIK 2012592

5051547 ADHESIVE CONTROL PLATE 715x67 mm
for Salamander (GIORIK) SH510



GIORIK 2012423

7103307 ADHESIVE CONTROL PLATE 715x67 mm
for Salamander (GIORIK) SH510R



GIORIK 2012422



Lamp receptacles and spare parts

3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE
external dimensions 140x75 mm




GIORIK 6063070

5013466 LAMP HOLDER WITH LAMP E14 25W 230V
extern size 140x72 mm
maximal temperature 300°C



3221255 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 140x72 mm



GIORIK 6063069

3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE
external dimensions 140x75 mm



3221256 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 112x65 mm
max temperature 500°C



GIORIK 6063070

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
dimensioni esterne 106x65 mm



GIORIK 6061053

D421016 OVEN LAMP DR FISCHER E14 25W 230V
ø 25x57 mm - max temperature 300°C





Suitable for:

GIORIK




3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C




GIORIK 6063072

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN




3186522 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 40x30x2 mm



3786614 GASKET FOR OVEN LAMP RECEPTACLE
dimensions 48x41x3 mm




3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 53x44x3 mm



3221233 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 42 mm
thread \varnothing 33 mm - overall height 26 mm



3221041 LAMP E14 15W 230V
max temperature 300°C - \varnothing 22x50 mm




3221061 LAMP E14 25W 230V
max temperature 300°C - \varnothing 26x57 mm



GIORIK 6061052

2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V
mounting hole \varnothing 38 mm
max temperature 300°C



GIORIK 6061053

D421015 OVEN LAMP DR FISCHER E14 15W 230V
 \varnothing 22x49 mm - max temperature 300°C



D421016 OVEN LAMP DR FISCHER E14 25W 230V
 \varnothing 25x57 mm - max temperature 300°C




Lava stone grids

5048452 GRID OF ST. STEEL 538x320x20 mm


GIORIK 2011358

5028972 GRID OF ST. STEEL 538x360x20 mm

GIORIK 2011369

5054085 GRID STAINLESS STEEL 390x300x20 mm
for Lava rock grill (GIORIK)


GIORIK 2011297

5052322 S/STEEL GRID 390x345x20 mm
for Lava rock grill (GIORIK) GG780

GIORIK 2011321

3185132 S/STEEL PAN SUPPORT GRID 538x340x20 mm

GIORIK 2010949

3185131 S/STEEL PAN SUPPORT GRID 538x395x20 mm
for Lava rock grill gas (GIORIK) GG926

GIORIK 2005384

Level probes

3341039 WATER LEVEL PROBE M14x1.25 mm-300 mm

GIORIK 6000090

Lids

5088847 POT LID WITH HANDLE

GIORIK 2003089



Suitable for:

GIORIK

Suitable for:



Magnets

3242354 DOOR LOCK MAGNET


distance between magnetic part holes 74 mm
distance between holes of strike plate 54 mm



GIORIK 5900352


Microswitches, mechanical

3240605 DOOR MICROSWITCH M1AX20 10A 250V



GIORIK 6043080

3240820 MICROSWITCH ELECTRICA NR48W 5 1NO + 1NC 16A 250V




GIORIK 6043085

3240473 GASKET FOR BUSHING



3240166 MOUNTING PLATE FOR MICROSWITCH external dimensions 46x26 mm



3240152 BUSHING FOR MICROSWITCH



5035454 MICRO SUPPORT for WASHING MACHINE LF25



3240153 ROD FOR MICROSWITCH





Suitable for:

3240154 SPRING FOR MICROSWITCH ROD



GIORIK

Suitable for:



3240596 MICROSWITCH MARQUARDT 1117.0106
12A 125/250V



GIORIK 6043086

Nozzles

3500062 GAS JET M7x1 \varnothing 0.85 mm



GIORIK 7042726

5062180 GAS JET M7x1 \varnothing 0.90 mm



GIORIK 7042804

3500063 GAS JET M7x1 \varnothing 0.95 mm



GIORIK 7042731

3500058 GAS JET M7x1 \varnothing 1.00 mm



GIORIK 7042789

3500065 GAS JET M7x1 \varnothing 1.30 mm



GIORIK 7042736

3500067 GAS JET M7x1 \varnothing 1.40 mm



GIORIK 7042790

3500069 GAS JET M7x1 \varnothing 1.60 mm



GIORIK 7042730

5062156 GAS JET M8x1 \varnothing 1.40 mm



GIORIK 7040118



Suitable for:

5062155 GAS JET M8x1 ø 1.85 mm



GIORIK 7040116

Suitable for:

3500042 GAS JET M9x1 ø 1.00 mm



GIORIK 7042701

3500043 GAS JET M9x1 ø 1.10 mm



GIORIK 7042707

3500044 GAS JET M9x1 ø 1.15 mm



GIORIK 7042749

3500047 GAS JET M9x1 ø 1.35 mm



GIORIK 7042753

5051548 GAS JET M9x1 ø 1.75 mm



GIORIK 7042704

5069881 GAS JET M9x1 ø 1.75 mm



GIORIK 7042715

3500051 GAS JET M9x1 ø 1.90 mm



GIORIK 7042748

5052066 GAS JET M9x1 ø 2.05 mm



GIORIK 7042754

O-Ring and ORM gaskets

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal ø 55.56 mm



GIORIK 6090145

1186230 O-RING 0164 EPDM
ring thickness 3.53 mm - internal ø 60.33 mm



GIORIK 6090140

Suitable for:

1786011 O-RING 0164 VITON
ring thickness 3.53 mm - internal \varnothing 60.33 mm



GIORIK 6090140

Suitable for:

1186362 O-RING 02021 EPDM
ring thickness 1.78 mm - internal \varnothing 5.28 mm



GIORIK 5900381

3186340 O-RING 03037 EPDM
ring thickness 2.62 mm - internal \varnothing 9.19 mm



GIORIK 6090146

3186315 O-RING 03250 EPDM
ring thickness 2.62 mm - internal \varnothing 63.17 mm
for SIGMA group mixer



GIORIK 6090141

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



GIORIK 6090144

3786459 O-RING 04200 VITON
ring thickness 3.53 mm - internal \varnothing 50.39 mm



GIORIK OR4200FP75

Pilot burners and accessories

3020101 BRACKET CLAMP 2 POSITIONS




GIORIK 7090005

3020110 DEFLECTOR 3 FLAMES



GIORIK 7090002

3020084 FITTING AND OLIVE \varnothing 6 mm



GIORIK 7050020

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



GIORIK 5900317

GIORIK 7050028




Suitable for:

GIORIK



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



GIORIK 5900318

Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



GIORIK 7090006

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




GIORIK 7070025

3020114 OLIVE FOR PIPE \varnothing 6 mm



GIORIK 7070045

5072413 PILOT BURNER BASE 30 mm



GIORIK 7090221

GIORIK 7090234

5053292 PILOT BURNER CAP
thread M8x0.75 mm




GIORIK 7070012

5061492 PILOT BURNER LOWER TYPE
dimensions \varnothing 8x95 mm



GIORIK 7090219

5072413 PILOT BURNER BASE 30 mm



GIORIK 7090221

GIORIK 7090234

3020036 PILOT BURNER SIT 3 FLAMES
multigas type with nozzle \varnothing 0.35 mm
with 3 position bracket



GIORIK 7090023

3020104 BRACKET CLAMP 3 POSITIONS



3020103 BRACKET 3 POSITIONS



3020109 DEFLECTOR 2 FLAMES






Suitable for:

3020110 DEFLECTOR 3 FLAMES



GIORIK 709002

3020083 FITTING AND OLIVE ø 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



GIORIK 709006

3020060 IGNITION PLUG ROUND ø 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GIORIK 601007

3020294 IGNITION PLUG ROUND ø 7x44 mm
M faston M4x1 mm
overall length 67 mm




GIORIK

Suitable for:

5048713 DEFLECTOR 3 FLAMES



3020084 FITTING AND OLIVE ø 6 mm



GIORIK 7050020

3001003 IGNITION PLUG ROUND ø 7x44 mm
M faston M4x1 mm
overall length 65 mm



GIORIK 6010046

3020124 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 52 mm





Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



GIORIK 7070025

3020081 OLIVE FOR PIPE \varnothing 6 mm



3020054 PILOT JET \varnothing 0.20 mm



GIORIK 7042005

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



GIORIK

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



GIORIK 7070014

GIORIK 7090007

3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



GIORIK 7042006

3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm





Suitable for:


3020105 PILOT WITH 0.20 mm ø JET



3020107 PILOT WITH 0.35 mm ø JET



**3020077 PIPE FITTING ø 4 mm
thread M10x1**



**5014757 PIPE FITTING ø 6 mm
thread M10x1 mm**




**5061490 PILOT BURNER UPPER TYPE
dimensions ø 8x95 mm**



GIORIK 7090218

5054339 PILOT BURNER 2 FLAMES
without plug
supplied with NATURAL GAS nozzles
with thermocouple fitting
with pipe fitting and pilot pipe olive
for Salamander (GIORIK) SG520



GIORIK 7090027

GIORIK



Suitable for:

3020106 PILOT WITH 0.25 mm ø JET



**3020079 PIPE FITTING ø 12 mm
thread ø 3/8" M**




**3020078 PIPE FITTING ø 6 mm
thread M10x1**



GIORIK 7050029

5072413 PILOT BURNER BASE 30 mm



GIORIK 7090221

GIORIK 7090234

3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm




GIORIK 5900317

GIORIK 7050028



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



GIORIK 5900318

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GIORIK 6010087

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020044 PILOT JET \varnothing 0.20 mm



3020452 PILOT JET \varnothing 0.32 mm



GIORIK



Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GIORIK 6010046

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



5071220 PILOT JET \varnothing 0.22 mm



3020045 PILOT JET \varnothing 0.50 mm






Suitable for:

3020449 PILOT JET \varnothing 0.54 mm



GIORIK 7042008

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



3020201 PILOT JET \varnothing 0.14 mm



GIORIK 7042014

3020202 PILOT JET \varnothing 0.27 mm



GIORIK 7042013

3020449 PILOT JET \varnothing 0.54 mm



GIORIK 7042008

GIORIK



Suitable for:

3020464 PILOT JET \varnothing 0.64 mm



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



GIORIK 7050029

3020054 PILOT JET \varnothing 0.20 mm



GIORIK 7042005

3020055 PILOT JET \varnothing 0.35 mm



GIORIK 7042006

3020479 PILOT THREADED WITH JET \varnothing 0.21 mm



GIORIK 7070015



Suitable for:

GIORIK



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1




GIORIK 7050029

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



GIORIK 7090028

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



GIORIK 5900318

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GIORIK 6010087

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



GIORIK 5900317

GIORIK 7050028

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GIORIK 6010046

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm





Suitable for:

3020113 OLIVE FOR PIPE \varnothing 4 mm



3020114 OLIVE FOR PIPE \varnothing 6 mm



GIORIK 7070045

3020201 PILOT JET \varnothing 0.14 mm



GIORIK 7042014

3020542 PILOT JET \varnothing 0.20 mm



3020202 PILOT JET \varnothing 0.27 mm



GIORIK 7042013

3020043 PILOT JET \varnothing 0.36 mm



GIORIK

Suitable for:

**3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25**



3020086 PILOT GASKET




3020042 PILOT JET \varnothing 0.19 mm



5047578 PILOT JET \varnothing 0.24 mm



2102405 PILOT JET \varnothing 0.35 mm



3020543 PILOT JET \varnothing 0.38 mm





Suitable for:

5022050 PILOT JET \varnothing 0.50 mm



GIORIK



Suitable for:

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**




**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



GIORIK 7050029

3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting



GIORIK 7090026


3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



GIORIK 5900317

GIORIK 7050028

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



GIORIK 5900318

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GIORIK 6010046



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GIORIK 6010087

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020044 PILOT JET \varnothing 0.20 mm



3020452 PILOT JET \varnothing 0.32 mm



3020449 PILOT JET \varnothing 0.54 mm



GIORIK 7042008

GIORIK



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



5071220 PILOT JET \varnothing 0.22 mm



3020045 PILOT JET \varnothing 0.50 mm




3020464 PILOT JET \varnothing 0.64 mm





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



GIORIK



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



GIORIK 7050029

3020269 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



GIORIK 7090024

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



GIORIK 5900318

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GIORIK 6010087

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



GIORIK 5900317

GIORIK 7050028

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GIORIK 6010046

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm





Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



5071220 PILOT JET \varnothing 0.22 mm



3020045 PILOT JET \varnothing 0.50 mm



3020464 PILOT JET \varnothing 0.64 mm



GIORIK

Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



5026012 OLIVE FOR PIPE \varnothing 4 mm
for pilot burner series CB 502-CB 503



3020044 PILOT JET \varnothing 0.20 mm



3020452 PILOT JET \varnothing 0.32 mm



3020449 PILOT JET \varnothing 0.54 mm



GIORIK 7042008

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



GIORIK 7050029

3020401 THREE-FLAME PILOT BURNER
supplied without sparking plug
with LPG and NATURAL GAS nozzle
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



GIORIK 7090025

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



GIORIK 5900318

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GIORIK 6010087

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



GIORIK

Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



GIORIK 5900317

GIORIK 7050028

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GIORIK 6010046

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm





Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm



3020044 PILOT JET \varnothing 0.20 mm



3020452 PILOT JET \varnothing 0.32 mm



3020449 PILOT JET \varnothing 0.54 mm



GIORIK 7042008

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



GIORIK

Suitable for:

3020112 OLIVE FOR PIPE \varnothing 6 mm



5071220 PILOT JET \varnothing 0.22 mm




3020045 PILOT JET \varnothing 0.50 mm



3020464 PILOT JET \varnothing 0.64 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



GIORIK 7050029





Suitable for:

GIORIK



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



GIORIK 7090022

3020103 BRACKET 3 POSITIONS




3020110 DEFLECTOR 3 FLAMES



GIORIK 7090002

3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



GIORIK 7090006

Suitable for:

3020104 BRACKET CLAMP 3 POSITIONS




3020109 DEFLECTOR 2 FLAMES



5048713 DEFLECTOR 3 FLAMES



3020084 FITTING AND OLIVE \varnothing 6 mm



GIORIK 7050020

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



GIORIK 6010046



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GIORIK 6010087

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



GIORIK 7070025

5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



GIORIK 7070014

GIORIK 7090007

GIORIK

Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm



3020054 PILOT JET \varnothing 0.20 mm



GIORIK 7042005





Suitable for:

3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



GIORIK 7042006

3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



GIORIK

Suitable for:

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1





Suitable for:


5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



GIORIK

Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



GIORIK 7050029

5053293 VENTURI PILOT BURNER 34 mm



GIORIK 7070013

Pressure switches

5069894 PRESSURE SWITCH 1 LEVEL
calibration 310/270 mm
250V 16A
max operating temperature 85°C



GIORIK 7050009

Probes

3445157 PROBE NTC PVC 1500 mm
probe 2 wires - temperature range -30° +80°C
bulb \varnothing 6x40 mm



GIORIK 6000100

3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb \varnothing 6x100 mm



GIORIK 6000085



Suitable for:

GIORIK



Suitable for:

3445195 TCJ VETROTEX PROBE 700 mm
 2-wire probe temperature range -50+600°C
 error limit $\pm 0.75\%$ below 0°C
 30 seconds response time
 bulb $\varnothing 6 \times 200$ mm
 for Fryer gas (GIORIK) FG213 - FG217



GIORIK 600106

Radiant heating elements

5073926 RADIANT HEATING ELEMENT OCTAGON. $\varnothing 200$ mm
 1800W 230V
 faston electrical connectors - with cables
 complete with power adjuster
 for glass-ceramic hob



GIORIK 6001073

3311083 RADIANT HEATING ELEMENT OCTAGON. $\varnothing 250$ mm
 2500W 230V
 faston electrical connections - with cables
 complete with power setting
 for glass-ceramic hob



GIORIK 6001072

3311079 RADIANT HEATING ELEMENT OCTAGON. $\varnothing 165$ mm
 1200W 230V
 faston electrical connections - with cables
 complete with power setting
 for glass-ceramic cooking top



GIORIK 6001074

3755855 RADIANT HEATING ELEMENT 1500W 230V
 length 265 mm - width 165 mm
 complete with cables
 for Salamander electric (GIORIK) SH505R - SH510P
 SH510R - SH520G - SH560P
 for Salamander (GIORIK) SH560T



GIORIK 6001066

5090163 RADIANT HEATING ELEMENT 4500W 400V
 length 162 mm - width 400 mm
 height 177 mm - with cables




GIORIK 6001013



Refractory tiles


- 5001481 CERAMIC RADIANT PLATE 70x50x13 mm**
for Salamander gas (GIORIK) SG520



GIORIK 7090073

Relays

- 3351037 POWER RELAY FINDER 40.52.8.230.0000**
230V 50/60Hz - 2 exchange contacts 8A



GIORIK 6041009

- 5072234 POWER RELAY FINDER 62.83.8.230.0300**
complete with bracket
230V 50/60Hz
3 changeover contacts 16A



GIORIK 6041008

- 5068926 POWER RELAY SCHRACK RM839730**
coil 230V - 2 on-off contacts
on support for DIN guide



GIORIK 6041013


Selector switches

- 3057019 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



GIORIK 6030007

- 3057026 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



GIORIK 6030015




Suitable for:

GIORIK




3057082 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°
 D-shaped pin 6x4.6 mm
 for Fryer (GIORIK) - Series 700 - Series 900
 for Pasta cooker (GIORIK) - Series 700
 Series 900



GIORIK 6030019

3057140 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



GIORIK 6030009

3057178 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin 6x4.6 mm
 for Fryer electric (GIORIK) FRE33 - FRE63 - FT33
 FT63




GIORIK 6030012

3057190 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 32A 600V - max 75°C
 rectangular pin 4x5 mm
 for Fryer electric (GIORIK) F15 - F20 - F215
 F220 - F920 - F940




GIORIK 6030003

5088814 SELECTOR SWITCH 0-1 POSITIONS KIT
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




GIORIK 2000058

3057159 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Salamander electric (GIORIK) SR512




GIORIK 6030017

5062875 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



GIORIK 6030036

3057092 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




GIORIK 6030014

3057146 SELECTOR SWITCH 0-7 POSITIONS
 contact capacity 16A 400V - max 150°C
 rectangular pin 4x5 mm



GIORIK 6030030

5034977 SWITCH 0-3 POSITIONS
 contacts 16A 250V - max 150°C
 D-Shaft 6x4.6 mm



GIORIK 6030040



Solenoid valves

5046981 OUTLET REDUCER 0.10 L/Min BROWN



GIORIK 6042091

5028983 OUTLET REDUCER 15 L/min RED



GIORIK 6042095

7101532 SOLENOID VALVE RPE R 253 2-WAY 180°
230V 50/60Hz - max. temperature 60°C
inlet 3/4" - two outlets ø 10.5 mm
alimentary sealing



GIORIK 6042071

3120639 ADJUSTER FOR OUTLET 0.50 L/min LIME



3120640 ADJUSTER FOR OUTLET 0.60 L/min GREY



3120641 ADJUSTER FOR OUTLET 0.90 L/min BLUE



3120642 ADJUSTER FOR OUTLET 1.10 L/min WHITE



3120643 ADJUSTER FOR OUTLET 1.70 L/min YELLOW



3120644 ADJUSTER FOR OUTLET 2.15 L/min VIOLETT



3120645 ADJUSTER FOR OUTLET 2.70 L/min BLACK



3120280 COIL CONNECTOR
cable length 1 m
max temperature 70°C



5046981 OUTLET REDUCER 0.10 L/Min BROWN



GIORIK 6042091



Suitable for:

5036913 OUTLET REDUCER 0.2 L/min PINK



GIORIK



Suitable for:

5073916 OUTLET REDUCER 0.40L/min GREEN



5028983 OUTLET REDUCER 15 L/min RED



GIORIK 6042095

5039073 SOLENOID VALVE RPE153 1 WAY 180°
230V 50/60Hz - max temperature 60°C
3/4" inlet- ø 10.5 mm outlet
alimentary sealing



3120639 ADJUSTER FOR OUTLET 0.50 L/min LIME



GIORIK 6042070

3120640 ADJUSTER FOR OUTLET 0.60 L/min GREY



3120641 ADJUSTER FOR OUTLET 0.90 L/min BLUE



3120642 ADJUSTER FOR OUTLET 1.10 L/min WHITE



3120643 ADJUSTER FOR OUTLET 1.70 L/min YELLOW



3120644 ADJUSTER FOR OUTLET 2.15 L/min VIOLETT



3120645 ADJUSTER FOR OUTLET 2.70 L/min BLACK





Suitable for:

3120280 COIL CONNECTOR
cable length 1 m
max temperature 70°C



5036913 OUTLET REDUCER 0.2 L/m in PINK



5028983 OUTLET REDUCER 15 L/m in RED



GIORIK 6042095

5062166 SOLENOID VALVE RPE 3-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
3/4" inlet with filter - three outlets ø 10.5 mm



GIORIK 6042080

3120640 ADJUSTER FOR OUTLET 0.60 L/min GREY



3120642 ADJUSTER FOR OUTLET 1.10 L/min WHITE



GIORIK

Suitable for:

5046981 OUTLET REDUCER 0.10 L/M in BROWN



GIORIK 6042091

5073916 OUTLET REDUCER 0.40L/m in GREEN



3120639 ADJUSTER FOR OUTLET 0.50 L/min LIME



3120641 ADJUSTER FOR OUTLET 0.90 L/min BLUE



3120643 ADJUSTER FOR OUTLET 1.70 L/min YELLOW






Suitable for:

3120644 ADJUSTER FOR OUTLET 2.15 L/min VIOLETT



3120280 COIL CONNECTOR
cable length 1 m
max temperature 70°C



5036913 OUTLET REDUCER 0.2 L/min PINK



5028983 OUTLET REDUCER 15 L/min RED



GIORIK 6042095

5013420 VALVE CEME 2 VAYS \varnothing 1/4" F 230V
9934 - max 25bar
with coil 18,5VA 230V 50/60Hz



GIORIK 6042075

GIORIK 6042089

GIORIK



Suitable for:

3120645 ADJUSTER FOR OUTLET 2.70 L/min BLACK



5046981 OUTLET REDUCER 0.10 L/Min BROWN



GIORIK 6042091

5073916 OUTLET REDUCER 0.40L/min GREEN



Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



GIORIK 6041059

Sparking and detection plugs

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M4x1 mm
 overall length 65 mm



GIORIK 6010046

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F



GIORIK 6010087

5047386 ROUND IGNITION PLUG \varnothing 7x35 mm
 male faston M4x1 mm
 overall length 52 mm
 for Salamander (GIORIK) SG520



GIORIK 6010062

5076793 ROUND IGNITION PLUG \varnothing 7x44 mm
 faston M M4x1 mm
 total length 88 mm



GIORIK 2018665

3020230 ROUND IGNITION PLUG \varnothing 7x54 mm
 male faston M4x1 mm
 overall length 63 mm
 for COOKING HOB series 700 PROTAGONISTA NUOVA
 for COOKING HOB series 900 PROTAGONISTA NUOVA
 for COOKING HOB series 1100 PROTAGONISTA NUOVA



GIORIK 6010061

Switches

3319146 CHANGEOVER BIPOLAR SWITCH BLACK 16A 250V
 16(4)A 250V
 silk-screen printing 0 - I
 max. temperature 120°C
 mounting hole 22x30 mm
 for Potato heater (GIORIK) 401L



GIORIK 6032031

3319780 BLOCK CONNECTION WHITE 22x30 mm





Suitable for:

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



GIORIK

Suitable for:

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm




Taps for tank refilling

3183051 NUT M20x1.5



GIORIK 5340043

3183050 NUT 1/2"



GIORIK 7070085

5001432 SILKSCREENED BLACK RING ø 75 mm
for water inlet pipe



GIORIK 5900274

3183045 SPOUT
outlet spout ø 18 mm
for Pasta cooker gas (GIORIK) CPG2L



GIORIK 2101769

3183051 NUT M20x1.5



GIORIK 5340043

3183050 NUT 1/2"



GIORIK 7070085

3020082 OLIVE FOR PIPE ø 12 mm
for model PEL 22-24-25



GIORIK 7070025

Suitable for:

Suitable for:

3242233 TAP KNOB - BLACK
D-shape hole \varnothing 9x8 mm



GIORIK 2001250

3359120 WATER INLET TAP \varnothing 1/2"FF
D shaft 9x8 mm
for Pasta cooker (GIORIK) - Series 700
Series 900



GIORIK 7060018

5001432 SILKSCREENED BLACK RING \varnothing 75 mm
for water inlet pipe



GIORIK 5900274

3242233 TAP KNOB - BLACK
D-shape hole \varnothing 9x8 mm



GIORIK 2001250

Thermocouples and accessories

3440193 BUSHING HEXAGON THREADED M6x0.75



GIORIK 6010171

3440151 CONNECTOR FOR DISPLAY DEVICE M9x1



GIORIK 7050032

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



GIORIK 6010064

3440019 EXTENSION FOR THERMOCOUPLE M9x1 60 cm.
female nut M9x1



GIORIK 6010052



Suitable for:

GIORIK




3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



GIORIK 6010065

Suitable for:

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



GIORIK 6010055

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS




5092559 THERMOCOUPLE M8x1 70 cm GIUNTO M6x0,75



GIORIK 6010057

3440194 THERMOCOUPLE M9x1 60 cm COUPL. M6x0,75




GIORIK 6010041

3440193 BUSHING HEXAGON THREADED M6x0.75



GIORIK 6010171

3440197 NUT FOR THERMOCOUPLE COUPL. M6x0,75



GIORIK 6010171

3440107 NUT FOR THERMOCOUPLE COUPLING M6x0.75



3440034 THERMOCOUPLE SIT M9x1 50 cm



3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIORIK 6010058

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIORIK 6010058

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



GIORIK 6010058

GIORIK 6010063

Suitable for:

3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm



GIORIK 6010056

Suitable for:

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS




3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm



GIORIK 6010055

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS




GIORIK 6010055

3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm



GIORIK 6010057

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS



GIORIK 6010057


Thermostats

3444107 SINGLE-PHASE THERMOSTAT 220°C
with manual reset
capillary length 870 mm - 16A 250V
bulb \varnothing 6x142 mm - with adapter nipple bland M9x1
for Fryer (GIORIK)



GIORIK 6010020


3444377 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 6x80 mm - with adapter nipple bland M10x1
for Fryer electric (GIORIK) - Series FT - FTR3
FTR5 - FTR6



GIORIK 6010006


GIORIK 6010018

3444285 SINGLE-PHASE THERMOSTAT 350°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb \varnothing 6x77 mm



GIORIK 6010026

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1010 mm - 16A 250V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1
for Fryer electric (GIORIK) - Series FT - FTR3
FTR5 - FTR6



GIORIK 6010005

GIORIK 6010011




Suitable for:

GIORIK




3444122 STUFFING GLAND FOR THERMOSTAT MILLED M10



GIORIK 6030024

Suitable for:

5059787 THERMOSTAT SINGLE-PHASE 230°C
with manual reset
covered capillary length 730 mm - 16A 250V
bulb \varnothing 6x77 mm



GIORIK 2001046

3444239 THERMOSTAT SINGLE-PHASE 240°C
with manual reset
covered capillary length 860 mm - 16A 250V
bulb \varnothing 6x77 mm - with stuffing gland fitting M10x1
with M9x1 thermocouple interruption fitting
for Fryer gas (GIORIK) - Series FRG



GIORIK 2001046

GIORIK 2011140

5020718 THERMOSTAT SINGLE-PHASE 240°C
complete with cut-off thermocouple
manual reset
covered capillary length 860 mm - 16A 250V
bulb \varnothing 6x77 mm - with adapter nipple gland M10x1
for Fryer gas (GIORIK) FRG46-FRG66



GIORIK 2010152

3444378 THERMOSTAT SINGLE-PHASE 25-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1780 mm
bulb \varnothing 3x160 mm



GIORIK 6010017

5091283 THERMOSTAT SINGLE-PHASE 30-90°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 840 mm
bulb \varnothing 6x83 mm



GIORIK 6010019

GIORIK 6010094

5044987 THERMOSTAT SINGLE-PHASE 40-280°C
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 1000 mm - 16A 250V
bulb \varnothing 3x198 mm



GIORIK 6010029


GIORIK 6010044

5033636 THERMOSTAT SINGLE-PHASE 780°C
manual reset
bulb \varnothing 4x170 mm



GIORIK 6010039


3444770 THREE-PHASE THERMOSTAT 157°C
with manual reset
covered capillary length 900 mm - 16A 230V
bulb \varnothing 6x80 mm



GIORIK 6010002

Suitable for:

3444375 THREE-PHASE THERMOSTAT 225°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x90 mm - with adapter nipple band M10x1
for Fryer (GIORIK) - Series FT
for Fryer electric (GIORIK) FTR10 - FTR6 - FTR7




GIORIK 6010037

3444307 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1




GIORIK 6010036

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb \varnothing 3x190 mm




GIORIK 5910029

3444620 THREE-PHASE THERMOSTAT 45-120°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm - 16A 380V
bulb \varnothing 6x140 mm
for Pasta cooker electric (GIORIK) - Series 700
Series 900



GIORIK 6010016

3444790 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 800 mm - 10A 400V
bulb \varnothing 4x120 mm



GIORIK 5910028

GIORIK 6010091

3444366 THREE-PHASE THERMOSTAT 90-180°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M10x1



GIORIK 6010004



Suitable for:

GIORIK




Suitable for:

Timers

3446002 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



GIORIK 6032040

3446005 BLACK KNOB ABS 38x38 mm

D-shaped hole \varnothing 6x4.6 mm
for timer



Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



GIORIK 6010086

Tubing and hoses

5001488 DRAIN HOSE

external \varnothing 36 mm - internal \varnothing 28 mm
SOLD PER METER
for Pasta cooker electric (GIORIK) CP23N
for Pasta cooker gas (GIORIK) CPG23N



GIORIK 7090105

Washing showers

3359610 BLACK SHOWER HEAD ECO \varnothing 1/2" M

with coupling 3/8" Mx1/2" M



GIORIK 7080010

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com