



## Spare parts for the professional sector: Cooking equipment



Suitable for:

# IMEGAS



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# IMEGAS



Suitable for:

## Electric hot plates

**3311094 ELECTRIC HOT PLATE  $\phi$  180 mm 1500W 230V**  
 MODEL "ECODESIGN"  
 terminal block electric connections  
 with STAINLESS steel edge 8 mm  
 for electric cooking top



IMEGAS

## Gas taps and accessories

**3348188 FLANGE COMPLETE FOR PEL22**  
 holes mounting distance 40 mm - pipe  $\phi$  27 mm



IMEGAS

**3348189 FLANGE COMPLETE FOR PEL22**  
 holes mounting distance 34 mm - pipe  $\phi$  21 mm



IMEGAS

**3348107 GAS TAP COPRECI CAL10200**  
 without pilot flame  
 flange inlet fitting  
 outlet fittings  $\phi$  M16x1.5 mm  
 double thermocouple connection M8x1  
 D-shaped long pin  $\phi$  8x6.5 mm




IMEGAS 28.1267

**3786025 GASKET FOR GAS TAP  $\phi$  20x7x1 mm**




**3348193 GAS TAP COPRECI CAL3200**  
 with pilot flame  
 connections  $\phi$  M18x1.5 mm  
 complete with nozzles  $\phi$  0.55 -  $\phi$  0.90 -  $\phi$  1.30 mm  
 thermocouple connection M8x1  
 D-shaped pin  $\phi$  10x8 mm



IMEGAS CAL3200/0.61-1,30


**3348116 GAS TAP SABAF**  
 without pilot flame  
 flange fitting  
 outlet fitting M13x1.5 mm  
 thermocouple fittings M8x1  
 D-shaped pin  $\phi$  8x6.5 mm



IMEGAS 28.8650




**3348117 GAS TAP 21/S**  
 with pilot flame  
 pipe flange fitting  $\varnothing$  21 mm  
 outlet fitting M16x1.5 mm  
 thermocouple connection M8x1  
 D-shaped pin  $\varnothing$  8x6.5 mm




IMEGAS 28.1268


**3348219 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 45/20 mm upper/lower  
 for model PEL 21



**3348221 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 30/17,5 mm upper/lower  
 for model PEL 21




**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin 35/15 mm upper/lower  
 for model PEL 21S




**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
 thread M16x1,5 mm - M10x1,25 mm  
 for model PEL 21S




**7102841 BODY FITTING TAP**  
 $\varnothing$  pipe 10 mm  
 thread  $\varnothing$  3/8" F - M16x1 mm  
 for taps PEL 20S-21S




**3348220 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 30/23 mm upper/lower  
 for model PEL 21



**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22 mm  
 for model PEL 21S



**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22/15 mm right/lef  
 for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
 thread M18x1 mm  
 for model PEL 20-21-22





Suitable for:

**3348059** **MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22




# IMEGAS




Suitable for:

**3182022** **MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3182011** **MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348044** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25




**3348036** **OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3348037** **OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348043** **PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



**3348029** **PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25




**3020078** **PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



**5014757** **PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



**3348112 GAS TAP 22/S**  
 with pilot flame  
 with turned horizontal flange  
 pipe flange fitting  $\varnothing$  27 mm  
 outlet fitting M20x1.5 mm  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  8x6.5 mm - long pin




**3348229 CAP WITH PIN  $\varnothing$  10 mm**  
 pin length 31 mm  
 for model PEL 22S/0



IMEGAS


**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 26 mm  
 for model PEL 22



**3348245 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 34/26 mm upper/lower  
 for model PEL 22S




**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
 pin length 26 mm  
 for model PEL 22



**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 35/21 mm upper/lower  
 for model PEL 22



**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 39/7 mm upper/lower  
 for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
 without adjustment  
 thread M20x1.5 mm  
 for model PEL 22S



**3348188 FLANGE COMPLETE FOR PEL22**  
 holes mounting distance 40 mm - pipe  $\varnothing$  27 mm



**3348189 FLANGE COMPLETE FOR PEL22**  
 holes mounting distance 34 mm - pipe  $\varnothing$  21 mm



IMEGAS

IMEGAS






Suitable for:

**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



# IMEGAS

Suitable for:

**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25




**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



## IMEGAS

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



## Heating elements

**3755899 FINNED HEATING ELEMENT 1250W 230V**  
length 630 mm - width 50 mm  
couplings M12x1,25 mm  
for Warm table electric (IMEGAS)



IMEGAS 10.2363

## Hinges, catches and accessories

**3053312 RIGHT-LEFTHAND DOOR HINGE FOR OVEN**  
with door hinge roll holder  
hinge mounting distance 175 mm  
overall hinge length 207 mm  
hinge height 162 mm  
door hinge roll holder mounting distance 95 mm  
door hinge roll holder overall length 110 mm  
door hinge roll holder height 23 mm



IMEGAS 28.8846



Suitable for:

# IMEGAS



Suitable for:

## Ignitors

**3001020 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



IMEGAS 310

**5071589 WATERTIGHT PIEZO CAP**  
made of silicone rubber




**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber



## Knobs

**3241626 BLACK KNOB  $\varnothing$  70 mm**  
D-shaped hole 6x4.6 mm  
for Bain-marie (IMEGAS)



IMEGAS 10.1576

## Nozzles

**3500058 GAS JET M7x1  $\varnothing$  1.00 mm**



IMEGAS 28.8808

## Pilot burners and accessories

**3020400 GAS JET M4x1 LPG FOR PILOT**



IMEGAS 107-GPL

IMEGAS 107B

**3020412 NATURAL GAS JET M4x1 FOR PILOT BURNER**



IMEGAS 107-METANO

IMEGAS 107N



**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



IMEGAS 109


**3020103 BRACKET 3 POSITIONS**



**3020110 DEFLECTOR 3 FLAMES**



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



Suitable for:

**3020104 BRACKET CLAMP 3 POSITIONS**




**3020109 DEFLECTOR 2 FLAMES**



**5048713 DEFLECTOR 3 FLAMES**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm





Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



# IMEGAS



Suitable for:

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**




**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



**3020054 PILOT JET  $\varnothing$  0.20 mm**



**3020156 PILOT JET  $\varnothing$  0.25 mm**



**4058525 PILOT JET  $\varnothing$  0.30 mm**



**3020055 PILOT JET  $\varnothing$  0.35 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**





Suitable for:

3500269 PILOT JET  $\varnothing$  0.45 mm



3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm



3020106 PILOT WITH 0.25 mm  $\varnothing$  JET



3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



5033138 PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## IMEGAS

Suitable for:

5075989 PILOT JET  $\varnothing$  0.70 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1





Suitable for:


# IMEGAS

Suitable for:



## Selector switches

**3057087 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°  
D-shaped pin ø 6x4.6 mm



IMEGAS 10.4404

## Sparking and detection plugs

**3020215 SQUARE IGNITION PLUG 6/7x44 mm**  
F connection 2.8x0.8 mm  
overall length 60 mm



IMEGAS 300

## Thermocouples and accessories

**3440056 THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1**



IMEGAS 350

**3440064 NUT FOR THERMOCOUPLE M8x1**



**3440033 THERMOCOUPLE SIT M9x1 32 cm**



IMEGAS 340

**3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS**



IMEGAS 340

**3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS**



IMEGAS 340

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
**Legal address:**  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
**Business/Mailing address:**  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)