



# Spare parts for the professional sector: Cooking equipment



Suitable for:

# JEMI



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:


JEMI



Suitable for:

## Air regulators

**3025545 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  19 mm  
height 80 mm



JEMI 990909

JEMI 999035

## Ball valves and accessories

**3526601 GAS VALVE  $\varnothing$  1/2" FF**  
ballcock valve  
heavy series with PN 40 total passage  
DIN - DVGW approved  
aluminium lever



JEMI 210070

**3526602 GAS VALVE  $\varnothing$  3/4" FF**  
ballcock valve  
heavy series with PN 40 total passage  
DIN - DVGW approved  
aluminium lever



JEMI 210069


## Burners, flame spreaders and accessories

**3025829 BURNER  $\varnothing$  120 mm**  
for Pot stove gas (JEMI)



JEMI 998209

**3025544 BURNER  $\varnothing$  125 mm**  
for Pot stove gas (JEMI) - Series 700 - Series 750



JEMI 070414

**5063984 BURNER  $\varnothing$  150 mm**  
for Pot stove gas (JEMI)



JEMI 998208

**3025830 FLAME SPREADER  $\varnothing$  120 mm OPAQUE**  
for Pot stove gas (JEMI)




JEMI 998219

**3025829 BURNER  $\varnothing$  120 mm**  
for Pot stove gas (JEMI)



JEMI 998209

**3025828 FLAME SPREADER  $\varnothing$  120 mm POLISH**  
for Pot stove gas (JEMI)



JEMI 998217

**3025829 BURNER  $\varnothing$  120 mm**  
for Pot stove gas (JEMI)



JEMI 998209

**3025543 FLAME SPREADER  $\varnothing$  125 mm**  
for Pot stove gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 600 - Series 700  
Series 750 - Series 900



JEMI 990405

Suitable for:

**3025545 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  19 mm  
height 80 mm



JEMI 990909

JEMI 999035


**3025545 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  19 mm  
height 80 mm



JEMI 990909

JEMI 999035

**3025544 BURNER  $\varnothing$  125 mm**  
for Pot stove gas (JEMI) - Series 700 - Series 750



JEMI 070414



Suitable for:

# JEMI



**5063985 FLAME SPREADER ø 150 mm OPAQUE**  
for Pot stove gas (JEMI)




JEMI 998218

**5063984 BURNER ø 150 mm**  
for Pot stove gas (JEMI)



JEMI 998208

**3025827 FLAME SPREADER ø 150 mm POLISH**  
for Pot stove gas (JEMI)



JEMI 998216

**5063984 BURNER ø 150 mm**  
for Pot stove gas (JEMI)



JEMI 998208

**5089963 FLAME SPREADER ø 150 mm WOK**



JEMI 998247

Suitable for:


**3025545 AERATION REGULATOR**  
internal ø 17 mm - external ø 19 mm  
height 80 mm



JEMI 990909

JEMI 999035

**3025545 AERATION REGULATOR**  
internal ø 17 mm - external ø 19 mm  
height 80 mm



JEMI 990909

JEMI 999035

Suitable for:

**3025547 FLAME SPREADER  $\varnothing$  155 mm**  
 for Pot stove gas (JEMI) - Series 1000  
 Series 1300 - Series 550 - Series 600 - Series 700  
 Series 750 - Series 900



JEMI 590406

Suitable for:

**3025545 AERATION REGULATOR**  
 internal  $\varnothing$  17 mm - external  $\varnothing$  19 mm  
 height 80 mm



JEMI 990909

JEMI 999035

## Cables for piezo igniters

**3001046 IGNITION LEAD 370 mm**  
 with faston 2.8x0.8 mm for ignition  
 with faston  $\varnothing$  2.4 mm for plug  
 for Fryer gas (JEMI) - Series 1000 - Series 1300  
 Series 600 - Series 700 - Series 750 - Series 900



JEMI 240004

**3001045 IGNITION LEAD 930 mm**  
 with faston 2.8x0.8 mm for ignition  
 with faston  $\varnothing$  2.4 mm for plug  
 for Boiling pan gas (JEMI) - Series 1000  
 Series 1300 - Series 550 - Series 700 - Series 750  
 Series 900



JEMI 240005

## Clamps

**3449453 HOSE CLAMP 25-40**  
 for pipes  $\varnothing$  25÷40 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



JEMI 2501048

**3449472 HOSE CLAMP 40-60**  
 for pipes  $\varnothing$  40÷60 mm  
 made of stainless steel AISI 304  
 height 12 mm and screw E7  
 suitable for food industry



JEMI 2501090

**3449475 HOSE CLAMP 60-80**  
 for pipes  $\varnothing$  60÷80 mm  
 made of stainless steel AISI 304  
 height 12 mm and screw E7  
 suitable for food industry



JEMI 2501210

JEMI 2502140



Suitable for:

# JEMI



Suitable for:

## Contactors

**3454060 CONTACTOR SCHNEIDER LC1D09B7**  
 9A 400V 4Kw - coil 24V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



JEMI 2008328

**3454013 CONTACTOR SCHNEIDER LC1D09P7**  
 9A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



JEMI 2008325

**3454017 CONTACTOR SCHNEIDER LC1D09V7**  
 9A 400V 4Kw - coil 400V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



JEMI 2008326

**3454015 CONTACTOR SCHNEIDER LC1D18P7**  
 18A 400V 7.5Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



JEMI 2008332

## Cooking baskets and accessories

**3055489 PASTA COOKER BASKET 140x140x200 mm**  
 made of STAINLESS steel  
 for Pasta cooker (JEMI)



JEMI 139048

JEMI 9139048

**3055135 PASTA COOKER BASKET 160x290x200 mm**  
 for 13 portions approx  
 made of STAINLESS STEEL



JEMI 139047

**3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1**





Suitable for:

**3155002 KNOB BLACK PLASTIC  $\varnothing$  28x84 mm M8x1**



**JEMI**

Suitable for:



## Door catches

**3398076 DOOR CATCH**  
for CUPBOARD 550-700-750-900-1000



JEMI 210054

## Drain taps and accessories

**3356096 DRAIN TAP  $\varnothing$  1/2"FF**  
for Bain-marie (JEMI) - Series 1000 - Series 1300  
Series 600 - Series 700 - Series 750 - Series 900  
for Boiling pan (JEMI) - Series 700 - Series 900  
for Bratt pan (JEMI) - Series 900  
for Pasta cooker (JEMI) - Series 700 - Series 900



JEMI 1001024

JEMI 210001

**3356007 DRAIN TAP  $\varnothing$  1"1/2F TECNO**  
TAPERED SEAL - swivel nut  $\varnothing$  1"1/2F  
with gasket  
for BOILING PAN



JEMI 137025

**3186240 ASBESTOS FREE FLAT GASKET  $\varnothing$  46x38x2 mm**  
for drain tap  $\varnothing$  1"1/2





Suitable for:

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
 length 50 mt  
 suitable to hot and cold drinking water, gas  
 replaces pastes, hemp and sealing tapes  
 it allows the repositioning of couplings  
 in compliance with the latest regulations  
 Drinking water (Italian certification by C.S.A.,  
 according to standard KTW and WRC approved)  
 gas - water IMQ-UNICIG.  
 compliant with UNI EN 51-2 class Arp  
 approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature -45°/+120°  
 beige color - NSF H1 certified  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline



**3356128 PIN ø 5x30 mm**  
 complete with blind nut



**3180039 VASELINE WUERTH 750 g**  
 for lubrication of food processing machines  
 it protects chromed and rubber parts from  
 weather factors, moisture resistant,  
 operating temperature from -10°C up to +120°C  
 from +50°C to +120 °C the grease becomes oily



## JEMI

Suitable for:

**3186199 GASKET INTERNAL EPDM FOR TAPS**  
 NSF certified  
 for DRAIN TAP ø 1"1/4 and 1"1/2



**3242189 HANDGRIP FOR DRAIN TAP**  
 for DRAIN TAP ø 1"1/2F e 1"1/4F



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
 length 150 metri  
 suitable for hot / cold drinking water. gas  
 replaces pastes, hemp and sealing tapes  
 it allows the correct replacement of fittings  
 compliant with the latest regulatory requirements  
 Drinking water (C.S.A. italian certified.  
 in line with KTW standard and WRC approved )  
 IMQ-UNICIG gas-water,  
 compliant with UNI EN 51-2 class Arp  
 DVGW and DIN 30660 approved





**3356149 DRAIN TAP Ø 2" F TECNO**  
BRASS CAP - with swivel nut Ø 2" F



JEMI 137024

**3356101 CAP FOR DRAIN TAP**  
for DRAIN TAP Ø 2" OLD MODEL



**3242190 DRAIN TAP HANDGRIP**  
for DRAIN TAP Ø 2" OLD MODEL  
AND FOR TECNO NEW MODEL



**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



Suitable for:  
**3186242 ASBESTOS FREE FLAT GASKET Ø 61x46x2 mm**  
for drain tap Ø 2" old model



**3356016 DRAIN NIPPLE Ø 2"x80 mm**  
in brass



**3356012 ESCUTCHEON FOR DRAIN TAP Ø 2"**



**5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm**  
for drain tap Ø 2"





Suitable for:

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**

food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



**3356128 PIN ø 5x30 mm**

complete with blind nut



**3180039 VASELINE WUERTH 750 g**

for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from -10°C up to +120°C  
from +50°C to +120 °C the grease becomes oily



# JEMI



Suitable for:

**3186241 O-RING 06212 VITON**

ring thickness 5.34 mm - internal ø 53.34 mm  
for DRAIN TAP ø 2" OLD MODEL AND  
TECNO NEW MODEL



JEMI 210080

**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**


length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



## Electric hot plates

**3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V**


terminal block electric connections  
with STAINLESS steel edge 8 mm  
for electric cooking top



JEMI 240043

**3311097 ELECTRIC HOT PLATE ø 180 mm 2000W 400V**


terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



JEMI 240041

Suitable for:

**3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



JEMI 240044

Suitable for:

**3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



JEMI 240042

**3311063 ELECTRIC HOT PLATE 3000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



JEMI 240054

**3311065 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



JEMI 240053

## Electrical cables

**3050027 POWER SUPPLY CABLE FOR HEATING ELEMENT**  
220/380V  
for Fryer (JEMI)



JEMI 2099006

## Electrical capacitors

**3068019 CAPACITOR DUCATI ENERGIA 12,5µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connection 6.35x0.8 mm  
ø 36xh70 mm



JEMI 2013001

**3068024 CAPACITOR DUCATI ENERGIA 16µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connector 6.35x0.8 mm  
ø 36xh70 mm



JEMI 2013019



Suitable for:

# JEMI



**3068081 CAPACITOR ELECTRICAL 12.5µF**  
450V 50/60Hz - ø 35xh71 mm



JEMI 2013001

Suitable for:

**3068083 CAPACITOR ELECTRICAL 16µF**  
450V 50/60Hz - ø 35xh71 mm



JEMI 2013019

## Electrical gas valves and accessories

**3526090 VALVE 810 Elettrosit ø 3/4"FF**  
inlet ø 3/4" F - outlet ø 3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3 ÷ 18 mbar  
ambient temperature 0 ÷ 60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



JEMI 998147

**3526100 COIL 220V**  
for VALVE Elettrosit



**3526137 BUTTON FOR Elettrosit VALVE 46 mm**



**3526093 EXTENSION FOR Elettrosit BUTTON 34 mm**  
for switching on/off buttons



**3526108 ELBOW FLANGE ø 1/2" F**  
with screws and OR  
for Elettrosit VALVE



**3526107 FLANGE STRAIGHT ø 3/4" F**  
with screws and OR  
for Elettrosit VALVE



**3526106 FLANGE STRAIGHT ø 1/2" F**  
with screws and OR  
for Elettrosit VALVE



**3001008 PIEZO IGNITER**  
a ø 14 mm hole is required for the assembly  
faston M ø 2.4 mm





Suitable for:

**3526136 SPRING FOR PUSH-BUTTON**



# JEMI



Suitable for:

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



**3526300 VALVE 820 NOVA mV  $\phi$  1/2"FF**  
inlet  $\phi$  1/2"F - outlet  $\phi$  1/2"F  
thermocouple fitting M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure range setting  
outlet 5÷50 mbar  
room temperature 0÷70°C  
double wire thermopile power supply  
(TPTH - TH terminal)  
thermostat connection (TPTH - TH terminal)  
suitable to replace the ITT valve  
UB67 model



**3526270 VALVE 820 NOVA EXTENSION**  
D shaft  $\phi$  10x8 mm



JEMI 998161

**2100054 COIL 220V 60Hz**  
for VALVE 820 NOVA-822 NOVA-828 NOVA



**3526077 ELBOW FLANGE  $\phi$  1/2"F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P




**3526078 ELBOW FLANGE  $\phi$  3/4"F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P




**5047586 EXTENSION FOR VALVE 820 NOVA**  
D-shaped pin  $\phi$  10x8 mm



**3020083 FITTING AND OLIVE  $\phi$  4 mm**



**3020084 FITTING AND OLIVE  $\phi$  6 mm**



JEMI 997006



Suitable for:

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm



## JEMI




Suitable for:

**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



**3440200 THERMOPILE WITH TWIN LEAD  $\varnothing$  9x65 mm**  
cable length 800 mm - with coupling M11X1



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



## Electronic controllers


**3445198 THERMOSTAT ATR121 PT100**  
power supply 230V  
control in 1 actuation point  
relay output 5(3)A 250V  
room temperature 0+40°C  
PT100 type probe (not included)  
connections by screw terminal block  
front size 77x35x61 mm  
mounting hole 71x29 mm



JEMI 240075

JEMI 240076

**3445201 PROBE FITTING  $\varnothing$  16x25 mm**  
thread M12x1



JEMI 240107



Suitable for:

**3445199 TEMPERATURE PROBE**  
2-wire probe with pointers  
capillary length 950 mm



JEMI 240077

JEMI 240106

**3445111 TRANSFORMER 24V/12V 3VA**  
primary tension 24Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0÷60°C  
screw terminal block  
IMQ approved



## JEMI

Suitable for:

**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0÷60°C  
screw terminal block  
IMQ approved



---

## Feet

**3313035 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 105 mm**  
with square flange 78x78 mm  
adjustable height 105÷160 mm



JEMI 210074

**3313034 PLASTIC FOOT  $\varnothing$  42 mm**  
with fixed screw M10x31 mm



JEMI 670600

JEMI 996000

---

## Fryer baskets and accessories

**3055497 BASKET HANDGRIP  $\varnothing$  32x150 mm**  
of plastic



JEMI 4046001

JEMI 4046002

**3055492 FRYER BASKET  $\varnothing$  200x90 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) F-4 - J-4 - N-85



JEMI 3501010



Suitable for:

# JEMI



**3055480 FRYER BASKET ø 285x120 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) J-11 - N-18



JEMI 3501021

Suitable for:

**3055497 BASKET HANDGRIP ø 32x150 mm**  
of plastic



JEMI 4046001

JEMI 4046002

**3055493 FRYER BASKET ø 315x140 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) J-15 - N-27



JEMI 3501035

**3055495 FRYER BASKET ø 420x140 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) N-54



JEMI 3501045

**3055479 FRYER BASKET 245x130x120 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) F-3 - J-3



JEMI 3501071

**3055486 FRYER BASKET 257x185x90 mm**  
made of chrome-plated iron  
for Fryer electric (JEMI) F-6 - FR-60 - J-6 - N-10



JEMI 3501072

**5050732 FRYER BASKET 275x130x95 mm**  
stainless steel  
for Fryer electric (JEMI) - Series 750  
for Fryer gas (JEMI) - Series 750



JEMI 139112

**5050733 FRYER BASKET 275x280x95 mm**  
stainless steel  
for Fryer electric (JEMI) - Series 700  
for Fryer gas (JEMI) - Series 700



JEMI 139054

**3055496 FRYER BASKET 290x115x110 mm**  
made of chrome-plated iron  
for Fryer (JEMI) - Series 750



JEMI 137020



Suitable for:

**3055487 FRYER BASKET 295x240x110 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) FR-75



JEMI 137013

Suitable for:

**3055497 BASKET HANDGRIP ø 32x150 mm**  
of plastic



JEMI 4046001

JEMI 4046002

**3055488 FRYER BASKET 370x145x120 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) FR-90



JEMI 210007

**3055497 BASKET HANDGRIP ø 32x150 mm**  
of plastic



JEMI 4046001

JEMI 4046002

**3055494 FRYER BASKET 375x295x125 mm**  
made of STAINLESS steel  
for Fryer (JEMI) - Series 900



JEMI 210008

**3055497 BASKET HANDGRIP ø 32x150 mm**  
of plastic



JEMI 4046001

JEMI 4046002

**5050729 FRYER BASKET 440x135x105 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) - Series 750  
for Fryer gas (JEMI) - Series 900



JEMI 139110

## Gas burners

**3023307 BURNER ø 40x1000 mm**  
overall length 1055 mm  
made of STAINLESS steel  
for Oven under cooktop gas (JEMI) - Series 1300



JEMI 208016

**3023295 BURNER ø 40x370 mm**  
overall length 385 mm  
made of STAINLESS steel  
for Fry top gas (JEMI) - Series 600 - Series 700



JEMI 998045

JEMI 998241



Suitable for:

# JEMI



**3023304** **BURNER ø 40x370 mm**  
overall length 420 mm  
made of STAINLESS steel  
for Oven under cooktop gas (JEMI) - Series 550



JEMI 508012

JEMI 998012

Suitable for:

**3023294** **BURNER ø 40x495 mm**  
overall length 510 mm  
made of STAINLESS steel  
for Fry top gas (JEMI) - Series 1000 - Series 900



JEMI 998046

JEMI 998242

**3023293** **BURNER ø 40x500 mm**  
overall length 540 mm  
made of STAINLESS steel  
for Oven under cooktop gas (JEMI) - Series 700



JEMI 708013

JEMI 998013

**3023291** **BURNER ø 40x555 mm**  
overall length 630 mm  
made of STAINLESS steel  
for Oven under cooktop gas (JEMI) - Series 1000  
Series 900



JEMI 998015

JEMI 998019

**3023296** **BURNER ø 40x555 mm**  
overall length 570 mm  
made of STAINLESS steel  
for Fry top gas (JEMI) - Series 1300



JEMI 998047

JEMI 998243

**5058027** **BURNER ø 40x555 mm**  
overall length 630 mm  
of stainless steel



JEMI 998049

**3023297** **BURNER ø 50x340 mm**  
overall length 475 mm  
made of STAINLESS steel  
for Fryer gas (JEMI) - Series 700  
for Pasta cooker gas (JEMI) - Series 700



JEMI 998188

**5008651** **BURNER ø 50x450 mm**  
total length 458 mm  
made of STAINLESS STEEL  
for Boiling pan gas (JEMI) - Series 900



JEMI 998174



# JEMI



Suitable for:

**3023292 BURNER  $\varnothing$  50x500 mm**  
overall length 640 mm  
made of STAINLESS steel  
for Fryer gas (JEMI) - Series 900  
for Pasta cooker gas (JEMI) - Series 900



JEMI 998187

Suitable for:

**3023299 BURNER 230x90 mm**  
made of STAINLESS steel  
for Boiling pan gas (JEMI) - Series 700



JEMI 998018

JEMI 998175

**3023303 BURNER 285x285 mm**  
overall length 400 mm  
made of chrome-plated iron  
for Grill gas (JEMI) - Series 550



JEMI 508009

**3023255 VERTICAL BURNER  $\varnothing$  75x180 mm**  
made of chrome-plated iron  
for Fryer gas (JEMI) - Series 600



JEMI 998154

**3352502 AERATION REGULATOR**  
length 60 mm



**3023141 VERTICAL BURNER 305x55 mm**  
made of chrome-plated iron  
for Fryer gas (JEMI) - Series 1000 - Series 1300  
Series 700 - Series 900



JEMI 998148



Suitable for:

JEMI



Suitable for:

## Gas taps and accessories

- 3348110 GAS TAP GAI**  
 without pilot flame  
 flange pipe fitting  $\varnothing$  23 mm  
 outlet fitting  $\varnothing$  3/8" M  
 double thermocouple fitting M8x1  
 D-shaped pin  $\varnothing$  8x6.5 mm  
 for Pot stove (JEMI) - Series 550



JEMI 508005

- 3348109 GAS TAP 21/S**  
 with pilot flame  
 fittings  $\varnothing$  M16x1.5mm  
 thermocouple connection M8x1  
 D-shaped pin  $\varnothing$  8x6.5 mm  
 for Pot stove (JEMI) - Series 1000 - Series 1300  
 Series 550 - Series 600 - Series 700 - Series 750  
 Series 900




JEMI 998026

- 3348219 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 45/20 mm upper/lower  
 for model PEL 21




- 3348221 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 30/17,5 mm upper/lower  
 for model PEL 21



- 7102841 BODY FITTING TAP**  
 $\varnothing$  pipe 10 mm  
 thread  $\varnothing$  3/8" F - M16x1 mm  
 for taps PEL 20S-21S



- 3348220 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 30/23 mm upper/lower  
 for model PEL 21




- 3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22 mm  
 for model PEL 21S





Suitable for:

**3348238** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348236** FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059** MAGNET PROTECTION NUT M9x1  
thread M18x1mm  
for model PEL 20-21-22



**3182011** MAGNETIC UNIT PEL SMALL HEAD  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



JEMI 998027

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25




JEMI 997078

## JEMI

Suitable for:

**3348243** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058** MAGNET PROTECTION NUT M8x1  
thread M18x1 mm  
for model PEL 20-21-22



**3182022** MAGNETIC GROUP PEL SMALL HEAD  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



JEMI 997004

**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25





Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



JEMI 997003

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



# JEMI

Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348252** GAS TAP 21/S  
with pilot flame  
fittings M16x1.5 mm  
with flowrate adjuster  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  8x6.5 mm



**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



JEMI


**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21




**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348221** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/17,5 mm upper/lower  
for model PEL 21




**3348021** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22 mm  
for model PEL 21S






Suitable for:

**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



JEMI 998027

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25




JEMI 997078

## JEMI

Suitable for:

**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



JEMI 997004

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25





Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



JEMI 997003

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



# JEMI

Suitable for:


**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25




**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348005** GAS TAP 22S/O  
with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5 mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  10x8 mm



**3348229** CAP WITH PIN  $\varnothing$  10 mm  
pin length 31 mm  
for model PEL 22S/O



JEMI 998160

JEMI 998184


**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22



**3348245** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 34/26 mm upper/lower  
for model PEL 22S



**3348019** CAP WITH PIN  $\varnothing$  10x9 mm  
pin length 26 mm  
for model PEL 22



**3348231** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 35/21 mm upper/lower  
for model PEL 22








Suitable for:


**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 39/7 mm upper/lower  
for model PEL 22



**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



## JEMI

Suitable for:

**3348213 FLANGE  $\varnothing$  12/10 mm**  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S



**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25





Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



JEMI 997078

**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22




**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



**3348013 GAS TAP 23S/V**  
with pilot flame  
with vertical flange  
inlet fitting M28x1.5mm  
outlet connection M24x1.5mm  
with flow regulator  
thermocouple connection M10x1  
D-shaped pin  $\varnothing$  10x8 mm



JEMI 998159


# JEMI

Suitable for:

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



**3348060 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 25 mm  
for model PEL 23






Suitable for:

**3348062 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 35 mm  
for model PEL 23



**3348237 FLANGE HORIZONTAL  $\varnothing$  12/16 mm**  
without adjustment  
thread M24x1.5 mm  
for model PEL 23



**3182010 MAGNETIC UNIT PEL**  
head  $\varnothing$  24 mm - end piece  $\varnothing$  18 mm - length 59 mm  
thermocouple coupling M10x1  
for PEL tap model 23



**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25




## JEMI

Suitable for:

**3348027 FLANGE HORIZONTAL  $\varnothing$  12/16 mm**  
thread M24x1.5 mm  
for model PEL 23



**3348028 FLANGE VERTICAL  $\varnothing$  12/16 mm**  
thread M24x1.5  
for model PEL 23



**3348040 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 23



**3348042 OLIVE FOR PIPE  $\varnothing$  20 mm**  
for model PEL 23



**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25





Suitable for:

**3348033** PIPE FITTING  $\varnothing$  12 mm  
thread M24x1.5  
for model PEL 23



**3348035** PIPE FITTING  $\varnothing$  20 mm  
thread M28x1.5  
for model PEL 23



**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



JEMI 997004

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



JEMI 997003

# JEMI



Suitable for:

**3348034** PIPE FITTING  $\varnothing$  16 mm  
thread M24x1.5  
for model PEL 23



**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25




JEMI 997078



**Gas valves and accessories**

**3523923 MINISIT VALVE FOR FRYER 50÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 length capillary 1200 mm  
 bulb  $\varnothing$  5x95 mm  
 without cover. knob and flanges



JEMI 998155

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2"**  
 with screws and OR



**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
 thread  $\varnothing$  1/2"M




**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
 with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



**3523047 LID MINISIT**




**3182003 MAGNETIC UNIT SIT**  
 head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
 for valve SIT AC2 - VR8-MINISIT



**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
 internal thread M10x0.75 - external thread M14x1.5



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 for model PEL 20-21-24-25



JEMI 997004



Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25




**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



**3523042 SENSING ELEMENT MINISIT 50 $\div$ 190 $^{\circ}$ C**  
capillary length 1200 mm  
bulb  $\varnothing$  5x95 mm



JEMI 998170

**3523042 SENSING ELEMENT MINISIT 50 $\div$ 190 $^{\circ}$ C**  
capillary length 1200 mm  
bulb  $\varnothing$  5x95 mm



JEMI 998170

# JEMI



Suitable for:

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm





**Grids for kitchen**

**3185148 PAN SUPPORT GRID 395x350 mm**  
for Pot stove (JEMI) - Series 1000 - Series 1300  
Series 550 - Series 600 - Series 900



JEMI 590401

**Handles**

**5047155 PLASTIC HANDLE 97 mm GREY**  
distance between fastening holes 68 mm



JEMI 4025003

**3242366 STAINLESS STEEL HANDLE  $\varnothing$  28x1190 mm**  
for Oven under cooktop gas (JEMI) - Series 550  
Series 700 - Series 750 - Series 900



JEMI 900022

**3242367 STAINLESS STEEL HANDLE  $\varnothing$  28x1300 mm**  
for Oven under cooktop gas (JEMI) - Series 1000



JEMI 300034

**3242368 STAINLESS STEEL HANDLE  $\varnothing$  28x1600 mm**  
for Oven under cooktop gas (JEMI) - Series 900



JEMI 900023

**3242363 STAINLESS STEEL HANDLE  $\varnothing$  28x390 mm**  
for Oven under cooktop gas (JEMI) - Series 550  
Series 700 - Series 900



JEMI 900020

**3242364 STAINLESS STEEL HANDLE  $\varnothing$  28x585 mm**  
for Oven under cooktop gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 700 - Series 750  
Series 900



JEMI 900024

**3242365 STAINLESS STEEL HANDLE  $\varnothing$  28x790 mm**  
for Oven under cooktop gas (JEMI) - Series 700  
Series 900



JEMI 900021



Suitable for:


JEMI



Suitable for:

## Heating elements

**3755009 HEATING ELEMENT BOILER 4500W 240V**  
immersed depth 280 mm  
flange external  $\varnothing$  60 mm - with bulbholder sheathin  
with O-ring  $\varnothing$  58 mm (3186013)  
for Pasta cooker electric (JEMI) - Series 700



JEMI 2001182

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



JEMI 2514180


**3755014 HEATING ELEMENT BOILER 6000W 230V**  
immersed depth 290 mm  
flange external  $\varnothing$  60 mm - with bulbholder sheathin  
with O-ring  $\varnothing$  58 mm (3186013)  
for Pasta cooker electric (JEMI) - Series 900



JEMI 2001187

JEMI 2001187+2514180

**3455007 FIXING FLANGE FOR HEATING ELEMENT**  
mounting distance 58 mm



JEMI 5537005

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



JEMI 2514180

**3755923 HEATING ELEMENT 1000W 230V**  
length 360 mm - width 100 mm  
fittings M12x1.25 mm  
for Hot cupboard electric (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 700 - Series 750  
Series 900



JEMI 240019

**3755933 HEATING ELEMENT 1000W 230V**  
length 700 mm - width 50 mm  
couplings M12x1,25 mm  
operating ambient: immersion  
for Bain-marie electric (JEMI) - Series 1000  
Series 1300




JEMI 240003



Suitable for:

**3455035 HEATING ELEMENT 2000W 230V**  
external  $\varnothing$  217 mm - height 125 mm  
for Fryer electric (JEMI) J-4 - N-85



JEMI 2001003

Suitable for:

**3755917 HEATING ELEMENT 2050W 220V**  
length 370 mm - width 60 mm  
height 290 mm - fittings M12x1.25 mm  
for Fryer electric (JEMI) - Series 700



JEMI 240029

**3755925 HEATING ELEMENT 2200W 230V**  
length 275 mm - width 130 mm  
height 170 mm - fittings M12x1.25 mm  
for Fryer electric (JEMI) J-3



JEMI 2001110

**3755926 HEATING ELEMENT 3200W 230V**  
length 350 mm - width 190 mm  
height 130 mm  
for Fryer electric (JEMI) J-6 VECCHIE  
N-10 VECCHIE




JEMI 2001115

**3050027 POWER SUPPLY CABLE FOR HEATING ELEMENT**  
220/380V  
for Fryer (JEMI)



JEMI 2099006

**5059449 HEATING ELEMENT 3500W 230V**  
length 350 mm - width 180 mm  
height 130 mm - complete with cables  
for Fryer electric (JEMI) J-6 NUOVE - N-10 NUOVE



JEMI 2001083

**3755915 HEATING ELEMENT 4000W 230/400V**  
length 370 mm - width 290 mm  
height 185 mm - with cables and receptacle  
for Fryer electric (JEMI) J-11 - N-18



JEMI 2001012



Suitable for:

# JEMI



**3755928 HEATING ELEMENT 4000W 230/400V**  
 length 675 mm - width 450 mm  
 flange 140x25 mm  
 for Oven under cooktop electric (JEMI)  
 Series 900



JEMI 240018

Suitable for:

**3755918 HEATING ELEMENT 4700/5600W 380/415V**  
 length 490 mm - width 80 mm  
 height 320 mm - fittings  $\varnothing$  1/4"  
 for Fryer electric (JEMI) - Series 1000  
 Series 1300 - Series 900



JEMI 240035

**3755919 HEATING ELEMENT 4700W 230V**  
 length 490 mm - width 90 mm  
 height 310 mm - fittings  $\varnothing$  1/4"  
 for Fryer electric (JEMI) - Series 1000  
 Series 1300 - Series 900



JEMI 240032

**3755931 HEATING ELEMENT 500W 230V**  
 length 365 mm - width 50 mm  
 fittings M12x1 mm  
 operating ambient: immersion  
 for Bain-marie electric (JEMI) - Series 600  
 Series 700



JEMI 240001

**3755927 HEATING ELEMENT 5000W 230V**  
 length 560 mm - width 350 mm  
 flange 140x25 mm  
 for Oven under cooktop electric (JEMI)  
 Series 700



JEMI 240039

**3755929 HEATING ELEMENT 6000W 220V**  
 length 700 mm - width 350 mm  
 flange 140x25 mm  
 for Oven under cooktop electric (JEMI)  
 Series 900



JEMI 240017

**3755908 HEATING ELEMENT 6000W 230V**  
 immersed length 395 mm  
 flange external  $\varnothing$  72 mm  
 with thermostat probe receptacle - with cap  
 with O-ring  
 upon request nut and washer  
 for Boiling pan electric (JEMI)



JEMI 240101

**3528238 FLAT WASHER M4**  
 internal/external  $\varnothing$  4,3/9 mm - thickness 0.8 mm  
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089





Suitable for:

**3528232 HEXAGONAL NUT MEDIUM SIZE M4**  
brass - UNI 5588 - DIN 934 - ISO 4032



## JEMI



Suitable for:

**3186014 O-RING 06225 EPDM ø 67 mm**  
ring thickness 5.34 mm - internal ø 56.52 mm



**3755932 HEATING ELEMENT 750W 230V**  
length 525 mm - width 50 mm  
fittings M12x1 mm  
operating ambient: immersion  
for Bain-marie electric (JEMI) - Series 900



JEMI 240002

JEMI 9240002

**3755921 HEATING ELEMENT 800W 230V**  
length 365 mm - width 40 mm  
for Fry top electric (JEMI) - Series 600  
Series 700 - Series 750



JEMI 240055

**3755914 HEATING ELEMENT 8000/8711W 230/240V**  
immersed length 465 mm  
flange external ø 72 mm  
with probe receptacle  
with O-ring  
upon request nut and washer  
for Boiling pan electric (JEMI) - Series 900



JEMI 240100

JEMI 240100+210114

**3528238 FLAT WASHER M4**  
internal/external ø 4.3/9 mm - thickness 0.8 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



**3528232 HEXAGONAL NUT MEDIUM SIZE M4**  
brass - UNI 5588 - DIN 934 - ISO 4032



**3186014 O-RING 06225 EPDM ø 67 mm**  
ring thickness 5.34 mm - internal ø 56.52 mm



**3755912 QUARTZ HEATING ELEMENT 400W 230V**  
length 280 mm - ø 12 mm



JEMI 240026

**3755913 QUARTZ HEATING ELEMENT 600W 230V**  
length 455 mm - ø 12 mm



JEMI 240022



Suitable for:

JEMI



Suitable for:


## Hinges, catches and accessories

- 3053314 DOOR HINGE BOTTOM**  
 mounting distance 42 mm  
 for Oven under cooktop (JEMI) - Series 1000  
 Series 900




JEMI 900035

- 3053034 LID HINGE RADIUS 320 mm**  
 for lid  $\phi$  640 mm  
 for BOILING KETTLE with round lid



JEMI 210087

- 3053110 SPRING RH  $\phi$  4 mm**  
 for hinges with radius 320-395 mm



- 3053111 SPRING LH  $\phi$  4 mm**  
 for hinges with radius 320-395 mm



- 3053311 SPRINGS RH-LH  $\phi$  4 mm**  
 for hinges



JEMI 210101

- 3053312 RIGHT-LEFTHAND DOOR HINGE FOR OVEN**  
 with door hinge roll holder  
 hinge mounting distance 175 mm  
 overall hinge length 207 mm  
 hinge height 162 mm  
 door hinge roll holder mounting distance 95 mm  
 door hinge roll holder overall length 110 mm  
 door hinge roll holder height 23 mm  
 for Oven under cooktop (JEMI) - Series 550  
 Series 600 - Series 700



JEMI 920600

- 3053313 RIGHT-LEFTHAND DOOR HINGE FOR OVEN**  
 with door hinge roll holder  
 hinge mounting distance 175 mm  
 overall hinge length 207 mm  
 hinge height 162 mm  
 door hinge roll holder mounting distance 95 mm  
 door hinge roll holder overall length 110 mm  
 door hinge roll holder height 23 mm  
 for Oven under cooktop (JEMI) - Series 1000  
 Series 1300 - Series 900



JEMI 920601

Suitable for:

Suitable for:


**3053311 SPRINGS RH-LH  $\varnothing$  4 mm**  
for hinges



JEMI 210101

## Hot plates

**3312076 SMOOTH PLATE 390x350 mm**  
made of cast iron  
for Pot stove (JEMI) - Series 1000 - Series 1300  
Series 550 - Series 600 - Series 900



JEMI 590402

**3312075 SMOOTH PLATE 545x395 mm**  
made of cast iron  
for Pot stove (JEMI) - Series 700 - Series 750



JEMI 070412

## Ignitors

**3001020 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



JEMI 210075

**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber



**5071589 WATERTIGHT PIEZO CAP**  
made of silicone rubber



## Indicator lights

**3221365 INDICATOR LIGHT GREEN 400V**  
head  $\varnothing$  21 mm - hole  $\varnothing$  13 mm



JEMI 240048

JEMI 9240048

**3221364 INDICATOR LIGHT ORANGE 400V**  
head  $\varnothing$  21 mm - hole  $\varnothing$  13 mm



JEMI 240049



Suitable for:

# JEMI



**3221364 INDICATOR LIGHT ORANGE 400V**  
head  $\varnothing$  21 mm - hole  $\varnothing$  13 mm



JEMI 240049

Suitable for:

**3221366 INDICATOR LIGHT WHITE 250V**  
 $\varnothing$  head 10 mm -  $\varnothing$  hole 9 mm  
wire connection length 200 mm  
for Fryer electric (JEMI) J-4 - N-85



JEMI 2014001

## Ironmongery (screws,nuts,washers)

**1241513 BLIND HEXAGONAL NUT M8 UNI 5721**  
stainless steel - height 16 mm UNI 5721 - DIN 1587



JEMI 1525011

**5008617 EXTERNAL TOOTHED WASHER M5**  
internal/external  $\varnothing$  5.3/10 mm - thickness 0.6 mm  
stainless steel - UNI 8842 A - DIN 6798 A



JEMI 1506005

**1186192 FLAT WASHER M5**  
internal/external  $\varnothing$  5.3/10 mm - thickness 1 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



JEMI 1505005

**3743145 FLAT WASHER M8**  
internal/external  $\varnothing$  8.4/16 mm - thickness 1.6 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089




JEMI 1505008

**3060069 HEXAGONAL NUT M8 MEDIUM**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



JEMI 1525009

**3528139 SELF-LOCKING HEXAGON NUT M5**  
stainless steel - with nylon built-in ring  
UNI 7474 - DIN 985 - ISO 10511



JEMI 1525014

## Knobs

**3241648 BLACK KNOB  $\varnothing$  65 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm  
for Boiling pan (JEMI) - Series 700 - Series 900



JEMI 996021

**3241639 BLACK KNOB  $\varnothing$  65 mm 0-1**  
D-shaped hole 6x4.6 mm  
for Oven under cooktop (JEMI) - Series 550  
Series 600 - Series 700 - Series 750 - Series 900



JEMI 996025

Suitable for:

**3241640 BLACK KNOB ø 65 mm 0-1-2-3**  
 D-shaped hole 6x4.6 mm  
 for Pot stove (JEMI) - Series 550 - Series 600  
 Series 700 - Series 900



JEMI 996023

Suitable for:

**3241645 BLACK KNOB ø 65 mm 1-2-3-4-5-6-7-8**  
 D-shaped hole 6x4.6 mm  
 for Fry top (JEMI) - Series 1000 - Series 1300  
 Series 550 - Series 600 - Series 700 - Series 750  
 Series 900  
 for Fryer (JEMI) - Series 1000 - Series 1300  
 Series 550 - Series 600 - Series 700 - Series 750  
 Series 900  
 for Pot stove (JEMI) - Series 550 - Series 600  
 Series 700 - Series 750 - Series 900




JEMI 996024

**3241646 BLACK KNOB ø 65 mm 1-2-3-4-5-6-7-8**  
 D-shaped hole 8x6.5 mm  
 for Fry top (JEMI) - Series 1000 - Series 1300  
 Series 550 - Series 600 - Series 700 - Series 750  
 Series 900  
 for Oven under cooktop (JEMI) - Series 1000  
 Series 1300 - Series 550 - Series 600 - Series 700  
 Series 750 - Series 900




JEMI 996020

**5056154 BLACK KNOB 66x66 mm SILK-SCREENED**  
 D-shaped hole 8x6.5 mm  
 for Fry top gas (JEMI) - Series 750-900  
 for Pot stove gas (JEMI) - Series 750-900




JEMI 996090

**5056427 BLACK KNOB 66x66 mm 0-1**  
 D-shaped hole 6x4.6 mm  
 for Bain-marie electric (JEMI) - Series 750-900  
 for Bratt pan electric (JEMI) - Series 900  
 for Fry top electric (JEMI) - Series 750-900  
 for Fryer electric (JEMI) - Series 750-900  
 for Pasta cooker electric (JEMI) - Series 750-900  
 for Pot stove electric (JEMI) - Series 750-900  
 for Kitchen (JEMI) T721



JEMI 996097

**5073402 KNOB BLACK 66x66 mm SILK-SCREEN PRINTED**  
 D-shaped hole 10x8 mm



JEMI 996092




Suitable for:

# JEMI




**5056429 KNOB BLACK 66x66 mm 1-2-3-4-5-6-7-8**  
 D-shaped hole 6x4.6 mm  
 for Bain-marie electric (JEMI) - Series 750-900  
 for Bratt pan electric (JEMI) - Series 900  
 for Fry top electric (JEMI) - Series 750-900  
 for Fryer electric (JEMI) - Series 750-900  
 for Pasta cooker electric (JEMI) - Series 750-900  
 for Pot stove electric (JEMI) - Series 750-900



JEMI 996095

**5085799 KNOB BLACK 66x66 mm 1-2-3-4-5-6-7-8**  
 D-shaped hole 8x6.5 mm



JEMI 996091

**3241642 RED KNOB ø 60 mm SILK-SCREEN PRINTED**  
 D-shaped hole 8x6.5 mm  
 for Pot stove (JEMI) - Series 1000 - Series 1300  
 Series 550 - Series 600 - Series 700 - Series 750  
 Series 900



JEMI 990601

JEMI 990602

JEMI 996019

JEMI 9996019

**3241647 SILVER KNOB**  
 for DRAIN TAP  
 for Bain-marie (JEMI)  
 for Boiling pan (JEMI)  
 for Pasta cooker (JEMI)



JEMI 1003004


## Magnet groups

**3182018 MAGNETIC UNIT MINISIT**  
 head ø 25 mm - end piece ø 17 mm - length 56 mm  
 thermocouple connection M10x1



JEMI 998169

**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
 head ø 15 mm - end piece ø 11 mm - length 44 mm  
 for PEL tap models 20-21  
 for EGA tap model 25213  
 for JUNKERS tap model CH110



JEMI 998027

## Microswitches, mechanical

**3240410 MICROSWITCH 16(4)A 250V**



JEMI 240025

JEMI 240072

**3240203 BUSHING DOOR MICROSWITCH**  
 external ø 10x15 mm







Suitable for:

**3240236 LIMIT SWITCH CONTROL**



**3240233 MICROSWITCH FITTING M16x1.5 mm**



**3240235 RING NUT M16x1.5 mm**



## JEMI

Suitable for:

**3240234 LIMIT SWITCH PIN**



**3250071 MICROSWITCH SPRING  $\varnothing$  13x25 mm**



---

## Nozzles

---

**3500059 GAS JET M10x1  $\varnothing$  1.10 mm**



JEMI 997052

---

## O-Ring and ORM gaskets

---

**1186236 O-RING 03043 VITON**  
ring thickness 2.62 mm - internal  $\varnothing$  10.78 mm



JEMI 2514050

**3186247 O-RING 03112 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  28.25 mm



JEMI 2514090

**3243142 O-RING 04118 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  29.75 mm



JEMI 2514140

**3186271 O-RING 04312 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  78.97 mm



JEMI 2514340

---



Suitable for:

# JEMI



**3186013 O-RING 06187 EPDM ø 58 mm**  
ring thickness 5.34 mm - internal ø 47.00 mm



JEMI 2514180


**3186241 O-RING 06212 VITON**  
ring thickness 5.34 mm - internal ø 53.34 mm  
for DRAIN TAP ø 2" OLD MODEL AND  
TECNO NEW MODEL



JEMI 210080

## Pilot burners and accessories

**3020083 FITTING AND OLIVE ø 4 mm**



JEMI 997006

**3020111 OLIVE FOR PIPE ø 4 mm**



JEMI 997048

**3020311 ONE-FLAME PILOT BURNER**  
with gas jet ø 0.40 mm  
with 2 positions bracket  
gas connection ø 4 mm  
for Pot stove gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 600 - Series 700  
Series 750 - Series 900



JEMI 998177

**3020101 BRACKET CLAMP 2 POSITIONS**



**3020100 BRACKET 2 POSITIONS**



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3001003 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020060 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F





Suitable for:

**3020232 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 61 mm



JEMI 210067

JEMI 210202

**3020312 ONE-FLAME PILOT BURNER**  
with gas jet  $\varnothing$  0.20 mm  
with 2 positions bracket  
gas connection  $\varnothing$  4 mm  
for Pot stove gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 600 - Series 700  
Series 750 - Series 900



JEMI 998141

**3020100 BRACKET 2 POSITIONS**



**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



# JEMI



Suitable for:

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020101 BRACKET CLAMP 2 POSITIONS**



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020232 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 61 mm



JEMI 210067

JEMI 210202



Suitable for:

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**JEMI**



Suitable for:

**3020316 ONE-FLAME PILOT BURNER**  
with LPG nozzle  
nozzle thread M4x0.5  
for Pot stove gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 750 - Series 900



JEMI 990040

**3020317 ONE-FLAME PILOT BURNER**  
with NATURAL GAS nozzle  
nozzle thread M4x0.5  
for Pot stove gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 750 - Series 900



JEMI 990084

**3020157 PILOT JET  $\varnothing$  0.25 mm**




JEMI 998180

**3020187 PILOT JET  $\varnothing$  0.51 mm**



JEMI 998168

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



JEMI 997064

**3020256 THREE-FLAME PILOT BURNER**  
supplied without sparking plug, nozzle  
with pipe fitting and pipe pilot olive  
with thermocouple fitting  
with sparking plug fitting  
for Boiling pan gas (JEMI) - Series 700  
Series 900



JEMI 998179


**3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m**





Suitable for:

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1**



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F**



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm**



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



JEMI 997048

**3020044 PILOT JET  $\varnothing$  0.20 mm**



**3020452 PILOT JET  $\varnothing$  0.32 mm**



# JEMI



Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm**



**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm**



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 52 mm**



**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



**5071220 PILOT JET  $\varnothing$  0.22 mm**



**3020045 PILOT JET  $\varnothing$  0.50 mm**





Suitable for:

**3020449 PILOT JET  $\varnothing$  0.54 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



JEMI 997064

**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



# JEMI



Suitable for:

**3020464 PILOT JET  $\varnothing$  0.64 mm**



**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



**3020006 THREE-FLAME PILOT BURNER SIT  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket**



JEMI 998137

**3020103 BRACKET 3 POSITIONS**



**3020110 DEFLECTOR 3 FLAMES**



**3020104 BRACKET CLAMP 3 POSITIONS**



**3020109 DEFLECTOR 2 FLAMES**




**5048713 DEFLECTOR 3 FLAMES**





Suitable for:

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



JEMI 997006

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25




**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



# JEMI

Suitable for:

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



JEMI 997078

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**





Suitable for:

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



**3020156 PILOT JET  $\varnothing$  0.25 mm**



**3020055 PILOT JET  $\varnothing$  0.35 mm**



**3500269 PILOT JET  $\varnothing$  0.45 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



# JEMI

Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**







Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M




**5033138** PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




**3020038** THREE-FLAME PRINTED PILOT BURNER SIT  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



JEMI 998166

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



## JEMI

Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



JEMI 997064

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



**3020085** FITTING FOR SPARKING PLUG FIXING M10x1 mm



**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm





Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



JEMI 997048

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



**5035324 PILOT JET  $\varnothing$  0.18 mm**



**3020157 PILOT JET  $\varnothing$  0.25 mm**



JEMI 998180

# JEMI

Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



JEMI 997078

**3020086 PILOT GASKET**



**3020557 PILOT JET  $\varnothing$  0.20 mm**



**3020040 PILOT JET  $\varnothing$  0.30 mm**





Suitable for:

**3020541 PILOT JET  $\varnothing$  0.35 mm**



**2106308 PILOT JET  $\varnothing$  0.45 mm**



**4053669 PILOT JET  $\varnothing$  0.75 mm**




**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25**



**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



**3020313 TWO-FLAME PILOT BURNER SIT  
multigas type with nozzle  $\varnothing$  0.20 mm  
with 3 positions bracket**



JEMI 090036

## JEMI

Suitable for:

**3020041 PILOT JET  $\varnothing$  0.41 mm**




**3020187 PILOT JET  $\varnothing$  0.51 mm**



JEMI 998168

**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



JEMI 997064

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



**3020104 BRACKET CLAMP 3 POSITIONS**





Suitable for:


**3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm**  
for mounting of pilot assembly



**3020103 BRACKET 3 POSITIONS**



**3020084 FITTING AND OLIVE ø 6 mm**



**3001003 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020124 IGNITION PLUG ROUND ø 7x44 mm**  
connection ø 2.4 mm  
overall length 58 mm



**3020082 OLIVE FOR PIPE ø 12 mm**  
for model PEL 22-24-25




# JEMI

Suitable for:

**3020100 BRACKET 2 POSITIONS**



**3020083 FITTING AND OLIVE ø 4 mm**



JEMI 997006

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020060 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020294 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3348036 OLIVE FOR PIPE ø 4 mm**  
for model PEL 21-22-24-25



JEMI 997078





Suitable for:

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



**3020116 PILOT DEFLECTOR 3 FLAMES 53x47 mm**



**3020156 PILOT JET  $\varnothing$  0.25 mm**



**3020055 PILOT JET  $\varnothing$  0.35 mm**



**3500269 PILOT JET  $\varnothing$  0.45 mm**



## JEMI

Suitable for:

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020117 PILOT DEFLECTOR 3 FLAMES 53x40 mm**



**3020054 PILOT JET  $\varnothing$  0.20 mm**



**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



**5075989 PILOT JET  $\varnothing$  0.70 mm**





Suitable for:

**3020105 PILOT WITH 0.20 mm Ø JET**



**3020077 PIPE FITTING Ø 4 mm  
thread M10x1**



JEMI 997064

**3020078 PIPE FITTING Ø 6 mm  
thread M10x1**



# JEMI

Suitable for:

**3020079 PIPE FITTING Ø 12 mm  
thread Ø 3/8" M**




**5033138 PIPE FITTING Ø 4 mm  
thread Ø 1/8" M**



**5014757 PIPE FITTING Ø 6 mm  
thread M10x1 mm**



**3020314 TWO-FLAME PILOT BURNER SIT**  
multigas type with nozzle Ø 0.20 mm  
with 3 positions bracket  
for Fry top gas (JEMI)



JEMI 090037


**3020103 BRACKET 3 POSITIONS**



**3020104 BRACKET CLAMP 3 POSITIONS**



**3020083 FITTING AND OLIVE Ø 4 mm**




JEMI 997006

**3020108 DEFLECTOR 1 FLAME**



**3020084 FITTING AND OLIVE Ø 6 mm**





Suitable for:

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020054 PILOT JET  $\varnothing$  0.20 mm**



## JEMI

Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



JEMI 997078

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020156 PILOT JET  $\varnothing$  0.25 mm**





Suitable for:

4058525 PILOT JET  $\varnothing$  0.30 mm



3500269 PILOT JET  $\varnothing$  0.45 mm



3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm



3020106 PILOT WITH 0.25 mm  $\varnothing$  JET



3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



5033138 PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



# JEMI

Suitable for:

5015516 PILOT JET  $\varnothing$  0.40 mm



5075989 PILOT JET  $\varnothing$  0.70 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



JEMI 997064

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1







Suitable for:

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm




**JEMI**

Suitable for:



## Probes

**3445201 PROBE FITTING  $\varnothing$  16x25 mm**  
thread M12x1



JEMI 240107

**3445199 TEMPERATURE PROBE**  
2-wire probe with pointers  
capillary length 950 mm




JEMI 240077

JEMI 240106


## Reamers

**3003025 JET GAUGE  $\varnothing$  0.45-1.5 mm**  
intermediate measures  
1.50 - 1.40 - 1.30 - 1.25 - 1.20 - 1.15 - 1.10  
1.05 - 0.95 - 0.90 - 0.85 - 0.80 - 0.75 - 0.70  
0.65 - 0.60 - 0.50 - 0.45



JEMI 210083

**3003026 JET GAUGE  $\varnothing$  1.5-3 mm**  
intermediate measures  
3.00 - 2.90 - 2.80 - 2.70 - 2.60 - 2.50 - 2.40  
2.30 - 2.20 - 2.00 - 1.90 - 1.80 - 1.70 - 1.60  
1.50



JEMI 210084

**3003002 REAMER FOR NOZZLES 12 PCS**  
12 pieces package with case  
with mandrel  
diameter range from 0.6 to 1.9 mm



JEMI 210082



Suitable for:

# JEMI

Suitable for:



## Relays

**3351036 POWER RELAY FINDER 40.51.8.230.0000**  
230V 50/60Hz - 1 exchange contact 10A




JEMI 2054012

**3351007 POWER RELAY FINDER 55.32.8.230.0040**  
230V 50/60Hz  
2 exchange contacts 10A  
with to test push-button + mechanic gauge



JEMI 2054010


**3351039 SOCKET WITH TERMINALS FINDER 95.75**  
10A 250V



JEMI 2054013

## Selector switches

**3057060 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Oven under cooktop (JEMI) - Series 550  
Series 600 - Series 700 - Series 900




JEMI 2004051

**3241123 KNOB  $\varnothing$  50 mm**  
D-shaped hole 6x4.6 mm




JEMI 2016012

**3057196 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Bratt pan (JEMI) - Series 900



JEMI 998165

**3057087 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



JEMI 240045



**Solenoid valves**

**3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet ø 10.5 mm



JEMI 2017007

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 12 L/min - tolerance +/- 15%



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
 flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
 flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
 flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
 flow rate 2.5 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
 flow rate 0.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
 flow rate 2 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
 flow rate 0.35 L/min / tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**





Suitable for:

**3120204** **OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# JEMI



Suitable for:

**3120505** **SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



JEMI 2017010

**3120021** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120019** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037** **ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201** **ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016** **ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017** **ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120015** **ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120203** **ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# JEMI



Suitable for:

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



JEMI 2017022

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%





Suitable for:

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



**3120507 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



JEMI 2017024

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



# JEMI



Suitable for:

**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%





Suitable for:

**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



## JEMI



Suitable for:

**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



---

## Spark generators

---

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz



JEMI 240037



Suitable for:

# JEMI



Suitable for:

## Sparking and detection plugs

**3020232 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 61 mm



JEMI 210067

JEMI 210202


**3020069 ROUND IGNITION PLUG  $\varnothing$  7x56 mm**  
model 1/A  
connection F 2.8x0.8 mm  
overall length 115 mm



JEMI 210003

## Switches

**3319390 FLUSH PUSH-BUTTON WHITE OPAQUE COMPLETE**  
SCHNEIDER - 1 contact NO  
1 contact NC  
silk-screen printing "arrow" - with push-button ca  
mounting hole  $\varnothing$  22 mm  
for Bratt pan (JEMI) - Series 900




JEMI 240073

**3454077 CONTACT SCHNEIDER ZBE-101**  
NO contact 10A



**7102367 CONTACT SCHNEIDER ZBE-102**  
contact NC 10A



**3319967 SWITCH 1-POLE GREEN 16A 250V**  
16(4)A 250V - with indicator light  
max. temperature 120°C  
mounting hole 11x30 mm  
for Fryer electric (JEMI) - Series 1000  
Series 1300 - Series 600 - Series 700 - Series 750  
Series 900



JEMI 240023

**3319780 BLOCK CONNECTION WHITE 22x30 mm**







Suitable for:

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**1319936 PROTECTIVE SWITCH COVER**  
external dimensions 36x18 mm  
for switch with mounting hole 11x30 mm



**JEMI**

Suitable for:

**3319781 CONNECTION BLOCK BLACK 11x30 mm**



**3319346 SWTCH 2-POLE GREEN 16A 250V**  
with indicator light  
mounting hole 22x30 mm



JEMI 2002423

## Taps for tank refilling

**3183014 SPOUT CONNECTION 1/2" M**  
chrome-plated brass swivel  
outlet spout  $\varnothing$  18 mm  
for Boiling pan (JEMI) - Series 700 - Series 900



JEMI 210079

**3528056 COUNTER NUT FLAT OF BRASS 1/2"**



## Telethermometers

**3441011 TELE-THERMOMETER BLACK 56x25 mm 0-120°C**  
plastic case  
capillary length 1500 mm  
bulb  $\varnothing$  6x15 mm



JEMI 2028022



Suitable for:

JEMI



Suitable for:

## Thermocouples and accessories

**3440117 CUT-OFF THERMOCOUPLE M9x1 50 cm**  
cut-off contact with cables 70 cm  
for Pot stove (JEMI) - Series 600 - Series 700  
Series 900



JEMI 998023

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



JEMI 998022

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**



JEMI 998022

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



JEMI 998022

**3440038 THERMOCOUPLE SIT M9x1 120 cm**




JEMI 998022

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



JEMI 998022


**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



JEMI 998022

## Thermostatic gas valves

**3345035 THERMOSTATIC TAP 25ST**  
adjustment temperature 120-320°C  
connections M16x1.5 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x100 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Fry top (JEMI)  
for Oven under cooktop (JEMI)  
for Fry top (JEMI) FRT-75-VT EV



JEMI 998130

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25





Suitable for:

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25




JEMI 997004

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



JEMI 997078

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



## JEMI

Suitable for:


**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25




JEMI 997003

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



JEMI 997064

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1





Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**JEMI**

Suitable for:



## Thermostats

**3241870** BEZEL RING NUT  $\varnothing$  52 mm  
chrome plated metal Bezel  
for EGO thermostate knob



JEMI

**3444616** BULB CONNECTION M12 HOLE  $\varnothing$  6 mm  
stuffing gland M9x1- washer  $\varnothing$  7.7 mm  
gasket  $\varnothing$  7.8 mm - thickness 5 mm




JEMI 2037051

**3444696** SINGLE-PHASE THERMOSTAT 230°C  
with manual reset  
with knob and nut  
capillary length 850 mm  
bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1  
for Fryer (JEMI) - Series 600 - Series 700  
Series 900



JEMI 2006008

**3444698** SINGLE-PHASE THERMOSTAT 30-110°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1  
for Pasta cooker (JEMI) - Series 700 - Series 900



JEMI 998156


**3444256** SINGLE-PHASE THERMOSTAT 420°C  
with manual reset  
covered capillary length 1100 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm  
for Bratt pan (JEMI) - Series 900



JEMI 578163

JEMI 998163

**3444699** SINGLE-PHASE THERMOSTAT 50-195°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x75 mm - with stuffing gland M9x1  
for Fryer (JEMI) - Series 1000 - Series 1300  
Series 600 - Series 700 - Series 750 - Series 900




JEMI 2006001

JEMI 2006005

Suitable for:

**3444697 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 2300 mm  
 bulb  $\varnothing$  3x160 mm  
 for Oven under cooktop (JEMI) - Series 550  
 Series 600 - Series 700 - Series 750 - Series 900



JEMI 998164


**3444361 THERMOSTAT SINGLE-PHASE 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary 950 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm



JEMI 2006061

Suitable for:

**3444763 THERMOSTAT SINGLE-PHASE 140°C**  
 manual reset  
 covered capillary 1550 mm - 16A 230V  
 bulb  $\varnothing$  6x77 mm - 16A 230V



JEMI 2006062

## Wheels and accessories

**3522011 WHEEL  $\varnothing$  200 mm**  
 central hole  $\varnothing$  20 mm  
 with folding handle



JEMI 210094

**9528001 HEXAGON HEAD SCREW M10x25**  
 stainless steel - UNI 5739 - DIN 933 - ISO 4017



**5023881 HINGE BUSH  $\varnothing$  20x15x10 mm**



**5025636 CYLINDER HEAD SCREW M6x40**  
 stainless steel - with hexagon socket  
 UNI 5931 - DIN 912 - ISO 4762



**3528111 HEXAGONAL HEAD SCREW M6x10**  
 st./steel - UNI 5739 - DIN 933 - ISO 4017



**1528030 MID HEXAGONAL NUT M6**  
 stainless steel - UNI 5588 - DIN 934 - ISO 4032





Suitable for:

**3522034 PAN SHAFT BUSHING  $\varnothing$  35/28x20 mm**



**5023880 ROTATORY SUPPORT FOR SHAFT**  
external dimensions 40x40x35 mm  
pin  $\varnothing$  14 mm



**3522012 SCREW NO HEAD WITH HEXAGON SOCKET M8x10**  
burnished iron alloy - cone end  
UNI 5927 - DIN 914 - ISO 4027



**5015528 SCREW NUT FOR BRATT PAN VALVE**  
dimensions 40x40x39 mm - left thread  
thread M20x2.5 mm -  $\varnothing$  pin 20 mm



**5079973 SHAFT FOR WHEEL  $\varnothing$  40/32/20x278 mm**



**1186444 SPIRAL WASHER ELASTIC M6**  
internal/external  $\varnothing$  6.4/11.4 mm - thickness 3.2 mm  
in zinc plated iron alloy - UNI 1751 - DIN 127 B




# JEMI




Suitable for:

**5023879 RING FOR SCREW  $\varnothing$  30x45 mm**



**5023883 ROTATORY SUPPORT FOR SHAFT**  
dimensions 85x60x30 mm  
internal hole  $\varnothing$  33 mm



**5015525 SCREW NUT FOR BRATT PAN**  
dimensions 40x40x39 mm - right hand thread  
thread M20x2.5 mm -  $\varnothing$  pin 20 mm



**3522033 SCREW NUT FOR VITON BRATT PAN**  
dimensions 40x40x39 mm - right thread  
thread TR20x4 mm -  $\varnothing$  pin 20 mm



**5023882 SHAFT FOR WHEEL  $\varnothing$  32/20x165 mm**



**5016107 SUPPORT SLEEVE FOR TILTING SHAFT**  
external  $\varnothing$  34 mm - internal  $\varnothing$  28 mm  
base 90x85 mm - overall height 90 mm





Suitable for:

**3063032 THRUST BEARING 51204**  
ø external 40 mm - ø internal 20 mm - depth 14 mm



**3522008 TILTING SCREW ø 24 mm**  
total length 915 mm



**3522004 WHEEL HANDLE ø 28x110 mm**  
thread M6



**5032679 WHEEL SHAFT ø 35/20x205 mm**



## JEMI

Suitable for:

**3522031 TILTING SCREW**  
made of chrome-plated iron  
overall length 915 mm  
threaded part length 330 mm  
with articulation



**5049194 TILTING SCREW ø 26 mm**  
overall length 625 mm



**3522046 WHEEL HANDLE ø 28x110 mm**  
thread M6



---

## Wire pan supports

---

**3354023 REDUCER FOR MOKA POT 172x172 mm**  
made of cast iron  
for Pot stove (JEMI) - Series 1000 - Series 1300  
Series 550 - Series 600 - Series 700 - Series 750  
Series 900  
for Kitchen (JEMI) T721



JEMI 139131

JEMI 990407

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)