



Spare parts for the professional sector: Cooking equipment



Suitable for:

KING



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

KING



Suitable for:

Cables for piezo igniters


3001017 IGNITION LEAD 600 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode



KING OK0998

Electric hot plates


3311096 ELECTRIC HOT PLATE \varnothing 180 mm 2000W 230V
terminal block electric connections
with STAINLESS steel edge 8 mm
for electric cooking top



KING OK0350


KING 0101207

3311098 ELECTRIC HOT PLATE \varnothing 220 mm 2000W 230V
"ECODESIGN" MODEL
electrical screw connections
with STAINLESS steel edge
for electric cooking top




KING OK0334

3311101 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 400V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



KING

3311070 ELECTRIC HOT PLATE 2500W 230V
dimensions 300x300 mm
tilting plate
electric screw couplings
for electric cooking top



KING 0101204

3311074 ELECTRIC HOT PLATE 4000W 230V
dimensions 300x300 mm
tilting plate
terminal block electric connections
for electric cooking top




KING OK0371

KING 0101205



Energy regulators

3350026 ENERGY REGULATOR
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction



KING OC1605

3350092 ENERGY REGULATOR
 contact capacity 230V 13A
 temperature max 125°C
 D-shaped pin \varnothing 6x4,6 mm
 double direction of rotation



KING LF-3350026

Heating elements

3755830 CERAMIC HEATING ELEMENT 1000W 230V
 length 240 mm - width 60 mm



KING OA2843

3355747 HEATING ELEMENT 660W 230V
 length 212 mm - width 70 mm
 complete with cables
 for Fry top electric (KING)



KING OH9684

KING 0101405

3355746 HEATING ELEMENT 700W 230V
 length 440 mm - width 30 mm
 fittings M10x1 mm - complete with cables
 for Fry top electric (KING)



KING OK9751

KING 0101055

Ignitors

3001029 PIEZO IGNITER
 a \varnothing 22 mm hole is needed for the assembly
 faston M \varnothing 2.4 mm
 for SNACK SERIES



KING OH6070



Suitable for:

KING



Suitable for:

Incandescent lamps and neon lamps

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C



KING

Knobs

3241565 BLACK KNOB ø 50 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm
for EGO energy regulator



KING

3444126 BLACK KNOB ø 50 mm 30-110°C
D-shaped pin ø 6x4.6 mm
for EGO thermostat



KING 0102025

3444128 BLACK KNOB ø 50 mm 50-300°C
D-shaped pin ø 6x4.6 mm
for EGO thermostat



KING 0112024

3241829 KNOB BLACK ø 50 mm 0-1-0-1
D-shaped hole 6x4.6 mm
for energy adjuster EGO



KING

3241309 KNOB BLACK ø 50 mm 0-1-2-3
D-shaped hole 6x4.6 mm
for energy adjuster EGO



KING 0112134

3241320 KNOB BLACK ø 50 mm 0-1-2-3
D-shaped hole 6x4.6 mm
for energy adjuster EGO



KING 0112138

5035660 KNOB BLACK ø 50 mm 100-180°C
D-shaped hole 6x4.6 mm



KING 0K9909



Lamp receptacles and spare parts

3221349 GLASS F.OVEN RECEPTACLE LAMP \varnothing 73 mm
thread \varnothing 63 mm - overall height 45 mm



KING

3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V
lamp glass \varnothing 72 mm
mounting hole \varnothing 68 mm
max temperature 300°C



KING

3221349 GLASS F.OVEN RECEPTACLE LAMP \varnothing 73 mm
thread \varnothing 63 mm - overall height 45 mm



KING

D421020 HOOD LAMP DR FISCHER E14 40W 230V
 \varnothing 25x86 mm



3221649 LAMP RECEPTACLE WITH GLASS E14 WITHOUT BULB
lamp glass \varnothing 72 mm
mounting hole \varnothing 68 mm
max temperature 300°C



3221351 GASKET FOR LAMP RECEPTACLE \varnothing 79.5 mm



5026552 HALOGEN LAMP OSRAM E14 40W 230V
dimensions 80x26 mm
max temperature 300°C



5059251 LAMP FOR OVEN E14 40W 220/230V
max. temperature 500°C
dimensions \varnothing 25x67 mm



D421019 OVEN LAMP DR FISCHER E14 40W 230V
 \varnothing 45x78 mm - max temperature 300°C





Suitable for:

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C



KING


Suitable for:



KING


Selector switches

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



KING 0A2134


3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



KING 0K9771

KING 0102125


3057093 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



KING 0H6602

KING 0102134

3057092 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



KING 0K6627

KING 0101138

Spark generators

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



KING 004248

Switches

3319256 BIPOLAR SWITCH WHITE 16A 250V
16(4)A 250V - max. temperature 120°C
silk screen printing 0 - I
mounting hole 22x30 mm



KING

3319780 BLOCK CONNECTION WHITE 22x30 mm





Suitable for:

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



KING

Suitable for:

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



Thermostats

3444616 BULB CONNECTION M12 HOLE \varnothing 6 mm
stuffing gland M9x1- washer \varnothing 7.7 mm
gasket \varnothing 7.8 mm - thickness 5 mm



KING 0102099

2105403 THERMOSTAT THREEPHASE 32-110°C
D-Shaft \varnothing 6x4.6 mm
covered capillary length 1480 mm
bulb \varnothing 6x138 mm - with stuffing gland fitting M9x1




KING 004911

3444737 THREE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 1430 mm - 16A 230V
bulb \varnothing 6x177 mm - with adapter nipple band M9x1




KING 0112012

3444738 THREE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 2600 mm - 16A 230V
bulb \varnothing 6x177 mm - with adapter nipple band M9x1



KING 0H7487

3444076 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 6x130 mm



KING 0102002

3444561 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1740 mm - 16A 230V
bulb \varnothing 6x80 mm



KING 0H8217

KING 0102001

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com