



Spare parts for the professional sector: Cooking equipment



Suitable for:

KOMEL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

KOMEL



Suitable for:

Bulb sheathes

3187016 THERMOSTAT SHEATH \varnothing 3/4"
complete with fixing nut and washer
bulb length 310 mm
for Fryer (KOMEL)



KOMEL 00030500

KOMEL 00030502

KOMEL 00035827

3786499 THERMOSTAT SHEATH M11x1 mm
complete with fixing nut and washer
length bulb 280 mm



KOMEL 00038584

3786377 SHEATH GASKET
external \varnothing 17 mm - internal \varnothing 12.5 mm
for Fryer gas (KOMEL) KGW12 - KGW20



KOMEL 02150008

Cable glands

3050143 CABLE GLAND PG13.5



KOMEL 30160002

Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for ignition plug



KOMEL

3001068 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2,4 mm for electrode



KOMEL 30140002

Suitable for:

Suitable for:

5062962 IGNITION LEAD 850 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 2.4 mm for ignition plug



KOMEL 30140003

Centrifugal motor fans

7150637 KIT VENTURI MIXER HONEYWELL 45900444-003
ambient temperature $-15+70^{\circ}\text{C}$



KOMEL 15100023

7150631 MOTOR FAN NRG118/0800-3612-031227
70W 325Vdc



KOMEL 15100022

Clamps

3449401 DOUBLE-WIRE CLAMP 7-7.5 - 100 PCS
for hoses \varnothing 7÷7.5 mm



KOMEL 00003751

KOMEL 05110001

3449462 HOSE CLAMP 12-20
for pipes \varnothing 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



KOMEL 05100007

3449452 HOSE CLAMP 16-25
for pipes \varnothing 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



KOMEL 05100001

KOMEL 352A

3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



KOMEL 00003621

KOMEL 05100005

KOMEL 362A



Suitable for:

KOMEL



3449454 HOSE CLAMP 32-50
for pipes $\varnothing 32 \div 50$ mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



KOMEL 05100011

3449455 HOSE CLAMP 40-60
for pipes $\varnothing 40 \div 60$ mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



KOMEL 05100003

3449474 HOSE CLAMP 50-70
for pipes $\varnothing 50 \div 70$ mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



KOMEL 00004051

KOMEL 05100004

3168002 HOSE CLAMP 70-90
for pipes $\varnothing 70 \div 90$ mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



KOMEL 00004072

KOMEL 05100008

3449461 HOSE CLAMP 8-12
for pipes $\varnothing 8 \div 12$ mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



KOMEL 05100006

KOMEL 376A

Contact thermostats

3444244 CONTACT THERMOSTAT 100°C
with manual reset - for boiler



KOMEL 22110020



Contactors

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



KOMEL 00006280

KOMEL 25130028

KOMEL 25130031

KOMEL 628

3446516 AUXILIARY CONTACT AEG HS7K01
 10A
 1 normally closed contact



3454032 AUXILIARY CONTACT AEG HS7K10
 1 NO contact




3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact



KOMEL 00006220

KOMEL 25130025

3446562 CONTACTOR LOVATO BF0901A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally closed auxiliary contact



KOMEL 25130037

3446227 AUXILIARY CONTACT LOVATO G218
 10A
 1 contact NO
 1 contact NC



3454060 CONTACTOR SCHNEIDER LC1D09B7
 9A 400V 4Kw - coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 1 normally closed auxiliary contact



KOMEL 00006070

KOMEL 25130029

KOMEL 25130033



Suitable for:

KOMEL



Suitable for:

Drain taps and accessories

7101616 DRAIN TAP \varnothing 1/2" F



KOMEL 13110005

KOMEL 13110006


3356055 DRAIN TAP \varnothing 1" F



KOMEL 00030400

KOMEL 00030401

3356069 DRAIN TAP KIT \varnothing 1" MF
the kit includes:
2 brackets, small parts and various



KOMEL 00030410

KOMEL 00030420

KOMEL 13110001

3356133 DRAIN TAP LEVER 165 mm



KOMEL 00030450

3356095 DRAIN TAP LEVER 230 mm



KOMEL 00030460

3786043 GASKET FOR BOILER ELBOW
 \varnothing external 19/16 mm - \varnothing internal 10 mm
depth 6 mm



KOMEL 00010504

KOMEL 02150006

3356094 DRAIN TAP LEVER 380 mm



KOMEL 00030470

7150617 KNOB FOR DRAIN TAP \varnothing 40 mm
pin M6x15 mm



KOMEL 19130006

7150618 LEVER FOR DRAIN TAP 415 mm



KOMEL 00027123

3356133 DRAIN TAP LEVER 165 mm



KOMEL 00030450

3356095 DRAIN TAP LEVER 230 mm



KOMEL 00030460

Suitable for:

3356094 DRAIN TAP LEVER 380 mm



KOMEL 00030470

Suitable for:

**7150617 KNOB FOR DRAIN TAP ø 40 mm
pin M6x15 mm**



KOMEL 19130006

7150618 LEVER FOR DRAIN TAP 415 mm



KOMEL 00027123

Electrical capacitors

3068016 CAPACITOR DUCATI ENERGIA 10µF
450V 50/60Hz
operating temperature -25 +85°C
lead connector 6.35x0.8 mm
ø 36xh58 mm



KOMEL 24100009

3068024 CAPACITOR DUCATI ENERGIA 16µF
450V 50/60Hz
operating temperature -25 +85°C
lead connector 6.35x0.8 mm
ø 36xh70 mm



KOMEL 24100004

3068010 CAPACITOR DUCATI ENERGIA 6,3µF
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
ø 32xh55 mm



KOMEL 24100001

3068080 CAPACITOR ELECTRICAL 10µF
450V 50/60Hz - ø 30xh71 mm



KOMEL 24100009

3068083 CAPACITOR ELECTRICAL 16µF
450V 50/60Hz - ø 35xh71 mm



KOMEL 24100004

3068086 CAPACITOR ELECTRICAL 25µF
450V 50/60Hz - ø 45xh71 mm



KOMEL 24100003



Suitable for:

KOMEL



Suitable for:

3068097 CAPACITOR ELECTRICAL 6.3μF
450V 50/60Hz - ø 30xh51 mm



KOMEL 24100001

Electrical gas valves and accessories

3440200 THERMOPILE WITH TWIN LEAD ø 9x65 mm
cable length 800 mm - with coupling M11X1



KOMEL 17100002

3526300 VALVE 820 NOVA mV ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model



KOMEL 16100005

2100054 COIL 220V 60Hz
for VALVE 820 NOVA-822 NOVA-828 NOVA



3526270 VALVE 820 NOVA EXTENSION
D shaft ø 10x8 mm



3526077 ELBOW FLANGE ø 1/2"F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P






Suitable for:

3526078 ELBOW FLANGE \varnothing 3/4" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3020083 FITTING AND OLIVE \varnothing 4 mm



3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



KOMEL




Suitable for:

5047586 EXTENSION FOR VALVE 820 NOVA
D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



KOMEL 16100004

KOMEL 33120013

3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



3440200 THERMOPILE WITH TWIN LEAD \varnothing 9x65 mm
cable length 800 mm - with coupling M11X1



KOMEL 17100002

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT





Suitable for:

KOMEL



Suitable for:

Electronic boards

7150621 CIRCUIT BOARD DISPLAY 160x65 mm



KOMEL 15100027

Feet

3313084 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 107 mm
with fixed screw M10x22 mm
adjustable height 107÷137 mm



KOMEL 00036101

KOMEL 00036102

3313058 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 140 MM
with fixed screw M10x25 mm
adjustable height 140÷240 mm
for Fryer electric (KOMEL) KESD12 - KES12 - KES20



KOMEL 00035730

Filters

5015069 FRYER FILTER 320x185x40 mm



KOMEL 00030840

Fittings

3348181 ELBOW FITTING \varnothing 1/2" M
outlet pipe \varnothing 12 mm



KOMEL 12355007

Fryer baskets and accessories

7115947 BASKET SUPPORT FOR FRYER
external dimensions 285x220x220 mm



KOMEL 00035791

5034582 FALSE BOTTOM GRID 545x390 mm



KOMEL 00034670

Suitable for:


7150623 FALSE BOTTOM MESH COMPLETE 345x120 mm
height 155 mm
chromed iron



KOMEL 00027183

Suitable for:

5081520 FALSE BOTTOM MESH 290x220 mm



KOMEL 00035875

5015252 FRYER BASKET SUPPORT
external dimensions 385x225x220 mm



KOMEL 00035800

7119946 FRYER BASKET 235x200x120 mm
of chromed iron



KOMEL 00039257

3055187 FRYER BASKET 260x180x120 mm
in chrome-plated iron
for Fryer electric (KOMEL) KEB6 - KEB6+6



KOMEL 00030560

7109044 FRYER BASKET 270x255x120 mm
of chrome-plated iron



KOMEL 00039267

3055186 FRYER BASKET 290x110x120 mm
made of chrome-plated iron
for Fryer electric (KOMEL) KEB12 - KEB12+12
KEM12 - KEM12+12
for Fryer gas (KOMEL) KGM12 - KGM12+12 - KGW12



KOMEL 0003058A

KOMEL 00030581

KOMEL 00035842

3055184 FRYER BASKET 290x180x120 mm
in chrome-plated iron
for Fryer electric (KOMEL) KEB8 - KEB8+8



KOMEL 00030570

3055357 FRYER BASKET 290x215x120 mm
in chromium plated iron
for Fryer electric (KOMEL) KES12
for Fryer gas (KOMEL) KGW12



KOMEL 00035805

3055185 FRYER BASKET 290x235x120 mm
in chrome-plated iron
for Fryer electric (KOMEL) KEB12 - KEB12+12
KEM12 - KEM12+12
for Fryer gas (KOMEL) KGM12 - KGM12+12



KOMEL 00030580



Suitable for:

KOMEL



7150602 FRYER BASKET 365x135x135 mm
of chrome-plated iron



KOMEL 00027101


Suitable for:

3055191 FRYER BASKET 365x240x120 mm
in chrome-plated iron
for Fryer electric (KOMEL) KEM20 - KEM20+20
for Fryer gas (KOMEL) KGM20 - KGM20+20



KOMEL 00030590

3055193 FRYER BASKET 365x265x120 mm
in chrome-plated iron



KOMEL 00030611

7150628 FRYER BASKET 365x300x135 mm
chromed iron



KOMEL 00027100

3055475 FRYER BASKET 365x540x125 mm
in chrome plated iron



KOMEL 00030610

KOMEL 00030620

3055312 FRYER BASKET 375x110x120 mm
made of chrome plated iron
for Fryer electric (KOMEL) KEM20 - KEM20+20
for Fryer gas (KOMEL) KGWD20 - KGW20



KOMEL 00030591

KOMEL 00035843

3055310 FRYER BASKET 375x215x125 mm
made of chrome plated iron
for Fryer electric (KOMEL) KES20
for Fryer gas (KOMEL) KGWD20 - KGW20



KOMEL 00035806

Gas burners

3025652 AERATION REGULATOR 49x25x46 mm



KOMEL 00038562



Gas burners

3023147 BURNER \varnothing 40x340 mm
 overall length 380 mm
 made of STAINLESS steel



KOMEL 1510006

KOMEL 1510008

3025652 AERATION REGULATOR 49x25x46 mm



KOMEL 00038562


3023290 BURNER \varnothing 40x445 mm
 overall length 485 mm
 made of STAINLESS steel
 for Fryer gas (KOMEL) KGWD12 - KGW12



KOMEL 1510007

KOMEL 1510009

3025652 AERATION REGULATOR 49x25x46 mm



KOMEL 00038562

7150606 LOCK-RING FOR BURNER GASKET
 external \varnothing 63 mm - internal \varnothing 45 mm - height 15 mm



KOMEL 00027095

7150615 GASKET FOR BURNER RING
 ext. \varnothing 50 mm - \varnothing internal 40 mm - thickness 5 mm



KOMEL 00027108

Gas hoses

5051745 CONDUTTURA PER BRUCIATORI \varnothing 12 mm
 raccordi di fissaggio \varnothing 3/8"MM
 filettatura per ugelli M10x1 mm



KOMEL 00038785



Suitable for:

KOMEL



Suitable for:


Gas valves and accessories

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure setting range
 3÷18 mbar outlet
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm



KOMEL 1610007

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



3526126 EUROSIT VALVE EXTENSION
 D shaft \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M




3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR




3241435 EUROSIT VALVE EXTENSION
 D shaft \varnothing 10x8 mm



3526677 EXTENSION FOR EUROSIT VALVE
 D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



KOMEL 1610004

KOMEL 33120013

3526127 FLANGE FOR EXTENSION





Suitable for:

5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523100 FRYER VALVE MINISIT 110 \div 190 $^{\circ}$ C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple fitting M9x1
gas max inlet pressure 50 mbar
room temperature 0 \div 80 $^{\circ}$ C
capillary length 1200 mm
bulb \varnothing 5x105 mm
with plate, piezo igniter, fittings, plug,
and plug cable
for Fryer gas (KOMEL)



KOMEL 00034610

3523050 COVER FOR VALVE MINISIT



KOMEL 00032420

KOMEL

Suitable for:


5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M




3020083 FITTING AND OLIVE \varnothing 4 mm





Suitable for:


3020084 FITTING AND OLIVE \varnothing 6 mm



KOMEL 16100004

KOMEL 33120013

3523047 LID MINISIT



KOMEL 00032410

3523061 NUT \varnothing 1/4"x6 mm




3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



KOMEL 00032410+00032460

KOMEL 00032460+00032410

KOMEL

Suitable for:

3523035 KNOB MINISIT BLACK \varnothing 37 mm




KOMEL 16100003

3182003 MAGNETIC UNIT SIT

head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M





Suitable for:

3523036 REDUCTION STRAIGHT \varnothing 3/8"F - \varnothing 1/2"F
in brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



3523035 KNOB MINISIT BLACK \varnothing 37 mm



KOMEL 16100003

3523927 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1200 mm
bulb \varnothing 6x105 mm
without cover. knob and flanges



KOMEL 00032390

3523050 COVER FOR VALVE MINISIT



KOMEL 00032420

KOMEL



Suitable for:


3523044 SENSING ELEMENT MINISIT 120÷200°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas (KOMEL)



KOMEL 00032400

KOMEL 16100030

3523047 LID MINISIT



KOMEL 00032410

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
with screws and OR






Suitable for:

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523047 LID MINISIT



KOMEL 00032410

3523061 NUT \varnothing 1/4"x6 mm




3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



KOMEL 00032410+00032460

KOMEL 00032460+00032410

KOMEL



Suitable for:

3523035 KNOB MINISIT BLACK \varnothing 37 mm




KOMEL 16100003

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M





Suitable for:

3523036 REDUCTION STRAIGHT \varnothing 3/8"F - \varnothing 1/2"F
in brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



3523949 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges



KOMEL 00038639

KOMEL 16100006

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



KOMEL 16100003

KOMEL



Suitable for:

3523044 SENSING ELEMENT MINISIT 120÷200°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas (KOMEL)



KOMEL 00032400

KOMEL 16100030


2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523047 LID MINISIT



KOMEL 00032410




Suitable for:

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



KOMEL



Suitable for:

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



KOMEL 00032410+00032460

KOMEL 00032460+00032410


3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange





Suitable for:

3523051 SENSING ELEMENT MINISIT 110÷190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



KOMEL 16100031

3523051 SENSING ELEMENT MINISIT 110÷190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



KOMEL 16100031

KOMEL



Suitable for:

5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



3523044 SENSING ELEMENT MINISIT 120÷200°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas (KOMEL)



KOMEL 00032400

KOMEL 16100030

Gaskets and seals

3186138 ASBESTOS FREE FLAT GASKET \varnothing 30x21x2 mm



KOMEL 06120007

3786043 GASKET FOR BOILER ELBOW
 \varnothing external 19/16 mm - \varnothing internal 10 mm
depth 6 mm



KOMEL 00010504

KOMEL 02150006

7150615 GASKET FOR BURNER RING
ext. \varnothing 50 mm - \varnothing internal 40 mm - thickness 5 mm



KOMEL 00027108

7150634 GASKET FOR GLASS FRAME
external dimensions 33x33 mm



KOMEL 00027092

3786377 SHEATH GASKET
external \varnothing 17 mm - internal \varnothing 12.5 mm
for Fryer gas (KOMEL) KGW12 - KGW20



KOMEL 02150008



Suitable for:

KOMEL



Suitable for:

Glasses

7150614 FRAME 43x43 mm



KOMEL 00038559

7150634 GASKET FOR GLASS FRAME
external dimensions 33x33 mm



KOMEL 00027092

7101009 GLASS INDICATOR PILOT FLAME 28x28 mm



KOMEL 00038558

7101009 GLASS INDICATOR PILOT FLAME 28x28 mm



KOMEL 00038558

Handles

3242676 BLACK PLASTIC HANDLE 124 mm
distance between mounting holes 107 mm



KOMEL 00030810

KOMEL 19150001

KOMEL 19150002

Heating elements

3355541 HEATING ELEMENT 1500W 220V
length 320 mm - width 55 mm
height 215 mm - fittings \varnothing 1/4"



KOMEL 00033130

7108564 HEATING ELEMENT 1600W 230V
length 283 mm - width 75 mm
height 200 mm - fittings \varnothing 1/4"




KOMEL 00039276

Suitable for:

Suitable for:

3355543 HEATING ELEMENT 2000W 220V
length 320 mm - width 80 mm
height 240 mm - fittings \varnothing 1/4"
for Fryer electric (KOMEL) KEM12



KOMEL 00033141

KOMEL 00033145

3355544 HEATING ELEMENT 3000/3300W 230/240V
length 290 mm - width 170 mm
height 190 mm - fittings \varnothing 1/4"



KOMEL 00033120

3755289 HEATING ELEMENT 3000W 220V
length 280 mm - width 95 mm
height 240 mm - fittings \varnothing 1/4"
for Fryer electric (KOMEL) KEM12



KOMEL 00033142

3755689 HEATING ELEMENT 3333W 220V
length 400 mm - width 90 mm
height 245 mm - fittings \varnothing 1/4"



KOMEL 0003315A

KOMEL 00033150

KOMEL 00033151

3755688 HEATING ELEMENT 5500W 220V
length 390 mm - width 70 mm
height 250 mm - fittings M14x1.5 mm



KOMEL 00033154

KOMEL 00033155

KOMEL 00033172

5092085 HEATING ELEMENT 9000W 230V
length 310 mm - width 180 mm
height 235 mm - fittings \varnothing 1/4"



KOMEL 00039278

5040397 KIT HEATING ELEMENT COMPLETE 6000W 230V
the kit includes:
casing, knobs, indicator lamps, cables and
thermostats
heating element dimensions 320x230x250 mm



KOMEL 00033020

KOMEL 00033021

KOMEL 00033820

7105218 KIT HEATING ELEMENT COMPLETE 9000W 230V
the kit includes:
casing, knobs, indicator lamps, cables and
thermostats
heating element dimensions 300x220x250 mm
for Fryer electric (KOMEL) ES12



KOMEL 00038723

Hinges, catches and accessories

7100631 DOOR HINGE LOWER LH
external dimensions 82.5x25x12.5 mm



KOMEL 00035816



Suitable for:

KOMEL



Suitable for:

Hydraulic piping

3450152 HOSE RUBBER REINFORCED \varnothing 13/19 mm
internal \varnothing 13 mm - external \varnothing 19 mm
temperature -40+100°C
sold per meter



KOMEL 00003720
KOMEL 00200633
KOMEL 07100002

KOMEL 00013340
KOMEL 00200634
KOMEL 07145011

KOMEL 00013411
KOMEL 07100001

3450209 RUBBER PIPE \varnothing 13x20 mm - 40 m
operating temperature -40+100°C



KOMEL 00003720
KOMEL 00200633
KOMEL 07100002

KOMEL 00013340
KOMEL 00200634
KOMEL 07145011

KOMEL 00013411
KOMEL 07100001

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
operating temperature -40+100°C



KOMEL 00003720
KOMEL 00200633
KOMEL 07100002

KOMEL 00013340
KOMEL 00200634
KOMEL 07145011

KOMEL 00013411
KOMEL 07100001

1449681 SILICONE HOSE \varnothing 4x7 SHORE 60 - 5 m
alimentary



KOMEL 00003750

KOMEL 00011065

KOMEL 07125002

Ignitors

5054336 KIT PIEZO IGNITER WITH CABLES
with metal plates 50x50 mm
a \varnothing 22 mm hole is required for the assembly
ignition lead 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for ignition plug
grounding cable 300 mm



KOMEL 00038700

KOMEL 30140001

3001029 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm
for SNACK SERIES



3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm



KOMEL 33100003

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



KOMEL 00032410+00032460

KOMEL 00032460+00032410



Indicator lights

3221153 INDICATOR LIGHT GREEN 380V
 mounting hole 32.5x10 mm - 85°C
 for COUNTER TOP FRYER all models
 for Fryer (KOMEL) - Series KEB - Series KEM



KOMEL 00033200

KOMEL 28110001

3221094 INDICATOR LIGHT ORANGE 230V
 ø head 14 mm - ø hole 11.5 mm - 120°C



KOMEL 281100010

KOMEL 281100011

3221095 INDICATOR LIGHT ORANGE 230V
 head ø 13.5 mm - hole ø 10 mm - 120°C
 universal application



KOMEL 281100007

3221096 INDICATOR LIGHT ORANGE 230V
 head ø 7 mm - hole ø 6 mm
 wire connection length 200 mm



KOMEL 281100005

KOMEL 281100006

3221215 INDICATOR LIGHT ORANGE 230V
 head ø 16 mm - hole ø 11.5 mm - 120°C



KOMEL 28110100

KOMEL 28110101

3221154 INDICATOR LIGHT ORANGE 380V
 mounting hole 32.5x10 mm - 85°C
 for COUNTER TOP FRYER all models
 for Fryer (KOMEL) - Series KEB - Series KEM



KOMEL 00033210

KOMEL 28110002

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
 0.47µF



KOMEL 00002650

KOMEL 24100100

KOMEL 265



Suitable for:

KOMEL



Suitable for:

Ironmongery (screws,nuts,washers)

5021381 COUNTERSUNK FLAT HEAD SCREWS M4x12
cross recessed - stainless steel
UNI 7688 - DIN 965 - ISO 7046



KOMEL 01190002

5015285 COUNTERSUNK FLAT HEAD SCREWS M6x16
hexagon socket - stainless steel
UNI 5933 - DIN 7991 - ISO 10642



KOMEL 01350002

KOMEL 01350003

9528041 CYLINDER HEAD SCREW M6x20
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762
ø head 10 mm - overall length 26 mm



KOMEL 01320020

1528043 CYLINDER HEAD SCREW M6x30
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



KOMEL 01320030

5045757 CYLINDER HEAD SCREW M8x30
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



KOMEL 01320022

5015055 FLAT WASHER M12
ø internal/external 13/24 mm - thickness 2,5 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



KOMEL 02120012

1186192 FLAT WASHER M5
internal/external ø 5.3/10 mm - thickness 1 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



KOMEL 02120005

3528010 FLAT WASHER M6
ø internal/external 6.4/12 mm - thickness 1.6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



KOMEL 02120006


3743145 FLAT WASHER M8
internal/external ø 8.4/16 mm - thickness 1.6 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



KOMEL 00049422

KOMEL 02120008

3528143 HEXAGON NUT M5 BLIND
stainless steel - altezza 11 mm - UNI 5721 - DIN 1



KOMEL 03170005

Suitable for:

5060610 **HEXAGONAL NUT MEDIUM M3**
stainless steel - UNI 5588 - DIN 934 - ISO 4032



KOMEL 03100003

Suitable for:

3060069 **HEXAGONAL NUT M8 MEDIUM**
stainless steel - UNI 5588 - DIN 934 - ISO 4032



KOMEL 03100008

1528030 **MID HEXAGONAL NUT M6**
stainless steel - UNI 5588 - DIN 934 - ISO 4032



KOMEL 00001712

KOMEL 03100006

1186504 **WASHER FLAT M10**
internal/external \varnothing 10.5/20 mm - thickness 2 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



KOMEL 02120010

Knobs

3241376 **BLACK KNOB \varnothing 52 mm 1-2-3-4-5-6-7-8**
for MINISIT VALVE




KOMEL 00035809

KOMEL 00035812

KOMEL 00035813

3241091 **BLACK KNOB \varnothing 55 mm**
square hole 5x5 mm



KOMEL 00006500

KOMEL 00006520

KOMEL 650

3241092 **BLACK KNOB \varnothing 55 mm**
D-shaped hole 6x4.6 mm



KOMEL 00033241

KOMEL 00033250

KOMEL 00033260

3241742 **BLACK KNOB \varnothing 55 mm 0-1-2-3-4-5-6-7-8**
D-shaped hole 6x4.6 mm



KOMEL 00038683

Labels for control panels

7150604 **ADHESIVE CONTROL PLATE 353x105 mm**



KOMEL 00027076



Suitable for:


KOMEL



Suitable for:

Lids

5002356 FRYER TANK COVER 340x270 mm




KOMEL 00030645
KOMEL 00030696

KOMEL 00030680
KOMEL 00039326

KOMEL 00030690

5040302 FRYER TANK COVER 340x270 mm



KOMEL 00030681

KOMEL 00030691

5040303 FRYER TANK COVER 430x270 mm



KOMEL 00030700
KOMEL 00030711
KOMEL 00030721

KOMEL 00030701
KOMEL 00030716
KOMEL 00030730

KOMEL 00030710
KOMEL 00030720
KOMEL 00030731

Magnets

3242587 DOOR LOCK MAGNET
platelet dimensions 51x19 mm
mounting hole 38x25x7.5 mm
for FRYER all models



KOMEL 37180010


Microswitches, magnetic

3240204 MAGNETIC MICROSWITCH E5301C
0.4A 250V - contact NO - head 65x20x9 mm
with magnet 63x19x11 mm
with cable length 1900 mm



KOMEL 25240003


3240181 PROTECTED MAGNET 62x18x10 mm






Microswitches, mechanical

3803027 CHANGE OVER MICROSWITCH BITRON N16
16A 250V



KOMEL 25190003

3240144 MICROSWITCH BITRON TYPE S16
16A 250V



KOMEL 25190007

Nozzles

3500268 GAS JET M10x1 \varnothing 0.95 mm



KOMEL 18110105

3500263 GAS JET M10x1 \varnothing 1.10 mm
for Fryer gas (KOMEL) KGBD10 - KGB10



KOMEL 18110121

3500262 GAS JET M10x1 \varnothing 1.20 mm
for Fryer gas (KOMEL) KGBD10 - KGB10



KOMEL 18110111

KOMEL 18110130

3500381 GAS JET M10x1 \varnothing 1.60 mm



KOMEL 18110120

3500361 GAS JET M10x1 \varnothing 1.65 mm



KOMEL 00003222

KOMEL 00032220

KOMEL 18110099

3500266 GAS JET M10x1 \varnothing 1.70 mm



KOMEL 18110103

3500267 GAS JET M10x1 \varnothing 1.80 mm



KOMEL 18110104

3500056 GAS JET M10x1 \varnothing 1.85 mm



KOMEL 18110090

KOMEL 18110110



Suitable for:

3500265 GAS JET M10x1 ø 2.05 mm



KOMEL 18110101

Suitable for:

3500362 GAS JET M10x1 ø 2.50 mm



KOMEL 00032230

O-Ring and ORM gaskets

1186255 O-RING 0109 EPDM
ring thickness 2.62 mm - internal ø 9.13 mm



KOMEL 06140138

3186183 O-RING 0128 EPDM
ring thickness 2.62 mm - internal ø 20.63 mm



KOMEL

5006335 O-RING 0181 EPDM
ring thickness 5.34 mm - internal ø 79.77 mm



KOMEL 00004340

KOMEL 06140009

KOMEL 434

3122365 O-RING 02475 EPDM
ring thickness 1.78 mm - internal ø 120.37 mm



KOMEL 00002900

KOMEL 06140140

KOMEL 06140008

KOMEL 06140047

1186318 O-RING 03043 EPDM
ring thickness 2.62 mm - internal ø 10.78 mm



KOMEL 06140003

3186860 O-RING 03056 EPDM
ring thickness 2.62 mm - internal ø 13.95 mm
EX OR 0118



KOMEL 06140002

1186327 O-RING 03081 EPDM
ring thickness 2.62 mm - internal ø 20.24 mm



KOMEL 00004480

KOMEL 06140005

1186237 O-RING 03300 EPDM
ring thickness 2.62 mm - internal ø 75.87 mm



KOMEL 06140004



Suitable for:

3786008 O-RING 04112 BROWN VITON
ring thickness 3.53 mm - internal \varnothing 28.17 mm
for coffee group upper piston



KOMEL 06140106

Suitable for:

1186799 O-RING 04225 EPDM
ring thickness 3.53 mm - internal \varnothing 56.74 mm
for DISHWASHERS LAMBER




KOMEL 06140018

3186271 O-RING 04312 EPDM
ring thickness 3.53 mm - internal \varnothing 78.97 mm



KOMEL 06140026

3122344 O-RING 04650 EPDM
ring thickness 3.53 mm - internal \varnothing 164.70 mm



KOMEL 00002910

KOMEL 06140010

3186335 O-RING 06337 EPDM
ring thickness 5.34 mm - internal \varnothing 85.09 mm



KOMEL 06140035


Pilot burners and accessories

3020103 BRACKET 3 POSITIONS



KOMEL 33120011

3020084 FITTING AND OLIVE \varnothing 6 mm



KOMEL 16100004


KOMEL 33120013

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



KOMEL 33120004

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



KOMEL 33120009



Suitable for:

KOMEL



5065033 FLAME CONVEYOR LH 50x30x23 mm



KOMEL 00038526

Suitable for:

5065032 FLAME CONVEYOR RH 50x30x23 mm



KOMEL 00038561

3020112 OLIVE FOR PIPE \varnothing 6 mm



KOMEL 33120003


5025549 PILOT BURNER KIT SIT 3 FLAMES

without plug and gasket
with pilot olive for pipe
with thermocouple connection
with sparking plug fitting
with pilot nozzles \varnothing 0.35 mm - \varnothing 0.51 mm




KOMEL 00038491

3020083 FITTING AND OLIVE \varnothing 4 mm




3020084 FITTING AND OLIVE \varnothing 6 mm



KOMEL 16100004

KOMEL 33120013

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



KOMEL 33120009

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



KOMEL 33120004

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



KOMEL 33110002



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



KOMEL 33110001

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



3020541 PILOT JET \varnothing 0.35 mm



KOMEL 18100095

KOMEL



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm
for Fryer gas (KOMEL) KBGD10 - KGB10



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



KOMEL 33120003

3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



KOMEL 00032680

3020041 PILOT JET \varnothing 0.41 mm





Suitable for:

2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm




**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**




KOMEL 33120002

3020433 PILOT BURNER 3-FLAME
supplied without sparking plug
supplied with NATURAL GAS nozzles
supplied with pilot pipe fitting
supplied with thermocouple fitting
with sparking plug fitting
for Fryer gas (KOMEL) KGBD10 - KGB10



KOMEL 33120030

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



KOMEL 33120009

KOMEL




Suitable for:

3020187 PILOT JET \varnothing 0.51 mm



KOMEL 00032690

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm



KOMEL 33120004

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



KOMEL 33110002



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



KOMEL 33110001

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020044 PILOT JET \varnothing 0.20 mm



KOMEL 18100060

3020452 PILOT JET \varnothing 0.32 mm



3020449 PILOT JET \varnothing 0.54 mm



KOMEL



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm
for Fryer gas (KOMEL) KBGD10 - KGB10



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



KOMEL 33120003

5071220 PILOT JET \varnothing 0.22 mm



3020045 PILOT JET \varnothing 0.50 mm



KOMEL 18100061

3020464 PILOT JET \varnothing 0.64 mm





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1




KOMEL



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



KOMEL 33120002

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020044 PILOT JET \varnothing 0.20 mm




KOMEL 18100060

3020054 PILOT JET \varnothing 0.20 mm



KOMEL 18100097

3020156 PILOT JET \varnothing 0.25 mm



KOMEL 18100094

3020040 PILOT JET \varnothing 0.30 mm



KOMEL 00032680

3020055 PILOT JET \varnothing 0.35 mm



KOMEL 18100096

3020541 PILOT JET \varnothing 0.35 mm



KOMEL 18100095

3500269 PILOT JET \varnothing 0.45 mm



KOMEL 18100093

3020045 PILOT JET \varnothing 0.50 mm



KOMEL 18100061

3020187 PILOT JET \varnothing 0.51 mm



KOMEL 00032690

Suitable for:

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



KOMEL 33120002

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



KOMEL 33120005

3020104 BRACKET CLAMP 3 POSITIONS



3020103 BRACKET 3 POSITIONS



KOMEL 33120011

3020109 DEFLECTOR 2 FLAMES




3020110 DEFLECTOR 3 FLAMES




5048713 DEFLECTOR 3 FLAMES



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



KOMEL 16100004

KOMEL 33120013

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



KOMEL 33110002



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



KOMEL 33110001

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



KOMEL



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm
for Fryer gas (KOMEL) KBGD10 - KGB10



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm



3020054 PILOT JET \varnothing 0.20 mm




KOMEL 18100097



Suitable for:

3020156 PILOT JET \varnothing 0.25 mm



KOMEL 18100094

3020055 PILOT JET \varnothing 0.35 mm



KOMEL 18100096

3500269 PILOT JET \varnothing 0.45 mm



KOMEL 18100093

3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M**



KOMEL

Suitable for:

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm




3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**





Suitable for:

5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



KOMEL



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1




KOMEL 3312002

3020199 THREE-FLAME PILOT BURNER SIT
supplied without sparking plug, nozzle and gasket



KOMEL 3312007


3020084 FITTING AND OLIVE \varnothing 6 mm



KOMEL 1610004

KOMEL 3312013

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



KOMEL 3312009

3020083 FITTING AND OLIVE \varnothing 4 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm



KOMEL 3312004

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



KOMEL 3311002



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



KOMEL 33110001

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



3020541 PILOT JET \varnothing 0.35 mm



KOMEL 18100095

KOMEL



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm
for Fryer gas (KOMEL) KBGD10 - KGB10



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



KOMEL 33120003

3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



KOMEL 00032680

3020041 PILOT JET \varnothing 0.41 mm





Suitable for:

2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**




KOMEL 33120002

3020310 TWO-FLAME PILOT BURNER SIT
with LPG and NATURAL GAS nozzles
with plug - with 3 positions bracket



KOMEL 00038531

3020084 FITTING AND OLIVE \varnothing 6 mm



KOMEL 16100004

KOMEL 33120013

KOMEL



Suitable for:

3020187 PILOT JET \varnothing 0.51 mm



KOMEL 00032690

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm





Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



KOMEL 33110002

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm
for Fryer gas (KOMEL) KBGD10 - KGB10



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm



KOMEL

Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



KOMEL 33110001

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm





Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



KOMEL 18100097

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M**



**5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M**



KOMEL

Suitable for:

3020156 PILOT JET \varnothing 0.25 mm



KOMEL 18100094

3020055 PILOT JET \varnothing 0.35 mm



KOMEL 18100096

3500269 PILOT JET \varnothing 0.45 mm



KOMEL 18100093

3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



KOMEL 33120002





Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




KOMEL




Suitable for:

3020009 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



KOMEL 00032790

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



KOMEL 33120009

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



KOMEL 33110001

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



KOMEL 33120004

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



KOMEL 33110002

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm
for Fryer gas (KOMEL) KBGD10 - KGB10



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm





Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



KOMEL 33120003

3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



KOMEL 00032680

3020041 PILOT JET \varnothing 0.41 mm



3020187 PILOT JET \varnothing 0.51 mm



KOMEL 00032690

KOMEL

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



3020541 PILOT JET \varnothing 0.35 mm



KOMEL 18100095

2106308 PILOT JET \varnothing 0.45 mm




4053669 PILOT JET \varnothing 0.75 mm





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



KOMEL

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



KOMEL 33120002

Pressure gauges

3245018 PRESSURE GAUGE \varnothing 52 mm
fitting \varnothing 1/4"M
scale 0-4 bar



KOMEL 00074350

KOMEL 32130004

Probes

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb \varnothing 6x40 mm



KOMEL 22192003

5052046 TEMPERATURE PROBE PT1000
2 threads
probe length 130 mm
cable length 530 mm



KOMEL 25192410

Protection plates

3523050 COVER FOR VALVE MINISIT



KOMEL 00032420

3244011 VALVE PLATE
length 223 mm - width 70 mm



KOMEL 00038675



Suitable for:

KOMEL



Suitable for:

Relays

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



KOMEL 25130101

KOMEL 25130102

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



KOMEL 25130100

Selector switches

3059011 SELECTOR SWITCH 3-POLE
contact capacity 16A 380V - max 60/75°C
square shaft 5x5 mm




KOMEL 00005980

KOMEL 25110001

KOMEL 598

3241091 BLACK KNOB ø 55 mm
square hole 5x5 mm



KOMEL 00006500

KOMEL 00006520

KOMEL 650

3059010 SINGLE POLE SELECTOR SWITCH
contact capacity 12A 250V - max 60/75°C
square shaft 5x5 mm




KOMEL 00005971

KOMEL 25100001

KOMEL 597/A

3241091 BLACK KNOB ø 55 mm
square hole 5x5 mm



KOMEL 00006500

KOMEL 00006520

KOMEL 650

Solenoid valves

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



KOMEL 23120004



Solenoid valves

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



KOMEL 23120021

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



KOMEL 23120004

3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

3120204 **OUTLET ADJUSTER ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 25%



KOMEL

Suitable for:



3120007 **SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



KOMEL 00003120

KOMEL 23120001

3120021 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 12 L/min - tolerance +/- 15%



KOMEL 23120004

3120037 **ADJUSTER FOR OUTLET ELBI GREEN**
flow rate 0.25 L/min - tolerance +/- 25%



3120016 **ADJUSTER FOR OUTLET ELBI NEUTRAL**
flow rate 1.2 L/min - tolerance +/- 25%



3120015 **ADJUSTER FOR OUTLET ELBI RED**
flow rate 0.5 L/min - tolerance +/- 25%



3120019 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 15%



3120022 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 16 L/min - tolerance +/- 15%



3120201 **ADJUSTER FOR OUTLET ELBI GREY**
flow rate 4.7 L/min - tolerance +/- 25%



3120017 **ADJUSTER FOR OUTLET ELBI ORANGE**
flow rate 2.5 L/min - tolerance +/- 25%



3120203 **ADJUSTER FOR OUTLET ELBI WHITE**
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



KOMEL



Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120517 SOLENOID VALVE SIRAI 2 WAYS 24V 50HZ
L140B5 - fittings \varnothing 1/2" FF - max 16 bar
for water - NC
max temperature 100°C
coil Z615A 24V 50Hz



KOMEL 00056900
KOMEL 23140002

KOMEL 00056930
KOMEL 23140004

KOMEL 23130002

3120414 SOLENOID VALVE T&P 3-WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" with flowrate adjuster 10 L/min
three \varnothing 10.5 mm outlets



KOMEL 23120003

3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
flow rate 1.2 L/min - tolerance +/- 25%



3120421 ADJUSTER FOR OUTLET T&P BLACK
flow rate 5 L/min - tolerance +/- 20%



3120568 ADJUSTER FOR OUTLET T&P GREEN
flow rate 3 L/min - tolerance +/- 25%





Suitable for:

3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
flow rate 1 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
flow rate 0.5 L/min - tolerance +/- 25%



3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min



KOMEL

Suitable for:

3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
flow rate 1.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
flow rate 0.25 L/min - tolerance +/- 25%



3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min



D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min



D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min





Suitable for:

D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



KOMEL



Suitable for:

D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/-25%



D120092 COIL T&P 12Vdc
for solenoid valves T&P



3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



D120093 COIL T&P 24Vdc
for solenoid valves T&P



Sparking and detection plugs

7150610 CONNECTOR RED FOR PLUG 63 mm



KOMEL 25192500

7150608 DETECTION PLUG ROUND \varnothing 9x60 mm
overall length 120 mm



KOMEL 00027232



Suitable for:

KOMEL



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



KOMEL 33110002

Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



KOMEL 33110001

3806007 ROUND IGNITION PLUG \varnothing 6.5x45 mm
male faston M4x1 mm
overall length 60 mm
for Fryer gas (KOMEL) KGWDT12 - KGWDT20 - KGWT12
KGWT20



KOMEL 33110003

7150607 ROUND IGNITION PLUG \varnothing 9x60 mm
overall length 108 mm



KOMEL 00027231

Taps for tank refilling

3356111 WATER INLET TAP \varnothing 1/2"FF



KOMEL 13100001

Telethermometers

3441008 TELE-THERMOMETER BLACK \varnothing 52 mm 0-120°C
plastic case
PVC covered capillary 1500 mm
bulb \varnothing 6.5x2.6 mm



KOMEL 00006010

KOMEL 32100001

KOMEL 601

3441083 TELE-THERMOMETER WHITE \varnothing 52 mm 0-250°C
metal body
capillary length 1310 mm
bulb \varnothing 4x75 mm



KOMEL 32100002



Thermocouples and accessories

2111638 CUT-OFF THERMOCOUPLE M9x1 60 cm
cut-off contact with terminals



KOMEL 00032580

KOMEL 1710001

3440174 CUT-OFF THERMOCOUPLE QUICK M9x1 40 cm
cut-off contact with terminals



KOMEL 1710003


Thermostats

3444579 BULB HOLDING CLIP \varnothing 8.5 mm
for heating element thermostat



KOMEL 00032349

3444389 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 600 mm - 16A 250V
bulb \varnothing 6x83 mm



KOMEL 00032270

KOMEL 2213001

KOMEL 32213001

3444690 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
complete with wiring
covered capillary length 1480 mm
bulb \varnothing 4x125 mm
for Fryer gas (KOMEL) KGW20



KOMEL 22170003

3444124 PROTECTION CAP
for safety thermostat
for THERMOSTAT EGO




3444893 SINGLE-PHASE THERMOSTAT 55-195°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm
bulb \varnothing 4x90 mm



KOMEL 22140002

3444384 SINGLE-PHASE THERMOSTAT 65-204°C
D shaft \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 4x95 mm



KOMEL 00033230

KOMEL 22140001



Suitable for:

KOMEL



3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



KOMEL

Suitable for:

3444169 THERMOSTAT SINGLE-PHASE TR2 220°C

with manual reset
complete with wiring
capillary length 1500 mm - 15A 250V
bulb \varnothing 5x125 mm




KOMEL 00032610

KOMEL 22170001

5034754 THERMOSTAT SINGLE-PHASE TR2 64-210°C

with knob and ring nut
D-shaped pin \varnothing 6x4.6 mm
capillary length 920 mm - 16A 250V
bulb \varnothing 5x130 mm



KOMEL 22180006

7150012 THERMOSTAT SINGLE-PHASE 105-190°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb \varnothing 4x235 mm - stuffing gland fitting M10x1
for Fryer (KOMEL) KT7+7



KOMEL 22140003

KOMEL 22140004

3394327 THERMOSTAT STUFF.GLAND KIT HOLE 1/8"FF

stuffing gland M10x1



KOMEL 00038680

3444086 THERMOSTAT THREE-PHASE 108-192°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 6x200 mm




KOMEL 00033240

KOMEL 22160001

7150613 THERMOSTAT THREE-PHASE 220°C


with manual reset
covered capillary length 1450 mm - 10A 400V
button bulb \varnothing 14x11 mm



KOMEL 22150004

3444939 THREE-PHASE THERMOSTAT 220°C

with manual reset
covered capillary length 900 mm - 20A 400V
bulb \varnothing 6x110 mm



KOMEL 22150003

3444390 THREE-PHASE THERMOSTAT 230°C
with manual reset
capillary 900 mm - 10A 400V
bulb \varnothing 6x230 mm



KOMEL 00032280

KOMEL 22150001

KOMEL 22150002

Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



KOMEL 22192006

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com