



# Spare parts for the professional sector: Cooking equipment



Suitable for:

# KREFFT



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# KREFFT



Suitable for:

## Axial motor fans

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



**3805037 CABLE FOR AXIAL MOTOR FAN**  
cable length 2000 mm



KREFFT

## Burners, flame spreaders and accessories

**3025466 BURNER CAP ø 68 mm**



**3025467 BURNER ø 68 mm**



KREFFT

**3786009 BURNER GASKET**  
external ø 34 mm - internal ø 30 mm - thickn. 2 mm



**3786010 BURNER INSULATOR**



**3025469 BURNER RING**  
for burner ø 68-82 mm



**3025468 BURNER CAP ø 82 mm**



**3025472 BURNER ø 82 mm**



KREFFT



Suitable for:

**3786009 BURNER GASKET**  
external  $\varnothing$  34 mm - internal  $\varnothing$  30 mm - thickn. 2 mm



**3025469 BURNER RING**  
for burner  $\varnothing$  68-82 mm



**3067198 O-RING 04162 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  40.86 mm



# KREFFT

Suitable for:

**3786011 BURNER INSULATOR**



**3786743 GASKET FOR BURNER 88x74 mm**



**3025351 FLAME SPREADER  $\varnothing$  85 mm 3.5 KW**



KREFFT

**3025352 VENTURI F/FLAME SPREADER 85 mm 3.5 KW**



KREFFT

**3025352 VENTURI F/FLAME SPREADER 85 mm 3.5 KW**



KREFFT

**3025350 BURNER  $\varnothing$  85 mm 3.5KW**




**3025353 VENTURI TUBE GASKET 3.5 KW**  
dimensions 47x53 mm



KREFFT

**3025356 VENTURI F/FLAME SPREADER 95 mm 5.5Kw**



KREFFT





Suitable for:

## KREFFT



**3025353 VENTURI TUBE GASKET 3.5 KW**  
dimensions 47x53 mm



KREFFT

Suitable for:


**3025357 VENTURI TUBE GASKET 5.5 KW**  
dimensions 55x62 mm



KREFFT

## Buzzers

**3397302 ALARM BELL 220V**



KREFFT 76-30060101

## Cable glands

**3050312 PRESSURE PLUG FITTING PG9**  
nichel plated brass  
ø cable 6-8 mm  
mounting hole ø 15.2 mm



KREFFT

## Cables for piezo igniters

**3001022 IGNITION LEAD 1200 mm**  
with faston terminal ø 2.4 mm for ignition  
with faston terminal ø 4 mm for plug



KREFFT 42-5061005414



## Castors, rollers and accessories

- 3346173 SWIVELLING WHEEL**  
with ZINC-PLATED supports - polypropylene nucleus  
synthetic rubber ring  
dimensions  $\varnothing$  100x30 mm - load capacity 80 kg  
pin hole  $\varnothing$  12 mm



KREFFT

- 3346079 SWIVELLING WHEEL WITH BRAKE**  
with ZINC-PLATED supports  
thermoplastic nucleus  
rubber ring and thread guard  
dimension  $\varnothing$  100x24 mm - load capacity 55 kg



KREFFT

## Clamps

- 3449462 HOSE CLAMP 12-20**  
for pipes  $\varnothing$  12÷20 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



KREFFT

- 3449452 HOSE CLAMP 16-25**  
for pipes  $\varnothing$  16÷25 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



KREFFT

- 3449464 HOSE CLAMP 20-32**  
for pipes  $\varnothing$  20÷32 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



KREFFT

- 3449455 HOSE CLAMP 40-60**  
for pipes  $\varnothing$  40÷60 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



KREFFT

- 3449456 HOSE CLAMP 50-70**  
for pipes  $\varnothing$  50÷70 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



KREFFT

- 3449457 HOSE CLAMP 60-80**  
for pipes  $\varnothing$  60÷80 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



KREFFT



Suitable for:

# KREFFT



**3168002 HOSE CLAMP 70-90**  
for pipes  $\varnothing$  70÷90 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



KREFFT

Suitable for:

**3449477 HOSE CLAMP 80-100**  
for pipes  $\varnothing$  80÷100 mm  
made of stainless steel AISI 304  
height 12 mm and screw E7  
suitable for food industry



KREFFT 081596

## Contact thermostats

**3444607 CONTACT THERMOSTAT 110°C**  
16A 250V 50/60Hz - with manual reset



KREFFT 62-236039

**3443026 CONTACT THERMOSTAT 110°C 16A 250V**  
with automatic reset - thread M4  
faston 6.3x0.8 mm



KREFFT

## Contactors


**3397403 AUXILIARY CONTACT AEG HS9.11**  
6A  
1 normally open contact  
1 normally closed contact



KREFFT 76-30310099

KREFFT 76-30310102

**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



KREFFT

**3351260 AUXILIARY CONTACT AEG HS0501**  
10A  
1 normally closed contact






**3351261 AUXILIARY CONTACT AEG HS0510**  
10A  
1 normally open contact



**3351210 CONTACTOR AEG LS05 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



**3351260 AUXILIARY CONTACT AEG HS0501**  
10A  
1 normally closed contact




KREFFT

**3351261 AUXILIARY CONTACT AEG HS0510**  
10A  
1 normally open contact



**3351201 CONTACTOR AEG LS07 7A 230V 3Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



KREFFT

**3351221 CONTACTOR AEG LS15K 32A 230V 16Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
no auxiliary contact



**3446516 AUXILIARY CONTACT AEG HS7K01**  
10A  
1 normally closed contact



KREFFT 76-30280512



Suitable for:

# KREFFT



Suitable for:

**3351222 CONTACTOR AEG LS22K 50A 230V 22Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 no auxiliary contact



KREFFT 76-30280102

KREFFT 76-30280117

KREFFT 76-30280513

**3351211 CONTACTOR AEG LS4K 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact



KREFFT

**3446516 AUXILIARY CONTACT AEG HS7K01**  
 10A  
 1 normally closed contact



**3454032 AUXILIARY CONTACT AEG HS7K10**  
 1 NO contact



KREFFT

**3351212 CONTACTOR AEG LS4K 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



KREFFT

**3446516 AUXILIARY CONTACT AEG HS7K01**  
 10A  
 1 normally closed contact



**3454032 AUXILIARY CONTACT AEG HS7K10**  
 1 NO contact



KREFFT



Suitable for:

**3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact



KREFFT

Suitable for:

**3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



KREFFT

**3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
 coil 230V 50/60Hz  
 4 normally open contacts  
 no auxiliary contact



KREFFT

**5021314 AUXILIARY CONTACT AEG HS8K11**  
 1 contact NO  
 1 contact NC



**3454099 CONTACTOR GENERAL ELECTRIC CL00A301**  
 9A 4kW coil 230V 50/60Hz  
 3 NO contacts  
 1 NC auxiliary contact



KREFFT 76-30280103

KREFFT 76-30280504

KREFFT 76-30280507

**5071716 CONTACTOR GENERAL ELECTRIC CL00A310**  
 9A 400V 4Kw - coil 230V 50/60Hz  
 3 contacts NO  
 1 contact aux NO




KREFFT 76-30280100

KREFFT 76-30280502

KREFFT 76-30280506

KREFFT 76-30280551

**5044397 CONTACTOR GENERAL ELECTRIC MC1A301AT6**  
 4kW 400V 9A - coil 230V 50/60Hz  
 3 NO contacts  
 1 NC auxiliary contact



KREFFT 76-30280103

KREFFT 76-30280504

KREFFT 76-30280507

KREFFT 76-30280550

**3454098 CONTACTOR ISKRA K07M-01**  
 7.5A 400V 5.5Kw - coil 230V 50/60Hz  
 3 NO contacts  
 1 NC auxiliary contact



KREFFT 63-120461



Suitable for:

# KREFFT



## 3397401 MOTOR PROTECTION SWITCH AEG Mbs25

50/60Hz - 0.55Kw  
1÷1.6A  
3 NO contacts



KREFFT 76-30310105

KREFFT 76-30310106

Suitable for:

## 3397403 AUXILIARY CONTACT AEG HS9.11

6A  
1 normally open contact  
1 normally closed contact



KREFFT 76-30310099

KREFFT 76-30310102

## 3397402 MOTOR PROTECTION SWITCH AEG Mbs25

50/60Hz - 1.1Kw  
1.6÷2.5A  
3 NO contacts



KREFFT 76-30310107

## Drain taps and accessories

### 3356166 PIN WITH LOCK FOR DRAIN TAP



KREFFT

## Electrical capacitors

### 3068024 CAPACITOR DUCATI ENERGIA 16µF

450V 50/60Hz  
operating temperature -25 +85°C  
lead connector 6.35x0.8 mm  
ø 36xh70 mm



KREFFT 62-206004

### 3068010 CAPACITOR DUCATI ENERGIA 6,3µF

450V 50/60Hz  
operating temperature -25 +85°C  
lead connection 6.35x0.8 mm  
ø 32xh55 mm



KREFFT

Suitable for:

**3068014 CAPACITOR DUCATI ENERGIA 8 $\mu$ F**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 $\varnothing$  32xh55 mm



KREFFT

Suitable for:

**3068083 CAPACITOR ELECTRICAL 16 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  35xh71 mm



KREFFT 62-206004

**3068097 CAPACITOR ELECTRICAL 6.3 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  30xh51 mm



KREFFT

**3068079 CAPACITOR ELECTRICAL 8 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  30xh71 mm



KREFFT

## Electrical sockets

**3050218 3-POLES THREE-PHASE PLUG+N+PE 16A IP44**



KREFFT

## Electronic controllers

**3446101 DIGITAL CLOCK WITH TIMER K400-2CM**  
 up to 99 hours and 59 minutes  
 16A 200/240V 45/55Hz  
 external dimensions 72x55x35 mm



KREFFT 541590



Suitable for:


# KREFFT



Suitable for:

## Energy regulators

**3350026 ENERGY REGULATOR**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin ø 6x4.6 mm  
double rotation direction



KREFFT 49-183149

**3350092 ENERGY REGULATOR**  
contact capacity 230V 13A  
temperature max 125°C  
D-shaped pin ø 6x4,6 mm  
double direction of rotation



KREFFT LF-3350026

## Fryer baskets and accessories

**5029784 FRYER BASKET 310x170x120 mm**  
of chrome-plated iron



KREFFT 49-141427

## Fuses

**3049010 DELAY FUSE ø 5x20 mm - 10 PCS**  
250V 500mA



KREFFT

**3049016 DELAY FUSE ø 5x20 mm - 10 PCS**  
250V 2A



KREFFT

**3049020 DELAY FUSE ø 5x20 mm - 10 PCS**  
250V 6.3A



KREFFT

**3049065 DELAY FUSE ø 6.3x32 mm - 10 PCS**  
250V 6.3A




KREFFT

**Gas hoses and gas pipes****3449331 PIPE OF COPPER  $\varnothing$  4x1 mm - 3 m**

KREFFT

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 - h 10.5 mm**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model PEL 21-22-24-25**3449628 PIPE OF COPPER  $\varnothing$  4x1 mm - 5 m**

KREFFT

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 - h 10.5 mm**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model PEL 21-22-24-25**3449228 PIPE OF COPPER 1x4 mm - 25 m**


KREFFT

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model PEL 21-22-24-25



Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 - h 10.5 mm



**KREFFT**

Suitable for:



## Gas taps and accessories

**3348218** GAS TAP A60  
with pilot flame  
inlet fitting M15x1 mm  
outlet fitting M10x1 mm  
with flowrate adjuster  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  6x4.6 mm  
pin length 30/23 mm right/left




**3348239** GAS TAP A60  
with pilot flame  
inlet fitting M15x1 mm  
outlet fitting M10x1 mm  
with flowrate adjuster  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower




KREFFT

**3348261** GAS TAP A60/GPEL21D  
with pilot flame  
nozzle outlet  $\varnothing$  1.85  
inlet fitting M15x1 mm  
complete with by-pass  $\varnothing$  0.50 mm  
outlet fitting M17x1 mm  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  6x4.6 mm  
pin length 31/23 mm left




KREFFT

**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



KREFFT 49-170883

**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21




**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21





Suitable for:

**3348221 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/17,5 mm upper/lower  
for model PEL 21



**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S




**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22




**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110




## KREFFT

Suitable for:

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 $\varnothing$  ext. 12 mm - h 5 mm  
for model PEL 20-21-24-25






Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model PEL 21-22-24-25




**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm - h 14 mm  
for model PEL 20-21-24-25



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 - h 10.5 mm




**3348262 GAS TAP A60/GPEL21D**  
with pilot flame  
nozzle outlet  $\varnothing$  1.40  
inlet fitting M15x1 mm  
complete with by-pass  $\varnothing$  0.50 mm  
outlet fitting M17x1 mm  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  6x4.6 mm  
pin length 31/23 mm left



KREFFT 49-170882

**3348219 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm upper/lower  
for model PEL 21



# KREFFT



Suitable for:

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 7 mm  
for model PEL 21-22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm - h 11 mm  
for model PEL 21-22-24-25




**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm - h 11 mm



**7102841 BODY FITTING TAP**  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348220 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/23 mm upper/lower  
for model PEL 21









Suitable for:

**3348221 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/17,5 mm upper/lower  
for model PEL 21




**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S




**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22




**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110




## KREFFT

Suitable for:

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 $\varnothing$  ext. 12 mm - h 5 mm  
for model PEL 20-21-24-25





Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model PEL 21-22-24-25



**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm - h 14 mm  
for model PEL 20-21-24-25



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 - h 10.5 mm



**5046402 GAS TAP 21/S**  
with pilot flame  
connections M16x1.5 mm  
with flow regulator  
thermocouple connection M8x1mm  
D-shaped pin  $\varnothing$  6x4.6 mm



KREFFT 41-1031501300

**3348219 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm upper/lower  
for model PEL 21



## KREFFT

Suitable for:

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 7 mm  
for model PEL 21-22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm - h 11 mm  
for model PEL 21-22-24-25




**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm - h 11 mm



**7102841 BODY FITTING TAP**  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348220 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/23 mm upper/lower  
for model PEL 21






Suitable for:

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S




**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S




**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110




## KREFFT

Suitable for:

**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348275 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 32/25 mm upper/lower  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 $\varnothing$  ext. 12 mm - h 5 mm  
for model PEL 20-21-24-25





Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model PEL 21-22-24-25



**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm - h 14 mm  
for model PEL 20-21-24-25



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 - h 10.5 mm



**3348269 NOZZLE INTERNAL  $\varnothing$  1,05 mm**  
for MODEL EGA 26400-26440



KREFFT 01-230735

## KREFFT



Suitable for:

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 7 mm  
for model PEL 21-22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm - h 11 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm - h 11 mm



## Glues

**3392003 RED SILICONE SUPERSIL 60 ml**  
temperature max +350°C  
STRONG ADHESION  
excellent for the sealing of parts exposed to  
high temperatures, OVENS, MOTORS, STOVES, BOILERS  
suitable as sealer for OVEN GASKETS



KREFFT



## Grids for kitchen

5012555 GRID 545x337 mm



KREFFT 41-1032101000

## Handles

3242735 OVEN DOOR HANDLE  
distance between mounting holes 180 mm



KREFFT

## Heating elements

3755299 HEATING ELEMENT BRACKET




KREFFT

3355720 HEATING ELEMENT 1000W 220V  
immersed length 225 mm - width 60 mm  
flange 80x28 mm - with receptacle hole



KREFFT 01-214610

3855012 HEATING ELEMENT 1500W 400V  
length 465 mm - width 480 mm  
flange 104x32 mm



KREFFT 49-182322

3755216 HEATING ELEMENT 1900W 400V  
length 410 mm - width 125 mm  
total height 75 mm - flange 70x22 mm



KREFFT 49-182332

5056228 HEATING ELEMENT 2000/2071W 400/415V  
length 490 mm - width 575 mm  
flange 104x32 mm



KREFFT 49-182325

3355849 HEATING ELEMENT 2000W 220V  
length 230 mm - width 230 mm  
flange 107x33 mm



KREFFT 75-3706



Suitable for:

# KREFFT




**2110854 HEATING ELEMENT 2000W 230V**  
length 400 mm - width 140 mm  
height 70 mm - fittings M14x1,5 mm



KREFFT 49-182653

Suitable for:

**3355847 HEATING ELEMENT 2000W 230V**  
length 230 mm - width 280 mm  
flange 107x33 mm



KREFFT 75-3804

**3755214 HEATING ELEMENT 2000W 230V**  
length 285 mm - width 70 mm  
height 240 mm - fittings M14x1.5 mm



KREFFT 49-182651

**3755220 HEATING ELEMENT 2000W 230V**  
length 430 mm - width 140 mm  
couplings M14x1.5 mm  
operating ambient: immersion




KREFFT 49-182403

**3755221 HEATING ELEMENT 2000W 400V**  
length 430 mm - width 140 mm  
couplings M14x1.5 mm  
operating ambient: immersion




KREFFT 49-182404

**3755218 HEATING ELEMENT 2565W 230V**  
length 550 mm - width 125 mm  
height 65 mm - flange 70x22 mm



KREFFT 49-182330

**3755215 HEATING ELEMENT 2565W 400V**  
length 550 mm - width 125 mm  
total height 75 mm - flange 70x22 mm



KREFFT 49-182329

**5062917 HEATING ELEMENT 3000W 230V**  
length 290 mm - width 60 mm  
height 255 mm - fittings M14x1,5 mm



KREFFT 49-182652

**3855015 HEATING ELEMENT 3000W 240V**  
length 420 mm - width 330 mm  
flange 70x22 mm



KREFFT 49-182328

**3855014 HEATING ELEMENT 3000W 400V**  
length 420 mm - width 330 mm  
flange 70x22 mm



KREFFT 49-182327

Suitable for:

**3755211 HEATING ELEMENT 4500W 230V**  
 immersed length 320 mm  
 flange external  $\varnothing$  63 mm - with probe receptacle  
 complete with O-ring  $\varnothing$  58 mm (3186013)



KREFFT 49-182521

**3355732 HEATING ELEMENT 4800W 400V**  
 internal  $\varnothing$  180 mm - total height 55 mm  
 flange 70x22 mm



KREFFT

**3755219 HEATING ELEMENT 500W 230V**  
 immersed length 295 mm  
 fitting  $\varnothing$  3/4" - complete with cables



KREFFT 49-181729

**3755212 HEATING ELEMENT 6000W 230V**  
 immersed depth 465 mm  
 flange  $\varnothing$  ext. 63 mm



KREFFT 49-182416

**3755217 HEATING ELEMENT 6000W 230V**  
 immersed length 390 mm  
 flange external  $\varnothing$  63 mm  
 with thermostat probe receptacle  
 with O-ring



KREFFT 49-182656

Suitable for:

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm





Suitable for:

# KREFFT



**3355721 HEATING ELEMENT 6000W 400V**  
for boiler  
immersed length 380 mm - width 60 mm  
flange 80x28 mm



KREFFT 01-214608

Suitable for:

**3755114 HEATING ELEMENT 6000W 400V**  
ø ext. 215 mm - overall height 95 mm  
flange 70x22 mm



KREFFT

**3755290 HEATING ELEMENT 750W 230V**  
length 470 mm - width 28 mm  
flange 44x20 mm



KREFFT 01-214338

**3755213 HEATING ELEMENT 7500W 230V**  
immersed length 465 mm  
flange external ø 63 mm  
with thermostat probe receptacle  
with O-ring



KREFFT 49-182539

**3186013 O-RING 06187 EPDM ø 58 mm**  
ring thickness 5.34 mm - internal ø 47.00 mm



**3755485 HEATING ELEMENT 7500W 230V**  
immersed length 475 mm  
fitting ø 1-1/2"  
with bulb holder sheathing



KREFFT 43-0101493

**3186011 FLAT CARBO GASKET ø 63x48x2 mm**  
universal carbo  
for heating element



## Hydraulic piping

**3450109 RUBBER HOSE ø 13x20 mm - 5 mt**  
operating temperature -40+100°C



KREFFT






## Incandescent lamps and neon lamps

**3221250 HALOGEN LAMP NEUTRAL G4 10W 12V**  
max. temperature 250°C



KREFFT 76-30240201

**3221041 LAMP E14 15W 230V**  
max temperature 300°C - dimensions  $\varnothing$  22x50 mm



KREFFT

## Indicator lights

**5017914 INDICATOR LIGHT GREEN 230V**  
 $\varnothing$  head 19 mm -  $\varnothing$  hole 16 mm - 150°C



KREFFT 40-184120

**5033141 INDICATOR LIGHT LED GREEN 5V**  
hole  $\varnothing$  6 mm - length cable 200 mm



KREFFT 63-130196

**3221626 LAMP CAP FLAT TRANSPARENT SU2/C**



**3221097 INDICATOR LIGHT NEUTRAL 220V**  
head  $\varnothing$  8 mm - 120°C




KREFFT 62-216006

**5031417 INDICATOR LIGHT YELLOW 250V**  
 $\varnothing$  head 19 mm -  $\varnothing$  hole 16 mm - 120°C



KREFFT

**3221167 RED LAMP RECEPTACLE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  10 mm



KREFFT 602401

**3221162 GREEN LAMP RECEPTACLE**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  10 mm





Suitable for:


**3221163 ORANGE LAMP RECEPTACLE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  10 mm



**KREFFT**


Suitable for:

**3221168 TRANSPARENT LAMP RECEPTACLE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  10 mm




## Interference suppression filters

**3351240 INTERFERENCE SUPPR.FILTER AEG EB05-A240**  
72-240V




KREFFT

**3351241 INTERFERENCE SUPPRESS.FILTER AEG LR2K**  
130-250V



KREFFT

**3351242 INTERFERENCE SUPPRESSION FILTER AEG LR3K**  
130-250V



KREFFT

## Ironmongery (screws,nuts,washers)

**1528013 BLIND HEXAGONAL NUT M6**  
stainl. steel -height 16 mm -UNI 5721 - DIN 1587



KREFFT

**5015285 COUNTERSUNK FLAT HEAD SCREWS M6x16**  
hexagon socket - stainless steel  
UNI 5933 - DIN 7991 - ISO 10642



KREFFT

**3528010 FLAT WASHER M6**  
 $\varnothing$  internal/external 6.4/12 mm - thickness 1.6 mm  
st./steel - UNI 6592 - DIN 125 A - ISO 7089



KREFFT

**3743145 FLAT WASHER M8**  
internal/external  $\varnothing$  8.4/16 mm - thickness 1.6 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



KREFFT

Suitable for:

**1528009** **HEXAGON HEAD SCREW M6x12**  
inox - UNI 5739 - DIN 933 - ISO 4017



KREFFT

Suitable for:

**1184008** **HEXAGON HEAD SCREW M8x25**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



KREFFT

**3528018** **HEXAGONAL NUT M14 SHORT**  
brass - UNI 5589 - DIN 936 - ISO 4035



KREFFT

**3528202** **HEXAGONAL NUT M6 SHORT**  
stainless steel - UNI 5589 - DIN 936 - ISO 4035



KREFFT

**1186504** **WASHER FLAT M10**  
internal/external  $\varnothing$  10.5/20 mm - thickness 2 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



KREFFT

## Knobs

**3444128** **BLACK KNOB  $\varnothing$  50 mm 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for EGO thermostat




KREFFT

**5025982** **BLACK KNOB  $\varnothing$  65 mm**  
D-shaped hole 6x4.6 mm



KREFFT

**2110800** **DISK STICKER 0-I-0-I**  
external  $\varnothing$  59 mm



KREFFT




Suitable for:

**5035730 SELF-STICKING DISK WITH PILOT SYMBOL**  
ø external 59 mm




KREFFT

**3241980 STICKING KNOB DISK RED 1-2-3-4-5-6-7-8**  
ø external 59 mm




KREFFT

**2110731 STICKING KNOB DISK RED 50-300°C**  
ø external 59 mm




KREFFT

**3241979 STICKING KNOB DISK 0-I-II-III**  
ø external 59 mm




KREFFT

**3241984 STICKING KNOB DISK 1-2-3-4-5-6-7-8**  
ø external 59 mm



**3241986 STICKING KNOB DISK 100-195°C**  
ø external 59 mm




KREFFT

# KREFFT




Suitable for:

**2110733 STICKING KNOB DISK RED I-II-I-II**  
ø external 59 mm




KREFFT

**3241982 STICKING KNOB DISK RED 30-110°C**  
ø external 59 mm




KREFFT

**2110730 STICKING KNOB DISK 0-I-II-III**  
ø external 59 mm




KREFFT

**3241981 STICKING KNOB DISK 0-1-2-3**  
ø external 59 mm




KREFFT

**2110732 STICKING KNOB DISK 10-120 MINUTES**  
ø external 59 mm




KREFFT

**3241983 STICKING KNOB DISK 30-110°C**  
ø external 59 mm



Suitable for:

**2110800** **DISK STICKER 0-I-0-I**  
 external ø 59 mm



KREFFT


Suitable for:

**5035730** **SELF-STICKING DISK WITH PILOT SYMBOL**  
 ø external 59 mm




KREFFT

**2110733** **STICKING KNOB DISK RED I-II-I-II**  
 ø external 59 mm




KREFFT

**3241980** **STICKING KNOB DISK RED 1-2-3-4-5-6-7-8**  
 ø external 59 mm




KREFFT

**3241982** **STICKING KNOB DISK RED 30-110°C**  
 ø external 59 mm




KREFFT

**2110731** **STICKING KNOB DISK RED 50-300°C**  
 ø external 59 mm




KREFFT

**2110730** **STICKING KNOB DISK 0-I-II-III**  
 ø external 59 mm




KREFFT

**3241979** **STICKING KNOB DISK 0-I-II-III**  
 ø external 59 mm




KREFFT

**3241981** **STICKING KNOB DISK 0-1-2-3**  
 ø external 59 mm



KREFFT

**3241986** **STICKING KNOB DISK 100-195°C**  
 ø external 59 mm



KREFFT



Suitable for:


# KREFFT



Suitable for:

## Lamp receptacles and spare parts

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions  $\varnothing$  48x38x5 mm  
for OVEN



KREFFT 76-30250003

KREFFT 76-50120509

KREFFT 76-50120535

**3221232 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  53 mm**  
thread  $\varnothing$  33 mm - overall height 32 mm




KREFFT

**3221311 LAMP RECEPTACLE E14 25W 230V**  
mounting hole  $\varnothing$  36 mm  
max temperature 300°C



KREFFT

**2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V**  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C



KREFFT 76-30230502


KREFFT 76-30230506

**3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V**  
lamp glass  $\varnothing$  53 mm  
mounting hole  $\varnothing$  36 mm  
max temperature 300°C



KREFFT 76-30230501

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions  $\varnothing$  48x38x5 mm  
for OVEN



KREFFT 76-30250003

KREFFT 76-50120509

KREFFT 76-50120535

**3221232 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  53 mm**  
thread  $\varnothing$  33 mm - overall height 32 mm



KREFFT

**3221041 LAMP E14 15W 230V**  
max temperature 300°C - dimensions  $\varnothing$  22x50 mm



KREFFT

**3221311 LAMP RECEPTACLE E14 25W 230V**  
mounting hole  $\varnothing$  36 mm  
max temperature 300°C



KREFFT

**D421015 OVEN LAMP DR FISCHER E14 15W 230V**  
 $\varnothing$  22x49 mm - max temperature 300°C





Suitable for:

**3221625 OVEN LAMP RECEPTACLE  $\varnothing$  51 mm**  
thread  $\varnothing$  33 mm - overall height 27 mm



KREFFT 76-30250002

KREFFT 76-30250004

# KREFFT



Suitable for:

## Lava stone grids

**3185060 STAINLESS STEEL GRILL 465x310x20 mm**



KREFFT 1829522

## Level regulators

**3341000 LEVEL REGULATOR RL30/3ES/F/G**  
230V 50/60Hz



KREFFT 01-213810

**3341002 LEVEL PROBE  $\varnothing$  1/4"M-114.5 mm**



**3341003 LEVEL PROBE  $\varnothing$  1/4"M-110 mm**



**3341001 LEVEL PROBE  $\varnothing$  1/4"M-155 mm**



**3391037 LEVEL PROBE SPACER**  
external  $\varnothing$  8 mm  
internal  $\varnothing$  2.5 mm  
overall length 11.5 mm



**3391038 LEVEL PROBE SPACER**  
external  $\varnothing$  8 mm - 7.5 mm height





Suitable for:

# KREFFT



Suitable for:


## Magnet groups

**3182001 MAGNETIC UNIT MICRO MIDGET**  
ø head 13 mm - ø end 9 mm - length 35 mm



KREFFT

**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head ø 15 mm - end piece ø 11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



KREFFT


## Microswitches, magnetic

**3240436 MAGNETIC MICRO SWITCH MK12**  
with cable 2000 mm - head 32x15 mm



KREFFT 76-30161415


**3240437 MAGNET FOR MICROSWITCH 25x12x9 mm**



KREFFT 76-30161412

## Microswitches, mechanical

**3240054 MICROSWITCH CROUZET 83731**  
5A 250V  
thread M16x1 - thread length 27 mm  
with cable length 2000 mm



KREFFT

**3240407 MICROSWITCH KIT 16A 250V**  
2 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheel - lever 27 mm with wheel



KREFFT

**3240568 MICROSWITCH CROUZET EF83161.3**  
1NO+NC 16A 250V  
complete with roll lever 28 mm



KREFFT





**O-Ring and ORM gaskets**


**3186247 O-RING 03112 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  28.25 mm



KREFFT

**Pilot burners and accessories**

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



KREFFT LF-3020434

**3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm**  
for mounting of pilot assembly



**3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm**  
for burner  $\varnothing$  115 mm



**3020100 BRACKET 2 POSITIONS SIT**




**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**  
thread M10x1 - h 24 mm



**3020101 BRACKET CLAMP 2 POSITIONS FOR PILOT SIT**



**3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm**  
for burner  $\varnothing$  90 mm




**3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm**  
for burner  $\varnothing$  135 mm



**3020108 DEFLECTOR 1 FLAME FOR PILOT SIT**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**  
thread M10x1 - h 10 mm





Suitable for:

**3020513 FITTING AND OLIVE  $\varnothing$  6 mm**  
thread 10x1 - h 10 mm



**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model PEL 21-22-24-25



# KREFFT



Suitable for:

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**  
for PILOT BURNER SIT



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 $\varnothing$  ext. 14 mm - h 6 mm  
for model PEL 22-24-25



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 6.5 mm





Suitable for:

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



**3020054 PILOT JET SIT  $\varnothing$  0.20 mm**



**4058525 PILOT JET SIT  $\varnothing$  0.30 mm**



**5015516 PILOT JET SIT  $\varnothing$  0.40 mm**



**5075989 PILOT JET SIT  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



# KREFFT

Suitable for:

**3020115 PILOT CAP SIT 1 FLAME**



**3020156 PILOT JET SIT  $\varnothing$  0.25 mm**



**3020055 PILOT JET SIT  $\varnothing$  0.35 mm**



KREFFT 42-5017208682

**3500269 PILOT JET SIT  $\varnothing$  0.45 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**





Suitable for:

**3020107 PILOT WITH 0.35 mm  $\phi$  JET**



**3020077 PIPE FITTING  $\phi$  4 mm**  
thread M10x1 - h 10.5 mm



**5014757 PIPE FITTING  $\phi$  6 mm**  
thread M10x1 mm - h 11 mm



# KREFFT

Suitable for:

**3020079 PIPE FITTING  $\phi$  12 mm**  
thread  $\phi$  3/8" M - h 20 mm



**3020078 PIPE FITTING  $\phi$  6 mm**  
thread M10x1 - h 10.5 mm



**3020018 PILOT BURNER LPG CB 503.003**  
with LPG jet and pilot olive  
with pilot pipe connection



KREFFT LF-2111190

KREFFT

**3020050 OLIVE FOR PIPE  $\phi$  4 mm**  
 $\phi$  ext. 8.5 mm - h 10 mm  
for pilot burner series CB 502-CB 503



**3020051 FITTING FOR PILOT  $\phi$  4 mm**  
thread M10x1 - h 12.5 mm  
for pilot burner JUNKERS/ORKLI



**5026012 OLIVE FOR PIPE  $\phi$  4 mm**  
 $\phi$  ext. 8.5 mm - h 7 mm  
for pilot burner series CB 502-CB 503



**3020112 OLIVE FOR PIPE  $\phi$  6 mm**  
 $\phi$  ext. 8 mm - h 9 mm



**3020048 PILOT JET COPRECI  $\phi$  0.21 mm**  
for pilot burner series CB 503-CB 50203.



KREFFT 49-161141





Suitable for:

**3020049 PILOT JET COPRECI  $\varnothing$  0.28 mm**  
for pilot burner series CB 503



KREFFT 49-161140

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 - h 10.5 mm



**2103965 PILOT BURNER NATURAL GAS CB 502.031**  
with NATURAL GAS nozzle and olive for pilot  
supplied with pilot tube connection  
supplied with ignitor and fitting



KREFFT 49-161134

**3349587 FITTING FOR SPARKING PLUG FIXING  $\varnothing$  9 mm**  
thread M12x1 mm - h 11 mm  
for pilot burner series CB 502-CB 505



**3020026 IGNITION PLUG ROUND  $\varnothing$  9x39 mm**  
M faston M4x1 mm  
overall length 67 mm  
for pilot burner series CB 502



KREFFT 49-407123

## KREFFT

Suitable for:

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm - h 11 mm  
for model PEL 21-22-24-25




**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm - h 11 mm



**3020051 FITTING FOR PILOT  $\varnothing$  4 mm**  
thread M10x1 - h 12.5 mm  
for pilot burner JUNKERS/ORKLI



**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



**3020050 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8.5 mm - h 10 mm  
for pilot burner series CB 502-CB 503





Suitable for:

**5026012 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8.5 mm - h 7 mm  
for pilot burner series CB 502-CB 503



**3020048 PILOT JET COPRECI  $\varnothing$  0.21 mm**  
for pilot burner series CB 503-CB 50203.



KREFFT 49-161141

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 - h 10.5 mm



**3440048 THERMOCOUPLE SPRING**  
for pilot burner series CB 502-CB 505



## KREFFT

Suitable for:

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 9 mm



**3020049 PILOT JET COPRECI  $\varnothing$  0.28 mm**  
for pilot burner series CB 503



KREFFT 49-161140

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm - h 11 mm



**3020021 PILOT BURNER NATURAL GAS CB 502.032**  
with NATURAL GAS nozzle and pilot olive  
with pilot pipe connection



KREFFT


**3349587 FITTING FOR SPARKING PLUG FIXING  $\varnothing$  9 mm**  
thread M12x1 mm - h 11 mm  
for pilot burner series CB 502-CB 505



**3020051 FITTING FOR PILOT  $\varnothing$  4 mm**  
thread M10x1 - h 12.5 mm  
for pilot burner JUNKERS/ORKLI



**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1





Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



## KREFFT



Suitable for:

**3020026 IGNITION PLUG ROUND  $\varnothing$  9x39 mm**  
M faston M4x1 mm  
overall length 67 mm  
for pilot burner series CB 502



**3020050 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8.5 mm - h 10 mm  
for pilot burner series CB 502-CB 503



KREFFT 49-407123

**5026012 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8.5 mm - h 7 mm  
for pilot burner series CB 502-CB 503



**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 9 mm



**3020048 PILOT JET COPRECI  $\varnothing$  0.21 mm**  
for pilot burner series CB 503-CB 50203.



**3020049 PILOT JET COPRECI  $\varnothing$  0.28 mm**  
for pilot burner series CB 503



KREFFT 49-161141

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 - h 10.5 mm



KREFFT 49-161140

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm - h 11 mm



**3440048 THERMOCOUPLE SPRING**  
for pilot burner series CB 502-CB 505





Suitable for:

# KREFFT



**3020159 PILOT BURNER NATURAL GAS CB 503.006**  
with NATURAL GAS nozzle and pilot olive  
with pilot pipe connection



KREFFT

**3020050 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8.5 mm - h 10 mm  
for pilot burner series CB 502-CB 503



Suitable for:

**3020051 FITTING FOR PILOT  $\varnothing$  4 mm**  
thread M10x1 - h 12.5 mm  
for pilot burner JUNKERS/ORKLI



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 9.5 mm



**5026012 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8.5 mm - h 7 mm  
for pilot burner series CB 502-CB 503



**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 9 mm



**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 11 mm



**3020466 PILOT BURNER PROTECTION 25x25x18 mm**



**3020048 PILOT JET COPRECI  $\varnothing$  0.21 mm**  
for pilot burner series CB 503-CB 50203.



**3020049 PILOT JET COPRECI  $\varnothing$  0.28 mm**  
for pilot burner series CB 503



KREFFT 49-161141

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm - h 11 mm  
for model PEL 21-22-24-25



KREFFT 49-161140

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 - h 10.5 mm







Suitable for:

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm - h 11 mm



# KREFFT




Suitable for:

**3020150 PILOT BURNER POLIDORO 3 FLAMES**  
without sparking plug  
with nozzle  
with pipe fitting and pilot pipe olive  
with thermocouple fitting  
with sparking plug fitting



KREFFT 42-5024706878

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



**3020085 FITTING FOR SPARKING PLUG FIXING  $\varnothing$  7 mm**  
thread M10x1 - h 11 mm



**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm





Suitable for:

**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 9.5 mm



**5071220 PILOT JET POLIDORO  $\varnothing$  0.22 mm**



**3020449 PILOT JET POLIDORO  $\varnothing$  0.54 mm**



**3020044 PILOT JET SIT  $\varnothing$  0.20 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 - h 10.5 mm



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm - h 11 mm



# KREFFT

Suitable for:

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 9 mm



**3020452 PILOT JET POLIDORO  $\varnothing$  0.32 mm**



**3020464 PILOT JET POLIDORO  $\varnothing$  0.64 mm**



**3020045 PILOT JET SIT  $\varnothing$  0.50 mm**



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 - h 10.5 mm




**3020012 PILOT BURNER PRINTED SIT 2 FLAMES**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



KREFFT

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model PEL 21-22-24-25



**3020086 PILOT GASKET SIT 71x32x1.5 mm**  
distance between holes 52 mm



**3020557 PILOT JET SIT  $\varnothing$  0.20 mm**



Suitable for:

**3020085 FITTING FOR SPARKING PLUG FIXING  $\varnothing$  7 mm**  
thread M10x1 - h 11 mm



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 9.5 mm



**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 9 mm



**5035324 PILOT JET SIT  $\varnothing$  0.18 mm**



**3020157 PILOT JET SIT  $\varnothing$  0.25 mm**





Suitable for:

**3020040 PILOT JET SIT  $\varnothing$  0.30 mm**




**3020041 PILOT JET SIT  $\varnothing$  0.41 mm**



**3020187 PILOT JET SIT  $\varnothing$  0.51 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 - h 10.5 mm



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 - h 10.5 mm



**3020048 PILOT JET COPRECI  $\varnothing$  0.21 mm**  
for pilot burner series CB 503-CB 50203.



KREFFT 49-161141

# KREFFT

Suitable for:

**3020541 PILOT JET SIT  $\varnothing$  0.35 mm**



**2106308 PILOT JET SIT  $\varnothing$  0.45 mm**



**4053669 PILOT JET SIT  $\varnothing$  0.75 mm**



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm - h 11 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm - h 11 mm



**3020049 PILOT JET COPRECI  $\varnothing$  0.28 mm**  
for pilot burner series CB 503



KREFFT 49-161140






**3020055 PILOT JET SIT  $\varnothing$  0.35 mm**



KREFFT 42-5017208682

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



**3020104 BRACKET CLAMP 3 POSITIONS FOR PILOT SIT**



KREFFT

**3020103 BRACKET 3 POSITIONS FOR PILOT SIT**



**3020109 DEFLECTOR 2 FLAMES FOR PILOT SIT**




**3020110 DEFLECTOR 3 FLAMES FOR PILOT SIT**




**5048713 DEFLECTOR 3 FLAMES FOR PILOT SIT**



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**  
thread M10x1 - h 24 mm



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**  
thread M10x1 - h 10 mm



**3020513 FITTING AND OLIVE  $\varnothing$  6 mm**  
thread 10x1 - h 10 mm



**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**  
for PILOT BURNER SIT





Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model PEL 21-22-24-25



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 6.5 mm



**3020054 PILOT JET SIT  $\varnothing$  0.20 mm**



## KREFFT

Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 $\varnothing$  ext. 14 mm - h 6 mm  
for model PEL 22-24-25



**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model COPRECI CAL3200



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



**3020156 PILOT JET SIT  $\varnothing$  0.25 mm**





Suitable for:

4058525 PILOT JET SIT  $\varnothing$  0.30 mm



5015516 PILOT JET SIT  $\varnothing$  0.40 mm



5075989 PILOT JET SIT  $\varnothing$  0.70 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 - h 10.5 mm



# KREFFT

Suitable for:

3020055 PILOT JET SIT  $\varnothing$  0.35 mm



KREFFT 42-5017208682

3500269 PILOT JET SIT  $\varnothing$  0.45 mm



3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm



3020106 PILOT WITH 0.25 mm  $\varnothing$  JET



3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M - h 20 mm



5033138 PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M - h 11 mm





Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 - h 10.5 mm



# KREFFT



Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm - h 11 mm



**3020002** TWO-FLAME PILOT BURNER SIT  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



**3020101** BRACKET CLAMP 2 POSITIONS FOR PILOT SIT



KREFFT


**3020100** BRACKET 2 POSITIONS SIT




**3020109** DEFLECTOR 2 FLAMES FOR PILOT SIT



**3020083** FITTING AND OLIVE  $\varnothing$  4 mm  
thread M10x1 - h 24 mm



**3020084** FITTING AND OLIVE  $\varnothing$  6 mm  
thread M10x1 - h 10 mm



**3020513** FITTING AND OLIVE  $\varnothing$  6 mm  
thread 10x1 - h 10 mm



**3020102** HEXAGON HEAD SCREW 3/16"x18 mm  
for PILOT BURNER SIT



**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F







Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model PEL 21-22-24-25



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 $\varnothing$  ext. 8 mm - h 6.5 mm



**3020054 PILOT JET SIT  $\varnothing$  0.20 mm**



**4058525 PILOT JET SIT  $\varnothing$  0.30 mm**



## KREFFT

Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 $\varnothing$  ext. 14 mm - h 6 mm  
for model PEL 22-24-25




**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 $\varnothing$  ext. 8 mm - h 8 mm  
for model COPRECI CAL3200



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



**3020156 PILOT JET SIT  $\varnothing$  0.25 mm**



**3020055 PILOT JET SIT  $\varnothing$  0.35 mm**





Suitable for:

5015516 PILOT JET SIT  $\varnothing$  0.40 mm



5075989 PILOT JET SIT  $\varnothing$  0.70 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 - h 10.5 mm



3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 - h 10.5 mm



# KREFFT

Suitable for:

3500269 PILOT JET SIT  $\varnothing$  0.45 mm



3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm



3020106 PILOT WITH 0.25 mm  $\varnothing$  JET



3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M - h 20 mm



5033138 PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M - h 11 mm



5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm - h 11 mm





## Pressure switches

**5011861 STEAM PRESSURE SWITCH 0.48/0.43 BAR**  
fitting 1/4" M - 250V



KREFFT

## Radiant heating elements

**5034637 RADIANT HEATING ELEMENT OCTAGON. ø 230mm**  
2400W 230V  
faston electrical connections - with cables  
complete with power adjuster  
for glass-ceramic cooking top



KREFFT 41-CR0419950

KREFFT 41-0419950

## Relays

**3351602 POWER RELAY FINDER 65.31.8.230.0300**  
230V 50/60Hz  
1 contact NO 30A



KREFFT

**3351605 RELAY POWER FINDER 60.63.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 10A



KREFFT 62-239023

KREFFT 62-239024

**3351102 TIME LIMIT RELAY 80.11 16A 50/60Hz**  
power supply 24/240V ac/dc  
1 switching contact  
slow release on excitation



KREFFT LF-3351117

**3351113 TIME LIMIT RELAY 83.01 24/240V 50/60Hz**  
1 switching contact  
multifunctional  
timer 0,05" ÷ 10h



KREFFT R65090460



Suitable for:

# KREFFT



Suitable for:

**3351116 TIME LIMIT RELAY 83.11 24/240V 50/60Hz**

1 switching contact  
slow release on excitation  
timer 0.05" ÷ 10h




KREFFT

## Selector switches

**3057078 SELECTOR SWITCH 0-2 POSITIONS**

contact capacity 16A 250V - max temperature 150°  
D-shaped pin ø 6x4.6 mm



KREFFT 42-50609100223

## Solenoid valves

**3120274 COIL MÜLLER 220/240V 50/60Hz**

max. temperature 90°C  
with cable length 2000 mm



KREFFT

**3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



KREFFT 62-240011

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%





Suitable for:

**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



**3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



# KREFFT



Suitable for:

**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# KREFFT

Suitable for:

**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120405 SOLEN. VALVE T&P 1 WAY 180°**  
 230V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet ø 10.5 mm



KREFFT 62240011

**3120608 ADJUSTER FOR OUTLET T&P DARK BROWN**  
 flow rate 1.2 L/min - tolerance +/- 25%



**3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE**  
 flow rate 1 L/min - tolerance +/- 25%



**3120423 ADJUSTER FOR OUTLET T&P ORANGE**  
 flow rate 0.5 L/min - tolerance +/- 25%



**3120386 ADJUSTER FOR OUTLET T&P WHITE**  
 flow rate 0.8 L/min - tolerance +/- 25%



**D120056 ADJUSTER INLET T&P BRONZE**  
 flowrate 12 L/min



**3120421 ADJUSTER FOR OUTLET T&P BLACK**  
 flow rate 5 L/min - tolerance +/- 20%



**3120568 ADJUSTER FOR OUTLET T&P GREEN**  
 flow rate 3 L/min - tolerance +/- 25%



**3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN**  
 flow rate 1.5 L/min - tolerance +/- 25%



**3120424 ADJUSTER FOR OUTLET T&P RED**  
 flow rate 0.25 L/min - tolerance +/- 25%



**3120422 ADJUSTER FOR OUTLET T&P YELLOW**  
 flow rate 2.5 L/min - tolerance +/- 25%



**D120054 ADJUSTER INLET T&P GREY**  
 flowrate 6 L/min





Suitable for:

**D120057 ADJUSTER INLET T&P LIGHT BROWN**  
flowrate 16 L/min



**D120052 ADJUSTER INLET T&P RED**  
flowrate 3 L/min




**D120053 ADJUSTER INLET T&P YELLOW**  
flowrate 5.5 L/min



**3120431 COIL T&P 12Vac 50/60Hz**  
for solenoid valves T&P



**D120090 COIL T&P 120V 60Hz 8VA**  
for solenoid valves T&P



**3120432 COIL T&P 24Vac 50/60Hz**  
for solenoid valves T&P



# KREFFT



Suitable for:

**D120058 ADJUSTER INLET T&P ORANGE**  
flowrate 20 L/min



**D120055 ADJUSTER INLET T&P WHITE**  
flowrate 10 L/min



**D120059 ADJUSTER OUTLET T&P BLUE**  
flow rate 8 L/min - tolerance +/-25%



**D120092 COIL T&P 12Vdc**  
for solenoid valves T&P



**3120433 COIL T&P 220V 50/60Hz**  
for solenoid valves T&P



**D120093 COIL T&P 24Vdc**  
for solenoid valves T&P





**3120409 SOLEN. VALVE T&P 1 WAY 180°**  
 230V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet ø 13.5 mm



KREFFT

**3120608 ADJUSTER FOR OUTLET T&P DARK BROWN**  
 flow rate 1.2 L/min - tolerance +/- 25%



**3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE**  
 flow rate 1 L/min - tolerance +/- 25%



**3120423 ADJUSTER FOR OUTLET T&P ORANGE**  
 flow rate 0.5 L/min - tolerance +/- 25%



**3120386 ADJUSTER FOR OUTLET T&P WHITE**  
 flow rate 0.8 L/min - tolerance +/- 25%



**D120056 ADJUSTER INLET T&P BRONZE**  
 flowrate 12 L/min



**3120421 ADJUSTER FOR OUTLET T&P BLACK**  
 flow rate 5 L/min - tolerance +/- 20%



**3120568 ADJUSTER FOR OUTLET T&P GREEN**  
 flow rate 3 L/min - tolerance +/- 25%



**3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN**  
 flow rate 1.5 L/min - tolerance +/- 25%



**3120424 ADJUSTER FOR OUTLET T&P RED**  
 flow rate 0.25 L/min - tolerance +/- 25%



**3120422 ADJUSTER FOR OUTLET T&P YELLOW**  
 flow rate 2.5 L/min - tolerance +/- 25%



**D120054 ADJUSTER INLET T&P GREY**  
 flowrate 6 L/min





Suitable for:

**D120057 ADJUSTER INLET T&P LIGHT BROWN**  
flowrate 16 L/min



**D120052 ADJUSTER INLET T&P RED**  
flowrate 3 L/min



**D120053 ADJUSTER INLET T&P YELLOW**  
flowrate 5.5 L/min



**3120431 COIL T&P 12Vac 50/60Hz**  
for solenoid valves T&P



**D120090 COIL T&P 120V 60Hz 8VA**  
for solenoid valves T&P



**3120432 COIL T&P 24Vac 50/60Hz**  
for solenoid valves T&P



# KREFFT



Suitable for:

**D120058 ADJUSTER INLET T&P ORANGE**  
flowrate 20 L/min



**D120055 ADJUSTER INLET T&P WHITE**  
flowrate 10 L/min



**D120059 ADJUSTER OUTLET T&P BLUE**  
flow rate 8 L/min - tolerance +/-25%



**D120092 COIL T&P 12Vdc**  
for solenoid valves T&P



**3120433 COIL T&P 220V 50/60Hz**  
for solenoid valves T&P



**D120093 COIL T&P 24Vdc**  
for solenoid valves T&P



**3120398 SOLENOID VALVE INVENSYS 2 WAY 180°**  
 220/240V 50/60Hz - max temperature 90°C  
 inlet 3/4" - two outlets ø 10.5 mm  
 with cable length 2000 mm




KREFFT

**3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE**  
 flow rate 6 L/min - tolerance +/- 15%



**3120479 ADJUSTER FOR INLET ROBERTSHAW GREY**  
 flow rate 12 L/min - tolerance +/- 15%



**3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE**  
 flow rate 8 L/min - tolerance +/- 15%



**3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE**  
 flow rate 10 L/min - tolerance +/- 15%



**3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU**  
 flow rate 1.2 L/min - tolerance +/- 25%



Suitable for:  
**3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN**  
 flow rate 5 L/min - tolerance +/- 15%



**3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN**  
 flow rate 11 L/min - tolerance +/- 15%



**3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE**  
 flow rate 9 L/min - tolerance +/- 15%



**3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE**  
 flow rate 4 L/min - tolerance +/- 15%



**3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW**  
 flow rate 14.5 L/min - tolerance +/- 15%



**3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN**  
 flow rate 0.8 L/min - tolerance +/- 25%





Suitable for:

**3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK**  
flow rate 3.3 L/min - tolerance +/- 20%



**3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW**  
flow rate 0.5 L/min - tolerance +/- 15%



**3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN**  
flow rate 1.3 L/min - tolerance +/- 25%



**3120625 OUTLET REDUCER ROBERTSHAW GRIGIO**  
flow rate 0.35 L/min - tolerance +/- 10%



# KREFFT



Suitable for:

**3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE**  
flow rate 0.25 L/min - tolerance +/- 10%



**3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN**  
flow rate 2.5 L/min - tolerance +/- 20%



**3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN**  
flow rate 2 L/min - tolerance +/- 25%



**3120162 SOLENOID VALVE MÜLLER 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 13.5 mm



**3120271 COIL MÜLLER 220/240V 50/60Hz**  
max temperature 90°C



KREFFT

**3120274 COIL MÜLLER 220/240V 50/60Hz**  
max. temperature 90°C  
with cable length 2000 mm



**3120273 COIL MÜLLER 230V 60Hz**  
temperature 90°C - for dispenser



KREFFT



Suitable for:

**3120325 COIL MÜLLER 24Vac 50/60Hz**  
max temperature 90°C



# KREFFT



Suitable for:

**5023165 FILTER INLET FOR SOLENOID VALVE MÜLLER**  
ø 19 mm



**3120264 SOLENOID VALVE MÜLLER 3-WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
DN10 - inlet 3/4" - three outlets ø 10.5 mm  
with cable length 2000 mm



**3120271 COIL MÜLLER 220/240V 50/60Hz**  
max temperature 90°C



KREFFT

**3120274 COIL MÜLLER 220/240V 50/60Hz**  
max. temperature 90°C  
with cable length 2000 mm



**3120273 COIL MÜLLER 230V 60Hz**  
temperature 90°C - for dispenser



KREFFT

**3120325 COIL MÜLLER 24Vac 50/60Hz**  
max temperature 90°C



**5023165 FILTER INLET FOR SOLENOID VALVE MÜLLER**  
ø 19 mm



**3523088 SOLENOID VALVE ROBERTSHAW 1-WAY 180°**  
200-240V 50/60Hz 6,4W - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



**3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN**  
flow rate 5 L/min - tolerance +/- 15%



KREFFT



Suitable for:

**3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE**  
flow rate 6 L/min - tolerance +/- 15%



**3120479 ADJUSTER FOR INLET ROBERTSHAW GREY**  
flow rate 12 L/min - tolerance +/- 15%



**3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE**  
flow rate 8 L/min - tolerance +/- 15%



**3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE**  
flow rate 10 L/min - tolerance +/- 15%



**3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK**  
flow rate 3.3 L/min - tolerance +/- 20%



# KREFFT

Suitable for:

**3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN**  
flow rate 11 L/min - tolerance +/- 15%



**3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE**  
flow rate 9 L/min - tolerance +/- 15%



**3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE**  
flow rate 4 L/min - tolerance +/- 15%



**3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW**  
flow rate 14.5 L/min - tolerance +/- 15%



**3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN**  
flow rate 0.8 L/min - tolerance +/- 25%



**3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE**  
flow rate 0.25 L/min - tolerance +/- 10%





Suitable for:

**3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW**  
flow rate 0.5 L/min - tolerance +/- 15%



**3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN**  
flow rate 1.3 L/min - tolerance +/- 25%



**3120625 OUTLET REDUCER ROBERTSHAW GRIGIO**  
flow rate 0.35 L/min - tolerance +/- 10%



## KREFFT

Suitable for:

**3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN**  
flow rate 2.5 L/min - tolerance +/- 20%



**3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN**  
flow rate 2 L/min - tolerance +/- 25%



---

### Sparking and detection plugs

---

**3020026 IGNITION PLUG ROUND  $\varnothing$  9x39 mm**  
M faston M4x1 mm  
overall length 67 mm  
for pilot burner series CB 502



KREFFT 49-407123

**3020307 ROUND IGNITION PLUG  $\varnothing$  7.5x40 mm**  
F connection 2,8x0,8 mm  
overall length 49 mm



KREFFT 49-185217

**5017912 ROUND IGNITION PLUG  $\varnothing$  7x47 mm**  
total length 145 mm



KREFFT 42-3562615504



Suitable for:

**KREFFT**

Suitable for:



## Switches


- 3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



KREFFT 026043

## Tangential and radial motor fans

- 3526203 TANGENTIAL FAN 180 mm RIGHT**  
19W 220/230V 50/60Hz -  $\varnothing$  45 mm  
operating temperature  $-10^{\circ}+60^{\circ}\text{C}$



KREFFT

## Terminals and electrical connectors

- 3051010 FASTON 100 PCS PACKING UNIT**  
nickel-plated metal made  
flat faston 6.3 mm  
for cable section from  $\varnothing$  1 to 2.5 mm  
max temperature  $+300^{\circ}\text{C}$



KREFFT

## Thermocouples and accessories

- 2110104 THERMOCOUPLE GASCO M8x1 60 cm**




KREFFT 49-162112





## Thermocouples and accessories

**3440047 THERMOCOUPLE M8X1 75 cm  
HEAD ALUMINIZED**



KREFFT

**3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS  
ALUMINIZED HEAD**



KREFFT

**3440068 THERMOCOUPLE SIT M8x1 32 cm**



KREFFT

**3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



KREFFT

**3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS  
ALUMINIZED HEAD**



KREFFT

**3440046 THERMOCOUPLE SIT M8X1 60 cm**



KREFFT


**3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



KREFFT

## Thermostats

**3444545 SINGLE-PHASE THERMOSTAT 140°C**  
with automatic reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x158 mm



KREFFT 42-5061609772

**3444495 SINGLE-PHASE THERMOSTAT 147°C**  
with manual reset  
covered capillary length 1800 mm - 16A 250V  
bulb  $\varnothing$  6x77 mm



KREFFT




Suitable for:

# KREFFT




Suitable for:

**3444664 SINGLE-PHASE THERMOSTAT 30-110°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1470 mm - 16A 250V  
 bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1  
 with complete tank coupling M12x1



KREFFT

**3444672 SINGLE-PHASE THERMOSTAT 30-110°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2400 mm - 16A 230V  
 bulb  $\varnothing$  6x110 mm - with adapter nipple bland M9x1




KREFFT 49-355693

**3444744 SINGLE-PHASE THERMOSTAT 50-280°C**  
 D-shaped hole  $\varnothing$  6x4.6 mm  
 covered capillary length 1270 mm - 16A 250V  
 bulb  $\varnothing$  3.1x160 mm




KREFFT 49-176168

**3444935 SINGLE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm



KREFFT

**3444668 SINGLE-PHASE THERMOSTAT 50-320°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 3100 mm - 16A 230V  
 bulb  $\varnothing$  3.1x160 mm



KREFFT

**3444356 THERMOSTAT THREE-PHASE 365°C**  
 with manual reset  
 covered capillary length 1300 mm - 10A 400V  
 bulb  $\varnothing$  4x120 mm



KREFFT LF-344405

**3444234 THREE-PHASE THERMOSTAT 100-195°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 10A 400V  
 bulb  $\varnothing$  6x134 mm



KREFFT 49-355637


**3444472 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 1700 mm - 20A 380V  
 bulb  $\varnothing$  6x220 mm



KREFFT 49-176174

Suitable for:

**3444703 THREE-PHASE THERMOSTAT 315°C**  
with manual reset  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1



KREFFT 99-213149


Suitable for:

**3444503 THREE-PHASE THERMOSTAT 60-200°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



KREFFT

**3444371 THREE-PHASE THERMOSTAT 70-195°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm



KREFFT

## Wheels and accessories

**7102729 HANDWHEEL  $\varnothing$  150 mm**  
central hole  $\varnothing$  14 mm - with pin groove 24x6 mm  
complete with folding handle



KREFFT 40-LC33600


**40C3800 HANDWHEEL  $\varnothing$  23x65 mm**  
thread M6



**5012756 SCREW NUT FOR BRATT PAN  $\varnothing$  40x40 mm**



**5056123 SCREW NUT FOR BRATT PAN  $\varnothing$  40x40 mm**



**5004961 SUPPORT FLANGE WITH BEARING UCF204**  
flange external dimensions 86x86 mm



**5012754 TILTING SCREW**  
total length 543 mm





Suitable for:

**5012755** **TILTING SCREW**  
total length 350 mm



## KREFFT

Suitable for:

**5056124** **TILTING SCREW  $\varnothing$  20 mm**  
overall length 363 mm



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
**Legal address:**  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
**Business/Mailing address:**  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)