



Spare parts for the professional sector:  
**Cooking equipment**



Suitable for:

# LOWERATOR



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# LOWERATOR



Suitable for:

## Bumpers

**3346042 UPPER GREY BUMPER**  
side 130 mm - width 30 mm



LOWERATOR 145429

## Castors, rollers and accessories

**3346084 CASTOR SWIVEL PLATE WITH BRAKE**  
with ZINC PLATED supports - polyamide nucleus  
TPE ring  
dimension  $\varnothing$  125x32 mm - load capacity 100 kg  
fixing plate 77x67 mm  
distance between holes 61-51 mm



LOWERATOR 146806

**3346038 BUMPER BLUE CAP**



**3242746 CROSS HEAD SCREW M5x35 mm**



**3242745 EXPANDABLE PLASTIC PLUG**



**3346042 UPPER GREY BUMPER**  
side 130 mm - width 30 mm



LOWERATOR 145429

**3346043 UPPER GREY BUMPER**  
side 120 mm - thickness 31 mm  
rounded corner



**3346059 CASTOR SWIVEL WITH PIN**  
 with ZINC PLATED supports  
 thermoplastic ring  
 dimension  $\varnothing$  125x32 mm - load capacity 90 kg  
 square pin 22x22 mm - height 45 mm  
 hole for pin locking screw M8



LOWERATOR 146802


**3346043 UPPER GREY BUMPER**  
 side 120 mm - thickness 31 mm  
 rounded corner



**3242745 EXPANDABLE PLASTIC PLUG**



**3346040 UPPER GREY BUMPER FOR WHEEL**  
 external  $\varnothing$  98 mm  
 square hole 25x25 mm



**3346060 CASTOR SWIVEL WITH PIN AND BRAKE**  
 with ZINC PLATED supports - polyamide nucleus  
 thermoplastic ring  
 dimension  $\varnothing$  125x32 mm - load capacity 90 kg  
 square pin 22x22 mm - height 45 mm  
 hole for pin locking screw M8



LOWERATOR 146803


**3346043 UPPER GREY BUMPER**  
 side 120 mm - thickness 31 mm  
 rounded corner



**3242745 EXPANDABLE PLASTIC PLUG**



**3346040 UPPER GREY BUMPER FOR WHEEL**  
 external  $\varnothing$  98 mm  
 square hole 25x25 mm





Suitable for:

# LOWERATOR



**3346086 CASTOR SWIVEL WITH PLATE**  
 with ZINC PLATED supports - polypropylene nucleus  
 TPE ring  
 dimension  $\varnothing$  125x32 mm - load capacity 100 kg  
 fixing plate 77x67 mm  
 distance between holes 61-51 mm



LOWERATOR 146805

**3242745 EXPANDABLE PLASTIC PLUG**



Suitable for:

**3242746 CROSS HEAD SCREW M5x35 mm**



**3346042 UPPER GREY BUMPER**  
 side 130 mm - width 30 mm



LOWERATOR 145429

**3346043 UPPER GREY BUMPER**  
 side 120 mm - thickness 31 mm  
 rounded corner



## Door catches

**3242298 CATCH 6195 69 mm - 42 mm**  
 mounting distance 57 mm - 30 mm  
 RAHRBACH



LOWERATOR 144345

**3242747 BLACK SPACER 42x12 mm**  
 height 6 mm - distance between holes 30 mm



## Electrical cables

**3050024 SPIRAL CABLE WITH PLUG 750 m m**  
 3 wires 1.5 mm<sup>2</sup>  
 max length 3000 mm  
 with SCHUKO plug



LOWERATOR 105060

LOWERATOR 105328



## Electrical sockets

**3050023 ANGULAR RUBBER PLUG 16A 250V**



LOWERATOR 105072

**3650002 ANGULAR RUBBER PLUG 16A 250V**



## Handles

**3242146 HANDLE PLASTIC BLACK HEAD**



LOWERATOR 144041

## Heating elements

**5037249 HEATING ELEMENT 150W 230V**  
length 560 mm - width 155 mm  
2 flanges 30x16 mm  
operating ambient: dry



LOWERATOR 105700

**3755300 HEATING ELEMENT 1800W 230V**  
ø external 200 mm - total height 75 mm  
flange 70x22 mm



LOWERATOR 105708

**3755135 HEATING ELEMENT 250W 230V**  
length 495 mm - width 200 mm  
2 flanges 30x16 mm



LOWERATOR 105029

**3755363 HEATING ELEMENT 400W 230V**  
length 560 mm - width 33 mm  
flange 40x22 mm - complete with cables



LOWERATOR 105677

**3755131 HEATING ELEMENT 700W 230V**  
length 395 mm - width 200 mm  
operating ambient: dry



LOWERATOR 105020

**3755136 HEATING ELEMENT 900W 230V**  
length 645 mm - width 180 mm  
2 flanges 36x16 mm



LOWERATOR 105723



Suitable for:

# LOWERATOR



Suitable for:

## Indicator lights

- 3221132 INDICATOR LIGHT GREEN 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



LOWERATOR 105188

## Knobs

- 3444126 BLACK KNOB  $\varnothing$  50 mm 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for EGO thermostat



LOWERATOR 105373

## Motors

- 3240494 MOTOR WITH FAN 27W 230V 50Hz**  
TYPE 113 30 001651C  
fan  $\varnothing$  150 mm



LOWERATOR 105671

## Springs

- 3250115 SPRING  $\varnothing$  12.5x147 mm**  
TENSILE STRESS 4 g



LOWERATOR 146304

- 3250114 SPRING  $\varnothing$  26x148 mm**  
TENSILE STRESS 20 g



LOWERATOR 146302



## Switches

**3319464 BIPOLAR SWITCH GREEN 16A 250V**  
 16(4)A 250V  
 with indicator light and protection cap  
 silk-screen printing 0 - I  
 max temperature 120°C  
 mounting hole 22x30 mm



LOWERATOR 105778

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
 external dimensions 29x36 mm  
 for switches with mounting hole 22x30 mm



## Thermostats

**3241870 BEZEL RING NUT  $\varnothing$  52 mm**  
 chrome plated metal Bezel  
 for EGO thermostate knob



LOWERATOR 105121

**3444664 SINGLE-PHASE THERMOSTAT 30-110°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1470 mm - 16A 250V  
 bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1  
 with complete tank coupling M12x1



LOWERATOR 105127





Suitable for:


# LOWERATOR



Suitable for:

## 3444523 SINGLE-PHASE THERMOSTAT 35-85°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm  
bulb  $\varnothing$  6x115 mm



LOWERATOR 105678



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)