



Spare parts for the professional sector: Cooking equipment



Suitable for:

MBM



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

MBM



Suitable for:

Axial motor fans

3240519 AXIAL FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



3805036 CABLE FOR AXIAL MOTOR FAN
cable length 1500 mm



MBM


3805037 CABLE FOR AXIAL MOTOR FAN
cable length 2000 mm



3240521 CABLE FOR COMPACT AXIAL MOTOR FAN
cable length 610 mm – for motors DC
connections 2.8x0.5 mm



3240600 FAN GRID 119x119 mm
distance between mounting holes 145 mm



3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



3805037 CABLE FOR AXIAL MOTOR FAN
cable length 2000 mm



MBM RGFOC00254

MBM 013480-01R

Ball valves and accessories

3526703 BALL VALVE \varnothing 1/2"FF




MBM RTFOC00136



Ball valves and accessories

- 3356052 BALL VALVE \varnothing 3/4" F**
 lateral lever fitting
 outlet internal \varnothing 22 mm
 for Bain-marie electric (MBM) EBM47 - EBM77
 for Bain-marie gas (MBM) GBM47 - GBM77
 for Fryer electric (MBM) EF47T - EF472VT - EF77T



MBM RTCU700290

- 5012801 DRAIN TAP LEVER 62 mm**
 thread M6




- 3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**
 \varnothing 22 mm - length 210 mm - bayonet coupling
 for TECNOINOX BAIN-MARIE-FRYER
 for Bain-marie electric (MBM) EBM46 - EBM47
 EBM66 - EBM77
 for Bain-marie gas (MBM) GBM46 - GBM47 - GBM66
 GBM77
 for Fryer electric (MBM) EF46 - EF47T - EF472VT
 EF66 - EF77T
 for Fryer gas (MBM) GF46 - GF66



MBM RTCU700318

- 3356054 BALL VALVE \varnothing 3/4" F**
 upper lever fitting
 outlet internal \varnothing 22 mm
 for Bain-marie electric (MBM) EBM46 - EBM66
 for Bain-marie gas (MBM) GBM46 - GBM66
 for Fryer electric (MBM) EF46 - EF66
 for Fryer gas (MBM) GF46 - GF66



MBM RTCU600012

- 3356053 DRAIN TAP HANDLE \varnothing 17x40 mm**
 thread M8



- 3356167 LEVER FOR BALL VALVE 65 mm**
 thread M8x0.75



- 3356053 DRAIN TAP HANDLE \varnothing 17x40 mm**
 thread M8





Suitable for:

3356167 LEVER FOR BALL VALVE 65 mm
thread M8x0.75



MBM



Suitable for:

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet coupling
for TECNOINOX BAIN-MARIE-FRYER
for Bain-marie electric (MBM) EBM46 - EBM47
EBM66 - EBM77
for Bain-marie gas (MBM) GBM46 - GBM47 - GBM66
GBM77
for Fryer electric (MBM) EF46 - EF47T - EF472VT
EF66 - EF77T
for Fryer gas (MBM) GF46 - GF66



MBM RTCU700318

3526632 GAS/WATER BALLCOCK VALVE ø 3/4"FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



MBM 720010

3356078 BUSHING ø 11x20 mm



3241275 BLACK KNOB
square hole: 7x7mm



3356077 CLASP ø 3.5x30 mm
UNI 6873 - DIN 1481 - ISO 8752



5009883 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet coupling



3526673 GAS/WATER VALVE ø 1"FF
ball valve
heavy series with PN 40 total passage
aluminium lever



MBM RTBF800073

3356078 BUSHING ø 11x20 mm





Suitable for:

5023594 CAST IRON FITTING \varnothing 1"MF




3356138 DRAIN TAP FITTING \varnothing 1"MM
 \varnothing side outlet 28 mm - bracket 38x17x2 mm
fitting height 100 mm



3242280 DRAIN TAP KNOB BLACK 79 mm
square hole 6x6 mm



5033656 FITTING OF BRASS \varnothing 1"MF



7100207 HEADLESS SCREW HEXAGONAL M5x8
stainless steel - conical top
UNI 5927 - DIN 914 - ISO 4027



MBM

Suitable for:

5031496 DRAIN PIPE \varnothing 1"MM
length 195 mm



5028002 DRAIN TAP FITTING \varnothing 1"MM
side exit \varnothing 30 mm - bracket 80x30 mm
distance between holes 60 mm - coupling height 100



5036175 DRAIN TAP MANIFOLD FOR BALL VALVE
2 top connections \varnothing 1"MM - 2 top connections \varnothing 33
1 bottom connection \varnothing 1"MM
width 295 mm - overall length 114 mm
distance between holes 275 mm



3242049 HANDLE FOR BALL VALVE 140 mm
square hole 6x6 mm



5011612 LEVER FOR BALL VALVE 250 mm
square pin 6x6 mm





Suitable for:

MBM



3526693 WATER VALVE \varnothing 1"MF
ball valve
heavy series with PN 25 total passage
aluminium lever



MBM 160596

5005304 DRAIN TAP EXTENSION 73 mm



Suitable for:

5030274 CROSS FITTING OF CAST IRON \varnothing 1" F



5005303 DRAIN TAP LEVER
length 140 mm



5003313 ELBOW FITTING OF CAST IRON \varnothing 1" F




5061849 ELBOW FITTING OF CAST IRON \varnothing 1" F



5023502 ELBOW FITTING OF CAST IRON 4 WAYS \varnothing 1" F



5033656 FITTING OF BRASS \varnothing 1" MF



5030273 FITTING OF CAST IRON \varnothing 1" MM



Bearings

9063012 BEARING 6004 DDU NSK
external \varnothing 42mm - internal \varnothing 20mm - thickness 12mm




D063031 BEARING 6004-2RS SKF
 \varnothing extern 42 mm - \varnothing intern 20 mm - thickness 12 mm
single box packaging



MBM RTBF800094

3063025 SLIDING DOOR ROLLER RH-LH
 ø bearing 22 mm - plate size 64x30 mm
 for TABLE - CUPBOARD



MBM 0855309601



3063026 SLIDING DOOR ROLLER RH-LH
 ø bearing 22 mm - plate size 64x30 mm
 for TABLE - CUPBOARD



MBM 0855309701

Burners, flame spreaders and accessories

3025112 FLAME SPREADER ø 100 mm
 for Pot stove gas (MBM) - Series CLASSICA
 Series MAGISTRA




MBM GRCU700002

MBM GRCU800003

MBM RTCU700013

3025107 AERATION REGULATOR
 internal ø 18 mm - external ø 20 mm
 height 60 mm
 for Pot stove (MBM) - Series CLASSICA
 Series MAGISTRA



MBM RTCU700160

3025111 BURNER ø 100 mm
 with air regulator
 for Pot stove gas (MBM) - Series CLASSICA
 Series MAGISTRA



MBM GRCU700022

MBM RTCU700010

3025113 BURNER SUPPORT 100 mm
 for Pot stove gas (MBM) - Series CLASSICA
 Series MAGISTRA




MBM RTCU700007

3025330 FLAME SPREADER ø 100 mm 3KW
 for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600044

3025321 FAST BURNER ø 90 mm 3Kw
 for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600043

3025403 FLAME SPREADER ø 115 mm 6KW
 for Pot stove gas (MBM) - Series DOMINA
 Series MAGIS MAGISTRA - Series OMNIA



MBM RTCU700376

3025404 BURNER ø 115 mm 6KW
 for Pot stove gas (MBM) - Series DOMINA
 Series OMNIA



MBM RTCU700382

MBM RTCU700749



Suitable for:


3025311 FRONT VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160142

MBM 164556

3186698 GASKET FOR BURNER 6KW
size ø 145x120x1.6 mm



MBM RTCU700400

3025317 REAR VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
NEW MODEL
for old kitchen it is necessary to rotate theplate
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160144

MBM 164557

3025183 FLAME SPREADER ø 125 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRCU700003

MBM RTCU800051

MBM



Suitable for:

3025319 FRONT VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700136

MBM 173321

MBM 173321-00

3025309 REAR VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700138

MBM 173322

MBM 173322-00

3025185 AERATION REGULATOR
ø interno 22 mm - ø externo 24 mm
altura 60 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700199



Suitable for:

3025182 BURNER \varnothing 125 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRCU700023

MBM RTCU700011

MBM



Suitable for:

3025184 BURNER SUPPORT 125 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA




MBM RTCU700008

3025322 FLAME SPREADER \varnothing 140 mm 7KW
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160294

3186699 BURNER GASKET 8KW



MBM 160329

3025318 REAR VENTURI 8KW
plate \varnothing 145 mm - hole \varnothing 40 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 164558

3025324 BURNER \varnothing 140 mm 8KW
for Pot stove gas (MBM) - Series DOMINA



MBM 160296

MBM 163254

3025323 FLAME SPREADER \varnothing 50 mm 1KW
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160295



Suitable for:

MBM



3025109 FLAME SPREADER \varnothing 70 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRCU700001
MBM RTCU700132

MBM GRCU800001

MBM RTCU700012

3025103 AERATION REGULATOR
internal \varnothing 14 mm - external \varnothing 17 mm
height 60 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



MBM PACU700029

3025108 BURNER \varnothing 70 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRCU700018
MBM RTCU700009

MBM GRCU700021
MBM RTCU700124

MBM GRCU700058

3025110 BURNER SUPPORT 70 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700006

3025401 FLAME SPREADER \varnothing 75 mm 3.5KW
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA - Series OMNIA



MBM RTCU700375

3025337 BURNER \varnothing 75 mm 3.5KW
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM RTCU700748

3025402 BURNER BASE \varnothing 75 mm 3.5Kw
for Pot stove gas (MBM) - Series DOMINA
Series OMNIA



MBM RTCU700380

3025310 FRONT VENTURI 3.5KW
plate \varnothing 110 mm - hole \varnothing 32 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700135

MBM 173323

MBM 173323-00



Suitable for:

3025320 FRONT VENTURI 3.5KW
plate \varnothing 110 mm - hole \varnothing 32 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160141

MBM 164555

3025316 REAR VENTURI 3.5KW
plate \varnothing 110 mm - hole \varnothing 32 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700137

MBM 173324

MBM 173324-00

D025254 FLAME SPREADER KIT \varnothing 60/130 mm ARISTON
burner ring C00053174, central C00053175
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600040

D025038 BURNER ARISTON TRIPLA RING
small fitting for cooking hobs



D025085 BURNER TRIPLE BURNER RING NARDI
with 2 holes




MBM




Suitable for:

3186740 GASKET FOR BURNER 3.5KW
size \varnothing 110x80x1.6 mm



MBM RTCU700399

3025328 BURNER \varnothing 130 mm 3.6KW
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600042

D025084 BURNER TRIPLE BURNER RING NARDI
 \varnothing 147 mm - with 2 holes



3025327 FLAME SPREADER \varnothing 60 mm
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600041




Suitable for:

D391023 SUPPORT BURNER ARISTON

MBM

Suitable for:



Cable glands

3652017 PRESSURE PLUG PG21



MBM RTBF800138

MBM RTCU700103

3528025 RING NUT



Cables for piezo igniters

3801012 IGNITION CABLE 900 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for plug



MBM RTCU700410

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for ignition plug



MBM RTCU900385

MBM 611007

3001019 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



MBM RTCU800144

3801014 IGNITION LEAD 1200 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for plug



MBM RTCP800043

3001034 IGNITION LEAD 1400 mm
with faston 2.8x0.8 mm for ignition
with faston \varnothing 2.4 mm for plug
for Bratt pan gas (MBM) GBR - GBRA



MBM RTCU700005

MBM RTFOC00128

5025615 IGNITION LEAD 1950 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for sparking plug
for Fry top gas (MBM) - Series DOMINA 900
Series MAGIS MAGISTRA
for Pot stove gas (MBM) - Series DOMINA 700
Series DOMINA 900 - Series MAGIS MAGISTRA



MBM RTBF800308

3001027 IGNITION LEAD 500 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for plug
for Pot stove gas (MBM) - Series MINIMA
Series OMNIA



MBM RTCU700361

Suitable for:

3001018 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



MBM RIC0003426

Clamps

3449401 DOUBLE-WIRE CLAMP 7-7.5 - 100 PCS
for hoses \varnothing 7÷7.5 mm



MBM 05110001

3449403 DOUBLE-WIRE CLAMP 8.3-8.8 - 100 PCS
for hoses \varnothing 8.3÷8.8 mm



MBM 423030

3449474 HOSE TIE 50-70
for pipes \varnothing 50÷70 mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



MBM 05100004

Contact thermostats

3444609 CONTACT THERMOSTAT KSD301-R 95°C
manual reset - 10A 250V



MBM DRT140

MBM 236047

MBM 926189

3444244 CONTACT THERMOSTAT 100°C
with manual reset - for boiler



MBM /ELF110020

3444607 CONTACT THERMOSTAT 110°C
16A 250V 50/60Hz - with manual reset



MBM REB236039

MBM 236039

MBM 236057

3443081 CONTACT THERMOSTAT 125°C M4



MBM 236056



Suitable for:

MBM



3444341 CONTACT THERMOSTAT 215°C 16A 250V
with manual reset - pin M4



MBM 236053

Suitable for:

3444796 CONTACT THERMOSTAT 60°C
1 contact 16A - differential temperature 15°C
for water cooled condenser



MBM 2LT135

5030497 CONTACT THERMOSTAT 70°C 10A 250V
with automatic reset



MBM 236059

3444606 CONTACT THERMOSTAT 80°C
safety thermostat - for boiler



MBM REB236048

MBM 236048

3444610 CONTACT THERMOSTAT 90°C 16A 250V
with automatic reset
for BOILER



MBM 236052

Contactors

3454012 CONTACTOR ABB AF30-30-00-13
15kW 400V 32A - coil 100/250V 50/60Hz
3 NO contacts
with front mounting auxiliary contact CA4-10
(1NO)



MBM

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



MBM 00006280

3446516 AUXILIARY CONTACT AEG HS7K01
10A
1 normally closed contact





Suitable for:

3454032 **AUXILIARY CONTACT AEG HS7K10**
1 NO contact



MBM



Suitable for:

3446562 **CONTACTOR LOVATO BF0901A**
4.2kW 400V 9A - coil 230V 50/60Hz
3 NO contacts
1 NC auxiliary contact



MBM RTCU600371

3446227 **AUXILIARY CONTACT LOVATO G218**
10A
1 contact NO
1 contact NC



3446561 **CONTACTOR LOVATO BF0910A**
4.2kW 400V 9A - coil 230V 50/60Hz
3 NO contacts
1 NO auxiliary contact




MBM RTBF800153

MBM RTFOC00466

3446227 **AUXILIARY CONTACT LOVATO G218**
10A
1 contact NO
1 contact NC



3446587 **CONTACTOR LOVATO BF2600A**
13kW 400V 26A - coil 230V 50/60Hz
3 NO contacts
any auxiliary contacts



MBM RTFOC00598

MBM 177040

3446227 **AUXILIARY CONTACT LOVATO G218**
10A
1 contact NO
1 contact NC




3446557 **CONTACTOR LOVATO BG0901A**
4kW 400V 9A - coil 230V 50/60Hz
3 NO contacts
1 NC auxiliary contact
for Fryer (MBM) EF25F



MBM RTCU600233

5011182 **CONTACTOR LOVATO BG1201A**
12A 400V 5.7Kw coil 230V 50/60Hz
3 contacts NO
1 auxiliary contact NC
for Fryer electric (MBM) EFT45L - EFT45R - EF46
EF66
for Grill electric (MBM) EPL46 - EPL66



MBM RTFOC00040
MBM 164608

MBM RTFOC00465

MBM RTFOC00786



Suitable for:

3454060 CONTACTOR SCHNEIDER LC1D09B7

9A 400V 4kW - coil 24Vac 50/60Hz
3 NO contacts
1 auxiliary NO contact
1 auxiliary NC contact



MBM /ELF060670

Suitable for:

3351049 CONTACTOR SIEMENS 3RT2016-1AP01

4kW 400V 9A - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



MBM 229037

MBM 73350

MBM 80350

3454072 CONTACTOR SIEMENS 3RT2017-1AB01

12A 400V 5.5kW - coil 24V 50/60Hz
3 contacts normally open
1 auxiliary contact normally open



MBM DTC250

MBM 927051

MBM 927160

3454030 CONTACTOR SIEMENS 3RT2024-1AL20

12A 400V 5.5Kw - coil 230V 50/60Hz
3 contacts NO
1 auxiliary contact NO
1 auxiliary contact NC



MBM C.80351

MBM 80351

3454112 CONTACTOR 4KW 230V




MBM 926147

Cooking baskets and accessories

5025485 FALSE BOTTOM 495x290x70 mm

made of STAINLESS STEEL
for Pasta cooker electric (MBM) EC45 - EC49
EC49T - EC902V - EC992VT
for Pasta cooker gas (MBM) GC45 - GC49 - GC49T
GC902V - GC992V - GC992VT



MBM RIC0004782

MBM RTCU800343



Cooking baskets and accessories

3055244 PASTA COOKER BASKET LH 160x145x215 mm
made of STAINLESS steel
for Pasta cooker (MBM) - Series 700 - Series 900



MBM A800000790

MBM B800004

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



MBM RTBF800322

3055243 PASTA COOKER BASKET RH 160x145x215 mm
made of STAINLESS steel
for Pasta cooker (MBM) - Series 700 - Series 900



MBM A800000780

MBM B800003

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



MBM RTBF800322

3055350 PASTA COOKER BASKET 285x160x215 mm
made of stainless steel
for Pasta cooker (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM A800001260

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



MBM RTBF800322



Suitable for:

MBM



3055245 PASTA COOKER BASKET 290x145x215 mm
made of STAINLESS steel
for Pasta cooker (MBM) - Series 700 - Series 900



MBM A77000120

MBM A770049

3055218 PASTA COOKER BASKET 290x160x215 mm
made of STAINLESS steel
for Pasta cooker (MBM) - Series 700 - Series 900



MBM A80000810

MBM B00006

MBM B800006

3055147 PASTA COOKER BASKET 290x98x215 mm
made of stainless steel
for Pasta cooker (MBM) - Series MAGISTRA



MBM A80000800

MBM B800005

Drain assembly

3316008 DRAIN ASSEMBLY \varnothing 3/4" COMPLETE
height 50 mm - overflow pipe \varnothing 20.35 mm
external \varnothing 38 mm
complete with gasket and fastening nut




MBM RIC0002783


3448237 OVERFLOW PIPE \varnothing 20x170 mm
made of stainless steel - complete with OR



3448086 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 84 mm - complete with OR
for drain assembly \varnothing 3/4"



3448087 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 94 mm - complete with OR
for drain assembly \varnothing 3/4"



3448088 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 104 mm - complete with OR
for drain assembly \varnothing 3/4"



3448091 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 144 mm - complete with OR
for drain assembly \varnothing 3/4"





Suitable for:

3448279 OVERFLOW PIPE OF CHROMIUM-PLATED BRASS

ø 20 mm
total height 64 mm
for ø 3/4" exhaust pipes
complete with OR



MBM

Suitable for:



Drain hoses

5030098 OVERFLOW DRAIN PIPE

ø 21 mm - length 270 mm - width 175 mm
thread ø 1/2" M
for Pasta cooker electric (MBM) EC477 - EC777
EC777T
for Pasta cooker gas (MBM) GC477 - GC777 - GC777T



MBM RTCU700322

Drain taps and accessories

3356092 DRAIN OFF TAP DIA 3/4 F.

TECO BLOCK safety handle
tap body in brass CW617N UNI 12165
chrome plated superficial finish
Hostaform handle with metal core
operating temperature 120°C max
operating pressure 4 bar max



MBM REF720008

MBM 720008

3356149 DRAIN TAP ø 2" TECNO

BRASS CAP - with swivel nut ø 2" F



MBM RTCP900004

MBM 30200198

5038365 ASBESTOS FREE FLAT GASKET ø 60x50x2 mm for drain tap ø 2"



MBM RIC0002570



Suitable for:

3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
for drain tap \varnothing 2" old model



3356012 ESCUTCHEON FOR DRAIN TAP \varnothing 2"



MBM RTCP900018

5015573 GASKET FLAT ASBESTOS-FREE \varnothing 61x48x3 mm
for drain tap \varnothing 2"



3186241 O-RING 06212 FKM
ring thickness 5.34 mm - internal \varnothing 53.34 mm
for DRAIN TAP \varnothing 2" OLD MODEL AND
TECNO NEW MODEL



MBM

Suitable for:

3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3356128 PIN \varnothing 5x30 mm
complete with blind nut





Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



MBM



Suitable for:

Drip trays


3015018 BURNER DRIP TRAY
 external size 360x445 mm
 internal hole \varnothing 70 mm
 for Pot stove gas (MBM) - Series MAGISTRA



MBM PACU800004

Electric hot plates

3311100 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 230V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



MBM RTCU700086

3311101 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 400V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



MBM RTCU700127

3311089 ELECTRIC HOT PLATE \varnothing 300 mm 3500W 230V
 screw electric connections
 with STAINLESS steel edge
 for electric cooking top
 for Pot stove (MBM) - Series DOMINA900



MBM 160369

3311053 ELECTRIC HOT PLATE 2600W 230V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



MBM RTCU700248



Suitable for:

MBM



3311062 ELECTRIC HOT PLATE 3000W 230V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MBM RTCU800115

3311064 ELECTRIC HOT PLATE 4000W 230V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (MBM) E4F



MBM RTCU800118

2110843 ELECTRIC HOT PLATE 4000W 440V
dimensions 300x300 mm
screw terminal box
with stainless STEEL edge
for electric cooking top



MBM 164579

5031972 ELECTRIC HOT PLATE 5000W 240V
dimensions 400x400 mm
terminal block electric connections
for electric cooking top



MBM RTFOR00019

5009182 ELECTRIC PLATE 3000W 440V
size 300x300 mm
electrical screw fittings
with stainless STEEL edge
for pot stove electric



MBM RTCU800178

MBM 168370

3311092 PIASTRA ELETTRICA ø 145 mm 1500W 230VV
terminal block electric connections
with STAINLESS steel edge 8 mm
for electric cooking top



MBM RTCU700087

Electrical cables

5073298 KIT ELECTRICAL CABLING 4 CABLES 1000 mm
for Pot stove electric (MBM) - Series DOMINA 700



MBM 160450



Electrical capacitors

- 3068003 CAPACITOR DUCATI ENERGIA 3μF**
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connection 6.35x0.8 mm
 ø 28xh55 mm



MBM 206010

Electrical gas valves and accessories

- 3526089 VALVE 810 ELETTROSIT ø 1/2"FF**
 inlet ø 1/2" F - outlet ø 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LOWER thermocouple



MBM RTBF800077

- 3526107 FLANGE STRAIGHT ø 3/4" F**
 with screws and OR
 for ELETTROSIT VALVE



- 3526106 FLANGE STRAIGHT ø 1/2"**
 with screws and OR
 for ELETTROSIT VALVE



- 3001008 PIEZO IGNITER**
 a ø 14 mm hole is required for the assembly
 faston M ø 2.4 mm



- 3526096 VALVE MICROSWITCH**
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT





Suitable for:

MBM



3526179 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 5÷50 mbar
 ambient temperature 0÷70°C
 power supply 220V 50Hz



MBM 169587

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MBM RTFOC00462


3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526078 ELBOW FLANGE \varnothing 3/4" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3020083 FITTING AND OLIVE \varnothing 4 mm
 thread M10x1 - height 27 mm



MBM RTCU700141

Suitable for:
3241429 BLACK KNOB \varnothing 30 mm SILK-SCREEN PRINTED



2100054 COIL 220V 60Hz
 for VALVE 820 NOVA-822 NOVA-828 NOVA




3526077 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 3 wires
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3020084 FITTING AND OLIVE \varnothing 6 mm
 thread M10x1 - h 10 mm



MBM RTCU900217



Suitable for:

3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT




3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



3523084 VALVE 826 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
outlet pressure range setting
2÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



MBM RTFOC00577

MBM



Suitable for:

3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MBM RTFOC00462



Suitable for:

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MBM



Suitable for:


3526077 ELBOW FLANGE \varnothing 1/2" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P




3030001 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 2 wires
for sit valve 824 NOVA-826 NOVA-836 TANDEM




3526102 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




2102088 FITTING AND CONNECTOR 1/4" M10x1 16 mm



3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - height 27 mm



3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



MBM RTCU700141

3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MBM RTCU900217

3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

2110316 MAGNETIC COIL
220/240V 50Hz
for VALVE 822 NOVA-824 NOVA-826 NOVA
for VALVE 827 NOVA-828 NOVAMIX



MBM



Suitable for:

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



Electronic controllers

3445399 CONTROLLER ELIWELL ID PLUS 902
12Vac/dc
1 relay output 8A for compressor
1 selectable NTC/PTC/PT1000 probe (not included)
1 configurable digital/temperature input
TTL input for copy card connection
front dimension 74x32x59 mm
mounting hole 71x29 mm



MBM /ALP082396

3445155 PROBE NTC IP67 SILICONE 3000 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445156 PROBE NTC PVC 3000 mm
temperature range -30+80°C
bulb ø 6x40 mm



3445167 PROBE NTC TPE IP68 1500 mm
temperature range -50+110°C
bulb ø 5x20 mm watertight



3445913 PROBE NTC IP67 SILICONE 1500 mm
temperature range -50+110°C
bulb ø 6x40 mm



MBM DWS96

3445157 PROBE NTC PVC 1500 mm
probe 2-wire - temperature range -30+80°C
bulb ø 6x40 mm



MBM 927335

3445028 PROBE NTC PVC 4000 mm
temperature range -30+80°C
bulb ø 6x20 mm



3445335 PROBE NTC TPE IP68 3000 mm
temperature range -50+110°C
bulb ø 5x20 mm watertight





Suitable for:

3445184 PROBE NTC TPE STEEL IP68 1500 mm
temperature range -40+110°C
bulb ø 6x40 mm watertight



3445070 PROBE PTC PVC 1500 mm
probe 2-wire - temperature range -30+80°C
bulb ø 6x40 mm



3445183 PROBE PTC SILICONE 3000 mm
probe 2-wire - temperature range -55+150°C
bulb ø 6x40 mm



3445379 PROBE PT1000 IP68 1500 mm
temperature range -50+110°C
bulb ø 6x20 mm watertight



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



MBM /ALP0A2269

MBM RTFOC00039

MBM 32Z3470

MBM

Suitable for:

3445154 PROBE NTC TPE STEEL IP68 3000 mm
temperature range -40+110°C
bulb ø 6x40 mm watertight



3445107 PROBE PTC PVC 3000 mm
probe 2-wire - temperature range -30+80°C
bulb ø 6x40 mm



3445959 PROBE PTC SILICONE 5000 mm
temperature range -55+150°C
bulb ø 6x40 mm



3445380 PROBE PT1000 IP68 3000 mm
temperature range -50+110°C
bulb ø 6x20 mm watertight



3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved



3445327 THERMOSTAT ICPLUS915 PT100/TCJ/TCK
 power supply 12V
 thermostat setting range -150+1350°C
 ON-OFF control with two actuation points
 2 exchange relay outputs 8(4)A 250V
 room temperature -5+55°C
 probe type PT100-TCJ-TCK (not included)
 connections by screwed terminal block
 front dimension 78x37x64 mm
 mounting hole 71x29 mm




MBM RIC0003634

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



3397140 THERMOCOUPLE PROBE TCK 3000 mm
 2 wires - temperature -40+1150°C
 bulb \varnothing 6x140 mm



3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0 \pm 60°C
 screw terminal block
 IMQ approved



3445117 PROBE PT100 VETROTEX 3000 mm
 3-wire probe temperature range 0+350°C
 bulb \varnothing 6x100 mm



3445112 PROBE TCK VETROTEX 3000 mm
 2-wire probe temperature range 0+350°C
 error limits $\pm 2\%$ above 0°C
 30 seconds response time
 bulb \varnothing 6x100 mm



3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



MBM /ALP0A2269

MBM RTFOC00039

MBM 32Z3470



Suitable for:

MBM



Suitable for:

Energy regulators

3350024 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction



MBM RIC0001299

MBM RTCU800066

3241565 BLACK KNOB \varnothing 50 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm
for EGO energy regulator



3241567 BLACK KNOB \varnothing 50 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm
for thermostat EGO



Feet

3313005 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 135 mm
with fixed screw M12x40 mm
adjustable height 135÷200 mm



MBM DWP128U

MBM 926117

3313076 PLASTIC FOOT \varnothing 29x12 mm
threaded pin M8x20



MBM REB461019

MBM 461019

Filters

3160462 WATER FILTER \varnothing 1/2" FF



MBM DZF32

MBM 927078



Fryer baskets and accessories

5024984 BASKET FOR DEEP FRYER 275x235x105 mm
chrome-plated iron
for Fryer electric (MBM) EF12B



MBM 161745

MBM 706061

MBM 706092

6706093 BASKET FOR DEEP FRYER 390x235x120 mm
chrome-plated iron



MBM 706062

MBM 706093


3255014 BASKET FOR FRYER 280x225x115 mm
chrome-plated iron



MBM A66000310


MBM A660019

5020645 FALSE BOTTOM MESH COMPLETE 325x270 mm
height 105 mm
chrome-plated iron
for Fryer electric (MBM) EF47T - EF477 - EF477T
EF77 - EF77T - EF777 - EF777T
for Fryer gas (MBM) GF47 - GF47T - GF477B - GF477S
GF477TS - GF77 - GF77T - GF777B - GF777S
GF777TS



MBM RTCU700448

5055594 FALSE BOTTOM MESH COMPLETE 330x240 mm
height 110 mm
chrome-plated iron
for Fryer electric (MBM) EF46 - EF66
for Fryer gas (MBM) GF46 - GF477TS - GF66
GF777TS



MBM RTCU600080

3055186 FRYER BASKET 290x110x120 mm
made of chrome-plated iron



MBM /ELF03058A

3055197 FRYER BASKET 290x165x120 mm
in chromium plated iron
for Fryer (MBM) - Series 900



MBM A80000200

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 78 mm
of plastic





Suitable for:

MBM



3055195 FRYER BASKET 290x330x120 mm
in chrome-plated iron



MBM A80000210
MBM RTBF800316

MBM A800003

MBM RTBF80009

Suitable for:

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 78 mm
of plastic



5035769 FRYER BASKET 295x120x120 mm
made of chrome-plated iron
for Fryer electric (MBM) EF472V - EF472VT
EF4772V - EF4772VT
for Fryer gas (MBM) GF47T - GF472V - GF4772VB
GF4772VS - GF77T



MBM A77000140

3055269 FRYER BASKET 295x200x110 mm
in chrome-plated iron



MBM 706089

5011057 FRYER BASKET 295x260x120 mm
made of chrome-plated iron
for Fryer electric (MBM) EF47 - EF47T - EF477
EF477T - EF77 - EF77T - EF777 - EF777T
for Fryer gas (MBM) GF47 - GF47T - GF477B - GF477S
GF477TS - GF77 - GF77T - GF777B - GF777S
for Fryer gas (MBM) GF777TS - G77/F28-A7



MBM A77000150

3055348 FRYER BASKET 360x270x140 mm
made of chrome-plated iron
for Fryer (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160038

Fuses

3049005 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 160mA



MBM 228012

3049021 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 8A



MBM RTFOC00284

MBM RTFOC00734



MBM



Suitable for:

3049036 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 100mA



MBM RTFOC00047

Suitable for:

3049039 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 200mA



MBM 228011

3049041 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 315mA



MBM DEF72

MBM 926283

3049045 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 800mA



MBM DEF71

MBM 926284

3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 4A



MBM 228004

Gas burners

5029681 BURNER \varnothing 40x400 mm
overall length 455 mm
made of STAINLESS steel
for Bain-marie gas (MBM) GBM99T



MBM 160238

5009178 BURNER \varnothing 50x370 mm
overall length 460 mm
made of STAINLESS STEEL
for Pasta cooker gas (MBM) GC47 - GC477




MBM RTBF800048

3023234 BURNER \varnothing 50x470 mm
overall length 565 mm
made of STAINLESS steel
for Pasta cooker gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA - Series OMNIA



MBM RTCU700285

3023233 BURNER \varnothing 60x240 mm
overall length 305 mm
made of STAINLESS steel
for Boiling pan gas (MBM) - Series DOMINA 900
Series MAGIS MAGISTRA



MBM RTCU800335



Suitable for:

MBM



Suitable for:

5030138 BURNER VERTICAL 295x60 mm
for Fryer gas (MBM) GF45 - GF49 - GF49T - GF90
GF90/1 - GF99 - GF99T



MBM 161819

MBM 161820

3023161 BURNER 445x200 mm
made of stainless steel
for Lava rock grill gas (MBM) - Series DOMINA 700
Series OMNIA



5064828 MIXING CHAMBER 70x100x40 mm
of chrome-plated iron
bracket 100x40x2 mm
distance betw. fastening holes 80 mm



MBM RTCU700483

5022030 BURNER 470x200 mm
made of STAINLESS STEEL
for Lava rock grill (MBM) GPL46P - GPL86P



5023011 BURNER 485x250 mm
made of STAINLESS STEEL
for Fry top gas (MBM) GFT117L - GFT117LC
GFT117LR - GFT117LRC - GFT47L - GFT47LC
GFT47R - GFT47RC - GFT77L - GFT77LC - GFT77LR
GFT77LRC - GFT77R - GFT77RC



MBM RTCU600070

MBM RTCU700279

MBM RTCU700744

3023231 BURNER 495x460 mm
made of STAINLESS steel
for Oven under cooktop gas (MBM)
Series DOMINA 700 - Series DOMINA 900
Series MAGIS MAGISTRA



3023148 BURNER 535x240 mm
made of chrome-plated iron
for Fry top gas (MBM) - Series MAGISTRA



MBM 162696

MBM RTBF800031

Suitable for:

Suitable for:

3023232 BURNER 540x290 mm
made of chrome-plated iron
for Fry top gas (MBM) - Series DOMINA 900
Series MAGIS MAGISTRA - Series OMNIA



MBM 160165

3023144 BURNER 575x225 mm
made of stainless steel
for Lava rock grill gas (MBM) - Series DOMINA 900
Series MAGIS MAGISTRA - Series MAGISTRA



MBM RIC0002519

3352015 AERATION REGULATOR
internal \varnothing 18 mm - external \varnothing 20 mm
height 42 mm



5011088 BURNER 630x515 mm
made of chrome-plated iron
for Bratt pan gas (MBM) GBR - GBRA - GBR9T



MBM RTBF900098


5052722 BURNER 715x555 mm
chrome-plated iron
for Bratt pan gas (MBM) - Series DOMINA 900



MBM 166220

MBM 185213

5027892 GRID FOR SALAMANDER 250x146 mm



MBM RIC0002500

3020254 NOZZLE HOLDER FOR BURNER \varnothing 12 mm
internal thread M10x1 - external thread M16x1
for Pot stove gas (MBM) - Series DOMINA 700
Series DOMINA 900 - Series MAGIS MAGISTRA
for Solid top range (MBM) - Series DOMINA 900
Series MAGIS MAGISTRA



MBM 160324

Gas taps and accessories

4002925 BY-PASS SCREW \varnothing 0.50 mm FOR MOD. 20/21
thread M5x0.5



MBM RTCU700265

3348225 BY-PASS SCREW \varnothing 0.50 mm FOR MOD. 22
thread M6x0.5



MBM RTBF800210



Suitable for:

MBM



5072746 BY-PASS SCREW \varnothing 0.60 mm FOR MOD. 22
thread M6x0.5



MBM RTCU800242

Suitable for:

5030700 BY-PASS SCREW \varnothing 0.65 mm FOR MOD. 22
thread M6x0.5



MBM RTCU800175

5016313 BY-PASS SCREW \varnothing 0.70 mm FOR MOD. 22
thread M6x0.5



MBM RTCU700388

4002769 BY-PASS SCREW \varnothing 0.75 mm FOR MOD. 20/21
thread M5x0.5



MBM RTCU700261

5008380 BY-PASS SCREW \varnothing 0.80 mm FOR MOD. 20/21
thread M5x0.5



MBM RTCU700271

5069877 BY-PASS SCREW \varnothing 0.80 mm FOR MOD. 22
thread M6x0.5



MBM RTBF800098

5034280 BY-PASS SCREW \varnothing 0.85 mm FOR MOD. 20/21
thread M5x0.5



MBM RTCU700263

5050395 BY-PASS SCREW \varnothing 0.85 mm FOR MOD. 22
thread M6x0.5



MBM RTCU800241

4052605 BY-PASS SCREW \varnothing 0.90 mm FOR MOD. 22
thread M6x0.5



MBM RTCU800071

MBM RTCU800140

5053753 BY-PASS SCREW \varnothing 0.95 mm FOR MOD. 22
thread M6x0.5



MBM RTCU700336

5034281 BY-PASS SCREW \varnothing 1.10 mm FOR MOD. 20/21
thread M5x0.5



MBM RTCU700334

4056742 BY-PASS SCREW \varnothing 1.10 mm FOR MOD. 22
thread M6x0.5



MBM RTCU900287

Suitable for:

5012461 BY-PASS SCREW \varnothing 1.30 mm FOR MOD. 22
thread M6x0.5



MBM RTCU700661

Suitable for:

5022996 BY-PASS SCREW \varnothing 1.50 mm FOR MOD. 22
thread M6x0.5



MBM RTCU800073

MBM RTCU900288

5012454 BY-PASS SCREW \varnothing 1.55 mm FOR MOD. 22
thread M6x0.5




MBM RTCP800060

4003372 BY-PASS SCREW \varnothing 1.70 mm FOR MOD. 22
thread M6x0.5



MBM RTCP800050

3348096 GAS TAP SABAF
without pilot flame
pipe flange fitting \varnothing 16 mm
outlet fitting \varnothing 1/4" M
thermocouple plug fitting
D-shaped pin \varnothing 8x6.5 mm
for Pot stove (MBM) - Series MINIMA



3348089 BRACKET FOR TAP



MBM RTCU600016

MBM 170414

MBM RTCU600054

3348016 GAS TAP 21/S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 8x6.5 mm



7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread M16x1.5 mm - M17x1 mm
for taps PEL 20S-21S



MBM RTCU700259

3348085 BUSH FOR TAP




3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21





Suitable for:


3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S




3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



MBM

Suitable for:


3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S



3348275 CAP WITH PIN \varnothing 8x6.5 mm
pin length 32/25 mm upper/lower
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm





Suitable for:

3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110




MBM

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



MBM RTCU700297

MBM RTCU900013

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182

MBM

Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



MBM RTCU900012

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



MBM RTCU900018

MBM 455001

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098





Suitable for:

MBM



Suitable for:


5064538 GAS TAP 21S
 with pilot flame
 flange connection pipe \varnothing 21 mm
 outlet fitting M16x1.5 mm
 thermocouple connection M9x1
 D-shaped pin \varnothing 8x6.5 mm
 for Lava rock grill gas (MBM) - Series DOMINA 700
 for Pasta cooker gas (MBM) - Series DOMINA 700
 for Pot stove gas (MBM) - Series DOMINA 700
 for Solid top range gas (MBM) - Series DOMINA 700



MBM 167069

MBM 167997

3348010 GAS TAP 22N/O
 with pilot flame
 with horizontal flange
 by-pass \varnothing 0.35 mm
 fittings \varnothing M20x1.5mm
 with flow regulator
 D-shaped pin \varnothing 10x8 mm




MBM RTCU900020

3348017 CAP WITH PIN \varnothing 10x8 mm
 pin length 25/14 mm
 for model PEL 22




3348231 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 35/21 mm upper/lower
 for model PEL 22




3348229 CAP WITH PIN \varnothing 10 mm
 pin length 31 mm
 for model PEL 22S/O



3348019 CAP WITH PIN \varnothing 10x9 mm
 pin length 26 mm
 for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 39/7 mm upper/lower
 for model PEL 22





Suitable for:


3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22




3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm




MBM

Suitable for:

3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



MBM RTCU900075

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



MBM RTCU900016





Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



MBM RTCU900018

MBM 455001

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900017

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098

3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22



MBM

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900015


5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182




3348002 GAS TAP 22S/O
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm




MBM RTCU900011


3348017 CAP WITH PIN \varnothing 10x8 mm
 pin length 25/14 mm
 for model PEL 22



3348019 CAP WITH PIN \varnothing 10x9 mm
 pin length 26 mm
 for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 39/7 mm upper/lower
 for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22



3348229 CAP WITH PIN \varnothing 10 mm
 pin length 31 mm
 for model PEL 22S/O



3348245 CAP WITH PIN \varnothing 10x8 mm
 pin length 34/26 mm upper/lower
 for model PEL 22S



3348231 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 35/21 mm upper/lower
 for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
 without adjustment
 thread M20x1.5 mm
 for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
 thread M20x1.5
 for model PEL 22





Suitable for:

3348024 **FLANGE VERTICAL \varnothing 12/10 mm**
thread M20x1.5
for model PEL 22



3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



MBM RTCU900075

3348038 **OLIVE FOR PIPE \varnothing 10 mm**
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



MBM RTCU900016

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



MBM



Suitable for:

3348214 **FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm**
thread M20x1.5 mm
for model PEL 22S



3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

3348037 **OLIVE FOR PIPE \varnothing 6 mm**
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



MBM RTCU900018

MBM 455001



Suitable for:

3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900015

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182

3348090 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings M20x1.5 mm
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm
for Pot stove (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160344

MBM 168001


3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22



MBM

Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900017

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098

3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22



3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O




3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S






Suitable for:

3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22




3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




MBM

Suitable for:

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22





Suitable for:

3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



MBM RTCU900075

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



MBM RTCU900016

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900015

MBM



Suitable for:

3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



MBM RTCU900018

MBM 455001

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900017

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm




MBM RTCU800182

3348012 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin \varnothing 10x8 mm




MBM RTCP800019

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35/17 mm upper/lower
for model PEL 23



3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23



3182010 MAGNETIC UNIT PEL
head \varnothing 24 mm - end piece \varnothing 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



MBM

Suitable for:

3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22




3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23



3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3348040 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 17.5 mm - h 15 mm
for model PEL 23





Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



MBM RTCP800023

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5 - h 16 mm
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5 - h 17 mm
for model PEL 23



MBM RTCP800021

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182

MBM

Suitable for:

3348042 OLIVE FOR PIPE \varnothing 20 mm
 \varnothing ext. 23 mm - h 11.5 mm
for model PEL 23



MBM RTCP800020

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



MBM RTCU900018


MBM 455001

3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5 - h 16 mm
for model PEL 23



MBM RTCP800022

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098





Suitable for:

MBM



Suitable for:

Gas valves and accessories

3523019 MINISIT VALVE FOR FOOD-WARMER 30÷100°C

inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 5x125 mm
with an elbow flange \varnothing 3/8"F



MBM RTBF900003

2100757 CONNECTION FOR OLIVE \varnothing 16 mm

thread \varnothing 1/2"M



3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F

with screws and OR



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"


with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



3523047 LID MINISIT



MBM 447060


3523061 NUT \varnothing 1/4"x6 mm



MBM RTCU900221

3523060 OIL SEAL FITTING \varnothing 6.5 mm

internal thread M10x0.75 - external thread M14x1.5



3348044 OLIVE FOR PIPE \varnothing 10 mm

\varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



MBM RTCU900012

3020082 OLIVE FOR PIPE \varnothing 12 mm

\varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014




Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



MBM RTCP800023

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



MBM 611002

3523036 REDUCER STRAIGHT \varnothing 3/8"F - \varnothing 1/2"M
of brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"M
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



3523949 MINISIT VALVE FOR FRYER 110 \pm 190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \pm 60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges



MBM RTCU700574

MBM RTCU700642

MBM

Suitable for:

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M - h 20 mm



3523039 SENSING ELEMENT MINISIT 30 \pm 100°C
capillary length 1050 mm
bulb \varnothing 5x125 mm



MBM RTBF900066

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M





Suitable for:

3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



MBM 447060

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25




MBM RTCU900012

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



MBM RTCP800023

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



MBM 611002

MBM




Suitable for:

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR




3523047 LID MINISIT



MBM RTCU900221

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm





Suitable for:

3523036 REDUCER STRAIGHT \varnothing 3/8" F - \varnothing 1/2" M
of brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" M
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



MBM



Suitable for:

3523051 SENSING ELEMENT MINISIT 110 \div 190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



2101821 VALVE MINISIT FRYER 110 \div 190°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple fitting M9x1
max gas inlet pressure 50 mbar
ambient temperature range 0 \div 80°C
capillary length range 1050 mm
bulb \varnothing 6x105 mm
without lid, handle and flanges
for Fryer (MBM) GF15S
for Fryer gas (MBM) G77/F2V7A4



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M



MBM 167549

3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
with screws and OR




3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



3523047 LID MINISIT



MBM 447060

MBM RTCU900221



Suitable for:

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25




MBM RTCU900012

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



MBM RTCP800023

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



MBM 611002

3523036 REDUCER STRAIGHT \varnothing 3/8"F - \varnothing 1/2"M
of brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"M
for MINISIT flange




MBM



Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M - h 20 mm



3523044 SENSING ELEMENT MINISIT 120÷200°C
capillary length 1050 mm
bulb \varnothing 6x105 mm





Suitable for:

5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



MBM



Suitable for:

3523023 VALVE 710 MINISIT FOR FRYER 50÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
length capillary 1200 mm
bulb \varnothing 5x95 mm
with an elbow flange \varnothing 3/8"F



MBM GRCU900012

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



MBM 447060

3523061 NUT \varnothing 1/4"x6 mm




2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR




3523047 LID MINISIT



MBM RTCU900221

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5





Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25




MBM RTCU900012

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



MBM RTCP800023

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



MBM 611002

3523036 REDUCER STRAIGHT \varnothing 3/8" F - \varnothing 1/2" M
of brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" M
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



MBM

Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



3523042 SENSING ELEMENT MINISIT 50 \pm 190°C
capillary length 1200 mm
bulb \varnothing 5x95 mm



3523020 VALVE 710 MINISIT OVEN 100±340°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 with an elbow flange \varnothing 3/8"F



MBM GRCU900015

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
 with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



MBM 447060

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
 for model PEL 20-21-24-25



MBM RTCU900012


Suitable for:
2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR




3523047 LID MINISIT



MBM RTCU900221

3523060 OIL SEAL FITTING \varnothing 6.5 mm
 internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
 for model PEL 22-24-25



MBM RTCU900014




Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



MBM RTCP800023

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



MBM 611002

3523036 REDUCER STRAIGHT \varnothing 3/8"F - \varnothing 1/2"M
of brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"M
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



3523920 VALVE 710 MINISIT OVEN 100÷340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 5x70 mm
without cover, knob and flanges



MBM RTCU900064

MBM



Suitable for:

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M - h 20 mm



3523040 SENSING ELEMENT MINISIT 100÷340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm



MBM RTCU900057

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M





Suitable for:

3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



MBM 447060

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25




MBM RTCU900012

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



MBM RTCP800023

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



MBM 611002


MBM

Suitable for:

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR




3523047 LID MINISIT



MBM RTCU900221

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm





Suitable for:

3523036 REDUCER STRAIGHT \varnothing 3/8"F - \varnothing 1/2"M
of brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"M
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



MBM



Suitable for:

3523040 SENSING ELEMENT MINISIT 100÷340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm



MBM RTCU900057

3523922 VALVE 710 MINISIT OVEN 100÷340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷80°C
capillary length 1800 mm
bulb \varnothing 5x70 mm
without cover, knob and flanges



MBM RTCU900063

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



MBM 447060


2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523047 LID MINISIT



MBM RTCU900221



Suitable for:

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25




MBM RTCU900012

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



MBM RTCP800023

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



MBM 611002


3523036 REDUCER STRAIGHT \varnothing 3/8"F - \varnothing 1/2"M
of brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"M
for MINISIT flange



MBM

Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M - h 20 mm



3523041 SENSING ELEMENT MINISIT 100÷340°C
capillary length 1750 mm
bulb \varnothing 5x70 mm





Suitable for:

5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm




MBM

Suitable for:



Gaskets and seals

3186479 GASKET FIBREGLASS - 5 m
profile dimensions 12x12 mm
max temperature 600°C
COLOUR WHITE



MBM 163290


5025472 GASKET PIN SELECTOR SWITCH \varnothing 24 mm
D-shaped hole 6x4.6 mm



MBM RTCU800185

Gaskets for oven door

5025707 GASKET DOOR UPPER 600 mm
silicone elastomer
profile dimensions 15x10 mm
COLOUR: BLACK
for Oven under cooktop (MBM) - Series DOMINA 700



MBM 164738

5066511 GASKET PROFILE DOOR UPPER
length 593 mm
for Oven under cooktop (MBM) - Series DOMINA 700



MBM 164736

MBM 184110


5032931 GASKET FOR OVEN DOOR 640x370 mm
of silicone elastomer
profile dimensions 12x10 mm
with fastening clips
BLACK COLOUR



MBM RIC0002273

MBM 099811480000

3786585 OVEN DOOR GASKET KIT
made of silicone elastomer
profile dimensions 15x10 mm
1 piece length 865 mm - 2 pcs length 325 mm
1 piece frame length 515 mm
2 pieces frame length 320 mm
BLACK COLOUR
for Oven under cooktop (MBM) - Series MEDIUM 70



MBM MPGOM00P00

MBM PACU700011

MBM MPGOM01P00


MBM RIC0004760

MBM MPGOM01900

MBM 167479

Suitable for:

3186403 OVEN DOOR GASKET 1400 mm
of silicone elastomer
profile dimensions 21x12 mm
BLACK COLOUR
for Oven under cooktop (MBM) - Series MINIMA



MBM RIC0002340

Suitable for:

3186103 OVEN DOOR GASKET 540x320 mm
of silicone elastomer
with fastening clips - 3 sides
profile dimensions 9.2x8.5 mm
BLACK COLOUR
for Oven under cooktop (MBM) - Series CLASSICA
Series MAGISTRA - Series MEDIUM



MBM RTCU800097

3186786 OVEN DOOR GASKET 600x300 mm
of silicone elastomer
with fastening clips - 3 sides
profile dimensions 10x9 mm
BLACK COLOUR




MBM RIC0002547

MBM RIC0003123

MBM 9686375000

3186750 SIDE DOOR GASKET 300 mm
of silicone elastomer
profile dimensions 15x10 mm
BLACK COLOUR
for Oven under cooktop (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 163888


5035571 GASKET PROFILE DOOR SIDE
length 305 mm
for Oven under cooktop (MBM) - Series DOMINA 700
Series DOMINA 900 - Series MAGIS MAGISTRA



MBM 163886

MBM 184105

3186758 UPPER DOOR GASKET 570 mm
of silicone elastomer
profile dimensions 15x10 mm
BLACK COLOUR
for Oven under cooktop (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 163889

5035572 GASKET PROFILE DOOR UPPER
length 575 mm
for Oven under cooktop (MBM) - Series DOMINA 700
Series DOMINA 900 - Series MAGIS MAGISTRA



MBM 163885

MBM 184111



Suitable for:

MBM



Suitable for:

Grids for kitchen

3185069 GRID COOKING RANGE 300x335 mm
for Pot stove (MBM) - Series OMNIA



MBM RTCU700274


MBM RTCU700756

5084324 GRID COOKING RANGE 390x380 mm



MBM 182140

3185113 GRID COOKING RANGE 415x365 mm
for Pot stove (MBM) - Series DOMINA



MBM 160031

MBM 162954

MBM 174189

3185112 GRID COOKING RANGE 510x290 mm
for Pot stove (MBM) - Series MINIMA



MBM RTCU600019

5011084 GRID COOKING RANGE 510x335 mm



MBM A660023

MBM RTCU600020


5022370 GRID FOR SMOKE OUTLET 700x60 mm



MBM GACU700118

Handles

3242288 HANDLE ST. STEEL 160x60 mm
for Oven under cooktop (MBM) - Series MAGISTRA
for Oven under cooktop gas (MBM)
Series MAGIS MAGISTRA



MBM PACU800122

MBM 168204

3242035 PLASTIC BLACK SUPPORT FOR HANDLE
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA
for Oven under cooktop (MBM)
Series MAGIS MAGISTRA - Series MAGISTRA



MBM RTCU800001

5060923 HANDLE STAINLESS STEEL ø 30x655 mm



MBM RTCU800435



Suitable for:

MBM



5014792 HANDLE STAINLESS STEEL 456x45 mm
for Oven under cooktop (MBM) - Series OMNIA



MBM PACU700447

Suitable for:

5016707 HANDLE PLASTIC HEAD BLACK
for Oven under cooktop (MBM) - Series CLASSICA
Series OMNIA



MBM RTCU700291

MBM RTCU900413

5001497 PLASTIC HANDLE 120 mm BLACK
distance between holes 105 mm



MBM RTBF800229

MBM RTBF900242

3242034 STAINLESS STEEL HANDLE 620x60 mm
for Oven under cooktop (MBM)
Series MAGIS MAGISTRA - Series MAGISTRA
Series OMNIA



MBM PACU800131

MBM 168205

3242035 PLASTIC BLACK SUPPORT FOR HANDLE
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA
for Oven under cooktop (MBM)
Series MAGIS MAGISTRA - Series MAGISTRA



MBM RTCU800001

Heating elements

5055448 BULB-RETAINING CAP



MBM PACU701198

3355243 HEATING ELEMENT 1000W 230V BOTTOM
length 180 mm - width 195 mm
complete with cables



MBM B.30023500

MBM 921008

MBM 921038

3355310 HEATING ELEMENT 1000W 230V TOP
length 185 mm - width 320 mm
complete with cables



MBM B.30024100



Suitable for:

MBM



3755856 HEATING ELEMENT 10200W 230/400V
length 300 mm - width 180 mm
coupling M54 - complete with cables
with two holes for bulb
complete with OR gaskets




MBM RTBF700101

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



MBM RTBF800320

5016771 HEATING ELEMENT 1200W 240V
length 400 mm - width 200 mm
height 24 mm



MBM RTBF900217

MBM 3710003

3755235 HEATING ELEMENT 1340W 230V
length 450 mm - width 75 mm
height 80 mm
for Fry top electric (MBM) - Series OMNIA



MBM RTCU700278

3755654 HEATING ELEMENT 1500W 230V
length 355 mm - width 525 mm
flange 100x20 mm
for Oven under cooktop electric (MBM) E6F6
G6SFE6




MBM RIC0002548

Suitable for:

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



3755652 RING NUT FOR HEATING ELEMENT \varnothing 1"3/4



MBM RTBF800319

3755663 HEATING ELEMENT 1250W 240V
length 415 mm - width 85 mm
height 70 mm
for Fry top electric (MBM) EFT106 - EFT46 - EFT66



MBM RTCU600183

3355541 HEATING ELEMENT 1500W 220V
length 320 mm - width 55 mm
height 215 mm - fittings \varnothing 1/4"



MBM /ELF003313

3355311 HEATING ELEMENT 1500W 230V BOTTOM
length 185 mm - width 320 mm
complete with cables



MBM B.30024300



3755006 HEATING ELEMENT 1500W 240V
length 500 mm - width 110 mm
height 75 mm
for Bratt pan electric (MBM) - Series 900 MAGISTRA



MBM MRTBF800026

MBM RTBF800026

Suitable for:

3755201 HEATING ELEMENT 1500W 240V
length 360 mm - width 200 mm
flange 70x22 mm
operating environment: dry
for Bain-marie electric (MBM) - Series MINIMA
Series OMNIA



MBM RTCU700280

3755661 HEATING ELEMENT 1500W 400V
length 300 mm - width 285 mm
connection M54x1.5 mm - complete with cables
complete with OR gaskets
with two holes per bulb
for Fryer electric (MBM) EF45 - EF90



MBM RTBF800318

1186715 O-RING 0159 FKM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



MBM RTBF800321

MBM RTCU700565

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



3786459 O-RING 04200 FKM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



MBM RTBF800320

3755652 RING NUT FOR HEATING ELEMENT \varnothing 1"3/4



MBM RTBF800319

3355127 HEATING ELEMENT 1600W 220V
 \varnothing external 190 mm - internal \varnothing 178 mm
total height 65 mm
flange 70x22 mm
operating environment: dry



MBM RTBF900218

MBM 3710004

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm





Suitable for:

MBM



5023644 HEATING ELEMENT 1600W 230V
 length 335 mm - width 250 mm
 with cables
 completa di guarnizioni OR
 con due fori per bulbo
 for Fryer electric (MBM) EF45 - EF49 - EF49T
 EF90 - EF99 - EF99T



MBM RIC0003816
MBM 180953

MBM 160035

MBM 166412

Suitable for:


3355212 HEATING ELEMENT 1800W 230V
 length 255 mm - width 270 mm
 height 90 mm - fittings \varnothing 1/4"
 for Boiling pan electric (MBM) E100 - E100A - E150
 E150A



MBM RTCP900002

MBM RTCP900050

5038142 HEATING ELEMENT 1800W 230V
 length 325 mm - width 285 mm
 flange 100x22 mm
 for Oven under cooktop electric (MBM)
 Series MINIMA



MBM RIC0001836

3755658 HEATING ELEMENT 1850W 240V
 length 285 mm - width 45 mm
 fittings M16x1.5 mm
 for Pasta cooker electric (MBM) EC47



MBM RTCU700283

3355849 HEATING ELEMENT 2000W 220V
 length 230 mm - width 230 mm
 flange 107x33 mm



MBM RIC0002488

5065609 HEATING ELEMENT 2000W 230V
 length 300 mm - width 60 mm
 h 235 mm - fittings \varnothing 1/4"



MBM 164716

MBM 180588

3355148 HEATING ELEMENT 2000W 240V
 length 280 mm - width 60 mm
 fittings \varnothing 3/8"
 for Boiling pan electric (MBM)
 Series 900 MAGISTRA



MBM RTBF800168

3755668 HEATING ELEMENT 2000W 240V
 length 570 mm - width 100 mm
 h 70 mm
 for Fry top electric (MBM) EFT45L - EFT45LC
 EFT45R - EFT45RC - EFT49L - EFT49LC - EFT49R
 EFT49RC - EFT90L - EFT90LC - EFT90LR
 EFT90LRC - EFT90R - EFT90RC




MBM RTBE800038

MBM RTBF800038

MBM RTBF900068



3755655 HEATING ELEMENT 2200W 230V
length 505 mm - width 645 mm
flange 100x22 mm
for Oven under cooktop electric (MBM)
Series DOMINA - Series MAGIS MAGISTRA



MBM 161662

MBM 182701

3355214 HEATING ELEMENT 2500W 220V
length 530 mm - width 615 mm
flange 70x22 mm
for Oven under cooktop electric (MBM) E4F



MBM RTCU900067

MBM RTCU900186

3355889 HEATING ELEMENT 2500W 230V
external \varnothing 190 mm - internal \varnothing 178 mm
total height 70 mm
flange 70x22 mm
for Kitchen electric (MBM) E4F6



MBM RIC0001835

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



5049419 HEATING ELEMENT 2500W 230V
length 515 mm - width 130 mm
flange 70x22 mm



MBM 160085

3355057 HEATING ELEMENT 2500W 240V
external \varnothing 200 mm - total height 64 mm
flange 100x22 mm



MBM RTTAV00105

MBM 019522-00R

5016738 HEATING ELEMENT 2500W 240V
length 470 mm - width 600 mm
flange 70x22 mm
for Oven under cooktop electric (MBM)
Series MAGISTRA



MBM RTCU900435



Suitable for:

MBM



3755664 HEATING ELEMENT 2600W 230V
 external \varnothing 190 mm - overall height 81 mm
 flange 70x22 mm
 for Oven under cooktop electric (MBM) EFOV7
 for Hot cupboard (MBM) TE127



MBM RTCU700650

3186098 HEATING ELEMENT GASKET
 external dimensions 71x23 mm



3455456 HEATING ELEMENT 3000W 230V
 length 360 mm - width 65 mm
 height 240 mm - fittings \varnothing 1/4"
 for Fryer electric (MBM) EF12B



MBM 161879

MBM 180580

3755662 HEATING ELEMENT 3000W 230V
 length 255 mm - width 55 mm
 height 25 mm - fittings M16x1.5 mm
 for Pasta cooker electric (MBM) EC77



MBM RTCU700284

3755667 HEATING ELEMENT 3000W 230V
 length 445 mm - width 50 mm
 fittings M16x1.5 mm
 for Pasta cooker electric (MBM) EC45 - EC49
 EC49T - EC902V - EC992V - EC992VT




MBM RTCU800342

5016765 HEATING ELEMENT 3000W 240V
 length 400 mm - width 210 mm
 height 75 mm
 for Bratt pan electric (MBM) EBRI7 - EBR7 - EBR77




MBM RTCU700646

3755185 HEATING ELEMENT 3200W 240V
 length 570 mm - width 520 mm
 flange 70x22 mm
 for Oven under cooktop electric (MBM) EF07
 Series OMNIA



MBM RTCU700281

5030236 HEATING ELEMENT 3200W 380V
 length 505 mm - width 525 mm
 flange 70x22 mm
 for Oven under cooktop electric (MBM)



MBM RTCU700683



3355612 HEATING ELEMENT 3300W 230V
length 250 mm - width 135 mm
height 220 mm - flange 160x22 mm



MBM RTCU600250

MBM 230069

Suitable for:


3355613 HEATING ELEMENT 3300W 230V
length 320 mm - width 135 mm
height 220 mm - flange 160x22 mm



MBM RTCU600249


MBM 230070

3755657 HEATING ELEMENT 3750W 230V
length 510 mm - width 640 mm
flange 70x20 mm
for Oven under cooktop electric (MBM)
Series DOMINA - Series MAGIS MAGISTRA



MBM 161661

3755656 HEATING ELEMENT 3950W 230V
length 510 mm - width 545 mm
flange 160x22 mm
for Oven under cooktop electric (MBM) EF07



MBM RTCU700282

5037194 HEATING ELEMENT 4000W 240V
length 600 mm - width 200 mm
height 65 mm
for Bratt pan electric (MBM) - Series DOMINA 900



MBM 166219

3355105 HEATING ELEMENT 4200W 230/380V
for boiler and wash tank
immersed depth 340 mm
flange external \varnothing 72 mm - with bulb-sheathing
complete with O-ring \varnothing 67 mm



MBM /COM110331

3186014 O-RING 06225 EPDM \varnothing 67 mm
ring thickness 5.34 mm - internal \varnothing 56.52 mm



MBM /COM200815
MBM 929046

MBM CGG55

MBM 167956



Suitable for:

MBM



3755669 HEATING ELEMENT 5250W 230V
 length 290 mm - width 115 mm
 flange \varnothing 62 mm
 two holes per bulb - with cables
 for Fryer electric (MBM) EF472VT



MBM RIC0003796
MBM 180952-01

MBM RTCU700592

MBM 180952

Suitable for:

3186697 O-RING 0159 EPDM
 ring thickness 3.53 mm - internal \varnothing 55.56 mm



3755666 HEATING ELEMENT 6000/7200W 220/240V
 immersed depth 495 mm
 flange \varnothing external 72 mm
 with bulb sheath
 complete with O-ring
 for Boiling pan electric (MBM) E100I - E100IT9
 E100I9 - E150IA - E150IT9 - E150I9



MBM RTCP800008

3186014 O-RING 06225 EPDM \varnothing 67 mm
 ring thickness 5.34 mm - internal \varnothing 56.52 mm



MBM /COM200815
MBM 929046

MBM CGG55

MBM 167956

3355616 HEATING ELEMENT 6600W 230V
 length 350 mm - width 130 mm
 height 230 mm - flange 160x22 mm



MBM REB230072
MBM 230072

MBM RTCU600235

MBM 175797

3355308 HEATING ELEMENT 700W 230V TOP
 length 185 mm - width 180 mm
 complete with cables



MBM B.30022500

3755237 HEATING ELEMENT 7500W 230V
 external \varnothing 260 mm - internal \varnothing 240 mm
 total height 165 mm
 flange 142x25 mm



MBM RTFOC00013

MBM RTFOC00433

3455281 HEATING ELEMENT 9000W 230V
 length 350 mm - width 230 mm
 height 240 mm
 for FRYER EF12B




MBM 164717

Suitable for:

3755659 HEATING ELEMENT 9000W 230V

length 330 mm - width 200 mm
with two holes for bulb
complete with cables
for Fryer electric (MBM) EF46
for Fryer electric (MBM) EF66



MBM RIC0003794

MBM RTCU600122

MBM 180951

1186715 O-RING 0159 FKM

ring thickness 3.53 mm - internal \varnothing 55.56 mm



MBM RTBF800321

MBM RTCU700565

3755660 HEATING ELEMENT 9000W 230V

length 290 mm - width 205 mm
with two holes for thermostat probe - with cables
for Fryer electric (MBM) EF47 - EF47T - EF77
EF77T - EF777



MBM RIC0003795

MBM RTCU700570

MBM 166410

MBM 180950

1186715 O-RING 0159 FKM

ring thickness 3.53 mm - internal \varnothing 55.56 mm



MBM RTBF800321

MBM RTCU700565

Suitable for:

5030040 EXTENSION BULB COUPLING 75 mm

thread M10x1 mm
for Fryer gas (MBM) FG15M - FG20M - GF15+15S
GF15S - GF25+25S - GF25S - GF4772VB - GF4772VS



MBM 165587

3250139 SEEGER RING E-60

in steel for springs C75
internal \varnothing 55.8 mm - thickness 2 mm
UNI 7435 - DIN 471



MBM RTMIN00283

2111161 GASKET STUFFING GLAND \varnothing 7.5 mm

height 7 mm
for THERMOSTAT EGO



MBM RTFOC00751



Suitable for:

MBM



3355349 QUARTZ HEATING ELEMENT 1000W 230V
length 390 mm - flange 130x11 mm



MBM 923003

MBM 923004

Suitable for:

7103888 SET HEATING ELEMENT 12000W 230V
this set includes 3 pieces
length 440 mm - width 60 mm
height 245 mm - fittings \varnothing 1/4"
for Fryer electric (MBM) EF25+25S - EF25S



MBM 164247

MBM 164718

3355343 WIRE HEATING ELEMENT 500W 110V
length 390 mm



MBM 230031

3355299 QUARTZ TUBE \varnothing 10x390 mm
 \varnothing int. 7.5 mm



MBM 484001

5108062 QUARTZ PIPE \varnothing 11x390 mm
internal \varnothing 9 mm
COLOUR WHITE



5111835 QUARTZ TUBE \varnothing 11x390 mm
 \varnothing int. 8.5 mm




Hinges, catches and accessories

5011139 HINGE BODY \varnothing 20x270 mm



MBM RTCP800027

5022826 HINGE DOOR LOWER
mounting distance 42 mm - overall length 93mm
height 43 mm - thread M6
for Boiling pan gas (MBM) DOMINA 700
Series DOMINA 900 - Series MAGIS MAGISTRA
Series OMNIA



MBM RTBF900013


3053296 SPRING FOR HINGE \varnothing 39x320 mm



MBM RTBF800103



3053007 LEFTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205
height 160 mm




MBM RTCU900027

MBM RTCU900397

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



MBM RTCU900004

3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm



7103193 PIN
for MOBILE CABINET AHC20.56



MBM 621085


3053006 RIGHTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205
height 160 mm




MBM RTCU900026

MBM RTCU900396

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



MBM RTCU900004

3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm






Suitable for:

MBM



3053115 SPRING LH \varnothing 6 mm
for hinges with radius 500-545 mm
for Boiling pan (MBM) GT30IC



MBM 20500050

Suitable for:


3053114 SPRING RH \varnothing 6 mm
for hinges with radius 500-545 mm
for Boiling pan (MBM) GT30IC



MBM 20500048

Hot plates

3312115 COOKING PLATE SMOOTH 365x355 mm
made of cast iron
for Pot stove (MBM) - Series 900 MAGISTRA



MBM A800011

MBM RTCU800035

Hydraulic piping

5047231 HOSE OF CANVASSED RUBBER \varnothing 25/32mm 1040mm
internal \varnothing 25 mm - external \varnothing 32 mm
for Boiling pan electric (MBM) E100I - E100I9
E150I9
for Boiling pan gas (MBM) G100 - G100I - G150I
G1509
for Pasta cooker electric (MBM) EC45 - EC49
EC49T - EC902V - EC992VT
for Pasta cooker gas (MBM) GC45 - GC49 - GC902V
GC992V - GC992VT - G1009 - G150



MBM MPGOM27T00

5060549 HOSE WATER OUTLET 815 mm
external \varnothing 10 mm - internal \varnothing 8 mm - pipe \varnothing 21 mm
thread \varnothing 1/2"
for Pasta cooker electric (MBM) EC49T
for Pasta cooker gas (MBM) GC45 - GC49 - GC49T



MBM RIC0004869

MBM 160653

5122534 SUPPLY PIPE COLD WATER



MBM 176744

5122533 SUPPLY PIPE HOT WATER



MBM 176743



Ignitors

5053290 SET PIEZO IGNITION WITH CABLE
 with watertight cap
 with silicone cover
 with plug
 a \varnothing 22 mm hole is required for the assembly
 ignition lead 1550 mm
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 2.4 mm for sparking plug
 for Bratt pan gas (MBM) - Series DOMINA 700
 for Fry top gas (MBM) - Series DOMINA 700
 for Lava rock grill gas (MBM) - Series DOMINA 700
 for Pasta cooker gas (MBM) - Series DOMINA 700
 for Pot stove gas (MBM) - Series DOMINA 700
 for Solid top range gas (MBM) - Series DOMINA 700



MBM RIC0004096

3001007 PIEZO IGNITER
 a \varnothing 22 mm hole is needed for the assembly
 faston M \varnothing 2.4 mm



MBM RIC0000225

MBM RTCU700020

MBM 6010047

3001107 PIEZO IGNITER
 a \varnothing 22 mm hole is required for the assembly
 faston M \varnothing 2.4 mm




5071589 WATERTIGHT PIEZO CAP
 made of silicone rubber



Incandescent lamps and neon lamps

3221259 OVEN NEON LAMP Ba9s 0.9mA 400V
 dimensions \varnothing 10x28 mm



MBM

Indicator lights

3221262 GREEN LAMP RECEPTACLE
 head \varnothing 14.5 mm - hole \varnothing 12 mm



MBM DEP142

MBM 926114

3221095 INDICATOR LAMP ORANGE 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



MBM /ELF281007

MBM REB216020

MBM B.30168500

MBM 216018

MBM DEL10

MBM 216020



Suitable for:

MBM



3221552 INDICATOR LIGHT GREEN 12V
head \varnothing 7 mm - hole \varnothing 6 mm
wire connection length 200 mm



MBM

3221164 INDICATOR LIGHT GREEN 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
dashboard mounting



MBM DEL15

MBM REB216022

MBM 216022

3221499 INDICATOR LIGHT GREEN 250V
head \varnothing 14 mm - hole \varnothing 13 mm



MBM

3221454 INDICATOR LIGHT GREEN 400V
head \varnothing 16 mm - hole \varnothing 12 mm - 120°C



MBM 40200152

5056480 INDICATOR LIGHT LED ORANGE 12Vdc
 \varnothing head 7 mm - hole \varnothing 6 mm
with cable length 280 mm



MBM 216032

Suitable for:

3221132 INDICATOR LIGHT GREEN 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



MBM 216019

3221045 LAMP CAP TAPERED CONICAL GREEN SU3
mounting hole \varnothing 6 mm - head \varnothing 7 mm



3221153 INDICATOR LIGHT GREEN 380V
mounting hole 32.5x10 mm - 85°C
for COUNTER TOP FRYER all models



MBM /ELF003320

5045040 INDICATOR LIGHT LED GREEN 5Vdc
head \varnothing 7 mm - hole \varnothing 6 mm
with cable length 220 mm



MBM 216028

3221553 INDICATOR LIGHT ORANGE 12V
head \varnothing 7 mm - hole \varnothing 6 mm
wire connection length 200 mm



MBM



Suitable for:

3221112 INDICATOR LIGHT ORANGE 220V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



MBM DEL14

MBM 926287

5037049 LAMP CAP TAPERED CONICAL ORANGE SU3
mounting hole \varnothing 6 mm - head \varnothing 7 mm



Suitable for:

5077464 LAMP CAP TAPERED CONICAL ORANGE
mounting hole \varnothing 6 mm - head \varnothing 7 mm



3221094 INDICATOR LIGHT ORANGE 230V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C



MBM 28100011

3221096 INDICATOR LIGHT ORANGE 230V
head \varnothing 7 mm - hole \varnothing 6 mm
wire connection length 200 mm



MBM REB216003
MBM 216005

MBM REB216025
MBM 216025

MBM 216003

3221325 INDICATOR LIGHT ORANGE 230V
head \varnothing 16 mm - hole \varnothing 10 mm - 150°C
for Bain-marie (MBM) - Series MAGIS MAGISTRA
for Fry top (MBM) - Series MAGIS MAGISTRA
for Fryer (MBM) EF99
for Kitchen electric (MBM) E4F



MBM 161793

MBM 161794

MBM 166466

3221329 INDICATOR LIGHT GREEN 230V
 \varnothing head 16 mm - \varnothing hole 10 mm - 150°C
for (MBM) - Series DOMINA - Series MAGIS MAGISTRA



MBM 161792

MBM 166465

6927237 INDICATOR LIGHT ORANGE 24V
head \varnothing 14 mm - hole \varnothing 12 mm



MBM DEL105A

MBM 927237

3221154 INDICATOR LIGHT ORANGE 380V
mounting hole 32.5x10 mm - 85°C
for COUNTER TOP FRYER all models



MBM /ELF003321



Suitable for:

MBM



6216029 INDICATOR LIGHT ORANGE 5Vdc

head \varnothing 7 mm - hole \varnothing 6 mm
with cable length 200 mm



MBM 216029

3221024 INDICATOR LIGHT RED 230V

head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



MBM RTCU900071

MBM RTCU900291

3221025 INDICATOR LIGHT ORANGE 230V

head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



MBM RTCU900072

MBM RTCU900488

3221111 INDICATOR LIGHT RED 230V

head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



MBM DEL13

3221687 LAMP CAP TAPERED CONICAL WHITE SU3



3221551

INDICATOR LIGHT RED 12V

head \varnothing 7 mm - hole \varnothing 6 mm
wire connection length 200 mm



MBM

3221101 INDICATOR LIGHT GREEN 230V

head \varnothing 15 mm - \varnothing hole 13 mm - 120°C
M faston 6.3x0.8 mm
universal application



MBM RTCU900290

3221026 INDICATOR LIGHT WHITE 230V

\varnothing head 15 mm - \varnothing hole 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



3221594 LAMP CAP TAPERED CONICAL RED SU3

mounting hole \varnothing 6 mm - head \varnothing 7 mm





Suitable for:

3221139 INDICATOR LIGHT RED 230V
head \varnothing 14 mm - hole \varnothing 12 mm - 120°C



MBM 216016

Suitable for:

3221342 INDICATOR LIGHT RED 400V
head \varnothing 16 mm - hole \varnothing 12 mm - 120°C



MBM *OL0038900

3221020 LAMP RECEPTACLE ORANGE
 \varnothing head 14.5 mm - \varnothing hole 12 mm
universal use



MBM DEP140

MBM 926115

3221126 INDICATOR LIGHT NEUTRAL 24V
head \varnothing 8 mm - 120°C



MBM DEL99

MBM 927334

3221097 INDICATOR LIGHT 220V
head \varnothing 8 mm - 120°C
RED-ORANGE light



MBM DEL25

MBM DEL31

MBM REB216006

MBM 216006

MBM 926113

3221021 RED LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 12 mm



MBM DEP141

3221126 INDICATOR LIGHT NEUTRAL 24V
head \varnothing 8 mm - 120°C



MBM DEL99

MBM 927334

3221097 INDICATOR LIGHT 220V
head \varnothing 8 mm - 120°C
RED-ORANGE light



MBM DEL25

MBM DEL31

MBM REB216006

MBM 216006

MBM 926113



Suitable for:

MBM



Suitable for:

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47µF



MBM DEC50

MBM RTFOC00312

Ironmongery (screws, nuts, washers)

1528013 BLIND HEXAGONAL NUT M6
stainl. steel -height 16 mm -UNI 5721 - DIN 1587



MBM RTMIN00114

5002614 COUNTER NUT M16x1
height 4.5 mm



MBM RTCU900005

3528122 COUNTERSUNK FLAT HEAD SCREWS M4x30
slotted - stainless steel
UNI 6109 - DIN 963 - ISO 2009



MBM CVI155

1184012 CYLINDER HEAD SCREW M5x10
stainless steel - with hexagon socket
UNI 9327 - DIN 7984



MBM CIV113

MBM CVI113

1528622 HEXAGON HEAD SCREW M8x16
stainless steel - UNI 5739 - DIN 933 - ISO 4017



MBM 486041

5060002 HEXAGONAL HEAD SCREW M4x8
st. steel - UNI 5739 - DIN 933 - ISO 4017



MBM RTMIN00124

MBM RTMIN00124

Knobs

7121813 BLACK KNOB ø 40 mm
D-shaped pin 6x4.6 mm



MBM 164649

3241092 BLACK KNOB ø 55 mm
D-shaped hole 6x4.6 mm



MBM /ELF033250



Suitable for:

3241040 BLACK KNOB \varnothing 65 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for valve equipped gas COOK TOP tap




MBM RTCU900028

MBM 168345

Suitable for:

3241863 BLACK KNOB \varnothing 70 mm
D-shaped hole 6x4.6 mm



MBM

3241187 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Pot stove (MBM) - Series OMNIA



MBM RTCU700308

MBM RTCU700309

3241334 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



MBM

3241527 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for Pot stove (MBM) - Series MAGIS MAGISTRA



MBM 164360

MBM 168852

MBM 169336+169369


MBM 169336+172032

3241528 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Pot stove (MBM) - Series MINIMA



MBM RTCU600064

3241860 BLACK KNOB \varnothing 70 mm 0-1-0-1
D-shaped hole 6x4.6 mm



MBM

3241525 BLACK KNOB \varnothing 70 mm 0-1-2-3
D-shaped hole 6x4.6 mm
for Boiling pan (MBM) E150A
for Boiling pan electric (MBM) E150IA
for Pasta cooker electric (MBM) EC45



MBM RTCU800104

3241861 BLACK KNOB \varnothing 70 mm 0-1-2-3
D-shaped hole 6x4.6 mm



MBM

3241523 BLACK KNOB \varnothing 70 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for Kitchen electric (MBM) E4F
for Pot stove electric (MBM) E2AR - E6AR



MBM RTCU800059



Suitable for:

MBM



3241862 BLACK KNOB \varnothing 70 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm



MBM

Suitable for:

3241188 BLACK KNOB \varnothing 70 mm 1-2-3-4-5-6-7-8
D-shaped hole 8x6.5 mm
for Pot stove (MBM) - Series OMNIA



MBM RTCU700344

3541021 BLACK KNOB \varnothing 70 mm 100-300°C
D-shaped hole 6x4.6 mm



MBM 169340+169371

3241126 BLACK KNOB \varnothing 70 mm 170-300°C
D-shaped hole 10x8 mm
for Oven under cooktop (MBM) MAGISTRA




MBM RTCU800019

3241855 BLACK KNOB \varnothing 70 mm 30-110°C
D-shaped hole 6x4.6 mm



MBM

3241853 BLACK KNOB \varnothing 70 mm 30-90°C
D-shaped hole 6x4.6 mm



MBM

3241854 BLACK KNOB \varnothing 70 mm 30-90°C
D-shaped hole 6x4.6 mm



MBM

3241247 KNOB BLACK \varnothing 16x25 mm
threaded hole for shaft M6




MBM RTCU700413

3241721 KNOB BLACK \varnothing 50 mm 30°-90°C
D-shaped hole 6x4.6 mm
for thermostat EGO



MBM RIC0004456

5002601 KNOB BLACK \varnothing 65 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for Pot stove electric (MBM) - Series CLASSICA




MBM RTCU700075

5029483 KNOB BLACK \varnothing 70 mm
D-shaped hole 6x4.6 mm



MBM 168879

5057315 SELF-ADHESIVE DISC BLACK 100-300°C
external \varnothing 62 mm



MBM 163781

5037162 KNOB BLACK \varnothing 70 mm
D-shaped hole 10x8 mm
for Pasta cooker (MBM)



MBM RTCU700754

MBM 168865

5056865 KNOB BLACK \varnothing 70 mm HOLE 8x6.5 mm
with clip



MBM 168861

MBM 168867


MBM 169897

3241402 KNOB BLACK \varnothing 70 mm UNIVERSAL
D-shaped hole 6x4.6 mm
for thermostat, selector switch, timer,
program switch, energy regulator




MBM


3241464 SELF-ADHESIVE DISC MIN/MAX
external \varnothing 63 mm




3241463 SELF-ADHESIVE DISC WITH ARROW SYMBOL
external \varnothing 63 mm




3241450 SELF-ADHESIVE DISC WITH PILOT SYMBOL
external \varnothing 63 mm
for gas taps with pilot



3241451 SELF-ADHESIVE DISC WITHOUT PILOT SYMBOL
external \varnothing 63 mm
for gas taps without pilot




3241465 SELF-ADHESIVE DISC 0-1-0-1
external \varnothing 63 mm






Suitable for:


3241466 SELF-ADHESIVE DISC 0-1-2-3
external \varnothing 63 mm




3241452 SELF-ADHESIVE DISC 1-2-3-4-5-6-7-8
external \varnothing 63 mm
for thermostatic gas taps PEL




3241458 SELF-ADHESIVE DISC 100-180°C
external \varnothing 63 mm




3241457 SELF-ADHESIVE DISC 30-110°C
external \varnothing 63 mm



3241455 SELF-ADHESIVE DISC 30-90°C
external \varnothing 63 mm



3241460 SELF-ADHESIVE DISC 50-300°C
external \varnothing 63 mm




MBM




Suitable for:


3241467 SELF-ADHESIVE DISC 0-1-2-3-4-5-6
external \varnothing 63 mm




3241453 SELF-ADHESIVE DISC 1-2-3-4-5-6-7-8
external \varnothing 63 mm
for thermostatic gas taps EGA




3241456 SELF-ADHESIVE DISC 30-110°C
external \varnothing 63 mm




3241454 SELF-ADHESIVE DISC 30-90°C
external \varnothing 63 mm



3241459 SELF-ADHESIVE DISC 50-250°C
external \varnothing 63 mm




3241461 SELF-ADHESIVE DISC 50-300°C
external \varnothing 63 mm





Suitable for:

3241462 SELF-ADHESIVE DISC 50-320°C
external ø 58 mm



MBM



Suitable for:

5009132 KNOB BLACK ø 70 mm 0-1
D-shaped hole 6x4.6 mm
for Bain-marie electric (MBM) EBM45 - EBM90
for Bratt pan electric (MBM) EBR - EBRA
for Bratt pan gas (MBM) GBR - GBRA
for Fryer electric (MBM) EF45



MBM RTCU800062

MBM 169340

MBM 169348

MBM 169364

3241529 KNOB BLACK ø 70 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for Kitchen electric (MBM) E4F6
for Pot stove electric (MBM) E26 - E27 - E27Q
E4F7 - E4F7Q - E46 - E47 - E47Q - E6FA7
E6FA7Q - E66 - E67 - E67Q



MBM RTCU700346

MBM RTCU700403

5011174 KNOB BLACK ø 70 mm 150-300°C
D-shaped hole 6x4.6 mm
for Oven under cooktop electric (MBM)
Series OMNIA



MBM RTCU700347+168877

MBM RTCU700347+168878

5011176 KNOB BLACK ø 70 mm 50-300°C
D-shaped hole 6x4.6 mm
for Bratt pan electric (MBM) - Series MINIMA
Series OMNIA
for Fry top electric (MBM) - Series MINIMA
Series OMNIA
for Oven under cooktop (MBM) - Series MAGISTRA



MBM RTCU700076

MBM RTCU700349

MBM RTCU700434

MBM RTCU800103

MBM RTCU900157

MBM 168501

MBM 168877+RTCU700349

MBM 168878+RTCU700349

MBM 168878+168501

5011181 KNOB BLACK ø 70 mm 60-200°C
D-shaped hole 6x4.6 mm
for Fryer electric (MBM) EF46 - EF47 - EF47T
EF472V - EF472VT - EF66 - EF77 - EF77T



MBM RTCU700594

3241864 KNOB BLACK MIN-MAX ø 70 mm
D-shaped hole 6x4.6 mm



MBM



Suitable for:

MBM



3241524 KNOB RED ø 76 mm 0-1-2-3-4-5-6-7-8

D-shaped hole 10x8 mm
for Oven under cooktop (MBM)
Series MAGIS MAGISTRA



MBM 164392

MBM 168855

Suitable for:

5056906 KNOB SILVER ø 72 mm

D-shaped hole 6x4.6 mm



MBM 164577

MBM 169912

MBM 165926

MBM 171436

MBM 168847

7107469 KNOB SILVER ø 72 mm

D-shaped hole 8x6.5 mm
for Bain-marie gas (MBM) - Series DOMINA 700
for Fry top gas (MBM) - Series DOMINA 700
for Lava rock grill gas (MBM) - Series DOMINA 700
for Pasta cooker gas (MBM) - Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 700
for Solid top range gas (MBM) - Series DOMINA 700




MBM 168851

MBM 171437

3241989 RING NUT SILVER FOR KNOB ø 92 mm


for Fry top gas (MBM) - Series DOMINA 700
for Fryer gas (MBM) DOMINA 1100
for Lava rock grill gas (MBM) - Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 1100
Series DOMINA 700
for Solid top range gas (MBM) DOMINA 1100
Series DOMINA 700



MBM 171439

7107468 SELF-ADHESIVE DISC WITH PILOT SYMBOL

external ø 140 mm
for Pasta cooker gas (MBM) - Series DOMINA 1100
Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 1100
Series DOMINA 700
for Solid top range gas (MBM) - Series DOMINA 1100
Series DOMINA 700



MBM 174332

3241992 SELF-ADHESIVE DISC 150-280°C

external ø 140 mm
for Fry top gas (MBM) - Series DOMINA 700



MBM 174323

3241990 SELF-ADHESIVE DISC 135-285°C

external ø 140 mm
for Pot stove gas (MBM) - Series DOMINA 700



MBM 171451

3241993 SELF-ADHESIVE DISC 150-290°C

external ø 140 mm
for Solid top range gas (MBM) - Series DOMINA 700



MBM 174322



Suitable for:

3241991 SELF-ADHESIVE DISC 155-300°C
external \varnothing 140 mm
for Fry top gas (MBM) - Series DOMINA 700




MBM 174325

3541001 KNOB SILVER PLATED \varnothing 72 mm
D-shaped hole 10x8 mm
for Fry top gas (MBM) - Series DOMINA 1100
for Pasta cooker gas (MBM) - Series DOMINA 1100 Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 1100




MBM 171433

7107468 SELF-ADHESIVE DISC WITH PILOT SYMBOL
external \varnothing 140 mm
for Pasta cooker gas (MBM) - Series DOMINA 1100 Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 1100 Series DOMINA 700
for Solid top range gas (MBM) - Series DOMINA 1100 Series DOMINA 700



MBM 174332

5028932 RING NUT BLACK KNOB \varnothing 91 mm
for Pot stove (MBM)



MBM 163658

MBM




Suitable for:

3528243 SPRING WASHER \varnothing 12 mm




MBM 176318

3241989 RING NUT SILVER FOR KNOB \varnothing 92 mm
for Fry top gas (MBM) - Series DOMINA 700
for Fryer gas (MBM) DOMINA 1100
for Lava rock grill gas (MBM) - Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 1100 Series DOMINA 700
for Solid top range gas (MBM) DOMINA 1100 Series DOMINA 700



MBM 171439

3541002 SELF-ADHESIVE DISC 145-310°C
external \varnothing 140 mm
for Solid top range gas (MBM) - Series DOMINA 1100



MBM 174324

5029484 SELF-ADHESIVE DISC BLACK 0-1-2-3-4-5-6
external \varnothing 62 mm



MBM 163782




Suitable for:

MBM



3241996 SELF-ADHESIVE DISC BLUE 0-90-I-MIN
external ø 50 mm
for Bain-marie electric (MBM) - Series DOMINA 700
for Bain-marie gas (MBM) - Series DOMINA 700




MBM 169257

3241995 SELF-ADHESIVE DISC BLUE 150-290°C
external ø 50 mm
for Oven under cooktop gas (MBM)
Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 700
for Solid top range gas (MBM) - Series DOMINA 700



MBM 169898

5029678 SELF-ADHESIVE DISC WITH PILOT SYMBOL
external ø 50 mm




MBM 164581

MBM 169909

MBM 170349

3241994 SELF-ADHESIVE DISC 1-2-3-4-5-6-7-8
external ø 50 mm
for Pot stove gas (MBM) - Series DOMINA 700



MBM 170411

5028933 SPRING FOR KNOB ø 46x40 mm
for Pot stove (MBM)



MBM 163659

MBM 169045

Lamp receptacles and spare parts

5013466 LAMP HOLDER WITH LAMP E14 25W 230V
extern size 140x72 mm
maximal temperature 300°C



MBM

3221255 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 140x72 mm



MBM RTFOC00382

3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE
external dimensions 140x75 mm



MBM RTFOC00202

MBM 161283

3221256 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 110x65 mm
max temperature 500°C



MBM RTFOC00201



Suitable for:

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



MBM LAR65270120

MBM RTFOC00037

D421016 OVEN LAMP DR FISCHER E14 25W 230V
ø 25x57 mm - max temperature 300°C




MBM



Suitable for:

3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
dimensioni esterne 106x65 mm



MBM RTFOC00036

3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V
lamp glass ø 53 mm
mounting hole ø 36 mm
max temperature 300°C



MBM

3221232 GLASS FOR OVEN LAMP RECEPTACLE ø 53 mm
thread ø 33 mm - overall height 32 mm




MBM RTFOC00654

3221311 LAMP RECEPTACLE E14 25W 230V
mounting hole ø 36 mm
max temperature 300°C



MBM RTFOC00653

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions ø 48x38x5 mm
for OVEN



3221041 LAMP E14 15W 230V
max temperature 300°C - dimensions ø 22x50 mm



MBM RTFOC00658

D421015 OVEN LAMP DR FISCHER E14 15W 230V
ø 22x49 mm - max temperature 300°C





Suitable for:

3221625 OVEN LAMP RECEPTACLE \varnothing 51 mm
thread \varnothing 33 mm - overall height 27 mm




MBM



Suitable for:

5035079 LAMP RECEPTACLE WITH LAMP G9 40W 230V
external dimensions 96x80 mm
max temperature 300°C



MBM LAR65270510

3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm



3221172 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 96x80 mm



3221173 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 73x58 mm



D221004 HALOGEN LAMP OSRAM G9 40W 230V
max temperature 300°C



MBM 177059

3621005 LAMP CAP FOR HALOGEN G9 40W 230V
external dimensions 74x59 mm
max. temperature 300°C



MBM 177058

Lava stone grids


3185114 GRID LAVA ROCK ST/STEEL 465x315x20 mm
for Lava rock grill gas (MBM) GLP47 - GLP77



MBM GACU700256

MBM 182779

3185131 GRID LAVA ROCK ST/STEEL 538x395x20 mm



MBM RTBF800366

Suitable for:

Suitable for:

3185059 GRID LAVA ROCK ST/STEEL 600x345x20 mm
for new series



MBM

Level probes

3341020 LEVEL PROBE \varnothing 1/4"M-220 mm



MBM RTFOC00149

Level regulators

3341000 LEVEL REGULATOR RL30/3ES/F/G
230V 50/60Hz



3341003 LEVEL PROBE \varnothing 1/4"M-110 mm



MBM RTFOC00146

3341002 LEVEL PROBE \varnothing 1/4"M-114.5 mm



3341001 LEVEL PROBE \varnothing 1/4"M-155 mm



3391037 LEVEL PROBE SPACER
external \varnothing 8 mm
internal \varnothing 2.5 mm
overall length 11.5 mm



3391038 LEVEL PROBE SPACER
external \varnothing 8 mm - 7.5 mm height





Suitable for:

MBM



Suitable for:

Magnets

3242354 DOOR LOCK MAGNET

distance between magnetic part holes 74 mm
distance between holes of strike plate 54 mm
for Fryer (MBM) - Series MAGISTRA



MBM RIC0001384

MBM RTBF300233

5009179

MAGNET DOOR LOCKING ø 32 mm

thread M5x15 mm
for Bain-marie electric (MBM)
for Fryer electric (MBM)
for Fryer gas (MBM)
for Kitchen electric (MBM)
for Kitchen gas (MBM)
for Lava rock grill (MBM)
for Pasta cooker electric (MBM)
for Pasta cooker gas (MBM)
for Solid top range gas (MBM)



MBM RTBF800016


MBM RTTAV00093

MBM 181529

Microswitches, mechanical

3240605 MICROSWITCH ELECTRICA NR6K5

10A 250V



MBM 218011

3240596

MICROSWITCH EMAS BS1012

16A 250V



MBM 203334

1240120 MICROSWITCH PIZZATO MKV11D15

16A 250V

for Bratt pan (MBM) - Series DOMINA 700
Series DOMINA 900 - Series MAGISTRA



MBM RTBF800113

3240123

MICROSWITCH ROLD VRSRB1DA1

16A 250V



MBM RTFOC00198

MBM 218009

3240410 MICROSWITCH 16(4)A 250V



MBM RTFOC00035

3240203

BUSHING DOOR MICROSWITCH

external ø 10x15 mm





Suitable for:

3240234 LIMIT SWITCH PIN



3250071 MICROSWITCH SPRING \varnothing 13x25 mm



MBM

Suitable for:

3240233 MICROSWITCH FITTING M16x1.5 mm



3240235 RING NUT M16x1.5 mm



Motors

5048015 MOTOR WITH FAN 30W 220V 50Hz
TYPE C30R0407
fan \varnothing 155 mm



MBM RIC0000331

MBM 3740035

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm
for Dish warmer (MBM) AC160-ON-071/F



MBM RIC0002339

MBM RTCU700450

MBM RTCU800153

5068175 FAN \varnothing 150 mm
height 20 mm
central hole for D-shaped pin 6x5 mm



Nozzles

3500020 GAS JET M10x1 \varnothing 0.80 mm



MBM RTCU900241

3500021 GAS JET M10x1 \varnothing 0.95 mm



MBM RTCU700032

MBM RTCU900045



MBM



Suitable for:

Suitable for:

3500022 GAS JET M10x1 \varnothing 1.00 mm

3500024 GAS JET M10x1 \varnothing 1.15 mm



MBM RTCU700337

MBM RTCU700468

MBM RTCU900246

3500025 GAS JET M10x1 \varnothing 1.20 mm

3500027 GAS JET M10x1 \varnothing 1.30 mm



MBM RTCU900236

MBM RTCU700034

MBM RTCU700035

5020619 GAS JET M10x1 \varnothing 1.40 mm

3500028 GAS JET M10x1 \varnothing 1.45 mm



MBM RTCU900229

MBM RTCU900235

3500381 GAS JET M10x1 \varnothing 1.60 mm

3500070 GAS JET M10x1 \varnothing 1.70 mm



MBM 18110092

MBM RTCU700036

3500032 GAS JET M10x1 \varnothing 2.00 mm

3500060 GAS JET M7x1 \varnothing 0.55 mm



MBM RTCU900038

MBM SN53301280

3500061 GAS JET M7x1 \varnothing 0.80 mm

3500062 GAS JET M7x1 \varnothing 0.85 mm



MBM 1260

MBM SN53301220

MBM SN53301221

Suitable for:


3500064 GAS JET M7x1 \varnothing 1.20 mm



MBM 1230

Suitable for:

3500065 GAS JET M7x1 \varnothing 1.30 mm



MBM 1410

3500069 GAS JET M7x1 \varnothing 1.60 mm



MBM 1250

3500042 GAS JET M9x1 \varnothing 1.00 mm



MBM RTCU800105

3500043 GAS JET M9x1 \varnothing 1.10 mm



MBM RTCU700226

O-Ring and ORM gaskets

1186087 O-RING 0152 EPDM
ring thickness 3.53 mm - internal \varnothing 47.63 mm



MBM 456044

3186015 O-RING 0178 EPDM
ring thickness 5.34 mm - internal \varnothing 74.63 mm
for SANMARCO GRUPPO A LEVA



MBM 456008

1186365 O-RING 02012 EPDM
ring thickness 1.78 mm - internal \varnothing 2.90 mm



MBM 456014

6456037 O-RING 02237 EPDM
ring thickness 1.78 mm - internal \varnothing 60.05 mm



MBM 456037




Suitable for:

MBM



6456074 O-RING 02325 EPDM
ring thickness 1.78 mm - internal \varnothing 82.27 mm
for pump housing



MBM 456074

Suitable for:
3786668 O-RING 03024 EPDM
ring thickness 2.62 mm - internal \varnothing 6.02 mm



MBM 456066

1786233 O-RING 03087 EPDM
ring thickness 2.62 mm - internal \varnothing 21.89 mm
for GAGGIA drain tank



MBM 456041

6456047 O-RING 04036 EPDM
ring thickness 3.53 mm - internal \varnothing 9.12 mm



MBM REB456047

MBM 456047

3061040 O-RING 04137 EPDM
ring thickness 3.53 mm - internal \varnothing 34.52 mm



MBM 456043

Pilot burners and accessories

3020280 FIXED PILOT BURNER SIT 1 FLAME
vertical connection \varnothing 6 mm
with nozzle \varnothing 0.35 mm
for Kitchen gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA - Series OMNIA
for Kitchen (MBM) G4SA948



MBM RTCU700372

3020108 DEFLECTOR 1 FLAME FOR PILOT SIT



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



5111720 PILOT JET \varnothing 0.21 mm
thread M4x0.75 mm






Suitable for:

3020279 PILOT JET SIT \varnothing 0.21 mm
thread M4x0.75 mm
for Oven under cooktop gas (MBM) - Series OMNIA




MBM RTCU700389

3020142 PILOT LOCKING PLATE
plate dimesion 17.5x18x1.5 mm
gasket dimension 35x19x1 mm
for Pot stove gas (MBM) - Series DOMINA 700
Series DOMINA 900 - Series MAGIS MAGISTRA



MBM RTCU700407

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



MBM LF-3020434

3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm
for mounting of pilot assembly



3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
for burner \varnothing 115 mm



MBM



Suitable for:

3020058 PILOT JET SIT \varnothing 0.35 mm
thread M4x0.75
for Oven under cooktop gas (MBM) - Series OMNIA




MBM RTCU700647

3020101 BRACKET CLAMP 2 POSITIONS FOR PILOT SIT



3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
for burner \varnothing 90 mm



3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
for burner \varnothing 135 mm





Suitable for:


3020100 BRACKET 2 POSITIONS SIT



3020108 DEFLECTOR 1 FLAME FOR PILOT SIT



3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



MBM RTCU900217

3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006

MBM

Suitable for:

5112109 CANDLE PLUGS KIT \varnothing 7x44 mm - 5PCS
M faston M4x1 mm
overall length 82 mm



3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - height 27 mm



MBM RTCU700141

3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



MBM RIC0003481

MBM RTCU900073

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



MBM RTCP800033





Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



5111724 PILOT BODY PRO-GAS WITH NOZZLE \varnothing 0.20mm



3020115 PILOT CAP SIT 1 FLAME



3020156 PILOT JET SIT \varnothing 0.25 mm



MBM

Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020551 PILOT BODY PRO-GAS WITH NOZZLE \varnothing 0.25mm



3020054 PILOT JET SIT \varnothing 0.20 mm



MBM RTCU700228

4058525 PILOT JET SIT \varnothing 0.30 mm





Suitable for:

3020055 PILOT JET SIT \varnothing 0.35 mm



3500269 PILOT JET SIT \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098

MBM

Suitable for:

5015516 PILOT JET SIT \varnothing 0.40 mm



5075989 PILOT JET SIT \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



MBM RTCP800037

MBM RTCU900133


5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182



3020033 ONE-FLAME PILOT BURNER SIT
 multigas nozzle
 with bracket 2 positions
 external regulation through 7 mm nut
 for Oven under cooktop gas (MBM) - Series CLASSICA
 Series MAGISTRA - Series MEDIUM 70



MBM RTCU900025

3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm
 for mounting of pilot assembly



3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
 for burner \varnothing 115 mm



3020100 BRACKET 2 POSITIONS SIT




3020108 DEFLECTOR 1 FLAME FOR PILOT SIT



Suitable for:
3020101 BRACKET CLAMP 2 POSITIONS FOR PILOT SIT



3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
 for burner \varnothing 90 mm



3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
 for burner \varnothing 135 mm



5112109 CANDLE PLUGS KIT \varnothing 7x44 mm - 5PCS
 M faston M4x1 mm
 overall length 82 mm



3020083 FITTING AND OLIVE \varnothing 4 mm
 thread M10x1 - height 27 mm




MBM RTCU700141



Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



MBM RTCU900217

3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

MBM



Suitable for:

3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



MBM RIC0003481

MBM RTCU900073

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



MBM RTCP800033

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25





Suitable for:

5027953 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020551 PILOT BODY PRO-GAS WITH NOZZLE \varnothing 0.25mm



3020054 PILOT JET SIT \varnothing 0.20 mm



MBM RTCU700228

3020055 PILOT JET SIT \varnothing 0.35 mm



3500269 PILOT JET SIT \varnothing 0.45 mm



MBM

Suitable for:

3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



5111724 PILOT BODY PRO-GAS WITH NOZZLE \varnothing 0.20mm



3020115 PILOT CAP SIT 1 FLAME



4058525 PILOT JET SIT \varnothing 0.30 mm



5015516 PILOT JET SIT \varnothing 0.40 mm



5075989 PILOT JET SIT \varnothing 0.70 mm





Suitable for:

3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M - h 11 mm



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182

5125122 PILOT BURNER



MBM 185732

MBM



Suitable for:

3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



MBM RTCP800037

MBM RTCU900133

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098

3020454 PILOT BURNER ASSEMBLY KIT
 with piezo igniter, thermocouple
 with ignition lead
 for Boiling pan gas (MBM) G100 - G100I - G100IT9
 G100IT9N - G100I9 - G100T9 - G1009 - G150
 G150I - G150IT9 - G150IT9N - G150I9 - G150T9
 G1509



MBM GACP800065

MBM RIC0004528

5028638 GAS JET M10x1 \varnothing 0.30 mm




MBM RTCU800337

MBM 172474

3001036 IGNITION LEAD 700 mm
 with faston 2.8x0.8 mm for ignition
 with faston \varnothing 2.4 mm for plug
 for Bain-marie gas (MBM) - Series MAGISTRA
 for Boiling pan gas (MBM) - Series DOMINA 700
 Series MAGIS MAGISTRA
 for Bratt pan gas (MBM) - Series DOMINA 700
 for Fry top gas (MBM) - Series MAGISTRA
 for Fryer gas (MBM) - Series DOMINA 1100
 Series OMNIA
 for Solid top range gas (MBM) - Series MAGISTRA



5009011 LOCKING NUT OLIVE \varnothing 6x9 mm
 thread M10x1 mm



MBM RTCU800339

5112109 CANDLE PLUGS KIT \varnothing 7x44 mm - 5PCS
 M faston M4x1 mm
 overall length 82 mm



5026894 GAS JET M10x1 \varnothing 0.50 mm



MBM RTCU800338

MBM 172473

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
 for model PEL 21-22-24-25



MBM RTCU900018

MBM 455001



Suitable for:

3001007 PIEZO IGNITER

a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm



MBM RIC0000225

MBM RTCU700020

MBM 6010047

MBM



Suitable for:


3020401 PILOT BURNER POLIDORO 3 FLAMES

supplied without sparking plug
with LPG and NATURAL GAS nozzle
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting




MBM

5111643 FITTING FOR PLUG FASTENING M10x1 mm



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm thread M10x1



MBM RTCP800038

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm

M faston M4x1 mm
overall length 65 mm



MBM RIC0003481

MBM RTCU900073

5112109 CANDLE PLUGS KIT \varnothing 7x44 mm - 5PCS

M faston M4x1 mm
overall length 82 mm




3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm thread M10x1 - h 11 mm



MBM RTCU900215

5111728 FITTING FOR THERMOCOUPLE SEF 1 M10x1



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm

M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



MBM RTCP800033

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



3020452 PILOT JET POLIDORO \varnothing 0.32 mm
2 holes \varnothing 0.16 mm



3020464 PILOT JET POLIDORO \varnothing 0.64 mm



3020045 PILOT JET SIT \varnothing 0.50 mm



MBM

Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



MBM RTCU900134

5071220 PILOT JET POLIDORO \varnothing 0.22 mm



3020449 PILOT JET POLIDORO \varnothing 0.54 mm



3020044 PILOT JET SIT \varnothing 0.20 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



MBM RTCP800037

MBM RTCU900133





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098

MBM



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182

3020014 PILOT BURNER PRINTED LH 2 FLAMES
without sparking plug, gas jet and gasket
with thermocouple fitting




MBM 611003

5111643 FITTING FOR PLUG FASTENING M10x1 mm



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



MBM RTCP800038

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



MBM RIC0003481

MBM RTCU900073

5112109 CANDLE PLUGS KIT \varnothing 7x44 mm - 5PCS
M faston M4x1 mm
overall length 82 mm



3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



MBM RTCU900215

5111728 FITTING FOR THERMOCOUPLE SEF 1 M10x1



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



MBM RTCP800033

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



5111782 KIT PILOT JET \varnothing 0.41 mm - 5 PCS



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3020086 PILOT GASKET SIT 71x32x1.5 mm
distance between holes 52 mm



5035324 PILOT JET SIT \varnothing 0.18 mm



MBM

Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



5111718 KIT PILOT JET \varnothing 0.25 mm - 5 PCS



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



MBM RTCU900134

3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



5111137 PILOT JET PRO-GAS \varnothing 0.20 mm



3020557 PILOT JET SIT \varnothing 0.20 mm





Suitable for:

3020157 PILOT JET SIT \varnothing 0.25 mm



3020541 PILOT JET SIT \varnothing 0.35 mm



MBM

2106308 PILOT JET SIT \varnothing 0.45 mm



4053669 PILOT JET SIT \varnothing 0.75 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



MBM RTCP800037

MBM RTCU900133

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182

MBM

Suitable for:

3020040 PILOT JET SIT \varnothing 0.30 mm



MBM RTCU900216

MBM 611008

3020041 PILOT JET SIT \varnothing 0.41 mm



MBM 611009

3020187 PILOT JET SIT \varnothing 0.51 mm




MBM RTCU900008

3020519 PILOT NOZZLE \varnothing 0.41 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098






Suitable for:

MBM



3020009 PILOT BURNER PRINTED SIT 2 FLAMES
without sparking plug, gas nozzle and gasket



MBM /ELF003279

MBM GRCU900011

MBM RTCU900007

5111643 FITTING FOR PLUG FASTENING M10x1 mm



5112109 CANDLE PLUGS KIT \varnothing 7x44 mm - 5PCS
M faston M4x1 mm
overall length 82 mm




3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm




MBM RTCU900215

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



5111728 FITTING FOR THERMOCOUPLE SEF 1 M10x1



MBM RTCP800038

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003481

MBM RTCU900073

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



MBM RIC0003189

MBM RTCU900010

MBM 611006

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



MBM RTCP800033



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



MBM



Suitable for:

5111718 KIT PILOT JET \varnothing 0.25 mm - 5 PCS



5111782 KIT PILOT JET \varnothing 0.41 mm - 5 PCS



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



MBM RTCU900134

3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



5111137 PILOT JET PRO-GAS \varnothing 0.20 mm



5035324 PILOT JET SIT \varnothing 0.18 mm



3020557 PILOT JET SIT \varnothing 0.20 mm



3020157 PILOT JET SIT \varnothing 0.25 mm



3020040 PILOT JET SIT \varnothing 0.30 mm



3020541 PILOT JET SIT \varnothing 0.35 mm



MBM RTCU900216

MBM 611008

MBM



Suitable for:

3020041 PILOT JET SIT \varnothing 0.41 mm



MBM 611009

3020187 PILOT JET SIT \varnothing 0.51 mm



MBM RTCU900008

3020519 PILOT NOZZLE \varnothing 0.41 mm



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm**



MBM RTCU900019


MBM 468098

3020012 PILOT BURNER PRINTED SIT 2 FLAMES
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Bain-marie gas (MBM) GBM45 - GMB90



MBM RTBF800034

5111643 FITTING FOR PLUG FASTENING M10x1 mm



MBM

Suitable for:

2106308 PILOT JET SIT \varnothing 0.45 mm



4053669 PILOT JET SIT \varnothing 0.75 mm



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm**



MBM RTCP800037

MBM RTCU900133

**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm**



MBM RTCU800182

5112109 CANDLE PLUGS KIT \varnothing 7x44 mm - 5PCS
M faston M4x1 mm
overall length 82 mm



**3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm**




MBM RTCU900215





Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



MBM RTCP800038

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006

5111718 KIT PILOT JET \varnothing 0.25 mm - 5 PCS



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



MBM RTCU900134

3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm




5111137 PILOT JET PRO-GAS \varnothing 0.20 mm



MBM

Suitable for:

5111728 FITTING FOR THERMOCOUPLE SEF 1 M10x1



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



5111782 KIT PILOT JET \varnothing 0.41 mm - 5 PCS



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3020086 PILOT GASKET SIT 71x32x1.5 mm
distance between holes 52 mm



5035324 PILOT JET SIT \varnothing 0.18 mm





Suitable for:

3020557 PILOT JET SIT \varnothing 0.20 mm



3020040 PILOT JET SIT \varnothing 0.30 mm



MBM RTCU900216

MBM 611008

3020041 PILOT JET SIT \varnothing 0.41 mm



MBM 611009

3020187 PILOT JET SIT \varnothing 0.51 mm



MBM RTCU900008

3020519 PILOT NOZZLE \varnothing 0.41 mm



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm**



MBM RTCU900019

MBM 468098

MBM

Suitable for:

3020157 PILOT JET SIT \varnothing 0.25 mm



3020541 PILOT JET SIT \varnothing 0.35 mm



MBM

2106308 PILOT JET SIT \varnothing 0.45 mm



4053669 PILOT JET SIT \varnothing 0.75 mm




**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm**



MBM RTCP800037

MBM RTCU900133

**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm**



MBM RTCU800182





Suitable for:

MBM



5056891 PILOT FASTENING PLATE



MBM 172882


Suitable for:

5056892 PILOT FASTENING PLATE GASKET



MBM 172883

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



MBM RTCU900074

3020104 BRACKET CLAMP 3 POSITIONS FOR PILOT SIT



5111722 BRACKET COMPLETE 2 POSITIONS



5111428 BRACKET COMPLETE 3 POSITIONS



3020103 BRACKET 3 POSITIONS FOR PILOT SIT



5112109 CANDLE PLUGS KIT \varnothing 7x44 mm - 5PCS
M faston M4x1 mm
overall length 82 mm



3020109 DEFLECTOR 2 FLAMES FOR PILOT SIT



3020110 DEFLECTOR 3 FLAMES FOR PILOT SIT



5048713 DEFLECTOR 3 FLAMES FOR PILOT SIT



3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - height 27 mm




MBM RTCU700141



Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



MBM RTCU900217

3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

MBM

Suitable for:

3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



MBM RIC0003481

MBM RTCU900073

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



MBM RTCP800033

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25





Suitable for:

5027953 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020551 PILOT BODY PRO-GAS WITH NOZZLE \varnothing 0.25mm



3020156 PILOT JET SIT \varnothing 0.25 mm



3020055 PILOT JET SIT \varnothing 0.35 mm



3500269 PILOT JET SIT \varnothing 0.45 mm



MBM

Suitable for:

3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



5111724 PILOT BODY PRO-GAS WITH NOZZLE \varnothing 0.20mm



3020054 PILOT JET SIT \varnothing 0.20 mm



MBM RTCU700228

4058525 PILOT JET SIT \varnothing 0.30 mm



5015516 PILOT JET SIT \varnothing 0.40 mm



5075989 PILOT JET SIT \varnothing 0.70 mm





Suitable for:

3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M - h 11 mm



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



MBM

MBM



Suitable for:

3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET




3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



MBM RTCP800037

MBM RTCU900133

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098

3020101 BRACKET CLAMP 2 POSITIONS FOR PILOT SIT





Suitable for:


3020100 BRACKET 2 POSITIONS SIT



3020109 DEFLECTOR 2 FLAMES FOR PILOT SIT



3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



MBM RTCU900217

3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006


MBM

Suitable for:

5112109 CANDLE PLUGS KIT \varnothing 7x44 mm - 5PCS
M faston M4x1 mm
overall length 82 mm



3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - height 27 mm



MBM RTCU700141

3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



MBM RIC0003481

MBM RTCU900073

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



MBM RTCP800033





Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

5027953 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model COPRECI CAL3200




3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020551 PILOT BODY PRO-GAS WITH NOZZLE \varnothing 0.25 mm



3020156 PILOT JET SIT \varnothing 0.25 mm



MBM

Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



5111724 PILOT BODY PRO-GAS WITH NOZZLE \varnothing 0.20 mm



3020054 PILOT JET SIT \varnothing 0.20 mm



MBM RTCU700228

4058525 PILOT JET SIT \varnothing 0.30 mm





Suitable for:

3020055 PILOT JET SIT \varnothing 0.35 mm



3500269 PILOT JET SIT \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M - h 11 mm



MBM

Suitable for:

5015516 PILOT JET SIT \varnothing 0.40 mm



5075989 PILOT JET SIT \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



MBM RTCP800037

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM RTCU900133

MBM 468098





Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182


MBM

Suitable for:



Pliers for sandwiches and toasts

3317051 GRILL PLIER
length 100 mm
height 180 mm



MBM 433004

Pressure switches

3320134 STEAM PRESSURE SWITCH 0,2/0,3 BAR
connection 1/4" M - 15A 250V
for Boiling pan electric (MBM) E100I - E100IT9
E100I9 - E150IA - E150IT9 - E150I9 - E50I7



MBM 170843

3320250 PRESSURE SWITCH SPOUT \varnothing 40x60 mm



Probes

5067148 THERMOCOUPLE PROBE TCK 1500 mm
2 wires - temperature -40+1150°C
bulb \varnothing 6x100 mm



MBM 164484



Suitable for:

MBM



Suitable for:

Radiant heating elements

3311166 RADIANT HEATING ELEM. ø 200mm 1800W 230V

faston electric connections
complete with energy regulation
for glass-ceramic cooking top



MBM RIC0001040

MBM RIC0001295

3455404 RADIANT HEATING ELEMENT OCTAGON. ø 300mm

3400/1400W 230V
faston electrical connections - with cables
complete with power adjuster
for glass-ceramic cooking top



MBM RIC0004307

3755653 RADIANT HEATING ELEMENT 1500W 230V

length 455 mm - width 195 mm
complete with cables
for Fry top electric (MBM) ECFT66




MBM RIC0002068

Relays

3351154 BASE OCTAL ES8 10A 400V

8 poles



MBM DEZ3

MBM 927045

3351095 POWER RELAY FINDER 60.12.8.024.0040

2 exchange contacts 10A - coil 24Vac 50/60Hz
with test push-button and mechanical indicator



MBM DER163

MBM 927044

3351901 POWER RELAY FINDER 60.62.8.230.0000

230V 50/60Hz
2 exchange contacts 10A



MBM RTFOC00144

MBM 229021

MBM 229023

3351021 POWER RELAY FINDER 62.82.8.230.0000

230V 50/60Hz
2 exchange contacts 16A (DPDT)



MBM DER1106

MBM DER1108

MBM 929115



Suitable for:

3351029 POWER RELAY FINDER 62.82.8.230.0300
230V 50/60Hz
2 contacts NO 16A (DPST-NO)



MBM 229039

Suitable for:

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A (3PDT)



MBM 229036

5072234 POWER RELAY FINDER 62.83.8.230.0300
230V 50/60Hz
3 NO contacts 16A (3PST-NO)
complete with bracket



MBM 229040

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



MBM DER111
MBM 32V3720

MBM 229025

MBM 229029

3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A



MBM DER100

MBM RTF0C00144

MBM 229024

Safety groups for pans and spare parts

3184043 safety group vertical \varnothing 3/4"
vertical connection \varnothing 3/4"
with 3/4"F-1"M reduction piece
calibration pressure 0.45bar \pm 10%
system with weight opening device
complete with safety valve, vacuum relief valve
and pressure gauge
for STEAM BOILING KETTLE
for Boiling pan steam (MBM)



MBM RIC0004558

MBM RTCP800064

MBM 176874

2102460 PRESSURE GAUGE \varnothing 51 mm
radial connection \varnothing 1/4"
scale 0-1 bar
for safety groups





Suitable for:

MBM



Suitable for:


3184019 TAP WITH FUNNEL \varnothing 1/2" M
with cover



MBM RTCP900043


Selector switches

5034631 EXTENSION SELECTOR SWITCH PIN \varnothing 6x4.6 mm
length 40 mm
for Pot stove electric (MBM)



MBM 163796

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
back connection for thermostat




MBM RTBF900007

3057190 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 32A 600V - max 75°C
rectangular pin 4x5 mm




MBM RTBF800161

5085049 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




MBM RTBF900215

3057139 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




MBM RTFOC00694

3057151 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max temperature 150°
D-shaped pin \varnothing 6x4.6 mm




MBM 923011

7100585 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Oven under cooktop electric (MBM)
Series DOMINA 700



MBM 167516


3057002 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



MBM RTCP900036




5050233 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Boiling pan electric (MBM) - Series DOMINA 900
 for Boiling pan gas (MBM) - Series DOMINA 900
 for Oven under cooktop electric (MBM)
 Series MINIMA




MBM RTCU600185

3057083 SELECTOR SWITCH 0-5 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Oven under cooktop (MBM)




MBM RTCU700079

2101204 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



MBM RTCU700078

3057023 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Kitchen electric (MBM) E4F



MBM RTCU800151

3059011 SELECTOR SWITCH 3-POLE
 contact capacity 16A 380V - max 60/75°C
 square shaft 5x5 mm



MBM /ELF000598

3241091 BLACK KNOB \varnothing 55 mm
 square hole 5x5 mm



Solenoid valves

3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



MBM 240006

3120019 ADJUSTER FOR INLET ELBI BLACK
 flow rate 5.5 L/min - tolerance +/- 15%



3120021 ADJUSTER FOR INLET ELBI BLACK
 flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
 flow rate 16 L/min - tolerance +/- 15%





Suitable for:

3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



MBM RTFOC00145

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



MBM 133009

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



MBM



Suitable for:

3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



MBM RTFOC00120

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



MBM /ELF120021
MBM 23120021

MBM REB240011
MBM 240005

MBM RTFOC00022
MBM 240016



Suitable for:

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



MBM RTFOC00145

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



MBM 133009

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



MBM

Suitable for:

3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



MBM RTFOC00120

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

MBM



3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
24V 50Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



Suitable for:

3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



MBM

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



MBM RTFOC00145

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



MBM RTFOC00120

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



MBM 133009

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

3120204 **OUTLET ADJUSTER ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 25%



MBM



Suitable for:

3120512 **SOLEN. VALVE ELBI TYPE 351 1 WAY 180°**
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



3120019 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 15%



MBM

3120021 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 12 L/min - tolerance +/- 15%



3120022 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 16 L/min - tolerance +/- 15%



3120037 **ADJUSTER FOR OUTLET ELBI GREEN**
flow rate 0.25 L/min - tolerance +/- 25%



3120201 **ADJUSTER FOR OUTLET ELBI GREY**
flow rate 4.7 L/min - tolerance +/- 25%



3120016 **ADJUSTER FOR OUTLET ELBI NEUTRAL**
flow rate 1.2 L/min - tolerance +/- 25%



3120017 **ADJUSTER FOR OUTLET ELBI ORANGE**
flow rate 2.5 L/min - tolerance +/- 25%



MBM RTFOC00145

3120015 **ADJUSTER FOR OUTLET ELBI RED**
flow rate 0.5 L/min - tolerance +/- 25%



MBM RTFOC00120

3120203 **ADJUSTER FOR OUTLET ELBI WHITE**
flow rate 2 L/min - tolerance +/- 25%



MBM 133009



Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



MBM



Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



3120408 SOLEN. VALVE T&P 1 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



3120421 ADJUSTER FOR OUTLET T&P BLACK
flow rate 5 L/min - tolerance +/- 20%



MBM

3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
flow rate 1.2 L/min - tolerance +/- 25%



3120568 ADJUSTER FOR OUTLET T&P GREEN
flow rate 3 L/min - tolerance +/- 25%



3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
flow rate 1 L/min - tolerance +/- 25%



3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
flow rate 1.5 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
flow rate 0.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
flow rate 0.25 L/min - tolerance +/- 25%





Suitable for:

3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min



D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



MBM

Suitable for:

3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min



D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min



D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min



D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/- 25%




D120092 COIL T&P 12Vdc
for solenoid valves T&P





Suitable for:

D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



MBM



Suitable for:

3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



3120504 SOLENOID VALVE ELBI TYPE 319 1-WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet \varnothing 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



MBM

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



MBM RTFOC00145

MBM RTFOC00120



Suitable for:

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



MBM 133009

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



3120507 SOLENOID VALVE ELBI TYPE 349 2-WAYS 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



MBM DEV32416

MBM 927001

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



MBM



Suitable for:

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%





Suitable for:

3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



MBM RTFOC00145

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



MBM 133009

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



3120261 SOLENOID VALVE MÜLLER 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



MBM DEV1

3120273 COIL MÜLLER 220/240V 50/60Hz
temperature 90°C - for dispenser



MBM



Suitable for:

3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



MBM RTFOC00120

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120271 COIL MÜLLER 220/240V 50/60Hz
max temperature 90°C



3120274 COIL MÜLLER 220/240V 50/60Hz
max. temperature 90°C
with cable length 2000 mm





Suitable for:

3120325 COIL MÜLLER 24Vac 50/60Hz
max temperature 90°C



MBM



Suitable for:

5023165 FILTER INLET FOR SOLENOID VALVE MÜLLER
ø 19 mm



3120399 SOLENOID VALVE ROBERTSHAW 1 WAY 180°
12V 50/60Hz - max temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
operating pressure from 0.2 to 10 bar



3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN
flow rate 5 L/min - tolerance +/- 15%



MBM

3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE
flow rate 6 L/min - tolerance +/- 15%



3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN
flow rate 11 L/min - tolerance +/- 15%



3120479 ADJUSTER FOR INLET ROBERTSHAW GREY
flow rate 12 L/min - tolerance +/- 15%



3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE
flow rate 9 L/min - tolerance +/- 15%



3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE
flow rate 8 L/min - tolerance +/- 15%



3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE
flow rate 4 L/min - tolerance +/- 15%



3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE
flow rate 10 L/min - tolerance +/- 15%



3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW
flow rate 14.5 L/min - tolerance +/- 15%



MBM 75976



Suitable for:

3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU
flow rate 1.2 L/min - tolerance +/- 25%



MBM 172833

3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK
flow rate 3.3 L/min - tolerance +/- 20%



3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW
flow rate 0.5 L/min - tolerance +/- 15%



MBM RTFOC00726

MBM 172832

3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN
flow rate 1.3 L/min - tolerance +/- 25%



MBM



Suitable for:

3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN
flow rate 0.8 L/min - tolerance +/- 25%



3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE
flow rate 0.25 L/min - tolerance +/- 10%



MBM 172834

3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN
flow rate 2.5 L/min - tolerance +/- 20%



3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN
flow rate 2 L/min - tolerance +/- 25%



3120400 SOLENOID VALVE ROBERTSHAW 1-WAY 90°
12Vac/dc 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
operating pressure from 0.2 to 10 bar
flow rate 1.2 m3/h



3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN
flow rate 5 L/min - tolerance +/- 15%



MBM



Suitable for:

3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE
flow rate 6 L/min - tolerance +/- 15%



3120479 ADJUSTER FOR INLET ROBERTSHAW GREY
flow rate 12 L/min - tolerance +/- 15%



3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE
flow rate 8 L/min - tolerance +/- 15%



3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE
flow rate 10 L/min - tolerance +/- 15%



MBM 75976

3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU
flow rate 1.2 L/min - tolerance +/- 25%



MBM 172833

3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK
flow rate 3.3 L/min - tolerance +/- 20%



MBM



Suitable for:

3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN
flow rate 11 L/min - tolerance +/- 15%



3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE
flow rate 9 L/min - tolerance +/- 15%



3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE
flow rate 4 L/min - tolerance +/- 15%



3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW
flow rate 14.5 L/min - tolerance +/- 15%



3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN
flow rate 0.8 L/min - tolerance +/- 25%



3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE
flow rate 0.25 L/min - tolerance +/- 10%



MBM 172834



Suitable for:

3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW
flow rate 0.5 L/min - tolerance +/- 15%



MBM RTFOC00726

MBM 172832

3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN
flow rate 1.3 L/min - tolerance +/- 25%



3120625 OUTLET REDUCER ROBERTSHAW GRIGIO
flow rate 0.35 L/min - tolerance +/- 10%



MBM



Suitable for:


3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN
flow rate 2.5 L/min - tolerance +/- 20%



3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN
flow rate 2 L/min - tolerance +/- 25%



3120517 SOLENOID VALVE SIRAI 2 WAYS 24V 50HZ
L140B5 - fittings \varnothing 1/2" FF - max 16 bar
for water - NC
max temperature 100°C
coil Z615A 24V 50Hz



MBM /ELF231402

3120414 SOLENOID VALVE T&P 3-WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" with flowrate adjuster 10 L/min
three \varnothing 10.5 mm outlets



MBM DEV37

3120421 ADJUSTER FOR OUTLET T&P BLACK
flow rate 5 L/min - tolerance +/- 20%





Suitable for:

3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
flow rate 1.2 L/min - tolerance +/- 25%



3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
flow rate 1 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
flow rate 0.5 L/min - tolerance +/- 25%



3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



MBM

Suitable for:

3120568 ADJUSTER FOR OUTLET T&P GREEN
flow rate 3 L/min - tolerance +/- 25%



3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
flow rate 1.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
flow rate 0.25 L/min - tolerance +/- 25%



3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min



D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min





Suitable for:

D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min




D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



3120505 SOLENOID VALVE TYPE 329 1-WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



MBM DEV34S

MBM DEV34S16

MBM 927242

MBM



Suitable for:

D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min



D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/-25%



D120092 COIL T&P 12Vdc
for solenoid valves T&P



3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



MBM RTFOC00145

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



MBM 133009

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



MBM

Suitable for:

3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



MBM RTFOC00120

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

MBM



Suitable for:

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



MBM RTBF800129

MBM RTCU700096

Sparking and detection plugs

3020252 ROUND IGNITION PLUG \varnothing 5x35 mm
F connection 2.8x0.8 mm
with silicone lead length 590 mm
overall length with cable 620 mm
for COOKING HOB series MINIMA



MBM RTCU600045

3020253 ROUND IGNITION PLUG \varnothing 5x37 mm
F connection 2.8x0.8 mm
with silicone lead length 730 mm
overall length with cable 770 mm
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600046

5082971 ROUND IGNITION PLUG \varnothing 7x44 mm
fitting \varnothing 2.4 mm
total length 47 mm



MBM 178973

3020230 ROUND IGNITION PLUG \varnothing 7x54 mm
male faston M4x1 mm
overall length 63 mm
for COOKING HOB series 700 PROTAGONISTA NUOVA
for COOKING HOB series 900 PROTAGONISTA NUOVA
for COOKING HOB series 1100 PROTAGONISTA NUOVA



MBM RTBF800362

Springs

3250003 SPRING \varnothing 20x115 mm
for ELECTRIC GRIDDLE PS-PM-PD/ST



MBM B.30613100

3250146 SPRING \varnothing 21.5x117 mm



MBM 921005



Switches

3319012 BIPOLAR SWITCH GREEN 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator light and push-button cap
 mounting hole 22x30 mm - silk screen print 0 - I



MBM 23327

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319362 BIPOLAR SWITCH GREEN 16A 250V
 16A 250V - with indicator light
 silk-screen printing 0 - I
 max temperature 120°C
 drilling template 22x30 mm



MBM RIC0000776

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm





Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



MBM



Suitable for:

3319866 PROTECTIVE SWITCH COVER
external dimensions 29x36 mm
for switches with drilling template 22x30 mm



3319940 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - with indic. light and switch cover
max. temperature 120°C
mounting hole 22x30 mm




3319780 BLOCK CONNECTION WHITE 22x30 mm



MBM 32W2331

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



1319614 RED BIPOLAR PUSH BUTTON 16A 250V
with indicator light
mounting hole \varnothing 25 mm



3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



MBM 999082

MBM CGP5


MBM 410005

3319947 RED BIPOLAR SWITCH 16A 250V
 16(4)A 250V
 with indicator light and push-button cap
 max temperature 100°C
 mounting hole 22x30 mm



MBM RTTAV00039

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319948 RED BIPOLAR SWITCH 16A 250V
 16(4)A 250V - with indicator light
 max temperature 120°C
 mounting hole \varnothing 25 mm



MBM RTFOC00585

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



MBM CGP5

MBM 410005

Tangential and radial motor fans

3526165 TANGENTIAL FAN 180x180 mm
 45W 230V 50/60Hz - \varnothing 60 mm DOUBLE
 operating temperature -30°+100°C



MBM RTTAV00032



Suitable for:

MBM



Suitable for:

Taps for tank refilling

7111268 SPOUT CONNECTION FITTING \varnothing 3/4" F
outlet spout \varnothing 18 mm



MBM 30200072

3183014 SPOUT CONNECTION 1/2" M
chrome-plated brass swivel - 360° rotation
outlet spout \varnothing 18 mm
for Boiling pan (MBM) - Series MAGIS MAGISTRA
for Boiling pan electric (MBM) E100I - E150I
for Boiling pan gas (MBM) G100 - G150



MBM RTCP800024

3528056 COUNTER NUT FLAT OF BRASS 1/2"



5030949 SPOUT FITTING \varnothing 3/8" M
chrome-plated brass swivel
fixing \varnothing 1/2" M
outlet spout \varnothing 16 mm
for Bratt pan electric (MBM) EBR - EBRA
for Bratt pan gas (MBM) GBR - GBRA
for Pasta cooker electric (MBM) EC45 - EC49
EC49T - EC902V - EC992V - EC992VT
for Pasta cooker gas (MBM) GC45 - GC49 - GC49T
GC90 - GC902V - GC992V - GC992VT



MBM RTBF800041

3358006 WATER INLET TAP \varnothing 1/2" FF
for Boiling pan (MBM) - Series DOMINA
Series MAGIS MAGISTRA
for Bratt pan (MBM) - Series OMNIA
for Fryer (MBM) - Series MINIMA



MBM RTCU600075

5089968 WATER INLET TAP \varnothing 1/2" FF
D-shaped pin \varnothing 8x10 mm
with outer fastening thread \varnothing 25x27 mm
complete with nut



MBM 184641



Suitable for:

3358003 WATER INLET TAP \varnothing 1/2"MM
square shaft 7x7 mm



MBM /DES000001

3241107 TAP KNOB - BLACK \varnothing 50 mm
square hole 7x7 mm



Suitable for:

3241108 KNOB CAP



3358005 WATER INLET TAP \varnothing 1/2"MM
outlet internal \varnothing 10 mm
for Bain-marie (MBM) - Series MAGISTRA
for Boiling pan (MBM) - Series MAGISTRA
for Bratt pan (MBM) - Series MAGISTRA
for Pasta cooker (MBM) - Series MAGISTRA



MBM RTCP800018

3356139 WATER INLET TAP \varnothing 3/8" F
intenal output \varnothing 7.5 mm



MBM RTCP800065

3359131 WATER INLET TAP \varnothing 3/8"MM
D-shaped pin \varnothing 10x8 mm
for Bain-marie (MBM) - Series DOMINA
Series MAGIS MAGISTRA
for Boiling pan (MBM) - Series DOMINA
Series OMNIA
for Fryer (MBM) - Series DOMINA
for Pasta cooker (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM RTCP700003

MBM 168006

5010966 KNOB BLACK \varnothing 70 mm SILK-SCREEN PRINT.
D-shaped hole 10x8 mm
for Bain-marie electric (MBM) EBM45 - EBM90
for Bain-marie gas (MBM) GBM45
for Boiling pan electric (MBM) E100I
for Boiling pan gas (MBM) G100 - G100I - G150
G150I
for Pasta cooker electric (MBM) EC45 - EC902V
for Pasta cooker gas (MBM) GC45 - GC902V



MBM 164362

MBM 169338+169366

MBM 168853

MBM 169366


MBM 169338



Suitable for:

5029684 SELF-ADHESIVE DISC COLD WATER

external \varnothing 50 mm
for Bain-marie electric (MBM) - Series DOMINA
for Bain-marie gas (MBM) - Series DOMINA
for Boiling pan electric (MBM) - Series DOMINA
for Boiling pan gas (MBM) - Series DOMINA
for Pasta cooker electric (MBM) - Series DOMINA
for Pasta cooker gas (MBM) - Series DOMINA



MBM 164580

3411004 WATER INLET TAP \varnothing 3/8"FF

D-shaped pin \varnothing 10x8 mm




MBM

Suitable for:

3541003 SELF-ADHESIVE DISC WARM WATER

external \varnothing 50 mm
for Boiling pan electric (MBM) - Series DOMINA
for Boiling pan gas (MBM) - Series DOMINA



MBM 164586

MBM 169903



Telethermometers

5033193 TELE-THERMOMETER WHITE \varnothing 52 mm 0-120°C


casing out of plastic material
capillary length covered PVC 1500 mm
bulb \varnothing 6x35 mm



MBM RIC0003065

3441020 TELE-THERMOMETER WHITE \varnothing 52 mm 50-250°C

metal body
capillary length 1500 mm
bulb \varnothing 6x43 mm



MBM 483004

3441007 TELE-THERMOMETER WHITE \varnothing 60 mm 0-120°C

metal case
PVC covered capillary 3000 mm
spring bulb \varnothing 8x32 mm
bulb fitting M10x1



MBM DET1


MBM DET1L



Terminal blocks

3247018 TERMINAL BLOCK 2-POLES FV77 20A 600V

for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 921045

3247016 TERMINAL BLOCK 3-POLES FV273 40A 450V


for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 921044

5015893 TERMINAL BLOCK 3-POLES FV77 25A 450V


for cable max 4 mm²
operating temperature 150°C
nominal voltage 450V



MBM B.30184800

7151084 TERMINAL BLOCK 3P W/CABLE FIXING AND LID


mod. PA244S - dimensions 60x40 mm



MBM 459018

3247037 TERMINAL BLOCK 4-POLES FV173 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 220010

3247011 TERMINAL BLOCK 6-POLES FV122 40A 600V


for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 220011

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



MBM REB220011

MBM 3720150

MBM 921057



Suitable for:

MBM



Suitable for:

Thermocouples and accessories

3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm
cut-off contact with cables 100 cm



MBM /ELF003258

MBM 171855

5080236 CUT-OFF THERMOCOUPLE M9x1 60 cm
cut-off contact with cables 40 cm



MBM 175753

5020648 CUT-OFF THERMOCOUPLE M9x1 75 cm
cut-off contact with cables 28 cm



MBM RTCU700652

3440019 EXTENSION FOR THERMOCOUPLE M9x1 60 cm.
female nut M9x1



MBM RTCP800131

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



MBM 33A0500

3440050 THERMOCOUPLE FASTON CONN.750 mm
threaded coupling M6x0.75
faston 7.7 mm - faston M4
for Pot stove (MBM) - Series MINIMA




MBM RTCU600039

3440193 BUSHING HEXAGON THREADED M6x0.75



MBM RTCU700391

3440197 NUT FOR THERMOCOUPLE COUPL. M6x0,75



3440107 NUT FOR THERMOCOUPLE COUPLING M6x0.75



MBM RTCU600052

Suitable for:

3440086 THERMOCOUPLE M9x1 30 cm COUPLING M6x0.75



MBM RTCU700373

3440107 NUT FOR THERMOCOUPLE COUPLING M6x0.75




MBM RTCU600052

3440087 THERMOCOUPLE M9x1 60 cm COUPLING M6x0.75
for Kitchen (MBM) - Series OMNIA



MBM RTCU700374

3440197 NUT FOR THERMOCOUPLE COUPL. M6x0,75



Suitable for:

3440193 BUSHING HEXAGON THREADED M6x0.75



MBM RTCU700391

3440193 BUSHING HEXAGON THREADED M6x0.75



MBM RTCU700391

3440107 NUT FOR THERMOCOUPLE COUPLING M6x0.75



MBM RTCU600052

3440126 THERMOCOUPLE SIT M10x1 75 cm



MBM

3440038 THERMOCOUPLE SIT M9x1 1200 mm



MBM RTCU900061

3440037 THERMOCOUPLE SIT M9x1 1000 mm



MBM RTCU900023

MBM 33A0310

3440039 THERMOCOUPLE SIT M9x1 1500 mm



MBM RTCU900024



Suitable for:

MBM



3440033 THERMOCOUPLE SIT M9x1 320 mm



MBM RTCU900021

Suitable for:

3440080 THERMOCOUPLE SIT M9x1 40 cm.



MBM RTCU900034

3440034 THERMOCOUPLE SIT M9x1 500 mm



MBM RTCU700148

3440035 THERMOCOUPLE SIT M9x1 600 mm



MBM RIC0003190

MBM RTCU900022

**3440122 THERMOCOUPLE SIT QUICK M9x1 150 cm
ALUMINIZED HEAD**



MBM RTCU900475

MBM RTCU900476

**3440144 THERMOCOUPLE SIT QUICK M9x1 40 cm
ALUMINIZED HEAD**



MBM RTCU700296

**3440127 THERMOCOUPLE SIT QUICK M9x1 60 cm
ALUMINIZED HEAD**
with fixing connection M10x1 - model T46 48"
for pilot burner Robertshaw model 9B
for gas valve Unitrol 7000




MBM RTCU900477

**5025483 THERMOCOUPLE SIT QUICK M9x1 75 cm
ALUMINIZED HEAD**



MBM RTCU900474

3440105 THERMOCOUPLE WITH FASTON CONN.60 cm
threaded coupling M6x0.75
faston 7.7 mm
for Pot stove (MBM) - Series MINIMA



MBM RTCU600021

3440193 BUSHING HEXAGON THREADED M6x0.75



MBM RTCU700391



Suitable for:

3440197 NUT FOR THERMOCOUPLE COUPL. M6x0,75



MBM

Suitable for:

3440107 NUT FOR THERMOCOUPLE COUPLING M6x0.75




MBM RTCU600052

Thermostatic gas valves

5016758 THERMOSTATIC TAP SABAF

operating temperature 300°C
flange connection pipe \varnothing 15 mm
outlet fitting M13x1.5 mm
thermocouple connection M8x1
bulb \varnothing 4x140 mm
length capillary 850 mm
D-shaped pin \varnothing 8x6.5 mm
for Oven under cooktop gas (MBM) - Series MINIMA




MBM RTCU600180

MBM 170413

MBM 184334

3345010 THERMOSTATIC TAP 24ST

adjustment temperature 55-110°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x160 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm



MBM RTBF800033

3348044 OLIVE FOR PIPE \varnothing 10 mm

\varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



MBM RTCU900012

3348038 OLIVE FOR PIPE \varnothing 10 mm

\varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



MBM RTCU900016

3020082 OLIVE FOR PIPE \varnothing 12 mm

\varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014



Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



MBM



Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900017

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900015

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182

MBM RTCU900018

MBM 455001


3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



MBM RTCU700297

MBM RTCU900013


3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098

3345037 THERMOSTATIC TAP 24STS
operating temperature 100-300°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x75 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm
for Fry top gas (MBM) GFT49L - GFT49LC - GFT49R
GFT99L - GFT99LC - GFT99LR - GFT99LRC - GFT99R
GFT99RC



MBM 160225

MBM 168003

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



MBM RTCU900016



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



MBM RTCU900012

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900017

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900015

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182

MBM



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014


3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



MBM RTCU900018

MBM 455001


3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



MBM RTCU700297

MBM RTCU900013

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098




Suitable for:

MBM



5029680 THERMOSTATIC TAP 24STS
 regulation temperature max 90°C
 fittings M20x1.5 mm
 thermocouple fitting M9x1
 bulb \varnothing 6x160 mm
 capillary length 1000 mm
 D-shaft \varnothing 10x8 mm



MBM 160220

MBM 168009

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
 for model PEL 22-24-25



MBM RTCU900016

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
 for model PEL 22-24-25



MBM RTCU900014


3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
 for model PEL 21-22-24-25



MBM RTCU900018

MBM 455001

3348043 PIPE FITTING \varnothing 10 mm
 thread M16x1.5 mm - h 14 mm
 for model PEL 20-21-24-25




MBM RTCU700297

MBM RTCU900013

Suitable for:

3348068 FITTING \varnothing 10 mm LH
 thread \varnothing 3/8" M



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
 for model PEL 20-21-24-25



MBM RTCU900012

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
 for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
 thread M20x1.5 mm - h 15 mm
 for model PEL 22-24-25



MBM RTCU900017

3348032 PIPE FITTING \varnothing 12 mm
 thread M20x1.5 mm - h 15 mm
 for model PEL 22-24-25



MBM RTCU900015



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098

MBM




Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182

3345013 THERMOSTATIC TAP 25ST
adjustment temperature 30-90°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x160 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



MBM RTCU700363

MBM 168008

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



MBM RTCU900012

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900017

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



MBM RTCU900016

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



MBM RTCU900018

MBM 455001

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



MBM RTCU700297

MBM RTCU900013



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900015


3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098

3345018 THERMOSTATIC TAP 25ST
operating temperature 100-300°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x75 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



MBM RTCU700289

MBM 167998

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



MBM RTCU900012

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



MBM



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



MBM RTCP800037

MBM RTCU900133

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



MBM RTCU800182

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



MBM RTCU900016

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



MBM RTCU900018

MBM 455001



Suitable for:

3020131 OLIVE FOR PIPE \varnothing 8 mm
 \varnothing ext. 10 mm - h 7 mm



MBM



Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



MBM RTCU700297

MBM RTCU900013

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



MBM RTCU900015

MBM RTCP800037

MBM RTCU900133

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm




MBM RTCU900019

MBM 468098

MBM RTCU800182

5051226 THERMOSTATIC TAP 25ST
operating temperature 100-300°C
flange connection pipe \varnothing 21 mm
outlet fitting M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x100 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm
pin length 26/15 mm upper
for Fry top gas (MBM) - Series DOMINA 700
for Oven under cooktop gas (MBM)
Series DOMINA 700
for Fry top gas (MBM) GFTA777



MBM 168005

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



MBM RTCU900016



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



MBM RTCU900012

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900017

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



MBM RTCU900015

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



MBM RTCU900019

MBM 468098

MBM



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



MBM RTCU900014


3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



MBM RTCU900018

MBM 455001

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



MBM RTCU700297

MBM RTCU900013

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



MBM RTCP800037

MBM RTCU900133

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm




MBM RTCU800182

Suitable for:

Suitable for:

3348387 THERMOSTATIC VALVE 24ST
 regulation temperature 100-300°C
 fittings M20x1.5 mm
 thermocouple connection M9x1
 bulb ø 6x100 mm
 by-pass ø 0.9 mm
 capillary length 1200 mm
 D-shaped pin ø 10x8 mm



MBM RTCU800011

MBM 168002

Thermostats

3444579 BULB HOLDING CLIP ø 8.5 mm
 for heating element thermostat



MBM 166676


5057560 KIT THERMOSTAT SINGLE-PHASE 225°C
 complete with rod and washer
 with manual reset
 capillary length covered 900 mm - 16A 250V
 bulb ø 5x80 mm - with stuffing gland fitting M10x1
 for Fryer (MBM) - Series DOMINA 700
 for Fryer electric (MBM) EF6+6BM - EF6BM - EF8BM
 for Fryer gas (MBM) GF15+15S - GF15S - GF25+25S
 GF25S



MBM RIC0004363

MBM 180499

5038124 SET THERMOSTAT SINGLE-PHASE 101-187°C
 complete with bracket and stuffing gland fitting M
 D-shaped pin ø 6x4.6 mm
 capillary length covered 520 mm - 16A 250V
 bulb ø 6x133 mm - with stuffing gland fitting M10x
 for Fryer (MBM) EF8BM



MBM 173501

MBM 180500

3744227 SINGLE-PHASE THERMOSTAT 0-86°C
 D-shaped pin ø 6x4.6 mm
 capillary length 1500 mm - 15A 250V
 bulb ø 6,5x95 mm



MBM DRT11

3444568 SINGLE-PHASE THERMOSTAT 105-185°C
 D-shaped pin ø 6x4.6 mm
 covered capillary length 900 mm - 16A 230V
 bulb ø 6x130 mm - with adapter nipple bland M10x1
 for Fryer (MBM) - Series MAGIS MAGISTRA
 for Fryer (MBM) EF12S EF8+8B



MBM RTCU700609

MBM 166488

MBM 180498

3444389 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary length 600 mm - 16A 250V
 bulb ø 6x83 mm



MBM /ELF003227

MBM /ELF130001




Suitable for:

MBM



3444651 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 950 mm - 16A 250V
 bulb \varnothing 3x190 mm




MBM REB236045
MBM 236045

MBM RTCU600240

MBM 236034

Suitable for:

5070709 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1000 mm
 button bulb M11x28 mm
 for Boiling pan electric (MBM) E100IT9N - E100I9N
 E150IT9N - E150I9N
 for Boiling pan gas (MBM) G100IT9N - G150IT9N




MBM 169091

3444474 SINGLE-PHASE THERMOSTAT 35-128°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 880 mm
 bulb \varnothing 3.1x174 mm



MBM RIC0000696

3444285 SINGLE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x77 mm



MBM RTFOC00038

MBM RTFOC00483

3744099 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 800 mm
 bulb \varnothing 3x230 mm
 for Oven under cooktop (MBM) - Series MINIMA



MBM RTCU600186

3444648 SINGLE-PHASE THERMOSTAT 50-295°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm
 bulb \varnothing 3x220 mm



MBM *OL0049200

3444062 SINGLE-PHASE THERMOSTAT 50-320°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Fry top (MBM)
 for Oven under cooktop (MBM)



MBM

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm



MBM RTCU700455


MBM 924024

3444369 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Bratt pan (MBM)
 for Oven under cooktop (MBM)
 for Kitchen (MBM) 41960/E



MBM RTCU700085

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1010 mm - 16A 250V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1
 for Fryer electric (MBM) EF45 - EF90



MBM RTBF800163

3444336 THERMOSTAT SINGLE-PHASE TR2 0-270°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 940 mm - 15A 250V
 bulb \varnothing 3.5x190 mm



MBM 921046


3444169 THERMOSTAT SINGLE-PHASE TR2 220°C
 with manual reset
 complete with wiring
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 5x125 mm
 for Fryer gas (MBM) GM20



MBM /ELF003261

Suitable for:

3444384 SINGLE-PHASE THERMOSTAT 65-204°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 600 mm - 16A 250V
 bulb \varnothing 4x95 mm



MBM /ELF003323

5089230 TERMOSTATO SICUREZZA MONOFASE 180°C
 a riarmo manuale
 lunghezza capillare ricoperto 2000 mm
 bulbo \varnothing 4x120 mm



MBM 40100044

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 6.5x95 mm



MBM DAT11
 MBM 929044

MBM DRT13

MBM DRT13L

3444006 THERMOSTAT SINGLE-PHASE TR2 64-210°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm - 15A 250V
 bulb \varnothing 5x140 mm



MBM




Suitable for:

MBM



2101871 THERMOSTAT SINGLE-PHASE 50-320°C

D-shaped pin \varnothing 6x4,6 mm
capillary length 840 mm - 16A 250V
bulb \varnothing 3x178 mm



MBM DRT24

MBM 927312

5101032 THERMOSTAT SINGLE-PHASE 81-184°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 710 mm
bulb \varnothing 6x87 mm



MBM 161791

3444086 THERMOSTAT THREE-PHASE 108-192°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 6x200 mm



MBM /ELF003324

5016737 THERMOSTAT THREE-PHASE 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length covered 900 mm - 10A 400V
bulb \varnothing 3x225 mm
for Oven under cooktop electric (MBM)
Series MAGISTRA



MBM RTCU900213

3444251 THERMOSTAT 3-PHASE 100-292°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb \varnothing 3x220 mm
for Oven under cooktop (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM RTBF600067

MBM 164332

3444618 THREE-PHASE THERMOSTAT 135°C


with manual reset
covered capillary length 890 mm - 20A 380V
bulb \varnothing 3x225 mm
for Bain-marie electric (MBM) EC66 - EC922V
EC922VT
for Boiling pan electric (MBM) E100I - E100IT9
E100I9 - E150IA - E150IT9 - E150I9 - E50I7
for Pasta cooker electric (MBM) EC45 - EC49
EC49T - EC902V



MBM RTCP900074

3444375 THREE-PHASE THERMOSTAT 225°C

with manual reset
covered capillary length 900 mm - 20A 400V
bulb \varnothing 6x90 mm - with adapter nipple band M10x1
for Fryer electric (MBM) EF45 - EF46 - EF47
EF472 - EF49 - EF66 - EF77 - EF90 - EF99



MBM RIC0004728

MBM 182100

3444307 THREE-PHASE THERMOSTAT 230°C

with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1



MBM RTBF900081



3444390 THREE-PHASE THERMOSTAT 230°C

with manual reset
capillary 900 mm - 10A 400V
bulb \varnothing 6x230 mm




MBM /ELF003228

Suitable for:

3444143 THREE-PHASE THERMOSTAT 240°C


with manual reset
covered capillary length 1600 mm - 10A 400V
bulb \varnothing 6x85 mm



MBM

3444076 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 6x130 mm



MBM /ALP0A2237

3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset
capillary length coated 950 mm - 10A 400V
bulb \varnothing 3x190 mm



MBM RTCU800152

3444363 THREE-PHASE THERMOSTAT 427°C

with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x310 mm
for Bratt pan electric (MBM) EBRA - EBRAVI9T
EBRA9T - EBRI7 - EBRVI9T - EBR7 - EBR9T



MBM RTBF800192

3444619 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 3x219 mm
for Fry top (MBM) - Series DOMINA
Series MAGIS MAGISTRA - Series MINIMA



MBM RTCU600067

3444168 THREE-PHASE THERMOSTAT 50-310°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 4x220 mm
for Fry top (MBM) - Series CLASSICA



MBM RTCU900257

3444366 THREE-PHASE THERMOSTAT 90-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M10x1



MBM RTBF900080

MBM SN53700070



Suitable for:

MBM



Suitable for:

Tubing and hoses

3450124 DRAIN PIPE 720 mm
external \varnothing 40 mm - internal \varnothing 30 mm



MBM DZM320

MBM 926069

Wheels and accessories

5085018 HANDWHEEL \varnothing 130 mm
middle hole \varnothing 14 mm
complete with folding handle



MBM 164461

3522022 HANDWHEEL \varnothing 175 mm
central hole \varnothing 20 mm
complete with folding handle
for Bratt pan (MBM) - Series MAGISTRA
Series OMNIA



MBM RTBF800093

MBM 165900


5005466 HANDWHEEL \varnothing 200 mm
central hole \varnothing 20 mm
complete with folding handle



MBM *OL0039700


Wire pan supports

3354011 REDUCER FOR MOKA POT 150x175 mm
in chrome plated iron



MBM RTCU900055

3354015 REDUCER FOR MOKA POT 175x175 mm
made of chrome plated iron
for Pot stove (MBM) - Series MAGISTRA
for Pot stove gas (MBM) GFB1S - GFB2S - GFB3S



MBM RTCU800038




Suitable for:

MBM



Suitable for:

3354001 REDUCER FOR MOKA POT 265x265 mm
in stainless steel
matt version



MBM RTCU700028

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com