



Spare parts for the professional sector:
Cooking equipment



Suitable for:

METALCARRELLI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2018-04091013





Suitable for:

Suitable for:

Ball valves and accessories

3526705 BALL VALVE \varnothing 1/2"MF



METALCARRELLI R1611

METALCARRELLI 002001020001

3526171 VALVE BUSHING 15 mm
external \varnothing 28 mm - connection \varnothing 1/2"



3186138 ASBESTOS FREE FLAT GASKET \varnothing 30x21x2 mm



3526173 VALVE SLEEVE



3526704 BALL VALVE \varnothing 3/8"MF



METALCARRELLI R1612

METALCARRELLI 002001020002

Bumpers

3346107 BUMPER FOR WHEEL GREY
external \varnothing 90 mm
square hole 26x26 mm



METALCARRELLI A00332

METALCARRELLI 233004680011


3346105 GREY BUMPER FOR WHEEL
external \varnothing 90 mm
hole \varnothing 26 mm



METALCARRELLI A0033

METALCARRELLI 233004680005


3346106 GREY BUMPER FOR WHEEL
external \varnothing 90 mm
square hole 21x21 mm



METALCARRELLI A00331

METALCARRELLI 233004680003

3346108 UPPER GREY BUMPER
side 140 mm - width 32 mm



METALCARRELLI A0034

METALCARRELLI 233004680002

Castors, rollers and accessories

- 3346110 CASTOR SWIVEL WITH PIN**
with ZINC PLATED supports - plastic nucleus
rubber ring
dimension \varnothing 100x25 mm
threaded pin M10 - height 28 mm



METALCARRELLI R3220

METALCARRELLI 00510100001

- 3346114 CASTOR SWIVEL WITH PIN**
with polyamide supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 Kg
threaded pin M10 - height 25 mm



METALCARRELLI R3206

METALCARRELLI 005101250001

METALCARRELLI 005101250008

- 3346116 CASTOR SWIVEL WITH PIN**
with ZINC PLATED supports - plastic nucleus
TPE ring
dimension \varnothing 125x25 mm
knurled elbow fixing \varnothing 10x37 mm



METALCARRELLI R3205

METALCARRELLI 005151250001

- 3346111 CASTOR SWIVEL WITH PIN AND BRAKE**
with ZINC PLATED supports - plastic nucleus
rubber ring
dimension \varnothing 100x25 mm
threaded pin M10 - height 28 mm



METALCARRELLI R3220F

METALCARRELLI 005101000004

- 3346115 CASTOR SWIVEL WITH PIN AND BRAKE**
with polyamide supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 Kg
threaded pin M10 - height 25 mm



METALCARRELLI R3206F

METALCARRELLI 005101250002

METALCARRELLI 005101250007

- 3346117 CASTOR SWIVEL WITH PIN AND BRAKE**
with ZINC PLATED supports - plastic nucleus
TPE ring
dimension \varnothing 125x25 mm
knurled elbow fixing \varnothing 10x37 mm



METALCARRELLI R3205F

METALCARRELLI 005151250002

- 5039025 WHEEL PLUG F/SQUARE PIPE 20x20 mm**
central hole \varnothing 10 mm
for Food-service trolley (METALCARRELLI)



METALCARRELLI 001603520009



Suitable for:

Suitable for:

5039025 WHEEL PLUG F/SQUARE PIPE 20x20 mm
central hole \varnothing 10 mm
for Food-service trolley (METALCARRELLI)



METALCARRELLI 001603520009

Dispenser taps and accessories

3357019 TAP PCD \varnothing 3/4" M
connection \varnothing 3/4" M
ABS body
without jet swirl
seal in Silopren Bayer



METALCARRELLI R1610

METALCARRELLI 00253100002

3357020 JET SWIRL FOR TAP



3357021 TAP GASKET
for model PCD



Drain assembly

5099096 PILETTA SCARICO 13 mm
 \varnothing esterno 28 mm - \varnothing attacco 1/2"



METALCARRELLI 233005660001

Electrical cables

5071279 SPIRAL CABLE WITH PLUG 16A 250V 500 mm
3 wires 1.5 mm²
with SCHUKO plug



METALCARRELLI 003553280001

Electronic controllers

- 3445375 CONTROLLER ELIWELL ID PLUS 902**
 230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



METALCARRELLI R0092

METALCARRELLI 003201840004

METALCARRELLI 003201860004

METALCARRELLI 003201860005

- 3445156 PROBE NTC PVC 3000 mm**
 temperature range -30+80°C
 bulb ø 6x40 mm



- 3445167 PROBE NTC TPE IP68 1500 mm**
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



- 3445184 PROBE NTC TPE STEEL IP68 1500 mm**
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



- 3445379 PROBE PT1000 IP68 1500 mm**
 temperature range -50+110°C
 bulb ø 6x20 mm watertight



- 3445157 PROBE NTC PVC 1500 mm**
 probe 2 wires - temperature range -30+80°C
 bulb ø 6x40 mm



- 3445028 PROBE NTC PVC 4000 mm**
 temperature field -30+80°C
 bulb ø 6x20 mm



- 3445335 PROBE NTC TPE IP68 3000 mm**
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



- 3445154 PROBE NTC TPE STEEL IP68 3000 mm**
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



- 3445380 PROBE PT1000 IP68 3000 mm**
 temperature range -50+110°C
 bulb ø 6x20 mm watertight





Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



METALCARRELLI



Suitable for:

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



METALCARRELLI R0098

3445913 SILICONE PROBE NTC 1500 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445155 SILICONE PROBE NTC 3000 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range -55+150°C
bulb ø 6x40 mm



3445959 SILICONE PTC PROBE 5000 mm
temperature range -55+150°C
bulb ø 6x40 mm



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved



Handles

5049471 PLASTIC HANDLE 142 mm BLACK
distance between holes 120 mm



METALCARRELLI 001402920001

Heating elements

3755389 ALUMINIUM BAND
width 500 mm - length 1000 mm



METALCARRELLI R1501

METALCARRELLI 021200750003

3755396 HEATING ELEMENT 1600W 230V
external \varnothing 190 mm - total height 75 mm
flange 70x22 mm



METALCARRELLI R1537

METALCARRELLI 003001040017

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



3755399 HEATING ELEMENT 1800W 230V
length 650 mm - width 280 mm



METALCARRELLI R1530

METALCARRELLI 003001040004

3755398 HEATING ELEMENT 1950W 230V
immersed depth 245 mm - width 70 mm
flange 80x28 mm



METALCARRELLI R1535

METALCARRELLI 003001020002

3755395 HEATING ELEMENT 2050W 220V
 \varnothing external 200 mm - total height 60 mm
flange 100x22 mm



METALCARRELLI R1538

METALCARRELLI 003001040016

3755397 HEATING ELEMENT 2200W 220V
length 370 mm - width 300 mm
flange 50x28 mm



METALCARRELLI R1549

METALCARRELLI 003001020001


3755404 HEATING ELEMENT 400W 220V
length 200 mm - width 200 mm
fittings \varnothing 1/4"



METALCARRELLI R1540

METALCARRELLI 003001040002

3755403 HEATING ELEMENT 500W 220V
length 440 mm - width 250 mm



METALCARRELLI R1545

METALCARRELLI 003001040010



METALCARRELLI



Suitable for:

5038216 SILICONE HEATING ELEMENT 250W 230V
length 470 mm - width 295 mm
with thermostat with automatic reset
complete with cables



METALCARRELLI 003001080003

Suitable for:

5087776 SILICONE HEATING ELEMENT 600W 230V
length 450 mm - width 250 mm
with thermostat with automatic reset
complete with cables



METALCARRELLI 003001070004

3755394 WIRE-WOUND HEATING ELEMENT 1000W 240V
length 12000 mm - cable \varnothing 3.5 mm
max temperature 250°C



METALCARRELLI R1512

METALCARRELLI 003001040015

METALCARRELLI 003001040025

3755390 WIRE-WOUND HEATING ELEMENT 250W 240V
length 3900 mm - \varnothing cable 3.5 mm



METALCARRELLI R1504

METALCARRELLI 003001040011

METALCARRELLI 003001040018

3755391 WIRE-WOUND HEATING ELEMENT 250W 240V
Length 5800 mm - \varnothing cable 3.5 mm



METALCARRELLI R1506

METALCARRELLI 003001040012

METALCARRELLI 003001040019

3755392 WIRE-WOUND HEATING ELEMENT 450W 240V
length 8000 mm - cable \varnothing 3.5 mm



METALCARRELLI R1508

METALCARRELLI 003001040013

METALCARRELLI 003001040020

3755393 WIRE-WOUND HEATING ELEMENT 600W 240V
length 9500 mm - \varnothing cable 3.5 mm



METALCARRELLI R1510

METALCARRELLI 003001040014

METALCARRELLI 003001040021

Incandescent lamps and neon lamps

3221288 LAMP INFRARED PHILIPS E27 150W 240V
max temperature 200°C



METALCARRELLI A9561

METALCARRELLI 003151620003

3221287 LAMP INFRARED PHILIPS E27 250W 240V
max. temperature 200°C
HIGH EFFICIENCY AND LONG LAMP LIFE



METALCARRELLI A9560

METALCARRELLI 003151620002

Indicator lights

- 3221291 INDICATOR LIGHT RED 230V**
 ø head 13 mm - ø hole 10 mm
 wire connection length 200 mm



METALCARRELLI R0095

METALCARRELLI 003302260001

Motors

- 3240000 MOTOR WITH FAN 45W 220V 50/60Hz**
 fan ø 150 mm



METALCARRELLI R1536

METALCARRELLI 003653640001

Probes

- 3445070 PTC PVC PROBE 1500 mm**
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



METALCARRELLI R0098

Switches

- 3319012 BIPOLAR SWITCH GREEN 16A 250V**
 16(4)A 250V - max. temperature 120°C
 with indicator light and push-button cap
 mounting hole 22x30 mm - silk screen print 0 - I



METALCARRELLI R0056

METALCARRELLI R0096

METALCARRELLI 003252060001

METALCARRELLI 003252060002

- 3319780 BLOCK CONNECTION WHITE 22x30 mm**



- 3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



- 3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**





Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



METALCARRELLI



Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319361 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole \varnothing 25 mm



3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



METALCARRELLI R0097

METALCARRELLI 003252040002

Telethermometers

3441062 TELE-THERMOMETER WHITE \varnothing 42 mm 0-120°C
plastic material casing
PVC covered capillary length 1000 mm
bulb \varnothing 6x35 mm




METALCARRELLI R0094

METALCARRELLI 003703820001

Thermostats

3444005 THERMOSTAT SINGLE-PHASE TR2 0-120°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



METALCARRELLI R0090

METALCARRELLI 003201820001

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com