



## Spare parts for the professional sector: Cooking equipment



Suitable for:

# MODULAR



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# MODULAR



Suitable for:

## Axial motor fans

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



MODULAR 6033175

**3805037 CABLE FOR AXIAL MOTOR FAN**  
cable length 2000 mm



## Bulb sheaths

**3187006 THERMOSTAT SHEATH  $\varnothing$  1/2"**  
bulb length 105 mm



MODULAR

**3743651 BULB SHEATH RING NUT  $\varnothing$  1/2"**



**5007276 COUNTER NUT OF ST. STEEL  $\varnothing$  1/2"**  
with milled seat for gasket  $\varnothing$  27 mm



MODULAR


**3186138 ASBESTOS FREE FLAT GASKET  $\varnothing$  30x21x2 mm**



MODULAR 0836.30213.0

MODULAR 0840.30213.0

**3187050 COUNTER NUT  $\varnothing$  1/2"**  
with milled seat for gasket  
with gasket  $\varnothing$  26 mm



MODULAR

**3786547 GASKET FLAT EPDM  $\varnothing$  24x16x3 mm**  
for bulb holder sheathing



## Burners, flame spreaders and accessories

**3025537 BURNER CAP  $\varnothing$  61 mm**  
for Pot stove gas (MODULAR) - Series 650  
Series 700



MODULAR 672.044.00

**3025535 AERATION REGULATOR**  
internal  $\varnothing$  36 mm - external  $\varnothing$  40 mm  
height 36 mm



MODULAR 672.016.00



Suitable for:

**3025539 BURNER BASE  $\varnothing$  61 mm**  
for Pot stove gas (MODULAR) - Series 650  
Series 700



MODULAR 672.050.00

**3025534 JET HOLDER FOR FLAME SPREADER 61-84-110**  
jet threaded seat M10x1  
for Pot stove gas (MODULAR) - Series 1100  
Series 650 - Series 700 - Series 900




MODULAR 673.020.00

**3025531 FLAME SPREADER  $\varnothing$  110 mm 5.5 KW**  
for Pot stove gas (MODULAR) - Series 1100  
Series 700 - Series 900




MODULAR 672.079.00

**3025532 BURNER  $\varnothing$  110 mm 5.5KW**  
for Pot stove gas (MODULAR) - Series 1100  
Series 700 - Series 900



MODULAR 672.077.00

**3025533 VENTURI FOR FLAME SPREADER 61-84-110 mm**  
for Pot stove gas (MODULAR) - Series 1100  
Series 650 - Series 700 - Series 900



MODULAR 672.010.00

## MODULAR




Suitable for:

**3025538 FLAME SPREADER  $\varnothing$  56 mm**  
for Pot stove gas (MODULAR) - Series 650  
Series 700



MODULAR 672.098.00

**3025533 VENTURI FOR FLAME SPREADER 61-84-110 mm**  
for Pot stove gas (MODULAR) - Series 1100  
Series 650 - Series 700 - Series 900



MODULAR 672.010.00

**3025535 AERATION REGULATOR**  
internal  $\varnothing$  36 mm - external  $\varnothing$  40 mm  
height 36 mm



MODULAR 672.016.00

**3025534 JET HOLDER FOR FLAME SPREADER 61-84-110**  
jet threaded seat M10x1  
for Pot stove gas (MODULAR) - Series 1100  
Series 650 - Series 700 - Series 900



MODULAR 673.020.00



Suitable for:

# MODULAR



**5054043 FLAME SPREADER  $\varnothing$  110 mm 6kW**  
for Pot stove gas (MODULAR) - Series EMOTION700  
Series EMOTION900 - Series 900A



MODULAR 972.023.00

**3025848 NOZZLE HOLD FLAME SPREADER 85-110-130mm**  
jet threaded seat  $\varnothing$  1/4" for hose  
for Pot stove gas (MODULAR) - Series EMOTION700  
Series EMOTION900



MODULAR 982.020.00

**3025540 FLAME SPREADER  $\varnothing$  110 mm 7.5 KW**  
for Pot stove gas (MODULAR) - Series 1100  
Series 900




MODULAR 672.093.00

**3025536 BURNER  $\varnothing$  110 mm 7.5KW**  
for Pot stove gas (MODULAR) - Series 1100  
Series 900



MODULAR 672.101.00

**3025533 VENTURI FOR FLAME SPREADER 61-84-110 mm**  
for Pot stove gas (MODULAR) - Series 1100  
Series 650 - Series 700 - Series 900



MODULAR 672.010.00

Suitable for:

**7150484 BURNER  $\varnothing$  110 mm 6Kw**  
for Pot stove gas (MODULAR) - Series EMOTION700  
Series EMOTION900 - Series 900A



MODULAR 972.019.00

**3025847 VENTURI FOR FLAME SPREADER 110 mm**  
holes mounting distance 44-16 mm  
for Pot stove gas (MODULAR) - Series EMOTION700  
Series EMOTION900



MODULAR 982.018.00

**3025535 AERATION REGULATOR**  
internal  $\varnothing$  36 mm - external  $\varnothing$  40 mm  
height 36 mm



MODULAR 672.016.00

**3025534 JET HOLDER FOR FLAME SPREADER 61-84-110**  
jet threaded seat M10x1  
for Pot stove gas (MODULAR) - Series 1100  
Series 650 - Series 700 - Series 900



MODULAR 673.020.00




Suitable for:

**3025886 FLAME SPREADER  $\varnothing$  120 mm 6Kw**



MODULAR 682.006.00

**3025892 BURNER  $\varnothing$  122 mm 3.5Kw**  
with housing for ignition plug and thermocouple



**3025884 VENTURI FOR BURNER  $\varnothing$  120 mm 6Kw**



MODULAR 672.156.00

**5054044 FLAME SPREADER  $\varnothing$  130 mm 10Kw**  
for Pot stove gas (MODULAR) - Series EMOTION700  
Series EMOTION900 - Series 900A



MODULAR 972.024.00

**3025848 NOZZLE HOLD FLAME SPREADER 85-110-130mm**  
jet threaded seat  $\varnothing$  1/4" for hose  
for Pot stove gas (MODULAR) - Series EMOTION700  
Series EMOTION900



MODULAR 982.020.00

## MODULAR




Suitable for:

**3025883 BURNER  $\varnothing$  120 mm 6Kw**  
with housing for pilot and thermocouple



MODULAR 672.155.00

**3025890 JET HOLDER BURNER**  
hole for nozzle M8x0.75  
for pipe  $\varnothing$  10 mm



MODULAR 672.157.00

**5049416 BURNER  $\varnothing$  130 mm 10Kw**  
for Pot stove gas (MODULAR) - Series EMOTION700  
Series EMOTION900 - Series 900A



MODULAR 972.020.00



Suitable for:

# MODULAR



**3025529 FLAME SPREADER ø 84 mm**  
for Pot stove gas (MODULAR) - Series 700




MODULAR 672.078.00

**3025530 BURNER ø 84 mm**  
for Pot stove gas (MODULAR) - Series 700



MODULAR 672.076.00

**3025533 VENTURI FOR FLAME SPREADER 61-84-110 mm**  
for Pot stove gas (MODULAR) - Series 1100  
Series 650 - Series 700 - Series 900



MODULAR 672.010.00

**3025256 FLAME SPREADER ø 85 mm 3.5Kw**  
for Pot stove gas (MODULAR) - Series EMOTION700  
Series EMOTION900



MODULAR 972.022.00

**3025848 NOZZLE HOLD FLAME SPREADER 85-110-130mm**  
jet threaded seat ø 1/4" for hose  
for Pot stove gas (MODULAR) - Series EMOTION700  
Series EMOTION900



MODULAR 982.020.00

Suitable for:

**3025535 AERATION REGULATOR**  
internal ø 36 mm - external ø 40 mm  
height 36 mm



MODULAR 672.016.00

**3025534 JET HOLDER FOR FLAME SPREADER 61-84-110**  
jet threaded seat M10x1  
for Pot stove gas (MODULAR) - Series 1100  
Series 650 - Series 700 - Series 900



MODULAR 673.020.00

**7150485 BURNER ø 85 mm 3.5Kw**  
for Pot stove gas (MODULAR) - Series EMOTION700  
Series EMOTION900



MODULAR 972.018.00

**3025846 VENTURI FOR FLAME SPREADER 85 mm**  
holes mounting distance 32-16 mm  
for Pot stove gas (MODULAR) - Series EMOTION700  
Series EMOTION900



MODULAR 982.017.00



Suitable for:

**3025881 FLAME SPREADER  $\varnothing$  91 mm 3,5Kw**



MODULAR 682.007.00

**3025891 BURNER  $\varnothing$  94 mm 3.5Kw**  
with housing for ignition plug and thermocouple



**3025894 JET HOLDER BURNER**  
hole for nozzle M8x0.75  
for pipe  $\varnothing$  8 mm



# MODULAR




Suitable for:

**3025882 BURNER  $\varnothing$  91 mm 3.5Kw**  
with housing for pilot and thermocouple



MODULAR 672.162.00

**3025890 JET HOLDER BURNER**  
hole for nozzle M8x0.75  
for pipe  $\varnothing$  10 mm



MODULAR 672.157.00

**3025885 VENTURI FOR BURNER  $\varnothing$  91 mm 3.5Kw**



MODULAR 672.163.00

## Cables for piezo igniters

**3001062 IGNITION LEAD 1500 mm**  
with faston terminal  $\varnothing$  2.4 mm for ignition  
with faston terminal  $\varnothing$  2.4 mm for plug



MODULAR 666.002.00

MODULAR 666.014.00

**5080431 IGNITION LEAD 500 mm**  
with faston 6.35x0.8 mm for ignition  
with faston  $\varnothing$  4 mm for ignition plug



MODULAR 666.051.00

**3001018 IGNITION LEAD 600 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



MODULAR 666.000.00

MODULAR 666.001.00



Suitable for:

# MODULAR



Suitable for:

## Contact thermostats

**3444608 CONTACT THERMOSTAT 60°C**  
automatic reset - for wash tank



MODULAR 461.060.00

## Contactors

**3351216 CONTACTOR AEG LS4K 9A 24V 4Kw**  
coil 24V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



MODULAR

**3454032 AUXILIARY CONTACT AEG HS7K10**  
1 NO contact



**3446516 AUXILIARY CONTACT AEG HS7K01**  
10A  
1 normally closed contact



**3446562 CONTACTOR LOVATO BF0901A**  
coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally closed auxiliary contact




MODULAR 661.066.00

**3446227 AUXILIARY CONTACT LOVATO G218**  
10A  
1 contact NO  
1 contact NC



**3446557 CONTACTOR LOVATO BG0901A**  
coil 9A 230V 50/60Hz 4Kw  
3 normally open contacts  
1 normally closed auxiliary contact



MODULAR 461.021.00

MODULAR 661.017.00





## Cooking baskets and accessories


- 3055263 PASTA COOKER BASKET 140x140x200 mm**  
for Pasta cooker (MODULAR) - Series 110  
Series 700 - Series 900 - Series 900A



MODULAR 600.751.40

## Drain plugs

- 7150517 OVERFLOW HOSE  $\varnothing$  20x135 mm**



MODULAR 678.078.00

## Drain taps and accessories

- 3356004 DRAIN TAP  $\varnothing$  1" F**  
TAPERED SEAL - fixed connection  $\varnothing$  1" F  
for BOILING PAN



MODULAR

- 3186009 ASBESTOS FREE FLAT GASKET  $\varnothing$  45x33x2 mm**



- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



- 1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature  $-45^{\circ}/+120^{\circ}$   
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline





Suitable for:

**3356029 HANDLE FOR DRAIN TAP**  
for drain tap  $\varnothing$  3/4" and 1"



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from  $-10^{\circ}\text{C}$  up to  $+120^{\circ}\text{C}$   
from  $+50^{\circ}\text{C}$  to  $+120^{\circ}\text{C}$  the grease becomes oily



**3356007 DRAIN TAP  $\varnothing$  1"1/2F TECNO**  
TAPERED SEAL - swivel nut  $\varnothing$  1"1/2F  
with gasket  
for BOILING PAN



MODULAR 678.058.00

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



## MODULAR



Suitable for:

**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



**3186240 ASBESTOS FREE FLAT GASKET  $\varnothing$  46x38x2 m m**  
for drain tap  $\varnothing$  1"1/2



**3186199 GASKET INTERNAL EPDM FOR TAPS**  
NSF certified  
for DRAIN TAP  $\varnothing$  1"1/4 and 1"1/2





Suitable for:

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**

food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature  $-45^{\circ}/+120^{\circ}$   
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



**3356128 PIN  $\varnothing$  5x30 mm**  
complete with blind nut



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from  $-10^{\circ}\text{C}$  up to  $+120^{\circ}\text{C}$   
from  $+50^{\circ}\text{C}$  to  $+120^{\circ}\text{C}$  the grease becomes oily



**3356005 DRAIN TAP  $\varnothing$  1"1/4F TECNOC**  
TAPERED SEAL - fixed connection  $\varnothing$  1"1/4F  
with gasket  
for BOILING PAN



## MODULAR



Suitable for:

**3242189 HANDGRIP FOR DRAIN TAP**  
for DRAIN TAP  $\varnothing$  1"1/2F e 1"1/4F



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



**3186240 ASBESTOS FREE FLAT GASKET  $\varnothing$  46x38x2 mm**  
for drain tap  $\varnothing$  1"1/2





Suitable for:

**3356010 ESCUTCHEON FOR DRAIN TAP ø 1"1/4**



**3186199 GASKET INTERNAL EPDM FOR TAPS**  
NSF certified  
for DRAIN TAP ø 1"1/4 and 1"1/2



**3242189 HANDGRIP FOR DRAIN TAP**  
for DRAIN TAP ø 1"1/2F e 1"1/4F



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



# MODULAR

Suitable for:

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**

length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**

food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



**3356128 PIN ø 5x30 mm**  
complete with blind nut



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from -10°C up to +120°C  
from +50°C to +120 °C the grease becomes oily





**3356149 DRAIN TAP Ø 2" F TECNO**  
BRASS CAP - with swivel nut Ø 2" F



MODULAR 678.051.00

**3356101 CAP FOR DRAIN TAP**  
for DRAIN TAP Ø 2" OLD MODEL



**3242190 DRAIN TAP HANDGRIP**  
for DRAIN TAP Ø 2" OLD MODEL  
AND FOR TECNO NEW MODEL



**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



**3186242 ASBESTOS FREE FLAT GASKET Ø 61x46x2 mm**  
for drain tap Ø 2" old model



**3356016 DRAIN NIPPLE Ø 2"x80 mm**  
in brass



**3356012 ESCUTCHEON FOR DRAIN TAP Ø 2"**



**5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm**  
for drain tap Ø 2"



**3186241 O-RING 06212 VITON**  
ring thickness 5.34 mm - internal Ø 53.34 mm  
for DRAIN TAP Ø 2" OLD MODEL AND  
TECNO NEW MODEL





Suitable for:

**3356128 PIN  $\varnothing$  5x30 mm**  
complete with blind nut



## MODULAR



Suitable for:


**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from  $-10^{\circ}\text{C}$  up to  $+120^{\circ}\text{C}$   
from  $+50^{\circ}\text{C}$  to  $+120^{\circ}\text{C}$  the grease becomes oily



**3356054 DRAIN TAP  $\varnothing$  3/4" F**  
upper lever fitting  
outlet internal  $\varnothing$  22 mm



MODULAR 678.001.00

**3356167 LEVER FOR DRAIN TAP 65 mm**  
thread M8x0.75



**3356053 DRAIN TAP HANDLE  $\varnothing$  17x40 mm**  
thread M8



**3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**  
 $\varnothing$  22 mm - length 210 mm - bayonet coupling  
for TECNOINOX BAIN-MARIE-FRYER



MODULAR 631.000.00

**3526673 GAS/WATER VALVE  $\varnothing$  1"FF**  
 ball valve  
 heavy series with PN 40 total passage  
 aluminium lever



MODULAR 678.007.00

**5023594 CAST IRON FITTING  $\varnothing$  1"MF**



MODULAR 0716.10080.0

**3356138 DRAIN TAP FITTING  $\varnothing$  1"MM**  
 $\varnothing$  side outlet 28 mm - bracket 68x40x19 mm  
 fitting height 100 mm



**3242049 DRAIN TAP HANDLE 140 mm**  
 square hole 6x6 mm



**5036175 DRAIN TAP MANIFOLD**  
 2 top connections  $\varnothing$  1"MM - 2 top connections  $\varnothing$  33  
 1 bottom connection  $\varnothing$  1"MM  
 width 295 mm - overall length 114 mm  
 distance between holes 275 mm



**3356078 BUSHING  $\varnothing$  11x20 mm**



**5031496 DRAIN PIPE  $\varnothing$  1"MM**  
 length 195 mm




**5028002 DRAIN TAP FITTING  $\varnothing$  1"MM**  
 side exit  $\varnothing$  30 mm - bracket 80x30 mm  
 distance between holes 60 mm - coupling height 100



**3242280 DRAIN TAP KNOB BLACK 79 mm**  
 square hole 6x6 mm



**5033656 FITTING OF BRASS  $\varnothing$  1"MF**





Suitable for:

**7100207 HEADLESS SCREW HEXAGONAL M5x8**  
stainless steel - conical top  
UNI 5927 - DIN 914 - ISO 4027



## MODULAR



Suitable for:

**5011612 LEVER DRAIN TAP 250 mm**  
square pin 6x6 mm



**5013138 WATER BALL VALVE  $\varnothing$  1"FF**  
ball valve  
heavy series, total PN 50 passage  
for Fryer electric (MODULAR) 92FRE-18S - 94FRE-18S  
for Pasta cooker electric (MODULAR) 70/40CPES  
70/80CPES - 90/40CPES - 90/80CPES  
for Pasta cooker gas (MODULAR) 70/40CPG - 70/70CPG  
92CPG - Series 92CPG-S



MODULAR 678.014.00

**5023594 CAST IRON FITTING  $\varnothing$  1"MF**



MODULAR 0716.10080.0

**5023597 FITTING FOR DRAIN TAP  $\varnothing$  1"MM**  
laterally outlet  $\varnothing$  18 mm - fitting height 190 mm




MODULAR 611.264.00

MODULAR 975.164.00

## Electric hot plates

**3311094 ELECTRIC HOT PLATE  $\varnothing$  180 mm 1500W 230V**  
MODEL "ECODESIGN"  
terminal block electric connections  
with STAINLESS steel edge 8 mm  
for electric cooking top



MODULAR 665.059.00

**3311100 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



MODULAR 665.006.00





**3311053 ELECTRIC HOT PLATE 2600W 230V**  
 dimensions 220x220 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



MODULAR 665.039.00

**3311062 ELECTRIC HOT PLATE 3000W 230V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



MODULAR 965.003.00

**3311064 ELECTRIC HOT PLATE 4000W 230V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



MODULAR 965.004.00

**2110843 ELECTRIC HOT PLATE 4000W 440V**  
 dimensions 300x300 mm  
 screw terminal box  
 with stainless STEEL edge  
 for electric cooking top



MODULAR 965.015.00

**4003929 ELECTRIC PLATE 2600W 440V ø 220 mm**  
 terminal block electric connections  
 with stainless STEEL edge  
 for pot stove electric



MODULAR 665.016.00


**5009182 ELECTRIC PLATE 3000W 440V**  
 size 300x300 mm  
 electrical screw fittings  
 with stainless STEEL edge  
 for pot stove electric



MODULAR 965.013.00

## Electrical gas valves and accessories

**3526176 VALVE 820 NOVA ø 1/2"FF**  
 inlet ø 1/2" F - outlet ø 1/2" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure adjustment range  
 3÷30 mbar  
 ambient temperature 0÷70°C  
 power supply 230V 50Hz



MODULAR 671.091.00

**3526098 COIL 220V**  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:

**2100054 COIL 220V 60Hz**  
for VALVE 820 NOVA-822 NOVA-828 NOVA



# MODULAR



Suitable for:

**3526099 COIL 24V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P




**3526102 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




**5047586 EXTENSION FOR VALVE 820 NOVA**  
D-shaped pin  $\varnothing$  10x8 mm



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



MODULAR 671.011.00

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P




**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820





Suitable for:

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm




**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



MODULAR 673.013.00

MODULAR 67301300

**5053766 PROTECTION RUBBER VALVE 820 NOVA**  
 $\varnothing$  external 46 mm -  $\varnothing$  internal 20 mm  
depth 5,5 mm



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



MODULAR 968.501.00

## MODULAR

Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



MODULAR 673.004.00

**3348034 PIPE FITTING  $\varnothing$  16 mm**  
thread M24x1.5  
for model PEL 23



**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm






Suitable for:

# MODULAR



**3526179 VALVE 820 NOVA  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure adjustment range  
 5÷50 mbar  
 ambient temperature 0÷70°C  
 power supply 220V 50Hz  
 for Fryer gas (MODULAR) 70/40 FRG13VL  
 70/40 FRG17VL - 70/80 FRG13VL - 70/80 FRG17VL  
 90/40 FRG13VL - 90/40 FRG17VL - 90/40 FRG21VL  
 90/80 FRG13VL - 90/80 FRG17VL - 90/80 FRG21VL



MODULAR 256.331.00

**3241429 BLACK KNOB  $\varnothing$  30 mm SILK-SCREEN PRINTED**



**2100054 COIL 220V 60Hz**  
 for VALVE 820 NOVA-822 NOVA-828 NOVA



**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526102 ELECTRIC COUPLING WITH CABLE**  
 cable length 1000 mm - 3 wires  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526270 VALVE 820 NOVA EXTENSION**  
 D shaft  $\varnothing$  10x8 mm



**3526098 COIL 220V**  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526099 COIL 24V**  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P




**5047586 EXTENSION FOR VALVE 820 NOVA**  
 D-shaped pin  $\varnothing$  10x8 mm





Suitable for:

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



MODULAR 671.011.00

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm




**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm



## MODULAR

Suitable for:


**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



MODULAR 968.501.00



Suitable for:

# MODULAR



**3526361 VALVE 822 NOVA  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 thermocouple fitting M10x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure setting range  
 3÷30 mbar  
 ambient temperature 0÷60°C  
 power supply 230V 50Hz



MODULAR RRC5350-00

**2100054 COIL 220V 60Hz**  
 for VALVE 820 NOVA-822 NOVA-828 NOVA



Suitable for:

**3526098 COIL 220V**  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526099 COIL 24V**  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P




**3526102 ELECTRIC COUPLING WITH CABLE**  
 cable length 1000 mm - 3 wires  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



MODULAR 671.011.00

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



## MODULAR



Suitable for:

**2110316 MAGNETIC COIL**  
220/240V 50Hz  
for VALVE 822 NOVA-824 NOVA-826 NOVA  
for VALVE 827 NOVA-828 NOVAMIX




**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



## Electronic boards

**7150571 ELECTRONIC CIRCUIT BOARD RELAY 70x60 mm**  
for Glass-ceramic plate electric (MODULAR)  
90/40PVE - 90/80CFVE - 90/80CFVE2 - 90/80PVE  
90/80PVE2



MODULAR 663.048.00

## Electronic controllers

**3445399 CONTROLLER ELIWELL ID PLUS 902**  
12Vac/dc  
1 relay output 8A for compressor  
1 selectable NTC/PTC/PT1000 probe (not included)  
1 programmable digital/temperature input  
TTL input for copy card connection  
front dimension 74x32x59 mm  
mounting hole 71x29 mm



**3445157 PROBE NTC PVC 1500 mm**  
probe 2 wires - temperature range  $-30^{\circ}+80^{\circ}\text{C}$   
bulb  $\varnothing$  6x40 mm



MODULAR M564050000



Suitable for:

**3445156 PROBE NTC PVC 3000 mm**  
temperature range -30+80°C  
bulb ø 6x40 mm



**3445167 PROBE NTC TPE IP68 1500 mm**  
temperature range -50+110°C  
bulb ø 5x20 mm watertight



**3445184 PROBE NTC TPE STEEL IP68 1500 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



**3445379 PROBE PT1000 IP68 1500 mm**  
temperature range -50+110°C  
bulb ø 6x20 mm watertight



**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



**3445913 SILICONE PROBE NTC 1500 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



# MODULAR

Suitable for:

**3445028 PROBE NTC PVC 4000 mm**  
temperature field -30+80°C  
bulb ø 6x20 mm



**3445335 PROBE NTC TPE IP68 3000 mm**  
temperature range -50+110°C  
bulb ø 5x20 mm watertight



**3445154 PROBE NTC TPE STEEL IP68 3000 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



**3445380 PROBE PT1000 IP68 3000 mm**  
temperature range -50+110°C  
bulb ø 6x20 mm watertight



**3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



**3445155 SILICONE PROBE NTC 3000 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm







Suitable for:

**3445183 SILICONE PTC PROBE 3000 mm**  
2-wire probe temperature range -55+150°C  
bulb ø 6x40 mm



# MODULAR



Suitable for:

**3445959 SILICONE PTC PROBE 5000 mm**  
temperature range -55+150°C  
bulb ø 6x40 mm



**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



**3445111 TRANSFORMER 24V/12V 3VA**  
primary tension 24Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



## Energy regulators


**2111902 ENERGY REGULATOR**  
contacts 240V 13A  
temperature max 125°C  
D-shaped pin ø 6x4.6 mm



MODULAR 661.068.00


MODULAR 661.102.00

**3350024 ENERGY REGULATOR**  
contact capacity 240V 13A  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm  
double rotation direction



MODULAR 661.058.00

**3350026 ENERGY REGULATOR**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin ø 6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS




MODULAR M564010400

MODULAR RRC2192-00

MODULAR 661.101.00

**3350031 ENERGY REGULATOR**  
contact capacity 400V 7A  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm



MODULAR 661.046.00




Suitable for:

# MODULAR



Suitable for:


**3350035 ENERGY REGULATOR**  
 contact capacity 230V 13A  
 max temperature 125°C  
 D-shaped pin ø 6x4.6 mm



MODULAR 661.061.00

## Fryer baskets and accessories

**5034216 FALSE BOTTOM MESH COMPLETE 330x235 mm**  
 height 180 mm  
 made of chrome-plated iron  
 for Fryer electric (MODULAR) 60/30FRE - 60/60FRE



MODULAR 683.001.23

**3055198 FRYER BASKET 290x260x135 mm**  
 made of chrome plated iron  
 for Fryer gas (MODULAR) 90/40FRG13 - 90/80FRG13



MODULAR 600.201.40

MODULAR 683.031.00

**3055359 FRYER BASKET 300x220x115 mm**  
 made of chrome plated iron  
 for Fryer electric (MODULAR) 60/30FRE - 60/60FRE  
 70/40FRE10 - 70/70FRE10 - 90/40FRE10  
 90/80FRE10



MODULAR 600.203.40

MODULAR 683.000.00

**3055199 FRYER BASKET 400x150x135 mm**  
 made of chrome plated iron  
 for Fryer gas (MODULAR) 90/40FRG22 - 90/80FRG22



MODULAR 983.014.00

## Fuses

**3049080 DELAY FUSE ø 10x38 mm - 10 PCS**  
 500V 4A



MODULAR LF-5007392

**3049074 QUICK ACTING FUSE ø 10x38 mm - 10 PCS**  
 500V 12A



MODULAR LF-5007291



## Gas burners

**5023766 BURNER  $\varnothing$  180x335 mm**  
made of nickel plated iron  
for Solid top range (MODULAR) 65/70TPFG  
70/120TPG - 70/80TPG - 90/120TPG - 90/80TPG



MODULAR 672.056.00

**3023165 BURNER  $\varnothing$  50x430 mm**  
overall length 465 mm  
made of stainless steel  
for Pasta cooker gas (MODULAR) - Series 700  
Series 900



MODULAR 672.072.00

MODULAR 672.072.15

**3023142 BURNER 485x240 mm**  
made of stainless steel  
for Lava rock grill gas (MODULAR) - Series 650  
Series 700



MODULAR 672.052.00

**5011734 BURNER 580x545 mm**  
of stainless steel  
for Bratt pan gas (MODULAR) 90/80BRG - 90/80BRGM



MODULAR 972.004.00

**5062682 BURNER 610x220 mm**  
of stainless steel  
for Lava rock grill (MODULAR) 90/40GRL - 90/80GRL  
92PLG - 94PLG



MODULAR 972.017.00

**3023242 BURNER 640x240 mm**  
made of stainless steel  
for Lava rock grill gas (MODULAR) - Series 900



MODULAR 972.015.00

**3023166 BURNER 685x245 mm**  
made of chrome-plated iron  
for Fry top gas (MODULAR) - Series 900



MODULAR 972.000.00

**3352016 AERATION REGULATOR**  
internal  $\varnothing$  12 mm - external  $\varnothing$  14 mm  
height 42 mm



MODULAR 672.023.00



Suitable for:

# MODULAR



Suitable for:

**5080495 JET HOLDER FOR HOSE  $\phi$  12 mm**  
 thread connection for hose M20x1,5 mm  
 tapered nozzle M10x1 mm  
 fastening fitting M14x1 mm  
 for Bratt pan gas (MODULAR) 90/120BRG - 90/120BRGM  
 94BRG - 96BRG - 96BRG-M



MODULAR 673.022.00


**3023255 VERTICAL BURNER  $\phi$  75x180 mm**  
 made of chrome-plated iron



MODULAR 672.031.00

MODULAR 672.075.00

**3352502 AERATION REGULATOR**  
 length 60 mm



**3023241 VERTICAL BURNER 220x55 mm**  
 made of chrome-plated iron  
 for Fryer gas (MODULAR) - Series 110 - Series 700  
 Series 900



MODULAR 672.071.00

## Gas hoses

**5023846 PILOT PIPE  $\phi$  4 mm**  
 for Kitchen gas (MODULAR) 90/120CFGES  
 90/160CFGES - 90/80CFGES



MODULAR 975.048.00

**5058299 PILOT PIPE  $\phi$  4 mm**  
 for Kitchen gas (MODULAR) 90/120CFGES  
 90/160CFGES - 90/80CFGES



MODULAR 975.026.00



## Gas taps and accessories

**3348014 GAS TAP 20/S**  
without pilot flame  
fittings  $\varnothing$  M16x1.5mm  
thermocouple fitting M8x1  
D-shaped pin  $\varnothing$  8x6.5mm



MODULAR 671.000.00

**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



MODULAR 673.001.00

MODULAR 67300100

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



MODULAR 673.004.00

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



MODULAR 673.011.00



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




## MODULAR




Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




**3348083** GAS TAP 21/S  
with pilot flame  
connection to hose flange  $\varnothing$  21 mm  
connector outlet M16x1.5 mm  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Kitchen gas (MODULAR) 70/120 PCGS-CFGS-CFGES  
70/40 PCGS - 70/80 PCGS-CFGS-CFGES



MODULAR 671.088.00


**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21




**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348221** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/17,5 mm upper/lower  
for model PEL 21




**3348021** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22 mm  
for model PEL 21S





Suitable for:

**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25




MODULAR 673.004.00

## MODULAR

Suitable for:

**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



MODULAR 673.001.00

MODULAR 67300100

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25





Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



MODULAR 673.011.00

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



# MODULAR



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348202** GAS TAP 21/S  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  8x6.5 mm




MODULAR 671.001.00

**3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21




**3348221** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/17,5 mm upper/lower  
for model PEL 21



**7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



**3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348021** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22 mm  
for model PEL 21S








Suitable for:

**3348238** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348236** FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059** MAGNET PROTECTION NUT M9x1  
thread M18x1mm  
for model PEL 20-21-22



**3182011** MAGNETIC UNIT PEL SMALL HEAD  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25




MODULAR 673.004.00

## MODULAR

Suitable for:

**3348243** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058** MAGNET PROTECTION NUT M8x1  
thread M18x1 mm  
for model PEL 20-21-22



**3182022** MAGNETIC GROUP PEL SMALL HEAD  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



MODULAR 673.001.00

MODULAR 67300100

**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25





Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



MODULAR 673.011.00

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



# MODULAR



Suitable for:


**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348002** GAS TAP 22S/O  
with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm



MODULAR 671.031.00

**3348229** CAP WITH PIN  $\varnothing$  10 mm  
pin length 31 mm  
for model PEL 22S/O




**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22



**3348245** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 34/26 mm upper/lower  
for model PEL 22S



**3348019** CAP WITH PIN  $\varnothing$  10x9 mm  
pin length 26 mm  
for model PEL 22




**3348231** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 35/21 mm upper/lower  
for model PEL 22






Suitable for:

**3348232** CAP WITH PIN  $\varnothing$  8x6.5 mm  
pin length 39/7 mm upper/lower  
for model PEL 22



**3348023** FLANGE HORIZONTAL  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



**3348024** FLANGE VERTICAL  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



**3348058** MAGNET PROTECTION NUT M8x1  
thread M18x1 mm  
for model PEL 20-21-22




**3182009** MAGNETIC UNIT PEL BIG HEAD  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



## MODULAR

Suitable for:


**3348213** FLANGE  $\varnothing$  12/10 mm  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S



**3348025** FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



**3348214** FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm  
thread M20x1.5 mm  
for model PEL 22S



**3348059** MAGNET PROTECTION NUT M9x1  
thread M18x1mm  
for model PEL 20-21-22



**3182021** MAGNETIC UNIT PEL LARGE HEAD  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm





Suitable for:

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



# MODULAR



Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



MODULAR 673.006.00

MODULAR 67300600

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25




MODULAR 673.004.00

**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



MODULAR 673.009.00

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1




**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm





**3348011 GAS TAP 23S/O**  
 with pilot flame  
 with horizontal flange  
 inlet fitting M28x1.5mm  
 outlet fitting M24x1.5mm  
 with flow regulator  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  10x8 mm



MODULAR 671.032.00


**3348062 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 35 mm  
 for model PEL 23




**3348027 FLANGE HORIZONTAL  $\varnothing$  12/16 mm**  
 thread M24x1.5 mm  
 for model PEL 23



**3348237 FLANGE HORIZONTAL  $\varnothing$  12/16 mm**  
 without adjustment  
 thread M24x1.5 mm  
 for model PEL 23



**3348028 FLANGE VERTICAL  $\varnothing$  12/16 mm**  
 thread M24x1.5  
 for model PEL 23



**3348040 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 for model PEL 23



**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
 for model PEL 23



**3348042 OLIVE FOR PIPE  $\varnothing$  20 mm**  
 for model PEL 23



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 for model PEL 21-22-24-25



MODULAR 673.004.00



Suitable for:

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348033 PIPE FITTING  $\varnothing$  12 mm**  
thread M24x1.5  
for model PEL 23



**3348035 PIPE FITTING  $\varnothing$  20 mm**  
thread M28x1.5  
for model PEL 23



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



## MODULAR

Suitable for:

**3182020 PEL MAGNETIC GROUP**  
head  $\varnothing$  24 mm - end  $\varnothing$  18 mm - length 59 mm  
thermocouple fitting M9x1  
for tap PEL model 23S



**3348034 PIPE FITTING  $\varnothing$  16 mm**  
thread M24x1.5  
for model PEL 23



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



## Gas valves and accessories

**3526250 EUROSIT VALVE FOR FRYER 110÷190°C**  
inlet  $\varnothing$  3/8"F - outlet  $\varnothing$  3/8"F  
thermocouple fitting M9x1  
gas max inlet pressure 50 mbar  
outlet pressure range setting  
outlet 3÷18 mbar  
room temperature 0÷80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x200 mm



**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR






Suitable for:

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3526127 FLANGE FOR EXTENSION**




**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm




**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



## MODULAR

Suitable for:

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



MODULAR 671.011.00

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8"M



**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8"M - M16x1 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



MODULAR 673.006.00

MODULAR 67300600

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8"M



MODULAR 673.018.00





Suitable for:

# MODULAR



**2111083 MINISIT FRYER VALVE 110÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 room temperature 0÷80°C  
 capillary length 1050 mm  
 button bulb  $\varnothing$  14.4x26 mm  
 supplied without cover, knob and flanges  
 for Fryer (MODULAR) 70/70FRG13 - 90/80FRG13




MODULAR 256.324.00

MODULAR 671.025.00

MODULAR 671.026.00

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



MODULAR 671.011.00

**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



MODULAR 671.006.00

MODULAR 67100600

**3182018 MAGNETIC UNIT MINISIT**  
 head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
 thermocouple connection M10x1



**3523061 NUT  $\varnothing$  1/4"x6 mm**




MODULAR 671.027.00


**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
 thread  $\varnothing$  1/2"M



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3523047 LID MINISIT**




MODULAR 671.005.00

MODULAR 67100500

**3182003 MAGNETIC UNIT SIT**  
 head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
 for valve SIT AC2 - VR8-MINISIT



**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
 internal thread M10x0.75 - external thread M14x1.5







Suitable for:

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



MODULAR 673.001.00

MODULAR 67300100

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8"F -  $\varnothing$  1/2"F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8"F - external thread  $\varnothing$  1/2"F  
for MINISIT flange



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



## MODULAR

Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



MODULAR 673.006.00

MODULAR 67300600

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm




**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8"M



MODULAR 673.018.00

**3523043 SENSING ELEMENT MINISIT 110 $\div$ 190°C**  
capillary length 1050 mm  
button bulb  $\varnothing$  13x26 mm



MODULAR 671.054.00





Suitable for:

# MODULAR



**3523949** **MINISIT VALVE FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 supplied without lid knob and flanges



MODULAR 671.004.00

**3523038** **ELBOW FLANGE MINISIT  $\varnothing$  1/2"F**  
 with screws and OR



**3523035** **KNOB MINISIT BLACK  $\varnothing$  37 mm**




MODULAR 671.006.00

MODULAR 67100600

**3182003** **MAGNETIC UNIT SIT**  
 head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
 for valve SIT AC2 - VR8-MINISIT



**3523060** **OIL SEAL FITTING  $\varnothing$  6.5 mm**  
 internal thread M10x0.75 - external thread M14x1.5



**2100757** **CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
 thread  $\varnothing$  1/2"M




**3523037** **ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
 with screws and OR



MODULAR 671.007.00

**3523047** **LID MINISIT**



MODULAR 671.005.00

MODULAR 67100500

**3523061** **NUT  $\varnothing$  1/4"x6 mm**



MODULAR 671.027.00

**3348044** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
 for model PEL 20-21-24-25



MODULAR 673.001.00

MODULAR 67300100



Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



MODULAR 673.006.00

MODULAR 67300600

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



MODULAR 673.018.00

**3523051 SENSING ELEMENT MINISIT 110 $\div$ 190°C**  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm



MODULAR 671.024.00

**3523023 MINISIT VALVE FOR FRYER 50 $\div$ 190°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0 $\div$ 60°C  
length capillary 1200 mm  
bulb  $\varnothing$  5x95 mm  
with an elbow flange  $\varnothing$  3/8" F



MODULAR 671.018.00

## MODULAR



Suitable for:

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M





Suitable for:

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**




MODULAR 671.006.00

MODULAR 67100600

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



MODULAR 673.006.00

MODULAR 67300600

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



# MODULAR




Suitable for:

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR



MODULAR 671.007.00

**3523047 LID MINISIT**



MODULAR 671.005.00

MODULAR 67100500

**3523061 NUT  $\varnothing$  1/4"x6 mm**



MODULAR 671.027.00

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25




MODULAR 673.001.00

MODULAR 67300100

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm





Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M




MODULAR 673.018.00

**3523042** SENSING ELEMENT MINISIT 50 $\div$ 190°C  
capillary length 1200 mm  
bulb  $\varnothing$  5x95 mm



**3523923** MINISIT VALVE FOR FRYER 50 $\div$ 190°C  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0 $\div$ 60°C  
length capillary 1200 mm  
bulb  $\varnothing$  5x95 mm  
without cover, knob and flanges



MODULAR 623.041.00

**3523038** ELBOW FLANGE MINISIT  $\varnothing$  1/2" F  
with screws and OR



**3523035** KNOB MINISIT BLACK  $\varnothing$  37 mm



MODULAR 671.006.00

MODULAR 67100600

## MODULAR



Suitable for:

**3523036** REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**5058320** TUBE NUT FITTING  $\varnothing$  10 mm  
thread M14x1,5 mm



**2100757** CONNECTION FOR OLIVE  $\varnothing$  16 mm  
thread  $\varnothing$  1/2" M




**3523037** ELBOW FLANGE MINISIT  $\varnothing$  3/8" F  
with screws and OR



MODULAR 671.007.00

**3523047** LID MINISIT



MODULAR 671.005.00

MODULAR 67100500



Suitable for:

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



## MODULAR




Suitable for:

**3523061 NUT  $\varnothing$  1/4"x6 mm**



MODULAR 671.027.00

**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



MODULAR 673.001.00

MODULAR 67300100

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25




**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



MODULAR 673.006.00

MODULAR 67300600

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8"M



**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8"F -  $\varnothing$  1/2"F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8"F - external thread  $\varnothing$  1/2"F  
for MINISIT flange



MODULAR 673.018.00



Suitable for:

**3523042 SENSING ELEMENT MINISIT 50÷190°C**  
capillary length 1200 mm  
bulb ø 5x95 mm



## MODULAR




Suitable for:

**5058320 TUBE NUT FITTING ø 10 mm**  
thread M14x1,5 mm



**5065245 VALVE EUROSIT FOR FRYER 110÷190°C**  
entrata ø 3/8"F - uscita ø 3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure setting range 3÷18 mbar  
ambient temperature 0÷120°C  
capillary length 1050 mm  
bulb ø 4x202 mm




**3526260 CAP FOR VALVE EUROSIT ø 3/8"**  
with OR



MODULAR 671.108.00

**4056009 CAP FOR VALVE EUROSIT-MERTIK ø 3/8"**  
with OR



**3241435 EUROSIT VALVE EXTENSION**  
D shaft ø 10x8 mm



**3526126 EUROSIT VALVE EXTENSION**  
D shaft ø 10x8 mm




**3526677 EXTENSION FOR EUROSIT VALVE**  
D-shaped pin ø 10x8 mm



**3020083 FITTING AND OLIVE ø 4 mm**



**3020084 FITTING AND OLIVE ø 6 mm**



MODULAR 671.011.00



Suitable for:

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm  
thread  $\varnothing$  3/8" M**



**5021481 GAS OUTLET VALVE FITTING  
thread  $\varnothing$  3/8" M - M16x1 mm**




**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm  
external  $\varnothing$  13 mm - height 8 mm**



**3001111 PIEZO IGNITER EUROSIT  
M faston  $\varnothing$  2.4 mm**



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



## MODULAR

Suitable for:

**3526127 FLANGE FOR EXTENSION**



**5024657 KNOB EXTENSION LENGTH 49 mm  
D shape pin  $\varnothing$  8x6.5 mm**



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm  
for model PEL 22-24-25**



MODULAR 673.006.00

MODULAR 67300600

**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**




MODULAR 673.018.00








**3526177 VALVE 630 EUROSIT OVEN 100÷340°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x74 mm  
 for Kitchen gas (MODULAR) 70/120TPFG - 70/80TPFG  
 90/120TPFG - 90/160FG - 90/80TPFG



MODULAR 256.277.00

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR




Suitable for:


**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



MODULAR 671.011.00

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8" M




**3526127 FLANGE FOR EXTENSION**



**5021481 GAS OUTLET VALVE FITTING**  
 thread  $\varnothing$  3/8" M - M16x1 mm



**5024657 KNOB EXTENSION LENGTH 49 mm**  
 D shape pin  $\varnothing$  8x6.5 mm



**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 external  $\varnothing$  13 mm - height 8 mm





Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



MODULAR 673.006.00

MODULAR 67300600

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



MODULAR 673.018.00

**7107847 VALVE 630 EUROSIT OVEN 100÷340°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
gas inlet maximum pressure 50 mbar  
calibration field of outlet  
pressure 3÷18 mbar  
ambient temperature 0÷120°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm




MODULAR 671.089.00

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



## MODULAR




Suitable for:

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm




**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR




**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



MODULAR 671.011.00

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M






Suitable for:

**3526127 FLANGE FOR EXTENSION**



**5067027 KNOB EXTENSION LENGTH 35 mm**  
D-shaped pin  $\varnothing$  10x8 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



MODULAR 673.006.00

MODULAR 67300600

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



MODULAR 673.018.00

**3523920 VALVE 710 MINISIT OVEN 100÷340°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm  
without cover, knob and flanges



MODULAR 671.029.00

MODULAR 671.033.00

## MODULAR

Suitable for:

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm




**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M





Suitable for:

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**




MODULAR 671.006.00

MODULAR 67100600

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



MODULAR 673.006.00

MODULAR 67300600

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



## MODULAR




Suitable for:

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR



MODULAR 671.007.00

**3523047 LID MINISIT**



MODULAR 671.005.00

MODULAR 67100500

**3523061 NUT  $\varnothing$  1/4"x6 mm**



MODULAR 671.027.00

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



MODULAR 673.001.00

MODULAR 67300100

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm






Suitable for:

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



MODULAR 673.018.00

**3523040 SENSING ELEMENT MINISIT 100 $\div$ 340°C**  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm



## MODULAR



Suitable for:

**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange




**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



## Gaskets and seals

**3786825 FIBREGLASS GASKET - 3mt**  
profile dimensions 12x12 mm  
max temperature 600°C  
COLOUR WHITE



MODULAR 953.004.00

## Gaskets for oven door

**5009076 GASKET OVEN DOOR 940x300 mm**  
made of silicone elastomer  
with fastening clamps - 3 sides  
profile dimensions 12x10 mm  
COLOUR: BLACK  
for Oven under cooktop (MODULAR)



MODULAR 952.001.00



Suitable for:

# MODULAR



Suitable for:

## Gaskets for oven door

**3186163 HORIZONTAL DOOR GASKET 610 mm**  
made of silicone elastomer  
profile dimension  $\varnothing$  10 mm  
COLOUR BLACK



MODULAR 652.001.00

**3186164 HORIZONTAL LEAF SPRING 660 mm**



MODULAR 260.003.00

**3786624 OVEN DOOR GASKET 550x320 mm**  
made of silicone elastomer  
with fastening clips  
COLOUR BLACK  
for Oven under cooktop (MODULAR)  
since 1/01/07 - Series 700 - Series 900



MODULAR 652.014.00

**3186396 OVEN DOOR GASKET 560x310 mm**  
made of silicone elastomer  
with fastening clips - 3 sides  
profile dimensions 12x10 mm  
COLOUR BLACK  
for Oven under cooktop (MODULAR) - Series 900



MODULAR 652.013.00

**3186165 VERTICAL DOOR GASKET 350 mm**  
made of silicone elastomer  
profile dimension  $\varnothing$  10 mm  
COLOUR BLACK



MODULAR 652.002.00

**3186166 VERTICAL LEAF SPRING 375 mm**



MODULAR 260.004.00

## Glasses

**3519006 COMPLETE CHAMBER GLASS**  
complete with glass and gasket  
for Bratt pan gas (MODULAR) 94BRG - 94BRG-M  
96BRG - 96BRG-M



MODULAR 512.002.00

**5048869 GLASS FRAME GASKET 31x31 mm**






## Grids for kitchen

**5025773 GRID FOR SMOKE OUTLET 400x70 mm**



MODULAR 9211096.00

**3185073 PAN SUPPORT GRID 390x390 mm**  
for Pot stove (MODULAR) - Series 900



MODULAR 681.019.00

**3185074 PAN SUPPORT GRID 570x340 mm**  
for Pot stove (MODULAR) - Series 700




MODULAR 681.008.00

MODULAR 681.008.14

## Handles

**3398021 OVEN DOOR CATCH**  
distance between holes 47 mm  
catch distance 27 mm



MODULAR 684.012.00

## Heating elements

**3755830 CERAMIC HEATING ELEMENT 1000W 230V**  
length 240 mm - width 60 mm



MODULAR 665.010.00

**5038319 HEATING ELEMENT SILICONEE 730W 230V**  
length 400 mm - width 260 mm  
with thermostat with automatic reset  
with cables  
operating ambient: dry  
for Bain-marie electric (MODULAR)



MODULAR M563000000



Suitable for:

# MODULAR



**3755001 HEATING ELEMENT 1000W 230V**  
 length 520 mm - width 135 mm  
 2 flanges 35x20 mm  
 for Oven under cooktop electric (MODULAR)  
 Series 900



MODULAR 965.012.00

**5000153 HEATING ELEMENT 1000W 230V**  
 length 420 mm - width 65 mm  
 height 75 mm  
 for Fry top electric (MODULAR) 60/30FTE2  
 60/30FTE2-CR - 60/30FTRE2 - 60/30FTRE2-CR  
 60/60FTRE - 60/60FTRE-CR



MODULAR 665.057.00

**5048311 HEATING ELEMENT 1000W 230V**  
 length 298 mm - width 95 mm  
 height 65 mm



MODULAR 965.033.00

MODULAR 965.052.00

**5056039 HEATING ELEMENT 1000W 230V**  
 length 397 mm - width 85 mm  
 height 45 mm - 2 flange 40x18 mm  
 for Bain-marie electric (MODULAR) 65/70BME  
 70/80BME



MODULAR 665.004.00

**3755858 HEATING ELEMENT 12000W 230/400V**  
 length 325 mm - width 180 mm  
 fitting M54x1.5 mm - complete with cables  
 complete with O-rings  
 with 2 holes for bulb  
 for Fryer electric (MODULAR) 70/40FRE13  
 70/80FRE13 - 90/40FRE13 - 90/80FRE13



MODULAR 665.101.00

**3186697 O-RING 0159 EPDM**  
 ring thickness 3.53 mm - internal  $\varnothing$  55.56 mm  
 for Fryer electric (MODULAR) 70/40 FRE13  
 70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 665.017.00

**3186601 O-RING 04200 EPDM**  
 ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm  
 for Fryer electric (MODULAR) 70/40 FRE13  
 70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 653.018.00

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**  
 for Fryer electric (MODULAR) 70/40 FRE13  
 70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 256.377.00





Suitable for:

**3455368 HEATING ELEMENT 1260W 230V**  
 external ø 190 mm - overall height 415 mm  
 flange 100x22 mm  
 for Oven under cooktop electric (MODULAR)  
 70/110CFGE - 70/70CFGE - 90/120CFE  
 90/120CFGE - 90/160CFGE - 90/80CFE - 90/80CFGE  
 90/80CFVE



MODULAR 665.008.00

Suitable for:

**5032598 HEATING ELEMENT 1470W 230V**  
 length 510 mm - width 90 mm  
 height 30 mm - 2 flanges 40x18 mm  
 for Bain-marie electric (MODULAR) 90/80BME - 94BME



MODULAR 965.002.00

**3755068 HEATING ELEMENT 1500W 230V**  
 length 470 mm - width 90 mm  
 height 70 mm  
 for Fry top electric (MODULAR) - Series 700



MODULAR 665.002.00

**5048341 HEATING ELEMENT 1500W 230V**  
 length 555 mm - width 215 mm  
 flange 70x22 mm  
 for BUILT-IN OVEN series 700 PROTAGONISTA NUOVA  
 for BUILT-IN OVEN series 900 PROTAGONISTA NUOVA  
 for Kitchen (MODULAR) 70/120CFGE - 70/80CFGE  
 70/80CFGES - 90/120CFGE - 90/160CFGE  
 90/80CFGE



MODULAR 965.060.00

**5068289 HEATING ELEMENT 1500W 230V**  
 length 400 mm - width 140 mm  
 height 30 mm - 2 flange 40x18 mm  
 for Bain-marie electric (MODULAR) 65/40BME  
 70/40BME



MODULAR 665.003.00

**7150598 HEATING ELEMENT 1800W 230V**  
 length 470 mm - width 90 mm  
 height 95 mm  
 for Fry top electric (MODULAR) 70/40 FTE  
 70/80 FTE - 90/40 FTE - 90/80 FTE



MODULAR 665.095.00

MODULAR 665.095.12

**3355847 HEATING ELEMENT 2000W 230V**  
 length 230 mm - width 280 mm  
 flange 107x33 mm



MODULAR 665.026.00

MODULAR 665.027.00

**5021306 HEATING ELEMENT 2100/2286W 230/240V**  
 length 380 mm - width 165 mm  
 height 60 mm



MODULAR 665.023.00



Suitable for:

# MODULAR



**3755094 HEATING ELEMENT 2100W 230V**  
length 290 mm - width 50 mm  
height 205 mm - fittings M14x1.5 mm  
for Fryer electric (MODULAR)



MODULAR 665.001.00

**5011659 HEATING ELEMENT 2186/2380W 230/240V**  
length 650 mm - width 85 mm  
height 70 mm  
for Fry top electric (MODULAR) 90/80FTE  
90/80FTE-CR - 90/80FTRE - 90/80FTRE-CR  
90/80FTRRE - 90/80FTRRE-CR



MODULAR 965.000.00

**5082272 HEATING ELEMENT 2200W 230V**  
length 585 mm - width 85 mm  
height 65 mm



MODULAR 965.036.00

**7150599 HEATING ELEMENT 2200W 230V**  
length 520 mm - width 140 mm  
height 35 mm - 2 flanges 40x18 mm  
for Bain-marie electric (MODULAR) 90/40BME



MODULAR 965.001.00

**3755095 HEATING ELEMENT 2500W 230V**  
length 293 mm - width 40 mm  
height 210 mm - fittings M14x1.5 mm  
for Fryer electric (MODULAR) - Series 600  
Series 700 - Series 900



MODULAR 650.028.00

MODULAR 665.028.00

**5047130 HEATING ELEMENT 2500W 230V**  
length 520 mm - width 120 mm  
height 60 mm  
for Bratt pan electric (MODULAR) 90/120BRE  
90/120BREM - 96/BRE - 96/BRE-M



MODULAR 965.008.00

MODULAR 965.008.15

**5057872 HEATING ELEMENT 2500W 230V**  
length 630 mm - width 90 mm  
height 85 mm  
for Fry top electric (MODULAR) 90/40 FTE  
90/80 FTE



MODULAR 965.059.00

**5008348 HEATING ELEMENT 3000W 230V**  
length 300 mm - width 170 mm  
couplings M10x1 mm



MODULAR 665.032.00



Suitable for:

**3755740 HEATING ELEMENT 3330W 230V**  
length 510 mm - width 195 mm  
height 80 mm  
for Bratt pan electric (MODULAR) - Series 900



MODULAR 965.007.00

MODULAR 965.007.15

Suitable for:

**3755730 HEATING ELEMENT 3400/3700W 230/240V**  
length 390 mm - width 50 mm  
height 230 mm - fittings M14x1.5 mm  
for Fryer electric (MODULAR)



MODULAR 965.009.00

**3755103 HEATING ELEMENT 3800W 230V**  
immersed length 250 mm  
flange external  $\varnothing$  72 mm  
with O-ring  
for Pasta cooker electric (MODULAR) - Series 700  
Series 900



MODULAR 465.000.00

MODULAR 665.074.00

MODULAR 665.074.15

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



MODULAR 0835.53565.1

**3355105 HEATING ELEMENT 4200W 230/380V**  
for boiler and wash tank  
immersed depth 340 mm  
flange external  $\varnothing$  72 mm - with bulb-sheathing  
complete with O-ring  $\varnothing$  67 mm (3186014)



MODULAR

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



MODULAR 0835.53565.1

**7150597 HEATING ELEMENT 4500W 230V**  
immersed depth 350 mm  
external  $\varnothing$  flange 72 mm  
with bulb receptacle  
complete with O-ring and cap  
for Pasta cooker electric (MODULAR) 90/40 CPES  
90/80 CPES



MODULAR 665.103.00

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



MODULAR 0835.53565.1



Suitable for:

# MODULAR



**3755489 HEATING ELEMENT 6800W 230V**  
 length 300 mm - width 110 mm  
 fitting M54x1.5 mm - with cables  
 with O-rings  
 with 2 holes for bulb  
 for Fryer electric (MODULAR) 70/40FRE8+8  
 90/40FRE8+8



MODULAR 665.099.00

**3186601 O-RING 04200 EPDM**  
 ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm  
 for Fryer electric (MODULAR) 70/40 FRE13  
 70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 653.018.00

**3455347 HEATING ELEMENT 8000W 230V**  
 immersed length 505 mm  
 flange external  $\varnothing$  72 mm  
 with thermostat probe receptacle  
 with O-ring  
 with cap  
 for Boiling pan electric (MODULAR) 90/80PEIA100  
 90/80PEIA150 - 90/80PEI100 - 90/80PEI150



MODULAR 965.025.00

Suitable for:

**3186697 O-RING 0159 EPDM**  
 ring thickness 3.53 mm - internal  $\varnothing$  55.56 mm  
 for Fryer electric (MODULAR) 70/40 FRE13  
 70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 653.017.00

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**  
 for Fryer electric (MODULAR) 70/40 FRE13  
 70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 256.377.00

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



MODULAR 0835.53565.1

## Hinges, catches and accessories

**7150521 HINGE KIT UPPER - LOWER**  
 for Fry top electric (MODULAR)  
 Series EMOTION 700 - Series EMOTION 900  
 for Fry top gas (MODULAR) - Series EMOTION 700  
 Series EMOTION 900



MODULAR 256.216.00

**7150480 HINGE LH UPPER DOOR**  
 external dimensions 62x58 mm  
 pin  $\varnothing$  8 mm  
 for Pasta cooker electric (MODULAR) 70/40CPE  
 70/70CPE  
 for Pasta cooker gas (MODULAR) 70/40CPG - 70/70CPG



MODULAR 911.847.15



Suitable for:

**7150482 HINGE LH UPPER DOOR**  
 external dimensions 60x55 mm  
 pin  $\varnothing$  8 mm  
 for Fryer electric (MODULAR) 70/40FRE10  
 70/70FRE10  
 for Fryer gas (MODULAR) 70/40FRG13 - 70/70FRG13



MODULAR 611.178.00


Suitable for:

**7150479 HINGE RH UPPER DOOR**  
 external dimensions 60x55 mm  
 pin  $\varnothing$  8 mm  
 for Fryer electric (MODULAR) 70/40FRE10  
 70/70FRE10  
 for Fryer gas (MODULAR) 70/40FRG13 - 70/70FRG13



MODULAR 611.177.00

**7150481 HINGE RH UPPER DOOR**  
 external dimensions 62x58 mm  
 pin  $\varnothing$  8 mm  
 for Pasta cooker electric (MODULAR) 70/40CPE  
 70/70CPE  
 for Pasta cooker gas (MODULAR) 70/40CPG - 70/70CPG



MODULAR 911.846.15

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
 mounting distance 175 mm - overall length 205  
 height 160 mm



MODULAR 684.010.00

**3053234 HINGE COVER**  
 mounting distance 95 mm - dimensions 124x20 mm



**3053003 DOOR HINGE ROLL HOLDER**  
 mounting distance 95 mm - overall length 118  
 height 23 mm



MODULAR 684.011.00

**3053299 HINGE COVER**  
 mounting distance 77 mm - dimensions 129x26 mm





Suitable for:

# MODULAR



**3053008 RIGHT-LEFTHAND DOOR HINGE FOR OVEN**  
 mounting distance 175 mm - overall length 205 mm  
 height 156 mm  
 for Kitchen gas (MODULAR) EM70/120 CFGES  
 EM70/80 CFGES - EM90/120 TPPCFG2  
 EM90/80 TPPCFG - EM90/80 TPPCFGL



MODULAR 684.030.00

Suitable for:

**3053003 DOOR HINGE ROLL HOLDER**  
 mounting distance 95 mm - overall length 118 mm  
 height 23 mm



MODULAR 684.011.00

**3053221 HINGE COVER**  
 mounting distance 95 mm - dimensions 122x20 mm



**3053281 RIGHT/LEFT HINGE FOR OVEN**  
 mounting distance 130 mm - overall length 155 mm  
 height 147 mm



MODULAR 584.001.00

**3053108 ROLL HOLDER FOR HINGE**  
 mounting distance 95 mm - overall length 110 mm  
 height 23 mm



MODULAR 584.005.00

**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
 mounting distance 175 mm - overall length 205 mm  
 height 160 mm



MODULAR 684.009.00

**3053003 DOOR HINGE ROLL HOLDER**  
 mounting distance 95 mm - overall length 118 mm  
 height 23 mm



MODULAR 684.011.00

**3053234 HINGE COVER**  
 mounting distance 95 mm - dimensions 124x20 mm



**3053299 HINGE COVER**  
 mounting distance 77 mm - dimensions 129x26 mm





Suitable for:

5029697 SPRING LH  $\varnothing$  4 mm



MODULAR 260.016.00

## MODULAR



Suitable for:

5029696 SPRING RH  $\varnothing$  4 mm



MODULAR 260.015.00

## Hot plates

5072626 COOKING PLATE SMOOTH 320x270 mm  
made of cast iron



MODULAR 600.392.40

## Hydraulic piping

3450209 RUBBER PIPE  $\varnothing$  13x20 mm - 40 m  
operating temperature -40+100°C



MODULAR 452.061.00

## Ignitors

3001020 PIEZO IGNITER  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



MODULAR 672.006.00

5035512 WATERTIGHT PIEZO CAP  
of silicone rubber



5071589 WATERTIGHT PIEZO CAP  
made of silicone rubber





Suitable for:

# MODULAR



Suitable for:

## Indicator lights

**3221132 INDICATOR LIGHT GREEN 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



MODULAR 463.014.00

**3221216 INDICATOR LIGHT GREEN 230V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  11.5 mm - 120°C



**3221215 INDICATOR LIGHT ORANGE 230V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  11.5 mm - 120°C



MODULAR 963.012.00

**3221082 INDICATOR LIGHT GREEN 24V**  
hole  $\varnothing$  11.5 mm - head  $\varnothing$  18 mm  
max temperature 120°C



**3221083 INDICATOR LIGHT RED 24V**  
hole  $\varnothing$  11.5 mm - head  $\varnothing$  18 mm  
max temperature 120°C



MODULAR

MODULAR

**3221185 INDICATOR LIGHT GREEN 400V**  
 $\varnothing$  head 16 mm - hole  $\varnothing$  12 mm - 120°C



**3221156 INDICATOR LIGHT GREEN 400V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm



MODULAR 663.000.00

MODULAR 663.043.00

**3221186 INDICATOR LIGHT ORANGE 400V**  
 $\varnothing$  head 16 mm - hole  $\varnothing$  12 mm - 120°C



**3221209 INDICATOR LIGHT ORANGE 400V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  11.5 mm - 120°C



MODULAR 663.001.00

MODULAR 663.044.00





Suitable for:

**3221094 INDICATOR LIGHT ORANGE 230V**  
 ø head 14 mm - ø hole 11.5 mm - 120°C  
 for Fry top electric (MODULAR) EM70/80 TPE  
 EM90/80 TPE - EM90/80 TPE2



MODULAR 963.013.00

Suitable for:

**3221095 INDICATOR LIGHT ORANGE 230V**  
 head ø 13.5 mm - hole ø 10 mm - 120°C  
 universal application



MODULAR 463.012.00

**3221016 INDICATOR LIGHT RED 230V**  
 ø head 14 mm - ø hole 11.5 mm - 120°C  
 GAS CONVECTION OVEN 10 grids  
 for Fry top electric (MODULAR) EM70/80 TPE  
 EM90/80 TPE - EM90/80 TPE2



MODULAR 963.014.00

## Interference suppression filters

**3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL**  
 0.47µF



MODULAR 464.067.00

MODULAR 661.064.00

## Ironmongery (screws,nuts,washers)

**3528126 LARGE PAN HEAD SCREW M5x20**  
 stainless steel - slotted



MODULAR



Suitable for:

# MODULAR



Suitable for:

## Knobs

**3241392** BLACK KNOB  $\varnothing$  40 mm  
D-shaped hole 6x4.6 mm




MODULAR RRC5385-00

**3444187** BLACK KNOB  $\varnothing$  50 mm 50-500°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for EGO thermostat




MODULAR MANOP003

**3241390** BLACK KNOB  $\varnothing$  72 mm SILK-SCREEN PRINTED  
D-shaped hole 8x6.5 mm  
for Pot stove (MODULAR) - Series 700



MODULAR 612.017.00

**3241569** BLACK KNOB  $\varnothing$  72 mm SILK-SCREEN PRINTED  
D-shaped hole 8x6.5 mm  
for Pot stove gas (MODULAR) - Series 700




MODULAR 612.016.00

**3241560** BLACK KNOB  $\varnothing$  72 mm 0-1-2-3-4-5-6  
D-shaped hole 6x4.6 mm  
for Pot stove electric (MODULAR) - Series 700



MODULAR 612.018.00

**3241388** BLACK KNOB  $\varnothing$  82 mm SILK-SCREEN PRINTED  
D-shaped hole 8x6.5 mm  
for Fry top (MODULAR) 90/40FTG - 90/80FTRG



MODULAR 912.004.00

**3241389** BLACK KNOB  $\varnothing$  82 mm SILK-SCREEN PRINTED  
D-shaped hole 8x6.5 mm  
for Pot stove (MODULAR) - Series 900



MODULAR 912.003.00


**3241391** BLACK KNOB  $\varnothing$  82 mm SILK-SCREEN PRINTED  
D-shaped hole 6x4.6 mm  
for Oven under cooktop (MODULAR) - Series 900



MODULAR 912.006.00


MODULAR 912.006.13

**3241387** BLACK KNOB  $\varnothing$  82 mm 0-1-2-3-4-5-6  
D-shaped hole 6x4.6 mm  
for Pot stove (MODULAR) - Series 1200 - Series 900



MODULAR 912.011.00

**3241386** BLACK KNOB  $\varnothing$  82 mm 50-300°C  
D-shaped hole 6x4.6 mm  
for Oven under cooktop (MODULAR) - Series 900



MODULAR 912.005.00



Suitable for:

**5050432 KNOB BLACK ø 62 mm SCREEN PRINTED**  
 D-shaped hole 8x6,5 mm  
 for Fry top gas (MODULAR) 60/30FTG - 60/30FTRG  
 60/60FTG - 60/60FTRG - 60/60FTRRG  
 for Grill gas (MODULAR) 65/40GRG - 65/70GRG  
 for Solid top range gas (MODULAR) 65/70TPFG



MODULAR 612.001.00

Suitable for:

**5027750 KNOB BLACK ø 62 mm SILK-SCREEN PRINTED**  
 D-shaped hole 8x6.5 mm  
 for Kitchen gas (MODULAR) 60/60CFG - 65/110CEG  
 65/70CEG




MODULAR 612.000.00

**7150578 KNOB BLACK ø 62 mm 0-300°C**  
 D-shaped pin 6x4.6 mm  
 for Oven under cooktop electric (MODULAR) 65/70CFE  
 for Oven under cooktop gas (MODULAR) 65/110CFGE  
 65/70CFGE



MODULAR 612.003.00

**5018267 KNOB BLACK ø 72 mm 0-300°C**  
 D-shaped hole 8x6.5 mm  
 for Oven under cooktop (MODULAR)




MODULAR 612.022.00

**5028191 KNOB BLACK ø 82 mm SILK-SCREEN PRINTED**  
 D-shaped hole 8x6.5 mm  
 for Kitchen gas (MODULAR) 90/120CFGES  
 90/160CFGES - 90/80CFGES



MODULAR 912.042.00

**5048434 KNOB BLACK ø 82 mm SILKSCREEN PRINTED**  
 D-shaped hole 10x8 mm



MODULAR 912.012.00

**5021313 KNOB SILVER ø 82 mm 0-1-2-3**  
 D-shaped hole 8x6.5 mm



MODULAR 912.008.00



Suitable for:

# MODULAR



Suitable for:

## Lamp receptacles and spare parts

**5013466 LAMP HOLDER WITH LAMP E14 25W 230V**  
extern size 140x72 mm  
maximal temperature 300°C



MODULAR

**3221255 FRAME FOR OVEN LAMP RECEPTACLE**  
external dimensions 140x72 mm



**3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE**  
external dimensions 140x75 mm



**3221256 GLASS FOR OVEN LAMP RECEPTACLE**  
external dimensions 112x65 mm  
max temperature 500°C



**3221061 LAMP E14 25W 230V**  
max temperature 300°C - ø 26x57 mm




MODULAR RRC2104-03

MODULAR 663.045.00

MODULAR 999.22.000

**3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V**  
dimensioni esterne 106x65 mm




MODULAR C2272-01

MODULAR RRC2104-01

**D421016 OVEN LAMP DR FISCHER E14 25W 230V**  
ø 25x57 mm - max temperature 300°C




**3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V**  
lamp glass ø 42 mm  
mounting hole ø 38 mm  
max temperature 300°C  
for OVEN



MODULAR 663.047.00

**3186522 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions ø 40x30x2 mm





Suitable for:

**3786614 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions 48x41x3 mm



**3221061 LAMP E14 25W 230V**  
max temperature 300°C - ø 26x57 mm



MODULAR RRC2104-03

MODULAR 663.045.00

MODULAR 999.22.000

**D421016 OVEN LAMP DR FISCHER E14 25W 230V**  
ø 25x57 mm - max temperature 300°C




## MODULAR




Suitable for:

**3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE**  
dimensions ø 53x44x3 mm



**2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V**  
mounting hole ø 38 mm  
max temperature 300°C



**2110636 OVEN LAMP RECEPTACLE GLASS ø 41 mm**  
thread ø 34 mm - overall height 36 mm



**3221231 LAMP RECEPTACLE WITH LAMP G9 20W 240V**  
lamp glass ø 53 mm  
mounting hole ø 40 mm  
max temperature 300°C



MODULAR 563.004.00

**3221232 GLASS FOR OVEN LAMP RECEPTACLE ø 53 mm**  
thread ø 33 mm - overall height 32 mm



**5049560 NEUTRAL HALOGEN LAMP OSRAM G9 20W 240V**  
max. temperature 250°C





Suitable for:

# MODULAR



Suitable for:

## Lava stone


**3310014 LAVA ROCK MEDIUM Kg 5**  
cardboard box



MODULAR 0855.00001.0

## Lava stone grids

**5008873 GRID CAST IRON 500x160x18 mm**  
for Grill gas (MODULAR) 65/40GRG - 65/70GRG



MODULAR 681.011.00

**3185122 GRID PAN SUPPORT STAINLESS STEEL 610x320x**  
for Lava rock grill (MODULAR)  
Series 900 DAL 2002 AL 2007



MODULAR 911.422.00

**3185123 STAINLESS STEEL GRILL 440x290x20 mm**  
for Lava rock grill (MODULAR) - Series 700



MODULAR 611.524.00

MODULAR 811.212.00

## Level probes

**5016125 INDICATOR WATER LEVEL**  
cable length with sheathing 280 mm  
for Self service counter warm (MODULAR)




MODULAR M562000000



## Microswitches, mechanical

**3240237 KIT MICROSWITCH 15A 250V**  
with cable length 195 mm  
for Fryer (MODULAR) - Series 600 - Series 700  
Series 900



MODULAR 610.155.00

MODULAR 661.019.00

**3240406 MICROSWITCH SAIA-BURGESS**  
model XGK2-88-S20Z1  
10(4)A 250V



MODULAR 661.052.00

**3240410 MICROSWITCH 16(4)A 250V**




MODULAR RRC6018-00

**3240203 BUSHING DOOR MICROSWITCH**  
external  $\varnothing$  10x15 mm



**3240236 LIMIT SWITCH CONTROL**



**3240234 LIMIT SWITCH PIN**



**3240233 MICROSWITCH FITTING M16x1.5 mm**



**3250071 MICROSWITCH SPRING  $\varnothing$  13x25 mm**




**3240235 RING NUT M16x1.5 mm**



## Motors

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan  $\varnothing$  150 mm



MODULAR M569010100

MODULAR 664.025.00



Suitable for:

# MODULAR



Suitable for:

## Nozzles

3500019 GAS JET M10x1 ø 1.45 mm



MODULAR 674.070.00

3500021 GAS JET M10x1 ø 0.95 mm



MODULAR 674.003.00

3500025 GAS JET M10x1 ø 1.20 mm



MODULAR 674.005.00

3500028 GAS JET M10x1 ø 1.45 mm



MODULAR 674.024.00

## O-Ring and ORM gaskets

3186313 O-RING 06187 RED SILICONE  
ring thickness 5.34 mm - internal ø 47.00 mm



MODULAR 0835.53470.1

## Pilot burners and accessories

3020001 ONE-FLAME PILOT BURNER SIT  
multigas with jet ø 0.20 mm  
with 2 positions bracket



MODULAR 672.080.00

3020101 BRACKET CLAMP 2 POSITIONS



3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm  
for mounting of pilot assembly



3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm  
for burner ø 90 mm







Suitable for:


**3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm**  
for burner  $\varnothing$  115 mm



**3020100 BRACKET 2 POSITIONS**



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



MODULAR 671.011.00

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F  
for Fryer gas (MODULAR) 70/40 FRGS13  
70/80 FRGS13



MODULAR 256.017.00  
MODULAR 67201500

MODULAR 672.015.00  
MODULAR 67202800

MODULAR 672.028.00

# MODULAR



Suitable for:


**3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm**  
for burner  $\varnothing$  135 mm



**3020108 DEFLECTOR 1 FLAME**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



MODULAR 672.060.00

MODULAR 67206000

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm





Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



# MODULAR



Suitable for:

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



MODULAR 673.006.00

MODULAR 67300600

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



MODULAR 673.004.00

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



MODULAR 972.031.00

**3020115 PILOT CAP 1 FLAME**



MODULAR 972.030.00

**3020156 PILOT JET  $\varnothing$  0.25 mm**



MODULAR 672.058.00

MODULAR 67205800

**3020055 PILOT JET  $\varnothing$  0.35 mm**



MODULAR 672.059.00

MODULAR 67205900

**3020054 PILOT JET  $\varnothing$  0.20 mm**



MODULAR 672.094.00

MODULAR 67209400

**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**





Suitable for:

3500269 PILOT JET  $\varnothing$  0.45 mm



# MODULAR



Suitable for:

5075989 PILOT JET  $\varnothing$  0.70 mm



3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020106 PILOT WITH 0.25 mm  $\varnothing$  JET



3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



MODULAR 673.018.00

3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



MODULAR 673.013.00

MODULAR 67301300

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



5078427 PILOT BURNER PRINTED SIT 3 FLAMES  
plug and gasket not included  
pipe fitting and pilot burner olive included  
thermocouple fitting included  
plug connector included  
GPL and NATURAL GAS nozzle included  
for Fryer gas (MODULAR) 60/30FRG - 60/60FRG



MODULAR 256.071.00

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm




MODULAR 673.014.00

MODULAR 67301400



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1**



# MODULAR



Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm**



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F  
for Fryer gas (MODULAR) 70/40 FRGS13  
70/80 FRGS13**



MODULAR 672.060.00

MODULAR 67206000

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm**



MODULAR 256.017.00

MODULAR 672.015.00

MODULAR 672.028.00

MODULAR 67201500

MODULAR 67202800

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm**



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 52 mm**



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25**



MODULAR 673.007.00

MODULAR 67300700

MODULAR 673.004.00

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020086 PILOT GASKET**





Suitable for:

5035324 PILOT JET  $\varnothing$  0.18 mm



3020157 PILOT JET  $\varnothing$  0.25 mm



MODULAR 674.054.00

3020541 PILOT JET  $\varnothing$  0.35 mm



2106308 PILOT JET  $\varnothing$  0.45 mm



4053669 PILOT JET  $\varnothing$  0.75 mm



3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



# MODULAR

Suitable for:

3020557 PILOT JET  $\varnothing$  0.20 mm



3020040 PILOT JET  $\varnothing$  0.30 mm



MODULAR 674.052.00

MODULAR 67405200

3020041 PILOT JET  $\varnothing$  0.41 mm



MODULAR 67301300


MODULAR 674.053.00

3020187 PILOT JET  $\varnothing$  0.51 mm



MODULAR 674.051.00

3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



MODULAR 673.013.00

MODULAR 67301300

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1





Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# MODULAR



Suitable for:

**5049415** PILOT BURNER SIT 1 FLAME  
multigas type with jet  $\varnothing$  0.20 mm  
with 2 positions bracket  
for Pot stove gas (MODULAR)  
Series VECCHIA SERIE 900 CLASSIC




MODULAR 972.021.00

**3020100** BRACKET 2 POSITIONS



**3020084** FITTING AND OLIVE  $\varnothing$  6 mm



**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm




MODULAR 672.060.00

MODULAR 67206000

**3020101** BRACKET CLAMP 2 POSITIONS



**3020083** FITTING AND OLIVE  $\varnothing$  4 mm



MODULAR 671.011.00

**3020102** HEXAGON HEAD SCREW 3/16"x18 mm



**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F  
for Fryer gas (MODULAR) 70/40 FRGS13  
70/80 FRGS13



MODULAR 256.017.00

MODULAR 67201500

MODULAR 672.015.00

MODULAR 67202800

MODULAR 672.028.00



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



MODULAR 972.031.00

**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



## MODULAR

Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



MODULAR 673.006.00

MODULAR 67300600

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020054 PILOT JET  $\varnothing$  0.20 mm**



MODULAR 672.094.00

MODULAR 67209400

**3020055 PILOT JET  $\varnothing$  0.35 mm**



MODULAR 672.059.00

MODULAR 67205900

**3500269 PILOT JET  $\varnothing$  0.45 mm**





Suitable for:

5075989 PILOT JET  $\varnothing$  0.70 mm



# MODULAR



Suitable for:

3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020106 PILOT WITH 0.25 mm  $\varnothing$  JET



MODULAR 672.094.00

MODULAR 67209400

3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



MODULAR 673.018.00

5033138 PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



MODULAR 673.013.00

MODULAR 67301300

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm







# MODULAR



Suitable for:

Suitable for:

**5028193 PILOT BURNER TARGET SIT 2 FLAMES**  
 supplied without gasket  
 supplied with LPG nozzle  
 supplied with sparking plug  
 supplied with fitting for thermocouple  
 supplied with sparking plug fitting  
 supplied with pilot pipe connection  
 for Bratt pan gas (MODULAR) 90/120BRG - 90/120BRGM  
 90/80BRG - 90/80BRGM  
 for Lava rock grill (MODULAR) 90/40GRL - 90/80GRL  
 92PLG

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m**




MODULAR 672.017.00

MODULAR 673.014.00

MODULAR 67301400

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
 thread M10x1

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 M faston M4x1 mm  
 overall length 65 mm



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 M faston M 4x1 mm  
 overall length 82 mm  
 model CB505/021 Junkers  
 for model P502F  
 for Fryer gas (MODULAR) 70/40 FRGS13  
 70/80 FRGS13

MODULAR 672.060.00

MODULAR 67206000

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 connection  $\varnothing$  2.4 mm  
 overall length 58 mm



MODULAR 256.017.00

MODULAR 672.015.00

MODULAR 672.028.00

MODULAR 67201500

MODULAR 67202800

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 M faston M4x1 mm  
 overall length 67 mm

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 connection  $\varnothing$  2.4 mm  
 overall length 52 mm





Suitable for:

**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**



MODULAR 673.003.00

**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020201 PILOT JET  $\varnothing$  0.14 mm**



**3020542 PILOT JET  $\varnothing$  0.20 mm**



**3020202 PILOT JET  $\varnothing$  0.27 mm**



MODULAR 674.091.00

**3020043 PILOT JET  $\varnothing$  0.36 mm**



MODULAR 674.000.00

# MODULAR



Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



MODULAR 673.004.00

**3020086 PILOT GASKET**



**3020042 PILOT JET  $\varnothing$  0.19 mm**




MODULAR 674.001.00

MODULAR 67400100

**5047578 PILOT JET  $\varnothing$  0.24 mm**



**2102405 PILOT JET  $\varnothing$  0.35 mm**




**3020543 PILOT JET  $\varnothing$  0.38 mm**





Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



MODULAR 673.013.00

MODULAR 67301300

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




**5055440** PILOT BURNER TARGET SIT 2 FLAMES  
supplied without gasket  
supplied with NATURAL GAS nozzle  
supplied with sparking plug  
supplied with fitting for thermocouple  
supplied with sparking plug fitting  
supplied with pilot pipe connection  
for Lava rock grill (MODULAR) 70/40GRL - 70/70GRL



MODULAR 672.142.00

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



## MODULAR



Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3020085** FITTING FOR SPARKING PLUG FIXING M10x1m m



MODULAR 673.014.00

MODULAR 67301400

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



MODULAR 672.060.00

MODULAR 67206000



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F  
for Fryer gas (MODULAR) 70/40 FRGS13  
70/80 FRGS13



MODULAR 256.017.00

MODULAR 672.015.00

MODULAR 672.028.00

MODULAR 67201500

MODULAR 67202800

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**



MODULAR 673.003.00

**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



MODULAR 673.004.00

**3020086 PILOT GASKET**



**3020201 PILOT JET  $\varnothing$  0.14 mm**



**3020042 PILOT JET  $\varnothing$  0.19 mm**



MODULAR 674.001.00

MODULAR 67400100

# MODULAR





Suitable for:

**3020542 PILOT JET  $\varnothing$  0.20 mm**



**3020202 PILOT JET  $\varnothing$  0.27 mm**



MODULAR 674.091.00

**3020043 PILOT JET  $\varnothing$  0.36 mm**



MODULAR 674.000.00

**5022050 PILOT JET  $\varnothing$  0.50 mm**



**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25**



**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**




## MODULAR

Suitable for:

**5047578 PILOT JET  $\varnothing$  0.24 mm**




**2102405 PILOT JET  $\varnothing$  0.35 mm**



**3020543 PILOT JET  $\varnothing$  0.38 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



MODULAR 673.013.00

MODULAR 67301300

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**





Suitable for:

# MODULAR




**3020487 PILOT BURNER 1 FLAME**  
supplied with nozzle  $\varnothing$  0.21 mm  
for 04 Series



MODULAR 256.228.00

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**5053292 PILOT BURNER CAP**  
thread M8x0.75 mm



**5053294 PILOT THREADED WITH JET  $\varnothing$  0.21 mm**  
with external air regulation



**5053293 VENTURI PILOT BURNER 34 mm**



**5066271 PILOT BURNER 1 FLAME**



MODULAR 374.006.00

Suitable for:

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



MODULAR 671.011.00

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



MODULAR 972.031.00

**3020479 PILOT THREADED WITH JET  $\varnothing$  0.21 mm**



**3020478 PILOT THREADED WITH JET  $\varnothing$  0.40 mm**



**3020148 PILOT SUPPORT BRACKET**  
for Pot stove gas (MODULAR) - Series 700  
Series 900



MODULAR 623.241.00



**3020010 TARGET PILOT BURNER SIT 2 FLAMES**  
 supplied without sparking plug, nozzle and gasket  
 with thermocouple fitting  
 for Fry top gas (MODULAR) 70/40 FTG - 70/40 FTGS  
 70/80 FTG - 70/80 FTGS




MODULAR 672.013.00  
 MODULAR 67201300

MODULAR 672.014.00  
 MODULAR 67201400

MODULAR 672.173.00

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
 thread M10x1



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 M faston M 4x1 mm  
 overall length 82 mm  
 model CB505/021 Junkers  
 for model P502F  
 for Fryer gas (MODULAR) 70/40 FRGS13  
 70/80 FRGS13



MODULAR 256.017.00  
 MODULAR 67201500

MODULAR 672.015.00  
 MODULAR 67202800

MODULAR 672.028.00

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 M faston M4x1 mm  
 overall length 67 mm



**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**



MODULAR 673.003.00

Suitable for:

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m**



MODULAR 673.014.00

MODULAR 67301400

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 M faston M4x1 mm  
 overall length 65 mm



MODULAR 672.060.00

MODULAR 67206000

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 connection  $\varnothing$  2.4 mm  
 overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
 connection  $\varnothing$  2.4 mm  
 overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 for model PEL 21-22-24-25



MODULAR 673.004.00



Suitable for:

3020114 OLIVE FOR PIPE  $\varnothing$  6 mm



3020201 PILOT JET  $\varnothing$  0.14 mm



3020542 PILOT JET  $\varnothing$  0.20 mm



3020202 PILOT JET  $\varnothing$  0.27 mm



MODULAR 674.091.00

3020043 PILOT JET  $\varnothing$  0.36 mm



MODULAR 674.000.00

5022050 PILOT JET  $\varnothing$  0.50 mm



# MODULAR

Suitable for:

3020086 PILOT GASKET



3020042 PILOT JET  $\varnothing$  0.19 mm




MODULAR 674.001.00

MODULAR 67400100

5047578 PILOT JET  $\varnothing$  0.24 mm




2102405 PILOT JET  $\varnothing$  0.35 mm



3020543 PILOT JET  $\varnothing$  0.38 mm



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



MODULAR 673.013.00

MODULAR 67301300







Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## MODULAR

Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



**3020006** THREE-FLAME PILOT BURNER SIT  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



MODULAR 672.057.00

MODULAR 672.069.00

MODULAR 67205700

**3020103** BRACKET 3 POSITIONS



**3020104** BRACKET CLAMP 3 POSITIONS



**3020110** DEFLECTOR 3 FLAMES




**3020109** DEFLECTOR 2 FLAMES



**5048713** DEFLECTOR 3 FLAMES




**3020083** FITTING AND OLIVE  $\varnothing$  4 mm



MODULAR 671.011.00

**3020084** FITTING AND OLIVE  $\varnothing$  6 mm





Suitable for:

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



# MODULAR



Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F  
for Fryer gas (MODULAR) 70/40 FRGS13  
70/80 FRGS13



MODULAR 672.060.00

MODULAR 67206000

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



MODULAR 256.017.00  
MODULAR 67201500

MODULAR 672.015.00  
MODULAR 67202800

MODULAR 672.028.00

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



MODULAR 673.006.00

MODULAR 67300600

MODULAR 673.004.00

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**






Suitable for:

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



MODULAR 972.031.00

**3020156 PILOT JET  $\varnothing$  0.25 mm**



MODULAR 672.058.00

MODULAR 67205800

**3020055 PILOT JET  $\varnothing$  0.35 mm**



MODULAR 672.059.00

MODULAR 67205900

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



# MODULAR

Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



MODULAR 672.094.00

MODULAR 67209400

**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



MODULAR 672.094.00

MODULAR 67209400

**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**





Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



MODULAR 673.018.00

**5033138** PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# MODULAR



Suitable for:


**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



MODULAR 673.013.00

MODULAR 67301300

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



**3020038** THREE-FLAME PRINTED PILOT BURNER SIT  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



MODULAR 672.026.00  
MODULAR 67202600

MODULAR 672.027.00  
MODULAR 67204200

MODULAR 672.042.00

**3020085** FITTING FOR SPARKING PLUG FIXING M10x1 mm



MODULAR 673.014.00

MODULAR 67301400

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



MODULAR 672.060.00

MODULAR 67206000



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F  
for Fryer gas (MODULAR) 70/40 FRGS13  
70/80 FRGS13



MODULAR 256.017.00

MODULAR 672.015.00

MODULAR 672.028.00

MODULAR 67201500

MODULAR 67202800

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



MODULAR 673.007.00

MODULAR 67300700

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



**5035324 PILOT JET  $\varnothing$  0.18 mm**



## MODULAR



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



MODULAR 673.004.00

**3020086 PILOT GASKET**



**3020557 PILOT JET  $\varnothing$  0.20 mm**





Suitable for:

**3020157 PILOT JET  $\varnothing$  0.25 mm**



MODULAR 674.054.00

**3020541 PILOT JET  $\varnothing$  0.35 mm**



**2106308 PILOT JET  $\varnothing$  0.45 mm**



**4053669 PILOT JET  $\varnothing$  0.75 mm**



**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25**



**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



# MODULAR

Suitable for:

**3020040 PILOT JET  $\varnothing$  0.30 mm**



MODULAR 674.052.00

**3020041 PILOT JET  $\varnothing$  0.41 mm**



MODULAR 67301300

**3020187 PILOT JET  $\varnothing$  0.51 mm**



MODULAR 674.051.00

**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



MODULAR 673.013.00


**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**






## Radiant heating elements

- 3311087 RADIANT HEATING ELEM. ø 250mm 2500W 230V**  
 faston electric connections  
 complete with energy regulation  
 for glass-ceramic cooking top  
 for Kitchen glass-ceramics (MODULAR) 70/40 PVE  
 70/80 CFVE - 70/80 CFVE2 - 70/80 PVE



MODULAR 665.106.00

- 5027899 RADIANT HEATING ELEMENT OCTAGON. ø 230mm**  
 2100W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top




MODULAR 665.054.00

- 3455404 RADIANT HEATING ELEMENT OCTAGON. ø 300mm**  
 3400/1400W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



MODULAR 965.041.00

- 7150596 RADIANT HEATING ELEMENT OCTAGON. ø 300mm**  
 3400W 230V  
 electrical faston connections  
 complete energy setting  
 for ceramic glasse cooking top



MODULAR 965.069.00


- 5019794 RADIANT HEATING ELEMENT 7500W 400V**  
 length 280 mm - width 400 mm  
 complete with cables



MODULAR 965.037.00


## Selector switches

- 3057014 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin ø 6x4.6 mm  
 back connection for thermostat



MODULAR 661.000.00

- 3057026 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft ø 6x4.6 mm  
 for Fryer electric (MODULAR) 70/40 FRE13  
 70/40 FRE17 - 70/80 FRE17 - 90/40 FRE13  
 90/40 FRE17 - 90/40 FRE21 - 90/80 FRE13  
 90/80 FRE17 - 90/80 FRE21



MODULAR 661.093.00




Suitable for:

# MODULAR




**3057098 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Pasta cooker (MODULAR) - Series 600  
 Series 700 - Series 900




MODULAR 661.037.00

**3057336 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Boiling pan electric (MODULAR) - Series 700  
 Series 900



MODULAR 661.062.00


**5062875 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



MODULAR 661.113.00


MODULAR 961.004.00

**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm



MODULAR 961.000.00

**3057024 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



MODULAR 661.002.00

## Solenoid valves


**3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet  $\varnothing$  10.5 mm



MODULAR 462.000.00

MODULAR 462.010.00

**3120019 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 5.5 L/min - tolerance +/- 15%



**3120021 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 12 L/min - tolerance +/- 15%



MODULAR 471.002.00

**3120022 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 16 L/min - tolerance +/- 15%







Suitable for:

**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



**3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



# MODULAR

Suitable for:

**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



MODULAR 471.002.00

**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# MODULAR

Suitable for:

**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%




**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**





**3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°**  
 220/240V 50/60Hz - max temperature 90°C  
 inlet 3/4" - three outlets ø 10.5 mm



MODULAR 462.004.00

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 12 L/min - tolerance +/- 15%



MODULAR 471.002.00

**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
 flow rate 0.25 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
 flow rate 1.2 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
 flow rate 0.5 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
 flow rate 0.35 L/min / tolerance +/- 25%



Suitable for:

**3120019 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
 flow rate 16 L/min - tolerance +/- 15%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
 flow rate 4.7 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
 flow rate 2.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
 flow rate 2 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**





Suitable for:

**3120204** **OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# MODULAR



Suitable for:

## Spark generators

**3181002** **SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz  
for Fryer gas (MODULAR) 70/40 FRG13VL  
70/40 FRG17VL - 70/80 FRG13VL - 70/80 FRG17VL  
90/40 FRG13VL - 90/40 FRG17VL - 90/40 FRG21VL  
90/80 FRG13VL - 90/80 FRG17VL - 90/80 FRG21VL



MODULAR 661.118.00

**3181003** **SPARK GENERATOR 4 OUTLETS**  
220/240V 50/60Hz



MODULAR 663.042.00

**3181501** **SPARK GENERATOR 4 OUTLETS**  
1.5Vdc battery powered



MODULAR 663.042.00

**3001043** **IGNITION BATTERY HOLDER**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M 2.8/6.3 mm  
for battery 1.5V



## Sparking and detection plugs

**3020252** **ROUND IGNITION PLUG  $\varnothing$  5x35 mm**  
F connection 2.8x0.8 mm  
with silicone lead length 590 mm  
overall length with cable 620 mm  
for COOKING HOB series MINIMA  
for Kitchen gas (MODULAR) 60/60CFG - 60/60CFGE



MODULAR 672.115.00

**5031054** **ROUND IGNITION PLUG  $\varnothing$  5x39 mm**  
connection F 2.8x0.8 mm  
with silicone lead 725 mm  
overall length with cable 760 mm



MODULAR 672.114.00



# MODULAR



Suitable for:

**3806007** **ROUND IGNITION PLUG**  $\varnothing$  6.5x45 mm  
male faston M4x1 mm  
overall length 60 mm



MODULAR 256.060.00


Suitable for:

**3020073** **ROUND IGNITION PLUG**  $\varnothing$  7/10x52 mm  
model 1/B  
connection F 2.8x0.8 mm - complete with spring  
overall length 54 mm



MODULAR 672.005.00

**5072420** **ROUND IGNITION PLUG**  $\varnothing$  7x44 mm  
faston M M4x1 mm  
fitting M11x1 mm  
total length 68 mm  
for Pot stove gas (MODULAR)



MODULAR 672.019.00

## Springs

**5022549** **LID SPRING**  $\varnothing$  31x310 mm  
for Bratt pan electric (MODULAR) 90/80BRE



MODULAR 260.010.00

**5039687** **SPRING**  $\varnothing$  8x40 mm



MODULAR 260.000.00

## Switches

**3319310** **BIPOLAR SWITCH BLACK 16A 250V**  
silk-screen printing 0 - I  
mounting hole 13x20 mm  
faston 4.8 mm



MODULAR 661.072.00

**3452004** **SWITCH COVER**  
external dimensions 25x20 mm  
for switch with mounting hole 20x13 mm





Suitable for:

# MODULAR



**3319012 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light and push-button cap  
mounting hole 22x30 mm - silk screen print 0 - I



MODULAR M561003500

MODULAR 763.001.00

Suitable for:

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm




**5039537 PUSH BUTTON BIPOLAR BLUE 16A 250V**  
mounting hole  $\varnothing$  24 mm - button  $\varnothing$  21 mm  
for Bratt pan electric (MODULAR) 94BRE-M - 96BRE-M  
for Bratt pan gas (MODULAR) 94BRG-M - 96BRG-M



MODULAR 961.018.00

**3319617 DOUBLE CONTACT SWITCH 16A 250V**




**5039536 PUSH BUTTON BIPOLAR GREY 16A 250V**  
mounting hole  $\varnothing$  24 mm - button  $\varnothing$  21 mm  
for Bratt pan electric (MODULAR) 94BRE-M - 96BRE-M  
for Bratt pan gas (MODULAR) 94BRG-M - 96BRG-M



MODULAR 961.017.00

**3319617 DOUBLE CONTACT SWITCH 16A 250V**





Suitable for:

Suitable for:

**3319468 SWITCH 1-POLE BLACK 16A 250V**  
 16(4)A 250V  
 silk-screen printing 0 - I  
 max. temperature 120°C  
 mounting hole 11x30 mm



MODULAR RRC2206-00

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319781 CONNECTION BLOCK BLACK 11x30 mm**



**1319936 PROTECTIVE SWITCH COVER**  
 external dimensions 36x18 mm  
 for switch with mounting hole 11x30 mm



## Taps for tank refilling

**3183035 SPOUT CONNECTION  $\varnothing$  13 mm**  
 for Pasta cooker electric (MODULAR) 70/40CPE  
 70/70CPE - 90/40CPE - 90/80CPE  
 for Pasta cooker gas (MODULAR) 70/40CPG - 70/70CPG  
 90/40CPG - 90/80CPG



MODULAR 631.030.00

MODULAR 631.030.13

**5037331 TAP WATER INLET  $\varnothing$  3/8"MM**  
 for Pasta cooker electric (MODULAR) EM70/40CPES  
 EM70/80CPES - EM90/40CPES - EM90/80CPES  
 for Pasta cooker gas (MODULAR) 70/40CPG - 70/70CPG  
 since 10/05/10 92CPG - 92CPG-S



MODULAR 678.065.25

**3359285 WATER INLET TAP  $\varnothing$  1/2" M**  
 internal output  $\varnothing$  7.5 mm



MODULAR 678.031.00



Suitable for:

# MODULAR



**3359128 WATER INLET TAP  $\varnothing$  1/2"MM**  
for Bratt pan (MODULAR) - Series 900  
for Pasta cooker (MODULAR) - Series 700  
Series 900



MODULAR 678.010.00

MODULAR 678.010.14

Suitable for:

**3359196 CROSS SHAPED SMALL BLUE KNOB**



**3359076 TAP WORM FOR MIXER**



**3356139 WATER INLET TAP  $\varnothing$  3/8" F**  
intenal output  $\varnothing$  7.5 mm



MODULAR 678.031.00


**5030101 WATER INLET TAP  $\varnothing$  3/8"MM**  
 $\varnothing$  internal outlet 10 mm  
D-shaped pin  $\varnothing$  6x4,6 mm  
for Pasta cooker gas (MODULAR)  
92CPG FINO AL 09/05/2010  
92CPG-S FINO AL 09/05/2010



MODULAR 978.000.00

## Terminal blocks

**3247050 TERMINAL BLOCK 3-POLES FV110 40A 450V**  
for cable  $\varnothing$  6 mm<sup>2</sup> max.  
operating temperature 150°C



MODULAR 463.026.00

## Thermocouples and accessories

**3440019 EXTENSION FOR THERMOCOUPLE M9x1 60 cm.**  
female nut M9x1



MODULAR 672.100.00

MODULAR 67210000

**3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm**  
interrupted contact with fastons



MODULAR 672.055.00

MODULAR 67205500






Suitable for:

Suitable for:

**3440015 INTERRUPTION CONNECTOR M9x1**

**3440010 SLOTTED FITTING M8x1**



MODULAR 672.020.00

MODULAR 672.002.00

**5054211 THERMOCOUPLE CONNECTION MINI JACK 75 cm**  
threaded coupling M6x0.75



MODULAR 672.135.00

**3440056 THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1**

**3440064 NUT FOR THERMOCOUPLE M8x1**



MODULAR 672.018.00

MODULAR 672.002.00

MODULAR 67200200

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



MODULAR 672.099.00

MODULAR 67209900

MODULAR 672.099.00

MODULAR 67209900

**3440038 THERMOCOUPLE SIT M9x1 120 cm**

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



MODULAR 672.154.00

**3440039 THERMOCOUPLE SIT M9x1 150 cm**

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



MODULAR 672.104.00

MODULAR 672.104.00



Suitable for:

# MODULAR



**3440034 THERMOCOUPLE SIT M9x1 50 cm**



MODULAR 672.025.00

Suitable for:

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



MODULAR 672.025.00

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**



MODULAR 672.000.00

MODULAR 672.025.00


**3440064 NUT FOR THERMOCOUPLE M8x1**



MODULAR 672.002.00

MODULAR 67200200

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS  
CONNECTOR M8x1**



MODULAR 672.000.00

MODULAR 672.025.00

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**



MODULAR 672.083.00

MODULAR 672.099.00

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



MODULAR 672.083.00

MODULAR 672.099.00

**3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.**




MODULAR 672.001.00




## Thermostatic gas valves

- 3345004 THERMOSTATIC TAP SABAF**  
 adjustment temperature 300°C  
 fitting inlet M13x1 mm  
 outlet pipe fitting  $\varnothing$  3/8" M  
 thermocouple connection M8x1mm  
 bulb  $\varnothing$  4x140 mm  
 capillary length 850 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm  
 for Kitchen (MODULAR) - Series 700



MODULAR 671.002.00

- 3345013 THERMOSTATIC TAP 25ST**  
 adjustment temperature 30-90°C  
 connections M16x1.5 mm  
 thermocouple connection M9x1  
 bulb  $\varnothing$  6x160 mm  
 capillary length 1200 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm



MODULAR 971.000.00

- 3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 for model PEL 20-21-24-25



MODULAR 673.001.00

MODULAR 67300100

- 3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 for model PEL 21-22-24-25



MODULAR 673.004.00

- 3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 for model PEL 22-24-25



- 3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 for model PEL 22-24-25



MODULAR 673.006.00

MODULAR 67300600

- 3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22-24-25





Suitable for:

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



MODULAR 673.009.00

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



# MODULAR



Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



MODULAR 673.011.00


**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1




MODULAR 673.013.00

MODULAR 67301300

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



**3348100** THERMOSTATIC TAP 25ST  
operating temperature 120-320°C  
connections M16x1.5 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x100 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  8x6.5 mm



MODULAR 671.034.00

MODULAR 671.081.00

**3348038** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 22-24-25





Suitable for:

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



MODULAR 673.001.00

MODULAR 67300100

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



MODULAR 673.004.00

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



MODULAR 673.009.00

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



## MODULAR

Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25




MODULAR 673.006.00

MODULAR 67300600

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



MODULAR 673.011.00

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



MODULAR 673.013.00

MODULAR 67301300

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1





Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




# MODULAR



Suitable for:

**5039535** THERMOSTATIC TAP 25ST  
setting temperature 120-320°C  
couplings M16x1.5 mm  
thermocouple connection M8x1  
bulb  $\varnothing$  6x100 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Bratt pan gas (MODULAR)



MODULAR 671.083.00

**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



MODULAR 673.001.00

MODULAR 67300100

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



MODULAR 673.004.00

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348038** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 22-24-25



**3020082** OLIVE FOR PIPE  $\varnothing$  12 mm  
for model PEL 22-24-25




MODULAR 673.006.00

MODULAR 67300600

**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25



**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



MODULAR 673.011.00



Suitable for:

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



MODULAR 673.009.00

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## MODULAR

Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



MODULAR 673.013.00

MODULAR 67301300

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



## Thermostats

**5028250** BULB HOLDING CLIP  $\varnothing$  8 mm  
for heating element thermostat  
for Fryer electric (MODULAR) 110/40FRE15  
110/80FRE15



MODULAR 238.003.00

**3444013** RING NUT  $\varnothing$  55 mm  
chrome-plated metal  
for thermostat knob IMIT



MODULAR

**3444545** SINGLE-PHASE THERMOSTAT 140°C  
with automatic reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x158 mm



MODULAR 961.039.00

**3444080** SINGLE-PHASE THERMOSTAT 220°C  
with manual reset  
covered capillary length 2020 mm - 16A 250V  
bulb  $\varnothing$  6x133 mm



MODULAR 661.021.00






Suitable for:

# MODULAR



**3444637 SINGLE-PHASE THERMOSTAT 234°C**  
 with manual reset  
 capillary length 870 mm  
 bulb  $\varnothing$  11x18 mm - bulb connection M14x1  
 for Fryer (MODULAR) - Series 700 - Series 900




MODULAR 661.034.00

**3444372 SINGLE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 1170 mm - 16A 250V  
 bulb  $\varnothing$  6x133 mm




MODULAR 661.021.00

**3444019 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1000 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm



MODULAR M564010000

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm




MODULAR 661.073.00

**3444289 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 3000 mm - 16A 250V  
 bulb  $\varnothing$  3x210 mm - with adapter nipple band M9x1



MODULAR RRC2190-00

**3444668 SINGLE-PHASE THERMOSTAT 50-320°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 3100 mm - 16A 230V  
 bulb  $\varnothing$  3.1x160 mm



MODULAR 961.045.00

**3444305 SINGLE-PHASE THERMOSTAT 50-500°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm  
 for Fry top electric (MODULAR) 70/80 TPE  
 70/80 TPFE - 70/80 TPFE2 - 90/80 TPE  
 90/80 TPE2 - 90/80 TPFE - 90/80 TPFE2



MODULAR 661.121.00

**3444376 SINGLE-PHASE THERMOSTAT 95-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
 for Fryer electric (MODULAR) 70/40 FRE13  
 70/40 FRE17 - 70/80 FRE13 - 70/80 FRE17  
 90/40 FRE13 - 90/40 FRE17 - 90/40 FRE21  
 90/80 FRE13 - 90/80 FRE17 - 90/80 FRE21



MODULAR 961.034.00






Suitable for:

# MODULAR



## 3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm



MODULAR 461.003.00

Suitable for:

## 5059787 THERMOSTAT SINGLE-PHASE 230°C

with manual reset  
covered capillary length 730 mm - 16A 250V  
bulb  $\varnothing$  6x77 mm



MODULAR 961.035.00

## 3444510 THERMOSTAT SINGLE-PHASE 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 850 mm - 16A 250V  
bulb  $\varnothing$  6x138 mm - w/ stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



MODULAR 661.004.00

## 5044987 THERMOSTAT SINGLE-PHASE 40-280°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1000 mm - 16A 250V  
bulb  $\varnothing$  3x198 mm



MODULAR 561.045.00

## 5017767 THERMOSTAT THREE PHASE

with manual reset  
capillary length covered 900 mm  
bulb  $\varnothing$  6x178 mm  
for Bain-marie electric (MODULAR) 70/40BME  
70/80BME - 90/40BME - 90/80BME  
for Pasta cooker electric (MODULAR) 70/40CPES  
70/80CPES - 90/40CPES - 90/80CPES



MODULAR 661.051.00

## 5050566 THERMOSTAT THREE-PHASE 100-350°C

D-shaped pin  $\varnothing$  6x4.6 mm  
length capillary 900 mm - 10A 400V  
bulb  $\varnothing$  3x145 mm  
for Fry top electric (MODULAR) 70/40 FTE  
70/80 FTE - 90/40 FTE - 90/80 FTE



MODULAR 661.116.00

## 3444234 THREE-PHASE THERMOSTAT 100-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x134 mm  
for Fryer (MODULAR) - Series 600 - Series 700  
Series 900



MODULAR 661.041.00

## 3444638 THREE-PHASE THERMOSTAT 100-330°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 380V  
bulb  $\varnothing$  6x75 mm  
for Oven under cooktop (MODULAR) - Series 600  
Series 700 - Series 900



MODULAR 661.007.00



Suitable for:

# MODULAR



**3444626** **THREE-PHASE THERMOSTAT 150°C**  
with manual reset  
covered capillary length 800 mm - 20A 380V  
bulb  $\varnothing$  6x90 mm



MODULAR 961.003.00

**3444307** **THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
for Fryer electric (MODULAR) 70/40 FRE13  
70/40 FRE17 - 70/80 FRE13 - 70/80 FRE17  
90/40 FRE13 - 90/40 FRE17 - 90/40 FRE21  
90/80 FRE13 - 90/80 FRE17 - 90/80 FRE21




MODULAR 961.033.00

**3744113** **THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 600 mm - 10A 400V  
bulb  $\varnothing$  4x122 mm




MODULAR 961.044.00

**3444143** **THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 1600 mm - 10A 400V  
bulb  $\varnothing$  6x85 mm




MODULAR 661.048.00

**3444076** **THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



MODULAR 661.005.00

**3444382** **THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm  
for Fry top electric (MODULAR) 70/120 FTES  
70/40 FTES - 70/80 FTES - 90/120 FTES  
90/40 FTES - 90/80 FTES



MODULAR 661.115.00

**3444493** **THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length 1500 mm  
bulb  $\varnothing$  4x120 mm  
for Fry top (MODULAR) - Series 600 - Series 700



MODULAR 661.045.00

**5070456** **THREE-PHASE THERMOSTAT 380°C**  
with manual reset  
capillary length covered 1500 mm  
bulb  $\varnothing$  4x228 mm  
for Solid top range electric (MODULAR) 90/80 TPE



MODULAR 661.098.00



Suitable for:

**3444052 THREE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x230 mm  
 for Kitchen electric (MODULAR) 70/80FE - 70/80FGE  
 70/80TPFE - 90/160FGE - 90/80FE - 90/80FGE  
 90/80TPFE




MODULAR 661.027.00

MODULAR 661.114.00

Suitable for:

**3444570 THREE-PHASE THERMOSTAT 95-230°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1250 mm  
 bulb  $\varnothing$  4x128 mm



MODULAR 661.123.00


## Timers

**7150494 TIMER 30 MINUTES C20**  
 mechanical timer with buzzer  
 possibility of manual setting  
 mechanical movement with outrigger  
 30 minute manual load cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



MODULAR 561.042.00

**3241161 BLACK KNOB  $\varnothing$  40 mm**  
 D-shaped hole 6x4.6 mm



**3446007 TIMER 60 MINUTES**  
 complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 manual left hand positioning possible  
 60 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



MODULAR RRC2191-00

**3446005 BLACK KNOB ABS 38x38 mm**  
 D-shaped hole  $\varnothing$  6x4.6 mm  
 for timer





Suitable for:

# MODULAR



Suitable for:

## Wheels and accessories

**5053366 NUT  $\varnothing$  150 mm**  
central hole  $\varnothing$  15 mm  
complete with folding handle  
for Bratt pan (MODULAR)



MODULAR 651.018.00

**3522013 WHEEL  $\varnothing$  200 mm**  
central hole  $\varnothing$  18 mm  
with folding handle  
for Bratt pan (MODULAR) - Series 900



MODULAR 951.000.00

**5004919 HANDLE FOR WHEEL  $\varnothing$  28x107 mm**  
thread M6



MODULAR 951.029.00

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)