




# Spare parts for the professional sector: Cooking equipment



Suitable for:

# MODULINE



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# MODULINE



Suitable for:

## Bumpers

**5066495 SHOCK ABSORBER UPPER BLACK**  
side of 115 mm - width 37 mm



MODULINE 3120060

## Buzzers

**3397302 ALARM BELL 220V**



MODULINE A34100750

## Cable glands

**3050143 CABLE GLAND PG13.5**



MODULINE 34201550

## Contactors

**3351049 CONTACTOR SIEMENS 3RT2016-1AP01**  
9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact  
for Food-service trolley (MODULINE) RM112M



MODULINE A34100880

MODULINE 34100880



## Controllers and changeover switches

- 5038286 PROGRAMMER 11902F3 2 CAMS**  
 230V 50/60Hz  
 cycle 108 minutes - D-shaped pin  $\varnothing$  6x4.6 mm  
 for Hot cupboard (MODULINE)  
 RB102S-RB142M-RC153M-RC162M



MODULINE A34100730

MODULINE 34100730

## Drain assembly

- 3316150 DRAIN ASSEMBLY  $\varnothing$  3/4" COMPLETE**  
 h 30 mm - overflow pipe seat  $\varnothing$  20.35 mm  
 external  $\varnothing$  38 mm  
 with gasket and fixing nut



MODULINE 32200040

- 3448279 OVERFLOW PIPE  $\varnothing$  20x64 mm**  
 made of stainless steel  
 for Self service counter (MODULINE)



MODULINE 32200050

- 3448087 OVERFLOW PIPE IN CHROME PLATED BRASS**  
 $\varnothing$  20 mm  
 overall height 94 mm  
 for drain assembly  $\varnothing$  3/4"



- 3448237 OVERFLOW PIPE  $\varnothing$  20x165 mm**  
 made of stainless steel



- 3448086 OVERFLOW PIPE IN CHROME PLATED BRASS**  
 $\varnothing$  20 mm  
 overall height 84 mm  
 for drain assembly  $\varnothing$  3/4"



- 3448088 OVERFLOW PIPE IN CHROME PLATED BRASS**  
 $\varnothing$  20 mm  
 overall height 104 mm  
 for drain assembly  $\varnothing$  3/4"





Suitable for:

**3448091 OVERFLOW PIPE IN CHROME PLATED BRASS**  
ø 20 mm  
overall height 144 mm  
for drain assembly ø 3/4"



# MODULINE

Suitable for:



## Drain plugs

**3448279 OVERFLOW PIPE ø 20x64 mm**  
made of stainless steel  
for Self service counter (MODULINE)



MODULINE 32200050

## Electrical cables

**3050010 POWER SUPPLY CABLE 16A 250V 2000 m m**  
with SCHUKO plug and wheel grip



MODULINE A34201390

MODULINE 34201390

**3050004 SNAP-IN PLUG 10A 250V**  
mounting hole 27x19 mm - distance between holes 32



**5058630 POWER SUPPLY CABLE 16A 250V 2900 m m**  
with SCHUKO plug - 3 wires 1.5 mm<sup>2</sup>



MODULINE 34202630

MODULINE 34207020

## Electrical capacitors

**3068002 CAPACITOR DUCATI ENERGIA 2,5µF**  
450V 50/60Hz  
operating temperature -25 + 85°C  
lead connection 6.35x0.8 mm  
ø 28xh55 mm



MODULINE 32300480



## Electrical sockets

- 5049020 PLUG WITH FUSE HOLDER 10A 250V**  
 mounting hole 27x31 mm  
 for Hot cupboard (MODULINE)  
 MS096E-MS162E-MS192E-MS12E



MODULINE A34201400

MODULINE 34201400

## Electronic boards

- 5038333 CIRCUIT BOARD BASE 175x83 mm**  
 for Hot cupboard (MODULINE) RC999E-RFG40E-RFP40E  
 for Hot cupboard (MODULINE) RP102P



MODULINE A35100170


MODULINE 35100170

- 7105821 CONTROL ELECTRONIC BOARD 95x75 mm**



MODULINE A35100080

- 5037073 ELECTRONIC BOARD W/KEYBOARD 105x95 mm**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Hot cupboard (MODULINE) RC153E-RFG40E-RFP40E  
 for Hot cupboard (MODULINE) RP102P



MODULINE A35100180

MODULINE 35100180

- 5049023 KIT CONTROL PC BOARD**  
 complete with mother board and flat cable  
 control board dimensions 147x35 mm  
 mother board dimensions 113x70 mm  
 flat cable length 50 mm  
 for Hot cupboard (MODULINE)  
 MS096E-MS162E-MS192E-MS12E



MODULINE A35100220

MODULINE 35100220

## Energy regulators

- 3350026 ENERGY REGULATOR**  
 contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



MODULINE A34100700

MODULINE 34100700



Suitable for:

# MODULINE



Suitable for:

## Fuses

**5058626 FUSE HOLDER 5x20 mm - FASTON 4.8 mm**



MODULINE 34202910

**5049021 QUICK ACTING FUSE  $\varnothing$  5x20 mm  
250V 8A**



MODULINE A34202210

MODULINE 34202210

**3049127 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS  
250V 16A**



MODULINE 34202200

## Gaskets and seals

**5073372 DOOR GASKET 1120x765 mm  
made of silicone elastomer  
BLACK COLOUR**



MODULINE 32100830

**5057603 DOOR GASKET 1560x700 mm  
of silicone elastomer  
COLOUR BLACK  
for Hot cupboard (MODULINE) RFG40E**



MODULINE A32100740

MODULINE 32100740

**5063759 DOOR GASKET 4500 mm  
made of silicone elastomer  
profile dimensions 11,5x11 mm  
COLOUR BLACK**



MODULINE 23203260

**5056935 DOOR GASKET 500x400 mm  
of silicone elastomer  
COLOUR BLACK  
for Hot cupboard (MODULINE)**



MODULINE 32101020

**5048760 DOOR GASKET 650x650 mm  
of silicone elastomer  
COLOUR BLACK  
for Hot cupboard (MODULINE) RC153E-RC153M**



MODULINE 23203250

**5088043 DOOR GASKET 685x385 mm  
made of silicone elastomer  
BLACK COLOUR**



MODULINE 23203850

Suitable for:

**5055799 DOOR GASKET 685x590 mm**  
made of silicone elastomer  
BLACK COLOUR



MODULINE 32101100


Suitable for:

**5059631 DOOR GASKET 835x705 mm**  
of silicone elastomer  
COLOUR BLACK  
for Hot cupboard (MODULINE)



MODULINE 32100780

**5057604 GASKET FOR CARRIER**  
of silicone elastomer  
profile size 28x14 mm  
COLOUR BLACK  
SOLD PER METER  
for Hot cupboard (MODULINE) RFG40E




MODULINE A23203760

MODULINE 23203760

MODULINE 23203780

**5050722 GASKET FOR DRAWER 1500 mm**  
of silicone elastomer  
profile size 23x10 mm  
COLOUR: BLACK  
for Hot cupboard (MODULINE) MSC12E



MODULINE 23203750

## Heating elements

**5066415 HEATING ELEMENT 150W 220/240V**  
external  $\varnothing$  10 mm - length 165 mm  
complete with cables



MODULINE 34301330

**5021252 HEATING ELEMENT 2500W 230V**  
external  $\varnothing$  195 mm - overall height 80 mm  
flange 93x22 mm  
for Hot cupboard (MODULINE)



MODULINE 34300500

**5049077 HEATING ELEMENT 6000W 230V**  
external  $\varnothing$  230 mm - internal  $\varnothing$  215 mm  
total height 170 mm  
flange 142x25 mm  
for Hot cupboard (MODULINE)



MODULINE A34300690

MODULINE 34300690

**5056751 SILICONE HEATING ELEMENT 1500W 230V**  
length 440 mm - width 530 mm  
with thermostat with automatic reset  
complete with cables



MODULINE 34300170



Suitable for:

# MODULINE



**5070896 WIRE HEATING ELEMENT 1000W 230V**  
length 18200 mm -  $\varnothing$  cable 3.5 mm



MODULINE 34301160

Suitable for:

**5068632 WIRE HEATING ELEMENT 1500W 230V**  
length 15800 mm -  $\varnothing$  cable 3.5 mm



MODULINE 34301150

**5078127 WIRE HEATING ELEMENT 1500W 230V**  
length 17400 mm -  $\varnothing$  cable 3.5 mm



MODULINE 34301140

**5082001 WIRE HEATING ELEMENT 700W 230V**  
length 19300 mm -  $\varnothing$  cable 3.5 mm



MODULINE 34301020

## Hinges, catches and accessories

**3053882 CHROME-PLATED HINGE 4484**  
length 100 mm - mounting distance 60 mm  
for Food-service trolley (MODULINE) RC158E  
RM112M  
for Food-service trolley (MODULINE) RB111M



MODULINE 33200080

## Hose-end fittings

**5063457 HOSE END FITTING  $\varnothing$  3/4" M -  $\varnothing$  20 mm**



MODULINE 32100320

## Indicator lights

**3221166 INDICATOR LIGHT GREEN 400V**  
 $\varnothing$  head 14 mm -  $\varnothing$  hole 11.5 mm - 120°C  
universal application



MODULINE A34200310



## Labels for control panels

**5052590 ADHESIVE CONTROL PLATE 200x40 mm**  
for Hot cupboard (MODULINE)  
MS096E-MS162E-MS192E-MS12E



MODULINE 23602470

MODULINE 23603540

## Microswitches, mechanical

**3240410 MICROSWITCH 16(4)A 250V**  
for Hot cupboard (MODULINE) RC153M - RC156M



MODULINE A34100910

MODULINE 34100910

**3240236 LIMIT SWITCH CONTROL**



**3240203 BUSHING DOOR MICROSWITCH**  
external  $\varnothing$  10x15 mm



**3240234 LIMIT SWITCH PIN**



**3240233 MICROSWITCH FITTING M16x1.5 mm**



**3250071 MICROSWITCH SPRING  $\varnothing$  13x25 mm**



**3240235 RING NUT M16x1.5 mm**





Suitable for:

# MODULINE



Suitable for:

## Motors

- 5048015 MOTOR WITH FAN 30W 220V 50Hz**  
TYPE C300407  
fan  $\varnothing$  155 mm  
for Hot cupboard (MODULINE)



MODULINE 34300050

MODULINE 34300050+34301230

## Penetration probes

- 5063707 PENETRATION PROBE**  
clamp connection  
probe length 105 mm  
cable length internal chamber 1050 mm  
for Hot cupboard (MODULINE)



MODULINE 34102310

MODULINE 34102790

## Probes

- 5021255 TEMPERATURE PROBE PT100 3000 mm**  
probe 2 wires  
bulb  $\varnothing$  3x180 mm



MODULINE 34100660

## Solenoid valves

- 5073916 OUTLET REDUCER 0.40L/min GREEN**



MODULINE 34300590



## Solenoid valves

**3120124 SOLENOID VALVE RPER 156 1 WAY 180°**  
 230V 50/60Hz - max. temperature 60°C  
 inlet 3/4" - outlet ø 13 mm (1/4" M)



MODULINE 34300880

**3120640 ADJUSTER FOR OUTLET 0.60 L/min GREY**



**3120642 ADJUSTER FOR OUTLET 1.10 L/min WHITE**



**3120644 ADJUSTER FOR OUTLET 2.15 L/min VIOLETT**



**3120280 COIL CONNECTOR**  
 cable length 1 m  
 max temperature 70°C



**5036913 OUTLET REDUCER 0.2 L/min PINK**



**3120639 ADJUSTER FOR OUTLET 0.50 L/min LIME**



**3120641 ADJUSTER FOR OUTLET 0.90 L/min BLUE**



**3120643 ADJUSTER FOR OUTLET 1.70 L/min YELLOW**



**3120645 ADJUSTER FOR OUTLET 2.70 L/min BLACK**



**5046981 OUTLET REDUCER 0.10 L/Min BROWN**



**5073916 OUTLET REDUCER 0.40L/min GREEN**



MODULINE 34300590



Suitable for:

5028983 OUTLET REDUCER 15 L/min RED



# MODULINE

Suitable for:



5039073 SOLENOID VALVE RPE R153 1 WAY 180°  
230V 50/60Hz - max temperature 60°C  
3/4" inlet- ø 10.5 mm outlet  
alimentary sealing



3120639 ADJUSTER FOR OUTLET 0.50 L/min LIME



MODULINE 34300010

3120640 ADJUSTER FOR OUTLET 0.60 L/min GREY



3120641 ADJUSTER FOR OUTLET 0.90 L/min BLUE



3120642 ADJUSTER FOR OUTLET 1.10 L/min WHITE



3120643 ADJUSTER FOR OUTLET 1.70 L/min YELLOW



3120644 ADJUSTER FOR OUTLET 2.15 L/min VIOLETT



3120645 ADJUSTER FOR OUTLET 2.70 L/min BLACK



3120280 COIL CONNECTOR  
cable length 1 m  
max temperature 70°C



5046981 OUTLET REDUCER 0.10 L/Min BROWN





Suitable for:

**5036913 OUTLET REDUCER 0.2 L/m in PINK**



# MODULINE



Suitable for:

**5073916 OUTLET REDUCER 0.40L/m in GREEN**



MODULINE 34300590

**5028983 OUTLET REDUCER 15 L/m in RED**



## Thermostats

**5011446 SINGLE PHASE THERMOSTAT 30-110°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2700 mm - 16A 250V  
bulb  $\varnothing$  5x90 mm  
for Food-service trolley (MODULINE) RM112M  
RM161M



MODULINE 34102140

**5029092 SINGLE PHASE THERMOSTAT 30-110°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm  
for Food-service trolley (MODULINE) RM112M  
RM161M



MODULINE 34102140

**5047926 SINGLE-PHASE THERMOSTAT 71-170°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length coated 1475 mm - 16A 250V  
bulb  $\varnothing$  3x180 mm  
for Hot cupboard (MODULINE)  
RB102S-RB142M-RC153M-RC162M



MODULINE A34100270

MODULINE A34102180

MODULINE 34102180

**5048870 THREE-PHASE THERMOSTAT 270°C**

with manual reset  
covered capillary length 2050 mm - 10A 400V  
bulb  $\varnothing$  6x78 mm



MODULINE 34102880

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)