



Spare parts for the professional sector: Cooking equipment



Suitable for:

OFFCAR



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:


OFFCAR



Suitable for:


Air regulators

5053938 AERATION REGULATOR
internal \varnothing 20 mm - external \varnothing 22 mm
height 56 mm



OFFCAR 829589

5077300 AERATION REGULATOR
internal \varnothing 20 mm - external \varnothing 22 mm
height 80 mm



OFFCAR 829593

Burners, flame spreaders and accessories

5055685 BURNER \varnothing 105 mm



OFFCAR 827151

3025439 BURNER \varnothing 115 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 827351

3025441 BURNER \varnothing 135 mm
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 827357

OFFCAR 827357/1

3025436 BURNER \varnothing 90 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900




OFFCAR 827345

3025438 FLAME SPREADER \varnothing 115 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 828131

5053938 AERATION REGULATOR
internal \varnothing 20 mm - external \varnothing 22 mm
height 56 mm



OFFCAR 829589

5077300 AERATION REGULATOR
internal \varnothing 20 mm - external \varnothing 22 mm
height 80 mm



OFFCAR 829593

3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
for burner \varnothing 115 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900




OFFCAR 4550505

OFFCAR 831837



Suitable for:

3025439 BURNER \varnothing 115 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 827351

3025437 FLAME SPREADER SUPPORT 90-115 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 827661

OFFCAR



Suitable for:

3025442 FLAME SPREADER SUPPORT 135 mm
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 827665

3025886 FLAME SPREADER \varnothing 120 mm 6Kw



OFFCAR 837761


3025892 BURNER \varnothing 122 mm 3.5Kw
with housing for ignition plug and thermocouple



3025883 BURNER \varnothing 120 mm 6Kw
with housing for pilot and thermocouple



3025890 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 10 mm



3025884 VENTURI FOR BURNER \varnothing 120 mm 6Kw



OFFCAR 837781




Suitable for:

OFFCAR



3025440 FLAME SPREADER \varnothing 135 mm
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 828137

OFFCAR 828137/1

3025441 BURNER \varnothing 135 mm
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 827357

OFFCAR 827357/1

3025435 FLAME SPREADER \varnothing 90 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 828125

5077300 AERATION REGULATOR
internal \varnothing 20 mm - external \varnothing 22 mm
height 80 mm



OFFCAR 829593

3025436 BURNER \varnothing 90 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 827345

Suitable for:
3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
for burner \varnothing 135 mm
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 4550511


OFFCAR 831847

3025442 FLAME SPREADER SUPPORT 135 mm
for Pot stove gas (OFFCAR) - Series 900




OFFCAR 827665

5053938 AERATION REGULATOR
internal \varnothing 20 mm - external \varnothing 22 mm
height 56 mm



OFFCAR 829589

3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
for burner \varnothing 90 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 4550501

OFFCAR 831841

3025437 FLAME SPREADER SUPPORT 90-115 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 827661



OFFCAR



Suitable for:

3025881 FLAME SPREADER \varnothing 91 mm 3,5Kw



OFFCAR 837751

3025891 BURNER \varnothing 94 mm 3.5Kw
with housing for ignition plug and thermocouple




Suitable for:


3025882 BURNER \varnothing 91 mm 3.5Kw
with housing for pilot and thermocouple



3025890 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 10 mm



3025894 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 8 mm



3025885 VENTURI FOR BURNER \varnothing 91 mm 3.5Kw



OFFCAR 837811

OFFCAR 837771

3025442 FLAME SPREADER SUPPORT 135 mm
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 827665

3025437 FLAME SPREADER SUPPORT 90-115 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 827661

3025894 JET HOLDER BURNER
hole for nozzle M8x0.75
for pipe \varnothing 8 mm



OFFCAR 837811

3025884 VENTURI FOR BURNER \varnothing 120 mm 6Kw



OFFCAR 837781




Suitable for:

OFFCAR



Suitable for:

3025885 VENTURI FOR BURNER \varnothing 91 mm 3.5Kw



OFFCAR 837771

Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for ignition plug



OFFCAR 835901

5086499 IGNITION LEAD 520 mm
with faston 2.8x0.8 mm pefor ignition
with faston \varnothing 4 mm for plug



OFFCAR 835893

3001018 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



OFFCAR 835909

Contactors

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



OFFCAR FX-40100023

3446516 AUXILIARY CONTACT AEG HS7K01
10A
1 normally closed contact



3454032 AUXILIARY CONTACT AEG HS7K10
1 NO contact



Suitable for:

3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



OFFCAR 862329


Suitable for:

3446227 AUXILIARY CONTACT LOVATO G218
 10A
 1 contact NO
 1 contact NC



Cooking baskets and accessories

5037715 FALSE BOTTOM 480x295x85 mm
 made of STAINLESS steel
 for Pasta cooker electric (OFFCAR)
 for Pasta cooker gas (OFFCAR)



OFFCAR 831681

Drain taps and accessories

3356053 DRAIN TAP HANDLE ø 17x40 mm
 thread M8



OFFCAR 862431

3356012 ESCUTCHEON FOR DRAIN TAP ø 2"



OFFCAR FX10200002

3526673 GAS/WATER VALVE ø 1"FF
 ball valve
 heavy series with PN 40 total passage
 aluminium lever



OFFCAR 862432

3356078 BUSHING ø 11x20 mm



5023594 CAST IRON FITTING ø 1"MF



5031496 DRAIN PIPE ø 1"MM
 length 195 mm





Suitable for:

3356138 DRAIN TAP FITTING \varnothing 1"MM
 \varnothing side outlet 28 mm - bracket 38x17x2 mm
fitting height 100 mm



3242049 DRAIN TAP HANDLE 140 mm
square hole 6x6 mm



5036175 DRAIN TAP MANIFOLD
2 top connections \varnothing 1"MM - 2 top connections \varnothing 3/32
1 bottom connection \varnothing 1"MM
width 295 mm - overall length 114 mm
distance between holes 275 mm



7100207 HEADLESS SCREW HEXAGONAL M5x8
stainless steel - conical top
UNI 5927 - DIN 914 - ISO 4027



3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



OFFCAR 862434

OFFCAR

Suitable for:


5028002 DRAIN TAP FITTING \varnothing 1"MM
side exit \varnothing 30 mm - bracket 80x30 mm
distance between holes 60 mm - coupling height 100



3242280 DRAIN TAP KNOB BLACK 79 mm
square hole 6x6 mm




5033656 FITTING OF BRASS \varnothing 1"MF



5011612 LEVER DRAIN TAP 250 mm
square pin 6x6 mm



5047389 MANIFOLD FOR OUTLET TAP
2 upper couplings \varnothing 1"MM-2 upper couplings \varnothing 3/32 mm
1 lower coupling \varnothing 1"MF
width 250 mm - total height 85 mm
distance between the holes 118 mm
for Pasta cooker gas (OFFCAR) CPG2/PS - CPG990N




OFFCAR 832861





Electric hot plates

3311100 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



OFFCAR 843412

OFFCAR 843413

3311053 ELECTRIC HOT PLATE 2600W 230V
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



OFFCAR 846405

3311063 ELECTRIC HOT PLATE 3000W 400V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



OFFCAR 843407

2111868 FASTENING BRACKET FOR PLATE \varnothing 220 mm
external dimensions 238x23x30 mm



OFFCAR

Energy regulators

3350089 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4,6 mm
double rotation sense
for FRY TOP
for GLASS-CERAMIC HOB



OFFCAR 843831

3350090 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for GLASS-CERAMIC HOB



OFFCAR 843805

Fittings

5060643 FITTING WITH OLIVE \varnothing 1/2" Mx10 mm
complete with OR



OFFCAR 833477



Suitable for:

OFFCAR



Suitable for:

Fryer baskets and accessories

3055436 FRYER BASKET 300x110x120 mm
made of chrome plated iron
for Fryer (OFFCAR)



OFFCAR 863072

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



3055438 FRYER BASKET 310x148x120 mm
made of chrome plated iron
for Fryer (OFFCAR)



OFFCAR 863066

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



Gas burners

3023251 BURNER \varnothing 120x340 mm
height 100 mm
made of STAINLESS steel
for Solid top range gas (OFFCAR) - Series 700
Series 900



OFFCAR 827981

5077152 BURNER \varnothing 40x400 mm
overall length 435 mm
of stainless STEEL



OFFCAR FX-30400050

3023256 BURNER \varnothing 40x505 mm
overall length 520 mm
made of STAINLESS steel
for Fry top gas (OFFCAR) - Series 900



OFFCAR 841261

OFFCAR 841265

3023249 BURNER \varnothing 50x500 mm
overall length 565 mm
made of STAINLESS steel



OFFCAR 841211

Suitable for:

3023271 BURNER \varnothing 60x390 mm
 overall length 450 mm
 made of stainless steel
 for Pasta cooker (OFFCAR) CPG990N



OFFCAR 841031


OFFCAR 841091

3023144 BURNER 575x225 mm
 made of stainless steel



OFFCAR 865861

5075580 NOZZLE HOLDER FOR TUBE \varnothing 12 mm
 thread fitting for tube M20x1.5 mm
 nozzle thread M10x1 mm
 fastening fitting M14x1 mm



OFFCAR 829421

Suitable for:

3023235 BURNER 450x220 mm
 made of stainless steel



OFFCAR 865851

3352015 AERATION REGULATOR
 internal \varnothing 18 mm - external \varnothing 20 mm
 height 42 mm



Gas taps and accessories

3348016 GAS TAP 21/S
 with pilot flame
 fittings \varnothing M16x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 8x6.5 mm



OFFCAR 401101


3348085 BUSH FOR TAP



7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
 thread M16x1.5 mm - M17x1 mm
 for taps PEL 20S-21S




3348219 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 45/20 mm upper/lower
 for model PEL 21





Suitable for:

3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S




3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



OFFCAR

Suitable for:


3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S



3348275 CAP WITH PIN \varnothing 8x6.5 mm
pin length 32/25 mm upper/lower
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm





Suitable for:

3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110




OFFCAR 835337

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



OFFCAR 835313

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



3348117 GAS TAP 21/S
with pilot flame
pipe flange fitting \varnothing 27 mm
outlet fitting M16x1.5 mm
thermocouple connection M8x1
D-shaped pin \varnothing 8x6.5 mm



OFFCAR

OFFCAR

Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



OFFCAR 835321

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm




7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread M16x1.5 mm - M17x1 mm
for taps PEL 20S-21S






Suitable for:


3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21



3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S



3348275 CAP WITH PIN \varnothing 8x6.5 mm
pin length 32/25 mm upper/lower
for model PEL 21S




3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



OFFCAR

Suitable for:


3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22





Suitable for:

3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



OFFCAR



Suitable for:

3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



OFFCAR 835337

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



OFFCAR 835321

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25




OFFCAR 835313

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm






Suitable for:

OFFCAR



Suitable for:

5063584 GAS TAP 21/S
 with flame PILOT
 flange connection pipe \varnothing 21 mm
 outlet fitting M16x1.5 mm
 thermocouple connection M9x1mm
 D-shaped pin \varnothing 8x6.5 mm
 for Grill gas (OFFCAR) - Series 700 - Series 900
 for Lava rock grill gas (OFFCAR) - Series 700
 Series 900
 for Pasta cooker gas (OFFCAR) - Series 700
 Series 900
 for Pot stove gas (OFFCAR) - Series 700
 Series 900
 for Solid top range gas (OFFCAR) - Series 700
 Series 900




7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
 thread M16x1.5 mm - M17x1 mm
 for taps PEL 20S-21S



OFFCAR 401121


3348219 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 45/20 mm upper/lower
 for model PEL 21




3348220 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 30/23 mm upper/lower
 for model PEL 21




3348221 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 30/17,5 mm upper/lower
 for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 22 mm
 for model PEL 21S



3348238 CAP WITH PIN \varnothing 8x6.5 mm
 pin 35/15 mm upper/lower
 for model PEL 21S




3348243 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 22/15 mm right/lef
 for model PEL 21S





Suitable for:

3348275 CAPWITH PIN \varnothing 8x6.5 mm
pin length 32/25 mm upper/lower
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



OFFCAR 835321

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



OFFCAR

Suitable for:

3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110




OFFCAR 835337

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



OFFCAR 835313





Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



OFFCAR



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O




OFFCAR 401151

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22




3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348336 CAP WITH PIN \varnothing 10x8 mm
pin length 25/17 mm
for model PEL 22




3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22






Suitable for:

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22




3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S




3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



OFFCAR

Suitable for:


3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24





Suitable for:

3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



OFFCAR



Suitable for:

3348038 **OLIVE FOR PIPE \varnothing 10 mm**
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



OFFCAR 835325

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348037 **OLIVE FOR PIPE \varnothing 6 mm**
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



3348230 **PIN FOT GAS TAP \varnothing 6x4.6 mm**
pin length 45/20 mm rh/lh
for model PEL 22



3348031 **PIPE FITTING \varnothing 10 mm**
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



3348032 **PIPE FITTING \varnothing 12 mm**
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



OFFCAR 835133

3348029 **PIPE FITTING \varnothing 4 mm**
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



3020078 **PIPE FITTING \varnothing 6 mm**
thread M10x1 - h 10.5 mm





Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



OFFCAR




Suitable for:

3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22



3348011 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet fitting M24x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm




3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23



OFFCAR FX-30100003


3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35/17 mm upper/lower
for model PEL 23




3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3348040 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 17.5 mm - h 15 mm
for model PEL 23



3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23





Suitable for:

3348042 OLIVE FOR PIPE \varnothing 20 mm
 \varnothing ext. 23 mm - h 11.5 mm
for model PEL 23



3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5 - h 16 mm
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5 - h 17 mm
for model PEL 23



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



OFFCAR

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3182020 PEL MAGNETIC GROUP
head \varnothing 24 mm - end \varnothing 18 mm - length 59 mm
thermocouple fitting M9x1
for tap PEL model 23S



3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5 - h 16 mm
for model PEL 23



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm





Suitable for:

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
 for model PEL 22-24-25



OFFCAR 835325

Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
 for model PEL 20-21-24-25



OFFCAR 835321

3348031 PIPE FITTING \varnothing 10 mm
 thread M20x1.5 mm - h 15 mm
 for model PEL 22-24-25



OFFCAR 835133

3348043 PIPE FITTING \varnothing 10 mm
 thread M16x1.5 mm - h 14 mm
 for model PEL 20-21-24-25



OFFCAR 835313

Gas valves and accessories

3523035 KNOB MINISIT BLACK \varnothing 37 mm



OFFCAR 835721

3523949 MINISIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 6x105 mm
 supplied without lid knob and flanges



OFFCAR 863811

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M



3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
 with screws and OR



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR





Suitable for:

3523035 KNOB MINISIT BLACK \varnothing 37 mm




OFFCAR 835721

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



OFFCAR 837119

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25




3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



OFFCAR

Suitable for:

3523047 LID MINISIT



3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25




OFFCAR 835321

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



OFFCAR 835729





Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



3523051 SENSING ELEMENT MINISIT 110 \div 190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



OFFCAR 863801

3523041 SENSING ELEMENT MINISIT 100 \div 340°C
capillary length 1800 mm
bulb \varnothing 5x70 mm



OFFCAR 837111

3526130 VALVE 630 EUROSIT OVEN 100 \div 340°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3 \div 18 mbar
ambient temperature 0 \div 120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



OFFCAR FX-30100080

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



OFFCAR



Suitable for:

3523036 REDUCER STRAIGHT \varnothing 3/8" F - \varnothing 1/2" M
of brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" M
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



3523051 SENSING ELEMENT MINISIT 110 \div 190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



OFFCAR 863801

3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR



3526129 CLASP \varnothing 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752






Suitable for:

3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



3526127 FLANGE FOR EXTENSION



3526128 KNOB EXTENSION LENGTH 34 mm
D-shaped pin \varnothing 8x6.5 mm



5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



OFFCAR

Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3526125 KNOB EXTENSION LENGTH 44 mm
D-shaped pin \varnothing 8x6.5 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25




3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm





Suitable for:

3526123 RUBBER PROTECTION FOR EUROSIT VALVE



OFFCAR

Suitable for:



3523932 VALVE 710 MINISIT OVEN 100÷340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷80°C
stainless steel capillary length 1050 mm
bulb \varnothing 4x72 mm
without cover. knob and flanges



OFFCAR 835701

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



OFFCAR 835721

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



OFFCAR 837119


2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523047 LID MINISIT




3523061 NUT \varnothing 1/4"x6 mm





Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



OFFCAR



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



OFFCAR 835321

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



OFFCAR 835729

3523036 REDUCER STRAIGHT \varnothing 3/8" F - \varnothing 1/2" M
of brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" M
for MINISIT flange



3523048 SENSING ELEMENT MINISIT 100÷340°C
stainless steel capillary length 1050 mm
bulb \varnothing 4x72 mm



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm





Gaskets and seals

3186240 ASBESTOS FREE FLAT GASKET \varnothing 46x38x2 mm
for drain tap \varnothing 1"1/2



OFFCAR FX1050062


5038365 ASBESTOS FREE FLAT GASKET \varnothing 60x50x2 mm
for drain tap \varnothing 2"



OFFCAR FX1050060


Gaskets for oven door

5074926 OVEN DOOR GASKET 1000x360 mm
of silicone elastomer - 3 sides
profile dimensions 12.7x11.4 mm
BLACK COLOUR



OFFCAR 844445

3786004 OVEN DOOR GASKET 570x290 mm
complete with frame
of silicone elastomer - 3 sides
profile dimensions 12.7x11.4 mm
BLACK COLOUR
for Oven under cooktop (OFFCAR)



OFFCAR 844453

OFFCAR 844491

Grids for kitchen

5065824 GRID COOKING RANGE 340x280 mm
for Pot stove (OFFCAR)



OFFCAR 825708

Heating elements

3755870 HEATING ELEMENT SILICONEE 1090W 230V
length 460 mm - width 250 mm
with thermostat 110°C with automatic reset
with cables
operating ambient: dry
for Bain-marie electric (OFFCAR) - Series 700



OFFCAR 843613

3755881 HEATING ELEMENT SILICONEE 1480W 230V
length 500 mm - width 290 mm
with thermostat 110°C with automatic reset
with cables
operating ambient: dry
for Bain-marie electric (OFFCAR) - Series 900



OFFCAR 843611



Suitable for:

3755856 HEATING ELEMENT 10200W 230/400V
length 300 mm - width 180 mm
coupling M54 - complete with cables
with two holes for bulb
complete with OR gaskets



OFFCAR 862029

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



OFFCAR 862051

3755661 HEATING ELEMENT 15000W 230V
length 300 mm - width 285 mm
connection M54x1.5 mm - complete with cables
complete with OR gaskets
with two holes per bulb
for Fryer electric (OFFCAR) - Series 700
Series 900



OFFCAR 862021

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



OFFCAR 862051

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



OFFCAR 862047

Suitable for:

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



OFFCAR 862053

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



OFFCAR 862047

1186715 O-RING 0159 VITON
ring thickness 3.53 mm - internal \varnothing 55.56 mm



3786459 O-RING 04200 VITON
ring thickness 3.53 mm - internal \varnothing 50.39 mm



Suitable for:

Suitable for:

3755819 HEATING ELEMENT 1600W 230V
 length 360 mm - width 70 mm
 height 70 mm
 for Fry top electric (OFFCAR) - Series 700



OFFCAR 843627

3755859 HEATING ELEMENT 16500W 230/400V
 length 325 mm - width 255 mm
 fitting M54x1.5 mm - complete with cables
 complete with O-rings
 with 2 holes for bulb



OFFCAR 862023

3186697 O-RING 0159 EPDM
 ring thickness 3.53 mm - internal \varnothing 55.56 mm



OFFCAR 862053

3186601 O-RING 04200 EPDM
 ring thickness 3.53 mm - internal \varnothing 50.39 mm



OFFCAR 862051

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



OFFCAR 862047

3755817 HEATING ELEMENT 1800W 230V
 length 555 mm - width 450 mm
 flange 160x22 mm
 for Oven under cooktop electric (OFFCAR)
 Series 700




OFFCAR 843641

3755818 HEATING ELEMENT 2000W 230V
 length 510 mm - width 80 mm
 height 70 mm
 for Fry top electric (OFFCAR) - Series 900



OFFCAR 843629

3755816 HEATING ELEMENT 2750W 230V
 length 575 - width 615 mm
 flange 160x22 mm
 for Oven under cooktop electric (OFFCAR)
 Series 900



OFFCAR 843645

5023656 HEATING ELEMENT 2900W 230V
 length 305 mm - width 215 mm
 height 90 mm



OFFCAR FX-40400082



Suitable for:

OFFCAR



3755489 HEATING ELEMENT 6800W 230V
length 300 mm - width 110 mm
fitting M54x1.5 mm - with cables
with 2 holes for bulb



OFFCAR 862033

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



OFFCAR 862051

3755857 HEATING ELEMENT 7000W 230/400V
length 325 mm - width 105 mm
fitting M54x1.5 mm - complete with cables
complete with O-rings
with 2 holes for bulb



OFFCAR 862035

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



OFFCAR 862051

5032691 HEATING ELEMENT 9000W 230V
immersed depth 418 mm
flange external \varnothing 63 mm - with bulb holder sheath
with O-Ring



OFFCAR FX40400042


Suitable for:

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



OFFCAR 862053

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT




OFFCAR 862047

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



OFFCAR 862053

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



OFFCAR 862047

5038672 HEATING ELEMENT 9000W 230V
immersed depth 550 mm
flange external \varnothing 63 mm - with bulb holder sheath



OFFCAR FX-40400038

Suitable for:

Suitable for:

3455295 MIDDLE HEATING ELEMENT 1800W 230V
 length 315 mm - body \varnothing 30 mm
 connection thread \varnothing 1"-1/2 - flange 70x60 mm
 with thermostat probe receptacle - with cables




OFFCAR 443651

3755101 MIDDLE HEATING ELEMENT 2500W 220V
 immersed length 490 mm - body \varnothing 30 mm
 threaded connection \varnothing 1"-1/2 - flange 70x60 mm
 with bulb sheath - complete with cables




OFFCAR 443681

5005316 COUNTER NUT OF CAST IRON \varnothing 1"1/2



3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



OFFCAR 862047

3455294 SIDE HEATING ELEMENT 1800W 230V
 length 325 mm - body \varnothing 30 mm
 fitting thread \varnothing 1" - flange 45x50 mm
 complete with cables



OFFCAR 443655

3755102 SIDE HEATING ELEMENT 2500W 220V
 immersed length 490 mm - body \varnothing 30 mm
 threaded connection \varnothing 1" - flange 45x50 mm
 complete with cables



OFFCAR 443685

1349109 COUNTER NUT FLAT OF BRASS 1"



1186655 O-RING 04131 EPDM
 ring thickness 3.53 mm - internal \varnothing 32.93 mm






Suitable for:

Suitable for:



Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



OFFCAR 844589

3053007 LEFTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205
height 160 mm



OFFCAR 844583

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



OFFCAR 844589

3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm



3053006 RIGHTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205
height 160 mm




OFFCAR 844581

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



OFFCAR 844589

3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm





Hydraulic piping

- 5058653 HOSE RUBBER REINFORCED \varnothing 32/40 mm 680 mm**
 internal \varnothing 32 mm - external \varnothing 40 mm
 for Pasta cooker electric (OFFCAR)
 for Pasta cooker gas (OFFCAR)



OFFCAR 4597001

Igniters

- 3001007 PIEZO IGNITER**
 a \varnothing 22 mm hole is needed for the assembly
 faston M \varnothing 2.4 mm



OFFCAR 835733

- 3001071 PIEZO IGNITER MINISIT WITH COVER**
 M faston 2.4 mm



OFFCAR 835729

Indicator lights

- 3221008 GREEN LAMP RECEPTACLE**
 head \varnothing 15 mm - hole \varnothing 12 mm
 universal application



OFFCAR 862333

- 3221097 INDICATOR LIGHT NEUTRAL 220V**
 head \varnothing 8 mm - 120°C



OFFCAR 862337

- 3221126 INDICATOR LIGHT NEUTRAL 24V**
 head \varnothing 8 mm - 120°C



- 3221012 INDICATOR LIGHT GREEN 230V**
 mounting hole 22x30 mm - 105°C
 universal application



OFFCAR 849461

- 3221042 INDICATOR LIGHT GREEN 230V**
 head \varnothing 20 mm - hole \varnothing 10 mm - 120°C
 wires connection length 200 mm



OFFCAR 849411



Suitable for:

OFFCAR




3221194 INDICATOR LIGHT NEON GREEN 220V
ø head 8 mm



OFFCAR 862331

3221196 LAMP CAP CLEAR
ø 12 mm



Suitable for:

3221197 GREY CAP ø 12 mm



3221195 LAMP CAP GREEN ø 12 mm
ø 12 mm



3221192 LAMP SUPPORT



3221193 ORANGE LAMP CAP
ø 12 mm



3319219 SUPPORT FOR DARK GREY PUSH-BUTTON
mounting hole 16x16 mm - for push-button ø 12 mm



3221097 INDICATOR LIGHT NEUTRAL 220V
head ø 8 mm - 120°C



OFFCAR 862337

1221007 INDICATOR LIGHT RED 230V
ø head 20 mm - ø hole 10 mm
wire connection length 200 mm



OFFCAR 849417

3221014 INDICATOR LIGHT ORANGE 220V
mounting hole 22x30 mm - 105°C
universal application



OFFCAR 849457

3221358 LAMP RECEPTACLE CLEAR
head ø 16 mm - hole ø 13 mm



OFFCAR 862339



Knobs

3444128 BLACK KNOB \varnothing 50 mm 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 for EGO thermostat



OFFCAR 843691

3241591 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
 D-shaped hole 8x6.5 mm
 for Pot stove (OFFCAR) - Series 700 - Series 900



OFFCAR 401405

5053282 CONICAL SPRING FOR HANDLE \varnothing 48x30 mm



OFFCAR 829671

5053281 RED RING FOR KNOB
 external \varnothing 75 mm



OFFCAR 835571

3241613 BLACK KNOB \varnothing 70 mm 0-1
 D-shaped hole 6x4.6 mm
 for Fryer (OFFCAR) - Series 700 - Series 900



OFFCAR 401469

3241590 BLACK KNOB \varnothing 70 mm 0-1-2-3-4-5-6
 D-shaped hole 6x4.6 mm
 for Pot stove (OFFCAR) - Series 700 - Series 900



OFFCAR 401441

5053283 RED RING FOR KNOB
 external \varnothing 75 mm



OFFCAR 835575



Suitable for:

OFFCAR



Suitable for:

3241614 BLACK KNOB \varnothing 70 mm 140-200°C
 D-shaped hole 6x4.6 mm
 for Fryer (OFFCAR) - Series 700 - Series 900



OFFCAR 401461

3241588 BLACK KNOB \varnothing 70 mm 50-300°C
 D-shaped hole 6x4.6 mm
 for Fry top (OFFCAR) - Series 700 - Series 900
 for Oven under cooktop (OFFCAR) - Series 700 Series 900



OFFCAR 401421

5053283 RED RING FOR KNOB
 external \varnothing 75 mm



OFFCAR 835575

5053282 CONICAL SPRING FOR HANDLE \varnothing 48x30 mm



OFFCAR 829671

5085986 HANDLE BLACK \varnothing 70 mm 0-1-2-3-4-5-6
 D-shaped hole 6x4.6 mm



OFFCAR 401446

5053283 RED RING FOR KNOB
 external \varnothing 75 mm



OFFCAR 835575

5052541 KNOB BLACK \varnothing 48 mm
 round knurled hole \varnothing 7 mm
 for Pasta cooker electric (OFFCAR)
 for Pasta cooker gas (OFFCAR)



OFFCAR 401671

OFFCAR 401683

OFFCAR 833485

Suitable for:

3241587 KNOB BLACK \varnothing 70 mm 100-300°C
D-shaped hole 8x6.5 mm
for Fry top (OFFCAR) - Series 700



OFFCAR 401415

5053281 RED RING FOR KNOB
external \varnothing 75 mm



OFFCAR 835571

3241589 KNOB BLACK \varnothing 70 mm 100-300°C
D-shaped hole 10x8 mm
for Fry top (OFFCAR) - Series 900



OFFCAR 401411

5053283 RED RING FOR KNOB
external \varnothing 75 mm



OFFCAR 835575


Suitable for:

5053282 CONICAL SPRING FOR HANDLE \varnothing 48x30 mm



OFFCAR 829671

5053281 RED RING FOR KNOB
external \varnothing 75 mm



OFFCAR 835571


Lava stone grids

5054085 GRID LAVA ROCK ST/STEEL 390x300x20 mm
for Lava rock grill (OFFCAR)



OFFCAR 865081

5052322 GRID LAVA ROCK ST/STEEL 390x345x20 mm




OFFCAR 865085



Suitable for:

5028972 GRID LAVA ROCK ST/STEEL 538x360x20 mm



OFFCAR 865097

OFFCAR



Suitable for:

5065621 GRID LAVA ROCK ST/STEEL 540x320x20 mm
for Lava rock grill (OFFCAR) 8GLG40 - 8TGG40



OFFCAR 865093

Magnet groups

3182011 **MAGNETIC UNIT PEL SMALL HEAD**
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



OFFCAR 835337

3182003 **MAGNETIC UNIT SIT**
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



OFFCAR 837119

Magnets

5078071 **DOOR LOCK MAGNET**
bracket dimensions 85x30x20 mm
distance between bracket holes 72 mm



OFFCAR 4550701

OFFCAR 844706

Microswitches, mechanical

3240820 **MICROSWITCH ELECTRICA NR48W5**
1NO + 1NC 16A 250V



OFFCAR 862311

3240152 **BUSHING FOR MICROSWITCH**



3240473 **GASKET FOR BUSHING**




5035454 **MICRO SUPPORT**
for WASHING MACHINE LF25





Suitable for:

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



3240154 SPRING FOR MICROSWITCH ROD



OFFCAR



Suitable for:

3240153 ROD FOR MICROSWITCH



Nozzles

5063664 GAS JET M10x1 \varnothing 0.90 mm



OFFCAR 829314

3500024 GAS JET M10x1 \varnothing 1.15 mm



OFFCAR 829231

3500028 GAS JET M10x1 \varnothing 1.45 mm



OFFCAR 829327

3500296 GAS JET M10x1 \varnothing 1.90 mm



OFFCAR 8293579

3500045 GAS JET M9x1 \varnothing 1.20 mm



OFFCAR 862951

O-Ring and ORM gaskets

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



OFFCAR 862053

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



OFFCAR 862051



Suitable for:

OFFCAR



Suitable for:


3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



OFFCAR FX-10500100

Pilot burners and accessories

3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
for burner \varnothing 90 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 4550501

OFFCAR 831841

3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
for burner \varnothing 115 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 4550505

OFFCAR 831837


3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
for burner \varnothing 135 mm
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 4550511

OFFCAR 831847

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



OFFCAR 837201

OFFCAR 865881

OFFCAR 899969


3020101 BRACKET CLAMP 2 POSITIONS FOR PILOT SIT



3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45m m
for mounting of pilot assembly



3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
for burner \varnothing 90 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900



OFFCAR 4550501

OFFCAR 831841



Suitable for:

3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
for burner \varnothing 115 mm
for Pot stove gas (OFFCAR) - Series 700
Series 900




OFFCAR 4550505

OFFCAR 831837

3020100 BRACKET 2 POSITIONS SIT



3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



OFFCAR 835911

OFFCAR



Suitable for:

3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
for burner \varnothing 135 mm
for Pot stove gas (OFFCAR) - Series 900




OFFCAR 4550511

OFFCAR 831847

3020108 DEFLECTOR 1 FLAME FOR PILOT SIT



3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



OFFCAR 835915



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020054 PILOT JET SIT \varnothing 0.20 mm



OFFCAR 837297

OFFCAR 863955

4058525 PILOT JET SIT \varnothing 0.30 mm



OFFCAR

Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25




3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



3020115 PILOT CAP SIT 1 FLAME



3020156 PILOT JET SIT \varnothing 0.25 mm



3020055 PILOT JET SIT \varnothing 0.35 mm





Suitable for:

5015516 PILOT JET SIT \varnothing 0.40 mm



5075989 PILOT JET SIT \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



OFFCAR

Suitable for:

3500269 PILOT JET SIT \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm




3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm





Suitable for:

OFFCAR



3020011 PILOT BURNER POLIDORO 3 FLAMES

without sparking plug, gas jet with pipe fitting and pilot pipe olive with thermocouple connection with sparking plug fitting



OFFCAR 863979

3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm thread M10x1



3020060 IGNITION PLUG ROUND ø 7x44 mm

M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



OFFCAR 835915

3020294 IGNITION PLUG ROUND ø 7x44 mm

M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE ø 4 mm ø ext. 8 mm - h 9.5 mm



3020085 FITTING FOR SPARKING PLUG FIXING ø 7 mm thread M10x1 - h 11 mm



3001003 IGNITION PLUG ROUND ø 7x44 mm

M faston M4x1 mm
overall length 65 mm



OFFCAR 835911

3020124 IGNITION PLUG ROUND ø 7x44 mm

connection ø 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND ø 7x44 mm

connection ø 2.4 mm
overall length 60 mm



3020112 OLIVE FOR PIPE ø 6 mm ø ext. 8 mm - h 9 mm





Suitable for:

5071220 PILOT JET POLIDORO \varnothing 0.22 mm



3020449 PILOT JET POLIDORO \varnothing 0.54 mm



3020044 PILOT JET SIT \varnothing 0.20 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3020269 PILOT BURNER POLIDORO 3 FLAMES
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



OFFCAR

Suitable for:

3020452 PILOT JET POLIDORO \varnothing 0.32 mm



3020464 PILOT JET POLIDORO \varnothing 0.64 mm



3020045 PILOT JET SIT \varnothing 0.50 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm




3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm





Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



OFFCAR 835915

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



OFFCAR

Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



OFFCAR 835911

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



5026012 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8.5 mm - h 7 mm
for pilot burner series CB 502-CB 503



5071220 PILOT JET POLIDORO \varnothing 0.22 mm





Suitable for:

3020452 PILOT JET POLIDORO \varnothing 0.32 mm



3020464 PILOT JET POLIDORO \varnothing 0.64 mm



3020045 PILOT JET SIT \varnothing 0.50 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm




5102152 PILOT BURNER POLIDORO 3 FLAMES
without sparking plug
with LPG and NATURAL GAS nozzle
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting



OFFCAR 403121

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



OFFCAR

Suitable for:

3020449 PILOT JET POLIDORO \varnothing 0.54 mm



3020044 PILOT JET SIT \varnothing 0.20 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



OFFCAR 835911





Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



OFFCAR



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



OFFCAR 835915

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



5071220 PILOT JET POLIDORO \varnothing 0.22 mm



3020452 PILOT JET POLIDORO \varnothing 0.32 mm



3020449 PILOT JET POLIDORO \varnothing 0.54 mm



3020464 PILOT JET POLIDORO \varnothing 0.64 mm



3020044 PILOT JET SIT \varnothing 0.20 mm



3020045 PILOT JET SIT \varnothing 0.50 mm





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



OFFCAR



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm




3020038 PILOT BURNER PRINTED SIT 3 FLAMES
without sparking plug, gas nozzle and gasket
thermocouple fitting included



OFFCAR 898969

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



OFFCAR 835915

OFFCAR 835911

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm





Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



OFFCAR



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



5111718 KIT PILOT JET \varnothing 0.25 mm - 5 PCS



5111782 KIT PILOT JET \varnothing 0.41 mm - 5 PCS



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



3020086 PILOT GASKET SIT 71x32x1.5 mm
distance between holes 52 mm



5111137 PILOT JET PRO-GAS \varnothing 0.20 mm



5035324 PILOT JET SIT \varnothing 0.18 mm



3020557 PILOT JET SIT \varnothing 0.20 mm



3020157 PILOT JET SIT \varnothing 0.25 mm





Suitable for:

3020040 PILOT JET SIT \varnothing 0.30 mm



3020041 PILOT JET SIT \varnothing 0.41 mm



3020187 PILOT JET SIT \varnothing 0.51 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



3020054 PILOT JET SIT \varnothing 0.20 mm



OFFCAR

Suitable for:

3020541 PILOT JET SIT \varnothing 0.35 mm



2106308 PILOT JET SIT \varnothing 0.45 mm



4053669 PILOT JET SIT \varnothing 0.75 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm





Suitable for:

OFFCAR




3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



OFFCAR 401311

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



Suitable for:

3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



OFFCAR 835915

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



OFFCAR 835911

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



3020573 KIT OLIVE FOR PIPE \varnothing 4 mm - 5 PCS.



5111798 KIT PILOT JET SIT \varnothing 0.27 mm - 5 PCS





Suitable for:

5112021 KIT PILOT JET SIT \varnothing 0.36 mm - 5 PCS



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3020086 PILOT GASKET SIT 71x32x1.5 mm
distance between holes 52 mm




3020042 PILOT JET SIT \varnothing 0.19 mm



5047578 PILOT JET SIT \varnothing 0.24 mm



2102405 PILOT JET SIT \varnothing 0.35 mm



OFFCAR

Suitable for:

3020113 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 11 mm



3020114 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 11 mm



3020201 PILOT JET SIT \varnothing 0.14 mm



3020542 PILOT JET SIT \varnothing 0.20 mm



3020202 PILOT JET SIT \varnothing 0.27 mm



3020043 PILOT JET SIT \varnothing 0.36 mm





Suitable for:

3020543 PILOT JET SIT \varnothing 0.38 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



OFFCAR 83721

3020103 BRACKET 3 POSITIONS FOR PILOT SIT



3020110 DEFLECTOR 3 FLAMES FOR PILOT SIT



OFFCAR

Suitable for:

5022050 PILOT JET SIT \varnothing 0.50 mm




3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3020104 BRACKET CLAMP 3 POSITIONS FOR PILOT SIT



3020109 DEFLECTOR 2 FLAMES FOR PILOT SIT




5048713 DEFLECTOR 3 FLAMES FOR PILOT SIT





Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



OFFCAR 835911

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm




3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 60 mm



OFFCAR

Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



OFFCAR 835915

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25





Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



3020054 PILOT JET SIT \varnothing 0.20 mm



OFFCAR 837297 **OFFCAR 863955**
4058525 PILOT JET SIT \varnothing 0.30 mm



5015516 PILOT JET SIT \varnothing 0.40 mm



5075989 PILOT JET SIT \varnothing 0.70 mm



OFFCAR



Suitable for:
5027953 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET SIT \varnothing 0.25 mm



3020055 PILOT JET SIT \varnothing 0.35 mm



3500269 PILOT JET SIT \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm





Suitable for:

3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



OFFCAR

Suitable for:

3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M - h 11 mm



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



Pressure switches

5080801 PRESSURE SWITCH 1 LEVEL
calibration 430/405 mm 250V 16A
max operating temperature 85°C



OFFCAR 843783





Suitable for:

OFFCAR



Suitable for:

Radiant heating elements

5073926 RADIANT HEATING ELEMENT OCTAGON. \varnothing 200mm
1800W 230V
faston electrical connectors - with cables
complete with power adjuster
for glass-ceramic hob



OFFCAR 843835

3311083 RADIANT HEATING ELEMENT OCTAGON. \varnothing 250mm
2500W 230V
faston electrical connections - with cables
complete with power setting
for glass-ceramic hob



OFFCAR 843838

5065717 RADIANT HEATING ELEMENT 3500W 400V
length 180 mm - width 240 mm
height 160 mm - complete with cables
for Pasta cooker electric (OFFCAR) 7CPE30A



OFFCAR 843861

5093880 RADIANT HEATING ELEMENT 4500W 400V
length 162 mm - width 400 mm
height 182 mm - complete with cables



OFFCAR 843865

Relays


5072234 POWER RELAY FINDER 62.83.8.230.0300
complete with bracket
230V 50/60Hz
3 changeover contacts 16A



OFFCAR 843801


Selector switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.




OFFCAR 843753

3057362 SELECTOR SWITCH KIT 0-1 POSITIONS
complete with and potentiometer
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




OFFCAR 843851

3057014 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 back connection for thermostat



OFFCAR 843746

3057082 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin 6x4.6 mm
 for Fryer (OFFCAR) - Series 700 - Series 900




OFFCAR 862317

3057190 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 32A 600V - max 75°C
 rectangular pin 4x5 mm




OFFCAR 862325

3057098 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Pasta cooker electric (OFFCAR)



OFFCAR 843747


3057159 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Pasta cooker electric (OFFCAR) - Series 700
 Series 900



OFFCAR 862305


OFFCAR 898973

2101204 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



OFFCAR 843751

3057024 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Kitchen electric (OFFCAR) - Series 700
 Series 900



OFFCAR FX-40100004

OFFCAR 843751



Suitable for:


OFFCAR



Suitable for:

Spark generators

5055779 GENERATOR 2 OUTLETS
1.5Vdc battery powered
for Bratt pan gas (OFFCAR)



OFFCAR FX-4020010

OFFCAR FX-40200106

3181010 SPARK GENERATOR 1 OUTLET
1.5Vdc battery powered



OFFCAR 835925

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



OFFCAR 862291

Sparking and detection plugs

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



OFFCAR 835911

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



OFFCAR 835915

Switches

3319940 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - with indic. light and switch cover
max. temperature 120°C
mounting hole 22x30 mm



OFFCAR 849451

3319780 BLOCK CONNECTION WHITE 22x30 mm



3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm





Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



OFFCAR

Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



5086518 SELECTOR SWITCH BLACK 1-0-2 LOVATO
mounting hole \varnothing 22 mm
2 NO contacts



OFFCAR FX-4010026

Taps for tank refilling

7111268 SPOUT CONNECTION FITTING \varnothing 3/4" F
outlet spout \varnothing 18 mm



OFFCAR FX-3020072

3183014 SPOUT CONNECTION 1/2" M
chrome-plated brass swivel
outlet spout \varnothing 18 mm



OFFCAR 833538

3528056 COUNTER NUT FLAT OF BRASS 1/2"



5029266 TAP WATER INLET \varnothing 1/2" FF
for Pasta cooker electric (OFFCAR)
for Pasta cooker gas (OFFCAR)



OFFCAR 833471

OFFCAR 898871

5052541 KNOB BLACK \varnothing 48 mm
round knurled hole \varnothing 7 mm
for Pasta cooker electric (OFFCAR)
for Pasta cooker gas (OFFCAR)



OFFCAR 401671

OFFCAR 401683



Suitable for:

3356111 WATER INLET TAP \varnothing 1/2"FF



OFFCAR FX-3020008

OFFCAR



Suitable for:

5077898 WATER INLET TAP \varnothing 1"MF
ball valve
heavy serie with full passage PN 40
aluminium lever



OFFCAR 829741

Terminal blocks

3247011 TERMINAL BLOCK 6-POLES FV122 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



OFFCAR FX-4020001

OFFCAR FX-4020016

Thermocouples and accessories

3440104 CUT-OFF THERMOCOUPLE QUICK M9x1 60 cm
cut-off contact with cables 60 cm




OFFCAR 837265

3440019 EXTENSION FOR THERMOCOUPLE M9x1 60 cm.
female nut M9x1




OFFCAR 837261

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons




OFFCAR 837259

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



OFFCAR 837243

3440194 THERMOCOUPLE M9x1 60 cm COUPL. M6x0,75



OFFCAR 837871

3440193 BUSHING HEXAGON THREADED M6x0.75





Suitable for:

3440197 NUT FOR THERMOCOUPLE COUPL. M6x0,75



OFFCAR



Suitable for:

3440107 NUT FOR THERMOCOUPLE COUPLING M6x0.75



3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



OFFCAR 837253

3440037 THERMOCOUPLE SIT M9x1 100 cm.



OFFCAR 837253

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



OFFCAR 837253

3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm




OFFCAR 837233

3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm



OFFCAR 837243

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



OFFCAR 837243



Suitable for:


OFFCAR

Suitable for:



Thermostatic gas valves

5053600 TAP THERMOSTATIC 25ST
 adjustment temperature 100-300°C
 flange connection hose \varnothing 21 mm
 outlet fitting M16x1.5 mm
 thermocouple connection M9x1mm
 bulb \varnothing 6x100 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6.5 mm
 pin length 21/15 mm upper
 for Fry top gas (OFFCAR)



OFFCAR 401261

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
 for model PEL 20-21-24-25



OFFCAR 835321

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
 for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
 thread M20x1.5 mm - h 15 mm
 for model PEL 22-24-25



OFFCAR 835133

3348032 PIPE FITTING \varnothing 12 mm
 thread M20x1.5 mm - h 15 mm
 for model PEL 22-24-25



3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
 for model PEL 22-24-25



OFFCAR 835325


3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
 for model PEL 22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
 for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
 thread M16x1.5 mm - h 14 mm
 for model PEL 20-21-24-25



OFFCAR 835313

3020077 PIPE FITTING \varnothing 4 mm
 thread M10x1 - h 12 mm





Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



OFFCAR




Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



3345006 THERMOSTATIC TAP 24ST
adjustment temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x100 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm



OFFCAR 401201

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



OFFCAR 835321

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



OFFCAR 835325

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25





Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



OFFCAR 835133

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25




3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



OFFCAR

Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



OFFCAR 835313


3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3345018 THERMOSTATIC TAP 25ST
operating temperature 100-300°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x75 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



OFFCAR 401251

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



OFFCAR 835321

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



OFFCAR 835325

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25





Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



OFFCAR 835133

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm




OFFCAR

Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



OFFCAR 835313

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 12 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm





Suitable for:


OFFCAR



Suitable for:

Thermostats


3444376 SINGLE-PHASE THERMOSTAT 95-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1010 mm - 16A 250V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1



OFFCAR 862115

OFFCAR 990301

5025572 TERMOSTATO THREE-PHASE 180°C
 manual reset
 covered capillary length 3000 mm - 20A 400V
 bulb \varnothing 4x125 mm



OFFCAR FX-4010004

OFFCAR FX-40100041

5020718 THERMOSTAT SINGLE-PHASE 240°C
 complete with cut-off thermocouple
 manual reset
 covered capillary length 860 mm - 16A 250V
 bulb \varnothing 6x77 mm - with adapter nipple gland M10x1




OFFCAR 862133

3444644 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 900 mm
 bulb \varnothing 6x89 mm
 for Pasta cooker (OFFCAR) - Series 700
 Series 900



OFFCAR 898979

3444375 THREE-PHASE THERMOSTAT 225°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x90 mm - with adapter nipple band M10x1



OFFCAR 862124

3444307 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1



OFFCAR 862123

3444354 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length coated 950 mm - 10A 400V
 bulb \varnothing 3x190 mm




OFFCAR 843737

3444632 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 1800 mm - 20A 300V
 bulb \varnothing 4x120 mm



OFFCAR FX-40100062

3444790 THREE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 800 mm - 10A 400V
 bulb \varnothing 4x120 mm
 for Fry top (OFFCAR) - Series 700 - Series 900
 for Oven under cooktop (OFFCAR) - Series 700
 Series 900



OFFCAR 843735

Wheels and accessories

7102729 HANDWHEEL \varnothing 150 mm
 central hole \varnothing 14 mm - with pin groove 24x6 mm
 complete with folding handle



OFFCAR FX-SMB0136

OFFCAR FX-SMB0136-00

5012756 SCREW NUT FOR BRATT PAN \varnothing 40x40 mm



40C3800 HANDWHEEL \varnothing 23x65 mm
 thread M6



5056123 SCREW NUT FOR BRATT PAN \varnothing 40x40 mm



OFFCAR FX-SC0022-00

5004961 SUPPORT FLANGE WITH BEARING UCF204
 flange external dimensions 86x86 mm



5012754 TILTING SCREW
 total length 543 mm



5012755 TILTING SCREW
 total length 350 mm



5056124 TILTING SCREW \varnothing 20 mm
 overall length 363 mm



OFFCAR FX-SMB0128-00



Suitable for:

Suitable for:

5065794 HANDWHEEL ø 200 mm
made of ALUMINIUM
middle hole ø 20 mm with feather 6 mm
with folding handle of BACHELITE
for Bratt pan (OFFCAR) BM8G080L/21

5056123 SCREW NUT FOR BRATT PAN ø 40x40 mm



OFFCAR FX-SMB0636

OFFCAR FX-SMB0636-00



OFFCAR FX-SC0022-00

5056124 TILTING SCREW ø 20 mm
overall length 363 mm



OFFCAR FX-SMB0128-00

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com