



Spare parts for the professional sector:
Cooking equipment



Suitable for:

RDF RUB.DEL FRIULI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2018-03051157





Suitable for:

RDF RUB.DEL FRIULI



Suitable for:

Drain assembly

3316126 DRAIN ASSEMBLY
external \varnothing 45 mm - internal \varnothing 30 mm
connection \varnothing 36 mm



RDF RUB.DEL FRIULI R22104957

4032461 DRAIN PIPE ST. STEEL \varnothing 25x120 mm
outlet \varnothing 3/4" M



4032460 FLAT GASKET EPDM \varnothing 44x36x3 mm



3448225 OVERFLOW PIPE \varnothing 30x110 mm
made of stainless steel



RDF RUB.DEL FRIULI 22106115

3316011 DRAIN ASSEMBLY \varnothing 2" COMPLETE
height 31.5 mm - overflow pipe \varnothing 49.1 mm
external \varnothing 74 mm
complete with gasket and fastening nut



RDF RUB.DEL FRIULI 01701009

3316125 DRAIN ASSEMBLY M36



RDF RUB.DEL FRIULI R30001215

3316124 DRAIN PIPE ST. STEEL \varnothing 25x500 mm
outlet \varnothing 3/4" M



3186343 O-RING 02106 EPDM
ring thickness 1.78 mm - internal \varnothing 26.70 mm



40PE016 OVERFLOW PIPE \varnothing 30x112 mm
of stainless steel





Suitable for:

3316008 DRAIN ASSEMBLY \varnothing 3/4" COMPLETE
 height 50 mm - overflow pipe \varnothing 20.35 mm
 external \varnothing 38 mm
 complete with gasket and fastening nut



RDF RUB.DEL FRIULI 01703504

3448279 OVERFLOW PIPE \varnothing 20x64 mm
 made of stainless steel



RDF RUB.DEL FRIULI 01709343

3448087 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
 overall height 94 mm
 for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709544

3448091 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
 overall height 144 mm
 for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709144

3316150 DRAIN ASSEMBLY \varnothing 3/4" COMPLETE
 h 30 mm - overflow pipe seat \varnothing 20.35 mm
 external \varnothing 38 mm
 with gasket and fixing nut



RDF RUB.DEL FRIULI G153000

RDF RUB.DEL FRIULI 01703304

Suitable for:


3448237 OVERFLOW PIPE \varnothing 20x165 mm
 made of stainless steel



RDF RUB.DEL FRIULI 01709142

RDF RUB.DEL FRIULI 01709146

3448086 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
 overall height 84 mm
 for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709354

3448088 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
 overall height 104 mm
 for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709554

3448237 OVERFLOW PIPE \varnothing 20x165 mm
 made of stainless steel



RDF RUB.DEL FRIULI 01709142

RDF RUB.DEL FRIULI 01709146




RDF RUB.DEL FRIULI



Suitable for:

3448279 OVERFLOW PIPE \varnothing 20x64 mm
made of stainless steel



RDF RUB.DEL FRIULI 01709343

3448087 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 94 mm
for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709544

3448091 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 144 mm
for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709144

3316125 DRAIN ASSEMBLY M36



RDF RUB.DEL FRIULI R30001215


5050467 DRAIN ASSEMBLY 16 mm
external \varnothing 28 mm - fitting \varnothing 1/2"



RDF RUB.DEL FRIULI R22104967

Suitable for:

3448086 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 84 mm
for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709354

3448088 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 104 mm
for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709554

5050469 BRASS FITTING \varnothing 28x100 mm
thread \varnothing 1/2"FF





Suitable for:

1186472 O-RING 04075 EPDM
ring thickness 3.53 mm - internal \varnothing 18.64 mm



Suitable for:

Drain plugs

5051269 OVERFLOW PIPE \varnothing 20x115 mm
of stainless steel



RDF RUB.DEL FRIULI 01709939

3448237 OVERFLOW PIPE \varnothing 20x165 mm
made of stainless steel



RDF RUB.DEL FRIULI 01709142

RDF RUB.DEL FRIULI 01709146

RDF RUB.DEL FRIULI 01709154

3448279 OVERFLOW PIPE \varnothing 20x64 mm
made of stainless steel




RDF RUB.DEL FRIULI 01709343

3448225 OVERFLOW PIPE \varnothing 30x110 mm
made of stainless steel



RDF RUB.DEL FRIULI 22106115

3448070 OVERFLOW PIPE \varnothing 40x230 mm
of stainless steel
for drain assembly \varnothing 1"1/2



RDF RUB.DEL FRIULI 01707237

3316010 BRASS DRAIN ASSEMBLY \varnothing 1"1/2
external \varnothing 67 mm - internal \varnothing 40 mm
connection \varnothing 47 mm



3448071 OVERFLOW PIPE \varnothing 40x280 mm
of stainless steel
for drain assembly \varnothing 1"1/2



RDF RUB.DEL FRIULI 01707287

3316010 BRASS DRAIN ASSEMBLY \varnothing 1"1/2
external \varnothing 67 mm - internal \varnothing 40 mm
connection \varnothing 47 mm






Suitable for:

3448076 OVERFLOW PIPE \varnothing 40x320 mm
of stainless steel
for drain assembly \varnothing 1"1/2



RDF RUB.DEL FRIULI 01707327

3448081 OVERFLOW PIPE \varnothing 50x230 mm
of stainless steel
for drain assembly \varnothing 2"



RDF RUB.DEL FRIULI 01708239

3316013 ST. STEEL/PLASTIC DRAIN ASSEMBLY \varnothing 2"
external \varnothing 70 mm - internal \varnothing 50 mm
connection \varnothing 59 mm



Suitable for:

3316010 BRASS DRAIN ASSEMBLY \varnothing 1"1/2
external \varnothing 67 mm - internal \varnothing 40 mm
connection \varnothing 47 mm



3316011 DRAIN ASSEMBLY \varnothing 2" COMPLETE
height 31.5 mm - overflow pipe \varnothing 49.1 mm
external \varnothing 74 mm
complete with gasket and fastening nut




RDF RUB.DEL FRIULI 01701009

3316012 ST. STEEL/PLASTIC DRAIN ASSEMBLY \varnothing 1"1/2
external \varnothing 70 mm - internal \varnothing 50 mm
connection \varnothing 47 mm



3448082 OVERFLOW PIPE \varnothing 50x280 mm
of stainless steel
for drain assembly \varnothing 2"



RDF RUB.DEL FRIULI 01708289

3316013 ST. STEEL/PLASTIC DRAIN ASSEMBLY \varnothing 2"
external \varnothing 70 mm - internal \varnothing 50 mm
connection \varnothing 59 mm



3316011 DRAIN ASSEMBLY \varnothing 2" COMPLETE
height 31.5 mm - overflow pipe \varnothing 49.1 mm
external \varnothing 74 mm
complete with gasket and fastening nut



RDF RUB.DEL FRIULI 01701009

3316012 ST. STEEL/PLASTIC DRAIN ASSEMBLY \varnothing 1"1/2
external \varnothing 70 mm - internal \varnothing 50 mm
connection \varnothing 47 mm



Suitable for:

3448079 OVERFLOW PIPE \varnothing 50x300 mm
of stainless steel
for drain assembly \varnothing 2"



RDF RUB.DEL FRIULI 01708309

3316013 ST. STEEL/PLASTIC DRAIN ASSEMBLY \varnothing 2"
external \varnothing 70 mm - internal \varnothing 50 mm
connection \varnothing 59 mm



Suitable for:

3316011 DRAIN ASSEMBLY \varnothing 2" COMPLETE
height 31.5 mm - overflow pipe \varnothing 49.1 mm
external \varnothing 74 mm
complete with gasket and fastening nut




RDF RUB.DEL FRIULI 01701009

3316012 ST. STEEL/PLASTIC DRAIN ASSEMBLY \varnothing 1"1/2
external \varnothing 70 mm - internal \varnothing 50 mm
connection \varnothing 47 mm



3448086 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 84 mm
for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709354

3448087 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 94 mm
for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709544

3448088 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 104 mm
for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709554

3448091 OVERFLOW PIPE IN CHROME PLATED BRASS
 \varnothing 20 mm
overall height 144 mm
for drain assembly \varnothing 3/4"



RDF RUB.DEL FRIULI 01709144

Drain taps and accessories

3356101 CAP FOR DRAIN TAP
for DRAIN TAP \varnothing 2" OLD MODEL



RDF RUB.DEL FRIULI R31006410

3356016 DRAIN NIPPLE \varnothing 2"x80 mm
in brass



RDF RUB.DEL FRIULI D611022

RDF RUB.DEL FRIULI 22104174



Suitable for:

Suitable for:

3356004 DRAIN TAP ø 1" F
TAPERED SEAL - fixed connection ø 1" F
for BOILING PAN



RDF RUB.DEL FRIULI D210014

RDF RUB.DEL FRIULI 01302005

3186009 ASBESTOS FREE FLAT GASKET ø 45x33x2 mm



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



RDF RUB.DEL FRIULI 36206760

3356029 HANDLE FOR DRAIN TAP
for drain tap ø 3/4" and 1"



RDF RUB.DEL FRIULI R34003014

RDF RUB.DEL FRIULI R431000

RDF RUB.DEL FRIULI 36203015

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



Suitable for:

3356007 DRAIN TAP ø 1"1/2F TECNO
TAPERED SEAL - swivel nut ø 1"1/2F
with gasket
for BOILING PAN



RDF RUB.DEL FRIULI D110018
RDF RUB.DEL FRIULI 01312007

RDF RUB.DEL FRIULI 01301007
RDF RUB.DEL FRIULI 01332007

RDF RUB.DEL FRIULI 01303008
RDF RUB.DEL FRIULI 01362007

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



RDF RUB.DEL FRIULI 36206760

Suitable for:

3186240 ASBESTOS FREE FLAT GASKET ø 46x38x2 mm
for drain tap ø 1"1/2



RDF RUB.DEL FRIULI 34012778

3186199 GASKET INTERNAL EPDM FOR TAPS
NSF certified
for DRAIN TAP ø 1"1/4 and 1"1/2



RDF RUB.DEL FRIULI R34044796

3242189 HANDGRIP FOR DRAIN TAP
for DRAIN TAP ø 1"1/2F e 1"1/4F



RDF RUB.DEL FRIULI R34003011

RDF RUB.DEL FRIULI 36203016



Suitable for:

3356128 PIN \varnothing 5x30 mm
complete with blind nut



RDF RUB.DEL FRIULI R36204851

RDF RUB.DEL FRIULI 31004862

RDF RUB.DEL FRIULI 31004866

3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to $+120^{\circ}\text{C}$
from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily



3356005 DRAIN TAP \varnothing 1"1/4F TECNO
TAPERED SEAL - fixed connection \varnothing 1"1/4F
with gasket
for BOILING PAN



RDF RUB.DEL FRIULI D210016

RDF RUB.DEL FRIULI 01302006

RDF RUB.DEL FRIULI 01303006

RDF RUB.DEL FRIULI 01311006

RDF RUB.DEL FRIULI 01331006

RDF RUB.DEL FRIULI 01361006

3356010 ESCUTCHEON FOR DRAIN TAP \varnothing 1"1/4



RDF RUB.DEL FRIULI D520000

RDF RUB.DEL FRIULI 01307446

RDF RUB.DEL FRIULI



Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3186240 ASBESTOS FREE FLAT GASKET \varnothing 46x38x2 mm
for drain tap \varnothing 1"1/2



RDF RUB.DEL FRIULI 34012778

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





RDF RUB.DEL FRIULI



Suitable for:

3186199 GASKET INTERNAL EPDM FOR TAPS
NSF certified
for DRAIN TAP \varnothing 1"1/4 and 1"1/2



RDF RUB.DEL FRIULI R34044796

3242189 HANDGRIP FOR DRAIN TAP
for DRAIN TAP \varnothing 1"1/2F e 1"1/4F



RDF RUB.DEL FRIULI R34003011

RDF RUB.DEL FRIULI 36203016

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



RDF RUB.DEL FRIULI 36206760

3356128 PIN \varnothing 5x30 mm
complete with blind nut



RDF RUB.DEL FRIULI R36204851

RDF RUB.DEL FRIULI 31004862

RDF RUB.DEL FRIULI 31004866

3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to $+120^{\circ}\text{C}$
from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily



2102642 DRAIN TAP \varnothing 2" F TECNO
CONICAL SEAL - with swivel nut \varnothing 2" F



RDF RUB.DEL FRIULI 01332009

RDF RUB.DEL FRIULI 01362009

3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
for drain tap \varnothing 2" old model



RDF RUB.DEL FRIULI 34012781



Suitable for:

3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



RDF RUB.DEL FRIULI R34003012 RDF RUB.DEL FRIULI 34003012

3356012 ESCUTCHEON FOR DRAIN TAP \varnothing 2"



RDF RUB.DEL FRIULI D540000 RDF RUB.DEL FRIULI 01307609

3356128 PIN \varnothing 5x30 mm
complete with blind nut



RDF RUB.DEL FRIULI R36204851 RDF RUB.DEL FRIULI 31004862 RDF RUB.DEL FRIULI 31004866

3356073 DRAIN TAP \varnothing 2" F TECNO
GASKET SEAL - with swivel nut \varnothing 2" F
with safety lock
for BOILING PAN



RDF RUB.DEL FRIULI 01321009 RDF RUB.DEL FRIULI 01371009

RDF RUB.DEL FRIULI



Suitable for:

3356032 DRAIN TAP HANDLE
for DRAIN TAP 78x3 mm



RDF RUB.DEL FRIULI R34003013 RDF RUB.DEL FRIULI R411000+R41 3000
RDF RUB.DEL FRIULI 31004885+34 003020 RDF RUB.DEL FRIULI 34003020+31
RDF RUB.DEL FRIULI 34003020+36 204880 RDF RUB.DEL FRIULI 36204880+34

3186241 O-RING 06212 VITON
ring thickness 5.34 mm - internal \varnothing 53.34 mm
for DRAIN TAP \varnothing 2" OLD MODEL AND
TECNO NEW MODEL



RDF RUB.DEL FRIULI R34044795 RDF RUB.DEL FRIULI 34044795

3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



RDF RUB.DEL FRIULI R34003012 RDF RUB.DEL FRIULI 34003012



RDF RUB.DEL FRIULI



Suitable for:

3356012 ESCUTCHEON FOR DRAIN TAP Ø 2"



RDF RUB.DEL FRIULI D540000

RDF RUB.DEL FRIULI 01307609

**5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm
for drain tap Ø 2"**



3186241 O-RING 06212 VITON
ring thickness 5.34 mm - internal Ø 53.34 mm
for DRAIN TAP Ø 2" OLD MODEL AND
TECNO NEW MODEL



RDF RUB.DEL FRIULI R34044795

RDF RUB.DEL FRIULI 34044795

Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



RDF RUB.DEL FRIULI 36206760

3356128 PIN Ø 5x30 mm
complete with blind nut



RDF RUB.DEL FRIULI R36204851

RDF RUB.DEL FRIULI 31004862

RDF RUB.DEL FRIULI 31004866



Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



RDF RUB.DEL FRIULI



Suitable for:

3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to +120°C
 from +50°C to +120 °C the grease becomes oily



3356104 DRAIN TAP Ø 2" F TECNO
 TAPERED SEALING - with swivel nut Ø 2" F



RDF RUB.DEL FRIULI 01301019
RDF RUB.DEL FRIULI 01372009

RDF RUB.DEL FRIULI 01322009

RDF RUB.DEL FRIULI 01322209

3242190 DRAIN TAP HANDGRIP
 for DRAIN TAP Ø 2" OLD MODEL
 AND FOR TECNO NEW MODEL



RDF RUB.DEL FRIULI R34003012

RDF RUB.DEL FRIULI 34003012

3356012 ESCUTCHEON FOR DRAIN TAP Ø 2"



RDF RUB.DEL FRIULI D540000

RDF RUB.DEL FRIULI 01307609

5029807 FITTING FOR DRAIN TAP Ø 2" MM
 fitting height 155 mm



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm
 for drain tap Ø 2"





RDF RUB.DEL FRIULI



Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



RDF RUB.DEL FRIULI 36206760

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m

length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3356149 DRAIN TAP Ø 2" F TECNO

BRASS CAP - with swivel nut Ø 2" F



RDF RUB.DEL FRIULI 01301109

RDF RUB.DEL FRIULI 01331009

RDF RUB.DEL FRIULI 01361009

3356101 CAP FOR DRAIN TAP

for DRAIN TAP Ø 2" OLD MODEL



RDF RUB.DEL FRIULI R31006410

Suitable for:

3356128 PIN Ø 5x30 mm

complete with blind nut



RDF RUB.DEL FRIULI R36204851

RDF RUB.DEL FRIULI 31004862

RDF RUB.DEL FRIULI 31004866

3180039 VASELINE WUERTH 750 g

for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



3186242 ASBESTOS FREE FLAT GASKET Ø 61x46x2 mm

for drain tap Ø 2" old model



RDF RUB.DEL FRIULI 34012781

3356016 DRAIN NIPPLE Ø 2"x80 mm

in brass



RDF RUB.DEL FRIULI D611022

RDF RUB.DEL FRIULI 22104174



RDF RUB.DEL FRIULI



Suitable for:

3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



RDF RUB.DEL FRIULI R34003012 RDF RUB.DEL FRIULI 34003012

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



RDF RUB.DEL FRIULI 36206760

3356128 PIN \varnothing 5x30 mm
complete with blind nut



RDF RUB.DEL FRIULI R36204851 RDF RUB.DEL FRIULI 31004862 RDF RUB.DEL FRIULI 31004866

Suitable for:

3356012 ESCUTCHEON FOR DRAIN TAP \varnothing 2"



RDF RUB.DEL FRIULI D540000 RDF RUB.DEL FRIULI 01307609

5015573 GASKET FLAT ASBE. FREE \varnothing 61x48x2 mm
for drain tap \varnothing 2"



3186241 O-RING 06212 VITON
ring thickness 5.34 mm - internal \varnothing 53.34 mm
for DRAIN TAP \varnothing 2" OLD MODEL AND
TECNO NEW MODEL



RDF RUB.DEL FRIULI R34044795 RDF RUB.DEL FRIULI 34044795

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved





RDF RUB.DEL FRIULI



Suitable for:

Suitable for:

3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to +120°C
 from +50°C to +120 °C the grease becomes oily



3242190 DRAIN TAP HANDGRIP
 for DRAIN TAP ø 2" OLD MODEL
 AND FOR TECNO NEW MODEL



RDF RUB.DEL FRIULI R34003012 RDF RUB.DEL FRIULI 34003012

3356032 DRAIN TAP HANDLE
 for DRAIN TAP 78x3 mm



RDF RUB.DEL FRIULI R34003013 RDF RUB.DEL FRIULI R411000+R41 3000
 RDF RUB.DEL FRIULI 31004885+34 003020 RDF RUB.DEL FRIULI 34003020+31
 RDF RUB.DEL FRIULI 34003020+36 204880 RDF RUB.DEL FRIULI 36204880+34

3356022 DRAIN TAP M60x2 mm
 TAPERED SEAL
 thread external ø 60 mm
 thread pitch 2 mm
 internal hole ø 40 mm
 for BOILING PAN



RDF RUB.DEL FRIULI D314060 RDF RUB.DEL FRIULI 01304602

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature -45°/+120°
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



RDF RUB.DEL FRIULI 36206760

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved





Suitable for:

3180039 VASELINE WUERTH 750 g

for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to +120°C
from +50°C to +120 °C the grease becomes oily



RDF RUB.DEL FRIULI



Suitable for:

**3356024 DRAIN TAP M78x3 mm
TAPERED SEAL
thread external ø 78 mm
thread pitch 3 mm
internal hole ø 59.5 mm
for BOILING PAN**



RDF RUB.DEL FRIULI D330000 RDF RUB.DEL FRIULI 01304783

**3356032 DRAIN TAP HANDLE
for DRAIN TAP 78x3 mm**



RDF RUB.DEL FRIULI R34003013 RDF RUB.DEL FRIULI R411000+R41 3000
RDF RUB.DEL FRIULI 31004885+34 003020 RDF RUB.DEL FRIULI 34003020+310
RDF RUB.DEL FRIULI 34003020+36 204880 RDF RUB.DEL FRIULI 36204880+340

**3356041 DRAIN TAP WASHER ø 1"1/2
for drain tap ø 2" swivel nut and 78x3**



RDF RUB.DEL FRIULI R22905876 RDF RUB.DEL FRIULI 22905876

**3186242 ASBESTOS FREE FLAT GASKET ø 61x46x2 mm
for drain tap ø 2" old model**



RDF RUB.DEL FRIULI 34012781

**3356034 DRAIN TAP RING NUT ø 2"
for drain tap ø 2" and swivel nut 78x3 mm**



RDF RUB.DEL FRIULI R22902514 RDF RUB.DEL FRIULI 22902513

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660**





RDF RUB.DEL FRIULI



Suitable for:

5015573 GASKET FLAT ASBE. FREE \varnothing 61x48x2 mm
for drain tap \varnothing 2"



Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to $+120^{\circ}\text{C}$
from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily



3356034 DRAIN TAP RING NUT \varnothing 2"
for drain tap \varnothing 2" and swivel nut 78x3 mm



3356041 DRAIN TAP WASHER \varnothing 1 1/2"
for drain tap \varnothing 2" swivel nut and 78x3



RDF RUB.DEL FRIULI R22902514 RDF RUB.DEL FRIULI 22902513

RDF RUB.DEL FRIULI R22905876 RDF RUB.DEL FRIULI 22905876

3356023 DRAIN TAP 68x3 mm
TAPERED SEAL
thread external \varnothing 68 mm
thread pitch 3 mm
internal hole \varnothing 50 mm
for BOILING PAN



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





RDF RUB.DEL FRIULI



Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature $-45^{\circ}/+120^{\circ}$
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



RDF RUB.DEL FRIULI 36206760

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



3356010 ESCUTCHEON FOR DRAIN TAP \varnothing 1"1/4



RDF RUB.DEL FRIULI D520000

RDF RUB.DEL FRIULI 01307446

3186199 GASKET INTERNAL EPDM FOR TAPS
 NSF certified
 for DRAIN TAP \varnothing 1"1/4 and 1"1/2



RDF RUB.DEL FRIULI R34044796

Suitable for:

3242189 HANDGRIP FOR DRAIN TAP
 for DRAIN TAP \varnothing 1"1/2F e 1"1/4F



RDF RUB.DEL FRIULI R34003011

RDF RUB.DEL FRIULI 36203016

3180039 VASELINE WUERTH 750 g
 for lubrication of food processing machines
 it protects chromed and rubber parts from
 weather factors, moisture resistant,
 operating temperature from -10°C up to $+120^{\circ}\text{C}$
 from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily



3356012 ESCUTCHEON FOR DRAIN TAP \varnothing 2"



RDF RUB.DEL FRIULI D540000

RDF RUB.DEL FRIULI 01307609

3242189 HANDGRIP FOR DRAIN TAP
 for DRAIN TAP \varnothing 1"1/2F e 1"1/4F



RDF RUB.DEL FRIULI R34003011

RDF RUB.DEL FRIULI 36203016

Suitable for:

3356029 HANDLE FOR DRAIN TAP
for drain tap \varnothing 3/4" and 1"



RDF RUB.DEL FRIULI R34003014

RDF RUB.DEL FRIULI R431000

RDF RUB.DEL FRIULI 36203015

Suitable for:

3356128 PIN \varnothing 5x30 mm
complete with blind nut



RDF RUB.DEL FRIULI R36204851

RDF RUB.DEL FRIULI 31004862

RDF RUB.DEL FRIULI 31004866

Fittings

1349142 COUNTER NUT FLAT OF BRASS \varnothing 1"1/4



RDF RUB.DEL FRIULI 32005881

1349109 COUNTER NUT FLAT OF BRASS 1"



RDF RUB.DEL FRIULI 32005879

1349108 COUNTER NUT FLAT OF BRASS 3/4"



RDF RUB.DEL FRIULI 32005877

Gaskets and seals

3186240 ASBESTOS FREE FLAT GASKET \varnothing 46x38x2 mm
for drain tap \varnothing 1"1/2



RDF RUB.DEL FRIULI 34012778

3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
for drain tap \varnothing 2" old model



RDF RUB.DEL FRIULI 34012781

Hinges, catches and accessories

3053034 LID HINGE RADIUS 320 mm
for lid \varnothing 640 mm
for BOILING KETTLE with round lid



RDF RUB.DEL FRIULI 01903324

3053111 SPRING LH \varnothing 4 mm
for hinges with radius 320–395 mm



RDF RUB.DEL FRIULI R30003874

RDF RUB.DEL FRIULI 30003874



RDF RUB.DEL FRIULI



Suitable for:


3053110 SPRING RH \varnothing 4 mm
for hinges with radius 320-395 mm



RDF RUB.DEL FRIULI R30003872 RDF RUB.DEL FRIULI 30003872

Suitable for:

3053311 SPRINGS RH-LH \varnothing 4 mm
for hinges




3053036 LID HINGE RADIUS 395 mm
for lid \varnothing 790 mm
for BOILING KETTLE with round lid



RDF RUB.DEL FRIULI M213900 RDF RUB.DEL FRIULI 01903394

3053111 SPRING LH \varnothing 4 mm
for hinges with radius 320-395 mm



RDF RUB.DEL FRIULI R30003874 RDF RUB.DEL FRIULI 30003874

3053110 SPRING RH \varnothing 4 mm
for hinges with radius 320-395 mm



RDF RUB.DEL FRIULI R30003872 RDF RUB.DEL FRIULI 30003872

3053111 SPRING LH \varnothing 4 mm
for hinges with radius 320-395 mm




RDF RUB.DEL FRIULI R30003874 RDF RUB.DEL FRIULI 30003874

3053115 SPRING LH \varnothing 6 mm
for hinges with radius 500-545 mm



RDF RUB.DEL FRIULI R30003882

3053110 SPRING RH \varnothing 4 mm
for hinges with radius 320-395 mm



RDF RUB.DEL FRIULI R30003872 RDF RUB.DEL FRIULI 30003872

3053114 SPRING RH \varnothing 6 mm
for hinges with radius 500-545 mm



RDF RUB.DEL FRIULI R30003880

Ironmongery (screws,nuts,washers)**3316052 NUT FOR HEATING ELEMENT 2"**

RDF RUB.DEL FRIULI R32005885

Knobs**3241485 INLET TAP KNOB - BLUE**
square hole 7x7 mm
for cold water

RDF RUB.DEL FRIULI R36103620

Lubricants**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline

RDF RUB.DEL FRIULI 36206760

O-Ring and ORM gaskets**3186241 O-RING 06212 VITON**
ring thickness 5.34 mm - internal \varnothing 53.34 mm
for DRAIN TAP \varnothing 2" OLD MODEL AND
TECNO NEW MODEL

RDF RUB.DEL FRIULI R34044795

RDF RUB.DEL FRIULI 34044795



Suitable for:

RDF RUB.DEL FRIULI



Suitable for:

Safety groups for pans and spare parts

3184012 DEPRESSION VALVE \varnothing 1/2" M
in chrome plated brass
for safety group \varnothing 1" 1/4



RDF RUB.DEL FRIULI E300010

RDF RUB.DEL FRIULI 01509003

3184011 DEPRESSION VALVE \varnothing 1/4" M
in chrome plated brass
for safety group \varnothing 3/4"
for safety group \varnothing 1" 1/4



RDF RUB.DEL FRIULI E300008

RDF RUB.DEL FRIULI 01509001

3184013 DEPRESSION VALVE \varnothing 3/4" M
in chrome plated brass
for safety group \varnothing 3/4"
for safety group \varnothing 1" 1/4



RDF RUB.DEL FRIULI E300012

RDF RUB.DEL FRIULI 01509004

3184029 DEPRESSION VALVE \varnothing 3/8" M
in chrome plated brass
for security valve 3/4"



RDF RUB.DEL FRIULI 01509002

2102460 PRESSURE GAUGE \varnothing 51 mm
radial connection \varnothing 1/4"
scale 0-1 bar
for safety groups



RDF RUB.DEL FRIULI R36303630

RDF RUB.DEL FRIULI 36303630

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



RDF RUB.DEL FRIULI 36303605

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"
for security group 3/4"
for security group 1" 1/4



RDF RUB.DEL FRIULI R36305961

Suitable for:

Suitable for:

3184043 SAFETY GROUP VERTICAL \varnothing 1"
 vertical connection \varnothing 1"
 calibration pressure 0,45bar \pm 10%
 system with weight opening device
 complete with safety valve, vacuum relief valve
 and pressure gauge
 for STEAM BOILING KETTLE



RDF RUB.DEL FRIULI 01521004

RDF RUB.DEL FRIULI 22105759

2102460 PRESSURE GAUGE \varnothing 51 mm
 radial connection \varnothing 1/4"
 scale 0-1 bar
 for safety groups



RDF RUB.DEL FRIULI R36303630

RDF RUB.DEL FRIULI 36303630

3184002 SAFETY GROUP VERTICAL \varnothing 1"1/4
 vertical connection \varnothing 1"1/4
 calibration pressure 0.50bar \pm 10%
 system with spring opening device
 complete with safety valve. depression valve.
 tap for pressure gauge holder and pressure gauge
 for STEAM BOILING KETTLE



RDF RUB.DEL FRIULI E12SC00

RDF RUB.DEL FRIULI 01502006

RDF RUB.DEL FRIULI 01502016

3184013 DEPRESSION VALVE \varnothing 3/4" M
 in chrome plated brass
 for safety group \varnothing 3/4"
 for safety group \varnothing 1"1/4



RDF RUB.DEL FRIULI E300012

RDF RUB.DEL FRIULI 01509004

3184007 PRESSURE GAUGE \varnothing 60 mm
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



RDF RUB.DEL FRIULI 36303605

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"
 for security group 3/4"
 for security group 1"1/4



RDF RUB.DEL FRIULI R36305961

3184018 SAFETY VALVE \varnothing 1"1/4 M
 max pressure 0.5 atm
 for safety group 1"1/4
 ISPEESL approved



RDF RUB.DEL FRIULI 01507006

3184016 SAFETY VALVE "FUMANA" \varnothing 1" M
 chrome plated brass
 for safety group 3/4"
 for safety group 1"1/4



RDF RUB.DEL FRIULI E440000

RDF RUB.DEL FRIULI 01506003



Suitable for:

Suitable for:

3184003 SAFETY GROUP VERTICAL \varnothing 1"1/4
 elbow connection \varnothing 1"1/4
 calibration pressure 0.50bar \pm 10%
 system with spring opening device
 complete with safety valve, depression valve,
 tap for pressure gauge holder and pressure gauge
 for STEAM BOILING KETTLE



RDF RUB.DEL FRIULI E130000

RDF RUB.DEL FRIULI 01505006

RDF RUB.DEL FRIULI 01505016

3184013 DEPRESSION VALVE \varnothing 3/4" M
 in chrome plated brass
 for safety group \varnothing 3/4"
 for safety group \varnothing 1"1/4



RDF RUB.DEL FRIULI E300012

RDF RUB.DEL FRIULI 01509004

3184007 PRESSURE GAUGE \varnothing 60 mm
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



RDF RUB.DEL FRIULI 36303605

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"
 for security group 3/4"
 for security group 1"1/4



RDF RUB.DEL FRIULI R36305961

3184018 SAFETY VALVE \varnothing 1"1/4 M
 max pressure 0.5 atm
 for safety group 1"1/4
 ISPEL approved



RDF RUB.DEL FRIULI 01507006

3184016 SAFETY VALVE "FUMANA" \varnothing 1" M
 chrome plated brass
 for safety group 3/4"
 for safety group 1"1/4



RDF RUB.DEL FRIULI E440000

RDF RUB.DEL FRIULI 01506003

3184001 SAFETY GROUP VERTICAL \varnothing 3/4"
 vertical connection \varnothing 3/4"
 calibration pressure 0,45bar \pm 10%
 system with spring opening device
 complete with safety valve, vacuum relief valve,
 tap for pressure gauge holder and pressure gauge
 ISPEL approved
 for STEAM PAN



RDF RUB.DEL FRIULI E100000

RDF RUB.DEL FRIULI 01503004

3184013 DEPRESSION VALVE \varnothing 3/4" M
 in chrome plated brass
 for safety group \varnothing 3/4"
 for safety group \varnothing 1"1/4



RDF RUB.DEL FRIULI E300012

RDF RUB.DEL FRIULI 01509004



RDF RUB.DEL FRIULI



Suitable for:

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



RDF RUB.DEL FRIULI 36303605

3184017 SAFETY VALVE \varnothing 3/4" M
max pressure 0.5 atm
for safety group \varnothing 3/4"



RDF RUB.DEL FRIULI E310000

RDF RUB.DEL FRIULI 01507004

3184014 SIPHON FOR PRESSURE GAUGE HOLDER \varnothing 3/8" M
made of chrome plated brass
for safety group 3/4"



RDF RUB.DEL FRIULI E400009

RDF RUB.DEL FRIULI 01551002

3184018 SAFETY VALVE \varnothing 1" 1/4 M
max pressure 0.5 atm
for safety group 1" 1/4
ISPESL approved



RDF RUB.DEL FRIULI 01507006

3184016 SAFETY VALVE "FUMANA" \varnothing 1" M
chrome plated brass
for safety group 3/4"
for safety group 1" 1/4



RDF RUB.DEL FRIULI E440000

RDF RUB.DEL FRIULI 01506003

Suitable for:

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"
for security group 3/4"
for security group 1" 1/4



RDF RUB.DEL FRIULI R36305961

3184016 SAFETY VALVE "FUMANA" \varnothing 1" M
chrome plated brass
for safety group 3/4"
for safety group 1" 1/4



RDF RUB.DEL FRIULI E440000

RDF RUB.DEL FRIULI 01506003

3184017 SAFETY VALVE \varnothing 3/4" M
max pressure 0.5 atm
for safety group \varnothing 3/4"



RDF RUB.DEL FRIULI E310000

RDF RUB.DEL FRIULI 01507004

3184014 SIPHON FOR PRESSURE GAUGE HOLDER \varnothing 3/8" M
made of chrome plated brass
for safety group 3/4"



RDF RUB.DEL FRIULI E400009

RDF RUB.DEL FRIULI 01551002

RDF RUB.DEL FRIULI 22106170



Suitable for:

Suitable for:

3184019 TAP WITH FUNNEL \varnothing 1/2" M
with cover



RDF RUB.DEL FRIULI E430000

RDF RUB.DEL FRIULI 02701123

Steam valves


3524006 "REX" STEAM VALVE \varnothing 1" MM
partially chromed steam valve "REX"
square connection \varnothing 1" MM



RDF RUB.DEL FRIULI E810000

RDF RUB.DEL FRIULI 01510005


3524004 KORALIT VALVE GASKET
for valve \varnothing 3/4" and "REX" \varnothing 1"



RDF RUB.DEL FRIULI R370012

RDF RUB.DEL FRIULI 34012792

3524007 VALVE KNOB
hole 7x7 mm
for valve "REX" \varnothing 1" 1/4




RDF RUB.DEL FRIULI R160000

RDF RUB.DEL FRIULI R172000

RDF RUB.DEL FRIULI R34007467

RDF RUB.DEL FRIULI 34007457

3524004 KORALIT VALVE GASKET
for valve \varnothing 3/4" and "REX" \varnothing 1"



RDF RUB.DEL FRIULI R370012

RDF RUB.DEL FRIULI 34012792

3524005 KORALIT VALVE GASKET
for valve \varnothing 1" 1/4



RDF RUB.DEL FRIULI R370016

RDF RUB.DEL FRIULI 34012793

3525008 VALVE \varnothing 1/2" FF



RDF RUB.DEL FRIULI E910010

RDF RUB.DEL FRIULI 01513003

Suitable for:

3525013 VALVE \varnothing 1"1/4 FF



RDF RUB.DEL FRIULI E820000

RDF RUB.DEL FRIULI 01512006

Suitable for:


3524005 KORALIT VALVE GASKET
for valve \varnothing 1" 1/4



RDF RUB.DEL FRIULI R370016

RDF RUB.DEL FRIULI 34012793

3524007 VALVE KNOB
hole 7x7 mm
for valve "REX" \varnothing 1"1/4



RDF RUB.DEL FRIULI R160000

RDF RUB.DEL FRIULI R172000

RDF RUB.DEL FRIULI R34007467

RDF RUB.DEL FRIULI 34007457

3524009 VALVE KNOB
hole 9x9 mm
for valve \varnothing 3/4" - 1"1/4



RDF RUB.DEL FRIULI 34007459

Taps for tank refilling

3525005 LEFT-HAND WATER INLET TAP \varnothing 1/2"FF
square pin 7x7 mm
brass valve for hot water
max flow rate 4 bar 24 l/min
with external fixing thread \varnothing 27x19 mm



RDF RUB.DEL FRIULI N10SXS

RDF RUB.DEL FRIULI N10SX00

RDF RUB.DEL FRIULI 02303963

RDF RUB.DEL FRIULI 02304963

3241108 KNOB CAP




2111534 NUT HEXAGONAL BRASS 27x6 mm



RDF RUB.DEL FRIULI R32001218

RDF RUB.DEL FRIULI 32001218

3241107 TAP KNOB - BLACK \varnothing 50 mm
square hole 7x7 mm



3525046 RIGHT-HAND WATER INLET VALVE \varnothing 1/2"MM
square shaft 7x7 mm



RDF RUB.DEL FRIULI 02301966

3241485 INLET TAP KNOB - BLUE
square hole 7x7 mm
for cold water



RDF RUB.DEL FRIULI R36103620



RDF RUB.DEL FRIULI



Suitable for:

Suitable for:

3183042 SPOUT
outlet spout \varnothing 18 mm



RDF RUB.DEL FRIULI 22406734

5017485 NUT CHROME PLATED M24x1.5 mm
hole \varnothing 18 mm



5002060 OLIVE FOR PIPE \varnothing 18 mm



5017486 RING CHROME-PLATED M24x1.5 mm
height 11 mm



5087362 SPOUT CONNECTION FITTING \varnothing 1/2" M
outlet spout \varnothing 12 mm



RDF RUB.DEL FRIULI 01102633

7111268 SPOUT CONNECTION FITTING \varnothing 3/4" F
outlet spout \varnothing 18 mm



RDF RUB.DEL FRIULI R36102454

5049048 SPOUT CONNECTION FIXED COMPLETE KIT
the kit includes
1 nozzle jet fitting \varnothing 1/2" M
1 water inlet tap \varnothing 1/2" FF



RDF RUB.DEL FRIULI 01116733

3183011 SPOUT CONNECTION 1/2" F
chrome-plated brass swivel
outlet spout \varnothing 20 mm - base 40 mm
with retaining screw 90°



RDF RUB.DEL FRIULI C130000

RDF RUB.DEL FRIULI 01105123

3183014 SPOUT CONNECTION 1/2" M
chrome-plated brass swivel
outlet spout \varnothing 18 mm



RDF RUB.DEL FRIULI C120000

RDF RUB.DEL FRIULI 01102113

3528056 COUNTER NUT FLAT OF BRASS 1/2"



RDF RUB.DEL FRIULI R32005875



Suitable for:

3183029 SPOUT CONNECTION 1/2" M
made of stainless steel
outlet spout \varnothing 18 mm



RDF RUB.DEL FRIULI 01104203

Suitable for:

3183047 SPOUT CONNECTION 3/4" F
outlet spout \varnothing 18 mm



RDF RUB.DEL FRIULI 36102453

5030949 SPOUT FITTING \varnothing 3/8" M
chrome-plated brass swivel
fixing \varnothing 1/2" M
outlet spout \varnothing 16 mm



RDF RUB.DEL FRIULI 01114882

3359819 SPOUT RH FITTING \varnothing 1/2" F
chrome-plated brass swivel
outlet spout \varnothing 18 mm
with ring nut and nut



RDF RUB.DEL FRIULI 01103103

3759109 TAP LOCK ELBOW RH \varnothing 1/2" FF
blue cap



RDF RUB.DEL FRIULI 02307963

RDF RUB.DEL FRIULI 02404003

5029266 TAP WATER INLET \varnothing 1/2" FF



RDF RUB.DEL FRIULI 02401000+..

5052541 KNOB BLACK \varnothing 48 mm
round knurled hole \varnothing 7 mm



4051568 TAP WATER INLET \varnothing 1/4" M



RDF RUB.DEL FRIULI 02503001

3356111 WATER INLET TAP \varnothing 1/2" FF



RDF RUB.DEL FRIULI 02402903



Suitable for:

Suitable for:

3359126 WATER INLET TAP \varnothing 1/2"FF



RDF RUB.DEL FRIULI 02402933+32 000664

3359138 WATER INLET TAP \varnothing 1/2"FF




RDF RUB.DEL FRIULI 02401903

2103687 FIXING WASHER 26xM19



RDF RUB.DEL FRIULI R32005872

5038919 WATER INLET TAP \varnothing 1/2"FF
square pin 7x7 mm



RDF RUB.DEL FRIULI 02401707

3241480 KNOB INLET WATER TAP - RED
square hole 7x7 mm
for hot water



RDF RUB.DEL FRIULI R36103609

RDF RUB.DEL FRIULI 36103609

5016886 WATER INLET TAP RING NUT
 \varnothing external 62/27 mm - \varnothing internal 25 mm
height 25 mm



RDF RUB.DEL FRIULI R32000664

3359142 WATER INLET TAP \varnothing 1/2" M
swivel spout \varnothing 18 mm



RDF RUB.DEL FRIULI 00502173

RDF RUB.DEL FRIULI 00601103

RDF RUB.DEL FRIULI 0502173

3186665 PTFE FLAT GASKET \varnothing 35x21x2 mm



3359285 WATER INLET TAP \varnothing 1/2" M
intenal output \varnothing 7.5 mm



RDF RUB.DEL FRIULI N300000

RDF RUB.DEL FRIULI 02501873

3356139 WATER INLET TAP \varnothing 3/8" F
intenal output \varnothing 7.5 mm



RDF RUB.DEL FRIULI 02502692

Suitable for:

Suitable for:


3525004 WATER INLET TAP DX \varnothing 1/2"FF
 square shaft 7x7 mm
 brass valve for cold water
 max. flow rate 4 bar 24L/min
 with external fastening thread \varnothing 27x19 mm



RDF RUB.DEL FRIULI 02301963

RDF RUB.DEL FRIULI 02302963

2111534 NUT HEXAGONAL BRASS 27x6 mm




RDF RUB.DEL FRIULI R32001218

RDF RUB.DEL FRIULI 32001218

3241108 KNOB CAP



3241107 TAP KNOB - BLACK \varnothing 50 mm
 square hole 7x7 mm




3525031 WATER INLET TAP DX \varnothing 1/2"FF
 D-shaped pin \varnothing 10x8 mm



RDF RUB.DEL FRIULI 02305103

3241199 KNOB BLACK \varnothing 70 mm COLD WATER
 D-shaped hole 10x8 mm



3525040 WATER INLET TAP DX \varnothing 1/2"FF
 D-shaped pin \varnothing 10x8 mm



RDF RUB.DEL FRIULI 02311123

3241416 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
 D-shaped hole 10x8 mm



3186667 GASKET FOR TAP PROTECTION \varnothing 58 mm
 inner \varnothing hole 29 mm - height 17 mm



3241199 KNOB BLACK \varnothing 70 mm COLD WATER
 D-shaped hole 10x8 mm





Suitable for:


Suitable for:

3183056 WATER INLET TAP LH \varnothing 1/2"FF
D-shaped pin \varnothing 10x8 mm




RDF RUB.DEL FRIULI 02316123

5025702 FITTING WITH OLIVE \varnothing 1/2"x14 mm



3241286 KNOB BLACK \varnothing 66 mm HOT WATER
D-shaped hole 10x8 mm




3525036 WATER INLET TAP LH \varnothing 1/2"FF
D-shaped pin \varnothing 10x8 mm



RDF RUB.DEL FRIULI 02306103


3241473 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for HOT WATER INLET




3241055 FIXING CLIP
for knob with \varnothing 8 mm hole




3186342 GASKET FOR OVEN
soft - external \varnothing 13,5 mm




40C2234 KNOB BLUE \varnothing 60 mm SCREEN PRINTED
D-shaped hole 10x8 mm



3241196 KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTE



3241445 KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTE



40C2007 RINGNUT BLUE SCREEN PRINTED FOR KNOB
external dimensions 86x68 mm





Suitable for:

40C2017 RINGNUT BLUE SCREEN PRINTED FOR KNOB
external dimensions 86x68 mm



Suitable for:

3525041 WATER INLET TAP LH \varnothing 1/2"FF
D-shaped pin \varnothing 10x8 mm



3241419 BLACK KNOB \varnothing 70 mm HOT WATER
D-shaped hole 10x8 mm




RDF RUB.DEL FRIULI 02312123


3241438 BLACK KNOB \varnothing 70 mm HOT WATER
D-shaped hole 10x8 mm



3241416 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



3241199 KNOB BLACK \varnothing 70 mm COLD WATER
D-shaped hole 10x8 mm



5016886 WATER INLET TAP RING NUT
 \varnothing external 62/27 mm - \varnothing internal 25 mm
height 25 mm



RDF RUB.DEL FRIULI R32000664

Water inlet taps

2111534 NUT HEXAGONAL BRASS 27x6 mm



RDF RUB.DEL FRIULI R32001218

RDF RUB.DEL FRIULI 32001218

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com