




Spare parts for the professional sector:
Cooking equipment



Suitable for:

REPAGAS



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

REPAGAS



Suitable for:

Air regulators

3025485 AIR ADJUSTER
internal \varnothing 20 mm - external \varnothing 22 mm
height 73 mm




REPAGAS 017956

REPAGAS 06700018

REPAGAS 06700018_RC

5062184 AIR REGULATOR
internal \varnothing 16 mm - external \varnothing 18 mm
height 73 mm



REPAGAS 00100154

REPAGAS 012958

Axial motor fans

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



REPAGAS 42300006

3805037 CABLE FOR AXIAL MOTOR FAN
cable length 2000 mm



3240502 AXIAL FAN SUNON 80x80x25 mm
ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN



REPAGAS 41100009

Ball valves and accessories

3526691 WATER VALVE \varnothing 1/2"MF
ball valve
heavy series with PN 25 total passage
aluminium lever




REPAGAS 24205032



Bearings

D063039 BEARING 6202-2Z SKF
single box packaging



REPAGAS 38101004

Bulb sheathes

3187016 THERMOSTAT SHEATH \varnothing 3/4"
complete with fixing nut and washer
bulb length 310 mm



REPAGAS 9400029

3786499 THERMOSTAT SHEATH M11x1 mm
complete with fixing nut and washer
length bulb 280 mm



REPAGAS 40100039

3786377 SHEATH GASKET
external \varnothing 17 mm - internal \varnothing 12.5 mm



Burners, flame spreaders and accessories

3025487 BURNER \varnothing 120 mm QE-80
for Pot stove gas (REPAGAS) C520 - C720 - C940



REPAGAS 004200
REPAGAS 017956
REPAGAS 50132063
REPAGAS 50141087_RC

REPAGAS 015424
REPAGAS 06700018
REPAGAS 50141000

REPAGAS 016550
REPAGAS 1083-P
REPAGAS 50141087

3025489 BURNER \varnothing 140 mm QE-100
for Pot stove gas (REPAGAS) C1180 - C530 - C920



REPAGAS 06700018
REPAGAS 50142089

REPAGAS 1083-P

REPAGAS 50142000



REPAGAS



Suitable for:

3025492 BURNER \varnothing 165 mm QE-140
for Pot stove gas (REPAGAS) C1540 - C1542



REPAGAS 56730056

Suitable for:

3025500 BURNER \varnothing 95 mm
for Pot stove gas (REPAGAS)



REPAGAS 02100029

3025494 BURNER \varnothing 95 mm QE-6
for Pot stove gas (REPAGAS)



REPAGAS 014264

REPAGAS 50131062

3025484 BURNER \varnothing 95 mm QE-60
for Pot stove gas (REPAGAS) C520 - C720 - C940



REPAGAS 002871


REPAGAS 50140000

REPAGAS 06700018

REPAGAS 50140085

REPAGAS 1083-P

3025486 BURNER CAP \varnothing 120 mm QE-80
for Pot stove gas (REPAGAS) C520 - C720 - C940



REPAGAS 015430

REPAGAS 50141088

3025485 AIR ADJUSTER
internal \varnothing 20 mm - external \varnothing 22 mm
height 73 mm



REPAGAS 017956

REPAGAS 06700018

REPAGAS 06700018_RC

3025487 BURNER \varnothing 120 mm QE-80
for Pot stove gas (REPAGAS) C520 - C720 - C940



REPAGAS 004200

REPAGAS 017956

REPAGAS 50132063

REPAGAS 50141087_RC

REPAGAS 015424

REPAGAS 06700018

REPAGAS 50141000

REPAGAS 016550

REPAGAS 1083-P

REPAGAS 50141087

3025525 BURNER CAP \varnothing 140 mm
for Pot stove gas (REPAGAS)



REPAGAS 00100109

REPAGAS 012597

3025485 AIR ADJUSTER
internal \varnothing 20 mm - external \varnothing 22 mm
height 73 mm



REPAGAS 017956


REPAGAS 06700018

REPAGAS 06700018_RC



Suitable for:

5062184 AIR REGULATOR
internal \varnothing 16 mm - external \varnothing 18 mm
height 73 mm



REPAGAS 00100154

REPAGAS 012958

REPAGAS



Suitable for:

3025522 JET HOLDER F/FLAME SPREADER 110-115-140
thread M9x1 for nozzle



REPAGAS 00121077

REPAGAS 001694

3025488 BURNER CAP \varnothing 140 mm QE-100
for Pot stove gas (REPAGAS) C1180 - C530 - C920



REPAGAS 002910

REPAGAS 50142090

3025485 AIR ADJUSTER
internal \varnothing 20 mm - external \varnothing 22 mm
height 73 mm



REPAGAS 017956

REPAGAS 06700018

REPAGAS 06700018_RC

3025489 BURNER \varnothing 140 mm QE-100
for Pot stove gas (REPAGAS) C1180 - C530 - C920



REPAGAS 06700018

REPAGAS 1083-P

REPAGAS 50142000


REPAGAS 50142089

3025497 BURNER CAP \varnothing 140 mm QE-12
for Pot stove gas (REPAGAS)



REPAGAS 50133066

3025485 AIR ADJUSTER
internal \varnothing 20 mm - external \varnothing 22 mm
height 73 mm



REPAGAS 017956

REPAGAS 06700018

REPAGAS 06700018_RC

3025483 BURNER CAP \varnothing 95 mm QE-60
for Pot stove gas (REPAGAS) C520 - C720 - C940



REPAGAS 007139

REPAGAS 50140086

REPAGAS 50140086_RC

3025485 AIR ADJUSTER
internal \varnothing 20 mm - external \varnothing 22 mm
height 73 mm



REPAGAS 017956

REPAGAS 06700018

REPAGAS 06700018_RC



Suitable for:

3025484 BURNER \varnothing 95 mm QE-60
for Pot stove gas (REPAGAS) C520 - C720 - C940



REPAGAS 002871

REPAGAS 06700018

REPAGAS 1083-P

REPAGAS 50140000

REPAGAS 50140085

REPAGAS




Suitable for:

3025491 FLAME SPREADER \varnothing 165 mm QE-140
for Pot stove gas (REPAGAS) C1540 - C1542



REPAGAS 56730057

3025485 AIR ADJUSTER
internal \varnothing 20 mm - external \varnothing 22 mm
height 73 mm



REPAGAS 017956

REPAGAS 06700018

REPAGAS 06700018_RC

3025492 BURNER \varnothing 165 mm QE-140
for Pot stove gas (REPAGAS) C1540 - C1542



REPAGAS 56730056

3025522 JET HOLDER F/FLAME SPREADER 110-115-140
thread M9x1 for nozzle




REPAGAS 00121077

REPAGAS 001694

Buzzers

3397302 ALARM BELL 220V



REPAGAS 1230015



Cables for piezo igniters

3001019 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



REPAGAS 00106042

3001017 IGNITION LEAD 600 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode



REPAGAS 40100009

3001068 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2,4 mm for electrode



REPAGAS 08100027

Contactors

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



REPAGAS 1130014

3446516 AUXILIARY CONTACT AEG HS7K01
10A
1 normally closed contact



3454032 AUXILIARY CONTACT AEG HS7K10
1 NO contact



3351049 CONTACTOR SIEMENS 3RT2016-1AP01
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



REPAGAS 1430006

3351059 THERMAL RELAY SIEMENS 1,8-2,5A
1 contact NO
1 contact NC
3RU2116-1CB0 series S00



REPAGAS 1420005



Suitable for:

REPAGAS



Suitable for:

Cooking baskets and accessories

3055135 PASTA COOKER BASKET 160x290x200 mm
for 13 portions approx
made of STAINLESS STEEL



REPAGAS 58400068

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



Door catches

3242298 CATCH 6195 69 mm - 42 mm
mounting distance 57 mm - 30 mm
RAHRBACH



REPAGAS 1270034

3242747 BLACK SPACER 42x12 mm
height 6 mm - distance between holes 30 mm



Drain taps and accessories

3356055 DRAIN TAP ø 1" F



REPAGAS 8500001

3356149 DRAIN TAP ø 2" F TECNO
BRASS CAP - with swivel nut ø 2" F



REPAGAS 08100075

3186242 ASBESTOS FREE FLAT GASKET ø 61x46x2 mm
for drain tap ø 2" old model





Suitable for:

3356101 CAP FOR DRAIN TAP
for DRAIN TAP \varnothing 2" OLD MODEL



3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



REPAGAS

Suitable for:

3356016 DRAIN NIPPLE \varnothing 2"x80 mm
in brass



3356012 ESCUTCHEON FOR DRAIN TAP \varnothing 2"



5015573 GASKET FLAT ASBE. FREE \varnothing 61x48x2 mm
for drain tap \varnothing 2"



3186241 O-RING 06212 VITON
ring thickness 5.34 mm - internal \varnothing 53.34 mm
for DRAIN TAP \varnothing 2" OLD MODEL AND
TECNO NEW MODEL





Suitable for:

3356128 PIN \varnothing 5x30 mm
complete with blind nut



REPAGAS



Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3180039 VASELINE WUERTH 750 g
for lubrication of food processing machines
it protects chromed and rubber parts from
weather factors, moisture resistant,
operating temperature from -10°C up to $+120^{\circ}\text{C}$
from $+50^{\circ}\text{C}$ to $+120^{\circ}\text{C}$ the grease becomes oily




3356084 DRAIN TAP \varnothing 3/4"MF
for Fryer electric (REPAGAS) FE17



REPAGAS 57105033

3356069 DRAIN TAP KIT \varnothing 1"MF
the kit includes:
2 brackets, small parts and various



REPAGAS 8900021

3356133 DRAIN TAP LEVER 165 mm





Suitable for:

3356095 DRAIN TAP LEVER 230 mm
for Fryer electric (REPAGAS) FE12
for Fryer gas (REPAGAS) FG157 - FG307



REPAGAS 9500006

3786043 GASKET FOR BOILER ELBOW
ø external 19/16 mm - ø internal 10 mm
depth 6 mm



7150618 LEVER FOR DRAIN TAP 415 mm



REPAGAS



Suitable for:

3356094 DRAIN TAP LEVER 380 mm
for Fryer electric (REPAGAS) FE20 - FE20+20 - FE30
FE30+30
for Fryer gas (REPAGAS) FG159 - FG309



REPAGAS 4030005

7150617 KNOB FOR DRAIN TAP ø 40 mm
pin M6x15 mm



3356095 DRAIN TAP LEVER 230 mm
for Fryer electric (REPAGAS) FE12
for Fryer gas (REPAGAS) FG157 - FG307



REPAGAS 9500006


3356094 DRAIN TAP LEVER 380 mm
for Fryer electric (REPAGAS) FE20 - FE20+20 - FE30
FE30+30
for Fryer gas (REPAGAS) FG159 - FG309



REPAGAS 4030005

Drip trays

3015035 BURNER DRIP TRAY
external size 550x500 mm
internal hole ø 150 mm
for Pot stove gas (REPAGAS) C1540 - C1542



REPAGAS 009096

REPAGAS 56700047

3015036 BURNER DRIP TRAY
external size 550x500 mm
internal hole ø 175 mm
for Pot stove gas (REPAGAS) C1540 - C1542



REPAGAS 56700048




Suitable for:

REPAGAS



Suitable for:

3015037 BURNER DRIP TRAY
 external size 400x290 mm
 internal hole \varnothing 130 mm
 for Pot stove gas (REPAGAS)



REPAGAS 002973

REPAGAS 53100029

Electrical gas valves and accessories

2110979 VALVE 840 SIGMA \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 gas inlet maximum pressure 60 mbar
 pressure calibration field outlet
 2÷50 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz



REPAGAS 43000009

2110618 DOUBLE COIL FOR VALVE
 230V 50Hz
 for VALVE 840 SIGMA-848 SIGMA




5076905 DOUBLE COIL FOR VALVE
 220V 60Hz
 for VALVE 840 SIGMA-845 SIGMA-848 SIGMA



2102658 ELECTRIC COUPLING WITH CABLE
 cable length 550 mm - 4 wires
 for valve sit 840 SIGMA-843 SIGMA-845 SIGMA
 for valve sit 848 SIGMA




5068646 ELECTRIC COUPLING WITH CABLE
 cable length 1100 mm - 3 threads
 for valve sit 840 SIGMA-843 SIGMA-845 SIGMA
 for valve sit 848 SIGMA





Electronic boxes

- 3526402 CONTROL BOX S4560A1008**
model HONEYWELL - 220/240V 50Hz 10VA



REPAGAS 1440006

Electronic controllers

- 3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000**
power supply 12Vca/dc 1.5VA
thermostat setting range 99+600°C
ON-OFF control with one actuation point
1 exchange relay output 6(3)A 250V
inbuilt alarm buzzer
access to configuration parameters through password
serial port for data exchange
room temperature 0+60°C
PTC/NTC/PT100/PT1000 type probe (not included)
connections by screwed terminal block
front dimensions 74x32x65 mm
mounting hole 71x29 mm



REPAGAS 1230020

- 3445156 PROBE NTC PVC 3000 mm**
temperature range -30+80°C
bulb ø 6x40 mm



- 3445167 PROBE NTC TPE IP68 1500 mm**
temperature range -50+110°C
bulb ø 5x20 mm watertight



- 3445157 PROBE NTC PVC 1500 mm**
probe 2 wires - temperature range -30+80°C
bulb ø 6x40 mm



- 3445028 PROBE NTC PVC 4000 mm**
temperature field -30+80°C
bulb ø 6x20 mm



- 3445335 PROBE NTC TPE IP68 3000 mm**
temperature range -50+110°C
bulb ø 5x20 mm watertight





Suitable for:

3445184 PROBE NTC TPE STEEL IP68 1500 mm
temperature range -40+110°C
bulb ø 6x40 mm watertight



REPAGAS



Suitable for:

3445154 PROBE NTC TPE STEEL IP68 3000 mm
temperature range -40+110°C
bulb ø 6x40 mm watertight



3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb ø 6x100 mm



3445379 PROBE PT1000 IP68 1500 mm
temperature range -50+110°C
bulb ø 6x20 mm watertight



3445380 PROBE PT1000 IP68 3000 mm
temperature range -50+110°C
bulb ø 6x20 mm watertight



3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



REPAGAS 44300002

3445913 SILICONE PROBE NTC 1500 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445155 SILICONE PROBE NTC 3000 mm
temperature range -50+110°C
bulb ø 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range -55+150°C
bulb ø 6x40 mm





Suitable for:

3445959 SILICONE PTC PROBE 5000 mm
temperature range -55+150°C
bulb \varnothing 6x40 mm



REPAGAS



Suitable for:

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved



Energy regulators

3350024 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction



REPAGAS 1230018

Feet

3313084 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 107 mm
with fixed screw M10x22 mm
adjustable height 107÷137 mm



REPAGAS 4010022

3313032 RUBBER FOOT \varnothing 40 mm
with fixed screw M10x34 mm
for Fryer electric (REPAGAS) FE10 - FE17 - FE8



REPAGAS 018148
REPAGAS 24600030

REPAGAS 018148+008243
REPAGAS 34101010

REPAGAS 018148+008243_2PZ
REPAGAS 34101010+078-P



Suitable for:

REPAGAS



Suitable for:

Filters

5015069 FRYER FILTER 320x185x40 mm



REPAGAS 8900019

Fittings

3349089 ELBOW FITTING
fitting 1/2"F-1/2"M
for GAS INLET



REPAGAS 011208

REPAGAS 27306009

3349086 ELBOW HOSE-END FITTING
hose-end fitting \varnothing 13 mm - coupling \varnothing 3/4"F
for GAS INLET



REPAGAS 00135000

REPAGAS 011894

3349087 ELBOW HOSE-END FITTING
hose-end fitting \varnothing 13 mm - coupling \varnothing 1/2"F
for GAS INLET



REPAGAS 008322

REPAGAS 27306000

3349088 ELBOW HOSE-END FITTING
hose-end fitting \varnothing 13 mm - fitting \varnothing 1/2"M
for GAS INLET



REPAGAS 011541

REPAGAS 24205033

3349090 NUT 1/2"F FOR COUPLING



REPAGAS 014784

REPAGAS 24610018

Fryer baskets and accessories

7115947 BASKET SUPPORT FOR FRYER
external dimensions 285x220x220 mm



REPAGAS 40100045

5015252 FRYER BASKET SUPPORT
external dimensions 385x225x220 mm



REPAGAS 40200006



REPAGAS



Suitable for:

3055473 FRYER BASKET 235x210x115 mm
made of stainless steel
for Fryer electric (REPAGAS) FE8



REPAGAS 001414

REPAGAS 57200022

Suitable for:

3055187 FRYER BASKET 260x180x120 mm
in chrome-plated iron



REPAGAS 8500012

3055186 FRYER BASKET 290x110x120 mm
made of chrome-plated iron



REPAGAS 40100013

3055184 FRYER BASKET 290x180x120 mm
in chrome-plated iron



REPAGAS 8700019

3055357 FRYER BASKET 290x215x120 mm
in chromium plated iron




REPAGAS 40100014

3055191 FRYER BASKET 365x240x120 mm
in chrome-plated iron



REPAGAS

3055475 FRYER BASKET 365x540x125 mm
in chrome plated iron



REPAGAS 9600007

3055312 FRYER BASKET 375x110x120 mm
made of chrome plated iron



REPAGAS 4020004

3055310 FRYER BASKET 375x215x125 mm
made of chrome plated iron



REPAGAS 4020005

REPAGAS 9000006



Suitable for:

REPAGAS



Suitable for:

Gas burners

3023147 BURNER \varnothing 40x340 mm
overall length 380 mm
made of STAINLESS steel
for Fryer gas (REPAGAS) FG125



REPAGAS 40100005

3025652 AERATION REGULATOR 49x25x46 mm




3023290 BURNER \varnothing 40x445 mm
overall length 485 mm
made of STAINLESS steel
for Fryer gas (REPAGAS) FG157 - FG159 - FG307
FG309



REPAGAS 40100034

3025652 AERATION REGULATOR 49x25x46 mm



3023289 BURNER \varnothing 450 mm



REPAGAS 006221

REPAGAS 58809014

3025482 NOZZLE HOLDER FOR BURNER
threaded connection for pipe M18x1,5 mm
fastening M14x1,5 mm
pipe \varnothing 12 mm



REPAGAS 010948

REPAGAS 22108010

3528018 HEXAGONAL NUT M14 SHORT
brass - UNI 5589 - DIN 936 - ISO 4035



REPAGAS 00112127


REPAGAS 010106



Gas taps and accessories

3348107 GAS TAP COPRECI CAL10200

without pilot flame
flange inlet fitting
outlet fittings \varnothing M16x1.5 mm
double thermocouple connection M8x1
D-shaped long pin \varnothing 8x6.5 mm
for Pot stove gas (REPAGAS) C531/G



REPAGAS 009101

REPAGAS 04708023


3786025 GASKET FOR GAS TAP \varnothing 20x7x1 mm



REPAGAS 04708015

3348106 GAS TAP COPRECI CAL5200

without pilot flame
flange inlet fitting \varnothing 21 mm
outlet fitting \varnothing M16x1.25 mm
thermocouple fitting M8x1
D-shaped pin \varnothing 8x6.5 mm - long pin
for Hot plate (REPAGAS) - Series 440 - Series 550




REPAGAS 24609000

REPAGAS 24609015

3348150 GAS TAP COPRECI CAL5200

without pilot flame
flange inlet fitting \varnothing 21 mm
outlet fitting \varnothing M16x1.25 mm
thermocouple fitting M8x1
pin length 26 mm



REPAGAS 24609000

REPAGAS 24609015

3182022 MAGNETIC GROUP PEL SMALL HEAD

head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3182011 MAGNETIC UNIT PEL SMALL HEAD

head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3186789 TAP GASKET \varnothing 11x7x3 mm





Suitable for:

REPAGAS



Suitable for:

3348108 TAP BRACKET WITH SCREWS



REPAGAS 009007+006104_2PZ

REPAGAS 04708013

REPAGAS 04708013+...

REPAGAS 051-P

Gas valves and accessories

3526131 EUROSIT VALVE FOR FRYER 110÷190°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure setting range
3÷18 mbar outlet
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x200 mm



REPAGAS 40900005

3526260 CAP FOR VALVE EUROSIT \varnothing 3/8" with OR



4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8" with OR




3241435 EUROSIT VALVE EXTENSION D shaft \varnothing 10x8 mm




3526126 EUROSIT VALVE EXTENSION D shaft \varnothing 10x8 mm




3526677 EXTENSION FOR EUROSIT VALVE D-shaped pin \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm




REPAGAS 00131131

REPAGAS 43000018



Suitable for:

5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523035 KNOB MINISIT BLACK \varnothing 37 mm



REPAGAS 00100103

REPAGAS

Suitable for:

3526127 FLANGE FOR EXTENSION




5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm




3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



3523047 LID MINISIT



REPAGAS 9400033





Suitable for:

REPAGAS



3523919 **MINISIT VALVE FOR FOOD-WARMER 30÷100°C**
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x125 mm
 without cover. knob and flanges



REPAGAS 22502000

3523038 **ELBOW FLANGE MINISIT \varnothing 1/2"**
 with screws and OR



3523035 **KNOB MINISIT BLACK \varnothing 37 mm**




REPAGAS 00100103

3182003 **MAGNETIC UNIT SIT**
 head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



3523060 **OIL SEAL FITTING \varnothing 6.5 mm**
 internal thread M10x0.75 - external thread M14x1.5




2100757 **CONNECTION FOR OLIVE \varnothing 16 mm**
 thread \varnothing 1/2"M



3523037 **ELBOW FLANGE MINISIT \varnothing 3/8"**
 with screws and OR



3523047 **LID MINISIT**



REPAGAS 9400033

3523061 **NUT \varnothing 1/4"x6 mm**



3348044 **OLIVE FOR PIPE \varnothing 10 mm**
 for model PEL 20-21-24-25





Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523039 SENSING ELEMENT MINISIT 30 \div 100 $^{\circ}$ C
capillary length 1050 mm
bulb \varnothing 5x125 mm



3523927 MINISIT VALVE FOR FRYER 110 \div 190 $^{\circ}$ C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60 $^{\circ}$ C
capillary length 1200 mm
bulb \varnothing 6x105 mm
without cover. knob and flanges



REPAGAS

Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M





Suitable for:

3523050 COVER FOR VALVE MINISIT




REPAGAS 9400036

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523047 LID MINISIT



REPAGAS 9400033

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



REPAGAS



Suitable for:

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm




REPAGAS 00100103

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm





Suitable for:

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



REPAGAS



Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange




3523044 SENSING ELEMENT MINISIT 120÷200°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



3523040 SENSING ELEMENT MINISIT 100÷340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm



3523051 SENSING ELEMENT MINISIT 110÷190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



REPAGAS 00100144

REPAGAS 40200024

3523042 SENSING ELEMENT MINISIT 50÷190°C
capillary length 1200 mm
bulb \varnothing 5x95 mm



REPAGAS 9400038



Suitable for:

REPAGAS



Suitable for:

3523920 VALVE 710 MINISIT OVEN 100÷340°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 without cover, knob and flanges



REPAGAS 00106048

REPAGAS 00131000

REPAGAS 0100988

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M



3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
 with screws and OR




3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



3523047 LID MINISIT



REPAGAS 00100103

REPAGAS 9400033


3182003 MAGNETIC UNIT SIT
 head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



3523061 NUT \varnothing 1/4"x6 mm



3523060 OIL SEAL FITTING \varnothing 6.5 mm
 internal thread M10x0.75 - external thread M14x1.5



3348044 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 20-21-24-25





Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523040 SENSING ELEMENT MINISIT 100 \div 340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm



REPAGAS 00100144

3523922 VALVE 710 MINISIT OVEN 100 \div 340°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 80°C
capillary length 1800 mm
bulb \varnothing 5x70 mm
without cover. knob and flanges



REPAGAS 20803000

REPAGAS



Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M





Suitable for:

3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm




REPAGAS 00100103

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT




3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



REPAGAS




Suitable for:

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523047 LID MINISIT



REPAGAS 9400033

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm





Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3523041 SENSING ELEMENT MINISIT 100 \pm 340°C
capillary length 1800 mm
bulb \varnothing 5x70 mm



REPAGAS



Suitable for:

3523036 REDUCTION STRAIGHT \varnothing 3/8" F - \varnothing 1/2" F
in brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" F
for MINISIT flange



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1,5 mm



Gaskets and seals

3786027 BURNER GASKET \varnothing 46x35x1.30 mm



REPAGAS 0100112

REPAGAS 07108015

3786026 GASKET FOR GAS TAP \varnothing 11x7x3 mm



REPAGAS 009037

REPAGAS 04708016


3786025 GASKET FOR GAS TAP \varnothing 20x7x1 mm



REPAGAS 04708015

Grids for kitchen

3185143 GRID 395x370 mm
for Pot stove (REPAGAS)



REPAGAS 00100110

REPAGAS 012605



Suitable for:

REPAGAS



Suitable for:


Grids for oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



REPAGAS 04100029

3185055 CHROME PLATED GRID GN 2/1 650x530 mm



REPAGAS 00100115

3185144 CHROME PLATED SUPPORT GRID 530x530 mm



REPAGAS 02100034

Handles

3242676 BLACK PLASTIC HANDLE 124 mm
distance between mounting holes 107 mm



REPAGAS 40100030

Heating elements

3755901 HEATING ELEMENT 1000W 230V
length 345 mm - width 55 mm
height 70 mm
for Fry top electric (REPAGAS) E-35 - E-65 - E-95



REPAGAS 016053

REPAGAS 32100002

REPAGAS 32100002_RC

3755900 HEATING ELEMENT 1300W 230V
length 280 mm - width 130 mm
height 70 mm
for Hot plate electric (REPAGAS) E60 - E64 - E80
E84



REPAGAS 32400014

3355541 HEATING ELEMENT 1500W 220V
length 320 mm - width 55 mm
height 215 mm - fittings \varnothing 1/4"



REPAGAS 8700024

3755904 HEATING ELEMENT 1500W 230V
length 500 mm - width 90 mm
fittings M12x1.25 mm
operating ambient: immersion
for Bain-marie gas (REPAGAS) BM71 - BM91



REPAGAS 22300016

Suitable for:

3355543 HEATING ELEMENT 2000W 220V
length 320 mm - width 80 mm
height 240 mm - fittings \varnothing 1/4"



REPAGAS 8800027

Suitable for:

3755903 HEATING ELEMENT 2500W 230V
length 1180 mm - width 50 mm
fittings M12x1.50 mm
for Hot cupboard electric (REPAGAS)



REPAGAS 25402002

3355544 HEATING ELEMENT 3000/3300W 230/240V
length 290 mm - width 170 mm
height 190 mm - fittings \varnothing 1/4"



REPAGAS 8500013

3755289 HEATING ELEMENT 3000W 220V
length 280 mm - width 95 mm
height 240 mm - fittings \varnothing 1/4"



REPAGAS 1130002

3755689 HEATING ELEMENT 3333W 220V
length 400 mm - width 90 mm
height 245 mm - fittings \varnothing 1/4"



REPAGAS 9000007

3755688 HEATING ELEMENT 5500W 220V
length 390 mm - width 70 mm
height 250 mm - fittings M14x1.5 mm



REPAGAS 1140011

3755905 HEATING ELEMENT 750W 230V
length 235 mm - width 40 mm
fittings M12x1.25 mm
operating ambient: immersion
for Bain-marie electric (REPAGAS) BM45 - BM65



REPAGAS 2320007

Hinges, catches and accessories

3053308 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 111
height 24 mm
for Oven under cooktop (REPAGAS)



REPAGAS 00111000

REPAGAS 00148000

REPAGAS 005488

3053309 HINGE COVER
mounting distance 95 mm - dimensions 110x25 mm
for Oven under cooktop (REPAGAS)



REPAGAS 00107027



REPAGAS



Suitable for:


Suitable for:

3053034 LID HINGE RADIUS 320 mm
for lid \varnothing 640 mm
for BOILING KETTLE with round lid



REPAGAS 08134000

3053111 SPRING LH \varnothing 4 mm
for hinges with radius 320-395 mm



REPAGAS 08134125

3053110 SPRING RH \varnothing 4 mm
for hinges with radius 320-395 mm



3053311 SPRINGS RH-LH \varnothing 4 mm
for hinges



REPAGAS 08134124

3053306 RIGHT-LEFTHAND DOOR HINGE FOR OVEN
mounting distance 170 mm - overall length 205
height 166 mm
for Oven under cooktop (REPAGAS)



REPAGAS 000620

REPAGAS 00144000

REPAGAS 0100120

3053308 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 111
height 24 mm
for Oven under cooktop (REPAGAS)



REPAGAS 00111000

REPAGAS 00148000

REPAGAS 005488

3053309 HINGE COVER
mounting distance 95 mm - dimensions 110x25 mm
for Oven under cooktop (REPAGAS)



REPAGAS 00107027

3053111 SPRING LH \varnothing 4 mm
for hinges with radius 320-395 mm



REPAGAS 08134125

3053110 SPRING RH \varnothing 4 mm
for hinges with radius 320-395 mm



REPAGAS 08134124



Hot plates

- 3312074 SMOOTH PLATE 395x365 mm**
made of cast iron
for Pot stove (REPAGAS)



REPAGAS 00100111

REPAGAS 012610

Ignitors

- 3001007 PIEZO IGNITER**
a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm




REPAGAS 00128101

REPAGAS 40600007

Incandescent lamps and neon lamps

- 3221041 LAMP E14 15W 230V**
max temperature 300°C - \varnothing 22x50 mm



REPAGAS 1230009

- 3221061 LAMP E14 25W 230V**
max temperature 300°C - \varnothing 26x57 mm



REPAGAS 1250021

- 3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**
max. temperature 250°C



REPAGAS 42200007



Suitable for:

REPAGAS



Suitable for:

Indicator lights

3221359 INDICATOR LIGHT BLUE 380V
ø head 21 mm - ø hole 13 mm
for Fry top electric (REPAGAS) E-35 - E-64 - E-65
E-84 - E-95




REPAGAS 016117

REPAGAS 32100012

REPAGAS 4100024

3221360 INDICATOR LIGHT DOUBLE RED-GREEN 230V
mounting hole 52x28 mm
for Hot cupboard electric (REPAGAS) AC-127
AC-167 - AM-127 - AM-167



REPAGAS 012865

REPAGAS 25303013

3221132 INDICATOR LIGHT GREEN 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



REPAGAS 1250050

3221153 INDICATOR LIGHT GREEN 380V
mounting hole 32.5x10 mm - 85°C
for COUNTER TOP FRYER all models



REPAGAS 8500007

3221095 INDICATOR LIGHT ORANGE 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



REPAGAS 1230023

3221154 INDICATOR LIGHT ORANGE 380V
mounting hole 32.5x10 mm - 85°C
for COUNTER TOP FRYER all models



REPAGAS 8500005

REPAGAS 8500008

3221361 INDICATOR LIGHT ORANGE 380V
head ø 12.5 mm - hole ø 10 mm - max 85°C
for Fryer electric (REPAGAS) FE-10 - FE-17 - FE-8



REPAGAS 57103019

3221080 INDICATOR LIGHT RED 230V
head ø 13.5 mm - hole ø 10 mm - 120°C



REPAGAS 1230025

3221362 INDICATOR LIGHT RED 380V
head ø 12.5 mm - hole ø 10 mm - 120°C
for Fryer electric (REPAGAS) FE-10 - FE-17 - FE-8



REPAGAS 57103020

3221363 INDICATOR LIGHT WHITE 380V
head ø 12.5 mm - hole ø 10 mm - 120°C
for Fryer electric (REPAGAS) FE-10 - FE-17 - FE-8



REPAGAS 57103021



Ironmongery (screws,nuts,washers)

3242041 CLASP \varnothing 3x25 mm
stainless steel C70 - UNI 6873 - DIN 1481 - ISO 87



REPAGAS 1260021

3528017 HEXAGONAL NUT M12 SHORT
stainless steel - UNI 5589 - DIN 936 - 4035



REPAGAS 30100048

3528018 HEXAGONAL NUT M14 SHORT
brass - UNI 5589 - DIN 936 - ISO 4035



REPAGAS 00112127

REPAGAS 010106

Knobs

3241636 BLACK KNOB \varnothing 50 mm 30°-110°C
D-shaped hole 6x4.6 mm
for EGO thermostat



REPAGAS 22405005

3241637 BLACK KNOB \varnothing 50 mm 60°-200°C
D-shaped hole 6x4.6 mm
for EGO thermostat



REPAGAS 57103027

3241091 BLACK KNOB \varnothing 55 mm
square hole 5x5 mm
for Fryer electric (REPAGAS) EB12 - EB18 - EB8




REPAGAS 8700012

3241092 BLACK KNOB \varnothing 55 mm
D-shaped hole 6x4.6 mm
for Fryer electric (REPAGAS) EB12 - EB18 - EB8



REPAGAS 8500006


3241633 BLACK KNOB \varnothing 62 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for Pot stove (REPAGAS)



REPAGAS 00300078

REPAGAS 013839

3241635 BLACK KNOB \varnothing 62 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Pot stove (REPAGAS)



REPAGAS 001624

REPAGAS 30100053



Suitable for:

3241638 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Pot stove (REPAGAS)



REPAGAS 008007

REPAGAS 30118000

Suitable for:

3241632 BLACK KNOB \varnothing 75 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for Pot stove (REPAGAS)



REPAGAS 00130000

REPAGAS 50100083

REPAGAS 002217

REPAGAS 0100144


Lamp receptacles and spare parts

3221172 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 96x80 mm



REPAGAS 44100006

3221255 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 140x72 mm



REPAGAS 1250018

3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE
external dimensions 140x75 mm



REPAGAS 1250020

3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm



REPAGAS 44100005

3221173 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 73x58 mm



REPAGAS 44100004

3221256 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 112x65 mm
max temperature 500°C



REPAGAS 1250019

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
thread \varnothing 33.5 mm - overall height 34 mm



REPAGAS 1230007

3221204 HALOGEN LAMP RECEPTACLE G4 20W 12V
UL certified - wire connection length 300 mm



REPAGAS 42200008



Suitable for:

5013466 LAMP HOLDER WITH LAMP E14 25W 230V
 extern size 140x72 mm
 maximal temperature 300°C



REPAGAS

3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE
 external dimensions 140x75 mm



REPAGAS 1250020

3221061 LAMP E14 25W 230V
 max temperature 300°C - ø 26x57 mm



REPAGAS 1250021

D421016 OVEN LAMP DR FISCHER E14 25W 230V
 ø 25x57 mm - max temperature 300°C



Suitable for:

3221255 FRAME FOR OVEN LAMP RECEPTACLE
 external dimensions 140x72 mm




REPAGAS 1250018

3221256 GLASS FOR OVEN LAMP RECEPTACLE
 external dimensions 112x65 mm
 max temperature 500°C




REPAGAS 1250019

3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
 dimensioni esterne 106x65 mm



REPAGAS 1250065

2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V
 mounting hole ø 38 mm
 max temperature 300°C



REPAGAS 1230010



Suitable for:

REPAGAS



Suitable for:

Level gauges

3201010 LEVEL GLASS \varnothing 13x138 mm
for Boiling pan (REPAGAS)




REPAGAS 020110

REPAGAS 08400054

Lids


5002356 FRYER TANK COVER 340x270 mm



REPAGAS 8900010


REPAGAS 9400014

5040302 FRYER TANK COVER 340x270 mm



REPAGAS 40101032

5040303 FRYER TANK COVER 430x270 mm



REPAGAS 1140009

Magnets

3242587 DOOR LOCK MAGNET
platelet dimensions 51x19 mm
mounting hole 38x25x7.5 mm
for FRYER all models



REPAGAS 40100019

Microswitches, mechanical

3240144 MICROSWITCH BITRON TYPE S16
16A 250V



REPAGAS 8500023

3240653 MICROSWITCH TELEMECANIQUE XC1-ZA2
10A 500V
for Bratt pan gas (REPAGAS) SB730 - SB90 - SB940




REPAGAS 007859

REPAGAS 09516066

**3240410 MICROSWITCH 16(4)A 250V**

REPAGAS 1230024

3240236 LIMIT SWITCH CONTROL**3240233 MICROSWITCH FITTING M16x1.5 mm****3240235 RING NUT M16x1.5 mm**

Suitable for:

3240203 BUSHING DOOR MICROSWITCH
external \varnothing 10x15 mm**3240234 LIMIT SWITCH PIN****3250071 MICROSWITCH SPRING \varnothing 13x25 mm**

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm

REPAGAS 1510006

Nozzles

3500361 GAS JET M10x1 \varnothing 1.65 mm

REPAGAS 9400025

3500056 GAS JET M10x1 \varnothing 1.85 mm

REPAGAS 4020015



REPAGAS



Suitable for:

Suitable for:

3500041 GAS JET M9x1 ø 0.95 mm

3500044 GAS JET M9x1 ø 1.15 mm



REPAGAS 04704017

REPAGAS 00120151

3500045 GAS JET M9x1 ø 1.20 mm

3500047 GAS JET M9x1 ø 1.35 mm



REPAGAS 02107015

REPAGAS 30100039

5051548 GAS JET M9x1 ø 1.75 mm

3500050 GAS JET M9x1 ø 1.80 mm



REPAGAS 01288313

REPAGAS 60100043

REPAGAS 00100139

3500051 GAS JET M9x1 ø 1.90 mm

3500053 GAS JET M9x1 ø 2.15 mm




REPAGAS 50100013

REPAGAS 07600010

Pilot burners and accessories

3020084 FITTING AND OLIVE ø 6 mm



REPAGAS 00131131

REPAGAS 43000018

3020025 ONE-FLAME PILOT BURNER SIT
multigas type with nozzle ø 0.25 mm
with 2 positions bracket

3020101 BRACKET CLAMP 2 POSITIONS



REPAGAS 00120137

REPAGAS 50116000



Suitable for:

3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm
for mounting of pilot assembly




3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
for burner \varnothing 115 mm



3020100 BRACKET 2 POSITIONS



3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F




REPAGAS 00142187

REPAGAS



Suitable for:

3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
for burner \varnothing 90 mm




3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
for burner \varnothing 135 mm



3020108 DEFLECTOR 1 FLAME



3020084 FITTING AND OLIVE \varnothing 6 mm



REPAGAS 00131131

REPAGAS 43000018

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



REPAGAS 40100008

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



REPAGAS 40100008



Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



REPAGAS



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020081 OLIVE FOR PIPE \varnothing 6 mm



3020115 PILOT CAP 1 FLAME



3020119 PILOT CAP 1 FLAME
for multigas burner




3020054 PILOT JET \varnothing 0.20 mm



3020156 PILOT JET \varnothing 0.25 mm



4058525 PILOT JET \varnothing 0.30 mm



3020055 PILOT JET \varnothing 0.35 mm





Suitable for:

5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



REPAGAS

Suitable for:

3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm





Suitable for:

REPAGAS




5025549 PILOT BURNER KIT SIT 3 FLAMES
 without plug and gasket
 with pilot olive for pipe
 with thermocouple connection
 with sparking plug fitting
 with pilot nozzles \varnothing 0.35 mm - \varnothing 0.51 mm



REPAGAS 64100007


3020084 FITTING AND OLIVE \varnothing 6 mm



REPAGAS 00131131

REPAGAS 43000018

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
 thread M10x1



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F




REPAGAS 00142187

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M4x1 mm
 overall length 67 mm



Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M4x1 mm
 overall length 65 mm



REPAGAS 40100008

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
 connection \varnothing 2.4 mm
 overall length 58 mm



REPAGAS 40100008

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
 connection \varnothing 2.4 mm
 overall length 52 mm





Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm



5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



3020541 PILOT JET \varnothing 0.35 mm



2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



REPAGAS

Suitable for:

3020112 OLIVE FOR PIPE \varnothing 6 mm



3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



REPAGAS 00142185

3020041 PILOT JET \varnothing 0.41 mm



3020187 PILOT JET \varnothing 0.51 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm





Suitable for:

REPAGAS




Suitable for:

3020433 PILOT BURNER 3-FLAME
 supplied without sparking plug
 supplied with NATURAL GAS nozzles
 supplied with pilot pipe fitting
 supplied with thermocouple fitting
 with sparking plug fitting



REPAGAS 4090004

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
 thread M10x1



3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M4x1 mm
 overall length 65 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F



REPAGAS 4010008

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
 connection \varnothing 2.4 mm
 overall length 58 mm



REPAGAS 00142187

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
 M faston M4x1 mm
 overall length 67 mm



REPAGAS 4010008

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
 connection \varnothing 2.4 mm
 overall length 52 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm





Suitable for:

3020044 PILOT JET \varnothing 0.20 mm



REPAGAS 40900003

3020452 PILOT JET \varnothing 0.32 mm



3020449 PILOT JET \varnothing 0.54 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020044 PILOT JET \varnothing 0.20 mm



REPAGAS 40900003

REPAGAS

Suitable for:

5071220 PILOT JET \varnothing 0.22 mm



3020045 PILOT JET \varnothing 0.50 mm



REPAGAS 40900006

3020464 PILOT JET \varnothing 0.64 mm



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020040 PILOT JET \varnothing 0.30 mm



REPAGAS 00142185





Suitable for:

REPAGAS



Suitable for:

3020045 PILOT JET \varnothing 0.50 mm




REPAGAS 4090006

3020015 PRINTED PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, gasket
with thermocouple fitting
with NATURAL GAS nozzle \varnothing 0.41 mm



REPAGAS 00150219

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



REPAGAS 4010008

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



REPAGAS 00142187

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



REPAGAS 4010008

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm





Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



REPAGAS 00142185

3020041 PILOT JET \varnothing 0.41 mm



3020187 PILOT JET \varnothing 0.51 mm



REPAGAS

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



3020541 PILOT JET \varnothing 0.35 mm



2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



REPAGAS 00106039


3020103 BRACKET 3 POSITIONS



3020110 DEFLECTOR 3 FLAMES



3020083 FITTING AND OLIVE \varnothing 4 mm



REPAGAS



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020104 BRACKET CLAMP 3 POSITIONS




3020109 DEFLECTOR 2 FLAMES



5048713 DEFLECTOR 3 FLAMES



3020084 FITTING AND OLIVE \varnothing 6 mm



REPAGAS 00131131

REPAGAS 4300018



Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



REPAGAS 00142187

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



REPAGAS

Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



REPAGAS 40100008

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



REPAGAS 40100008

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm





Suitable for:

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



REPAGAS



Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1





Suitable for:

**5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**




REPAGAS



Suitable for:

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**




**3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included**



REPAGAS 00142000

REPAGAS 00142184

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm



**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



REPAGAS 40100008

**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



REPAGAS 00142187

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



REPAGAS 40100008



Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



REPAGAS



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020112 OLIVE FOR PIPE \varnothing 6 mm



3020086 PILOT GASKET



5035324 PILOT JET \varnothing 0.18 mm



3020557 PILOT JET \varnothing 0.20 mm



3020157 PILOT JET \varnothing 0.25 mm



3020040 PILOT JET \varnothing 0.30 mm



3020541 PILOT JET \varnothing 0.35 mm



REPAGAS 00142185

3020041 PILOT JET \varnothing 0.41 mm





Suitable for:

2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm




3020310 TWO-FLAME PILOT BURNER SIT
with LPG and NATURAL GAS nozzles
with plug - with 3 positions bracket
for Fryer gas (REPAGAS) FG125 - FG157 - FG159
FG307 - FG309



REPAGAS 4020022

3020084 FITTING AND OLIVE \varnothing 6 mm



REPAGAS 00131131

REPAGAS 4300018

REPAGAS

Suitable for:

3020187 PILOT JET \varnothing 0.51 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm





Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



REPAGAS 4010008

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



REPAGAS 4010008

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020081 OLIVE FOR PIPE \varnothing 6 mm



REPAGAS

Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



REPAGAS 00142187

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm





Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M




5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



REPAGAS

Suitable for:

3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1






Suitable for:

REPAGAS




3020009 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



REPAGAS 9400049

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



Suitable for:

3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



REPAGAS 00142187

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



REPAGAS 40100008

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



REPAGAS 40100008

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25





Suitable for:

3020112 OLIVE FOR PIPE \varnothing 6 mm



3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



REPAGAS 00142185

3020041 PILOT JET \varnothing 0.41 mm



3020187 PILOT JET \varnothing 0.51 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



REPAGAS

Suitable for:

5035324 PILOT JET \varnothing 0.18 mm



3020157 PILOT JET \varnothing 0.25 mm



3020541 PILOT JET \varnothing 0.35 mm



2106308 PILOT JET \varnothing 0.45 mm



4053669 PILOT JET \varnothing 0.75 mm



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



REPAGAS



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



Probes

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb \varnothing 6x40 mm



REPAGAS 4430002

Protection plates

3523050 COVER FOR VALVE MINISIT



REPAGAS 9400036

Relays

3351007 POWER RELAY FINDER 55.32.8.230.0040
230V 50/60Hz
2 exchange contacts 10A
with to test push-button + mechanic gauge



REPAGAS 4120002

REPAGAS 4300001



Safety groups for pans and spare parts

3184003 SAFETY GROUP VERTICAL \varnothing 1"1/4
 elbow connection \varnothing 1"1/4
 calibration pressure 0.50bar \pm 10%
 system with spring opening device
 complete with safety valve, depression valve.
 tap for pressure gauge holder and pressure gauge
 for STEAM BOILING KETTLE



REPAGAS 08425000

3184007 PRESSURE GAUGE \varnothing 60 mm
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



3184018 SAFETY VALVE \varnothing 1"1/4M
 max pressure 0.5 atm
 for safety group 1"1/4
 ISPEESL approved



3184013 DEPRESSION VALVE \varnothing 3/4" M
 in chrome plated brass
 for safety group \varnothing 3/4"
 for safety group \varnothing 1"1/4



3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"
 for security group 3/4"
 for security group 1"1/4



3184016 SAFETY VALVE "FUMANA" \varnothing 1" M
 chrome plated brass
 for safety group 3/4"
 for safety group 1"1/4



REPAGAS 09104000

3184016 SAFETY VALVE "FUMANA" \varnothing 1" M
 chrome plated brass
 for safety group 3/4"
 for safety group 1"1/4



REPAGAS 09104000



Suitable for:

REPAGAS



Suitable for:

Selector switches

3057192 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 40A 600V
square pin 5x5 mm
for Fryer electric (REPAGAS) FE17



REPAGAS 57103015

3057193 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 32A 600V
square pin 5x5 mm
for Fryer electric (REPAGAS) FE10 - FE8



REPAGAS 57203017

3057194 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 20A 300V - max 150°C
square pin 5x5 mm
for Bain-marie gas (REPAGAS) BM72 - BM92



REPAGAS 019575

REPAGAS 22304004

3057195 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 20A 300V - max 150°C
square pin 5x5 mm
for Bain-marie gas (REPAGAS) BM71 - BM91



REPAGAS 015963

REPAGAS 27800010

3059011 SELECTOR SWITCH 3-POLE


contact capacity 16A 380V - max 60/75°C
square shaft 5x5 mm



REPAGAS 8700023

3241091 BLACK KNOB ø 55 mm

square hole 5x5 mm
for Fryer electric (REPAGAS) EB12 - EB18 - EB8



REPAGAS 8700012

3059010 SINGLE POLE SELECTOR SWITCH


contact capacity 12A 250V - max 60/75°C
square shaft 5x5 mm



REPAGAS 8700027

3241091 BLACK KNOB ø 55 mm

square hole 5x5 mm
for Fryer electric (REPAGAS) EB12 - EB18 - EB8



REPAGAS 8700012

Solenoid valves

5046981 OUTLET REDUCER 0.10 L/Min BROWN



REPAGAS 009006

REPAGAS 1250022

5036913 OUTLET REDUCER 0.2 L/min PINK



REPAGAS 008887

REPAGAS 1250009



Suitable for:

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



REPAGAS 1230013

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



Suitable for:

3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

3120204 **OUTLET ADJUSTER ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 25%



REPAGAS

Suitable for:



3120007 **SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



REPAGAS 1240007

3120021 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 12 L/min - tolerance +/- 15%



3120019 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 15%



3120022 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 16 L/min - tolerance +/- 15%



3120037 **ADJUSTER FOR OUTLET ELBI GREEN**
flow rate 0.25 L/min - tolerance +/- 25%



3120201 **ADJUSTER FOR OUTLET ELBI GREY**
flow rate 4.7 L/min - tolerance +/- 25%



3120016 **ADJUSTER FOR OUTLET ELBI NEUTRAL**
flow rate 1.2 L/min - tolerance +/- 25%



3120017 **ADJUSTER FOR OUTLET ELBI ORANGE**
flow rate 2.5 L/min - tolerance +/- 25%



3120015 **ADJUSTER FOR OUTLET ELBI RED**
flow rate 0.5 L/min - tolerance +/- 25%



3120203 **ADJUSTER FOR OUTLET ELBI WHITE**
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



REPAGAS



Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



REPAGAS 1430008

Sparking and detection plugs

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



REPAGAS 4010008

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



REPAGAS 00142187

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



REPAGAS 4010008



Suitable for:

REPAGAS



Suitable for:

Taps for tank refilling

3183014 SPOUT CONNECTION 1/2" M
chrome-plated brass swivel
outlet spout \varnothing 18 mm



REPAGAS 08400058

3528056 COUNTER NUT FLAT OF BRASS 1/2"



3356111 WATER INLET TAP \varnothing 1/2" FF



REPAGAS 09500071

3359138 WATER INLET TAP \varnothing 1/2" FF
for Boiling pan (REPAGAS)
for Pasta cooker (REPAGAS)



REPAGAS 58417000

2103687 FIXING WASHER 26xM19



Telethermometers

3441046 TELE-THERMOMETER WHITE \varnothing 52 mm 0-250°C
metal body
capillary length 1300 mm
bulb \varnothing 4x75 mm



REPAGAS 1440019

REPAGAS 9400021

3441083 TELE-THERMOMETER WHITE \varnothing 52 mm 0-250°C
metal body
capillary length 1310 mm
bulb \varnothing 4x75 mm



3441020 TELE-THERMOMETER WHITE \varnothing 52 mm 50-250°C
metal body
capillary length 1500 mm
bulb \varnothing 6x43 mm



REPAGAS 9400021



Terminal blocks

- 3247003** **TERMINAL BLOCK 2-POLES OF CERAMIC**
 for cable 0.75-4 mm²
 operating temperature 300°C
 nominal voltage 450V
 dimensions 21x18x16 mm



REPAGAS 32100015

Thermocouples and accessories

- 2111638** **CUT-OFF THERMOCOUPLE M9x1 60 cm**
 cut-off contact with terminals



REPAGAS 09500065

- 3440066** **INTERRUPTED THERMOCOUPLE M9x1 60 cm**
 interrupted contact with fastons




REPAGAS 09500065

- 3440006** **THERMOCOUPLE SIT M10X1 32 cm**



REPAGAS 24204026

- 5021701** **THERMOCOUPLE SIT M8x1 75 cm**



REPAGAS 00100079

- 3440837** **THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



REPAGAS 00106040

- 3440037** **THERMOCOUPLE SIT M9x1 100 cm .**



REPAGAS 00106040

- 3440837** **THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



REPAGAS 00106040



Suitable for:

Suitable for:

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



REPAGAS 25100058

REPAGAS 25100058

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS




REPAGAS 25100058

Thermostats

3444008 KNOB BLACK \varnothing 41 mm 0-90°C
D-shaped hole 6x4.6 mm
for thermostat IMIT

3444352 SINGLE-PHASE THERMOSTAT 130°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb \varnothing 6x129 mm



REPAGAS 25304010

REPAGAS 1440003


3444389 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 600 mm - 16A 250V
bulb \varnothing 6x83 mm



REPAGAS 8500016

3444690 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
complete with wiring
covered capillary length 1480 mm
bulb \varnothing 4x125 mm
for Fryer gas (REPAGAS) FG125 - FG157 - FG159
FG307 - FG309

3444124 PROTECTION CAP
for safety thermostat
for THERMOSTAT EGO



REPAGAS 09500064





Suitable for:

Suitable for:

3444689 SINGLE-PHASE THERMOSTAT 340°C
with manual reset
covered capillary length 870 mm
bulb \varnothing 3x160 mm
for Fry top gas (REPAGAS) FT71 - FT72 - FT92

3444633 SINGLE-PHASE THERMOSTAT 50-205°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm
bulb \varnothing 6x77 mm
for fryer 7-8-10 L
for Fryer (REPAGAS)




REPAGAS 20400023

REPAGAS 60600044

REPAGAS 57103017

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 3x220 mm

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm




REPAGAS 1230017

REPAGAS 1270013

3444384 SINGLE-PHASE THERMOSTAT 65-204°C
D shaft \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 4x95 mm

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm




REPAGAS 8500014

REPAGAS 25304008

3444169 THERMOSTAT SINGLE-PHASE TR2 220°C
with manual reset
complete with wiring
capillary length 1500 mm - 15A 250V
bulb \varnothing 5x125 mm

3444348 THERMOSTAT SINGLE-PHASE TR2 235°C
with manual reset
capillary length 1000 mm - 15A 250V
bulb \varnothing 5x100 mm
for Fryer electric (REPAGAS) FE10 - FE17 - FE8



REPAGAS 09500064

REPAGAS 9400037

REPAGAS 57103016



Suitable for:

REPAGAS



7150012 THERMOSTAT SINGLE-PHASE 105-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 4x235 mm - stuffing gland fitting M10x1



REPAGAS 020373

REPAGAS 64100014

Suitable for:


3444361 THERMOSTAT SINGLE-PHASE 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 950 mm - 16A 250V
 bulb \varnothing 3x160 mm
 for Hot plate electric (REPAGAS) E60 - E64 - E80
 E84



REPAGAS 32403007

REPAGAS 4100014

3394327 THERMOSTAT STUFF.GLAND KIT HOLE 1/8"FF
 stuffing gland M10x1



REPAGAS 40900010

3444086 THERMOSTAT THREE-PHASE 108-192°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x200 mm




REPAGAS 8700022

3444390 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary 900 mm - 10A 400V
 bulb \varnothing 6x230 mm




REPAGAS 8700021

3444076 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x130 mm



REPAGAS 22405003

3444694 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 880 mm
 bulb \varnothing 6x77 mm
 for Fry top electric (REPAGAS) E-35 - E-65 - E-95



REPAGAS 32104009

3444695 3-PHASE THERMOSTAT 160°C
 with manual reset
 covered capillary length 900 mm - 20A 380V
 bulb \varnothing 6x89 mm - with stuffing gland fitting M10x1



REPAGAS 1250025



Timers

3446056 TIMER 120 MINUTES M2
 mechanical timer with acoustic alarm
 manual left position possible
 manually set cycle 120 minutes
 contact capacity 16(4)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



REPAGAS 1250037


3241161 BLACK KNOB \varnothing 40 mm
 D-shaped hole 6x4.6 mm



3241173 BLACK KNOB \varnothing 44 mm
 D-shaped hole 6x4.6 mm



3241174 BLACK KNOB \varnothing 44 mm
 D-shaped hole 6x4.6 mm



3241336 KNOB BLACK \varnothing 50 mm
 D-shaped hole 6x4.6 mm



3241830 KNOB DISK FOR TIMER
 0-120 minutes



REPAGAS 006577

REPAGAS 1230021

Wheels and accessories

3522004 HANDWHEEL \varnothing 28x110 mm
 thread M6



REPAGAS 09508035

3522036 HANDWHEEL SMALL \varnothing 200 mm
 middle hole \varnothing 20 mm - with keyway
 for Bratt pan gas (REPAGAS) SB730 - SB90 - SB940



REPAGAS 001916

REPAGAS 09508034

3522004 HANDWHEEL \varnothing 28x110 mm
 thread M6



REPAGAS 09508035



Suitable for:

REPAGAS



Suitable for:

Wire pan supports

3354020 REDUCER FOR MOKA POT 175x115 mm
made of STAINLESS steel



REPAGAS 00100132

REPAGAS 012790

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com