



Spare parts for the professional sector: Cooking equipment



Suitable for:

RIEBER



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

RIEBER



Suitable for:

Axial motor fans

5026643 MOTOR EBM RER125-19/56R 230/240V 50Hz
ø extern 140 mm
for Food-service trolley (RIEBER)
THERMOPORT 1000KB - THERMOPORT 6000KB



RIEBER 33202229

Ball valves and accessories

3526172 BALLCOCK VALVE ø 1/2"MF
for Food-service trolley (RIEBER) - Series STW
Series ZUB
for Food-service trolley (RIEBER) NORM II-2



RIEBER 32332401

3186138 ASBESTOS FREE FLAT GASKET ø 30x21x2 mm



RIEBER 32440101

3526171 VALVE BUSHING 15 mm
external ø 28 mm - connection ø 1/2"



RIEBER 32400707

3526173 VALVE SLEEVE



RIEBER 37138201

5028974 KNOFF BALL VALVE DRAIN TANK
length 40 mm - width 19 mm
height 20 mm



RIEBER 2302300102

RIEBER 32320102



Bearings

5030865 BEARING \varnothing 10x10 mm
 thread M M4 - length 10 mm
 thread F M4



RIEBER 37121425

Bumpers

3346099 BLACK BUMPER CAP




RIEBER 37130801

3346098 UPPER BLACK BUMPER
 side 150 mm - width 28 mm
 for Food-service trolley (RIEBER)



RIEBER 37130701

3346102 UPPER BLACK BUMPER FOR WHEEL
 external \varnothing 84 mm
 square hole 26x26 mm



RIEBER 37130901

Cable glands

5058634 GROMMET OF NEOPRENE 5.5-9-12 mm
 internal \varnothing 5.5 mm
 mounting hole \varnothing 9 mm
 external \varnothing 12 mm
 temperature range -30+90°C



RIEBER 33140406

3050005 PVC FAIRLEAD
 for Food-service trolley (RIEBER)
 till 1/01/05 THERMOPORT1600MOBILE
 THERMOPORT3000MOBILE THERMOPORT1000
 THERMOPORT1000D - THERMOPORT1000DH
 THERMOPORT1000H - THERMOPORT1000U
 THERMOPORT800
 since 1/02/03
 till 1/02/03 THERMOPORT1000DU



RIEBER 33140606



Suitable for:

RIEBER



Suitable for:

Castors, rollers and accessories

3346087 CASTOR FIXED PLATE
 with STAINLESS STEEL supports
 polypropylene nucleus - thermoplastic rubber ring
 dimension \varnothing 200x42 mm - load capacity 160 Kg
 fixing plate 140x110 mm
 distance between holes 105-80 mm
 for Food-service trolley (RIEBER) BKW



RIEBER 32262510

3346091 CASTOR FIXED PLATE
 with STAINLESS STEEL supports
 polypropylene nucleus
 ring of thermoplastic rubber
 dimension \varnothing 160x38 - capacity 100 Kg
 fixing plate 140x110 mm
 for Food-service trolley (RIEBER) BKW



RIEBER 32262303

3346090 CASTOR SWIVEL PLATE WITH BRAKE
 with STAINLESS STEEL supports
 polypropylene nucleus - thermoplastic rubber ring
 dimension \varnothing 160x38 mm - capacity 100 Kg
 fixing plate 140x110 mm
 distance between holes 105-80 mm
 for Food-service trolley (RIEBER) BKW



RIEBER 32261303

3346097 CASTOR SWIVEL WITH PIN
 made of PLASTIC - polyamide nucleus
 TPE ring
 dimension \varnothing 125x32 mm - load capacity 100 kg
 round pin \varnothing 18 mm - height 62 mm
 hole for pin locking screw M6
 for Food-service trolley (RIEBER) ZUB




RIEBER 32290204

3346100 TUBE INSERT
 internal \varnothing 18 mm
 external \varnothing 22 mm - height 62 mm
 2 holes



RIEBER 37131102

3346103 TUBE INSERT
 internal \varnothing 18 mm
 external \varnothing 22 mm - height 62 mm
 1 hole



RIEBER 37131104

3346104 TUBE INSERT
 internal \varnothing 18 mm
 external size 22x22 mm - height 62 mm
 2 holes



RIEBER 37131004

RIEBER 37131008



Suitable for:

3346131 TUBE INSERT

external size 37.5x37.5 mm - height 62 mm



RIEBER 37131007

RIEBER



Suitable for:

5049738 CASTOR SWIVEL WITH PIN

with PLASTIC supports - polyamide nucleus
TPE ring
dimension \varnothing 125x32 mm - flow rate 100 kG
threaded pin M10 - heigh 23 mm



RIEBER 32290209

3346096 CASTOR SWIVEL WITH PIN AND BRAKE

with plastic supports - polyammide nucleus
TPE ring
dimension \varnothing 125x32 mm - load capacity 100 kg
round pin \varnothing 18 mm - height 62 mm
hole for pin locking screw M6
for Food-service trolley (RIEBER) ZUB



RIEBER 32291204

3346100 TUBE INSERT


internal \varnothing 18 mm
external \varnothing 22 mm - height 62 mm
2 holes



RIEBER 37131102

3346103 TUBE INSERT

internal \varnothing 18 mm
external \varnothing 22 mm - height 62 mm
1 hole



RIEBER 37131104

3346104 TUBE INSERT

internal \varnothing 18 mm
external size 22x22 mm - height 62 mm
2 holes



RIEBER 37131004

RIEBER 37131008

3346131 TUBE INSERT

external size 37.5x37.5 mm - height 62 mm



RIEBER 37131007



Suitable for:

RIEBER



5049739 CASTOR SWIVEL WITH PIN AND BRAKE
 with PLASTIC supports - polyamide nucleus
 TPE ring
 dimension \varnothing 125x32 mm - flow rate 100 kG
 threaded pin M10 - heigh 23 mm



RIEBER 32291209

Suitable for:

3346089 CASTOR SWIVEL WITH PLATE
 with STAINLESS STEEL supports
 polypropylene nucleus - thermoplastic rubber ring
 dimension \varnothing 160x38 mm - capacity 100 Kg
 fixing plate 140x110 mm
 distance between holes 105-80 mm
 for Food-service trolley (RIEBER) BKW



RIEBER 32260302

3346095 PIN FIXED WHEEL
 with plastic supports - polyamide nucleus
 TPE ring
 dimension \varnothing 125x32 mm - load capacity 100 kg
 round pin \varnothing 18 mm - height 62 mm
 hole for pin locking screw M6
 for Food-service trolley (RIEBER) ZUB




RIEBER 32292104

3346100 TUBE INSERT
 internal \varnothing 18 mm
 external \varnothing 22 mm - height 62 mm
 2 holes



RIEBER 37131102

3346103 TUBE INSERT
 internal \varnothing 18 mm
 external \varnothing 22 mm - height 62 mm
 1 hole



3346104 TUBE INSERT
 internal \varnothing 18 mm
 external size 22x22 mm - height 62 mm
 2 holes



RIEBER 37131104

3346131 TUBE INSERT
 external size 37.5x37.5 mm - height 62 mm




RIEBER 37131007

RIEBER 37131004

RIEBER 37131008

3346102 UPPER BLACK BUMPER FOR WHEEL
 external \varnothing 84 mm
 square hole 26x26 mm



RIEBER 37130901

3346093 PLATE FIXED WHEEL
 with plastic supports - polyamide nucleus
 TPE ring
 dimension \varnothing 125x32 mm - load capacity 100 kg
 fixing plate 95x70 mm
 distance between holes 75-50 mm
 for Food-service trolley (RIEBER) STW



RIEBER 32292103

3346038 BUMPER BLUE CAP



3242745 EXPANDABLE PLASTIC PLUG



3346042 UPPER GREY BUMPER
 side 130 mm - width 30 mm



3346094 PLATE SWIVELLING WHEEL
 made of PLASTIC - polyamide nucleus
 dimension \varnothing 125x32 mm
 fixing plate 95x70 mm
 distance between holes 75-50 mm
 for Food-service trolley (RIEBER) STW



RIEBER 32290203

Suitable for:

3346099 BLACK BUMPER CAP



RIEBER 37130801

3242746 CROSS HEAD SCREW M5x35 mm



3346098 UPPER BLACK BUMPER
 side 150 mm - width 28 mm
 for Food-service trolley (RIEBER)



RIEBER 37130701

3346099 BLACK BUMPER CAP



RIEBER 37130801



Suitable for:

3346098 UPPER BLACK BUMPER
side 150 mm - width 28 mm
for Food-service trolley (RIEBER)



RIEBER 37130701

RIEBER



Suitable for:

3346118 PLATE SWIVELLING WHEEL
with STAINLESS STEEL supports
polypropylene nucleus - thermoplastic rubber ring
dimension \varnothing 200x42 mm - load capacity 160 Kg
fixing plate 140x110 mm
distance between holes 105-80 mm
for Food-service trolley (RIEBER) BKW



RIEBER 32260508

3346099 BLACK BUMPER CAP



RIEBER 37130801

3346098 UPPER BLACK BUMPER
side 150 mm - width 28 mm
for Food-service trolley (RIEBER)



RIEBER 37130701

3346088 PLATE SWIVELLING WHEEL WITH BRAKE
with STAINLESS STEEL supports
polypropylene nucleus - thermoplastic rubber ring
dimension \varnothing 200x42 mm - load capacity 160 Kg
fixing plate 140x110 mm
distance between holes 105-80 mm
for Food-service trolley (RIEBER) BKW



RIEBER 32261510

3346099 BLACK BUMPER CAP



RIEBER 37130801



Suitable for:

3346098 UPPER BLACK BUMPER
side 150 mm - width 28 mm
for Food-service trolley (RIEBER)



RIEBER 37130701

3346092 PLATE SWIVELLING WHEEL WITH BRAKE
with polyamide supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - payload 100 Kg
fixing plate 95x70 mm
distance between holes 70-50 mm
for Food-service trolley (RIEBER) STW



RIEBER 32291203

3346098 UPPER BLACK BUMPER
side 150 mm - width 28 mm
for Food-service trolley (RIEBER)



RIEBER 37130701

3346100 TUBE INSERT
internal \varnothing 18 mm
external \varnothing 22 mm - height 62 mm
2 holes



RIEBER 37131102

3346104 TUBE INSERT
internal \varnothing 18 mm
external size 22x22 mm - height 62 mm
2 holes



RIEBER 37131004

RIEBER 37131008

RIEBER




Suitable for:

3346099 BLACK BUMPER CAP



RIEBER 37130801

3346103 TUBE INSERT
internal \varnothing 18 mm
external \varnothing 22 mm - height 62 mm
1 hole



RIEBER 37131104

3346131 TUBE INSERT
external size 37.5x37.5 mm - height 62 mm



RIEBER 37131007



Suitable for:

RIEBER



Suitable for:

Circlips

- 3063027 SEEGER RING E-25**
 in steel for springs C60
 internal \varnothing 23.2 mm - thickness 1.2 mm
 UNI 7435 - DIN 471



RIEBER 38620101

Contact thermostats

- 5027248 CONTACT THERMOSTAT DOUBLE 120°C**
 with automatic reset
 for Food-service trolley (RIEBER)



RIEBER 33063007

- 1444511 CONTACT THERMOSTAT 130°C**
 manual reset - 16A 250V
 for Food-service trolley (RIEBER) THERMOPORT3000U




RIEBER 33063006

- 5050144 CONTACT THERMOSTAT 150°C 16A 250V**
 with manual reset




RIEBER 33063014

- 3443044 CONTACT THERMOSTAT 86°C**
 with automatic reset
 for Food-service trolley (RIEBER) THERMOPORT101WD
 THERMOPORT105LIGHT - THERMOPORT105WD



RIEBER 33063001

- 5076449 DOUBLE CONTACT THERMOSTAT 160°C**
 with automatic reset - pin M4



RIEBER 33063009

Drain assembly

- 3526171 VALVE BUSHING 15 mm**
 external \varnothing 28 mm - connection \varnothing 1/2"



RIEBER 32400707

- 3526173 VALVE SLEEVE**



RIEBER 37138201



Electrical cables

3050010 POWER SUPPLY CABLE 16A 250V 2000 m m
with SCHUKO plug and wheel grip



RIEBER 33102901

3050004 SNAP-IN PLUG 10A 250V
mounting hole 27x19 mm - distance between holes 32
for Hot cupboard (RIEBER) 1000 - 101 - 105



RIEBER 33553010

5025957 POWER SUPPLY CABLE 16A 250V 2000 m m
with SCHUKO plug and wheel grip



RIEBER 33102906

3050004 SNAP-IN PLUG 10A 250V
mounting hole 27x19 mm - distance between holes 32
for Hot cupboard (RIEBER) 1000 - 101 - 105



RIEBER 33553010

3050231 SNAP-IN PLUG 15A 250V
mounting hole 27x19 mm-distance between holes 40mm



3050020 POWER SUPPLY CABLE 3000 m m 16A 250V
with SCHUKO plug and wheel grip
for Food-service trolley (RIEBER) THERMOPORT



RIEBER 33102910

3050004 SNAP-IN PLUG 10A 250V
mounting hole 27x19 mm - distance between holes 32
for Hot cupboard (RIEBER) 1000 - 101 - 105



RIEBER 33553010

3050231 SNAP-IN PLUG 15A 250V
mounting hole 27x19 mm-distance between holes 40mm





Suitable for:

5036345 PTFE CABLE 200 m m



RIEBER 40520601

3050022 SPIRAL CABLE WITH PLUG 700 m m
3 wires 1.5 mm²
with SCHUKO plug
for Food-service trolley (RIEBER)
till 1/01/05 THERMOPORT1600MOBILE
THERMOPORT3000MOBILE THERMOPORT1000
THERMOPORT1000D - THERMOPORT1000DH
THERMOPORT1000H - THERMOPORT1000U
THERMOPORT800
since 1/02/03 THERMOPORT1000DU



RIEBER 55050105

RIEBER



Suitable for:

3050021 SPIRAL CABLE WITH PLUG 700 m m
3 wires 1.5 mm²
with SCHUKO plug
for Food-service trolley (RIEBER) 1000U - 1600U



RIEBER 55050106

3050024 SPIRAL CABLE WITH PLUG 900 m m
3 wires 1.5 mm²
max length 3000 mm
with SCHUKO plug
for Food-service trolley (RIEBER) BKW
for Food-service trolley (RIEBER) BKW



RIEBER 33100309

Electrical sockets

3050023 ANGULAR RUBBER PLUG 16A 250V
for Food-service trolley (RIEBER) STW - ZUB



RIEBER 33553108

3650002 ANGULAR RUBBER PLUG 16A 250V



3050009 LONG BLACK PLUG
distance between holes 60 mm



RIEBER 37135802

7110551 PLUG SUPPORT BLACK



RIEBER 37135811

Suitable for:

Suitable for:

- 3050004 SNAP-IN PLUG 10A 250V**
 mounting hole 27x19 mm - distance between holes 32
 for Hot cupboard (RIEBER) 1000 - 101 - 105



RIEBER 33553010

Electronic boards

- 5047470 CIRCUIT BOARD COMPLETE 120x50 mm**
 for Food-service trolley (RIEBER)



RIEBER 33060227

Electronic controllers

- 3445091 ELECTRONIC THERMOSTAT ST64-31.10P PTC**
 power supply 230V 50Hz
 thermostat setting range -50+140°C
 PTC-type probe (not included)
 mounting hole \varnothing 63 mm - depth 50 mm
 for Food-service trolley (RIEBER) - Series BKW



RIEBER 33060214


- 3445090 PTC PROBE PVC 4000 mm**
 2-wires probe with faston
 operating temperature 35+105°C
 bulb \varnothing 6x50 mm
 for Food-service trolley (RIEBER)



RIEBER 33064504

Energy regulators

- 5063288 ENERGY REGULATOR**
 contact capacity 230V 13A
 temperature max 125°C
 D-shaped pin \varnothing 6x4.6 mm



RIEBER 33063310



Suitable for:

RIEBER



Suitable for:

Fans for motors

3240538 FAN \varnothing 120 mm
height 17 mm
central hole for D-shaped shaft 6x5 mm




RIEBER 33200404

3230005 FAN \varnothing 150 mm LH
height 20 mm
central hole for D-shaped pin 6x5 mm



RIEBER 33200402

3240539 FAN \varnothing 155 mm
height 25 mm - 7 blades
middle hole for D-shaped pin 6x5 mm



RIEBER 33202216

Fittings

5048465 FITTING \varnothing 25x140 mm
thread \varnothing 1/2"
for Food-service trolley (RIEBER)



RIEBER 32431010

Gaskets and seals

3186138 ASBESTOS FREE FLAT GASKET \varnothing 30x21x2 mm



RIEBER 32440101

3186632 DOOR GASKET
made of silicone elastomer 50 Shore
profile dimensions 12x12 mm
COLOUR GREY
SOLD PER METRE
for Food-service trolley (RIEBER)
till 1/01/05 THERMOPORT1600 - THERMOPORT3000 BKW1
BKW2



RIEBER 37281101

RIEBER 55150102

RIEBER 55150103

Suitable for:

5034350 DOOR GASKET 1234x386 mm
made of silicone elastomer
COLOUR GREY



RIEBER 37282543

RIEBER 37282551

Suitable for:

3186635 DOOR GASKET 2200 mm
made of silicone elastomer
profile dimensions 12x12 mm
COLOUR GREY
for Food-service trolley (RIEBER)
till 1/01/05 THERMOPORT1600 - THERMOPORT3000



RIEBER 55150101

3186631 DOOR GASKET 565x355 mm
made of silicone elastomer
COLOUR RED
for Food-service trolley (RIEBER)
till 1/01/05 THERMOPORT1600 - THERMOPORT3000
THERMOPORT100 - THERMOPORT1000
THERMOPORT1000D - THERMOPORT105
THERMOPORT800



RIEBER 37281401

5051759 DOOR GASKET 716x386 mm
made of silicone elastomer
COLOUR GREY
for CARRIAGE THERMOPORT 1600V
for Food-service trolley (RIEBER) THERMOPORT 1600V



RIEBER 37282541

5098567 DOOR GASKET 864x386 mm
in elastomero siliconico
COLORE GRIGIO



RIEBER 37282542

3186636 GASKET FOR SWITCH
inner size 22x32 mm
internal size 22x32 mm
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 37280601

Guides

7107188 ROLLER FOR PLATES DISPENDER
external dimensions \varnothing 26x37 mm
for Food-service trolley (RIEBER) RRVH12



RIEBER 37131204



Suitable for:

RIEBER



Suitable for:

Handles

324221 CHROME-PLATED ADJUSTABLE DOOR STRIKE

base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH
for Food-service trolley (RIEBER)
till 1/09/97 BKW2 BKW1



RIEBER 32105002

3053553 COMPLETE LOCK

for Food-service trolley (RIEBER) THERMOPORT10
THERMOPORT50 - THERMOPORT500



RIEBER 37133201

5027390 COMPLETE LOCK



RIEBER 37130309


5070943 COMPLETE LOCK



RIEBER 37133203

5030864 DISTANZIALE CHIUSURA PER SERRATURA

dimensioni esterne 120x20x12 mm



RIEBER 37120501

5071240 FRONT MODULE OF PLASTIC W/ELBOW 50x50 mm height 18 mm



RIEBER 37134707

5047026 HANDLE PLASTIC 122 mm BLACK

distance between holes 90 mm
for Food-service trolley (RIEBER)



RIEBER 37130302

5032692 HANDLE STAINLESS STEEL 150 mm for Food-service trolley (RIEBER)



RIEBER 55011906

Suitable for:

5032693 HANDLE STAINLESS STEEL 170x54 mm
for Food-service trolley (RIEBER)



RIEBER 55011907

Suitable for:

3242278 HANDLE STRIKE
base length 47x10x17 mm
distance between holes 32 mm
for Food-service trolley (RIEBER) TWF-AK
TWF-C/C-D - TWF-I-D-AK
for Food-service trolley refrigerated (RIEBER)
BKW1 - BKW2
for Food-service trolley warm (RIEBER)
since 1/03/09 BKW1 - BKW2



RIEBER 32105023

3242188 LH-RH CATCH WITHOUT LOCK
straight handgrip
base length 138x28x32h mm
mounting distance 118 mm
adjustable catch mounting distance 30 mm
for Food-service trolley (RIEBER)
till 1/09/97 BKW1 - BKW2 TRAYTROLLEY KWA2X8
TRAYTROLLEY KWS2X8



RIEBER 32105012

RIEBER 32105012+32105017

RIEBER 32105017

5027366 LOCKING COMPLETE




RIEBER 37133202

3242277 LOCKING DOOR HANDLE WITHOUT KEY LOCK
straight handle
base length 105x22x34 mm
mounting distance 90 mm
for Food-service trolley (RIEBER) TWF-AK
TWF-C/C-D - TWF-I-D-AK
for Food-service trolley refrigerated (RIEBER)
BKW1 - BKW2
for Food-service trolley warm (RIEBER)
since 1/03/09 BKW1 - BKW2



RIEBER 32105018

3242278 HANDLE STRIKE
base length 47x10x17 mm
distance between holes 32 mm
for Food-service trolley (RIEBER) TWF-AK
TWF-C/C-D - TWF-I-D-AK
for Food-service trolley refrigerated (RIEBER)
BKW1 - BKW2
for Food-service trolley warm (RIEBER)
since 1/03/09 BKW1 - BKW2



RIEBER 32105023



Suitable for:

RIEBER



3242307 LOCKING HANDLE ERGO 6188 W.CHROME PL. LO
 straight handle
 base length 185.5x23.5x33.2h mm
 mounting distance 150 mm
 RAHRBACH
 for Food-service trolley refrigerated (RIEBER)
 BKW1 - BKW2
 for Food-service trolley warm (RIEBER)
 till 1/09/97 BKW1 - BKW2



RIEBER 32105001

Suitable for:

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
 base length 38x18x31 mm
 fixing distance 26 mm
 RAHRBACH
 for Food-service trolley (RIEBER)
 till 1/09/97 BKW2 BKW1



RIEBER 32105002

3242269 PLASTIC BLACK SUPPORT FOR HANDLE
 for Food-service trolley (RIEBER) REH1 - REH2
 RE1 - RE2 - RRVH1 - RRVH2 - RRV1 - RRV2
 THERMOPORT1400 - THERMOPORT1600
 THERMOPORT3000 - ZUB



RIEBER 37130501

3242270 STAINLESS STEEL HANDLE ø 25x256 mm
 for Food-service trolley (RIEBER)
 till 1/01/05 THERMOPORT1600 - THERMOPORT3000



RIEBER 55010302

3242273 STAINLESS STEEL HANDLE ø 25x290 mm
 for Food-service trolley (RIEBER) REH1 - REH2
 RE1 - RE2 - RRVH1 - RRVH2 - RRV1 - RRV2



3242282 STAINLESS STEEL HANDLE ø 25x492 mm
 for Food-service trolley (RIEBER) ZUB2 - ZUB4



RIEBER 59012001

5071239 PLASTIC HANDLE 260 mm BLACK
 distance between holes 230 mm



RIEBER 37130306

RIEBER 58160701

5026063 PRESSURE PUSH-BUTTON TENAX ø 15/20x14 mm



RIEBER 32380101

3242270 STAINLESS STEEL HANDLE ø 25x256 mm
 for Food-service trolley (RIEBER)
 till 1/01/05 THERMOPORT1600 - THERMOPORT3000



RIEBER 55010302

3242273 STAINLESS STEEL HANDLE ø 25x290 mm
 for Food-service trolley (RIEBER) REH1 - REH2
 RE1 - RE2 - RRVH1 - RRVH2 - RRV1 - RRV2



RIEBER 59012001

3242282 STAINLESS STEEL HANDLE \varnothing 25x492 mm
for Food-service trolley (RIEBER) ZUB2 - ZUB4



RIEBER 58160701

Heating elements

5036318 HEATING ELEMENT COMPLETE KIT 800W 240V
heating element length 415 mm
heating element width 195 mm
external frame length 443x292 mm



RIEBER 40100101

3755380 HEATING ELEMENT KIT 550W 240V
external heating element \varnothing 130 mm
overall height 100 mm
dist. between fastening holes 115 mm



RIEBER 59050608

3755869 HEATING ELEMENT SILICONEE 500W 230V
length 400 mm - width 270 mm
cable length 270 mm
with cables
operating ambient: dry
for Bain-marie electric (RIEBER)




RIEBER 33010602

3755376 HEATING ELEMENT 1610/1750W 230/240V
external \varnothing 175 mm - total height 60 mm
flange 50x26 mm
for Food-service trolley (RIEBER) BKW1



RIEBER 33010163

3755384 HEATING ELEMENT 1700W 240V
external \varnothing 185 mm - total height 110 mm
for Food-service trolley (RIEBER) - Series BKW



RIEBER 33010115

3755678 HEATING ELEMENT 1750W 240V
immersed length 370 mm - width 58 mm
flange 80x28 mm
for Food-service trolley (RIEBER) ZUB




RIEBER 33010116

3755386 HEATING ELEMENT 180W 240V
length 365 mm - width 165 mm
for Food-service trolley (RIEBER) THERMOPORT101S



RIEBER 33010125

3755383 HEATING ELEMENT 2400W 240V
external \varnothing 185 mm - total height 108 mm
for Food-service trolley (RIEBER) - Series BKW



RIEBER 33010118



Suitable for:

RIEBER



5059369 HEATING ELEMENT 2400W 240V
external \varnothing 176 mm - overall height 63 mm
flange 50x26 mm



RIEBER 33010161

7108266 HEATING ELEMENT 400W 230V
external \varnothing 176 mm - overall height 83 mm
flange 50x26 mm



RIEBER 33010171

3755604 HEATING ELEMENT 415W 240V
external \varnothing 190 mm - overall height 50 mm
for Food-service trolley (RIEBER) THERMOPORT1000U



RIEBER 33010105

3755388 HEATING ELEMENT 416W 240V
length 415 mm - width 195 mm
for Food-service trolley (RIEBER) - Series STW
for Food-service trolley (RIEBER) NORM II-2



RIEBER 33010104

5032521 HEATING ELEMENT 470W 230V
length 385 mm - width 200 mm
for Food-service trolley (RIEBER)



RIEBER 33010170

3755377 HEATING ELEMENT 550W 240V
external \varnothing 130 mm - overall height 70 mm
fittings M14x1.5 mm
for Dish warmer (RIEBER) - Series RRH-NORMII



RIEBER 33010121

3755385 HEATING ELEMENT 590W 240V
length 375 mm - width 165 mm
for Food-service trolley (RIEBER) THERMOPORT1055



RIEBER 33010128

5027201 HEATING ELEMENT 700W 230V
length 350 mm - width 195 mm



RIEBER 33010108

3755375 HEATING ELEMENT 800W 120V
length 580 mm - width 520 mm
for Dish warmer (RIEBER) - Series RRH
for Dish warmer (RIEBER) RRV-H/2 220-300



RIEBER 33010110

3755387 HEATING ELEMENT 833W 240V
length 410 mm - width 190 mm
for Food-service trolley (RIEBER) - Series BKW
Series STW - Series ZUB
for Food-service trolley (RIEBER) NORMII-2



RIEBER 33010111



Hinges, catches and accessories

3053554 COMPLETE DOOR HINGE

distance between holes 45 mm
 dimensions 80x78 mm
 for Food-service trolley (RIEBER) THERMOPORT10
 THERMOPORT50 - THERMOPORT500



RIEBER 37138909

RIEBER 9930028

5095527 DOOR HINGE 90x55x3 mm



RIEBER 58233807

5032458 SUPPORTING HOOK LOCK

distance between the holes 30 mm
 external dimensions 65x24x11 mm



RIEBER 55014804

Incandescent lamps and neon lamps

3221285 HALOGEN LAMP INFRARED 400W 240V

length 350 mm
 wire connection length 900 mm
 for Potato heater (RIEBER) LWB



RIEBER 33012515

3221292 HALOGEN LAMP INFRARED 833W 240V

length 640 mm
 wire connection length 1300 mm



RIEBER 33012516

Indicator lights

3221286 INDICATOR LIGHT GREEN 250V

head \varnothing 12.5 mm - hole \varnothing 11 mm - 120°C
 wire connection length 225 mm



RIEBER 33830203



Suitable for:

RIEBER



Suitable for:

Ironmongery (screws,nuts,washers)

5056761 COUNTERSUNK FLAT HEAD SCREWS M4x25
hexagon socket - stainless steel
UNI 5933 - DIN 7991 - ISO 10642



RIEBER 38230114

5026833 PAN HEAD SCREW M5x75
cross recessed - stainless steel
UNI 7688 - DIN 965 - ISO 7046



RIEBER 38180104

RIEBER 38350102

Knobs

3241356 BLACK KNOB ø 37 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm
for Food-service trolley (RIEBER) BKW



RIEBER 33353024

3241354 BLACK KNOB ø 40 mm 1-2-3
D-shaped hole 6x4.6 mm
for Food-service trolley (RIEBER) STW - ZUB



RIEBER 33353026

3241355 BLACK KNOB ø 50 mm 30°-110°C
D-shaped hole 6x4.6 mm



RIEBER 33353017

3444126 BLACK KNOB ø 50 mm 30-110°C
D-shaped pin ø 6x4.6 mm
for EGO thermostat
for Food-service trolley (RIEBER) STW - ZUB



RIEBER 33353019

3241352 GREY KNOB ø 28 mm
round hole ø 6.4 mm
for Food-service trolley (RIEBER) LWB



RIEBER 33353025

5067963 KNOB BLACK ø 28 mm 0-1-3-4-5-6-7-8-9
D-shaped hole 6x4.6 mm



RIEBER 33353036

Labels for control panels

5082629 ADHESIVE CONTROL PLATE 101x39 mm



RIEBER 36022820

5073566 ADHESIVE CONTROL PLATE 131x92 mm



RIEBER 36022819

Suitable for:

5082628 CONTORL PLATE PANEL FRAME



RIEBER 33844006

Suitable for:

5082630 CONTROL PLATE PANEL 120x50x22.5 mm



RIEBER 55014429

Lids

5037301 PLASTIC LID \varnothing 300/310x130 mm
for Dish warmer (RIEBER) RRV190-280
for Food-service trolley (RIEBER) RRV



RIEBER 89060109

5081515 PLASTIC LID \varnothing 315/398x132 mm



RIEBER 89060115

Motors

3528013 BLIND HEXAGONAL NUT M6
for motor fan



RIEBER 33200401

RIEBER 33200405

3240621 COMPLETE MOTOR FAN 1610/1750W 240V
50Hz
flange 245x200 mm
for Dish warmer (RIEBER) - Series ERRU



RIEBER 59050609

3230005 FAN \varnothing 150 mm LH
height 20 mm
central hole for D-shaped pin 6x5 mm



RIEBER 33200402

3755376 HEATING ELEMENT 1610/1750W 230/240V
external \varnothing 175 mm - total height 60 mm
flange 50x26 mm
for Food-service trolley (RIEBER) BKW1



RIEBER 33010163

3240545 MOTOR WITH FAN 32W 230V 50Hz
TYPE EM4218-405bu
fan \varnothing 150 mm
for Food-service trolley (RIEBER)



RIEBER 33200401

RIEBER 33200402

RIEBER 33202227

RIEBER 33202227+...



Suitable for:

RIEBER



3240540 COMPLETE MOTOR FAN 810W 230V
 external dimensions 270x240x30 mm
 type EM3010L
 for Food-service trolley (RIEBER) THERMOPORT1000
 THERMOPORT1000DU - THERMOPORT1000U
 THERMOPORT1400 - THERMOPORT1600
 THERMOPORT3000



RIEBER 55050209
RIEBER 55050244

RIEBER 55050210
RIEBER 55050256

RIEBER 55050227


3528013 BLIND HEXAGONAL NUT M6
 for motor fan



RIEBER 33200401


RIEBER 33200405

3240538 FAN ø 120 mm
 height 17 mm
 central hole for D-shaped shaft 6x5 mm



RIEBER 33200404

3240543 MOTOR FOR FAN 120/240V 50/60Hz
 TYPE EM3010L




RIEBER 33200403

3240531 MOTOR FAN COMPLETE 1700W 230V
 TYPE R2K-150-AC43-65
 50/60Hz
 flange 240x240 mm
 for Food-service trolley (RIEBER) - Series BKW



RIEBER 58233418

3755383 HEATING ELEMENT 2400W 240V
 external ø 185 mm - total height 108 mm
 for Food-service trolley (RIEBER) - Series BKW



RIEBER 33010118

3240542 MOTOR WITH FAN 30/35W 115/230V
 TYPE R2K150-AC43-65
 50/60Hz
 ø fan 150 mm
 for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33202223

Suitable for:


3240537 MOTOR FAN COMPLETE 1700W 240V
 TYPE R2K150-AC01-15
 50Hz
 flange ø 240 mm
 for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 53300102

Suitable for:

3755383 HEATING ELEMENT 2400W 240V
 external ø 185 mm - total height 108 mm
 for Food-service trolley (RIEBER) - Series BKW



RIEBER 33010118

3240512 MOTOR WITH FAN 32W 230V 50Hz 0.27A
 TYPE R2K150-AC01-15
 fan ø 150 mm



RIEBER 33202222

3240535 MOTOR FAN COMPLETE 1750W 240V
 TYPE R2K150-AC43-65
 50/60Hz
 flange 240x240 mm
 for Food-service trolley (RIEBER) BKW1



RIEBER 58233423

3755376 HEATING ELEMENT 1610/1750W 230/240V
 external ø 175 mm - total height 60 mm
 flange 50x26 mm
 for Food-service trolley (RIEBER) BKW1



RIEBER 33010163

3240542 MOTOR WITH FAN 30/35W 115/230V
 TYPE R2K150-AC43-65
 50/60Hz
 ø fan 150 mm
 for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33202223



Suitable for:

RIEBER



3240532 MOTOR FAN COMPLETE 2400W 230V
TYPE R2K-150-AC43-65
50/60Hz
flange 240x240 mm
for Food-service trolley (RIEBER) - Series BKW



RIEBER 58233417

3240542 MOTOR WITH FAN 30/35W 115/230V
TYPE R2K150-AC43-65
50/60Hz
ø fan 150 mm
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33202223

3240536 MOTOR FAN COMPLETE 2400W 230V
TYPE R2K150-AC43-65
50/60Hz
flange 240x240 mm
for Food-service trolley (RIEBER) BKW2



RIEBER 58233422

3240542 MOTOR WITH FAN 30/35W 115/230V
TYPE R2K150-AC43-65
50/60Hz
ø fan 150 mm
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33202223

5026348 MOTOR FAN FOR FAN 230V 50Hz
TYPE EMB16-973



RIEBER 33202005

3528012 MOTOR FAN NUT M6



RIEBER 33202217

3240543 MOTOR FOR FAN 120/240V 50/60Hz
TYPE EM3010L




RIEBER 33200403

3240534 MOTOR FOR FAN 45W 120/240V 50/60Hz
TYPE RRC/B45-3030LH/4
for Dish warmer (RIEBER) PU-GN/SV1/1 - PU-GN2/1
PU-Q1/1 - PU-SV2/1 - WE-QU1/1



RIEBER 33202215

3240539 FAN ø 155 mm
height 25 mm - 7 blades
middle hole for D-shaped pin 6x5 mm



RIEBER 33202216



Suitable for:

3528012 MOTOR FAN NUT M6



RIEBER 33202217

RIEBER

Suitable for:




3240542 MOTOR WITH FAN 30/35W 115/230V
TYPE R2K150-AC43-65
50/60Hz
ø fan 150 mm
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33202223

3240545 MOTOR WITH FAN 32W 230V 50Hz
TYPE EM4218-405bu
fan ø 150 mm
for Food-service trolley (RIEBER)



RIEBER 33200401

RIEBER 33200402

RIEBER 33202227

RIEBER 33202227+...

3240512 MOTOR WITH FAN 32W 230V 50Hz 0.27A
TYPE R2K150-AC01-15
fan ø 150 mm



RIEBER 33202222

3240530 MOTOR WITH FAN 32W 230V 50Hz 0.27A
TYPE R2A150-AC01-09
fan ø 150 mm
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33200406

3240513 MOTOR WITH FAN 43W 230V 50Hz 0.26A
TYPE R2S 150-AA08-29
fan ø 150 mm



RIEBER 33202209

O-Ring and ORM gaskets

1186230 O-RING 0164 EPDM
ring thickness 3.53 mm - internal ø 60.33 mm



RIEBER 37282401



Suitable for:

RIEBER



Suitable for:


Probes

5095525 PROBE PTC PVC 4000 mm
sonda 2 fili
campo di temperatura -35+105°C
bulbo ø 6x50 mm



RIEBER 33064503

3445090 PTC PROBE PVC 4000 mm
2-wires probe with faston
operating temperature 35+105°C
bulb ø 6x50 mm
for Food-service trolley (RIEBER)



RIEBER 33064504

5094970 TEMPERATURE PROBE PT100
2 wires - bulb ø 3x20 mm
cable length 1500 mm
with fastening connection M10x1 mm



RIEBER 33064505

Radiant heating elements

5093618 RADIANT HEATING ELEMENT 3500W 230V
length 420 mm - width 230 mm
faston electric connections



RIEBER 33010408


Selector switches

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft ø 6x4.6 mm



RIEBER 33351201

3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



RIEBER 91030314



Springs

3250121 SPRING \varnothing 17x154 mm
for DISPENSER



RIEBER 32681801

3250120 SPRING \varnothing 19x147 mm



RIEBER 32681501

3250117 SPRING WHEEL \varnothing 42 mm
for DISPENSER



RIEBER 37131202

3250117 SPRING WHEEL \varnothing 42 mm
for DISPENSER



RIEBER 37131202

Switches

3319361 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole \varnothing 25 mm



RIEBER 33351502

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



3319362 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - with indicator light
silk-screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm



RIEBER 33350211

3319780 BLOCK CONNECTION WHITE 22x30 mm





Suitable for:

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319832 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max temperatura 120°C
con lampada spia e copripulsante
dima di foratura 22x30 mm - serigrafia 0 - I



RIEBER 33350217

3319360 SWITCH TRIPOLARE GREEN 16A 250V
16(4)A 250V
with indicator light and button protection cap
silk-screen print 0 - I
mounting hole 11x30 mm
for Food-service trolley (RIEBER) - Series STW
Series ZUB



RIEBER 33350206

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



RIEBER

Suitable for:

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319781 CONNECTION BLOCK BLACK 11x30 mm





Suitable for:

3186636 GASKET FOR SWITCH
inner size 22x32 mm
internal size 22x32 mm
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 37280601

RIEBER



Suitable for:

1319936 PROTECTIVE SWITCH COVER
external dimensions 36x18 mm
for switch with mounting hole 11x30 mm



Tangential and radial motor fans

3526105 TANGENTIAL FAN 180 mm LEFT
19W 230V 50/60Hz - \varnothing 45 mm
operating temperature $-30^{\circ}+100^{\circ}\text{C}$



RIEBER 33202210

3526150 TANGENTIAL FAN 180 mm LH
25W 230V 50/60Hz - \varnothing 60 mm
operating temperature $-30^{\circ}+100^{\circ}\text{C}$



3526200 ELECTRONIC SPEED CONTROLLER 170W 230V
for tangential fan



RIEBER 33202202

2102307 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan
with cable length 340 mm



2102796 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for tangential fan 180 mm
with cables length 240 mm



3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



7103628 HEATING ELEMENT 2000W 230V
length 195 mm - width 38 mm
for tangential ventilator 180 mm
with cable length 230 mm





Suitable for:

RIEBER



Suitable for:

Telethermometers

3441061 TELE-THERMOMETER WHITE \varnothing 60 mm 0-120°C
 plastic body
 capillary length 700 mm
 bulb \varnothing 8.5x15 mm
 for Dish warmer (RIEBER) - Series RRH-NORMII
 for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33070104


3441064 TELE-THERMOMETER 197x85x33 mm 0-120°C
 plastic body
 white dial
 bulb \varnothing 8.5x35 mm
 for Food-service trolley (RIEBER) BTB
 THERMOPORT1600 - THERMOPORT3000



RIEBER 40014101


Terminal blocks

5068481 CLAMP 2-POLES BLUE
 for cable max 2.5 mm²



RIEBER 33400103

5068482 CLAMP 2-POLES GREEN-YELLOW
 for cable max 2.5 mm²



RIEBER 33400105

5068480 CLAMP 2-POLES GREY
 for cable max 2.5 mm²



RIEBER 33400102

Thermoprotections

1410502 THERMO FUSE 100°C
 for ULKA pumps




RIEBER 33062501



Thermostats

3444537 SINGLE-PHASE THERMOSTAT 0-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2100 mm
 bulb \varnothing 6x135 mm
 for Food-service trolley (RIEBER) BM311




RIEBER 33061801

3444538 SINGLE-PHASE THERMOSTAT 0-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2200 mm
 bulb \varnothing 6x135 mm
 for Food-service trolley (RIEBER) - Series STW
 Series ZUB



RIEBER 33060401

3444540 SINGLE-PHASE THERMOSTAT 0-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1400 mm
 bulb \varnothing 6x140 mm
 for Food-service trolley (RIEBER)




RIEBER 33060301

5076450 SINGLE-PHASE THERMOSTAT 0-90°C
 D shaped pin \varnothing 6x4.6 mm
 capillary length covered 2350 mm
 bulb \varnothing 6x118 mm




RIEBER 33060403

3444539 SINGLE-PHASE THERMOSTAT 80°C
 with automatic reset
 covered capillary length 1500 mm
 bulb \varnothing 6x90 mm
 for Food-service trolley (RIEBER) - Series STW
 Series ZUB



RIEBER 33061505

5096701 THERMOSTAT SINGLE-PHASE 50-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2050 mm
 bulb \varnothing 6x87 mm - with stuffing gland fitting M9x1



RIEBER 33061901

3444493 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 capillary length 1500 mm
 bulb \varnothing 4x120 mm



RIEBER 33063306



Suitable for:

RIEBER



Suitable for:

Timers

3446106 TIMER 120 MINUTES

manually set mechanical timer
manually set cycle 120 minutes
contact capacity 15A 250V
max temperature 85°C
D-shaped pin \varnothing 6x4.6 mm
complete with silkscreen printed plate and knob
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33351701

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



RIEBER 33170101

Vibration insulators for motors

5070550 ANTI VIBRATION SUPPORT \varnothing 15x15 mm

hole M5



RIEBER 37121428

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com