



# Spare parts for the professional sector: Cooking equipment



Suitable for:

# SILKO



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# SILKO



Suitable for:

## Actuators

**5033430 ACTUATOR LINEAR 24VDC**  
max power 5000 N - piston 190 mm  
max. speed 5 mm/s



SILKO CR0684360

## Air regulators

**3025205 AERATION REGULATOR**  
internal  $\varnothing$  37 mm - external  $\varnothing$  40 mm  
height 35 mm  
for first series model



SILKO SIR0100257

SILKO 0100257

**3025289 AERATION REGULATOR**  
internal  $\varnothing$  42 mm - external  $\varnothing$  45 mm  
height 50 mm



SILKO SIR0100264

SILKO 0100264

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



SILKO 0101151

## Ball valves and accessories

**3526693 WATER VALVE  $\varnothing$  1"MF**  
ball valve  
heavy series with PN 25 total passage  
aluminium lever



SILKO CR0733340

**5030274 CROSS FITTING OF CAST IRON  $\varnothing$  1" F**





Suitable for:

5005304 DRAIN TAP EXTENSION 73 mm



5003313 ELBOW FITTING OF CAST IRON Ø 1"F



5023502 ELBOW FITTING OF CAST IRON 4 WAYS Ø 1"F



5030273 FITTING OF CAST IRON Ø 1"MM



# SILKO

Suitable for:


5005303 DRAIN TAP LEVER  
length 140 mm



5061849 ELBOW FITTING OF CAST IRON Ø 1"F



5033656 FITTING OF BRASS Ø 1"MF



## Burners, flame spreaders and accessories

3025306 BURNER Ø 120 mm 7Kw



SILKO R0100300  
SILKO 0100300

SILKO SIR0100300

SILKO 0100216

5017735 BURNER Ø 120 mm 7Kw



SILKO SIR0100224

SILKO SI0100224

SILKO 0100224

3025168 BURNER Ø 75 mm 3.5 KW



SILKO SIR0100298  
SILKO 0100298

SILKO SI0100298

SILKO 0100208

5017734 BURNER Ø 75 mm 3.5Kw



SILKO SIR0100225

SILKO SI0100225

SILKO 0100225



Suitable for:

**3025350 BURNER ø 85 mm 3.5KW**



SILKO CR0795730

# SILKO



Suitable for:

**3025171 BURNER ø 95 mm 5.5Kw**



SILKO SIR0100299  
SILKO 0100299

SILKO SI0100299

SILKO 0100209

**5035019 BURNER ø 95 mm 5.5Kw**



SILKO SIR0100223

SILKO SI0100223

SILKO 0100223

**5049247 BURNER BASE ø 100 mm**



SILKO CR0580040

**3025035 BURNER BASE ø 120 mm**



SILKO 1315922

**5038822 BURNER BASE ø 65 mm**



SILKO CR0580030

**3025200 BURNER BASE ø 90 mm  
for first series**



SILKO SIR0100232

SILKO 0100232

**3025300 BURNER CAP ø 120 mm 7Kw**



SILKO SIR0100253

SILKO SI0100253

SILKO 0100253

**3025299 BURNER ø 120 mm 7Kw**



**3025306 BURNER ø 120 mm 7Kw**



SILKO R0100300

SILKO SIR0100300

**5017735 BURNER ø 120 mm 7Kw**




SILKO SIR0100224

SILKO SI0100224



Suitable for:

**3020093 NOZZLE HOLDER FOR PIPE  $\varnothing$  12 mm**  
with nut and olive  
thread connection for hose M20x1.5 mm  
fastening fitting M14x1 mm



SILKO SIR0100767

SILKO 0100767

SILKO 0100767+...

**3025315 THERMOCOUPLE SUPPORT**  
for burners  $\varnothing$  120 mm



SILKO SIR9300545

SILKO SI9300545


**3025307 VENTURI F/BURNER CAP 120 mm 7Kw**



SILKO SIR0100303

SILKO SI0100303

**3025179 BURNER RING  $\varnothing$  90 mm**



SILKO SIR0100247

SILKO 0100247

**5038533 FLAME SPREADER  $\varnothing$  100 mm**



SILKO CR0580020

**5059106 BURNER GASKET COOKING TOP**  
external dimensions 77x69x2 mm



SILKO SIR8204760

SILKO SI8204760

SILKO 8204760

## SILKO

Suitable for:


**3025314 SPARKING PLUG SUPPORT**  
for burners  $\varnothing$  120 mm



SILKO SIR9300544

SILKO SI9300544

**3025301 VENTURI F/BURNER CAP 120 mm 7Kw**





Suitable for:

5053306 VENTURI PIPE FOR FLAME SPREADER 100 mm



SILKO CR0586451

# SILKO

Suitable for:



5038823 FLAME SPREADER  $\varnothing$  65 mm



SILKO CR0580010

5038822 BURNER BASE  $\varnothing$  65 mm



SILKO CR0580030

5059106 BURNER GASKET COOKING TOP  
external dimensions 77x69x2 mm



SILKO SIR8204760

SILKO SI8204760

SILKO 8204760

5055500 JET HOLDER F/FLAME SPREADER 65-100 mm



SILKO CR0581700

5038824 VENTURI PIPE FOR FLAME SPREADER 65 mm



SILKO CR0586441

3025169 FLAME SPREADER  $\varnothing$  75 mm 4.3Kw



SILKO SIR0100252

SILKO SI0100252

SILKO 0100252

SILKO 252

3025168 BURNER  $\varnothing$  75 mm 3.5 KW



SILKO SIR0100298

SILKO SI0100298

3025911 BURNER  $\varnothing$  75 mm 3.5Kw



5017734 BURNER  $\varnothing$  75 mm 3.5Kw



SILKO SIR0100225

SILKO SI0100225




Suitable for:

**3025297 BURNER  $\varnothing$  75 mm 4.3Kw**



**3025312 SPARKING PLUG SUPPORT**  
for burners  $\varnothing$  75-95 mm



SILKO LB839-00

**3025176 FLAME SPREADER  $\varnothing$  80 mm**



SILKO 0100250

**3025351 FLAME SPREADER  $\varnothing$  85 mm 3.5 KW**



SILKO CR0937560

**3025352 VENTURI F/FLAME SPREADER 85 mm 3.5 KW**



**3025355 FLAME SPREADER  $\varnothing$  95 mm 5.5 KW**



SILKO CR0937570

## SILKO

Suitable for:

**3020093 NOZZLE HOLDER FOR PIPE  $\varnothing$  12 mm**  
with nut and olive  
thread connection for hose M20x1.5 mm  
fastening fitting M14x1 mm



SILKO SIR0100767

SILKO 0100767

SILKO 0100767+...

**3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw**



SILKO SIR0100301

SILKO SI0100301

**3025350 BURNER  $\varnothing$  85 mm 3.5KW**



SILKO CR0795730

**3025353 VENTURI TUBE GASKET 3.5 KW**  
dimensions 47x53 mm



**3025358 BURNER  $\varnothing$  95 mm 5.5KW**





Suitable for:

3025356 VENTURI F/FLAME SPREADER 95 mm 5.5Kw



# SILKO



Suitable for:

3025357 VENTURI TUBE GASKET 5.5 KW  
dimensions 55x62 mm



3025172 FLAME SPREADER 6.4Kw ø 95 mm



SILKO SIR0100251  
SILKO 251

SILKO SI0100251

SILKO 0100251

3025171 BURNER ø 95 mm 5.5Kw



SILKO SIR0100299

SILKO SI0100299

3025912 BURNER ø 95 mm 5.5Kw



5035019 BURNER ø 95 mm 5.5Kw



SILKO SIR0100223

SILKO SI0100223

3025298 BURNER ø 95 mm 6.4Kw



3020093 NOZZLE HOLDER FOR PIPE ø 12 mm  
with nut and olive  
thread connection for hose M20x1.5 mm  
fastening fitting M14x1 mm




SILKO SIR0100767

SILKO 0100767

SILKO 0100767+...

3025312 SPARKING PLUG SUPPORT  
for burners ø 75-95 mm



SILKO LB839-00

3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw



SILKO SIR0100302

SILKO SI0100302





# SILKO



Suitable for:

**5055500 JET HOLDER F/FLAME SPREADER 65-100 mm**



SILKO CR0581700

Suitable for:

**3025189 JET HOLDER FOR HOSE ø 10 mm**  
complete with nuts and olives  
thread fitting for tube M16x1.5 mm  
fastening fitting M14x1 mm



SILKO 0100767+...

**3025312 SPARKING PLUG SUPPORT**  
for burners ø 75-95 mm



SILKO LB839-00

**3025314 SPARKING PLUG SUPPORT**  
for burners ø 120 mm



SILKO SIR9300544

SILKO SI9300544

SILKO 9300544

**3025315 THERMOCOUPLE SUPPORT**  
for burners ø 120 mm



SILKO SIR9300545

SILKO SI9300545

SILKO 9300545

**3025307 VENTURI F/BURNER CAP 120 mm 7Kw**



SILKO SIR0100303  
SILKO 0100303

SILKO SI0100303

SILKO 0100217

**3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw**



SILKO SIR0100301  
SILKO 0100301

SILKO SI0100301

SILKO 0100206

**3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw**



SILKO SIR0100302  
SILKO 0100302

SILKO SI0100302

SILKO 0100207

**3025203 VENTURI PIPE FOR BURNER CAP 90-130 m**  
for first series



SILKO SIR0100256

SILKO 0100256

**5053306 VENTURI PIPE FOR FLAME SPREADER 100 mm**



SILKO CR0588451



Suitable for:

# SILKO



Suitable for:

**5038824 VENTURI PIPE FOR FLAME SPREADER 65 mm**



SILKO CR0586441

## Cables for piezo igniters

**3001002 IGNITION LEAD 1000 mm**  
with faston 6.35x0.8 mm for ignition  
with faston  $\varnothing$  4 mm for ignition plug



SILKO 0100858

**3001016 IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



SILKO CR0688770  
SILKO 0109082

SILKO 0101628  
SILKO 9303461

SILKO 0108189

**5017976 IGNITION LEAD 1700 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



SILKO SIR0101632

SILKO 0101632

**3001040 IGNITION LEAD 850 mm**  
with faston 2.8x0.8 mm for ignition  
with faston  $\varnothing$  4 mm for plug



SILKO 0101681

SILKO 9303074

## Contactors

**3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



SILKO MACM187400

SILKO 0105031



## Contactors

**3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
 coil 230V 50/60Hz  
 4 normally open contacts  
 no auxiliary contact



SILKO 0101330

**5021314 AUXILIARY CONTACT AEG HS8K11**  
 1 contact NO  
 1 contact NC



**3446582 CONTACTOR LOVATO BF1810A**  
 coil 18A 230V 50/60Hz 7.5Kw  
 3 normally open contacts  
 1 normally open auxiliary contact



SILKO 0101328

**3446227 AUXILIARY CONTACT LOVATO G218**  
 10A  
 1 contact NO  
 1 contact NC



## Cooking baskets and accessories

**3055489 PASTA COOKER BASKET 140x140x200 mm**  
 made of STAINLESS steel



SILKO SIRXPCF16

SILKO XPCF16

SILKO 0101148

**3055135 PASTA COOKER BASKET 160x290x200 mm**  
 for 13 portions approx  
 made of STAINLESS STEEL



SILKO XPCL13

**3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1**



**3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1**





Suitable for:

# SILKO



**3055282 PASTA COOKER BASKET 280x135x160 mm**  
made of stainless steel



SILKO 0109032

Suitable for:

**3055362 PASTA COOKER BASKET 300x150x215 mm**  
made of stainless steel




SILKO SIR0101122

SILKO SI0101122

SILKO 0101122

## Drain assembly

**3316150 DRAIN ASSEMBLY  $\varnothing$  3/4" COMPLETE**  
h 30 mm - overflow pipe seat  $\varnothing$  20.35 mm  
external  $\varnothing$  38 mm  
with gasket and fixing nut



SILKO 0100555

SILKO 1138600


**3448237 OVERFLOW PIPE  $\varnothing$  20x165 mm**  
made of stainless steel



**3448279 OVERFLOW PIPE  $\varnothing$  20x64 mm**  
made of stainless steel



**3448086 OVERFLOW PIPE IN CHROME PLATED BRASS**  
 $\varnothing$  20 mm  
overall height 84 mm  
for drain assembly  $\varnothing$  3/4"



**3448087 OVERFLOW PIPE IN CHROME PLATED BRASS**  
 $\varnothing$  20 mm  
overall height 94 mm  
for drain assembly  $\varnothing$  3/4"



**3448088 OVERFLOW PIPE IN CHROME PLATED BRASS**  
 $\varnothing$  20 mm  
overall height 104 mm  
for drain assembly  $\varnothing$  3/4"



**3448091 OVERFLOW PIPE IN CHROME PLATED BRASS**  
 $\varnothing$  20 mm  
overall height 144 mm  
for drain assembly  $\varnothing$  3/4"





**Drain hoses**

**5069490 FITTING FOR DRAIN TAP  $\varnothing$  1"MM**  
laterally outlet  $\varnothing$  30 mm - fitting height 110 mm



SILKO CR0681800

**3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**  
 $\varnothing$  22 mm - length 210 mm - bayonet coupling  
for TECNOINOX BAIN-MARIE-FRYER



SILKO MA1033300300  
SILKO 1033300300

SILKO SIR0109013

SILKO 0109013

**Drain taps and accessories**

**5028318 BALL VALVE  $\varnothing$  1"FF**



SILKO SIR0100590

SILKO 0100590

SILKO 0100708

**5017823 BLACK HANDLE  $\varnothing$  62 mm**  
with index  
round hole  $\varnothing$  8 mm  
for DRAIN VALVE



**5069700 DRAIN TAP FITTING  $\varnothing$  1"MM-3/4"MM**  
fitting height 80 mm



**3356092 DRAIN OFF TAP DIA 3/4 F.**  
TECO BLOCK safety handle  
tap body in brass CW617N UNI 12165  
chrome plated superficial finish  
Hostaform handle with metal core  
operating temperature 120°C max  
operating pressure 4 bar max



SILKO CR0846920



Suitable for:

# SILKO



**3356004 DRAIN TAP ø 1" F**  
TAPERED SEAL - fixed connection ø 1" F  
for BOILING PAN



SILKO

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



**3356029 HANDLE FOR DRAIN TAP**  
for drain tap ø 3/4" and 1"



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from -10°C up to +120°C  
from +50°C to +120 °C the grease becomes oily



Suitable for:

**3186009 ASBESTOS FREE FLAT GASKET ø 45x33x2 mm**



SILKO CR0682770

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



Suitable for:

Suitable for:

**3526678 DRAIN TAP  $\varnothing$  1"FF**



SILKO CR0412260

**5023594 CAST IRON FITTING  $\varnothing$  1"MF**



SILKO CM161300

SILKO MACM161300

**3242049 DRAIN TAP HANDLE 140 mm  
square hole 6x6 mm**




SILKO CM155200

SILKO MACM155200

**3242045 DRAIN TAP LEVER 220 mm  
square pin 6x6 mm**



**3356078 BUSHING  $\varnothing$  11x20 mm**



**5028002 DRAIN TAP FITTING  $\varnothing$  1"MM**  
side exit  $\varnothing$  30 mm - bracket 80x30 mm  
distance between holes 60 mm - coupling height 100



**3242280 DRAIN TAP KNOB BLACK 79 mm  
square hole 6x6 mm**



**7100207 HEADLESS SCREW HEXAGONAL M5x8**  
stainless steel - conical top  
UNI 5927 - DIN 914 - ISO 4027



**5063765 DRAIN TAP  $\varnothing$  1"FF**



SILKO CR0588960

**5023594 CAST IRON FITTING  $\varnothing$  1"MF**



SILKO CM161300

SILKO MACM161300

**3356078 BUSHING  $\varnothing$  11x20 mm**



**3242049 DRAIN TAP HANDLE 140 mm  
square hole 6x6 mm**



SILKO CM155200

SILKO MACM155200



Suitable for:

**5069490 FITTING FOR DRAIN TAP  $\varnothing$  1"MM**  
laterally outlet  $\varnothing$  30 mm - fitting height 110 mm



SILKO CR0681800

**3356007 DRAIN TAP  $\varnothing$  1"1/2F TECNO**  
TAPERED SEAL - swivel nut  $\varnothing$  1"1/2F  
with gasket  
for BOILING PAN



SILKO 0100532

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature  $-45^{\circ}/+120^{\circ}$   
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



## SILKO

Suitable for:

**7100207 HEADLESS SCREW HEXAGONAL M5x8**  
stainless steel - conical top  
UNI 5927 - DIN 914 - ISO 4027



SILKO 15119299

**3186240 ASBESTOS FREE FLAT GASKET  $\varnothing$  46x38x2 mm**  
for drain tap  $\varnothing$  1"1/2



**3186199 GASKET INTERNAL EPDM FOR TAPS**  
NSF certified  
for DRAIN TAP  $\varnothing$  1"1/4 and 1"1/2



**3242189 HANDGRIP FOR DRAIN TAP**  
for DRAIN TAP  $\varnothing$  1"1/2F e 1"1/4F







Suitable for:

**3356128 PIN  $\varnothing$  5x30 mm**  
complete with blind nut



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from  $-10^{\circ}\text{C}$  up to  $+120^{\circ}\text{C}$   
from  $+50^{\circ}\text{C}$  to  $+120^{\circ}\text{C}$  the grease becomes oily



**3356005 DRAIN TAP  $\varnothing$  1"1/4F TECNO**  
TAPERED SEAL - fixed connection  $\varnothing$  1"1/4F  
with gasket  
for BOILING PAN



SILKO 0100541

**3356010 ESCUTCHEON FOR DRAIN TAP  $\varnothing$  1"1/4**



## SILKO

Suitable for:

**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



**3186240 ASBESTOS FREE FLAT GASKET  $\varnothing$  46x38x2 mm m**  
for drain tap  $\varnothing$  1"1/2



**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG.  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660





Suitable for:

**3186199 GASKET INTERNAL EPDM FOR TAPS**  
NSF certified  
for DRAIN TAP  $\varnothing$  1"1/4 and 1"1/2



**3242189 HANDGRIP FOR DRAIN TAP**  
for DRAIN TAP  $\varnothing$  1"1/2F e 1"1/4F



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved



**3356149 DRAIN TAP  $\varnothing$  2" F TECNO**  
BRASS CAP - with swivel nut  $\varnothing$  2" F



SILKO 0100531

**3356101 CAP FOR DRAIN TAP**  
for DRAIN TAP  $\varnothing$  2" OLD MODEL



## SILKO

Suitable for:

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature  $-45^{\circ}/+120^{\circ}$   
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



**3356128 PIN  $\varnothing$  5x30 mm**  
complete with blind nut



**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from  $-10^{\circ}\text{C}$  up to  $+120^{\circ}\text{C}$   
from  $+50^{\circ}\text{C}$  to  $+120^{\circ}\text{C}$  the grease becomes oily



**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
for drain tap  $\varnothing$  2" old model



**3356016 DRAIN NIPPLE  $\varnothing$  2"x80 mm**  
in brass





Suitable for:

**3242190 DRAIN TAP HANDGRIP**  
for DRAIN TAP  $\varnothing$  2" OLD MODEL  
AND FOR TECNO NEW MODEL



**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
length 50 mt  
suitable to hot and cold drinking water, gas  
replaces pastes, hemp and sealing tapes  
it allows the repositioning of couplings  
in compliance with the latest regulations  
Drinking water (Italian certification by C.S.A.,  
according to standard KTW and WRC approved)  
gas - water IMQ-UNICIG,  
compliant with UNI EN 51-2 class Arp  
approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature  $-45^{\circ}/+120^{\circ}$   
beige color - NSF H1 certified  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



**3356128 PIN  $\varnothing$  5x30 mm**  
complete with blind nut



## SILKO

Suitable for:

**3356012 ESCUTCHEON FOR DRAIN TAP  $\varnothing$  2"**



**5015573 GASKET FLAT ASBE. FREE  $\varnothing$  61x48x2 mm**  
for drain tap  $\varnothing$  2"



SILKO 0100598

SILKO 0100599

SILKO 1420925

**3186241 O-RING 06212 VITON**  
ring thickness 5.34 mm - internal  $\varnothing$  53.34 mm  
for DRAIN TAP  $\varnothing$  2" OLD MODEL AND  
TECNO NEW MODEL



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
length 150 metri  
suitable for hot / cold drinking water. gas  
replaces pastes, hemp and sealing tapes  
it allows the correct replacement of fittings  
compliant with the latest regulatory requirements  
Drinking water (C.S.A. italian certified.  
in line with KTW standard and WRC approved )  
IMQ-UNICIG gas-water,  
compliant with UNI EN 51-2 class Arp  
DVGW and DIN 30660 approved





Suitable for:

**3180039 VASELINE WUERTH 750 g**  
for lubrication of food processing machines  
it protects chromed and rubber parts from  
weather factors, moisture resistant,  
operating temperature from -10°C up to +120°C  
from +50°C to +120 °C the grease becomes oily



# SILKO



Suitable for:

**5009882 DRAIN TAP Ø 3/4" F**  
outlet Ø internal 22 mm



SILKO SIR0109012

SILKO 0109012

**3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**  
Ø 22 mm - length 210 mm - bayonet coupling  
for TECNOINOX BAIN-MARIE-FRYER



SILKO MA1033300300  
SILKO 1033300300

SILKO SIR0109013

SILKO 0109013

**5009883 OIL DRAIN PIPE WITH SAFETY DEVICE**  
Ø 22 mm - length 210 mm - bayonet coupling



**3242049 DRAIN TAP HANDLE 140 mm**  
square hole 6x6 mm



SILKO CM155200


SILKO MACM155200

**3526673 GAS/WATER VALVE Ø 1" FF**  
ball valve  
heavy series with PN 40 total passage  
aluminium lever



SILKO 0108062

**3356078 BUSHING Ø 11x20 mm**





Suitable for:

**5023594 CAST IRON FITTING  $\varnothing$  1"MF**



SILKO CM161300

SILKO MACM161300

**3356138 DRAIN TAP FITTING  $\varnothing$  1"MM**  
 $\varnothing$  side outlet 28 mm - bracket 68x40x19 mm  
fitting height 100 mm



**3242049 DRAIN TAP HANDLE 140 mm**  
square hole 6x6 mm



SILKO CM155200

SILKO MACM155200

**5036175 DRAIN TAP MANIFOLD**  
2 top connections  $\varnothing$  1"MM - 2 top connections  $\varnothing$  33  
1 bottom connection  $\varnothing$  1"MM  
width 295 mm - overall length 114 mm  
distance between holes 275 mm



**7100207 HEADLESS SCREW HEXAGONAL M5x8**  
stainless steel - conical top  
UNI 5927 - DIN 914 - ISO 4027



SILKO 15119299


## SILKO

Suitable for:

**5031496 DRAIN PIPE  $\varnothing$  1"MM**  
length 195 mm




**5028002 DRAIN TAP FITTING  $\varnothing$  1"MM**  
side exit  $\varnothing$  30 mm - bracket 80x30 mm  
distance between holes 60 mm - coupling height 100



**3242280 DRAIN TAP KNOB BLACK 79 mm**  
square hole 6x6 mm



**5033656 FITTING OF BRASS  $\varnothing$  1"MF**



**5011612 LEVER DRAIN TAP 250 mm**  
square pin 6x6 mm





Suitable for:

# SILKO



Suitable for:

## Electric hot plates

### 2104675 ELECTRIC HOT PLATE ø 180 mm 1500W 230V

terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



SILKO MA1839813

SILKO 1839813

### 3311098 ELECTRIC HOT PLATE ø 220 mm 2000W 230V


"ECODESIGN" MODEL  
electrical screw connections  
with STAINLESS steel edge  
for electric cooking top



SILKO 0101487

### 3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V

terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



SILKO 0101482

### 3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



SILKO MA1712913  
SILKO 1712913

SILKO 0101474

SILKO 0101475

### 3311054 ELECTRIC HOT PLATE 2600W 400V

dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



SILKO

### 3311062 ELECTRIC HOT PLATE 3000W 230V

dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



SILKO 0101467

### 3311064 ELECTRIC HOT PLATE 4000W 230V

dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



SILKO MA1937300

SILKO 0101476



## Electrical gas valves and accessories

**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SILKO MA2865800


SILKO 2865800

**3526102 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SILKO MA1880600

**5053766 PROTECTION RUBBER VALVE 820 NOVA**  
 $\varnothing$  external 46 mm -  $\varnothing$  internal 20 mm  
depth 5,5 mm



SILKO CR0589800

**3440200 THERMOPILE WITH TWIN LEAD  $\varnothing$  9x65 mm**  
cable length 800 mm - with coupling M11X1



SILKO MA1870712

SILKO 0105109

SILKO 1870712

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SILKO CR0507660

SILKO MA1454900

SILKO 0100888

SILKO 0109011

**3526090 VALVE 810 ELETTROSIT  $\varnothing$  3/4" FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3 - 18 mbar  
ambient temperature 0 - 60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



SILKO LAR63025030

SILKO 0100883

**3526137 BUTTON FOR ELETTROSIT VALVE 46 mm**





Suitable for:

**3526100 COIL 220V**  
for VALVE ELETTROSIT



**3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm**  
for switching on/off buttons



**3526107 FLANGE STRAIGHT  $\varnothing$  3/4" F**  
with screws and OR  
for ELETTROSIT VALVE



**3526136 SPRING FOR PUSH-BUTTON**



**3526079 VALVE 820 NOVA  $\varnothing$  1/2" FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple fitting M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure setting range  
3÷30 mbar  
room temperature 0÷70°C  
power supply 230V 50Hz



SILKO 0109010

# SILKO



Suitable for:

**3526108 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for ELETTROSIT VALVE



**3526106 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for ELETTROSIT VALVE



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SILKO CR0507660  
SILKO 0109011

SILKO MA1454900

SILKO 0100888

**3526270 VALVE 820 NOVA EXTENSION**  
D shaft  $\varnothing$  10x8 mm







Suitable for:

**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**3526099 COIL 24V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



**5047586 EXTENSION FOR VALVE 820 NOVA**  
D-shaped pin  $\varnothing$  10x8 mm



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



SILKO MA1394700

SILKO 1394700

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



# SILKO



Suitable for:

**2100054 COIL 220V 60Hz**  
for VALVE 820 NOVA-822 NOVA-828 NOVA



**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SILKO MA2865800

SILKO 2865800

**3526102 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




SILKO MA1880600

**3241141 EXTENSION FOR 820 NOVA VALVE**  
D-shaped pin 10x8 mm



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



SILKO 0100884

**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
with screws and OR  
for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



**3526103 PROTECTING COVER**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm



**3526269 VALVE 820 NOVA EXTENSION**  
D shaft  $\varnothing$  10x8 mm



## SILKO

Suitable for:


**3241142 KNOB GASKET  $\varnothing$  44 mm**



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**5017951 PROTECTION RUBBER VALVE 820-824 NOVA**  
 $\varnothing$  external 50 mm -  $\varnothing$  internal 20 mm  
depth 1 mm



**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SILKO CR0507660  
SILKO 0109011

SILKO MA1454900

SILKO 0100888



**3526300 VALVE 820 NOVA mV  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure range setting  
 outlet 5÷50 mbar  
 room temperature 0÷70°C  
 double wire thermopile power supply  
 (TPTH - TH terminal)  
 thermostat connection (TPTH - TH terminal)  
 suitable to replace the ITT valve  
 UB67 model



SILKO MA1870800

SILKO 0105082

**2100054 COIL 220V 60Hz**  
 for VALVE 820 NOVA-822 NOVA-828 NOVA



**3526270 VALVE 820 NOVA EXTENSION**  
 D shaft  $\varnothing$  10x8 mm



**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



SILKO MA2865800

SILKO 2865800

**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



**5047586 EXTENSION FOR VALVE 820 NOVA**  
 D-shaped pin  $\varnothing$  10x8 mm




**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



SILKO MA1394700

SILKO 1394700

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



SILKO 0100884

**3526075 FLANGE STRAIGHT  $\varnothing$  1/2"**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



**3526076 FLANGE STRAIGHT  $\varnothing$  3/4"**  
 with screws and OR  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

**3526124 KNOB EXTENSION LENGTH 67 mm**  
for VALVE 820 NOVA-824 NOVASIT



**3001008 PIEZO IGNITER**  
a  $\varnothing$  14 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**5012595 VALVE EXTENSION 820 NOVA**  
D-shaped pin  $\varnothing$  6x4.6 mm



**3526104 VALVE 830 TANDEM  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
maximum gas inlet pressure 60 mbar  
outlet pressure adjustment range  
3÷50 mbar  
with slow start  
room temperature 0÷60°C  
power supply 230V 50Hz



SILKO 0102481

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M



SILKO MA1127500

SILKO 0100843

## SILKO



Suitable for:

**3182008 MAGNETIC UNIT SIT**  
head  $\varnothing$  35 mm - end piece  $\varnothing$  20 mm - length 47 mm  
for valve SIT NOVASIT 820



**3440200 THERMOPILE WITH TWIN LEAD  $\varnothing$  9x65 mm**  
cable length 800 mm - with coupling M11X1



SILKO MA1870712

SILKO 0105109

SILKO 1870712

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SILKO CR0507660

SILKO MA1454900

SILKO 0100888

SILKO 0109011

**2100724 COIL 24V**  
for valve 830 TANDEM-836 TANDEM



**3526142 DOUBLE COIL FOR VALVE**  
220V 50Hz  
for VALVE 830 TANDEM-836 TANDEM






Suitable for:

**3526292 ELECTRIC COUPLING WITH CABLE**  
cable length 1000 mm - 3 wires  
for sit valve 830-836 TANDEM



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**




SILKO 0100884

## SILKO

Suitable for:

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



SILKO MA1394700

SILKO 1394700

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



SILKO MA1127400

SILKO 0100765

## Electronic boards

**5033813 KIT CONTROL PC BOARD**  
complete with mother board and flat cable  
control board dimensions 90x43 mm  
mother board dimensions 105x90 mm  
flat cable length 300 mm



SILKO CM295800

SILKO MACM295800

## Electronic controllers

**7104861 DIGITAL THERMOMETER ELIWELL EM300 NTC**  
power supply 230V  
thermometer setting range  $-50+110^{\circ}\text{C}$   
room temperature  $-5+55^{\circ}\text{C}$   
NTC type probe (not included)  
connections with screw terminal box  
front dimensions 76x35x70 mm  
mounting hole 71x29mm



SILKO CR0510870

**3445157 PROBE NTC PVC 1500 mm**  
probe 2 wires - temperature range  $-30^{\circ}+80^{\circ}\text{C}$   
bulb  $\varnothing$  6x40 mm





Suitable for:

**3445156 PROBE NTC PVC 3000 mm**  
temperature range -30+80°C  
bulb ø 6x40 mm



**3445167 PROBE NTC TPE IP68 1500 mm**  
temperature range -50+110°C  
bulb ø 5x20 mm watertight



SILKO BN167212

**3445184 PROBE NTC TPE STEEL IP68 1500 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



**3445398 SILICONE PROBE NTC 1500 mm**  
2-wire probe temperature range -50+120°C  
bulb ø 6x50 mm



**3445155 SILICONE PROBE NTC 3000 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



## SILKO

Suitable for:

**3445028 PROBE NTC PVC 4000 mm**  
temperature field -30+80°C  
bulb ø 6x20 mm



**3445335 PROBE NTC TPE IP68 3000 mm**  
temperature range -50+110°C  
bulb ø 5x20 mm watertight



**3445154 PROBE NTC TPE STEEL IP68 3000 mm**  
temperature range -40+110°C  
bulb ø 6x40 mm watertight



**3445913 SILICONE PROBE NTC 1500 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved





Suitable for:

**3445111 TRANSFORMER 24V/12V 3VA**  
primary tension 24Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0÷60°C  
screw terminal block  
IMQ approved




**SILKO**

Suitable for:




## Energy regulators

**3350024 ENERGY REGULATOR**  
contact capacity 240V 13A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction



SILKO 0108231

**3350026 ENERGY REGULATOR**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS




SILKO CM189600  
SILKO MACM293900  
SILKO 0105171

SILKO CM293900  
SILKO SIR0108203  
SILKO 0108203

SILKO LAR6508025  
SILKO SI0108203  
SILKO 1037108713

**3350067 ENERGY REGULATOR**  
contact capacity 24V 16A  
D-shaped pin  $\varnothing$  6x4.6 mm



SILKO 2330050

## Feet

**3313041 ADJUSTABLE S/ST. FOOT  $\varnothing$  1"3/4 x h 115 mm**  
with fixed screw M10x25 mm  
adjustable height 115÷180 mm



SILKO SIR0100323

SILKO 0100323



Suitable for:

**SILKO**



Suitable for:

## Fittings

**5023594 CAST IRON FITTING  $\varnothing$  1"MF**




SILKO CM161300

SILKO MACM161300

## Fryer baskets and accessories


**5069691 FALSE BOTTOM MESH COMPLETE 314x234 mm**  
height 103 mm  
chromed iron



SILKO SIR0101117

SILKO SI0101117

**7107334 FALSE BOTTOM MESH COMPLETE 315x140 mm**  
height 100 mm  
chromed iron




SILKO SIR0101118

SILKO SI0101118

SILKO 0101118

**3055347 FALSE BOTTOM MESH 410x340 mm**  
made of chrome-plated iron



SILKO 0105097

**3055258 FRYER BASKET 280x100x100 mm**  
in chromium plated iron



SILKO 0109091

**3055257 FRYER BASKET 280x195x105 mm**  
in chrome-plated iron



SILKO 0109089

**3055279 FRYER BASKET 290x135x120 mm**  
in chrome-plated iron



SILKO 0101100

**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic







# SILKO



Suitable for:

**3055197 FRYER BASKET 290x165x120 mm**  
in chromium plated iron



SILKO SIR0101101

SILKO 0101098

SILKO 0101101

Suitable for:

**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



**5054302 FRYER BASKET 290x180x120 mm**  
out of chrome-plated iron



SILKO CR0412900

**3055360 FRYER BASKET 290x230x120 mm**  
made of chrome plated iron



**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



SILKO 0101099

**3055212 FRYER BASKET 290x255x120 mm**  
made of chrome-plated iron



**7103523 FRYER BASKET 290x255x120 mm**  
chromed iron



SILKO 0105041

SILKO SIR0109143

SILKO SI0109143

SILKO 0109143

**3055195 FRYER BASKET 330x290x120 mm**  
in chromium plated iron



**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



SILKO 0101102



Suitable for:

# SILKO



**3055211 FRYER BASKET 360x160x120 mm**  
made of chrome-plated iron



SILKO MACM030200

SILKO 0105040

Suitable for:

**7100503 FRYER BASKET 360x160x120 mm**  
chrome-plated iron



SILKO CR0580810

**7102091 FRYER BASKET 360x160x120 mm**  
made of chrome-plated iron



SILKO SIR0109142

SILKO SI0109142

**7105179 FRYER BASKET 360x225x120 mm**  
chromed iron



SILKO CR0686180

## Gas burners

**3023146 BURNER  $\varnothing$  120x345 mm**  
height 103 mm  
made of STAINLESS steel



SILKO SIR0100294

SILKO SI0100294

SILKO 0100294

**3023245 BURNER  $\varnothing$  40x400 mm**  
overall length 425 mm  
made of STAINLESS STEEL



SILKO 0100280

**3023211 BURNER  $\varnothing$  40x420 mm**  
of stainless steel



SILKO 0100267

**3023248 BURNER  $\varnothing$  40x545 mm**  
overall length 550 mm  
made of STAINLESS steel



SILKO SIR0100284

SILKO SI0100284

SILKO 0100284

**5059374 BURNER  $\varnothing$  50x430 mm**  
overall length 490 mm  
made of STAINLESS steel



SILKO CR0580690

**3023332 BURNER  $\varnothing$  50x610 mm**  
overall length 660 mm  
made of STAINLESS steel



SILKO BN2510697

SILKO 0101051

SILKO 2510697



Suitable for:

**3023243 BURNER  $\varnothing$  60x315 mm**  
overall length 345 mm  
made of STAINLESS steel



SILKO SIR0100296

SILKO 0100296

Suitable for:

**3023247 BURNER 390x70 mm**  
overall length 490 mm  
made of chrome-plated iron



SILKO SIR0109046

SILKO 0109046

**3023230 BURNER 525x205 mm**  
made of STAINLESS steel



SILKO CM203100

SILKO MACM203100


**5028943 NOZZLE HOLDER FOR BURNER**  
tapered coupling for pipe M16x1.5 mm  
fixing M14x1 mm - tube  $\varnothing$  10 mm



SILKO CM021700

SILKO MACM021700

**5065098 BURNER 585x585 mm**  
made of chrome-plated iron



SILKO CR0681402

**5017733 BURNER 610x320 mm**  
made of chromed iron



SILKO SIR0100277

SILKO SI0100277

SILKO 0100277

**5054201 BURNER 675x190 mm**  
made of chrome-plated iron



SILKO CR0581960

**3023226 BURNER 700x205 mm**  
made of STAINLESS steel



SILKO MACM201900

**5028943 NOZZLE HOLDER FOR BURNER**  
tapered coupling for pipe M16x1.5 mm  
fixing M14x1 mm - tube  $\varnothing$  10 mm



SILKO CM021700

SILKO MACM021700



Suitable for:

# SILKO



**7107690** BURNER 975x585 mm  
chromed iron



SILKO CR0684100

Suitable for:

**3023237** CENTRAL VERTICAL BURNER 300x55 mm  
NICKEL-PLATED



SILKO 0108046

**5028943** NOZZLE HOLDER FOR BURNER  
tapered coupling for pipe M16x1.5 mm  
fixing M14x1 mm - tube  $\varnothing$  10 mm



SILKO CM021700

SILKO MACM021700

**3020093** NOZZLE HOLDER FOR PIPE  $\varnothing$  12 mm  
with nut and olive  
thread connection for hose M20x1.5 mm  
fastening fitting M14x1 mm



SILKO SIR0100767

SILKO 0100767

SILKO 0100767+...

**3023236** VERTICAL BURNER LH 300x55 mm  
NICKEL PLATED



SILKO 0108045

## Gas hoses

**3449331** COPPER PIPE 1x4 mm - 3 m



SILKO CR0580600

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



SILKO 0100777

Suitable for:


**5055499 PILOT PIPE  $\varnothing$  4 mm**



SILKO CR0580610

Suitable for:

**5058453 PILOT PIPE  $\varnothing$  4 mm**



SILKO CR0682410

## Gas taps and accessories

**5032885 BY-PASS SCREW  $\varnothing$  0.40 mm FOR MOD. 20/21**  
thread M5x0.5



SILKO MA1033719900

**5015533 BY-PASS SCREW  $\varnothing$  0.55 mm FOR MOD. 20/21**  
thread M5x0.5



SILKO MA1033720000

**5046716 BY-PASS SCREW  $\varnothing$  0.60 mm FOR MOD. 20/21**  
thread M5x0.5



SILKO CR0586840

SILKO SIR0102063

SILKO 0102063

**5017441 BY-PASS SCREW  $\varnothing$  0.70 mm FOR MOD. 20/21**  
thread M5x0.5



SILKO SIR0102067

SILKO 0102067

**4002926 BY-PASS SCREW  $\varnothing$  0.90 mm FOR MOD. 20/21**  
thread M5x0.5



SILKO 1033720200

**5014631 BY-PASS SCREW  $\varnothing$  1 mm FOR MOD. 20/21**  
thread M5x0.5



SILKO SIR0102060

SILKO 0102060

**5038335 BY-PASS SCREW  $\varnothing$  1.05 mm FOR MOD. 22**  
thread M6x0.5



SILKO SIR0102056

SILKO 0102056

**5034281 BY-PASS SCREW  $\varnothing$  1.10 mm FOR MOD. 20/21**  
thread M5x0.5



SILKO SIR0102061

SILKO 0102061



Suitable for:

# SILKO




**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 26 mm  
for model PEL 22



SILKO SIR0100756

Suitable for:

**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S



SILKO 0100753

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



SILKO SIR0100773

SILKO 0100773

**3348014 GAS TAP 20/S**  
without pilot flame  
fittings  $\varnothing$  M16x1.5mm  
thermocouple fitting M8x1  
D-shaped pin  $\varnothing$  8x6.5mm



SILKO SIR0100730

SILKO 0100730

**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S



SILKO 0100753

**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22




**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



SILKO 0100752



Suitable for:

**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



SILKO MA86720

SILKO 0100775

SILKO 86720

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



**3348016 GAS TAP 21/S**  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  8x6.5 mm



SILKO 0100731

## SILKO



Suitable for:


**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



SILKO 0100774

SILKO 1326500

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

**7102841 BODY FITTING TAP**  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S






Suitable for:

**3348085 BUSH FOR TAP**



**3348220 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/23 mm upper/lower  
for model PEL 21




**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



SILKO SIR0100773

SILKO 0100773

**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S




**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



# SILKO

Suitable for:

**3348219 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348221 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/17,5 mm upper/lower  
for model PEL 21



**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S



**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22







Suitable for:

**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm




# SILKO



Suitable for:

**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



SILKO MA86720

SILKO 0100775

SILKO 86720

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



SILKO 0100752

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



SILKO 0100774

SILKO 1326500

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805



Suitable for:

# SILKO



Suitable for:

**5046402 GAS TAP 21/S**  
with pilot flame  
connections M16x1.5 mm  
with flow regulator  
thermocouple connection M8x1mm  
D-shaped pin  $\varnothing$  6x4.6 mm




SILKO MA1031501300

SILKO 1031501300

**3348219 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm upper/lower  
for model PEL 21



**3348220 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/23 mm upper/lower  
for model PEL 21



**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S



SILKO SIR0100773

SILKO 0100773

**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22





Suitable for:

**3182022** **MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm




# SILKO



Suitable for:

**3182011** **MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



**3348044** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



SILKO MA86720

SILKO 0100775

SILKO 86720

SILKO 0100752

**3348036** **OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25




SILKO MA673600

SILKO 0100778

**3348037** **OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348043** **PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



SILKO 0100774

SILKO 1326500

**3348029** **PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**3020078** **PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

**5014757** **PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm






Suitable for:

# SILKO




**5052175 GAS TAP 21/S**  
 with pilot flame  
 pipe flange fitting  $\varnothing$  21 mm  
 outlet connection  $\varnothing$  M16x1.5 mm  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  8x6.5 mm  
 for Kitchen (SILKO) ECG74F




SILKO CR0580450


**3348219 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 45/20 mm upper/lower  
 for model PEL 21




**7102841 BODY FITTING TAP**  
 $\varnothing$  pipe 10 mm  
 thread  $\varnothing$  3/8" F - M16x1 mm  
 for taps PEL 20S-21S




**3348220 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 30/23 mm upper/lower  
 for model PEL 21




**3348221 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 30/17,5 mm upper/lower  
 for model PEL 21



**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22 mm  
 for model PEL 21S



**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin 35/15 mm upper/lower  
 for model PEL 21S



SILKO SIR0100773

SILKO 0100773

**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22/15 mm right/lef  
 for model PEL 21S



**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
 thread M16x1,5 mm - M10x1,25 mm  
 for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
 thread M18x1 mm  
 for model PEL 20-21-22






Suitable for:

**3348059** **MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182011** **MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



SILKO 0100752


**3348036** **OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3348043** **PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



SILKO 0100774

SILKO 1326500

**3020078** **PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



SILKO R62060223


SILKO 0100744

SILKO 0100805

## SILKO

Suitable for:

**3182022** **MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



SILKO MA86720

SILKO 0100775

SILKO 86720

**3348037** **OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348029** **PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** **PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm






Suitable for:

# SILKO



Suitable for:

**3348002 GAS TAP 22S/O**  
 with pilot flame  
 with horizontal flange  
 fittings  $\varnothing$  M20x1.5mm  
 with flow regulator  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  10x8 mm



**3348229 CAP WITH PIN  $\varnothing$  10 mm**  
 pin length 31 mm  
 for model PEL 22S/O



SILKO 0100732

**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 26 mm  
 for model PEL 22




**3348245 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 34/26 mm upper/lower  
 for model PEL 22S



SILKO SIR0100756

**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
 pin length 26 mm  
 for model PEL 22




**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 35/21 mm upper/lower  
 for model PEL 22



**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 39/7 mm upper/lower  
 for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
 without adjustment  
 thread M20x1.5 mm  
 for model PEL 22S



**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22



**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22





Suitable for:


**3348024** **FLANGE VERTICAL**  $\varnothing$  12/10 mm  
thread M20x1.5  
for model PEL 22



**3348058** **MAGNET PROTECTION NUT** M8x1  
thread M18x1 mm  
for model PEL 20-21-22



**3182009** **MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



SILKO 0100757

**3348038** **OLIVE FOR PIPE**  $\varnothing$  10 mm  
for model PEL 22-24-25



**3348036** **OLIVE FOR PIPE**  $\varnothing$  4 mm  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

## SILKO

Suitable for:

**3348214** **FLANGIA WITH PRESSURE FITTING**  $\varnothing$  12/10 mm  
thread M20x1.5 mm  
for model PEL 22S



**3348059** **MAGNET PROTECTION NUT** M9x1  
thread M18x1mm  
for model PEL 20-21-22



**3182021** **MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082** **OLIVE FOR PIPE**  $\varnothing$  12 mm  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3348037** **OLIVE FOR PIPE**  $\varnothing$  6 mm  
for model PEL 21-22-24-25





Suitable for:

**3348230** PIN FOT GAS TAP  $\varnothing$  6x4.6 mm  
pin length 45/20 mm rh/lh  
for model PEL 22




## SILKO



Suitable for:

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



SILKO

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




SILKO R62060223

SILKO 0100744

SILKO 0100805

**3348003** GAS TAP 22S/V  
with pilot flame  
with vertical flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm



**3348229** CAP WITH PIN  $\varnothing$  10 mm  
pin length 31 mm  
for model PEL 22S/O



SILKO 0100733

**3348017** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 26 mm  
for model PEL 22



**3348245** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 34/26 mm upper/lower  
for model PEL 22S




SILKO SIR0100756






Suitable for:

**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
pin length 26 mm  
for model PEL 22




**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 39/7 mm upper/lower  
for model PEL 22



**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22




## SILKO

Suitable for:

**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 35/21 mm upper/lower  
for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S




**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24





Suitable for:

**3182021** **MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082** **OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3348037** **OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348031** **PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348029** **PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** **PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



# SILKO

Suitable for:

**3348038** **OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



**3348036** **OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3348230** **PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22



**3348032** **PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



SILKO

**3020078** **PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1




SILKO R62060223

SILKO 0100744

SILKO 0100805



**3348200 GAS TAP 22S/V**  
 with pilot flame  
 with vertical flange  
 fittings  $\varnothing$  M20x1.5 mm  
 with flow regulator  
 thermocouple connection M8x1  
 pin  $\varnothing$  10 mm




**3348229 CAP WITH PIN  $\varnothing$  10 mm**  
 pin length 31 mm  
 for model PEL 22S/O



SILKO

**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 26 mm  
 for model PEL 22




**3348245 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 34/26 mm upper/lower  
 for model PEL 22S



SILKO SIR0100756

**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
 pin length 26 mm  
 for model PEL 22




**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 35/21 mm upper/lower  
 for model PEL 22



**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 39/7 mm upper/lower  
 for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
 without adjustment  
 thread M20x1.5 mm  
 for model PEL 22S



**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22




**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22





Suitable for:

**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



SILKO 0100757

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

# SILKO



Suitable for:

**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25





Suitable for:

**3348230** PIN FOT GAS TAP  $\varnothing$  6x4.6 mm  
pin length 45/20 mm rh/lh  
for model PEL 22



**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



SILKO

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1




SILKO R62060223

SILKO 0100744

SILKO 0100805

**3348012** GAS TAP 23S/O  
with pilot flame  
with horizontal flange  
inlet fitting M28x1.5mm  
outlet connection M24x1.5mm  
with flow regulator  
thermocouple connection M10x1  
D-shaped pin  $\varnothing$  10x8 mm



SILKO 0100736


**3348062** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 35 mm  
for model PEL 23



## SILKO

Suitable for:

**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348060** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 25 mm  
for model PEL 23



**3348027** FLANGE HORIZONTAL  $\varnothing$  12/16 mm  
thread M24x1.5 mm  
for model PEL 23





Suitable for:

**3348237 FLANGE HORIZONTAL  $\varnothing$  12/16 mm**  
without adjustment  
thread M24x1.5 mm  
for model PEL 23



**3182010 MAGNETIC UNIT PEL**  
head  $\varnothing$  24 mm - end piece  $\varnothing$  18 mm - length 59 mm  
thermocouple coupling M10x1  
for PEL tap model 23



**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



SILKO MA1127400

SILKO 0100765

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778


**3348033 PIPE FITTING  $\varnothing$  12 mm**  
thread M24x1.5  
for model PEL 23



## SILKO

Suitable for:

**3348028 FLANGE VERTICAL  $\varnothing$  12/16 mm**  
thread M24x1.5  
for model PEL 23



**3348040 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 23



**3348042 OLIVE FOR PIPE  $\varnothing$  20 mm**  
for model PEL 23



**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348034 PIPE FITTING  $\varnothing$  16 mm**  
thread M24x1.5  
for model PEL 23





Suitable for:

**3348035** PIPE FITTING  $\varnothing$  20 mm  
thread M28x1.5  
for model PEL 23



**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

# SILKO



Suitable for:


**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348013** GAS TAP 23S/V  
with pilot flame  
with vertical flange  
inlet fitting M28x1.5mm  
outlet connection M24x1.5mm  
with flow regulator  
thermocouple connection M10x1  
D-shaped pin  $\varnothing$  10x8 mm




SILKO 0100734

**3348060** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 25 mm  
for model PEL 23




**3348062** CAP WITH PIN  $\varnothing$  10x8 mm  
pin length 35 mm  
for model PEL 23




**3348027** FLANGE HORIZONTAL  $\varnothing$  12/16 mm  
thread M24x1.5 mm  
for model PEL 23



**3348237** FLANGE HORIZONTAL  $\varnothing$  12/16 mm  
without adjustment  
thread M24x1.5 mm  
for model PEL 23



**3348028** FLANGE VERTICAL  $\varnothing$  12/16 mm  
thread M24x1.5  
for model PEL 23





Suitable for:

**3182010 MAGNETIC UNIT PEL**  
head  $\varnothing$  24 mm - end piece  $\varnothing$  18 mm - length 59 mm  
thermocouple coupling M10x1  
for PEL tap model 23



**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



SILKO MA1127400

SILKO 0100765

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3348033 PIPE FITTING  $\varnothing$  12 mm**  
thread M24x1.5  
for model PEL 23



**3348035 PIPE FITTING  $\varnothing$  20 mm**  
thread M28x1.5  
for model PEL 23



## SILKO

Suitable for:

**3348040 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 23



**3348042 OLIVE FOR PIPE  $\varnothing$  20 mm**  
for model PEL 23



**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348034 PIPE FITTING  $\varnothing$  16 mm**  
thread M24x1.5  
for model PEL 23



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25







Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

## SILKO



Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



SILKO MA86720

SILKO 0100775

SILKO 86720

**3348041** OLIVE FOR PIPE  $\varnothing$  16 mm  
for model PEL 23



SILKO MA1127400

SILKO 0100765


**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



SILKO 0100774

SILKO 1326500

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



SILKO

## Gas valves and accessories

**3526260** CAP FOR VALVE EUROSIT  $\varnothing$  3/8"  
with OR



SILKO MA1888200

SILKO 1888200

**2100757** CONNECTION FOR OLIVE  $\varnothing$  16 mm  
thread  $\varnothing$  1/2" M



SILKO MA1127500

SILKO 0100843



Suitable for:

# SILKO



Suitable for:

**3526126 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm



SILKO

**3526250 EUROSIT VALVE FOR FRYER 110÷190°C**  
inlet  $\varnothing$  3/8"F - outlet  $\varnothing$  3/8"F  
thermocouple fitting M9x1  
gas max inlet pressure 50 mbar  
outlet pressure range setting  
outlet 3÷18 mbar  
room temperature 0÷80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x200 mm



SILKO CR0508680

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR



SILKO MA1888200

SILKO 1888200


**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**




SILKO MA1394700

SILKO 1394700

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8"M



SILKO 0100884

**3526127 FLANGE FOR EXTENSION**



**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8"M - M16x1 mm



SILKO LB554-00

SILKO SILB554-00



Suitable for:


**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm




SILKO LB554-00

SILKO SILB554-00

SILKO SIRLB554-00

**5067027 KNOB EXTENSION LENGTH 35 mm**  
D-shaped pin  $\varnothing$  10x8 mm



SILKO CR0797310

**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



SILKO MA1393500

SILKO 0100856

SILKO 1393500

## SILKO

Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



SILKO MA459300

SILKO 0100841

SILKO 459300





Suitable for:

# SILKO



**3523949 MINISIT VALVE FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 supplied without lid knob and flanges



SILKO 0108030

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2"**  
 with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



SILKO MA1393500


SILKO 0100856

SILKO 1393500

**3182003 MAGNETIC UNIT SIT**  
 head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
 for valve SIT AC2 - VR8-MINISIT



**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
 internal thread M10x0.75 - external thread M14x1.5



**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
 thread  $\varnothing$  1/2"M




SILKO MA1127500

SILKO 0100843

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
 with screws and OR



**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 for model PEL 20-21-24-25



SILKO MA86720

SILKO 0100775

SILKO 86720



Suitable for:

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



SILKO MA459300


SILKO 0100841

SILKO 459300

**3523051 SENSING ELEMENT MINISIT 110 $\div$ 190 $^{\circ}$ C**  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm



**3523040 SENSING ELEMENT MINISIT 100 $\div$ 340 $^{\circ}$ C**  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm



SILKO 0100854

## SILKO

Suitable for:


**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



SILKO MA1127400

SILKO 0100765

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



SILKO 0100857

**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange




**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



SILKO MA459500

SILKO 459500

**3523043 SENSING ELEMENT MINISIT 110 $\div$ 190 $^{\circ}$ C**  
capillary length 1050 mm  
button bulb  $\varnothing$  13x26 mm



SILKO 0100853






Suitable for:

# SILKO



**5065245 VALVE EUROSIT FOR FRYER 110÷190°C**  
 entrata  $\varnothing$  3/8"F - uscita  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure setting range 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x202 mm



SILKO CR0979080

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR



**3526126 EUROSIT VALVE EXTENSION**  
 D shaft  $\varnothing$  10x8 mm



SILKO

**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



SILKO MA1394700

SILKO 1394700

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8"M



Suitable for:

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR




SILKO MA1888200

SILKO 1888200


**3241435 EUROSIT VALVE EXTENSION**  
 D shaft  $\varnothing$  10x8 mm



**3526677 EXTENSION FOR EUROSIT VALVE**  
 D-shaped pin  $\varnothing$  10x8 mm



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



SILKO 0100884


**3526127 FLANGE FOR EXTENSION**





Suitable for:

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8" M - M16x1 mm



SILKO LB554-00

SILKO SILB554-00

**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



## SILKO

Suitable for:

**5024657 KNOB EXTENSION LENGTH 49 mm**  
D shape pin  $\varnothing$  8x6.5 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M




SILKO MA459300

SILKO 0100841

SILKO 459300

**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



**3523933 VALVE MINISIT FOR FRYER 110÷190°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷80°C  
with screw for gas outlet pressure regulation  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm  
without cover. knob and flanges



SILKO MA1393300

SILKO 1393300

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2" M



SILKO MA1127500

SILKO 0100843





Suitable for:

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



SILKO MA1393500


SILKO 0100856

SILKO 1393500

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm




## SILKO

Suitable for:

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR



**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



SILKO MA86720

SILKO 0100775

SILKO 86720

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



SILKO MA1127400

SILKO 0100765

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



SILKO 0100857







Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



SILKO MA459300

SILKO 0100841

SILKO 459300

**3523051** SENSING ELEMENT MINISIT 110 $\div$ 190°C  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm



## SILKO

Suitable for:

**3523036** REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**5058320** TUBE NUT FITTING  $\varnothing$  10 mm  
thread M14x1,5 mm



SILKO MA459500

SILKO 459500

**3523926** VALVE MINISIT FRYER 110 $\div$ 190°C  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0 $\div$ 80°C  
with screw for gas outlet pressure regulation  
capillary length 1050 mm  
button bulb  $\varnothing$  14.4x26 mm  
without cover. knob and flanges



SILKO 0100871

**3523038** ELBOW FLANGE MINISIT  $\varnothing$  1/2" F  
with screws and OR



**3523035** KNOB MINISIT BLACK  $\varnothing$  37 mm



SILKO MA1393500

SILKO 0100856

SILKO 1393500

**2100757** CONNECTION FOR OLIVE  $\varnothing$  16 mm  
thread  $\varnothing$  1/2" M




SILKO MA1127500

SILKO 0100843

**3523037** ELBOW FLANGE MINISIT  $\varnothing$  3/8" F  
with screws and OR



**3523047** LID MINISIT





Suitable for:

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



**3523062 O-RING 0119 RED SILICONE**  
ring thickness 2.62 mm - internal  $\varnothing$  15.08 mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



SILKO MA86720

SILKO 0100775

SILKO 86720


**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



SILKO MA1127400

SILKO 0100765

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



SILKO 0100857

# SILKO




Suitable for:

**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8" M



SILKO MA459300

SILKO 0100841

SILKO 459300



Suitable for:

**3523036 REDUCTION STRAIGHT  $\varnothing$  3/8"F -  $\varnothing$  1/2"F**  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8"F - external thread  $\varnothing$  1/2"F  
for MINISIT flange



**5058320 TUBE NUT FITTING  $\varnothing$  10 mm**  
thread M14x1,5 mm



SILKO MA459500

SILKO 459500

**3526134 VALVE 630 EUROSIT FRY TOP 40 $\div$ 280°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure calibration range  
outlet 3 $\div$ 18 mbar  
ambient temperature 0 $\div$ 80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm



SILKO KVL0007  
SILKO 0100879


SILKO MA1031504800  
SILKO 1031504800

SILKO SIRKVL0007

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
with OR



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**




SILKO 0100884

# SILKO



Suitable for:

**3523043 SENSING ELEMENT MINISIT 110 $\div$ 190°C**  
capillary length 1050 mm  
button bulb  $\varnothing$  13x26 mm



SILKO 0100853

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR



SILKO MA1888200

SILKO 1888200


**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



SILKO MA1394700

SILKO 1394700

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
thread  $\varnothing$  3/8" M





Suitable for:

**3526127 FLANGE FOR EXTENSION**




**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



**2110435 VALVE 630 EUROSIT OVEN 100÷340°C**  
inlet  $\varnothing$  3/8"F - outlet  $\varnothing$  3/8"F  
thermocouple connection M9x1  
max inlet gas pressure 50 mbar  
pressure range setting  
outlet 3÷18 mbar  
ambient temperature 0÷120°C  
capillary length 1000 mm  
bulb  $\varnothing$  4x72 mm  
for OVEN series 900 PROTAGONISTA NUOVA  
for FRY TOP series 900 PROTAGONISTA NUOVA  
for SOLID TOP NT9FG-8G



SILKO CR0585670

# SILKO

Suitable for:

**5021481 GAS OUTLET VALVE FITTING**  
thread  $\varnothing$  3/8"M - M16x1 mm



SILKO LB554-00

SILKO SILB554-00

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8"M



SILKO MA459300

SILKO 0100841

SILKO 459300

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
with OR



SILKO MA1888200

SILKO 1888200






Suitable for:

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8" with OR**



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



SILKO MA1394700

SILKO 1394700

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm thread  $\varnothing$  3/8" M**



**5021481 GAS OUTLET VALVE FITTING thread  $\varnothing$  3/8" M - M16x1 mm**



SILKO LB554-00

SILKO SILB554-00

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm for model PEL 22-24-25**



SILKO MA417810

SILKO 0100842

**3020079 PIPE FITTING  $\varnothing$  12 mm thread  $\varnothing$  3/8" M**




SILKO MA459300

SILKO 0100841


# SILKO

Suitable for:

**3526677 EXTENSION FOR EUROSIT VALVE D-shaped pin  $\varnothing$  10x8 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



SILKO 0100884

**3526127 FLANGE FOR EXTENSION**



**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm external  $\varnothing$  13 mm - height 8 mm**



**3001111 PIEZO IGNITER EUROSIT M faston  $\varnothing$  2.4 mm**



SILKO 417810

SILKO 459300





Suitable for:

# SILKO



**3526130 VALVE 630 EUROSIT OVEN 100÷340°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm



SILKO KVL0005  
 SILKO SIRKVL0005  
 SILKO 0100873

SILKO KVL0006  
 SILKO SIRKVL0006  
 SILKO 1887600

SILKO KVL0010  
 SILKO SIRKVL0010

Suitable for:

**3526260 CAP FOR VALVE EUROSIT  $\varnothing$  3/8"**  
 with OR



SILKO MA1888200

SILKO 1888200

**4056009 CAP FOR VALVE EUROSIT-MERTIK  $\varnothing$  3/8"**  
 with OR



**3526129 CLASP  $\varnothing$  3x14 mm**  
 UNI 6873 - DIN 1481 - ISO 8752




**3526677 EXTENSION FOR EUROSIT VALVE**  
 D-shaped pin  $\varnothing$  10x8 mm



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**




**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



SILKO MA1394700

SILKO 1394700

**5050400 FITTING FOR OLIVE  $\varnothing$  10 mm**  
 thread  $\varnothing$  3/8" M



SILKO 0100884

**3526127 FLANGE FOR EXTENSION**



**5021481 GAS OUTLET VALVE FITTING**  
 thread  $\varnothing$  3/8" M - M16x1 mm



SILKO LB554-00

SILKO SILB554-00



Suitable for:

**3526128 KNOB EXTENSION LENGTH 34 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm




**5050401 OLIVE FOR PIPE  $\varnothing$  10 mm**  
external  $\varnothing$  13 mm - height 8 mm



**3001111 PIEZO IGNITER EUROSIT**  
M faston  $\varnothing$  2.4 mm



**3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



**3523031 VALVE 710 MINISIT OVEN 100÷340°C**  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
with screw for gas outlet pressure regulation  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm  
with an elbow flange  $\varnothing$  3/8"F




SILKO 0100855

## SILKO



Suitable for:

**3526125 KNOB EXTENSION LENGTH 44 mm**  
D-shaped pin  $\varnothing$  8x6.5 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3020079 PIPE FITTING  $\varnothing$  12 mm**  
thread  $\varnothing$  3/8"M



SILKO MA459300

SILKO 0100841

SILKO 459300

**2100757 CONNECTION FOR OLIVE  $\varnothing$  16 mm**  
thread  $\varnothing$  1/2"M



SILKO MA1127500

SILKO 0100843



Suitable for:

**3523038 ELBOW FLANGE MINISIT  $\varnothing$  1/2" F**  
with screws and OR



**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



SILKO MA1393500


SILKO 0100856

SILKO 1393500

**3182003 MAGNETIC UNIT SIT**  
head  $\varnothing$  25 mm - end piece  $\varnothing$  17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



**3523060 OIL SEAL FITTING  $\varnothing$  6.5 mm**  
internal thread M10x0.75 - external thread M14x1.5



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3001070 PIEZO IGNITER MINISIT**  
a  $\varnothing$  22 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm




## SILKO

Suitable for:

**3523037 ELBOW FLANGE MINISIT  $\varnothing$  3/8"**  
with screws and OR



**3523047 LID MINISIT**



**3523061 NUT  $\varnothing$  1/4"x6 mm**



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25



SILKO MA86720

SILKO 0100775

SILKO 86720

**3348041 OLIVE FOR PIPE  $\varnothing$  16 mm**  
for model PEL 23



SILKO MA1127400

SILKO 0100765

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
M faston 2.4 mm



SILKO 0100857







Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M




SILKO MA459300

SILKO 0100841

SILKO 459300

**3523040** SENSING ELEMENT MINISIT 100 $\div$ 340 $^{\circ}$ C  
capillary length 1050 mm  
bulb  $\varnothing$  5x70 mm



SILKO 0100854

# SILKO



Suitable for:

**3523036** REDUCTION STRAIGHT  $\varnothing$  3/8" F -  $\varnothing$  1/2" F  
in brass with internal and external thread  
internal thread  $\varnothing$  3/8" F - external thread  $\varnothing$  1/2" F  
for MINISIT flange



**5058320** TUBE NUT FITTING  $\varnothing$  10 mm  
thread M14x1,5 mm



SILKO MA459500

SILKO 459500


## Gaskets and seals

**3186009** ASBESTOS FREE FLAT GASKET  $\varnothing$  45x33x2 mm



SILKO CR0682770

**5059106** BURNER GASKET COOKING TOP  
external dimensions 77x69x2 mm



SILKO SIR8204760

SILKO SI8204760

SILKO 8204760

**5022690** FIBERGLASS GASKET  
profile size  $\varnothing$  13 mm  
max temperature 600 $^{\circ}$ C  
COLOR WHITE  
SOLD PER METRE



SILKO SIR0103432

SILKO SI0103432

SILKO 0103432

**5057125** GASKET DASHBOARD  $\varnothing$  13x3x3 mm



SILKO CR0588510

**5051828** GASKET DASHBOARD  $\varnothing$  14x3x4 mm



SILKO CR0587650

**5015573** GASKET FLAT ASBE. FREE  $\varnothing$  61x48x2 mm  
for drain tap  $\varnothing$  2"



SILKO 0100598

SILKO 0100599

SILKO 1420925



Suitable for:

# SILKO



Suitable for:


**3355284 HEATING ELEMENT GASKET  $\varnothing$  45x40x4 mm**



SILKO 0105170

## Gearmotors

**5037847 GEAR MOTOR M63B4 0.12kW 230V 50Hz**  
1.3A - 1380rpm  
for Bratt pan (SILKO) SE84FRA




SILKO CM056300

SILKO MACM056300

## Glasses


**3520015 CUVETTE GLASS  $\varnothing$  300 mm**  
for INDUCTION HOB WOK 1 FLAME



SILKO CR0821750

## Grids for kitchen

**3195002 GRID 395x370 mm**



SILKO CR0580070

**3185124 PAN SUPPORT GRID 580x380 mm**



SILKO SIR0101807  
SILKO 0101808

SILKO SI0101807

SILKO 0101807

## Handles

**5051898 HANDLE CHROME-PLATED 300 mm**  
distance between holes 270/245 mm



SILKO CR0580340R

**5001497 PLASTIC HANDLE 120 mm BLACK**  
distance between holes 105 mm



SILKO CM073100

SILKO MACM073100



## Heating elements

**3355286 BUSH FOR HEATING ELEMENT**



SILKO 0105200

**3355829 CERAMIC HEATING ELEMENT 650W 230V**  
length 245 mm - width 60 mm



SILKO 0109051

**3755856 HEATING ELEMENT 10200W 230/400V**  
length 300 mm - width 180 mm  
coupling M54 - complete with cables  
with two holes for bulb  
complete with OR gaskets



SILKO 0108057

**3186697 O-RING 0159 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  55.56 mm



SILKO 0108056

**3186601 O-RING 04200 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm



SILKO 0105021

SILKO 0108055

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



SILKO CM021600  
SILKO 0108054

SILKO MACM021600

SILKO 0105152

**3755649 HEATING ELEMENT 10500W 230V**  
length 320 mm - width 253 mm  
connection M54x1.5 mm - complete with cables  
with two holes for bulb



SILKO CM032101  
SILKO 0105154

SILKO CM032101R

SILKO MACM032101R

**3786459 O-RING 04200 VITON**  
ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm



SILKO MACM099200

SILKO 0105034

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



SILKO CM021600  
SILKO 0108054

SILKO MACM021600

SILKO 0105152



Suitable for:

# SILKO



**5057177 HEATING ELEMENT 10500W 230V**  
 immersion depth 580 mm  
 external flange  $\varnothing$  72 mm  
 complete with O-ring  
 complete with cables



SILKO CR0735400R

Suitable for:

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



**3355888 HEATING ELEMENT 1100W 240V**  
 length 375 mm - width 95 mm  
 fittings M10x1 mm



SILKO 0101494

**3355441 HEATING ELEMENT 1135W 220/240V**  
 length 425 mm - width 65 mm  
 height 80 mm



SILKO SIR0109041

SILKO SI0109041

SILKO 0109041

**5048341 HEATING ELEMENT 1500W 230V**  
 length 555 mm - width 215 mm  
 flange 70x22 mm  
 for BUILT-IN OVEN series 700 PROTAGONISTA NUOVA  
 for BUILT-IN OVEN series 900 PROTAGONISTA NUOVA



SILKO CR0681390

**7100202 HEATING ELEMENT 1500W 230V**  
 length 260 mm - width 105 mm  
 height 70 mm



SILKO SIR0101519

SILKO SI0101519

SILKO 0101519

**3755661 HEATING ELEMENT 15000W 230V**  
 length 300 mm - width 285 mm  
 connection M54x1.5 mm - complete with cables  
 complete with OR gaskets  
 with two holes per bulb



SILKO SIR0108064

SILKO SI0108064

SILKO 0108064

**1186715 O-RING 0159 VITON**  
 ring thickness 3.53 mm - internal  $\varnothing$  55.56 mm



**3186601 O-RING 04200 EPDM**  
 ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm



SILKO 0105021

SILKO 0108055

**3786459 O-RING 04200 VITON**  
 ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm



SILKO MACM099200

SILKO 0105034



Suitable for:

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



SILKO CM021600  
SILKO 0108054

SILKO MACM021600

SILKO 0105152

# SILKO



Suitable for:

**3755488 HEATING ELEMENT 1580W 230V**  
length 455 mm - width 65 mm  
height 70 mm



SILKO 0101563

**3755004 HEATING ELEMENT 1650W 240V**  
length 490 mm - width 43 mm  
height 45 mm - fittings  $\varnothing$  1/4"



SILKO SIR0101527

SILKO 0101527

**3755648 HEATING ELEMENT 16500W 230V**  
length 400 mm - width 305 mm  
connection M54x1.5 mm- complete with cables  
with two holes for bulb



SILKO CM032401R  
SILKO 0105151

SILKO MACM032401

SILKO MACM032401R

**3786459 O-RING 04200 VITON**  
ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm



SILKO MACM099200

SILKO 0105034

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



SILKO CM021600  
SILKO 0108054

SILKO MACM021600

SILKO 0105152

**3755097 HEATING ELEMENT 1800W 230V**  
length 500 mm - width 90 mm  
flange 125x30 mm  
operating ambient: dry



SILKO MA1634200

SILKO 1634200



Suitable for:

Suitable for:

**5043781 HEATING ELEMENT 18000W 400V**  
length 390 mm - width 305 mm  
fitting M54x1.5 mm - complete with cables  
with two bulb holes

**3786459 O-RING 04200 VITON**  
ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm



SILKO CR0583740R

SILKO MACM099200

SILKO 0105034

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



SILKO CM021600

SILKO MACM021600

SILKO 0105152

SILKO 0108054

**3755487 HEATING ELEMENT 1840W 230V**  
length 280 mm - width 70 mm  
fittings  $\varnothing$  1/4"

**3755484 HEATING ELEMENT 2000W 230V**  
length 555 mm - width 95 mm  
height 70 mm



SILKO R0108111

SILKO 0108111

SILKO SIR0101520

SILKO 0101520

**3755498 HEATING ELEMENT 2000W 230V**  
length 450 mm - width 40 mm  
flange 50x27 mm  
operating ambient: immersion

**3755815 HEATING ELEMENT 2000W 230V**  
length 550 mm - width 70 mm  
height 70 mm



SILKO 0101530

SILKO SIR0101521

SILKO 0101521

**3755170 HEATING ELEMENT 2200W 230V**  
length 565 mm - width 110 mm  
overall height 118 mm



SILKO MACM164900

SILKO 0105155



Suitable for:

**3755482 HEATING ELEMENT 2500W 230V**  
external  $\varnothing$  193 mm - total height 75 mm  
flange 70x22 mm



SILKO 0101564

**5057872 HEATING ELEMENT 2500W 230V**  
length 630 mm - width 90 mm  
height 85 mm




SILKO CR0582840

**5061498 HEATING ELEMENT 2600W 230V**  
length 480 mm - width 95 mm  
flange 100x35 mm



SILKO CR0731580

**3755483 HEATING ELEMENT 2750W 240V**  
length 565 mm - width 622 mm  
flange 160x22 mm



SILKO SIR0101505

SILKO 0101505

**3755184 HEATING ELEMENT 4000W 230V**  
length 625 mm - width 155 mm  
with cables



SILKO CR0682150

Suitable for:

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



**5035909 HEATING ELEMENT 260W 230V**  
immersed depth 240 mm  
fitting  $\varnothing$  1"  
with bulbholder sheathing



SILKO CR0682160

SILKO CR0682160R

**3455307 HEATING ELEMENT 2750W 230V**  
length 300 mm - width 100 mm  
fittings M14x1 mm



SILKO 0109035

**3755490 HEATING ELEMENT 3400W 230V**  
length 305 mm - width 190 mm  
height 80 mm



SILKO SIR0101526

SILKO 0101526

**5046774 HEATING ELEMENT 5000W 230V**  
length 570 mm - width 180 mm  
flange 170x30 mm



SILKO CR0683221



Suitable for:

# SILKO



**5058339 HEATING ELEMENT 5600W 230V**  
length 255 mm - width 210 mm  
connection M54x1.5 mm - complete with cables



SILKO CR0731030R

**3786459 O-RING 04200 VITON**  
ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm



SILKO MACM099200

SILKO 0105034

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



SILKO CM021600

SILKO MACM021600

SILKO 0105152

SILKO 0108054

**3755468 HEATING ELEMENT 5670W 230V**  
length 295 mm - width 225 mm  
fitting  $\varnothing$  40 mm  
with gaskets and cables  
with cables - with bulb sheath



SILKO 0105199

**3355286 BUSH FOR HEATING ELEMENT**



SILKO 0105200

**3355284 HEATING ELEMENT GASKET  $\varnothing$  45x40x4 mm**



SILKO 0105170

**3355287 LOCKING BUSH FOR HEATING ELEMENT**



SILKO 0105204

SILKO 1815014

**3186580 O-RING 04131 VITON**  
ring thickness 3.53 mm - internal  $\varnothing$  32.93 mm



SILKO 0105169

SILKO 0105246

**3355288 THREADED PIPE M10 FOR HEATING ELEMENT**







# SILKO



Suitable for:

**3755475 HEATING ELEMENT 5850W 240V**  
length 525 mm - width 285 mm  
height 90 mm



SILKO 1878800

Suitable for:

**3355445 HEATING ELEMENT 6000W 230V**  
length 310 mm - width 250 mm  
overall height 257 mm - complete with cables  
operating ambient: immersion



SILKO 0109025

**7103797 HEATING ELEMENT 6000W 230V**  
length 315 mm - width 135 mm  
fitting M54x1.5 mm - complete with cables  
with two bulb holes



SILKO CR0414610

SILKO CR0414610R

**5051287 HEATING ELEMENT 6350W 230V**  
length 550 mm - width 320 mm  
height 25 mm - flange 305x30 mm



SILKO CR0684240

**5012749 HEATING ELEMENT 650W 230V**  
length 280 mm - width 75 mm  
flange 115x25 mm



SILKO SIR0109049

SILKO SI0109049

SILKO 0109049

**3755489 HEATING ELEMENT 6800W 230V**  
length 300 mm - width 110 mm  
fitting M54x1.5 mm - with cables  
with O-rings  
with 2 holes for bulb



SILKO SIR0108058

SILKO SI0108058

SILKO 0108058

**3186697 O-RING 0159 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  55.56 mm



SILKO 0108056

**3186601 O-RING 04200 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm



SILKO 0105021

SILKO 0108055

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



SILKO CM021600  
SILKO 0108054

SILKO MACM021600

SILKO 0105152



Suitable for:

# SILKO



**3755485 HEATING ELEMENT 7500W 230V**  
immersed length 475 mm  
fitting  $\varnothing$  1-1/2"  
with bulb holder sheathing



SILKO SIR0101493

SILKO 0101493

Suitable for:

**3186011 FLAT CARBO GASKET  $\varnothing$  63x48x2 mm**  
universal carbo  
for heating element



**3355282 HEATING ELEMENT 8500W 230V**  
length 410 mm - width 220 mm  
fitting  $\varnothing$  40 mm  
with gaskets  
with cables - with bulb sheath



SILKO MA1869900

SILKO 0105168

**3355286 BUSH FOR HEATING ELEMENT**



SILKO 0105200

**3355284 HEATING ELEMENT GASKET  $\varnothing$  45x40x4 mm**



SILKO 0105170

**3355287 LOCKING BUSH FOR HEATING ELEMENT**



SILKO 0105204

SILKO 1815014

**3186580 O-RING 04131 VITON**  
ring thickness 3.53 mm - internal  $\varnothing$  32.93 mm



SILKO 0105169

SILKO 0105246

**3355288 THREADED PIPE M10 FOR HEATING ELEMENT**



**5059315 HEATING ELEMENT 8500W 230V**  
length 370 mm - width 210 mm  
connection M54x1.5 mm - complete with cables  
complete with gasket O-Ring



SILKO CR0582040

SILKO CR0582040R

**3355811 HEATING ELEMENT 930W 230V**  
length 260 mm - width 55 mm  
fittings M15x1 mm



SILKO SIR0108216

SILKO 0108216

Suitable for:

Suitable for:

**3755486 HEATING ELEMENT 990W 240V**  
length 470 mm - width 105 mm  
height 25 mm - 2 flanges 55x17 mm

**3355287 LOCKING BUSH FOR HEATING ELEMENT**



SILKO SIR0101554

SILKO 0101554

SILKO 0105204

SILKO 1815014

**3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT**



SILKO CM021600

SILKO MACM021600

SILKO 0105152

SILKO 0108054

## Hinges, catches and accessories

**5072517 BUSHING HINGE SUPPORT  $\varnothing$  39x80 mm**  
spring pin  $\varnothing$  21.7 mm

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118  
height 23 mm




SILKO CR0586330

SILKO 0100343

SILKO 100343

**5072515 HINGE BLOCK  $\varnothing$  47x57 mm**

**5073278 HINGE BUSHING  $\varnothing$  39x16x12 mm**



SILKO CR0586320

SILKO CR0586310

**5073273 HINGE SUPPORT 105x50x25 mm**



SILKO CR0586370



Suitable for:

# SILKO



**5046689 LEFT HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205 mm  
height 160 mm



SILKO SIR0100342

SILKO SI0100342

SILKO 0100342

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118 mm  
height 23 mm



SILKO 0100343

SILKO 100343

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205 mm  
height 160 mm



SILKO BN6A035920

SILKO 0100345

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118 mm  
height 23 mm



SILKO 0100343

SILKO 100343


**3053234 HINGE COVER**  
mounting distance 95 mm - dimensions 124x20 mm



**3053299 HINGE COVER**  
mounting distance 77 mm - dimensions 129x26 mm



**3053034 LID HINGE RADIUS 320 mm**  
for lid  $\varnothing$  640 mm  
for BOILING KETTLE with round lid



SILKO SIR0100357

SILKO 0100357

**3053111 SPRING LH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm




**3053110 SPRING RH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm



SILKO

**3053311 SPRINGS RH-LH  $\varnothing$  4 mm**  
for hinges



SILKO



# SILKO




Suitable for:

**5073274 PIN FOR HINGE CONNECTION  $\varnothing$  16x468 mm**



SILKO CR0586360

**5072515 HINGE BLOCK  $\varnothing$  47x57 mm**



SILKO CR0586320

**5073275 HINGE SPRING LEFT  $\varnothing$  35x425 mm**



SILKO CR0586350

**5072514 SCREW M5**



SILKO CR0589090

**5046703 RIGHT HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205 mm  
height 160 mm



SILKO SIR0100341

SILKO SI0100341

SILKO 0100341

Suitable for:

**5072517 BUSHING HINGE SUPPORT  $\varnothing$  39x80 mm**  
spring pin  $\varnothing$  21.7 mm




SILKO CR0586330

**5073278 HINGE BUSHING  $\varnothing$  39x16x12 mm**



SILKO CR0586310

**5073273 HINGE SUPPORT 105x50x25 mm**



SILKO CR0586370

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118 mm  
height 23 mm



SILKO 0100343

SILKO 100343

**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
mounting distance 175 mm - overall length 205 mm  
height 160 mm



SILKO BN6A035910

SILKO 0100346

SILKO 100346

**3053003 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 118 mm  
height 23 mm



SILKO 0100343

SILKO 100343



Suitable for:

**3053234 HINGE COVER**  
mounting distance 95 mm - dimensions 124x20 mm



## SILKO

Suitable for:

**3053299 HINGE COVER**  
mounting distance 77 mm - dimensions 129x26 mm



**3053111 SPRING LH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm



**3053110 SPRING RH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm



SILKO

SILKO

## Hydraulic piping

**5046756 HOSE CANVAS RUBBER  $\varnothing$  30/45 mm 1000 mm**  
internal  $\varnothing$  30 mm - external  $\varnothing$  45 mm



**1449681 SILICONE HOSE  $\varnothing$  4x7 SHORE 60 - 5 m**  
alimentary



SILKO CR0681750

SILKO CR0681750T

SILKO CR1227600

SILKO CR0585930

## Ignitors

**3001020 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



**5035512 WATERTIGHT PIEZO CAP**  
of silicone rubber



SILKO 0100895

SILKO 0100898

SILKO 1936100

**5071589 WATERTIGHT PIEZO CAP**  
made of silicone rubber



Suitable for:


**3001041 PIEZO IGNITER JUNKERS**  
 a  $\varnothing$  22 mm hole is required for the assembly  
 faston M  $\varnothing$  2.4 mm



SILKO SIR0100893

Suitable for:

**3001071 PIEZO IGNITER MINISIT WITH COVER**  
 M faston 2.4 mm



SILKO 0100857

## Indicator lights

**3221156 INDICATOR LIGHT GREEN 400V**  
 head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm



SILKO SIR0101169

SILKO 0101169

**3221166 INDICATOR LIGHT GREEN 400V**  
 $\varnothing$  head 14 mm -  $\varnothing$  hole 11.5 mm - 120°C  
 universal application



SILKO 0101169

**3221011 INDICATOR LIGHT ORANGE 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



SILKO CR0587500

**3221032 INDICATOR LIGHT GREEN 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



**3221033 INDICATOR LIGHT RED 230V**  
 head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
 universal application



**3221215 INDICATOR LIGHT ORANGE 230V**  
 head  $\varnothing$  16 mm - hole  $\varnothing$  11.5 mm - 120°C



SILKO SIR0101167



Suitable for:

# SILKO



**3221165 INDICATOR LIGHT ORANGE 400V**  
ø head 14 mm - ø hole 11.5 mm - 120°C  
universal application



SILKO 0101170

Suitable for:

**3221166 INDICATOR LIGHT GREEN 400V**  
ø head 14 mm - ø hole 11.5 mm - 120°C  
universal application



SILKO 0101169

**3221341 INDICATOR LIGHT RED 400V**  
head ø 14.5 mm - hole ø 11.5 mm - 120°C



SILKO 0101168

## Ironmongery (screws,nuts,washers)

**3053132 CLASP ø 3x22 mm**  
UNI 6873 - DIN 1481 - ISO 8752



SILKO

**5057126 CLIP FOR PIN KNOB NUT**  
dimensions ø 15x4x2 mm



SILKO CR0588850

**7100207 HEADLESS SCREW HEXAGONAL M5x8**  
stainless steel - conical top  
UNI 5927 - DIN 914 - ISO 4027



SILKO 15119299

**5072514 SCREW M5**



SILKO CR0589090

## Knobs

**3241081 BLACK KNOB ø 65 mm SILK-SCREEN PRINTED**  
D-shaped hole 8x6.5 mm



SILKO SIR0101940  
SILKO 0101234  
SILKO 0101798  
SILKO 0101953  
SILKO 0101954+0101940

SILKO SIR0101953  
SILKO 0101786  
SILKO 0101798+0101940  
SILKO 0101953+0101940

SILKO SI0101786  
SILKO 0101786+0101940  
SILKO 0101940  
SILKO 0101954

**5046749 CAP YELLOW FOR KNOB**



SILKO SIR0101968

SILKO 0101968





Suitable for:

**3241157 KNOB BLUE STICKER**



SILKO SIR0101940

SILKO 0101940

SILKO 1036609200

# SILKO



Suitable for:

**3241082 KNOB EXTENSION**



SILKO SIR9201543

SILKO SI9201543

**3241576 BLACK KNOB ø 65 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm



SILKO SIR0101940

SILKO SIR0101965

SILKO SI0101965

SILKO 0101787

SILKO 0101787+0101795

SILKO 0101965

SILKO 0101965+0101940

**5046749 CAP YELLOW FOR KNOB**



SILKO SIR0101968

SILKO 0101968

**3241157 KNOB BLUE STICKER**



SILKO SIR0101940

SILKO 0101940

SILKO 1036609200

**3241098 BLACK KNOB ø 65 mm 0-1-0-1**  
D-shaped hole 6x4.6 mm  
for selector switch



SILKO SIR0101940

SILKO SIR0101959

SILKO 0101213

SILKO 0101959

SILKO 0101959+0101940

**5046749 CAP YELLOW FOR KNOB**



SILKO SIR0101968

SILKO 0101968

**3241157 KNOB BLUE STICKER**



SILKO SIR0101940

SILKO 0101940

SILKO 1036609200



# SILKO



Suitable for:

Suitable for:

**3241580 BLACK KNOB ø 65 mm 0-1-2-3-4-5-6**  
D-shaped hole 6x4.6 mm

**5046749 CAP YELLOW FOR KNOB**



SILKO SIR0101940  
SILKO 0101940

SILKO SIR0101957  
SILKO 0101957

SILKO 0101210  
SILKO 0101957+0101940

SILKO SIR0101968

SILKO 0101968

**3241157 KNOB BLUE STICKER**



SILKO SIR0101940

SILKO 0101940

SILKO 1036609200

**3241094 BLACK KNOB ø 65 mm 0-110°C**  
D-shaped hole 6x4.6 mm  
for thermostat

**5046749 CAP YELLOW FOR KNOB**



SILKO SIR0101940  
SILKO 0101219  
SILKO 0101958

SILKO SIR0101958  
SILKO 0101220  
SILKO 0101958+0101940

SILKO 0101206  
SILKO 0101940

SILKO SIR0101968

SILKO 0101968

**3241157 KNOB BLUE STICKER**



SILKO SIR0101940

SILKO 0101940

SILKO 1036609200

**3241573 BLACK KNOB ø 65 mm 0-295°C**  
D-shaped hole 6x4.6 mm

**5046749 CAP YELLOW FOR KNOB**



SILKO R0101963  
SILKO SIR0101963  
SILKO 0101963+0101940

SILKO R0101963+R0101940  
SILKO 0101940

SILKO SIR0101940  
SILKO 0101963

SILKO SIR0101968

SILKO 0101968



Suitable for:

**3241157 KNOB BLUE STICKER**



SILKO SIR0101940

SILKO 0101940

SILKO 1036609200

# SILKO



Suitable for:

**3241097 BLACK KNOB ø 65 mm 0-310°C**  
D-shaped hole 6x4.6 mm  
for thermostat



SILKO SIR0101940  
SILKO 0101215

SILKO SIR0101956  
SILKO 0101956

SILKO 0101207  
SILKO 0101956+0101940

**5046749 CAP YELLOW FOR KNOB**



SILKO SIR0101968

SILKO 0101968

**3241157 KNOB BLUE STICKER**



SILKO SIR0101940

SILKO 0101940

SILKO 1036609200

**3241584 BLACK KNOB ø 65 mm 0-90°C**  
D-shaped hole 6x4.6 mm



SILKO SIR0101940  
SILKO 0101962

SILKO SIR0101962  
SILKO 0101962+0101940

SILKO 0101940

**5046749 CAP YELLOW FOR KNOB**



SILKO SIR0101968

SILKO 0101968

**3241157 KNOB BLUE STICKER**



SILKO SIR0101940

SILKO 0101940

SILKO 1036609200



# SILKO



Suitable for:

Suitable for:

**3241577 BLACK KNOB ø 65 mm 1-2-3-4-5-6-7**  
D-shaped hole 8x6.5 mm

**5046749 CAP YELLOW FOR KNOB**



SILKO SIR0101940  
SILKO SI0102796

SILKO SIR0102796  
SILKO 0101940

SILKO SIR0102796+...

SILKO SIR0101968

SILKO 0101968

**3241157 KNOB BLUE STICKER**



SILKO SIR0101940

SILKO 0101940

SILKO 1036609200

**3241261 BLACK KNOB ø 73 mm 0-1-2-3-4-5-6**  
D-shaped hole 6x4.6 mm

**5017725 BLACK KNOB ø 73 mm 0-100°C**  
D-shaped hole 6x4.6 mm



SILKO SIR0101790  
SILKO 0101790+0101795

SILKO SIR0101795

SILKO 0101790

SILKO SIR0102497

SILKO 0102497

**3241579 BLACK KNOB ø 73 mm 0-110°C**  
D-shaped hole 6x4.6 mm

**3241581 BLACK KNOB ø 73 mm 0-295°C**  
D-shaped hole 6x4.6 mm



SILKO SIR0101791  
SILKO 0101791+0101795

SILKO SIR0101795  
SILKO 0101795

SILKO 0101791

SILKO SIR0101795  
SILKO 0101799

SILKO SIR0101799  
SILKO 0101799+0101795

SILKO 0101795

**3241585 BLACK KNOB ø 73 mm 0-310°C**  
D-shaped hole 6x4.6 mm

**3241575 BLACK KNOB ø 73 mm 0-90°C**  
D-shaped hole 6x4.6 mm



SILKO 0101789+0101795

SILKO SIR0101795  
SILKO 0101797+0101795

SILKO SIR0101797

SILKO 0101797



# SILKO



Suitable for:

Suitable for:

**5054851 BLACK RING SILKSCREENED F/KNOB ø 94 mm REAR**

**3241940 BLACK RING 0-1 KNOB ø 94 mm 0-1-0-1**



SILKO CR0583990

SILKO CR0585780

**5035322 BUSHING BLACK FOR KNOB ø 72 mm**

**5046749 CAP YELLOW FOR KNOB**



SILKO CR0580460

SILKO CR0935250

SILKO SIR0101968

SILKO 0101968

**3241055 FIXING CLIP**  
for knob with ø 8 mm hole



SILKO MA9003088700

SILKO 0101455

SILKO 9003088700

**7102613 KNOB BLACK ø 45 mm SILK-SCREEN PRINTED**  
D-shaped hole 6x4.6 mm

**5058318 CAP GREY FOR KNOB**



SILKO MA1036712600

SILKO 1036712600

**5046391 KNOB BLACK ø 65 mm 0-90°C**  
D-shaped hole 6x4.6 mm

**5046749 CAP YELLOW FOR KNOB**



SILKO MA1036712100

SILKO 1036712100

SILKO SIR0101968

SILKO 0101968

**3241157 KNOB BLUE STICKER**



SILKO SIR0101940

SILKO 0101940

SILKO 1036609200



Suitable for:

# SILKO



**5033564 KNOB BLACK ø 73 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm



SILKO SIR0109125

SILKO 0109125

Suitable for:

**5017724 KNOB BLACK ø 73 mm 0-190°C**  
D-shaped hole 6x4.6 mm



SILKO SIR0101847

SILKO 0101847

**5068156 KNOB BLUE ø 77 mm**  
D-shaped hole 8x6.5 mm



SILKO CR0585230

**3241157 KNOB BLUE STICKER**



SILKO SIR0101940

SILKO 0101940

SILKO 1036609200

**3241082 KNOB EXTENSION**



SILKO SIR9201543

SILKO SI9201543

SILKO 9201543

**5062187 KNOB PURPLE ø 77 mm**  
D-shaped hole 6x4.6 mm



SILKO CR0585220

**3241935 KNOB RING NUT ø 94 mm SCREEN-PRINTED**



SILKO CR0682861

**5053767 KNOB RING NUT ø 94 mm SCREEN-PRINTED**



SILKO CR0682580

**5054850 KNOB RING NUT ø 94 mm SCREEN-PRINTED**  
FRONT



SILKO CR0583980

**3241941 KNOB RING NUT ø 94 mm 0-1-2-3**



SILKO CR0584030

**3241937 KNOB RING NUT ø 94 mm 0-1-2-3-4-5-6**  
FRONT



SILKO CR0585830

**5050567 KNOB RING NUT ø 94 mm 0-1-2-3-4-5-6**  
REAR



SILKO CR0585820



Suitable for:

**5053765 KNOB RING NUT  $\varnothing$  94 mm 1-2-3-4-5**



SILKO CR0589870

Suitable for:

**3241939 KNOB RING NUT  $\varnothing$  94 mm 100-285°C**



SILKO CR0685100

**5035321 KNOB RING NUT  $\varnothing$  94 mm 100-300°C**



SILKO CR0584000

**5048040 KNOB RING NUT  $\varnothing$  94 mm 110-280°C**



SILKO CR0584020

**3241938 KNOB RING NUT  $\varnothing$  94 mm 90-280°C**



SILKO CR0585150

**5075616 KNOB SILVER  $\varnothing$  45 mm 0-1-2-3-4-5-6  
D-shaped hole 6x4.6 mm**



SILKO MA1036713400

**3541056 KNOB SILVER  $\varnothing$  77 mm  
D-shaped hole 8x6.5 mm**



SILKO CR0580660

**3241936 SILVER KNOB  $\varnothing$  83 mm  
D-Shaft 10x8 mm**



SILKO CR0580430

**5035322 BUSHING BLACK FOR KNOB  $\varnothing$  72 mm**



SILKO CR0580460

SILKO CR0935250

**5054850 KNOB RING NUT  $\varnothing$  94 mm SCREEN-PRINTED  
FRONT**



SILKO CR0583980



# SILKO



Suitable for:

Suitable for:

**5035323 SILVER KNOB  $\varnothing$  83 mm**  
D-shaped hole 10x8 mm  
short hub



SILKO CR0580320

**5035322 BUSHING BLACK FOR KNOB  $\varnothing$  72 mm**



SILKO CR0580460

SILKO CR0935250

**5035321 KNOB RING NUT  $\varnothing$  94 mm 100-300°C**



SILKO CR0584000

**3241938 KNOB RING NUT  $\varnothing$  94 mm 90-280°C**



SILKO CR0585150

**5048342 SILVER KNOB  $\varnothing$  83 mm**  
D-shaped hole 6x4.6 mm



SILKO CR0581710

**3241940 BLACK RING 0-1 KNOB  $\varnothing$  94 mm 0-1-0-1**



SILKO CR0585780

**5035322 BUSHING BLACK FOR KNOB  $\varnothing$  72 mm**



SILKO CR0580460

SILKO CR0935250

**3241935 KNOB RING NUT  $\varnothing$  94 mm SCREEN-PRINTED**



SILKO CR0682861

**5053767 KNOB RING NUT  $\varnothing$  94 mm SCREEN-PRINTED**



SILKO CR0682580

**3241941 KNOB RING NUT  $\varnothing$  94 mm 0-1-2-3**



SILKO CR0584030

**3241937 KNOB RING NUT  $\varnothing$  94 mm 0-1-2-3-4-5-6 FRONT**



SILKO CR0585830

**5050567 KNOB RING NUT  $\varnothing$  94 mm 0-1-2-3-4-5-6 REAR**



SILKO CR0585820





Suitable for:

**5053765 KNOB RING NUT  $\varnothing$  94 mm 1-2-3-4-5**



SILKO CR0589870

**5048040 KNOB RING NUT  $\varnothing$  94 mm 110-280°C**



SILKO CR0584020

## SILKO



Suitable for:

**3241939 KNOB RING NUT  $\varnothing$  94 mm 100-285°C**



SILKO CR0685100

---

## Labels for control panels

---

**5066504 ADHESIVE CONTROL PLATE 92x54 mm**



SILKO CR0588380

---

## Lava stone grids

---

**5065769 CAST IRON GRID 670x160x45 mm**



SILKO CR0589820

**5060407 CAST IRON SUPPORT GRID 640x180x45 mm**



SILKO CR0589831

**5086377 CAST IRON GRID 480x177x50 mm**



SILKO CR0731381

**5082398 GRID CAST IRON 510x158x50 mm**



SILKO CR0731140



Suitable for:

# SILKO



Suitable for:

## Level gauges

**3201001 WATER LEVEL GAUGE HCX127 162x32 mm**  
distance between holes 130 mm  
for PANS



SILKO SIR0100586

SILKO 0100586

SILKO 0108086

## Level probes

**3341068 LEVEL PROBE  $\varnothing$  1/4"M-350 mm**



SILKO SIR0102478

SILKO 0102478

## Level regulators

**3341000 LEVEL REGULATOR RL30/3ES/F/G**  
230V 50/60Hz



SILKO 0102477

**3341003 LEVEL PROBE  $\varnothing$  1/4"M-110 mm**



**3341002 LEVEL PROBE  $\varnothing$  1/4"M-114.5 mm**



**3341001 LEVEL PROBE  $\varnothing$  1/4"M-155 mm**



**3391037 LEVEL PROBE SPACER**  
external  $\varnothing$  8 mm  
internal  $\varnothing$  2.5 mm  
overall length 11.5 mm



**3391038 LEVEL PROBE SPACER**  
external  $\varnothing$  8 mm - 7.5 mm height





## Lubricants

- 5031323 WHITE GREASE CHESTERTON 629 400 gr**  
for high temperatures  
for bearings, slides, slideways and moving parts




SILKO CM200100

SILKO MACM200100


## Magnet groups

- 3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



SILKO 0100757

- 3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



SILKO 0100752

## Magnets

- 5027849 DOOR LOCK MAGNET**  
distance between magnetic part holes 68 mm  
distance between holes of strike plate 58 mm



SILKO R69110030

SILKO 0100384

## Microswitches, mechanical

- 3240189 MICRO SWITCH M1DX20 10A 250V**



SILKO 0101180

SILKO 0103452

SILKO 109062


- 3240234 LIMIT SWITCH PIN**



- 3250071 MICROSWITCH SPRING  $\varnothing$  13x25 mm**



- 3240235 RING NUT M16x1.5 mm**





Suitable for:

5003350 ROD MICROSWITCH 48x30 mm




# SILKO

Suitable for:



3240820 MICROSWITCH ELECTRICA NR48W 5  
1NO + 1NC 16A 250V



SILKO MA1037111300

SILKO 0105025

3240473 GASKET FOR BUSHING




3240152 BUSHING FOR MICROSWITCH



5035454 MICRO SUPPORT  
for WASHING MACHINE LF25



3240166 MOUNTING PLATE FOR MICROSWITCH  
external dimensions 46x26 mm



3240153 ROD FOR MICROSWITCH



3240154 SPRING FOR MICROSWITCH ROD



3240241 MICROSWITCH OMRON V-166-1C5  
1NO + 1NC 16A 250V  
with roll lever 28 mm



SILKO SIR0108059

SILKO 0108059

3240040 MICROSWITCH ROLD VRSR03DA1AC33  
12A 250V - 6.3x0.8 terminal  
complete with boss and button



SILKO 0101184+83+86+87

SILKO 0101184+85+86+87



## Motors

**3240887 MOTOR WITH FAN 40W 230V 50/60Hz**  
 TYPE C306167  
 fan  $\varnothing$  155 mm



SILKO 4330800

## Nozzles

**3500020 GAS JET M10x1  $\varnothing$  0.80 mm**



SILKO 0100943

**5063664 GAS JET M10x1  $\varnothing$  0.90 mm**



SILKO SIR0102010

**3500021 GAS JET M10x1  $\varnothing$  0.95 mm**



SILKO 0100909

**5008758 GAS JET M10x1  $\varnothing$  1.10 mm**



SILKO 521511

**3500024 GAS JET M10x1  $\varnothing$  1.15 mm**



SILKO 0100907

**5000530 GAS JET M10x1  $\varnothing$  1.15 mm**



SILKO 0105133

SILKO 521611

**5005655 GAS JET M10x1  $\varnothing$  1.25 mm**



SILKO 1513000

**3500027 GAS JET M10x1  $\varnothing$  1.30 mm**



SILKO 0101019

SILKO 521911

**5015403 GAS JET M10x1  $\varnothing$  1.40 mm**



SILKO SIR0100931

**3500339 GAS JET M10x1  $\varnothing$  1.45 mm**



SILKO SIR0100935

SILKO 0100935



# SILKO



Suitable for:

Suitable for:

**5005743 GAS JET M10x1  $\varnothing$  1.60 mm**

**3500070 GAS JET M10x1  $\varnothing$  1.70 mm**



SILKO 522511

SILKO SIR0101033

SILKO 0101033

**5035694 GAS JET M10x1  $\varnothing$  1.70 mm**

**3500082 GAS JET M10x1  $\varnothing$  1.90 mm**



SILKO 1695200

SILKO 707200

**3500296 GAS JET M10x1  $\varnothing$  1.90 mm**

**5000531 GAS JET M10x1  $\varnothing$  1.95 mm**



SILKO 0102033

SILKO 523211

**5014409 GAS JET M10x1  $\varnothing$  2.05 mm**

**5000769 GAS JET M10x1  $\varnothing$  2.20 mm**



SILKO 0105120

SILKO MA795800

SILKO 0105121

**2103345 GAS JET M10x1  $\varnothing$  2.40 mm**

**3500097 GAS JET M11x1  $\varnothing$  2.00 mm**



SILKO MA524111

SILKO 0100927

**3500038 GAS JET M6x0.75  $\varnothing$  0.90 mm**

**3500061 GAS JET M7x1  $\varnothing$  0.80 mm**



SILKO MA1033718600

SILKO SIR0101043

SILKO 0101043

Suitable for:

Suitable for:

**3500063 GAS JET M7x1  $\varnothing$  0.95 mm**



SILKO 0101044

SILKO 101044

SILKO 1044

**3500064 GAS JET M7x1  $\varnothing$  1.20 mm**



SILKO 0101029

SILKO 1029

**3500065 GAS JET M7x1  $\varnothing$  1.30 mm**



SILKO 0101055

**3500066 GAS JET M7x1  $\varnothing$  1.35 mm**



SILKO 0101057

**3500067 GAS JET M7x1  $\varnothing$  1.40 mm**



SILKO 0101038

SILKO 1038

**3500068 GAS JET M7x1  $\varnothing$  1.55 mm**



SILKO 0101039  
SILKO 1054

SILKO 0101054

SILKO 1039

**3500069 GAS JET M7x1  $\varnothing$  1.60 mm**



SILKO 0101056

SILKO 1056

**3500040 GAS JET M9x1  $\varnothing$  0.85 mm**



SILKO SIR0100917

SILKO 0100917

**3500301 GAS JET M9x1  $\varnothing$  0.90 mm**



SILKO

**3500041 GAS JET M9x1  $\varnothing$  0.95 mm**



SILKO 0100918

**3500042 GAS JET M9x1  $\varnothing$  1.00 mm**



SILKO SIR0100919

SILKO 0108032

**3500043 GAS JET M9x1  $\varnothing$  1.10 mm**



SILKO 0100920



Suitable for:

Suitable for:

**3500044 GAS JET M9x1 ø 1.15 mm**

**3500047 GAS JET M9x1 ø 1.35 mm**



SILKO 0100912

SILKO 912

SILKO 0100940

SILKO 940

**3500366 GAS JET M9x1 ø 1.40 mm**

**3500048 GAS JET M9x1 ø 1.45 mm**



SILKO

SILKO 0100921

SILKO 921

**3500049 GAS JET M9x1 ø 1.55 mm**

**3500050 GAS JET M9x1 ø 1.80 mm**



SILKO 0100926

SILKO 0100913

SILKO 913

**3500052 GAS JET M9x1 ø 2.00 mm**



SILKO 0100941

## O-Ring and ORM gaskets

**3186697 O-RING 0159 EPDM**  
ring thickness 3.53 mm - internal ø 55.56 mm

**1186900 O-RING 02015 VITON**  
ring thickness 1.78 mm - internal ø 3.69 mm



SILKO 0108056

SILKO MACM097900

SILKO 0105021

**3186580 O-RING 04131 VITON**  
ring thickness 3.53 mm - internal ø 32.93 mm

**3186601 O-RING 04200 EPDM**  
ring thickness 3.53 mm - internal ø 50.39 mm



SILKO 0105169

SILKO 0105246

SILKO 0105021

SILKO 0108055



Suitable for:

**3786459 O-RING 04200 VITON**  
ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm



SILKO MACM099200

SILKO 0105034

Suitable for:


**1186673 O-RING 06212 EPDM**  
ring thickness 5.34 mm - internal  $\varnothing$  53.34 mm



SILKO MA77121600

## Pilot burners and accessories


**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



SILKO MA1394700

SILKO 1394700

**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



SILKO 0100884

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**




SILKO MA1888400  
SILKO 1888400

SILKO 0100620

SILKO 0100807

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



SILKO MA1891700  
SILKO 1891700

SILKO 0100742

SILKO 0100817

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**



SILKO MA1888100

SILKO 0109080

SILKO 1888100

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO R62070023

SILKO 0100743

SILKO 0100745

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO 0100806



Suitable for:

# SILKO



Suitable for:

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



SILKO 0100821


**3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm**  
for mounting of pilot assembly



**3020101 BRACKET CLAMP 2 POSITIONS**



**3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm**  
for burner  $\varnothing$  90 mm



**3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm**  
for burner  $\varnothing$  115 mm



**3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm**  
for burner  $\varnothing$  135 mm




**3020100 BRACKET 2 POSITIONS**




**3020108 DEFLECTOR 1 FLAME**



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



SILKO MA1394700

SILKO 1394700

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



SILKO 0100884

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO R62070023

SILKO 0100743

SILKO 0100745

**3020115 PILOT CAP 1 FLAME**



## SILKO



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



SILKO 0101151

**3020054 PILOT JET  $\varnothing$  0.20 mm**



SILKO MA1415100

SILKO 0100829

SILKO 1415100



Suitable for:

**3020156 PILOT JET  $\varnothing$  0.25 mm**



SILKO MA1842300

SILKO 0101153

**3020055 PILOT JET  $\varnothing$  0.35 mm**



SILKO 1842300

# SILKO

Suitable for:

**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



SILKO CR0684580

SILKO SIR0100823

SILKO 0100823

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



SILKO SIR0101152

SILKO 0101152

**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



SILKO MA459300

SILKO 0100841

SILKO 459300

SILKO 0100777





Suitable for:

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



SILKO R62060223

SILKO 0100744

SILKO 0100805

# SILKO



Suitable for:

**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



**3020286 ONE-FLAME PILOT BURNER SIT PRINTED**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



SILKO CM040800

SILKO MACM040800

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



SILKO MA1888400  
SILKO 1888400

SILKO 0100620

SILKO 0100807

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1**



SILKO MA1891700  
SILKO 1891700

SILKO 0100742

SILKO 0100817

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm





Suitable for:

**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO 0100806

**5035324 PILOT JET  $\varnothing$  0.18 mm**



SILKO CR0586580

**3020157 PILOT JET  $\varnothing$  0.25 mm**



SILKO MA1874700

SILKO 1874700

**3020541 PILOT JET  $\varnothing$  0.35 mm**



**2106308 PILOT JET  $\varnothing$  0.45 mm**



# SILKO

Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3020086 PILOT GASKET**



**3020557 PILOT JET  $\varnothing$  0.20 mm**



SILKO MA1033719600

SILKO 0105144

SILKO 1033719600

**3020040 PILOT JET  $\varnothing$  0.30 mm**



SILKO CR0410100

SILKO 0100802

SILKO SIR0100802

SILKO 0105145

SILKO 0100801

**3020041 PILOT JET  $\varnothing$  0.41 mm**



SILKO MA1033719700

SILKO 1033719700

**3020187 PILOT JET  $\varnothing$  0.51 mm**






Suitable for:

4053669 PILOT JET  $\varnothing$  0.75 mm



SILKO 1033719800

3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



SILKO 0100777

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

3020282 PILOT BURNER



SILKO 1032501300

3020051 FITTING FOR PILOT  $\varnothing$  4 mm  
thread M10x1  
for pilot burner JUNKERS/ORKLI




3345021 OLIVE FOR PIPE  $\varnothing$  4 mm



# SILKO

Suitable for:

5023980 PILOT SUPPORT 62x41x20 mm



3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



3020281 BRASS NUT M10x1 FEATHER 13x4 mm



3020111 OLIVE FOR PIPE  $\varnothing$  4 mm



3020112 OLIVE FOR PIPE  $\varnothing$  6 mm



SILKO 0100806





Suitable for:

**3020139 PILOT BURNER CAP**



**3020557 PILOT JET ø 0.20 mm**



SILKO MA1033719600 SILKO 0105144

**3020040 PILOT JET ø 0.30 mm**



SILKO CR0410100 SILKO SIR0100802  
SILKO 0100802 SILKO 0105145

**3020041 PILOT JET ø 0.41 mm**



SILKO MA1033719700 SILKO 1033719700

**3020187 PILOT JET ø 0.51 mm**



**3020078 PIPE FITTING ø 6 mm  
thread M10x1**



SILKO R62060223 SILKO 0100744

# SILKO



Suitable for:

**5035324 PILOT JET ø 0.18 mm**



SILKO CR0586580

**3020157 PILOT JET ø 0.25 mm**



SILKO MA1874700 SILKO 1874700

**3020541 PILOT JET ø 0.35 mm**



**2106308 PILOT JET ø 0.45 mm**



**4053669 PILOT JET ø 0.75 mm**



SILKO 1033719800

**5014757 PIPE FITTING ø 6 mm  
thread M10x1 mm**



SILKO 0100805



Suitable for:

Suitable for:

**3020036 PILOT BURNER SIT 3 FLAMES**  
multigas type with nozzle  $\varnothing$  0.35 mm  
with 3 position bracket



SILKO CR0588730


**3020103 BRACKET 3 POSITIONS**



**3020110 DEFLECTOR 3 FLAMES**



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



SILKO MA1394700

SILKO 1394700

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020104 BRACKET CLAMP 3 POSITIONS**




**3020109 DEFLECTOR 2 FLAMES**



**5048713 DEFLECTOR 3 FLAMES**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



SILKO 0100884

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO R62070023

SILKO 0100743

SILKO 0100745

**3020054 PILOT JET  $\varnothing$  0.20 mm**



SILKO MA1415100

SILKO 0100829

SILKO 1415100

# SILKO



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



SILKO 0101151

**3020156 PILOT JET  $\varnothing$  0.25 mm**



SILKO MA1842300

SILKO 0101153

SILKO 1842300



Suitable for:

4058525 PILOT JET  $\varnothing$  0.30 mm



5015516 PILOT JET  $\varnothing$  0.40 mm



SILKO CR0684580

SILKO SIR0100823

SILKO 0100823

5075989 PILOT JET  $\varnothing$  0.70 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



SILKO 0100777

# SILKO

Suitable for:

3020055 PILOT JET  $\varnothing$  0.35 mm



3500269 PILOT JET  $\varnothing$  0.45 mm



3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm



3020106 PILOT WITH 0.25 mm  $\varnothing$  JET



SILKO SIR0101152

SILKO 0101152

3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



SILKO MA459300

SILKO 0100841

SILKO 459300

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805





Suitable for:

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



# SILKO



Suitable for:

**3020290 PILOT BURNER 1 FLAME**




SILKO LC663-00

SILKO SILC663-00

SILKO SIRLC663-00

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



SILKO MA1891700  
SILKO 1891700

SILKO 0100742

SILKO 0100817

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO R62070023

SILKO 0100743

SILKO 0100745

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



SILKO 0101151

**3020054 PILOT JET  $\varnothing$  0.20 mm**




SILKO MA1415100

SILKO 0100829

SILKO 1415100

**3020156 PILOT JET  $\varnothing$  0.25 mm**



SILKO MA1842300

SILKO 0101153

SILKO 1842300

**4058525 PILOT JET  $\varnothing$  0.30 mm**



**3020055 PILOT JET  $\varnothing$  0.35 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



**3500269 PILOT JET  $\varnothing$  0.45 mm**



SILKO CR0684580

SILKO SIR0100823

SILKO 0100823



Suitable for:

5075989 PILOT JET  $\varnothing$  0.70 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020107 PILOT WITH 0.35 mm  $\varnothing$  JET



5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



3020201 PILOT JET  $\varnothing$  0.14 mm



SILKO MA1888000

SILKO 1888000

3020042 PILOT JET  $\varnothing$  0.19 mm



SILKO MA1033722000

SILKO 1033722000

# SILKO




Suitable for:

3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm




3020106 PILOT WITH 0.25 mm  $\varnothing$  JET



SILKO SIR0101152

SILKO 0101152

3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

5035324 PILOT JET  $\varnothing$  0.18 mm



SILKO CR0586580

3020054 PILOT JET  $\varnothing$  0.20 mm



SILKO MA1415100

SILKO 0100829

SILKO 1415100



# SILKO



Suitable for:

Suitable for:

**3020557 PILOT JET  $\varnothing$  0.20 mm**



SILKO MA1033719600

SILKO 0105144

SILKO 1033719600

**3020156 PILOT JET  $\varnothing$  0.25 mm**



SILKO MA1842300

SILKO 0101153

SILKO 1842300

**3020157 PILOT JET  $\varnothing$  0.25 mm**



SILKO MA1874700

SILKO 1874700

**3020202 PILOT JET  $\varnothing$  0.27 mm**



SILKO MA1887800

SILKO 0109078

SILKO 1887800

**3020040 PILOT JET  $\varnothing$  0.30 mm**



SILKO CR0410100

SILKO SIR0100802

SILKO 0100802

SILKO 0105145

SILKO 0100801

**3020274 PILOT JET  $\varnothing$  0.40 mm**



SILKO SIR0100827

SILKO SI0100827

SILKO 0100827

**5015516 PILOT JET  $\varnothing$  0.40 mm**



SILKO CR0684580

SILKO SIR0100823

SILKO 0100823

**3020041 PILOT JET  $\varnothing$  0.41 mm**



SILKO MA1033719700

SILKO 1033719700

**5022050 PILOT JET  $\varnothing$  0.50 mm**



SILKO MA1887900

SILKO 1887900

**4053669 PILOT JET  $\varnothing$  0.75 mm**



SILKO 1033719800

**3020121 PILOT JET NATURAL GAS 25mBAR  
for pilot burner series CB 5050..**



SILKO 933100

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



SILKO SIR0101152

SILKO 0101152



# SILKO



Suitable for:

Suitable for:

**3020079** PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



SILKO MA459300

SILKO 0100841

SILKO 459300

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



SILKO 0100777

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

**3020283** TARGET ONE-FLAME PILOT BURNER SIT  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



SILKO MA1887700

SILKO 1887700

**3020249** BRACKET PILOT BURNER SUPPORT 60x50x25 mm



**3020085** FITTING FOR SPARKING PLUG FIXING M10x1mm




SILKO MA1888400

SILKO 0100620

SILKO 0100807

SILKO 1888400

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



SILKO MA1891700

SILKO 1891700

SILKO 0100742

SILKO 0100817

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300

SILKO 1888300

SILKO MA224211

SILKO 224211

SILKO 0100832

**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900

SILKO 0108194

SILKO 0100830

SILKO 1949900

SILKO 0100831



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600 SILKO 0100778

**3020201 PILOT JET  $\varnothing$  0.14 mm**



SILKO MA1888000 SILKO 1888000

**3020542 PILOT JET  $\varnothing$  0.20 mm**



**3020202 PILOT JET  $\varnothing$  0.27 mm**



SILKO MA1887800 SILKO 0109078

# SILKO



Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**



SILKO MA1888100

SILKO 0109080

SILKO 1888100

**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**



**3020042 PILOT JET  $\varnothing$  0.19 mm**




SILKO MA103372000

SILKO 103372000

**5047578 PILOT JET  $\varnothing$  0.24 mm**



**2102405 PILOT JET  $\varnothing$  0.35 mm**



SILKO 1887800





Suitable for:

**3020043 PILOT JET  $\varnothing$  0.36 mm**



**5022050 PILOT JET  $\varnothing$  0.50 mm**



SILKO MA1887900

SILKO 1887900

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



**2101517 TARGET PILOT BURNER SIT 1 FLAME**  
supplied without sparking plug, nozzle and gasket  
with thermocouple fitting



SILKO MA1031504700

SILKO 1031504700

## SILKO

Suitable for:

**3020543 PILOT JET  $\varnothing$  0.38 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



SILKO 0100777

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m**



SILKO MA1888400  
SILKO 1888400

SILKO 0100620


SILKO 0100807





Suitable for:

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1**



SILKO MA1891700  
SILKO 1891700

SILKO 0100742

SILKO 0100817

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F**



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 67 mm**



SILKO SIR0109027

SILKO 0109027

**3020113 OLIVE FOR PIPE  $\varnothing$  4 mm**



SILKO MA1888100

SILKO 0109080

SILKO 1888100

**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**



# SILKO

Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm**



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm**



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 52 mm**



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25**



SILKO MA673600

SILKO 0100778

**3020201 PILOT JET  $\varnothing$  0.14 mm**



SILKO MA1888000

SILKO 1888000





Suitable for:

**3020042 PILOT JET  $\varnothing$  0.19 mm**




SILKO MA1033722000

SILKO 1033722000

**5047578 PILOT JET  $\varnothing$  0.24 mm**



**2102405 PILOT JET  $\varnothing$  0.35 mm**



**3020543 PILOT JET  $\varnothing$  0.38 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



SILKO 0100777

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



SILKO R62060223

SILKO 0100744

SILKO 0100805

## SILKO

Suitable for:

**3020542 PILOT JET  $\varnothing$  0.20 mm**



**3020202 PILOT JET  $\varnothing$  0.27 mm**



SILKO MA1887800

SILKO 0109078

SILKO 1887800

**3020043 PILOT JET  $\varnothing$  0.36 mm**



**5022050 PILOT JET  $\varnothing$  0.50 mm**



SILKO MA1887900

SILKO 1887900

**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25**



**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**





Suitable for:

# SILKO



**3020010 TARGET PILOT BURNER SIT 2 FLAMES**  
supplied without sparking plug, nozzle and gasket  
with thermocouple fitting



SILKO CM029000  
SILKO 0109047

SILKO MACM029000

SILKO 0105054

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m**




SILKO MA1888400  
SILKO 1888400

SILKO 0100620

SILKO 0100807

**3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm**  
thread M10x1



SILKO MA1891700  
SILKO 1891700

SILKO 0100742

SILKO 0100817

**3001003 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832

**3020060 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020124 IGNITION PLUG ROUND ø 7x44 mm**  
connection ø 2.4 mm  
overall length 58 mm



**3020294 IGNITION PLUG ROUND ø 7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3020365 IGNITION PLUG ROUND ø 7x44 mm**  
connection ø 2.4 mm  
overall length 52 mm



**3020113 OLIVE FOR PIPE ø 4 mm**



SILKO MA1888100

SILKO 0109080

SILKO 1888100

**3348036 OLIVE FOR PIPE ø 4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778



Suitable for:

3020114 OLIVE FOR PIPE  $\varnothing$  6 mm



3020201 PILOT JET  $\varnothing$  0.14 mm



SILKO MA1888000

SILKO 1888000

3020542 PILOT JET  $\varnothing$  0.20 mm



3020202 PILOT JET  $\varnothing$  0.27 mm



SILKO MA1887800

SILKO 0109078

3020043 PILOT JET  $\varnothing$  0.36 mm



5022050 PILOT JET  $\varnothing$  0.50 mm



SILKO MA1887900

SILKO 1887900

# SILKO

Suitable for:

3020086 PILOT GASKET



3020042 PILOT JET  $\varnothing$  0.19 mm




SILKO MA1033722000

SILKO 1033722000

5047578 PILOT JET  $\varnothing$  0.24 mm



2102405 PILOT JET  $\varnothing$  0.35 mm



3020543 PILOT JET  $\varnothing$  0.38 mm



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



SILKO 0100777





Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



# SILKO



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3020011** THREE-FLAME PILOT BURNER  
without sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple connection  
with sparking plug fitting



SILKO 0108109

**3020085** FITTING FOR SPARKING PLUG FIXING M10x1mm



SILKO MA1888400  
SILKO 1888400

SILKO 0100620

SILKO 0100807

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



SILKO MA1891700  
SILKO 1891700

SILKO 0100742

SILKO 0100817

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832

**3020060** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020124** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
connection  $\varnothing$  2.4 mm  
overall length 58 mm





Suitable for:

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



**3020044 PILOT JET  $\varnothing$  0.20 mm**



**3020452 PILOT JET  $\varnothing$  0.32 mm**



**3020449 PILOT JET  $\varnothing$  0.54 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



SILKO 0100777

# SILKO



Suitable for:

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO 0100806

**5071220 PILOT JET  $\varnothing$  0.22 mm**




**3020045 PILOT JET  $\varnothing$  0.50 mm**



**3020464 PILOT JET  $\varnothing$  0.64 mm**



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805



Suitable for:

**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



# SILKO



Suitable for:

**3020269 THREE-FLAME PILOT BURNER**  
without sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple fitting  
with sparking plug fitting



SILKO 0101047

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**




SILKO MA1888400  
SILKO 1888400

SILKO 0100620

SILKO 0100807

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



SILKO MA1891700  
SILKO 1891700

SILKO 0100742

SILKO 0100817

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm







Suitable for:

3020111 OLIVE FOR PIPE  $\varnothing$  4 mm



3020112 OLIVE FOR PIPE  $\varnothing$  6 mm



SILKO 0100806

5071220 PILOT JET  $\varnothing$  0.22 mm



3020045 PILOT JET  $\varnothing$  0.50 mm



3020464 PILOT JET  $\varnothing$  0.64 mm



3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

# SILKO

Suitable for:

5026012 OLIVE FOR PIPE  $\varnothing$  4 mm  
for pilot burner series CB 502-CB 503



3020044 PILOT JET  $\varnothing$  0.20 mm



3020452 PILOT JET  $\varnothing$  0.32 mm



3020449 PILOT JET  $\varnothing$  0.54 mm



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



SILKO 0100777

5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm





Suitable for:

# SILKO



**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



SILKO 0100822

SILKO 0100824


**3020103 BRACKET 3 POSITIONS**



**3020110 DEFLECTOR 3 FLAMES**



**3020083 FITTING AND OLIVE  $\varnothing$  4 mm**



SILKO MA1394700

SILKO 1394700

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



**3020104 BRACKET CLAMP 3 POSITIONS**




**3020109 DEFLECTOR 2 FLAMES**



**5048713 DEFLECTOR 3 FLAMES**



**3020084 FITTING AND OLIVE  $\varnothing$  6 mm**



SILKO 0100884

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



SILKO 0101151

# SILKO



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO R62070023

SILKO 0100743

SILKO 0100745

**3020054 PILOT JET  $\varnothing$  0.20 mm**



SILKO MA1415100

SILKO 0100829

SILKO 1415100



Suitable for:

**3020156 PILOT JET  $\varnothing$  0.25 mm**



SILKO MA1842300

SILKO 0101153

**3020055 PILOT JET  $\varnothing$  0.35 mm**



SILKO 1842300

# SILKO

Suitable for:

**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



SILKO CR0684580

SILKO SIR0100823

SILKO 0100823

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



SILKO SIR0101152

SILKO 0101152

**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



SILKO MA459300

SILKO 0100841

SILKO 459300

SILKO 0100777





Suitable for:

**5033138** PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



# SILKO



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm




**5058320** TUBE NUT FITTING  $\varnothing$  10 mm  
thread M14x1,5 mm



SILKO MA459500

SILKO 459500

**3020014** TWO-FLAME PILOT BURNER LH  
without sparking plug, gas jet and gasket  
with thermocouple fitting



SILKO 0100799

SILKO 0100826

**3020085** FITTING FOR SPARKING PLUG FIXING M10x1 mm



SILKO MA1888400  
SILKO 1888400

SILKO 0100620

SILKO 0100807

**3020200** FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm  
thread M10x1



SILKO MA1891700  
SILKO 1891700

SILKO 0100742

SILKO 0100817

**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO 0100806

**5035324 PILOT JET  $\varnothing$  0.18 mm**



SILKO CR0586580

# SILKO



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3020086 PILOT GASKET**



**3020557 PILOT JET  $\varnothing$  0.20 mm**



SILKO MA1033719600

SILKO 0105144

SILKO 1033719600



Suitable for:

**3020157 PILOT JET  $\varnothing$  0.25 mm**



SILKO MA1874700

SILKO 1874700

**3020541 PILOT JET  $\varnothing$  0.35 mm**



**2106308 PILOT JET  $\varnothing$  0.45 mm**



**4053669 PILOT JET  $\varnothing$  0.75 mm**



SILKO 1033719800

**3348029 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25**



**5014757 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm**



# SILKO

Suitable for:

**3020040 PILOT JET  $\varnothing$  0.30 mm**



SILKO CR0410100  
SILKO 0100802

SILKO SIR0100802  
SILKO 0105145

SILKO 0100801

**3020041 PILOT JET  $\varnothing$  0.41 mm**




SILKO MA1033719700

SILKO 1033719700

**3020187 PILOT JET  $\varnothing$  0.51 mm**




**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



SILKO 0100777

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



SILKO R62060223

SILKO 0100744

SILKO 0100805






Suitable for:

# SILKO



Suitable for:

**3020013 TWO-FLAME PILOT BURNER RH**  
without sparking plug, gas jet and gasket  
with thermocouple fitting




SILKO 0100800      SILKO 0100825

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m**



SILKO MA1888400      SILKO 0100620      SILKO 0100807  
SILKO 1888400

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



SILKO MA1891700      SILKO 0100742      SILKO 0100817  
SILKO 1891700

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300      SILKO MA224211      SILKO 0100832  
SILKO 1888300      SILKO 224211

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900      SILKO 0100830      SILKO 0100831  
SILKO 0108194      SILKO 1949900

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027      SILKO 0109027

**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3020111 OLIVE FOR PIPE  $\varnothing$  4 mm**



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600      SILKO 0100778





Suitable for:

**3020112 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO 0100806

**5035324 PILOT JET  $\varnothing$  0.18 mm**



SILKO CR0586580

**3020157 PILOT JET  $\varnothing$  0.25 mm**



SILKO MA1874700

SILKO 1874700

**3020541 PILOT JET  $\varnothing$  0.35 mm**



**2106308 PILOT JET  $\varnothing$  0.45 mm**



**4053669 PILOT JET  $\varnothing$  0.75 mm**



SILKO 1033719800

# SILKO

Suitable for:

**3020086 PILOT GASKET**



**3020557 PILOT JET  $\varnothing$  0.20 mm**



SILKO MA1033719600

SILKO 0105144

SILKO 1033719600

**3020040 PILOT JET  $\varnothing$  0.30 mm**



SILKO CR0410100

SILKO 0100802

SILKO SIR0100802

SILKO 0105145

SILKO 0100801

**3020041 PILOT JET  $\varnothing$  0.41 mm**




SILKO MA1033719700

SILKO 1033719700

**3020187 PILOT JET  $\varnothing$  0.51 mm**



**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



SILKO 0100777





Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



# SILKO



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**3020002** TWO-FLAME PILOT BURNER SIT  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



SILKO

**3020100** BRACKET 2 POSITIONS




**3020101** BRACKET CLAMP 2 POSITIONS



**3020109** DEFLECTOR 2 FLAMES




**3020083** FITTING AND OLIVE  $\varnothing$  4 mm



SILKO MA1394700

SILKO 1394700

**3020084** FITTING AND OLIVE  $\varnothing$  6 mm



SILKO 0100884

**3020102** HEXAGON HEAD SCREW 3/16"x18 mm



**3001003** IGNITION PLUG ROUND  $\varnothing$  7x44 mm  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



SILKO 0101151

# SILKO



Suitable for:

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020365 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 52 mm



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO R62070023

SILKO 0100743

SILKO 0100745

**3020054 PILOT JET  $\varnothing$  0.20 mm**



SILKO MA1415100


SILKO 0100829

SILKO 1415100



Suitable for:

**3020156 PILOT JET  $\varnothing$  0.25 mm**



SILKO MA1842300

SILKO 0101153

**3020055 PILOT JET  $\varnothing$  0.35 mm**



SILKO 1842300

Suitable for:

**4058525 PILOT JET  $\varnothing$  0.30 mm**



**5015516 PILOT JET  $\varnothing$  0.40 mm**



SILKO CR0684580

SILKO SIR0100823

SILKO 0100823

**3500269 PILOT JET  $\varnothing$  0.45 mm**



**5075989 PILOT JET  $\varnothing$  0.70 mm**



**3020308 PILOT WITH NOZZLE  $\varnothing$  0.40 mm**



**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



SILKO SIR0101152

SILKO 0101152

**3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M**



SILKO MA459300

SILKO 0100841

**3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1**



SILKO 459300

SILKO 0100777

# SILKO





Suitable for:

**5033138** PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## SILKO



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

**3020313** TWO-FLAME PILOT BURNER SIT  
multigas type with nozzle  $\varnothing$  0.20 mm  
with 3 positions bracket



SILKO 0109087

**3020092** BRACKET PILOT BURNER SUPP. LH 92x55x45mm  
for mounting of pilot assembly



**3020104** BRACKET CLAMP 3 POSITIONS




**3020100** BRACKET 2 POSITIONS



**3020103** BRACKET 3 POSITIONS




**3020083** FITTING AND OLIVE  $\varnothing$  4 mm



SILKO MA1394700

SILKO 1394700

**3020084** FITTING AND OLIVE  $\varnothing$  6 mm



**3020102** HEXAGON HEAD SCREW 3/16"x18 mm



SILKO 0100884



Suitable for:

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832

**3020124 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**5027953 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for COPRECI CAL3200



**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



SILKO 0101151

# SILKO



Suitable for:

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3020081 OLIVE FOR PIPE  $\varnothing$  6 mm**



SILKO R62070023

SILKO 0100743

SILKO 0100745

**3020117 PILOT DEFLECTOR 3 FLAMES 53x40 mm**





Suitable for:

3020116 PILOT DEFLECTOR 3 FLAMES 53x47 mm



3020156 PILOT JET  $\varnothing$  0.25 mm



SILKO MA1842300 SILKO 0101153  
3020055 PILOT JET  $\varnothing$  0.35 mm



3500269 PILOT JET  $\varnothing$  0.45 mm



3020105 PILOT WITH 0.20 mm  $\varnothing$  JET



3020077 PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



SILKO 0100777

# SILKO

Suitable for:

3020054 PILOT JET  $\varnothing$  0.20 mm



SILKO MA1415100 SILKO 0100829  
4058525 PILOT JET  $\varnothing$  0.30 mm



5015516 PILOT JET  $\varnothing$  0.40 mm



SILKO CR0684580 SILKO SIR0100823  
5075989 PILOT JET  $\varnothing$  0.70 mm



3020079 PIPE FITTING  $\varnothing$  12 mm  
thread  $\varnothing$  3/8" M



SILKO MA459300 SILKO 0100841  
5033138 PIPE FITTING  $\varnothing$  4 mm  
thread  $\varnothing$  1/8" M



SILKO 1415100

SILKO 0100823

SILKO 459300





Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

**SILKO**

Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



SILKO 0100805



## Position switches

**5017726** LIMIT MICROSWITCH SIEMENS  
mod. 3SE5232-0HR01  
3A 230V



SILKO SIR0101177

SILKO 0101177

## Pressure gauges

**3054034** PRESSURE GAUGE  $\varnothing$  62 mm  
coupling  $\varnothing$  1/8" M  
range 0-1 bar



SILKO 0102491

**5054753** PRESSURE GAUGE  $\varnothing$  63 mm  
coupling  $\varnothing$  1/4" M  
range 0-1 bar



SILKO CR0589110

**5033563** PRESSURE GAUGE CAPILLARY 1200 mm  
thread  $\varnothing$  1/4" M - 1/8" F




SILKO SIR0102490

SILKO 0102490

## Pressure switches

**5054987** METAL SUPPORT FOR PRESSURE SWITCH  
distance between holes 38 mm



SILKO CR0731840

**5049595** PRESSURE SWITCH AIR CHAMBER  
stainless steel tube external  $\varnothing$  22 mm  
internal  $\varnothing$  stainless steel pipe 19 mm  
hose fitting  $\varnothing$  6 mm



SILKO CR0589881



Suitable for:

Suitable for:

**5060356 PRESSURE SWITCH STEAM -1/1 BAR**  
connection 3/8" M - 250V



SILKO CR0587800

**5052446 PRESSURE SWITCH 1 LEVEL**  
calibration 230/260 mm  
250V 16A  
max temperature of using 85°C



SILKO CR0585951

**5054987 METAL SUPPORT FOR PRESSURE SWITCH**  
distance between holes 38 mm



SILKO CR0731840

## Probes

**3445167 PROBE NTC TPE IP68 1500 mm**  
temperature range -50+110°C  
bulb ø 5x20 mm watertight



SILKO BN167212

**3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



SILKO 995562

## Radiant heating elements

**3311168 RADIANT HEATING ELEM. ø 165mm 1200W 230V**  
faston electric connections  
complete with energy adjuster  
for glass-ceramic cooking top



SILKO 0101465

**3311169 RADIANT HEATING ELEM. ø 200mm 1700W 230V**  
faston electric connections  
complete with energy adjuster  
for glass-ceramic cooking top




SILKO SIR0101466

**3311166 RADIANT HEATING ELEM. ø 200mm 1800W 230V**  
faston electric connections  
complete with energy regulation  
for glass-ceramic cooking top



SILKO 1037309013

**3311087 RADIANT HEATING ELEM. ø 250mm 2500W 230V**  
faston electric connections  
complete with energy regulation  
for glass-ceramic cooking top



SILKO R0108499

SILKO SIR0108499



Suitable for:

# SILKO



**3311160 RADIANT HEATING ELEM. ø 250mm 2500W 230V**  
 faston electric connections  
 complete with energy regulation  
 for glass-ceramic cooking top



SILKO CR0791310

**5073926 RADIANT HEATING ELEMENT OCTAGON. ø 200mm**  
 1800W 230V  
 faston electrical connectors - with cables  
 complete with power adjuster  
 for glass-ceramic hob



SILKO CR0511570

**5034637 RADIANT HEATING ELEMENT OCTAGON. ø 230mm**  
 2400W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



SILKO CR0419950

**7101798 RADIANT HEATING ELEMENT OCTAGON. ø 230mm**  
 2500W 230V  
 faston terminal block  
 complete with power setting  
 for glass-ceramic cooking hob



SILKO SIR0108767

SILKO SI0108767

SILKO 0108767

**3311083 RADIANT HEATING ELEMENT OCTAGON. ø 250mm**  
 2500W 230V  
 faston electrical connections - with cables  
 complete with power setting  
 for glass-ceramic hob



SILKO CR0511560

SILKO SI0108499

SILKO 0108499

**5031142 RADIANT HEATING ELEMENT OCTAGON. ø 300mm**  
 3400/1300W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



SILKO CR0509620

**5075582 RADIANT HEATING ELEMENT OCTAGON. ø 300mm**  
 3400W 230V  
 faston electrical connections - with cables  
 complete with power adjuster  
 for glass-ceramic cooking top



SILKO CR0509610

**3311079 RADIANT HEATING ELEMENT OCTAGON. ø 165 mm**  
 1200W 230V  
 faston electrical connections - with cables  
 complete with power setting  
 for glass-ceramic cooking top




SILKO CR0511580



**3311105 RADIANT HEATING ELEMENT 3500W 240V**


dimensions 300x300 mm  
 radiant size 270x270 mm  
 terminal block electric connections  
 for glass-ceramic cooking hob  
 NO PAN DETECTION SENSOR



SILKO CR0735670

**3311151 RADIANT HEATING ELEMENT 4000W 400V**

dimensions 300x300 mm  
 radiant size 270x270 mm  
 terminal block electric connections  
 for glass-ceramic cooking hob  
 WITHOUT PAN DETECTOR




SILKO SIR0101468

SILKO 0101468

**7105767 RADIANT HEATING ELEMENT 4000W 400V**

dimensions 300x300 mm  
 radiant size 270x270 mm  
 terminal block electric connections  
 for glass-ceramic cooking hob  
 NO PAN DETECTION SENSOR



SILKO CR0688660

## Relays

**5078543 POWER RELAY FINDER 60.12.4.101.0040**

coil 1,0A AC  
 2 exchange contacts 10A 250V  
 mounting on octal base



SILKO CR0683840

**3351029 POWER RELAY FINDER 62.82.8.230.0300**

230V 50/60Hz  
 2 contacts NO 16A



SILKO CR0687240

**5072234 POWER RELAY FINDER 62.83.8.230.0300**

complete with bracket  
 230V 50/60Hz  
 3 changeover contacts 16A



SILKO BN011AD1600001

SILKO CR0509630R



Suitable for:

# SILKO



Suitable for:

## Safety groups for pans and spare parts

**3184011 DEPRESSION VALVE  $\varnothing$  1/4" M**  
in chrome plated brass  
for safety group  $\varnothing$  3/4"  
for safety group  $\varnothing$  1" 1/4



SILKO 0100568

**3184013 DEPRESSION VALVE  $\varnothing$  3/4" M**  
in chrome plated brass  
for safety group  $\varnothing$  3/4"  
for safety group  $\varnothing$  1" 1/4



SILKO 0100573

**3184029 DEPRESSION VALVE  $\varnothing$  3/8" M**  
in chrome plated brass  
for security valve 3/4"



SILKO CR0587810

SILKO 0100524

**3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
in chrome plated brass  
radial connection 1/4"  
scale 0-1 bar  
for safety groups



SILKO 0100576

**3184034 PRESSURE-GAUGE HOLDING TAP  $\varnothing$  1/4"**  
for security group 3/4"  
for security group 1" 1/4



SILKO 0100577

**3184018 SAFETY VALVE  $\varnothing$  1" 1/4 M**  
max pressure 0.5 atm  
for safety group 1" 1/4  
ISPESL approved



SILKO CR0587820

SILKO 0100572

SILKO 0100589

**3184017 SAFETY VALVE  $\varnothing$  3/4" M**  
max pressure 0.5 atm  
for safety group  $\varnothing$  3/4"



SILKO SIR0102471

**3184019 TAP WITH FUNNEL  $\varnothing$  1/2" M**  
with cover



SILKO 0100575



## Selector switches


**3057050 CONNECTING BRACKET 28x21x16 mm**  
 distance between hooking brackets 27 mm  
 f/connection between selector switch and thermostat.



SILKO 0101374

SILKO 0101378

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 back connection for thermostat



SILKO MA710300

SILKO 0101379

SILKO 710300

**3057027 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 rear hole for thermostat




SILKO 0101380

SILKO 0109057

SILKO 1037313200


**3057082 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°  
 D-shaped pin 6x4.6 mm



SILKO SI0108026


SILKO 0108026

**3057140 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




SILKO CR0686110

**3057176 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




SILKO 0109058

**3057177 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




SILKO 0101398

**3057178 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin 6x4.6 mm



SILKO 0108007


**3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



SILKO MA1230100

SILKO 1230100

**3057002 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



SILKO 0101400




Suitable for:

# SILKO




**3057159 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




SILKO 0108221

**3057180 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



SILKO 0101397


**5062875 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



SILKO MA1309000

SILKO 1309000


**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



SILKO MA1937800

SILKO 0101399

**3057024 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



SILKO MA1616100

SILKO 0101423

SILKO 1616100


**5012546 SELECTOR SWITCH 3 POSITIONS SIEMENS**  
with support  
mounting hole  $\varnothing$  22 mm



SILKO CR0413380

SILKO 0102517

**5058338 CONTACT SIEMENS 3SB3400-0D 10A 400V**  
2 normally open contacts



SILKO CR0687390

**5034977 SWITCH 0-3 POSITIONS**  
contacts 16A 250V - max 150°C  
D-Shaft 6x4.6 mm



SILKO CR0581810



## Solenoid valves

**3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



SILKO 0101341

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**





Suitable for:

**3120204** **OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



# SILKO

Suitable for:



**3120005** **SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



**3120019** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



SILKO 2709000

**3120021** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120022** **ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037** **ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201** **ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120016** **ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120017** **ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120015** **ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120203** **ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%







Suitable for:

**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



## SILKO

Suitable for:

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**5049465 SOLENOID VALVE RPE 1 WAY**  
solenoid valve 90° - 230V 50/60Hz - max 90°C  
inlet 3/4" - outlet ø 10.5 mm



SILKO CR0682320

SILKO CR0682320R

**3120640 ADJUSTER FOR OUTLET 0.60 L/min GREY**



**3120639 ADJUSTER FOR OUTLET 0.50 L/min LIME**



**3120641 ADJUSTER FOR OUTLET 0.90 L/min BLUE**



**3120642 ADJUSTER FOR OUTLET 1.10 L/min WHITE**



**3120643 ADJUSTER FOR OUTLET 1.70 L/min YELLOW**



**3120644 ADJUSTER FOR OUTLET 2.15 L/min VIOLETT**



**3120645 ADJUSTER FOR OUTLET 2.70 L/min BLACK**





Suitable for:

**3120280 COIL CONNECTOR**  
cable length 1 m  
max temperature 70°C



# SILKO



Suitable for:

**5046981 OUTLET REDUCER 0.10 L/Min BROWN**



**5036913 OUTLET REDUCER 0.2 L/min PINK**



**5073916 OUTLET REDUCER 0.40L/min GREEN**



**5028983 OUTLET REDUCER 15 L/min RED**



**5037826 SOLENOID VALVE RPE 2 WAYS**  
solenoid valve 180° - 230V 50/60Hz - max 60°C  
inlet 3/4" - two outlets ø 10.5 mm  
1 outlet with adjusters - green



**3120639 ADJUSTER FOR OUTLET 0.50 L/min LIME**



SILKO CR0586050R

**3120640 ADJUSTER FOR OUTLET 0.60 L/min GREY**



**3120641 ADJUSTER FOR OUTLET 0.90 L/min BLUE**



**3120642 ADJUSTER FOR OUTLET 1.10 L/min WHITE**



**3120643 ADJUSTER FOR OUTLET 1.70 L/min YELLOW**





Suitable for:

**3120644 ADJUSTER FOR OUTLET 2.15 L/min VIOLETT**



**3120280 COIL CONNECTOR**  
cable length 1 m  
max temperature 70°C



**5036913 OUTLET REDUCER 0.2 L/min PINK**



**5028983 OUTLET REDUCER 15 L/m in RED**



## SILKO

Suitable for:

**3120645 ADJUSTER FOR OUTLET 2.70 L/min BLACK**



**5046981 OUTLET REDUCER 0.10 L/Min BROWN**



**5073916 OUTLET REDUCER 0.40L/min GREEN**



## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz



SILKO 0101193

SILKO 0101196

SILKO 0101197

**3181003 SPARK GENERATOR 4 OUTLETS**  
220/240V 50/60Hz



SILKO 0101194

SILKO 0101199

**3181004 SPARK GENERATOR 6 OUTLETS**  
220/240V - 50/60Hz



SILKO 0101195

SILKO 0101200



Suitable for:

# SILKO



Suitable for:

## Sparking and detection plugs

**3001003 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 65 mm



SILKO MA1888300  
SILKO 1888300

SILKO MA224211  
SILKO 224211

SILKO 0100832

**3020060 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



SILKO MA1949900  
SILKO 0108194

SILKO 0100830  
SILKO 1949900

SILKO 0100831

**3020294 IGNITION PLUG ROUND  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

**3020062 IGNITION PLUG ROUND  $\varnothing$  9x39 mm**  
M faston M4x1 mm  
overall length 57 mm  
for pilot burner series CB 505...



SILKO 636700

**3020126 ROUND IGNITION PLUG  $\varnothing$  6.5x55 mm**  
connection  $\varnothing$  2.4 mm  
with silicone lead 1760 mm  
overall length with cable 1830 mm



SILKO 9300539

SILKO 9300540

**3020127 ROUND IGNITION PLUG  $\varnothing$  6.5x55 mm**  
connection  $\varnothing$  2.4 mm  
with silicone lead 625 mm  
overall length with cable 680 mm



SILKO SIR0100834

SILKO 0100834

SILKO 9300542

**3020138 ROUND IGNITION PLUG  $\varnothing$  6.5x55 mm**  
connection  $\varnothing$  2.4 mm  
with silicone lead 970 mm  
overall length with cable 1030 mm



SILKO SIR9300541

SILKO SI9300541

SILKO 9300541

**3020073 ROUND IGNITION PLUG  $\varnothing$  7/10x52 mm**  
model 1/B  
connection F 2.8x0.8 mm - complete with spring  
overall length 54 mm



SILKO 0100833



Suitable for:

**3020068 ROUND IGNITION PLUG  $\varnothing$  7x44 mm**  
square coupling  
faston M M4x1 mm  
overall length 63 mm



SILKO 0100369

Suitable for:

**3020230 ROUND IGNITION PLUG  $\varnothing$  7x54 mm**  
male faston M4x1 mm  
overall length 63 mm  
for COOKING HOB series 700 PROTAGONISTA NUOVA  
for COOKING HOB series 900 PROTAGONISTA NUOVA  
for COOKING HOB series 1100 PROTAGONISTA NUOVA



SILKO CR0687080

## Springs

**3250147 DOOR HINGE SPRING  $\varnothing$  40x330 mm**  
for BRATT PAN series 900



SILKO SIR0100372

SILKO 0100372

**5073275 HINGE SPRING LEFT  $\varnothing$  35x425 mm**



SILKO CR0586350

## Switches

**3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK**  
mounting hole  $\varnothing$  25 mm



SILKO 0101188

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



SILKO CR0410310

**3319012 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light and push-button cap  
mounting hole 22x30 mm - silk screen print 0 - I



SILKO 4640500

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**





Suitable for:

**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



# SILKO



Suitable for:

**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**3319944 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light - silk screen printing 0 - I  
mounting hole 22x30 mm



**3319780 BLOCK CONNECTION WHITE 22x30 mm**



SILKO 0109015

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



**5035907 BUTTON UNIPOLAR BLACK 16A 250V**  
mounting hole  $\varnothing$  25 mm



**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



SILKO CR0410290

SILKO CR0410310



Suitable for:

**3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V**  
1 contact NO




SILKO CRO413790

SILKO CR0413790


Suitable for:

**5058338 CONTACT SIEMENS 3SB3400-0D 10A 400V**  
2 normally open contacts



SILKO CR0687390

**5079023 PUSH-BUTTON BIPOLAR SILVER**  
complete with OR  
distance between the holes  $\varnothing$  19 mm



SILKO CR0937810

**9319068 PUSH-BUTTON 1-POLE BLACK 10A 250V**  
max. temperature 100°C  
mounting hole 13x20 mm



SILKO CR0739560

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



SILKO CR0410310

## Taps for tank refilling

**3183015 SPOUT CONNECTION 1/2" M**  
chrome-plated brass swivel  
outlet spout  $\varnothing$  20 mm



SILKO MA450000

**5046792 VALVE WATER INLET  $\varnothing$  1/2" FF**



SILKO SIR0102510

SILKO SI0102510

SILKO 0102510

**3359129 WATER INLET TAP  $\varnothing$  1/2" FF**



SILKO 0100540

SILKO 0102613



Suitable for:


# SILKO



Suitable for:

## Terminal blocks

**3247050** **TERMINAL BLOCK 3-POLES FV110 40A 450V**  
for cable  $\varnothing$  6 mm<sup>2</sup> max.  
operating temperature 150°C



SILKO SIR0101253

SILKO 0101253

**3247009** **TERMINAL BLOCK 6-POLES FV122/B 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



SILKO CR0588170

SILKO 0101255

## Thermocouples and accessories


**3440103** **CUT-OFF THERMOCOUPLE M9x1 60 cm**  
cut-off contact with cables 60 cm  
for Fryer (SILKO) EFG72115 EFG92115S



SILKO MA1950100

SILKO 0105107

**3440066** **INTERRUPTED THERMOCOUPLE M9x1 60 cm**  
interrupted contact with fastons



SILKO 0100797

SILKO 0100810

**3440015** **INTERRUPTION CONNECTOR M9x1**



SILKO 0100835

SILKO 1533400

**3440064** **NUT FOR THERMOCOUPLE M8x1**



SILKO 939300


**2100820** **TERMOCOUPLE SIT QUICK M9x1 40 cm**



SILKO MA1031504300

SILKO 1031504300

**3440893** **THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS**



SILKO 1916000

**3440056** **THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1**



SILKO 1665000

**3440064** **NUT FOR THERMOCOUPLE M8x1**



SILKO 939300





Suitable for:

Suitable for:

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



SILKO 0100818

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**



SILKO 0100818

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



SILKO 0100818

**3440038 THERMOCOUPLE SIT M9x1 120 cm**



SILKO 263800

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



SILKO 263800

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



SILKO 263800

**3440034 THERMOCOUPLE SIT M9x1 50 cm**



SILKO 0100808

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



SILKO 0100808

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



SILKO 0100808

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



SILKO 0100815



Suitable for:

Suitable for:

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS  
CONNECTOR M8x1**



SILKO 0100812

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**




SILKO 0100812

**3440064 NUT FOR THERMOCOUPLE M8x1**



SILKO 939300

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS  
CONNECTOR M8x1**



SILKO 0100812

**3440035 THERMOCOUPLE SIT M9x1 60 cm.**



SILKO 0100815

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



SILKO 0100815

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



SILKO 0100809

**3440036 THERMOCOUPLE SIT M9x1 85 cm.  
for Kitchen (SILKO) ECG74F**



SILKO CM029100

SILKO MACM029100

SILKO 0100809

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



SILKO 0100809



Suitable for:

Suitable for:

**3440081 THERMOCOUPLE SIT QUICK M8x1 45 cm**

**3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm**



SILKO MA1206400


SILKO 1206400

SILKO MA1033027800

SILKO 1033027800

**3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm**

**3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS**



SILKO SIR0100818

**3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm**




SILKO MA1031500400

SILKO 1031500400

**3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm**

**3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS**




SILKO MA1916000

SILKO 1916000

SILKO 1916000

## Thermostatic gas valves

**3345027 THERMOSTATIC TAP SABAF**  
setting temperature 295°C  
fitting inlet M13x1 mm  
outlet pipe fitting  $\varnothing$  3/8" M  
thermocouple connection M8x1  
bulb  $\varnothing$  4x155 mm  
capillary length 850 mm  
D-shaped pin  $\varnothing$  6x4.6 mm



SILKO 1699400



Suitable for:


# SILKO



Suitable for:

## Thermostatic gas valves

**3345006 THERMOSTATIC TAP 24ST**  
 adjustment temperature 120-320°C  
 connections M20x1.5 mm  
 thermocouple connection M9x1  
 bulb  $\varnothing$  6x100 mm  
 capillary length 1200 mm  
 D-shaped pin  $\varnothing$  10x8 mm



SILKO 0100724

**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 for model PEL 22-24-25



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
 for model PEL 20-21-24-25



SILKO MA86720

SILKO 0100775

**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
 for model PEL 22-24-25



SILKO 86720

SILKO MA417810

SILKO 0100842

SILKO 417810

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
 for model PEL 21-22-24-25



SILKO MA673600

SILKO 0100778

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22-24-25



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
 thread M20x1.5 mm  
 for model PEL 22-24-25



**3348043 PIPE FITTING  $\varnothing$  10 mm**  
 thread M16x1.5 mm  
 for model PEL 20-21-24-25



SILKO 0100774

SILKO 1326500

**3348032 PIPE FITTING  $\varnothing$  12 mm**  
 thread M20x1.5 mm  
 for model PEL 22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
 thread M10x1 mm  
 for model PEL 21-22-24-25



SILKO



Suitable for:

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

# SILKO



Suitable for:

**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



**5075986** THERMOSTATIC TAP 25ST  
setting temperature 120-280°C  
with minimum screw  $\varnothing$  1.00 mm  
fittings M16x1.5 mm  
thermocouple connection M8x1  
bulb  $\varnothing$  6x85 mm  
capillary length 1250 mm  
D-shaped pin  $\varnothing$  8x6.5 mm



SILKO CR0933730

**3348038** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 22-24-25



**3348044** OLIVE FOR PIPE  $\varnothing$  10 mm  
for model PEL 20-21-24-25



SILKO MA86720

SILKO 0100775

SILKO 86720

**3020082** OLIVE FOR PIPE  $\varnothing$  12 mm  
for model PEL 22-24-25



SILKO MA417810

SILKO 0100842

SILKO 417810

**3348036** OLIVE FOR PIPE  $\varnothing$  4 mm  
for model PEL 21-22-24-25




SILKO MA673600

SILKO 0100778

**3348037** OLIVE FOR PIPE  $\varnothing$  6 mm  
for model PEL 21-22-24-25



**3348031** PIPE FITTING  $\varnothing$  10 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348043** PIPE FITTING  $\varnothing$  10 mm  
thread M16x1.5 mm  
for model PEL 20-21-24-25



SILKO 0100774

SILKO 1326500



Suitable for:

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



SILKO

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## SILKO

Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



SILKO 0100777

**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

## Thermostats

**3241870** BEZEL RING NUT  $\varnothing$  52 mm  
chrome plated metal Bezel  
for EGO thermostate knob



SILKO 0101211

**5009027** BULB HOLDING CLIP  
for heating element thermostat  
for bulb  $\varnothing$  4 mm



SILKO MA1033515800

SILKO 0105032

SILKO 1033515800

**7101561** SINGLE-PHASE THERMOSTAT 100-185°C  
complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 700 mm  
bulb  $\varnothing$  4x235 mm



SILKO CR0589660

SILKO SIR0109170

SILKO 0109170

**5038072** SINGLE-PHASE THERMOSTAT 100-350°C  
complete with auxiliary switch  
D-Shaft 6x4.6 mm  
covered capillary length 870 mm - 16A 400V  
bulb  $\varnothing$  3x144 mm  
for Bratt pan (SILKO) ESG94CRM



SILKO CR0581280




Suitable for:

Suitable for:

**3444772 SINGLE-PHASE THERMOSTAT 140°C**  
with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x130 mm

**3444138 SINGLE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 850 mm - 16A 250V  
button bulb  $\varnothing$  14x10 mm




SILKO 0101394

SILKO 0101386

**3444497 SINGLE-PHASE THERMOSTAT 230°C**  
with automatic reset  
capillary 850 mm - 16A 250V  
bulb  $\varnothing$  6x78 mm - with adapter nipple bland M9x1

**3444372 SINGLE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  6x133 mm



SILKO MA1871100


SILKO 1871100

SILKO 0109056

SILKO 0109059

**3444489 SINGLE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x125 mm

**3444346 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1



SILKO 0101383



SILKO MA7800300

SILKO 0101403

SILKO 10140

**5015693 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M10x1

**3444120 SINGLE-PHASE THERMOSTAT 320°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm



SILKO MA1037117700

SILKO 1037117700

SILKO 0101387

**3444312 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length covered 1500 mm - 16A 250V  
bulb  $\varnothing$  4x110 mm

**3444774 SINGLE-PHASE THERMOSTAT 45-295°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x95 mm



SILKO 0101372

SILKO 0101377




Suitable for:

# SILKO



**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm




SILKO 101389

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



SILKO 0101382

**3444467 SINGLE-PHASE THERMOSTAT 55-180°C**  
 complete with selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm



SILKO 0105028


**3444643 SINGLE-PHASE THERMOSTAT 60-150°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  3x219 mm



SILKO SIR0102492

SILKO 0102492


**5015518 SINGLE-PHASE THERMOSTAT 62-189°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 700 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm



SILKO CM097800

SILKO MACM097800

**3444376 SINGLE-PHASE THERMOSTAT 95-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1



SILKO 0108014


**5009025 STUFFING GLAND THERMOSTAT M10x1**  
 hole  $\varnothing$  4.5 mm



SILKO MACM012401

SILKO 0105033

**3744204 THERMOSTAT SINGLE PHASE 238°C**  
 with manual reset  
 covered capillary length 1780 mm - 16A 250V  
 bulb  $\varnothing$  6x134 mm - with stuffing gland fitting M9x1



SILKO 0109059






Suitable for:

Suitable for:

**3444387 THERMOSTAT SINGLE-PHASE 105-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary covered 3000 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1

**5059787 THERMOSTAT SINGLE-PHASE 230°C**  
 with manual reset  
 covered capillary length 730 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm




SILKO 1981900

SILKO SI0108038

SILKO 0108038

**3444239 THERMOSTAT SINGLE-PHASE 240°C**  
 with manual reset  
 covered capillary length 860 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm - with stuffing gland fitting M10x1  
 with M9x1 thermocouple interruption fitting

**3444000 THERMOSTAT SINGLE-PHASE 75-172°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 900 mm - 16A 250V  
 button bulb  $\varnothing$  14x10 mm  
 complete with nut and gasket



SILKO SI0108038

SILKO 0108038

SILKO 0101385

SILKO 0109054

SILKO 101385

**5058340 THERMOSTAT SINGLE-PHASE 85-470°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 length capillary covered 900 mm - 16A 250V  
 bulb  $\varnothing$  4x165 mm

**5050566 THERMOSTAT THREE-PHASE 100-350°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 length capillary 900 mm - 10A 400V  
 bulb  $\varnothing$  3x145 mm




SILKO CR0734520

SILKO CR0582770

**3444090 THERMOSTAT THREE-PHASE 230°C**  
 with manual reset  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x240 mm - with stuffing gland fitting M9x1

**3444364 THERMOSTAT THREE-PHASE 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple band M10x1




SILKO 00422

SILKO MA1037035015

SILKO 1037035015

**2101017 THERMOSTAT 3-PHASE 124°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x96 mm

**5004988 THERMOSTAT 3-PHASE 360°C**  
 with manual reset  
 covered capillary length 1500 mm  
 bulb  $\varnothing$  4x120 mm



SILKO CR0585120

SILKO SIR0101375

SILKO 0101375



Suitable for:

# SILKO



**5096669 THERMOSTAT 3-PHASE 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x219 mm



SILKO MA1309115

SILKO 1309115

Suitable for:

**3444198 THREE-PHASE THERMOSTAT 100-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2000 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm



SILKO SIR0109055


SILKO 0109055

**3444756 THREE-PHASE THERMOSTAT 100-650°C/100-680**  
 2 temperatures  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1200 mm - 16A 230V  
 bulb  $\varnothing$  3.1x230 mm




SILKO CR0688650

**3444769 THREE-PHASE THERMOSTAT 132°C**  
 with automatic reset  
 capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm - with adapter nipple band M10x1




**3444770 THREE-PHASE THERMOSTAT 157°C**  
 with manual reset  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  6x80 mm




SILKO 0108113

**3444775 THREE-PHASE THERMOSTAT 159°C**  
 with manual reset  
 capillary length 1100 mm - 16A 230V  
 bulb  $\varnothing$  3.1x185 mm



SILKO 0102493

**3444375 THREE-PHASE THERMOSTAT 225°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x90 mm - with adapter nipple band M10x1



SILKO 0108066


**3444307 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1



SILKO 0108065



**3444342** **THREE-PHASE THERMOSTAT 230°C**  
 with automatic reset  
 covered capillary length 1200 mm - 10A 400V  
 bulb  $\varnothing$  6x75 mm - with adapter nipple band M9x1




SILKO MA1878600

SILKO 1878600

Suitable for:

**3744113** **THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 600 mm - 10A 400V  
 bulb  $\varnothing$  4x122 mm




SILKO CM097701  
 SILKO 0105030

SILKO MACM097700


SILKO MACM097701

**5015412** **THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length covered 3000 mm - 20A 400V  
 bulb  $\varnothing$  6x90 mm



SILKO 1982000

**3444776** **THREE-PHASE THERMOSTAT 280°C**  
 with manual reset  
 covered capillary length 900 mm - 16A 230V  
 bulb  $\varnothing$  4x125 mm



SILKO 0101425

**3444190** **THREE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 3000 mm - 10A 400V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple band M9x1  
 with complete tank coupling M12x1




SILKO 108112

**3444067** **THREE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1000 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm



SILKO 0101406


**3444382** **THREE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm



SILKO MA1878500

SILKO 1878500

**3444620** **THREE-PHASE THERMOSTAT 45-120°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm - 16A 380V  
 bulb  $\varnothing$  6x140 mm



SILKO 0108112



Suitable for:

# SILKO



## 3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm




SILKO 0101384

SILKO 0105157

Suitable for:

## 3444778 THREE-PHASE THERMOSTAT 55-240°C


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x95 mm



SILKO SIR0101424

## 3444371 THREE-PHASE THERMOSTAT 70-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm




SILKO SIR0109055

SILKO 0109055

## 3444779 THREE-PHASE THERMOSTAT 75-295°C


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x92 mm



SILKO 0101373

## 3444570 THREE-PHASE THERMOSTAT 95-230°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1250 mm  
bulb  $\varnothing$  4x128 mm



SILKO CR0686120

## Tools

### 3394406 SCRAPER FRY TOP AND BRATT PAN

with 1 blade 102 mm



SILKO LB016-00

### 3394408 SCRAPER BLADE 102 mm - 10 PCS





## Transformers

### 5047956 TRANSFORMER 230V/24VDC 100VA

primary voltage 230V 50/60Hz  
secondary voltage 24VDC 100VA  
room temperature 0÷50°C  
screwed terminal block



SILKO CR0684780

## Wheels and accessories

### 5004919 HANDLE FOR HANDWHEEL ø 28x107 mm thread M6



SILKO SIR0100481

SILKO 0100481

### 7102729 HANDWHEEL ø 150 mm central hole ø 14 mm - with pin groove 24x6 mm complete with folding handle



SILKO LC336-00

SILKO SIRLC336-00

### 40C3800 HANDWHEEL ø 23x65 mm thread M6



SILKO SIR0100476

SILKO 0100476

### 5012756 SCREW NUT FOR BRATT PAN ø 40x40 mm



SILKO LC333-04

SILKO SILC333-04

### 5004961 SUPPORT FLANGE WITH BEARING UCF204 flange external dimensions 86x86 mm



SILKO SIR0100430

SILKO 0100430

### 5012754 TILTING SCREW total length 543 mm



SILKO SIR9203699

SILKO SI9203699

### 5012755 TILTING SCREW total length 350 mm



SILKO LC335-01

SILKO SILC335-01



Suitable for:

**5056124 TILTING SCREW  $\varnothing$  20 mm**  
overall length 363 mm




# SILKO



Suitable for:

**5004918 HANDWHEEL  $\varnothing$  200 mm**  
central hole  $\varnothing$  6 mm



SILKO SIR0100480

SILKO 0100480

**5004919 HANDLE FOR HANDWHEEL  $\varnothing$  28x107 mm**  
thread M6



SILKO SIR0100481

SILKO 0100481

**5067182 HANDWHEEL  $\varnothing$  200 mm**  
middle hole  $\varnothing$  20 mm - with groove 36x6 mm  
completo di maniglia pieghevole



SILKO SI9203665

SILKO 9203665

**5056122 EXTENSION FOR TILTING SCREW  $\varnothing$  20x543 mm**



**3522046 HANDWHEEL  $\varnothing$  28x110 mm**  
thread M6



SILKO 0100477

**5056123 SCREW NUT FOR BRATT PAN  $\varnothing$  40x40 mm**



**5012756 SCREW NUT FOR BRATT PAN  $\varnothing$  40x40 mm**



SILKO LC333-04

SILKO SILC333-04

**5012754 TILTING SCREW**  
total length 543 mm



SILKO SIR9203699

SILKO SI9203699

**5004961 SUPPORT FLANGE WITH BEARING UCF204**  
flange external dimensions 86x86 mm



SILKO SIR0100430

SILKO 0100430

**5012755 TILTING SCREW**  
total length 350 mm



SILKO LC335-01

SILKO SILC335-01



Suitable for:

**5056124 TILTING SCREW  $\varnothing$  20 mm**  
overall length 363 mm



# SILKO



Suitable for:

**40C3800 HANDWHEEL  $\varnothing$  23x65 mm**  
thread M6



SILKO SIR0100476

SILKO 0100476

**3522046 HANDWHEEL  $\varnothing$  28x110 mm**  
thread M6



SILKO 0100477

**5012756 SCREW NUT FOR BRATT PAN  $\varnothing$  40x40 mm**



SILKO LC333-04

SILKO SILC333-04

SILKO SIRLC333-04


**5004961 SUPPORT FLANGE WITH BEARING UCF204**  
flange external dimensions 86x86 mm



SILKO SIR0100430

SILKO 0100430

**5046755 SUPPORT FOR BRATT PAN LIFTING**



SILKO CM184900

**5012754 TILTING SCREW**  
total length 543 mm



SILKO SIR9203699

SILKO SI9203699

SILKO 9203699

**5012755 TILTING SCREW**  
total length 350 mm



SILKO LC335-01

SILKO SILC335-01

SILKO SIRLC335-01



Suitable for:


**SILKO**



Suitable for:

## Wire pan supports

**3354001 REDUCER FOR MOKA POT 265x265 mm**  
in stainless steel



SILKO 0101080



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)