



## Spare parts for the professional sector: Cooking equipment



Suitable for:

# SIRMAN



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:


# SIRMAN



Suitable for:

## Bearings

**9063012 BEARING 6004 DDU NSK**  
external  $\varnothing$  42mm - internal  $\varnothing$  20mm - thickness 12mm



SIRMAN IV73060042RS


SIRMAN LF1110701

SIRMAN 19320235

**D063031 BEARING 6004-2RS SKF**  
 $\varnothing$  extern 42 mm -  $\varnothing$  intern 20 mm - thickness 12 mm  
single box packaging



**9063007 BEARING 6005 DDU NSK**  
external  $\varnothing$  47mm - internal  $\varnothing$  25mm - thickness 12mm  
for OEM KNEADER F201/1-VE201/2  
for FIMAR KNEADER IM25-IM38  
for FIMAR PLANETARY IP10-IP20  
for SIRMAN BONE BAND SAW S03100



SIRMAN LF1110801

**3063017 BEARING 6203 DDU NSK**  
external  $\varnothing$  40mm - internal  $\varnothing$  17mm - thickness 12mm



SIRMAN LF1150002

SIRMAN LF1150003

SIRMAN 19320203


**1063906 BEARING 6203 ZZ NSK**  
external  $\varnothing$  40mm - internal  $\varnothing$  17mm - thickness 12mm



SIRMAN MF0113


SIRMAN 19320204

**D063052 BEARING 6204-2RS SKF**  
single box packaging



SIRMAN 19320266

**9063003 BEARING 6303 DDU NSK**  
external  $\varnothing$  47mm - internal  $\varnothing$  17mm - thickness 14mm



SIRMAN IV7300600



**Circlips**

**5015337 SEEGER RING E-20**  
of stainless steel for springs C60  
ø internal 18.5 mm - thickness 1.2 mm  
UNI 7435 - DIN 471



SIRMAN IV77SE20

**Electrical cables**

**3050010 POWER SUPPLY CABLE 16A 250V 2000 m m**  
with SCHUKO plug and wheel grip



SIRMAN 19410502

**3050004 SNAP-IN PLUG 10A 250V**  
mounting hole 27x19 mm - distance between holes 32



**5071667 UPPER CABLES KIT 660 mm**  
the kit includes 2 cables:  
1 brown cable ø 2 mm - 660 mm  
1 earth cable ø 2 mm - 660 mm



SIRMAN IGS481U

**5069753 UPPER CABLES KIT 660 mm**  
the kit includes 14 cables



SIRMAN IGS113013

SIRMAN IGS480

**5071668 UPPER CABLES KIT 660 mm**  
the kit includes 3 cables:  
2 brown cables ø 2 mm - 660 mm  
1 earth cable ø 3 mm - 660 mm



SIRMAN IGS481



Suitable for:

# SIRMAN



Suitable for:

## Electrical capacitors

**3068016 CAPACITOR DUCATI ENERGIA 10µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connector 6.35x0.8 mm  
ø 36xh58 mm



SIRMAN 19410307

**3068027 CAPACITOR DUCATI ENERGIA 20µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connector 6.35x0.8 mm  
ø 40xh70 mm



SIRMAN IV5820020

**3068014 CAPACITOR DUCATI ENERGIA 8µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connection 6.35x0.8 mm  
ø 32xh55 mm




SIRMAN 19410301

**3068080 CAPACITOR ELECTRICAL 10µF**  
450V 50/60Hz - ø 30xh71 mm



SIRMAN 19410307

**3068084 CAPACITOR ELECTRICAL 20µF**  
450V 50/60Hz - ø 40xh71 mm



SIRMAN IV5820020

**3068079 CAPACITOR ELECTRICAL 8µF**  
450V 50/60Hz - ø 30xh71 mm



SIRMAN 19410301


**3068112 CAPACITOR WITH CABLE 25µF**  
450V 50/60Hz - ø 45xh71 mm - cables L=200 mm



SIRMAN RG08290

## Electronic boards

**5035540 BOARD FOR SPEED VARIATOR 85x70 mm**  
for Toaster (SIRMAN) ROLLER BREAKFAST CE  
ROLLER LONG CE



SIRMAN IB5946810


**5053363 CONTROL ELECTRONIC BOARD 236x55 mm**  
complete with cable - D-shaped pin ø 6x4.6 mm



SIRMAN GM5646220

Suitable for:


**5057081 CONTROL ELECTRONIC BOARD 236x55 mm**  
complete with cable - D-shaped pin  $\varnothing$  6x4.6 mm



SIRMAN GM56462201


Suitable for:

**5052002 ELECTRONIC BOARD 100x80 mm**




SIRMAN GM5946300

**5081603 MOTHERBOARD 223x125 mm**



SIRMAN CN-IH27008


**5083649 MOTHERBOARD 252x148 mm**



SIRMAN CN-IH35009

## Energy regulators

**3350026 ENERGY REGULATOR**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



SIRMAN ATHD073010

SIRMAN IB5256500

SIRMAN IGS445SF

SIRMAN RCSG230

## Fans for motors

**5053570 IMPELLER UPPER FOR MOTOR  $\varnothing$  55 mm**  
thickness 11 mm  
blades 6 - hole  $\varnothing$  3 mm



SIRMAN GM5036870

**5093849 IMPELLER UPPER FOR MOTOR  $\varnothing$  57 mm**  
thickness 7 mm  
blades no. 6 - hole  $\varnothing$  6 mm



SIRMAN GM5036875

## Fuses

**3049017 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 2.5A



SIRMAN PA65953700BP



Suitable for:

# SIRMAN



Suitable for:

## Gaskets and seals

3186010 ASBESTOS FREE FLAT GASKET  $\varnothing$  54x42x2 mm



SIRMAN IGS614513


5037091 PTFE GASKET  $\varnothing$  34/30x4.5 mm



SIRMAN ATGW05011025

## Gearmotors


5060501 GEAR MOTOR AUTOM ASR20V 230V 50Hz  
D-shaped pin 8x7 mm



SIRMAN GM5036890

SIRMAN IB5036800

3240340 GEAR MOTOR CROUZET 24V 3000RPM  
D-shaped pin 7x8 mm - pin height 26 mm



SIRMAN GM5036810

SIRMAN IB5036810

## Glasses

5092906 CUVETTE GLASS  $\varnothing$  280 mm  
for INDUCTION TOP WOK 1 FLAME



SIRMAN CN-IH35W01

## Grids - Shelves variuos

5076137 CHROMED LOWER GRID 350x235x15 mm



SIRMAN IGS410173

5039830 GRID OF ST. STEEL 333x205x65 mm



SIRMAN IB3086810

## Handles

5015926 LIFTING HANDLE  $\varnothing$  23x235 mm



SIRMAN IGS300P

5035623 PLASTIC HANDLE 162 mm BLACK  
distance between the holes 135 mm  
for Salamander electric (SIRMAN)  
SALAMANDRA PRO 1/1G CE  
SALAMANDRA PRO 1/2G CE



SIRMAN IB4200910



## Heating elements

**5046874 HEATING ELEMENT 1000W 240V**  
 UPPER  
 length 320 mm - width 220 mm  
 fittings M12x1.5 mm  
 for Display cabinet warm (SIRMAN)  
 VETRINETTA D.38 CE - VETRINETTA D.42 CE



SIRMAN IB5256400

**3755022 HEATING ELEMENT 1150W 240V BOTTOM**  
 length 190 mm - width 310 mm  
 for Panini grill (SIRMAN) CORT - ELIO




SIRMAN IGS103033

SIRMAN IGS402C

SIRMAN IGS407C

**5064034 HEATING ELEMENT 1250W 230V LOWER**  
 length 180 mm - width 175 mm  
 for Panini grill (SIRMAN) PD POWER



SIRMAN IGS103123

**5035207 HEATING ELEMENT 1450W 230V**  
 length 345 mm - width 150 mm  
 fittings M10x1 mm  
 for Toaster electric (SIRMAN) 12C - 6C



SIRMAN IGS403503

**5027285 HEATING ELEMENT 1700W 230V**  
 length 235 mm - width 210 mm  
 fittings M12x1 mm  
 for Salamander (SIRMAN) PRO 1/1 G CE  
 PRO 1/2 G CE



SIRMAN IB5256200


SIRMAN IB52565010

**5029043 HEATING ELEMENT 1700W 230V**  
 length 228 mm - width 215 mm  
 fittings M10x1 mm  
 for Salamander electric (SIRMAN) SALAMANDRA PRO



SIRMAN RCSG200

**5024676 HEATING ELEMENT 2000W 230V**  
 length 270 mm - width 235 mm  
 height 45 mm  
 for Crêpe pan electric (SIRMAN) CREPIERA TONDA



SIRMAN IGS703103

**5087499 HEATING ELEMENT 2000W 230V**  
 external  $\varnothing$  76 mm - overall height 190 mm  
 flange 40x20 mm



SIRMAN GM5256600



# SIRMAN



Suitable for:

**5061739 HEATING ELEMENT 2700W 230V**  
length 260 mm - width 120 mm  
height 165 mm - fittings M12x1 mm  
for Fryer electric (SIRMAN) ELDORADO 5  
ELDORADO 5+8 - ELDORADO 5X2



SIRMAN FG956

Suitable for:

**5091422 HEATING ELEMENT 500W 230V**  
length 205 mm - width 90 mm  
height 50 mm - 2 flanges 27x15 mm



SIRMAN GM5254550

**5054186 HEATING ELEMENT 600W 230V UPPER**  
length 210 mm - width 95 mm  
height 50 mm - 2 flange 27x15 mm  
for Toaster (SIRMAN) ROLLER TOSTI 18VV CE



SIRMAN GM5254500

**3355308 HEATING ELEMENT 700W 230V TOP**  
length 185 mm - width 180 mm  
complete with cables  
for Panini grill (SIRMAN) CORT - ELIO



SIRMAN IGS402P

**5064033 HEATING ELEMENT 850W 230V UPPER**  
length 180 mm - width 170 mm  
complete with cables  
for Panini grill (SIRMAN) PD POWER



SIRMAN IGS103013

**3755024 HEATING ELEMENT 850W 240V BOTTOM**  
length 180 mm - width 175 mm  
with cables  
for Panini grill (SIRMAN) CORT - ELIO



SIRMAN IGS407P

**5088437 QUARTZ HEATING ELEMENT 300W 115V**  
length 440 mm - ø 12 mm



SIRMAN IGS503143

SIRMAN IGS503153

**5089590 QUARTZ HEATING ELEMENT 600W 115V**  
length 390 mm - ø 12 mm



SIRMAN IGS403203

**5036280 QUARTZ HEATING ELEMENT 700W 115V**  
length 535 mm - ø 10 mm  
for Toaster (SIRMAN) BASIC - FISSA



SIRMAN IGS402SF  
SIRMAN IGS660SF

SIRMAN IGS503303

SIRMAN IGS503313

**3755325 QUARTZ PIPE ø 12x255 mm**



SIRMAN GM3506900

SIRMAN IB3506900





Suitable for:

**3755327 QUARTZ PIPE  $\varnothing$  12x270 mm**



SIRMAN IGS660T04

Suitable for:

**3355299 QUARTZ TUBE  $\varnothing$  10x390 mm**



SIRMAN IGS660T06

**3455376 STRIKE FOR HEATING ELEMENT**  
 $\varnothing$  external 12.5 mm - for screw  $\varnothing$  4 mm  
total length 28 mm



SIRMAN IB5906800

SIRMAN IGS412203

SIRMAN IGS630

**3755500 WIRE HEATING ELEMENT 370W 110V**  
length 210 mm



SIRMAN IB5206800

SIRMAN IB5206900

**3755325 QUARTZ PIPE  $\varnothing$  12x255 mm**



SIRMAN GM3506900

SIRMAN IB3506900

**3755328 WIRE HEATING ELEMENT 380W 230V**  
length 180 mm



SIRMAN GM5206910

SIRMAN IB5206810

SIRMAN IB5206910

**3755325 QUARTZ PIPE  $\varnothing$  12x255 mm**



SIRMAN GM3506900

SIRMAN IB3506900

**3755326 WIRE HEATING ELEMENT 400W 115V**  
length 280 mm



SIRMAN IGS402T04

**3755327 QUARTZ PIPE  $\varnothing$  12x270 mm**



SIRMAN IGS660T04



Suitable for:

Suitable for:

**3355343 WIRE HEATING ELEMENT 500W 110V**  
length 390 mm  
for Toaster electric (SIRMAN) 12Q CE - 6C CE  
6Q CE

**3355299 QUARTZ TUBE ø 10x390 mm**



SIRMAN IGS402T06

SIRMAN IGS660T06

**3755106 STEATITE INSULATOR FOR HEATING ELEMENT**  
composed of 1 male piece and 1 female piece



**3755324 WIRE HEATING ELEMENT 600W 115V**  
length 260 mm

**3355299 QUARTZ TUBE ø 10x390 mm**



SIRMAN IGS402T06/02

SIRMAN IGS660T06

## Hinges, catches and accessories

**5029716 BRASS BRAKE HINGE PLATE**  
external dimensions 40x30x20 mm  
for Panini grill electric (SIRMAN)

**40SI003 LIFTING PIN ø 12x243 mm**



SIRMAN IGS118203

SIRMAN IGS280

SIRMAN IGS108203

SIRMAN IGS140P

## Hot plates

**5091511 PLATE SMOOTH-GROOVED**



SIRMAN IGS101023



## Incandescent lamps and neon lamps

**3221061 LAMP E14 25W 230V**  
max temperature 300°C - ø 26x57 mm



SIRMAN PANE6030Q50GN

## Indicator lights

**5069482 INDICATOR LIGHT GREEN 250V**  
head ø 10 mm - hole ø 9 mm  
wire connection length 250 mm



SIRMAN FG9077

**3221276 INDICATOR LIGHT ORANGE 250V**  
ø head 12 mm - ø hole 10 mm - 120°C



SIRMAN IB5846400

**5069481 INDICATOR LIGHT ORANGE 250V**  
head ø 10 mm - hole ø 9 mm  
wire connection length 250 mm



SIRMAN FG9076

**3221960 INDICATOR LIGHT WHITE 230V**  
mounting hole 22x30 mm - 125°C



SIRMAN IGS116013C

SIRMAN IGS422

**3221275 INDICATOR LIGHT WHITE 250V**  
ø head 13 mm - ø hole 10 mm - 120°C



SIRMAN IGS422T12

SIRMAN IGS716023



Suitable for:

# SIRMAN



Suitable for:


## Insulators

**5053830 ISOLATING PANEL 198x185 mm**  
 for Display cabinet warm (SIRMAN)  
 VISTA P1 BRIOCHES - VISTA P2 BRIOCHES  
 for Panini grill electric (SIRMAN) ELIO L/R ECO  
 ELIO L/R/X - PD R/L/M ECO - PD R/L/M/X  
 TOP L/R/M/X



SIRMAN IGS119043

**5053831 PUSH-BUTTON PANEL 185x175 mm**  
 for Display cabinet electric (SIRMAN)  
 VISTA P1 BRIOCHES  
 for Display cabinet warm (SIRMAN)  
 VISTA P2 BRIOCHES  
 for Hot plate electric (SIRMAN) PD R/L/M ECO  
 for Panini grill electric (SIRMAN) PD R/L/M/X  
 TOP L/R/M/X



SIRMAN IGS118103

SIRMAN IGS120P

## Ironmongery (screws,nuts,washers)

**1528013 BLIND HEXAGONAL NUT M6**  
 stainl. steel -height 16 mm -UNI 5721 - DIN 1587



SIRMAN 19362008

**1241513 BLIND HEXAGONAL NUT M8 UNI 5721**  
 stainless steel - height 16 mm UNI 5721 - DIN 1587



SIRMAN 19362010

**9528022 CYLINDER HEAD SCREW M6x12**  
 stainless steel - with hexagon socket  
 UNI 5931 - DIN 912 - ISO 4762  
 ø head 10 mm - overall length 18 mm



SIRMAN IV77VEI06X12

SIRMAN 40000000-POS.36-2

**9742006 FEATHER KEY ST. STEEL C40 6x6x25 mm**  
 UNI 6604/A - DIN 6685/A



SIRMAN 40000000-POS.22-2

**1186192 FLAT WASHER M5**  
 internal/external ø 5.3/10 mm - thickness 1 mm  
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



SIRMAN IB77R05

**3528028 HEXAGON HEAD SCREW M10x20**  
 stainless steel - UNI 5739 - DIN 933 - ISO 4017



SIRMAN 40000000-POS.27-2

Suitable for:

**3528088 HEXAGON HEAD SCREW M8x20**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



SIRMAN 1X2933008020

SIRMAN 40000000-POS.23-2

Suitable for:

**3528143 HEXAGON NUT M5 BLIND**  
stainless steel - altezza 11 mm - UNI 5721 - DIN 1



SIRMAN

**1348813 HEXAGONAL NUT M4 MEDIUM**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



SIRMAN 19360113

**1528041 LARGE PAN HEAD SCREW M4x8 POLISHED**  
stainless steel - slotted



SIRMAN 40000000-POS.35-2

**1528056 S/STEEL SCREW T.C.E.I. M10x20**  
stainless steel - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762



SIRMAN RG04022

**5037451 SCREW WITH CYLINDER HEAD M6x18**  
stainless steel - with hexagon socket  
UNI 5931 - DIN 912 - ISO 4762



SIRMAN IV77VEI06X18

**5043101 SCREWS NO HEAD WITH HEXAGON SOCKET M4x5**  
stainless steel - flat edge  
UNI 5923 - DIN 913 - ISO 4026



SIRMAN IV77G04X05

**5100979 SHAFT KEY STAINLESS STEEL 3x3x15 mm**  
UNI 6604/A - DIN 6685/A




SIRMAN MF2105

SIRMAN MF2606

SIRMAN MF2811


## Knobs

**3241174 BLACK KNOB  $\varnothing$  44 mm**  
D-shaped hole 6x4.6 mm



SIRMAN RG04352

**3241380 BLACK KNOB  $\varnothing$  44 mm**  
squared hole 3.5x3.5 mm



SIRMAN IV5966011



Suitable for:

# SIRMAN




**3444129 BLACK KNOB  $\varnothing$  50 mm**  
D-shaped hole 6x4.6 mm  
with symbol  
for thermostats and timers



SIRMAN IB4206412

Suitable for:

**5031257 BLACK KNOB COMMUTER KIT 0-1-2-3-4**  
this kit includes:  
1 black knob square hole 5x5 mm  
1 black plate 52x52 mm  
for Toaster electric (SIRMAN) ROLLER LONG CE



SIRMAN GM4206430

SIRMAN IB5806800M

**5073189 HANDLE BLACK  $\varnothing$  25x16 mm**  
thread M5



SIRMAN IGS114033N

SIRMAN IGS333


**5032392 KNOB BLACK  $\varnothing$  20x50 mm**  
thread M6x13 mm  
for Panini grill (SIRMAN) CORT L/R ECO  
CORT L/R/X - ELIO L/R ECO - ELIO L/R/X  
PD POWER - PD R/L/M ECO - PD R/L/M/X - PD V  
PD VC



SIRMAN IGS114043N

SIRMAN IGS330

**3241331 KNOB BLACK  $\varnothing$  45 mm**  
D-shaped hole 6x4.6 mm



SIRMAN IGS114023N

SIRMAN IGS336

**5026055 KNOB SELECTOR SWITCH KIT BLACK 0-1-2-3**  
this kit includes:  
1 black knob square hole 5x5 mm  
1 black plate 52x52 mm  
for Toaster electric (SIRMAN) ROLLER BREAKFAST CE



SIRMAN GM4206450

SIRMAN IB4206450

**5028984 KNOB SILVER  $\varnothing$  56 mm SILK-SCREEN PRINTED**  
D-shaped hole 6x4.6 mm  
for INDUCTION PLATE



SIRMAN GM4206600



## Labels for control panels

5072040 ADHESIVE CONTROL PLATE 270x58 mm

5072041 ADHESIVE CONTROL PLATE 270x58 mm




SIRMAN GM8156500

SIRMAN GM8156510

5080074 ADHESIVE CONTROL PLATE 430x70 mm  
for Panini grill electric (SIRMAN) PD R/L/M/X  
TOP L/R/M/X

5054209 ADHESIVE SILK-SCREEN PR. PLATE 80x70 mm



SIRMAN IGSPDTP

SIRMAN IGS121253

5064202 ADHESIVE SILK-SCREEN PR. PLATE 98x87mm



SIRMAN IGS727SF

## Lamp receptacles and spare parts

5062755 IND.LIGHT RECEPTACLE W/LAMP G9 25W 230V  
lamp glass  $\varnothing$  42 mm  
mounting hole  $\varnothing$  38 mm  
mounting hole  $\varnothing$  38 mm

3221233 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  42 mm  
thread  $\varnothing$  33 mm - overall height 26 mm



SIRMAN FC99004002HAL

SIRMAN FC99004016

5049560 NEUTRAL HALOGEN LAMP OSRAM G9 20W 240V  
max. temperature 250°C





Suitable for:

# SIRMAN

Suitable for:



## Microswitches, mechanical

### 3240407 MICROSWITCH KIT 16A 250V

2 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheel - lever 27 mm with wheel




SIRMAN MSC04N262

### 3240568 MICROSWITCH CROUZET EF83161.3

1NO+NC 16A 250V  
complete with roll lever 28 mm



### 3240123 MICROSWITCH ROLD VRSRB1DA1 16A 250V



SIRMAN IB5820800

### 5070166 MICROSWITCH ROLD VRSR01AA1 16(4)A 250V fissaggio pin M10x0.75 for Fryer electric (SIRMAN) ELDORADO 10R ELDORADO 5 - ELDORADO 5+8 - ELDORADO 5X2 ELDORADO 8 - ELDORADO 8X2 - PASTI 10 - PASTI 8



SIRMAN FG02146

### 3240410 MICROSWITCH 16(4)A 250V



SIRMAN MSC04N276

### 3240203 BUSHING DOOR MICROSWITCH external $\varnothing$ 10x15 mm



### 3240236 LIMIT SWITCH CONTROL



### 3240234 LIMIT SWITCH PIN



### 3240233 MICROSWITCH FITTING M16x1.5 mm



### 3250071 MICROSWITCH SPRING $\varnothing$ 13x25 mm







**O-Ring and ORM gaskets**

**1186414 O-RING 0119 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  15.08 mm



SIRMAN LF1261001

**1786159 O-RING 02062 RED SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  15.60 mm



SIRMAN IB4104004

**5060454 O-RING 02137 SILICONE**  
ring thickness 1.78 mm - internal  $\varnothing$  34.65 mm



SIRMAN IB4104006

**3186601 O-RING 04200 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  50.39 mm




SIRMAN IB4104040

**1186748 O-RING 04300 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  75.80 mm



SIRMAN IV7200600

**5032360 O-RING 081175 NBR**  
ring thickness 7.00 mm - internal  $\varnothing$  297.80 mm




SIRMAN LF1211401

**5024838 O-RING 08725 EPDM  $\varnothing$  196x180x7 mm**  
ring thickness 7.00 mm - internal  $\varnothing$  183.52 mm



SIRMAN LF1211002

**5026360 O-RING 08950 EPDM**  
ring thickness 7.00 mm - internal  $\varnothing$  204.67 mm



SIRMAN LF1211301

**5029810 O-RING 08950 RED SILICONE**  
ring thickness 7.00 mm - internal  $\varnothing$  204.67 mm



SIRMAN LF1211302



Suitable for:

**SIRMAN**



Suitable for:

## Pliers for sandwiches and toasts

**3317051 GRILL PLIER**  
length 100 mm  
height 180 mm



SIRMAN

## Potentiometers

**5031256 POTENTIOMETER COMPLETE WITH CABLE**  
with cable length 240 mm  
pin  $\varnothing$  6x36 mm  
for Toaster electric (SIRMAN) ROLLER BREAKFAST CE  
ROLLER LONG CE



SIRMAN GM5946815

SIRMAN IB5946815

## Probes


**3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range  $-30+80^{\circ}\text{C}$   
bulb  $\varnothing$  6x40 mm



SIRMAN AF74700999

## Radiant heating elements

**5070419 RADIANT HEATING ELEMENT 750W 230V UPPER**  
length 265 mm - width 237 mm  
height 30 mm - faston electrical connections  
for Panini grill electric (SIRMAN) PD V



SIRMAN IGS303323



## Refractory tiles

5075319 GLASS-CERAMIC PLATE 290x260 mm



SIRMAN IGS301163


5054208 GLASS-CERAMIC PLATE 570x290 mm



SIRMAN IGS301153

## Selector switches

3057139 **SELECTOR SWITCH 0-2 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




SIRMAN FP611100001

3057158 **SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 600V - max 60/75°C  
 square shaft 5x5 mm



SIRMAN IB5806820

5031257 **BLACK KNOB COMMUTER KIT 0-1-2-3-4**  
 this kit includes:  
 1 black knob square hole 5x5 mm  
 1 black plate 52x52 mm  
 for Toaster electric (SIRMAN) ROLLER LONG CE



SIRMAN GM4206430

SIRMAN IB5806800M

5026055 **KNOB SELECTOR SWITCH KIT BLACK 0-1-2-3**  
 this kit includes:  
 1 black knob square hole 5x5 mm  
 1 black plate 52x52 mm  
 for Toaster electric (SIRMAN) ROLLER BREAKFAST CE



SIRMAN GM4206450

SIRMAN IB4206450



Suitable for:

# SIRMAN



**5026056 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 60/75°C  
 square pin 5x5 mm  
 for Toaster electric (SIRMAN)  
 ROLLER BREAKFAST CE FINO AL 2004/03



SIRMAN IB5806815

Suitable for:


**5026055 KNOB SELECTOR SWITCH KIT BLACK 0-1-2-3**  
 this kit includes:  
 1 black knob square hole 5x5 mm  
 1 black plate 52x52 mm  
 for Toaster electric (SIRMAN) ROLLER BREAKFAST CE



SIRMAN GM4206450

SIRMAN IB4206450

**5054618 SELECTOR SWITCH 4 POSITIONS**  
 contact capacity 16A 250V  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 for Toaster electric (SIRMAN) ROLLER TOAST 18VV CE



SIRMAN GM5806830

## Springs

**3250001 LEFTHAND SPRING  $\varnothing$  20x42 mm**  
 for ELECTRIC PLATE all models  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



SIRMAN IGS543

**5025679 SPRING LEFT  $\varnothing$  20x42 mm**  
 for Panini grill (SIRMAN) CORTV - PDV - PDVC  
 PDVCC



SIRMAN IGS309253

**5083006 SPRING LH  $\varnothing$  20x45 mm**



SIRMAN IGS540C

**5083007 SPRING LH  $\varnothing$  20x45 mm**



SIRMAN IGS543C

Suitable for:

**3250029 SPRING LH  $\phi$  22x40 mm**  
 for PLATE PS24-36-PD50  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99  
 for SIRMAN ELECTRIC PLATE PD ECO since 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99  
 for SIRMAN ELECTRIC PLATE PD POWER since 99



SIRMAN IGS109023

SIRMAN IGS543/99

Suitable for:

**5011822 SPRING LH  $\phi$  22x42 mm**  
 for SIRMAN ELECTRICAL PLATE CORT L/R/X since 1999  
 for SIRMAN ELECTRICAL PLATE CORT ECO since 1999



SIRMAN IGS109043

SIRMAN IGS543C/99

**3250028 SPRING RH  $\phi$  20x40 mm**  
 for PLATE PS24-36-PD50  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99  
 for SIRMAN ELECTRIC PLATE PD ECO since 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99  
 for SIRMAN ELECTRIC PLATE PD POWER since 99



SIRMAN IGS109013

SIRMAN IGS540/99

**3250002 SPRING RH  $\phi$  20x42 mm**  
 for ELECTRIC PLATE all models  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



SIRMAN IGS540

**5025676 SPRING RH  $\phi$  20x42 mm**  
 for Panini grill (SIRMAN) CORTV - PDV - PDVC  
 PDVCC



SIRMAN IGS309243

**5011821 SPRING RH  $\phi$  22x42 mm**  
 for SIRMAN ELECTRICAL PLATE CORT L/R/X since 1999  
 for SIRMAN ELECTRICAL PLATE CORT ECO since 1999



SIRMAN IGS109033

SIRMAN IGS540C/99

## Supports

**5093547 ROD FLAT CHROME PLATED 363x20x8 mm**



SIRMAN IGS108013

**5093985 ROD FLAT CHROME PLATED 430x20x5 mm**



SIRMAN IGS308463



Suitable for:

# SIRMAN



Suitable for:

## Terminal blocks

**5091190** **TERMINAL BLOCK 4-POLES FV173 40A 450V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



SIRMAN IGS112103


**3247037** **TERMINAL BLOCK 4-POLES FV173 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



SIRMAN IGS469

## Thermostats


**5065229** **THERMOSTAT SINGLE PHASE 185°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 450 mm - 23A 400V  
bulb  $\varnothing$  6x60 mm  
for Fryer electric (SIRMAN) ELDORADO 10R  
ELDORADO 5 - ELDORADO 5+8 - ELDORADO 5X2  
ELDORADO 8 - ELDORADO 8X2 - PASTI 10 - PASTI 8



SIRMAN FG92000

SIRMAN FG92000C

**5063191** **THERMOSTAT SINGLE PHASE 240°C**  
with manual reset  
covered capillary length 470 mm - 16A 250V  
bulb  $\varnothing$  6x55 mm  
for Fryer electric (SIRMAN) ELDORADO 5  
ELDORADO 5+8 - ELDORADO 5X2 - ELDORADO 8  
ELDORADO 8X2 - PASTI 10 - PASTI 8



SIRMAN FG92010


**5069257** **THERMOSTAT SINGLE-PHASE TR3 50-310°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 940 mm - 16A 400V  
bulb  $\varnothing$  3.55x195 mm  
for Crêpe pan electric (SIRMAN) CREPIERA TONDA



SIRMAN IGS104023

SIRMAN IGS704203

**3444514** **THERMOSTAT SINGLE-PHASE 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 15A 230V  
bulb  $\varnothing$  4x100 mm  
for Panini grill (SIRMAN) CORT L/R ECO  
CORT L/R/X - ELIO L/R ECO - ELIO L/R/X  
PD POWER - PD R/L/ M ECO - PD R/L/M/X  
TOP L/R/M/X



SIRMAN IGS104013

SIRMAN IGS460

**5052885** **THERMOSTAT SINGLE-PHASE 55-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 600 mm - 15A 250V  
bulb  $\varnothing$  4x128 mm  
for Panini grill (SIRMAN) PDTOP V - PDV



SIRMAN IGS304013

SIRMAN IGS304073



## Timers

**3446100 TIMER 15 MINUTES CD15**  
 manually set mechanical timer  
 manually set cycle 15 minutes  
 max temperature 125°C  
 D-shaped pin ø 6x4.6 mm  
 for Panini grill (SIRMAN) CORT-ELIO-PD-TOP



SIRMAN IGS450

**3241174 BLACK KNOB ø 44 mm**  
 D-shaped hole 6x4.6 mm



**3241173 BLACK KNOB ø 44 mm**  
 D-shaped hole 6x4.6 mm




SIRMAN RG04352

**3446137 TIMER 15 MINUTES M2**  
 mechanical movement with balance wheel  
 manually set mechanical timer  
 manually set cycle 15 minutes  
 bipolar with contact capacity 16(4)A 250V  
 max temperature 125°C  
 D-shaped pin ø 6x4.6 mm  
 for all models  
 for Toaster (SIRMAN)



SIRMAN IGS440


**3241173 BLACK KNOB ø 44 mm**  
 D-shaped hole 6x4.6 mm



**3241161 BLACK KNOB ø 40 mm**  
 D-shaped hole 6x4.6 mm



**3241174 BLACK KNOB ø 44 mm**  
 D-shaped hole 6x4.6 mm



SIRMAN RG04352

**3241377 KNOB BLACK ø 50 mm 3-6-9-12-15 MINUTES**  
 D-shaped hole 6x4.6 mm





Suitable for:

# SIRMAN



**5073235 TIMER 15 MINUTES M2**  
 mechanical movement with balance wheel  
 120 minutes manually set cycle  
 contact capacity 16(4)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 for Toaster electric (SIRMAN) TOSTONE



SIRMAN IGS406013

**3241173 BLACK KNOB  $\varnothing$  44 mm**  
 D-shaped hole 6x4.6 mm



Suitable for:

**3241161 BLACK KNOB  $\varnothing$  40 mm**  
 D-shaped hole 6x4.6 mm



**3241174 BLACK KNOB  $\varnothing$  44 mm**  
 D-shaped hole 6x4.6 mm



SIRMAN RG04352

**3446151 TIMER 5 MINUTES C20**  
 manually set mechanical timer  
 manually set cycle 5 minutes  
 2 poles with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



SIRMAN RG04342

**3241161 BLACK KNOB  $\varnothing$  40 mm**  
 D-shaped hole 6x4.6 mm



## Tools

**3394272 PLATES BRUSH 240 mm**



SIRMAN IGS126



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
**Legal address:**  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
**Business/Mailing address:**  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)