



Spare parts for the professional sector:
Cooking equipment



Suitable for:

TECNOINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

TECNOINOX



Suitable for:

Axial motor fans

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



3805037 CABLE FOR AXIAL MOTOR FAN
cable length 2000 mm



TECNOINOX RC01863000

Ball valves and accessories

3526693 WATER VALVE \varnothing 1"MF
ball valve
heavy series with PN 25 total passage
aluminium lever



TECNOINOX RC00579000

5005304 DRAIN TAP EXTENSION 73 mm



5030274 CROSS FITTING OF CAST IRON \varnothing 1" F



5005303 DRAIN TAP LEVER
length 140 mm



5003313 ELBOW FITTING OF CAST IRON \varnothing 1" F



5061849 ELBOW FITTING OF CAST IRON \varnothing 1" F



5023502 ELBOW FITTING OF CAST IRON 4 WAYS \varnothing 1" F



5033656 FITTING OF BRASS \varnothing 1" MF





Burners, flame spreaders and accessories

3025406 BURNER \varnothing 120 mm



TECNOINOX RC02186000

5090896 BURNER \varnothing 120 mm 8Kw
con sede per pilota e termocoppia



TECNOINOX RC02026000

3025364 BURNER BOWL \varnothing 78 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00377000

3025838 BURNER C \varnothing 73 mm 3Kw



TECNOINOX RC01148000

3025841 BURNER D \varnothing 104 mm 4.5Kw



TECNOINOX RC01147000


3025844 BURNER E \varnothing 128 mm 7.5Kw



TECNOINOX RC01146000


TECNOINOX RC01403000

3025399 BURNER R LOFRA NARDI
 \varnothing 94 mm, 1° serie




TECNOINOX

3025363 FLAME SPREADER \varnothing 120 mm
for Pot stove gas (TECNOINOX) PC35G - PC70G



TECNOINOX RC00375000

3025406 BURNER \varnothing 120 mm



TECNOINOX RC02186000



Suitable for:

3025364 BURNER BOWL ø 78 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00377000

3025362 FLAME SPREADER ASSY. ø 120 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G




TECNOINOX RC00374000

3025575 FLAME SPREADER ø 120 mm



TECNOINOX RC01832000

5092129 FLAME SPREADER ø 120 mm 8Kw



TECNOINOX RC01672000

3025889 VENTURI FOR BURNER ø 120 mm 8Kw



TECNOINOX RC02060000

TECNOINOX




Suitable for:

3025575 FLAME SPREADER ø 120 mm



TECNOINOX RC01832000


5090896 BURNER ø 120 mm 8Kw
con sede per pilota e termocoppia



TECNOINOX RC02026000


Suitable for:

3025361 FLAME SPREADER \varnothing 90 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G




TECNOINOX RC00373000

3025399 BURNER R LOFRA NARDI
 \varnothing 94 mm, 1° serie



TECNOINOX

3025360 VENTURI ASSY. \varnothing 90 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00372000

3025574 FLAME SPREADER \varnothing 90 mm




TECNOINOX

3025837 FLAME SPREADER "C" \varnothing 73 mm 3Kw



TECNOINOX RC01151000

3025865 VENTURI BURNER C \varnothing 73 mm 3Kw



TECNOINOX 01138+01141

Suitable for:

3025364 BURNER BOWL \varnothing 78 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00377000

3025574 FLAME SPREADER \varnothing 90 mm



TECNOINOX

3025838 BURNER C \varnothing 73 mm 3Kw



TECNOINOX RC01148000

3025839 VENTURI FOR FLAME SPREADER 73 mm 3Kw






TECNOINOX



Suitable for:

3025840 FLAME SPREADER "D" ø 104 mm 4,5Kw



TECNOINOX RC01150000

3025841 BURNER D ø 104 mm 4.5Kw



TECNOINOX RC01147000

3025856 VENTURI BURNER D ø 104 mm 4.5Kw



TECNOINOX 01139+01142

3025868 FLAME SPREADER "E-TC2" ø 128 mm 7,5Kw



TECNOINOX RC01149000

TECNOINOX RC01404000

3025869 BURNER E-TC2 ø 128 mm 7.5Kw



3025872 VENTURI FOR BURNER "E-TC2"



Suitable for:

3025867 BURNER "D-TC" ø 104 mm 4,5Kw



3025861 ELBOW FOR BURNER D



3025842 VENTURI FOR FLAME SPREADER 104 mm 4.5Kw




3025844 BURNER E ø 128 mm 7.5Kw



TECNOINOX RC01146000

TECNOINOX RC01403000

3025859 VENTURI BURNER E ø 128 mm 7.5Kw



TECNOINOX 01137+01143



Suitable for:

3025362 FLAME SPREADER ASSY. ϕ 120 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00374000


Suitable for:

3025360 VENTURI ASSY. ϕ 90 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G




TECNOINOX RC00372000

3025865 VENTURI BURNER C ϕ 73 mm 3Kw




TECNOINOX 01138+01141

3025856 VENTURI BURNER D ϕ 104 mm 4.5Kw



TECNOINOX 01139+01142

3025859 VENTURI BURNER E ϕ 128 mm 7.5Kw



TECNOINOX 01137+01143

3025889 VENTURI FOR BURNER ϕ 120 mm 8Kw



TECNOINOX RC02060000

Cables for piezo igniters

3001016 IGNITION LEAD 1000 mm
with faston ϕ 2.4 mm for ignition
with faston ϕ 4 mm for electrode



TECNOINOX RCK6050610

5038133 IGNITION LEAD 1600 mm
with faston 2.8x0.8 mm for ignition
with faston 2.8x0.8 mm for plug



TECNOINOX RC00867000

3001028 IGNITION LEAD 500 mm
with faston ϕ 2.4 mm for ignition
with faston ϕ 4 mm for sparking plug



TECNOINOX RCK6050051

3001018 IGNITION LEAD 600 mm
with faston ϕ 2.4 mm for ignition
with faston ϕ 4 mm for electrode



TECNOINOX RC00123000



Suitable for:

TECNOINOX



Suitable for:

Contactors

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



TECNOINOX RC40100023

3446516 AUXILIARY CONTACT AEG HS7K01
 10A
 1 normally closed contact



3454032 AUXILIARY CONTACT AEG HS7K10
 1 NO contact



3446555 CONTACTOR LOVATO BF0910A
 coil 9A 400V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



TECNOINOX RC00485000

3446227 AUXILIARY CONTACT LOVATO G218
 10A
 1 contact NO
 1 contact NC




3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



TECNOINOX RCK6046038

TECNOINOX RC00006208

3446227 AUXILIARY CONTACT LOVATO G218
 10A
 1 contact NO
 1 contact NC



3446591 CONTACTOR LOVATO BF3800A230
 coil 38A 230V 50Hz 18.5Kw
 3 normally open contacts




TECNOINOX RCK6046041

3446227 AUXILIARY CONTACT LOVATO G218
 10A
 1 contact NO
 1 contact NC




Cooking baskets and accessories

5013449 FALSE BOTTOM 480x280x57 mm
of stainless steel



TECNOINOX RCK2003634

5087079 FALSO FONDO 300x270x40 mm
in acciaio INOX



TECNOINOX RC00575000

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



TECNOINOX RCK2001110

3055213 PASTA COOKER BASKET LH 165x145x230 mm
made of stainless steel



TECNOINOX RCK2003047

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



TECNOINOX RCK2001110

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055204 PASTA COOKER BASKET RH 165x145x230 mm
made of stainless steel



TECNOINOX RCK2003045

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



TECNOINOX RCK2001110

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1





TECNOINOX



Suitable for:

3055337 PASTA COOKER BASKET 140x140x205 mm LEFT
made of STAINLESS STEEL




TECNOINOX RC01294000

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



Suitable for:

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



TECNOINOX RCK2001110

3055338 PASTA COOKER BASKET 140x140x205 mm RIGHT
made of STAINLESS STEEL



TECNOINOX RC01293000

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



TECNOINOX RCK2001110

3055339 PASTA COOKER BASKET 145x290x205 mm
made of stainless steel



TECNOINOX RC01292000

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



TECNOINOX RCK2001110

Suitable for:

3055509 PASTA COOKER BASKET 160x290x230 mm
made of stainless steel



TECNOINOX RCK2003046

Suitable for:

3055125 KNOB BLACK BAKELITE \varnothing 28x89 mm M8x1



TECNOINOX RCK2001110

3155002 KNOB BLACK PLASTIC \varnothing 28x84 mm M8x1



Drain hoses

3356138 DRAIN TAP FITTING \varnothing 1"MM
 \varnothing side outlet 28 mm - bracket 68x40x19 mm
fitting height 100 mm



TECNOINOX RCK2106617

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet coupling
for TECNOINOX BAIN-MARIE-FRYER



TECNOINOX RC00079000

Drain taps and accessories

3356146 BALL VALVE \varnothing 1/2"FF



TECNOINOX RC01758000

3356052 DRAIN TAP \varnothing 3/4" F
lateral lever fitting
outlet internal \varnothing 22 mm



TECNOINOX RC00080000

3356053 DRAIN TAP HANDLE \varnothing 17x40 mm
thread M8





Suitable for:

5012801 DRAIN TAP LEVER 62 mm
thread M6



TECNOINOX



Suitable for:

3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



5033104 LEVER FOR DRAIN TAP 76 mm
thread M6x1 mm



5015500 LEVER HANDLE TAP BLACK
dimensions 35x22 mm - distance between holes 20 mm



3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet coupling
for TECNOINOX BAIN-MARIE-FRYER



TECNOINOX RC00079000

3526673 GAS/WATER VALVE ø 1"FF
ball valve
heavy series with PN 40 total passage
aluminium lever



3356078 BUSHING ø 11x20 mm



TECNOINOX RCK7060056

5023594 CAST IRON FITTING ø 1"MF



5031496 DRAIN PIPE ø 1"MM
length 195 mm





Suitable for:

3356138 DRAIN TAP FITTING \varnothing 1"MM
 \varnothing side outlet 28 mm - bracket 68x40x19 mm
fitting height 100 mm



TECNOINOX RCK2106617

3242049 DRAIN TAP HANDLE 140 mm
square hole 6x6 mm



5036175 DRAIN TAP MANIFOLD
2 top connections \varnothing 1"MM - 2 top connections \varnothing 3/8
1 bottom connection \varnothing 1"MM
width 295 mm - overall length 114 mm
distance between holes 275 mm



7100207 HEADLESS SCREW HEXAGONAL M5x8
stainless steel - conical top
UNI 5927 - DIN 914 - ISO 4027



TECNOINOX



Suitable for:


5028002 DRAIN TAP FITTING \varnothing 1"MM
side exit \varnothing 30 mm - bracket 80x30 mm
distance between holes 60 mm - coupling height 100



3242280 DRAIN TAP KNOB BLACK 79 mm
square hole 6x6 mm



5033656 FITTING OF BRASS \varnothing 1"MF




5011612 LEVER DRAIN TAP 250 mm
square pin 6x6 mm




Electric hot plates

3311092 ELECTRIC HOT PLATE \varnothing 145 mm 1500W 230V
terminal block electric connections
with STAINLESS steel edge 8 mm
for electric cooking top



TECNOINOX RC00764000

3311096 ELECTRIC HOT PLATE \varnothing 180 mm 2000W 230V
terminal block electric connections
with STAINLESS steel edge 8 mm
for electric cooking top



TECNOINOX RC00290000



Suitable for:

3311100 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



TECNOINOX RC01107000

TECNOINOX



Suitable for:

3311053 ELECTRIC HOT PLATE 2600W 230V
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



TECNOINOX RC01110000

TECNOINOX 5051645

Electrical capacitors


3068081 CAPACITOR ELECTRICAL 12.5 μ F
450V 50/60Hz - \varnothing 35x71 mm



TECNOINOX RCK2013001

Electrical gas valves and accessories

3526179 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
power supply 220V 50Hz



TECNOINOX RCK7020070

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



3241429 BLACK KNOB \varnothing 30 mm SILK-SCREEN PRINTED



3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



2100054 COIL 220V 60Hz
for VALVE 820 NOVA-822 NOVA-828 NOVA



3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:

3526077 ELBOW FLANGE \varnothing 1/2" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



TECNOINOX



Suitable for:

3526078 ELBOW FLANGE \varnothing 3/4" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P




3526102 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




5047586 EXTENSION FOR VALVE 820 NOVA
D-shaped pin \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:

5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



TECNOINOX



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model



TECNOINOX RC30300014

2100054 COIL 220V 60Hz
for VALVE 820 NOVA-822 NOVA-828 NOVA



3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



3526077 ELBOW FLANGE \varnothing 1/2"F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P




3526078 ELBOW FLANGE \varnothing 3/4"F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P




5047586 EXTENSION FOR VALVE 820 NOVA
D-shaped pin \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm





Suitable for:

3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



TECNOINOX



Suitable for:

3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3440200 THERMOPILE WITH TWIN LEAD \varnothing 9x65 mm
cable length 800 mm - with coupling M11X1



5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



Electronic boards

5081660 BOARD F. SELECTOR-REVERSING SW. HUMIDIF
external dimensions



5024290 CIRCUIT KEY BOARD 190x55 mm
for Salamander electric (TECNOINOX) QSE40



TECNOINOX RC01961000

TECNOINOX RC01014000




Suitable for:



Suitable for:

5029640 **CIRCUIT KEY BOARD 190x55 mm**
for Salamander electric (TECNOINOX) QSE60



TECNOINOX RC01015000

Energy regulators

3350026 **ENERGY REGULATOR**
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Salamander (TECNOINOX) SEL - SEL1 - SEL2




TECNOINOX RCK6031023
TECNOINOX RC00937000

TECNOINOX RC00006501


TECNOINOX RC00012000

3350031 **ENERGY REGULATOR**
contact capacity 400V 7A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



TECNOINOX RC00486000

3350035 **ENERGY REGULATOR**
contact capacity 230V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



TECNOINOX RC00938000

Fittings

5075873 **STUFFING BUSHING EXTENSION 35 mm-M10x1**




TECNOINOX RCK2011422



Fryer baskets and accessories

5069328 FALSE BOTTOM MESH COMPLETE 340x305 mm
height 100 mm
chrome plated iron



TECNOINOX RCK2012894

5063167 FRYER BASKET 295x215x120 mm
made of chrome-plated iron
for Fryer (TECNOINOX) - Series FRS



TECNOINOX RC00678000

TECNOINOX 220620

3055436 FRYER BASKET 300x110x120 mm
made of chrome plated iron



TECNOINOX RCK2012892

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



3055438 FRYER BASKET 300x140x120 mm
made of chrome plated iron



TECNOINOX RCK2012895

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



3055437 FRYER BASKET 300x220x120 mm
made of chrome plated iron



TECNOINOX RCK2012893

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



3055439 FRYER BASKET 300x290x120 mm
made of chrome plated iron



TECNOINOX RCK2012896

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic





Suitable for:

TECNOINOX



Suitable for:

Fuses

3049012 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 800mA



TECNOINOX RCE00C2301

3049042 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 400mA



TECNOINOX RC01861000_10PZ

3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 4A



TECNOINOX RC01861000

Gas burners

5077152 BURNER \varnothing 40x400 mm
overall length 435 mm
of stainless STEEL



TECNOINOX RC30400050

5088550 BURNER \varnothing 40x480 mm
overall length 525 mm
of stainless steel



TECNOINOX RC01134000

5096415 BURNER \varnothing 50x320 mm
overall length 375 mm
of stainless steel



TECNOINOX RC00587000

5082837 BURNER \varnothing 50x365 mm
overall length 435 mm
of stainless steel



TECNOINOX RCK7090097

3023271 BURNER \varnothing 60x390 mm
overall length 450 mm
made of stainless steel



TECNOINOX RCK7090085

7117794 BURNER \varnothing 65x285 mm
height 103 mm
of stainless steel



TECNOINOX RC01161000



Suitable for:

3023284 BURNER VERTICAL LH 300x55 mm
NICKEL PLATED



TECNOINOX RCK2112968

5055310 BURNER 300x75x42 mm
of chrome-plated iron



TECNOINOX RC01184000

3023163 BURNER 495x200 mm
made of stainless steel
for Lava rock grill gas (TECNOINOX) GG35 - GG70



TECNOINOX RC05000000

3023144 BURNER 575x225 mm
made of stainless steel



TECNOINOX RCK2010924

5011864 BURNER 680x265 mm
made of STAINLESS steel
for Salamander gas (TECNOINOX) SG



TECNOINOX RC00117000

Suitable for:

3023285 BURNER VERTICAL RH 300x55 mm
NICKEL PLATED



TECNOINOX RCK2112967

5022030 BURNER 470x200 mm
made of STAINLESS STEEL



TECNOINOX RC00539000

5090833 BURNER 510x190 mm
of chrome-plated iron



TECNOINOX RC01164000

3352015 AERATION REGULATOR
internal \varnothing 18 mm - external \varnothing 20 mm
height 42 mm



3023286 CENTRAL BURNER VERTICAL 300x55mm
NICKEL PLATED



TECNOINOX RCK2112969




Suitable for:

TECNOINOX



Suitable for:


5027892 PARABOLA PER SALAMANDRA 250x146 mm



TECNOINOX RC00111000

Gas taps and accessories

3348063 GAS TAP SABAF
 without pilot flame
 flange pipe connection \varnothing 16 mm
 outlet fitting \varnothing 1/4" M
 thermocouple connection M8x1
 D-shaped pin \varnothing 8x6.5 mm
 for Bain-marie gas (TECNOINOX) BM35G - BM70G
 for Fry top gas (TECNOINOX) FTL35G - FTL70G
 FTR35G - FTR70G
 for Pot stove electric (TECNOINOX) PC35G
 for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00369000

3348016 GAS TAP 21/S
 with pilot flame
 fittings \varnothing M16x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 8x6.5 mm
 for Grill (TECNOINOX) FTL8FG9



TECNOINOX RC05001400


3348085 BUSH FOR TAP



7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
 thread \varnothing 3/8" F - M16x1 mm
 for taps PEL 20S-21S




3348219 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 45/20 mm upper/lower
 for model PEL 21





Suitable for:

3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm




TECNOINOX



Suitable for:

3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S




3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110





Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 20-21-24-25



3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



TECNOINOX



Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O






Suitable for:


3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22




3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22




3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



TECNOINOX

Suitable for:


3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S




3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3348038 **OLIVE FOR PIPE \varnothing 10 mm**
for model PEL 22-24-25



3348036 **OLIVE FOR PIPE \varnothing 4 mm**
for model PEL 21-22-24-25



3348230 **PIN FOT GAS TAP \varnothing 6x4.6 mm**
pin length 45/20 mm rh/lh
for model PEL 22



3348032 **PIPE FITTING \varnothing 12 mm**
thread M20x1.5 mm
for model PEL 22-24-25



TECNOINOX




Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
for model PEL 22-24-25



TECNOINOX RCK7070025

3348037 **OLIVE FOR PIPE \varnothing 6 mm**
for model PEL 21-22-24-25



3348031 **PIPE FITTING \varnothing 10 mm**
thread M20x1.5 mm
for model PEL 22-24-25



3348029 **PIPE FITTING \varnothing 4 mm**
thread M10x1 mm
for model PEL 21-22-24-25





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



TECNOINOX




Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348003 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm




3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O



TECNOINOX RC00126000

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S






Suitable for:

3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



TECNOINOX RCK7070025

3348037 OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22-24-25



TECNOINOX



Suitable for:

3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3348038 OLIVE FOR PIPE \varnothing 10 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22





Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



TECNOINOX



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25




3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348011 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet fitting M24x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm




3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23



TECNOINOX RC30100003

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35 mm
for model PEL 23



3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23





Suitable for:

3348237 **FLANGE HORIZONTAL** \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23



3348040 **OLIVE FOR PIPE** \varnothing 12 mm
for model PEL 23



3348042 **OLIVE FOR PIPE** \varnothing 20 mm
for model PEL 23



3348037 **OLIVE FOR PIPE** \varnothing 6 mm
for model PEL 21-22-24-25



3348033 **PIPE FITTING** \varnothing 12 mm
thread M24x1.5
for model PEL 23




TECNOINOX



Suitable for:

3348028 **FLANGE VERTICAL** \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3348041 **OLIVE FOR PIPE** \varnothing 16 mm
for model PEL 23



TECNOINOX RCK7070036

3348036 **OLIVE FOR PIPE** \varnothing 4 mm
for model PEL 21-22-24-25



3182020 **PEL MAGNETIC GROUP**
head \varnothing 24 mm - end \varnothing 18 mm - length 59 mm
thermocouple fitting M9x1
for tap PEL model 23S



3348034 **PIPE FITTING** \varnothing 16 mm
thread M24x1.5
for model PEL 23





Suitable for:

3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5
for model PEL 23



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



TECNOINOX



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3348041 OLIVE FOR PIPE \varnothing 16 mm
for model PEL 23



TECNOINOX RCK7070036

Gas valves and accessories

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure setting range
3÷18 mbar outlet
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x200 mm



TECNOINOX RC00446000

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR



3241435 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm






Suitable for:

3526126 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8"M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8"M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



TECNOINOX RCK7070025

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M




TECNOINOX




Suitable for:

3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



3526127 FLANGE FOR EXTENSION



TECNOINOX RC00447000


5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE





3526127 FLANGE FOR EXTENSION



TECNOINOX RC00447000

3526133 VALVE 630 EUROSIT FRY TOP 60÷300°C
 inlet \varnothing 3/8"F - outlet \varnothing 3/8"F
 thermocouple fitting M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure calibration range:
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm
 for Fry top gas (TECNOINOX) FTC70G
 for Fry top (TECNOINOX) FTC35G7
 for Fry top gas (TECNOINOX) FTC70G7




TECNOINOX RC01171000


4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8"M




3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR



3526126 EUROSIT VALVE EXTENSION
 D shaft \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



3526127 FLANGE FOR EXTENSION



TECNOINOX RC00447000



Suitable for:

5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



TECNOINOX RCK7070025

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3526130 VALVE 630 EUROSIT OVEN 100÷340°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



TECNOINOX RC30100080

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



TECNOINOX



Suitable for:


5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR



3526129 CLASP \varnothing 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752






Suitable for:

3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



3526127 FLANGE FOR EXTENSION



TECNOINOX RC00447000

3526128 KNOB EXTENSION LENGTH 34 mm
D-shaped pin \varnothing 8x6.5 mm



5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm




TECNOINOX




Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm



5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3526125 KNOB EXTENSION LENGTH 44 mm
D-shaped pin \varnothing 8x6.5 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



TECNOINOX RCK7070025


3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M





Suitable for:

3526123 RUBBER PROTECTION FOR EUROSIT VALVE




TECNOINOX

Suitable for:



Gaskets and seals

5088412 GUARNIZIONE IN FIBRA DI VETRO 1350 mm
dimensioni profilo 10x10 mm
max temperatura 600°C
COLORE BIANCO



TECNOINOX RC01163000

5038365 GUARNIZIONE PIANA ESENTE ϕ 60x50x2 mm
per rubinetto scarico ϕ 2"



TECNOINOX RC10500060

Grids - Shelves variuos

5035670 GRID CHROME-PLATED 390x338 mm



TECNOINOX RC00003901

5076301 GRID CHROME-PLATED 588x338 mm



TECNOINOX RC00003906

Grids for kitchen

7102653 GRID 320x285 mm



TECNOINOX RC01144000

3185064 GRILL 320X530 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC000376000

Handles

3242735 OVEN DOOR HANDLE
distance between mounting holes 180 mm



TECNOINOX RC00003101

3242336 OVEN DOOR HANDLE ϕ 28x90 mm M10



TECNOINOX RC00004205

Suitable for:

Suitable for:

5001497 PLASTIC HANDLE 120 mm BLACK
distance between holes 105 mm



TECNOINOX RCX5900143

Heating elements

3755830 CERAMIC HEATING ELEMENT 1000W 230V
length 240 mm - width 60 mm



TECNOINOX RC01098000

3355829 CERAMIC HEATING ELEMENT 650W 230V
length 245 mm - width 60 mm



TECNOINOX RC00288000

3355850 HEATING ELEMENT 1000W 230V
length 220 mm - width 95 mm
flange 107x33 mm
for Salamander electric (TECNOINOX) SE80



TECNOINOX RC00003708

3355858 HEATING ELEMENT 1000W 230V
length 300 mm - width 120 mm
fittings M12x1.25 mm
for Toaster electric (TECNOINOX) TE3 - TE6



TECNOINOX RC00006000

3355859 HEATING ELEMENT 1000W 230V
length 220 mm - width 430 mm
flange 70x22 mm
for Toaster electric (TECNOINOX) TSP



TECNOINOX RC00171000

5039186 HEATING ELEMENT 1000W 230V
length 395 mm - width 60 mm
height 40 mm - connections \varnothing 1/4"
for Grill electric (TECNOINOX)
for Oven under cooktop electric (TECNOINOX)



TECNOINOX RC00775000

5027794 HEATING ELEMENT 1000W 400V
length 215 mm - width 100 mm
flange 106x32 mm
for Salamander electric (TECNOINOX) SE80



TECNOINOX RC00487000



Suitable for:

3755858 HEATING ELEMENT 12000W 230/400V
length 325 mm - width 180 mm
fitting M54x1.5 mm - complete with cables
complete with O-rings
with 2 holes for bulb



TECNOINOX RCK6002151

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



TECNOINOX RCK6090144

3355824 HEATING ELEMENT 1300W 230V
length 330 mm - width 200 mm
2 flanges 40x18 mm
operating ambient: dry
for Bain-marie electric (TECNOINOX) BM35E - BM70E
for Bain-marie (TECNOINOX) BM70E7



TECNOINOX RC00269000

3755508 HEATING ELEMENT 1350W 230V
length 395 mm - width 60 mm
height 35 mm - fittings \varnothing 1/4"
for Grill electric (TECNOINOX) GR35E



TECNOINOX RC00513000

Suitable for:

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



TECNOINOX RCK6090145

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



3355836 HEATING ELEMENT 1300W 230V
length 475 mm - width 80 mm
height 50 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E



TECNOINOX RC00286000

5038770 HEATING ELEMENT 1350W 230V
length 450 mm - width 65 mm
height 40 mm - connections \varnothing 1/4"
for Grill electric (TECNOINOX) GR35E7 - GR70E7
for Oven under cooktop electric (TECNOINOX)



TECNOINOX RC01111000



Suitable for:

5092775 HEATING ELEMENT 1350W 400V
length 450 mm - width 65 mm
height 35 mm - fittings \varnothing 1/4"



TECNOINOX RC01593000

3755506 HEATING ELEMENT 1500W 230V
length 270 mm - width 40 mm
height 180 mm - fittings \varnothing 1/4"
with cables
for Fryer electric (TECNOINOX) FRF7-4,5KW
FR6-4,5KW



TECNOINOX RC00075000

5070618 HEATING ELEMENT 1500W 230V
length 547 mm - width 80 mm
height 50 mm
for Bain-marie (TECNOINOX) CP4FE9



TECNOINOX RC01430000

3755004 HEATING ELEMENT 1650W 240V
length 490 mm - width 43 mm
height 45 mm - fittings \varnothing 1/4"



TECNOINOX RC40400084

Suitable for:

3355860 HEATING ELEMENT 1500W 230V
length 220 mm - width 430 mm
flange 70x22 mm
for Toaster electric (TECNOINOX) TS1 - TS2



TECNOINOX RC00000613

5066794 HEATING ELEMENT 1500W 230V
length 530 mm - width 45 mm
flange 60x40 mm - fittings M14x1.25 mm



TECNOINOX RC00243000

3755599 HEATING ELEMENT 1600W 230V
length 365 mm - width 75 mm
total height 195 mm



TECNOINOX RC01250000




Suitable for:

TECNOINOX



3755859 HEATING ELEMENT 16500W 230/400V
length 325 mm - width 255 mm
fitting M54x1.5 mm - complete with cables
complete with O-rings
with 2 holes for bulb



TECNOINOX RCK6002152

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



TECNOINOX RCK6090144

5008369 HEATING ELEMENT 1850W 220V
immersed depth 235 mm
flange 80x28 mm



TECNOINOX RC00168000

3355285 HEATING ELEMENT 2000W 230V
length 255 mm - width 45 mm
height 200 mm - fittings \varnothing 1/4"
for Fryer electric (TECNOINOX) FR35E - FR70E



TECNOINOX RC00282000

3355848 HEATING ELEMENT 2000W 230V
length 230 mm - width 255 mm
flange 70x22 mm
for Salamander electric (TECNOINOX) SEF1 - SEF2
SEL1 - SEL2



TECNOINOX RC00000109

Suitable for:

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm




TECNOINOX RCK6090145

3755652 RING NUT 1"-3/4" FOR HEATING ELEMENT



3355849 HEATING ELEMENT 2000W 220V
length 230 mm - width 230 mm
flange 107x33 mm
for Salamander electric (TECNOINOX) SE60



TECNOINOX RC00003706

3355847 HEATING ELEMENT 2000W 230V
length 230 mm - width 280 mm
flange 107x33 mm
for Salamander electric (TECNOINOX) SE40



TECNOINOX RC00003804

3755507 HEATING ELEMENT 2000W 230V
length 290 mm - width 50 mm
height 190 mm - fittings \varnothing 1/4"
with cables
for Fryer electric (TECNOINOX) FRF7-6KW - FR6-6KW
PRACTICA



TECNOINOX RC00142000

Suitable for:

Suitable for:

3755502 HEATING ELEMENT 2200W 230V
 length 270 mm - width 60 mm
 height 180 mm - fittings \varnothing 1/4"
 with cables
 for Fryer electric (TECNOINOX) FR4-2,2KW



TECNOINOX RC00049000

3355889 HEATING ELEMENT 2500W 230V
 external \varnothing 190 mm - internal \varnothing 178 mm
 total height 70 mm
 flange 70x22 mm




TECNOINOX RC00568000

3186098 HEATING ELEMENT GASKET
 external dimensions 71x23 mm



5023656 HEATING ELEMENT 2900W 230V
 length 305 mm - width 215 mm
 height 90 mm



TECNOINOX RC40400082

3755503 HEATING ELEMENT 3000W 230V
 length 270 mm - width 60 mm
 height 180 mm - fittings \varnothing 1/4"
 with cables
 for Fryer electric (TECNOINOX) FR4-3KW



TECNOINOX RC00054000

5011839 HEATING ELEMENT 3000W 230V
 length 250 mm - width 170 mm
 height 192 mm - fittings \varnothing 1/4"



TECNOINOX RC00772000

5044812 HEATING ELEMENT 3000W 230V
 length 474 mm - width 285 mm
 height 55 mm



TECNOINOX RC00767000



Suitable for:

3755504 HEATING ELEMENT 3400W 230V
length 275 mm - width 170 mm
height 180 mm - fittings \varnothing 1/4"
with cables
for Fryer electric (TECNOINOX) FRF7-3,4KW
FR6-3,4KW



TECNOINOX RC00067000

Suitable for:

5048854 HEATING ELEMENT 3600W 230V
length 290 mm - width 70 mm
height 245 mm - connections \varnothing 1/4"
for Fryer electric (TECNOINOX) FRS35E7 - FRS70E7



TECNOINOX RC01276000

5054702 HEATING ELEMENT 8000W 230V
immersed depth 497 mm
flange \varnothing external 63 mm
with bulb sheath
for Boiling pan electric (TECNOINOX)



TECNOINOX RC40400048

5032691 HEATING ELEMENT 9000W 230V
immersed depth 418 mm
flange external \varnothing 63 mm - with bulb holder sheath
with O-Ring



TECNOINOX RC40400042

5038672 HEATING ELEMENT 9000W 230V
immersed depth 550 mm
flange external \varnothing 63 mm - with bulb holder sheath



TECNOINOX RC40400038

TECNOINOX 40400038

Hinges, catches and accessories

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



TECNOINOX RC00804000

TECNOINOX RC00875000

TECNOINOX RC00876000

5088411 KIT HINGE UPPER-LOWER
external dimensions 40x22x16 mm
pin \varnothing 4 mm



TECNOINOX RC01123000



Suitable for:

3053344 LEFT HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 150 mm



TECNOINOX RC00803000

TECNOINOX RC00940000

Suitable for:

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



TECNOINOX RC00804000

TECNOINOX RC00875000

TECNOINOX RC00876000

3053345 RIGHT HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 150 mm



TECNOINOX RC00802000

TECNOINOX RC00939000

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



TECNOINOX RC00804000

TECNOINOX RC00875000

TECNOINOX RC00876000

Hydraulic piping

5058653 HOSE RUBBER REINFORCED \varnothing 32/40 mm 680 mm
internal \varnothing 32 mm - external \varnothing 40 mm



TECNOINOX RC00586000

Ignitors

3001014 CAP WATERTIGHT PIEZO
made of silicone rubber
with ring : \varnothing external 29 mm - \varnothing internal 18 mm



TECNOINOX RC01685000

TECNOINOX RC01865000

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm



TECNOINOX RCK6010047

3001020 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



TECNOINOX RC00128000

5035512 WATERTIGHT PIEZO CAP
of silicone rubber





Suitable for:

5071589 WATERTIGHT PIEZO CAP
made of silicone rubber



TECNOINOX



Suitable for:

3001029 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm
for SNACK SERIES



TECNOINOX RC40100130

TECNOINOX 40100130

Incandescent lamps and neon lamps

3221639 HALOGEN LAMP NEUT. OSRAM G4 10W 12V
max. temperature 300°C



TECNOINOX RCE00C4396

D221004 HALOGEN LAMP OSRAM G9 40W 230V SMEG
OSRAM
max. temperature 200°C




TECNOINOX RC01856000

3221330 HALOGEN LAMP OSRAM 1000W 230V
halogen lamp infrared
overall length 480 mm
glass length 338 mm



TECNOINOX RC00217000

3221041 LAMP E14 15W 230V
max temperature 300°C - dimensions \varnothing 22x50 mm



TECNOINOX RC00566000

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C




TECNOINOX RCK6061054



Indicator lights

- 3221162 GREEN LAMP RECEPTACLE**
 head \varnothing 14.5 mm - hole \varnothing 10 mm
 for Fry top electric (TECNOINOX) FTC35E - FTC70E
 FTL35E - FTL70E - FTR35E - FTR70E
 for Fryer electric (TECNOINOX) FR35E - FR70E
 for Potato heater electric (TECNOINOX) SP35E



TECNOINOX RC00053000

- 3221164 INDICATOR LIGHT GREEN 230V**
 head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
 dashboard mounting
 for Salamander (TECNOINOX) - Series SE
 Series SEF - Series SEL



TECNOINOX RC00006601

TECNOINOX RC00011000

- 3221045 LAMP CAP TAPERED CONICAL GREEN SU3**
 mounting hole \varnothing 6 mm - head \varnothing 7 mm



- 5008748 INDICATOR LIGHT GREEN 230V**
 \varnothing head 10 mm - 150°C
 wire connection length 250 mm




TECNOINOX RCK6061073

- 3221194 INDICATOR LIGHT NEON GREEN 220V**
 \varnothing head 8 mm



TECNOINOX RC01782000

- 3221196 LAMP CAP CLEAR**
 \varnothing 12 mm



- 3221197 GREY CAP \varnothing 12 mm**



- 3221195 LAMP CAP GREEN \varnothing 12 mm**
 \varnothing 12 mm





Suitable for:

3221192 LAMP SUPPORT



3319219 SUPPORT FOR DARK GREY PUSH-BUTTON
mounting hole 16x16 mm - for push-button \varnothing 12 mm



TECNOINOX



Suitable for:

3221193 ORANGE LAMP CAP
 \varnothing 12 mm



3221097 INDICATOR LIGHT NEUTRAL 220V
head \varnothing 8 mm - 120°C



TECNOINOX RC0005200

TECNOINOX RC00052000

TECNOINOX RC40200154

5008747 INDICATOR LIGHT ORANGE 230V
head \varnothing 10 mm - 150°C
wire connection length 250 mm



TECNOINOX RCK6061072

3221165 INDICATOR LIGHT ORANGE 400V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C
universal application



TECNOINOX RC40200150

3221166 INDICATOR LIGHT GREEN 400V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C
universal application



3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



TECNOINOX RC00034000

TECNOINOX RC00319000

3221168 TRANSPARENT LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



TECNOINOX RC01783000



Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47 μ F



TECNOINOX RCK6090050

5039130 INTERFERENCE SUPPRES. FILTER 0.1 μ F 275V



TECNOINOX RCK6090052

Knobs

3241240 BLACK KNOB \varnothing 39 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm
for Toaster (TECNOINOX)



TECNOINOX RC00001113

TECNOINOX RC00086000

3444126 BLACK KNOB \varnothing 50 mm 30-110 $^{\circ}$ C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat




TECNOINOX RC000598000

3241260 BLACK KNOB \varnothing 60 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Bain-marie gas (TECNOINOX) BM35G - BM70G
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00401000

3241414 BLACK KNOB \varnothing 60 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm




TECNOINOX RC000289000

3241244 BLACK KNOB \varnothing 60 mm 1-2-3-4-5-6
D-shaped hole 6x4.6 mm
for Pot stove (TECNOINOX) PCC35E - PCC70E
for Potato heater (TECNOINOX) SP35E



TECNOINOX RC000287000

3241246 BLACK KNOB \varnothing 60 mm 100-190 $^{\circ}$ C
D-shaped hole 6x4.6 mm
for Fryer electric (TECNOINOX) FR35E - FR70E



TECNOINOX RC000280000



Suitable for:

TECNOINOX



3241248 BLACK KNOB ø 60 mm 100-300°C
D-shaped hole 6x4.6 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E



TECNOINOX RC00284000

3241245 BLACK KNOB ø 60 mm 30-90°C
D-shaped hole 6x4.6 mm
for Bain-marie electric (TECNOINOX) BM35E - BM70E



TECNOINOX RC00268000

3241871 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for GAS TAP




TECNOINOX RC00127000

3241401 BLACK KNOB ø 70 mm UNIVERSAL
D-shaped hole 8x6.5 mm



TECNOINOX RC05001300

3241464 SELF-STICK DISK MIN/MAX
external ø 63 mm




3241463 SELF-STICK DISK WITH ARROW SYMBOL
external ø 63 mm




3241451 SELF-STICK DISK WITHOUT PILOT SYMBOL
external ø 63 mm
for gas taps without pilot



3241465 SELF-STICK DISK 0-1-0-1
external ø 63 mm




3241466 SELF-STICK DISK 0-1-2-3
external ø 63 mm





Suitable for:

3241467 SELF-STICK DISK 0-1-2-3-4-5-6
external \varnothing 63 mm




3241453 SELF-STICK DISK 1-2-3-4-5-6-7-8
external \varnothing 63 mm
for thermostatic gas taps EGA




3241456 SELF-STICK DISK 30-110°C
external \varnothing 63 mm



3241454 SELF-STICK DISK 30-90°C
external \varnothing 63 mm



3241459 SELF-STICK DISK 50-250°C
external \varnothing 63 mm



3241461 SELF-STICK DISK 50-300°C
external \varnothing 63 mm




TECNOINOX




Suitable for:


3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8
external \varnothing 63 mm
for thermostatic gas taps PEL




3241458 SELF-STICK DISK 100-180°C
external \varnothing 63 mm




3241457 SELF-STICK DISK 30-110°C
external \varnothing 63 mm




3241455 SELF-STICK DISK 30-90°C
external \varnothing 63 mm



3241460 SELF-STICK DISK 50-300°C
external \varnothing 63 mm



3241462 SELF-STICK DISK 50-320°C
external \varnothing 63 mm





Suitable for:

5053595 SELF-STICKING DISK RED PILOT SYMBOL
ø external 64 mm



TECNOINOX



Suitable for:

3241450 SELF-STICKING DISK WITH PILOT SYMBOL
external ø 63 mm
for gas taps with pilot



3241247 KNOB BLACK ø 16x25 mm
round hole ø 6 mm
for Fryer electric (TECNOINOX) FR35E - FR70E



TECNOINOX RC00329000

5072511 KNOB BLACK ø 30 mm PASSO M6
with pin length 20 mm



TECNOINOX RC20200024

3241243 KNOB BLACK ø 39 mm 1-10
D-shaped hole 6x4.6 mm
for Salamander (TECNOINOX) SE - SEF - SEL



TECNOINOX RC00006301

3241345 KNOB BLACK ø 39 mm 1-10
D-shaped hole 6x4.6 mm



TECNOINOX RC00009000

3241309 KNOB BLACK ø 50 mm 0-1-2-3
D-shaped hole 6x4.6 mm
for energy adjuster EGO




TECNOINOX

5051651 KNOB BLACK ø 60 mm 1-2-3-4-5-6-7
D-shaped hole 8x6.5 mm
for Fryer gas (TECNOINOX) FR35G - FR70G



TECNOINOX RC00448000

5085048 KNOB BLACK ø 70 mm
D-shaped hole 6x4.6 mm



TECNOINOX RC01941000

5061174 KNOB BLACK ø 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



TECNOINOX RC01887000

Suitable for:

5088405 KNOB BLACK ø 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



TECNOINOX RC02109000

Suitable for:

5094033 KNOB BLACK ø 70 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm



TECNOINOX RC01339000

5083389 KNOB BLACK ø 70 mm 1-2-3-4-5-6-7
D-shaped hole 8x6.5 mm




TECNOINOX RC01899000

5089707 KNOB BLACK ø 70 mm 150-290°C
D-shaped hole 8x6.5 mm




TECNOINOX RC01338000

5094030 KNOB BLUE ø 70 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm




TECNOINOX RC01059000

5056850 KNOB BLUE ø 70 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm




TECNOINOX RC01109000

5074681 KNOB BLUE ø 70 mm 1-2-3-4-5-6-7
D-shaped hole 8x6.5 mm




TECNOINOX RC01172000

5048855 KNOB BLUE ø 70 mm 100-190°C
D-shaped hole 6x4.6 mm




TECNOINOX RC01121000

5058345 KNOB BLUE ø 70 mm 150-290°C
D-shaped hole 8x6.5 mm
for Oven under cooktop gas (TECNOINOX)



TECNOINOX RC01152000

5074639 KNOB GREY ø 70 mm 100-190°C
D-shaped hole 6x4.6 mm



TECNOINOX RC02030000



Suitable for:

TECNOINOX



Suitable for:

Labels for control panels

7102817 ADHESIVE CONTROL PLATE 100x53 mm



TECNOINOX RCK2011256

5029641 ADHESIVE CONTROL PLATE 130x67 mm
for Salamander electric (TECNOINOX) QSE60



TECNOINOX RC01017000

5036846 ADHESIVE CONTROL PLATE 87x67 mm
for Salamander electric (TECNOINOX) QSE40



TECNOINOX RC01016000

Lamp receptacles and spare parts

3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm



TECNOINOX RC02027000

3221233 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 42 mm
thread \varnothing 33 mm - overall height 26 mm



TECNOINOX

40C4459 LAMP CAP OVEN \varnothing 40 mm
internal \varnothing 13 mm



TECNOINOX RCE00C4459

3221613 LAMP RECEPTACLE FOR QUARTZ LAMP
length 70 mm - width 50 mm
height 70 mm



TECNOINOX RC00218000

3421003 HALOGEN LAMP INFRARED 1000W 240V
overall length 480 mm
glass length 335 mm





Suitable for:

5021371 HALOGEN LAMP INFRARED 1000W 240V
overall length 480 mm
glass length 300 mm



TECNOINOX



Suitable for:

3221330 HALOGEN LAMP OSRAM 1000W 230V
halogen lamp infrared
overall length 480 mm
glass length 338 mm



TECNOINOX RC00217000

3221612 LAMP PROTECTION OF GLASS ø 30x290 mm




3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C




TECNOINOX RC00805000


3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions ø 48x38x5 mm
for OVEN




3186522 GASKET FOR OVEN LAMP RECEPTACLE
dimensions ø 40x30x2 mm



3786614 GASKET FOR OVEN LAMP RECEPTACLE
dimensions 48x41x3 mm



3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE
dimensions ø 53x44x3 mm



3221233 GLASS FOR OVEN LAMP RECEPTACLE ø 42 mm
thread ø 33 mm - overall height 26 mm




TECNOINOX




Suitable for:

3221041 LAMP E14 15W 230V
max temperature 300°C - dimensions ø 22x50 mm



TECNOINOX RC00566000

2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V
mounting hole ø 38 mm
max temperature 300°C



TECNOINOX



Suitable for:

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



D421015 OVEN LAMP DR FISCHER E14 15W 230V
ø 22x49 mm - max temperature 300°C



D421016 OVEN LAMP DR FISCHER E14 25W 230V
ø 25x57 mm - max temperature 300°C



Lava stone grids

5085564 GRID FOR MEAT 480x300 mm



TECNOINOX RC00541000

5048452 GRID OF ST. STEEL 538x320x20 mm



TECNOINOX RCK2011358

5096861 GRID OF CAST IRON 612x57x20 mm



TECNOINOX RC01694000

5028972 GRID OF ST. STEEL 538x360x20 mm



TECNOINOX RCK2011369



Magnets

3242354 DOOR LOCK MAGNET

distance between magnetic part holes 74 mm
distance between holes of strike plate 54 mm




TECNOINOX RCK5900352

Microswitches, mechanical

3240820 MICROSWITCH ELECTRICA NR48W 5

1NO + 1NC 16A 250V



TECNOINOX RCK6043085


TECNOINOX RC00204000

3240473 GASKET FOR BUSHING



3240166 MOUNTING PLATE FOR MICROSWITCH

external dimensions 46x26 mm



3240154 SPRING FOR MICROSWITCH ROD



3240152 BUSHING FOR MICROSWITCH



5035454 MICRO SUPPORT for WASHING MACHINE LF25



3240153 ROD FOR MICROSWITCH





Suitable for:

TECNOINOX



1319336 MICROSWITCH SAIA XTD22AZ1 16A 250V



TECNOINOX RC00092000

Suitable for:


**3240439 MICROSWITCH SAIA-BURGESS XTD22JZ1
16A 400V**



TECNOINOX RC00039000

TECNOINOX RC00283000

3240410 MICROSWITCH 16(4)A 250V




TECNOINOX RC01853000

**3240203 BUSHING DOOR MICROSWITCH
external ø 10x15 mm**



3240236 LIMIT SWITCH CONTROL



3240234 LIMIT SWITCH PIN



3240233 MICROSWITCH FITTING M16x1.5 mm



3250071 MICROSWITCH SPRING ø 13x25 mm



3240235 RING NUT M16x1.5 mm



Motors

**3240620 MOTOR FAN 47W 230V 50Hz
TYPE G2S150-AB08-44
complete with fan ø 150 mm**



TECNOINOX RC00229000

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm**



TECNOINOX RC00565000



Nozzles

5000530 GAS JET M10x1 \varnothing 1.15 mm



TECNOINOX 01189

5015403 GAS JET M10x1 \varnothing 1.40 mm



TECNOINOX 01192

5000549 GAS JET M10x1 \varnothing 1.50 mm



TECNOINOX 01193

5012584 GAS JET M10x1 \varnothing 2.00 mm



TECNOINOX 01197

5021507 GAS JET M10x1 \varnothing 2.20 mm



TECNOINOX 01199

5051665 GAS JET M10x1 \varnothing 2.25 mm



TECNOINOX 01200

2103345 GAS JET M10x1 \varnothing 2.40 mm



TECNOINOX 01206

5051548 GAS JET M9x1 \varnothing 1.75 mm



TECNOINOX RCK7042704

5069881 GAS JET M9x1 \varnothing 1.75 mm



TECNOINOX RCK7042715

40A2141 NOZZLE GAS M10x1 \varnothing 1.65 mm



TECNOINOX 01195

O-Ring and ORM gaskets

3186697 O-RING 0159 EPDM
ring thickness 3.53 mm - internal \varnothing 55.56 mm



TECNOINOX RCK6090145

3186601 O-RING 04200 EPDM
ring thickness 3.53 mm - internal \varnothing 50.39 mm



TECNOINOX RCK6090144



Suitable for:

TECNOINOX



Suitable for:

Pilot burners and accessories

3020005 BURNER PILOT 2-FLAME GASCO
multigas with jet \varnothing 0.20 mm
with 3 position bracket
for Fryer gas (TECNOINOX) - Series FR




TECNOINOX RC00445000

3020103 BRACKET 3 POSITIONS



3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX RCK6010087


3020104 BRACKET CLAMP 3 POSITIONS



3020109 DEFLECTOR 2 FLAMES



3020084 FITTING AND OLIVE \varnothing 6 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



TECNOINOX RCK6010046
TECNOINOX RC30100054

TECNOINOX RC00120000

TECNOINOX RC30100050

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm





Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



TECNOINOX



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



TECNOINOX RCK7070025

3020081 OLIVE FOR PIPE \varnothing 6 mm




3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020054 PILOT JET \varnothing 0.20 mm



3020156 PILOT JET \varnothing 0.25 mm



TECNOINOX RCK7042005

TECNOINOX RC00435000

4058525 PILOT JET \varnothing 0.30 mm



3020055 PILOT JET \varnothing 0.35 mm



5015516 PILOT JET \varnothing 0.40 mm



TECNOINOX RC00436000

3500269 PILOT JET \varnothing 0.45 mm





Suitable for:

5075989 PILOT JET \varnothing 0.70 mm



TECNOINOX



Suitable for:

3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020106 PILOT WITH 0.25 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET




3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




3020131 OLIVE FOR PIPE \varnothing 8 mm



TECNOINOX RC01451000

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



TECNOINOX RC01140000

3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm
for mounting of pilot assembly




3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
for burner \varnothing 115 mm



3020100 BRACKET 2 POSITIONS




3020083 FITTING AND OLIVE \varnothing 4 mm



3020101 BRACKET CLAMP 2 POSITIONS



3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
for burner \varnothing 90 mm




3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
for burner \varnothing 135 mm



3020108 DEFLECTOR 1 FLAME



3020084 FITTING AND OLIVE \varnothing 6 mm





Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



TECNOINOX



Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX RCK6010046
TECNOINOX RC30100054

TECNOINOX RC00120000

TECNOINOX RC30100050

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



TECNOINOX RCK6010087

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



TECNOINOX RCK7070025

3020081 OLIVE FOR PIPE \varnothing 6 mm



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm





Suitable for:

3020115 PILOT CAP 1 FLAME



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



TECNOINOX RC00436000

3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



TECNOINOX



Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



TECNOINOX RCK7042005

TECNOINOX RC00435000

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1





Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



TECNOINOX




Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



3020036 PILOT BURNER SIT 3 FLAMES
multigas type with nozzle \varnothing 0.35 mm
with 3 position bracket



TECNOINOX RCK7090023

TECNOINOX RC30100005

3020103 BRACKET 3 POSITIONS



3020104 BRACKET CLAMP 3 POSITIONS



3020110 DEFLECTOR 3 FLAMES



3020109 DEFLECTOR 2 FLAMES




5048713 DEFLECTOR 3 FLAMES



3020083 FITTING AND OLIVE \varnothing 4 mm



3020084 FITTING AND OLIVE \varnothing 6 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



TECNOINOX RCK6010046
TECNOINOX RC30100054

TECNOINOX RC00120000

TECNOINOX RC30100050



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX RCK6010087

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



TECNOINOX RCK7070025

3020081 OLIVE FOR PIPE \varnothing 6 mm



3020054 PILOT JET \varnothing 0.20 mm



TECNOINOX RCK7042005

TECNOINOX RC00435000

TECNOINOX



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm




3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm





Suitable for:

4058525 PILOT JET \varnothing 0.30 mm



TECNOINOX



Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



5015516 PILOT JET \varnothing 0.40 mm



TECNOINOX RC00436000

3500269 PILOT JET \varnothing 0.45 mm



5075989 PILOT JET \varnothing 0.70 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020106 PILOT WITH 0.25 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1





Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



TECNOINOX



Suitable for:

3020201 PILOT JET \varnothing 0.14 mm



TECNOINOX RCK7042014

TECNOINOX RC01219000

3020054 PILOT JET \varnothing 0.20 mm



TECNOINOX RCK7042005

TECNOINOX RC00435000

3020202 PILOT JET \varnothing 0.27 mm



TECNOINOX RCK7042013

3020055 PILOT JET \varnothing 0.35 mm



TECNOINOX RC00436000

3020449 PILOT JET \varnothing 0.54 mm



TECNOINOX RCK7042008

3020146 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



TECNOINOX RC01169000

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



TECNOINOX RCK7050028

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



TECNOINOX RCK6010046
TECNOINOX RC30100054

TECNOINOX RC00120000

TECNOINOX RC30100050



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



TECNOINOX RCK6010087

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020113 OLIVE FOR PIPE \varnothing 4 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020114 OLIVE FOR PIPE \varnothing 6 mm



3020201 PILOT JET \varnothing 0.14 mm



3020042 PILOT JET \varnothing 0.19 mm




TECNOINOX RCK7042014

TECNOINOX RC01219000

3020542 PILOT JET \varnothing 0.20 mm



5047578 PILOT JET \varnothing 0.24 mm



3020202 PILOT JET \varnothing 0.27 mm




TECNOINOX RCK7042013



Suitable for:

2102405 PILOT JET \varnothing 0.35 mm



3020543 PILOT JET \varnothing 0.38 mm



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**




3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



TECNOINOX RCK7090028

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



TECNOINOX



Suitable for:

3020043 PILOT JET \varnothing 0.36 mm



5022050 PILOT JET \varnothing 0.50 mm



**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



TECNOINOX RCK7050028

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



TECNOINOX RCK6010046
TECNOINOX RC30100054

TECNOINOX RC00120000

TECNOINOX RC30100050



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



TECNOINOX RCK6010087

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020113 OLIVE FOR PIPE \varnothing 4 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



3020114 OLIVE FOR PIPE \varnothing 6 mm



3020086 PILOT GASKET



3020201 PILOT JET \varnothing 0.14 mm



3020042 PILOT JET \varnothing 0.19 mm



TECNOINOX RCK7042014

TECNOINOX RC01219000

3020542 PILOT JET \varnothing 0.20 mm



5047578 PILOT JET \varnothing 0.24 mm





Suitable for:

3020202 PILOT JET \varnothing 0.27 mm



TECNOINOX RCK7042013

3020043 PILOT JET \varnothing 0.36 mm



5022050 PILOT JET \varnothing 0.50 mm



**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**




TECNOINOX



Suitable for:


2102405 PILOT JET \varnothing 0.35 mm



3020543 PILOT JET \varnothing 0.38 mm




**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting



TECNOINOX RCK7090026

3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm




TECNOINOX RCK7050028



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



TECNOINOX



Suitable for:

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



TECNOINOX RCK6010046
TECNOINOX RC30100054

TECNOINOX RC00120000

TECNOINOX RC30100050

**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



TECNOINOX RCK6010087

**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**



3020111 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR PIPE \varnothing 6 mm



3020044 PILOT JET \varnothing 0.20 mm



5071220 PILOT JET \varnothing 0.22 mm



3020452 PILOT JET \varnothing 0.32 mm



3020045 PILOT JET \varnothing 0.50 mm






Suitable for:

3020449 PILOT JET \varnothing 0.54 mm



TECNOINOX RCK7042008

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm**



TECNOINOX



Suitable for:


3020464 PILOT JET \varnothing 0.64 mm



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



**3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket**



TECNOINOX RC00119000

3020103 BRACKET 3 POSITIONS



3020110 DEFLECTOR 3 FLAMES



3020104 BRACKET CLAMP 3 POSITIONS



3020109 DEFLECTOR 2 FLAMES




5048713 DEFLECTOR 3 FLAMES





Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX RCK6010087

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25




TECNOINOX RCK7070025

TECNOINOX



Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



TECNOINOX RCK6010046

TECNOINOX RC00120000

TECNOINOX RC30100050

TECNOINOX RC30100054

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25





Suitable for:

5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020156 PILOT JET \varnothing 0.25 mm



3020055 PILOT JET \varnothing 0.35 mm



TECNOINOX RC00436000

3500269 PILOT JET \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



TECNOINOX



Suitable for:

3020081 OLIVE FOR PIPE \varnothing 6 mm



3020054 PILOT JET \varnothing 0.20 mm



TECNOINOX RCK7042005

TECNOINOX RC00435000

4058525 PILOT JET \varnothing 0.30 mm



5015516 PILOT JET \varnothing 0.40 mm



5075989 PILOT JET \varnothing 0.70 mm



3020105 PILOT WITH 0.20 mm \varnothing JET





Suitable for:

3020106 PILOT WITH 0.25 mm ø JET



**3020079 PIPE FITTING ø 12 mm
thread ø 3/8" M**



**5033138 PIPE FITTING ø 4 mm
thread ø 1/8" M**



**5014757 PIPE FITTING ø 6 mm
thread M10x1 mm**



TECNOINOX



Suitable for:

3020107 PILOT WITH 0.35 mm ø JET




**3020077 PIPE FITTING ø 4 mm
thread M10x1**



**3020078 PIPE FITTING ø 6 mm
thread M10x1**



**3020296 TWO-FLAME PILOT BURNER SIT
multigas with jet ø 0.35 mm
with 2 positions bracket**



TECNOINOX RC01187000


**3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm
for mounting of pilot assembly**



3020101 BRACKET CLAMP 2 POSITIONS



**3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
for burner ø 90 mm**





Suitable for:


3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
for burner \varnothing 115 mm



3020100 BRACKET 2 POSITIONS



3020083 FITTING AND OLIVE \varnothing 4 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX RCK6010087

TECNOINOX



Suitable for:


3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
for burner \varnothing 135 mm



3020108 DEFLECTOR 1 FLAME



3020084 FITTING AND OLIVE \varnothing 6 mm



3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



TECNOINOX RCK6010046

TECNOINOX RC00120000

TECNOINOX RC30100050

TECNOINOX RC30100054

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm





Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



TECNOINOX



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
for model PEL 21-22-24-25



TECNOINOX RCK7070025

5027953 OLIVE FOR PIPE \varnothing 4 mm
for COPRECI CAL3200



3020081 OLIVE FOR PIPE \varnothing 6 mm



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020117 PILOT DEFLECTOR 3 FLAMES 53x40 mm



3020054 PILOT JET \varnothing 0.20 mm



3020156 PILOT JET \varnothing 0.25 mm



TECNOINOX RCK7042005 TECNOINOX RC00435000

4058525 PILOT JET \varnothing 0.30 mm



3020055 PILOT JET \varnothing 0.35 mm



5015516 PILOT JET \varnothing 0.40 mm



TECNOINOX RC00436000



Suitable for:

3500269 PILOT JET \varnothing 0.45 mm



TECNOINOX



Suitable for:

5075989 PILOT JET \varnothing 0.70 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020106 PILOT WITH 0.25 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm





Suitable for:



Suitable for:

Position switches

5067184 INTERRUTTORE FINECORSIA COMEPI AP1T71Z11
1,8A 400V
lunghezza asta 170 mm



TECNOINOX RC40100001

Probes

3445157 PROBE NTC PVC 1500 mm
probe 2 wires - temperature range $-30^{\circ}+80^{\circ}\text{C}$
bulb $\varnothing 6 \times 40$ mm



TECNOINOX RCK6000100

Radiant heating elements

5023666 RADIANT HEATING EL. 4000/4355W 230/240V
length 490 mm - width 245 mm
faston electrical connections
for Salamander electric (TECNOINOX) QSE60




TECNOINOX RC01229000

3311166 RADIANT HEATING ELEM. $\varnothing 200\text{mm}$ 1800W 230V
faston electric connections
complete with energy regulation
for glass-ceramic cooking top



TECNOINOX RC00931000

3311087 RADIANT HEATING ELEM. $\varnothing 250\text{mm}$ 2500W 230V
faston electric connections
complete with energy regulation
for glass-ceramic cooking top



TECNOINOX RC00932000

5073926 RADIANT HEATING ELEMENT OCTAGON. $\varnothing 200\text{mm}$
1800W 230V
faston electrical connectors - with cables
complete with power adjuster
for glass-ceramic hob



TECNOINOX 6005.162.00

Suitable for:

3311083 RADIANT HEATING ELEMENT OCTAGON. \varnothing 250mm
 2500W 230V
 faston electrical connections - with cables
 complete with power setting
 for glass-ceramic hob



TECNOINOX 6005.161.00

Suitable for:


3455404 RADIANT HEATING ELEMENT OCTAGON. \varnothing 300mm
 3400/1400W 230V
 faston electrical connections - with cables
 complete with power adjuster
 for glass-ceramic cooking top



TECNOINOX RC01605000

TECNOINOX 6005.160.00

3311105 RADIANT HEATING ELEMENT 3500W 240V
 dimensions 300x300 mm
 radiant size 270x270 mm
 terminal block electric connections
 for glass-ceramic cooking hob
 NO PAN DETECTION SENSOR
 for Hot plate (TECNOINOX) PP8FE9



TECNOINOX RC01434000

Relays

3351008 POWER RELAY FINDER 62.83.8.230.0000
 230V 50/60Hz
 3 exchange contacts 16A



TECNOINOX RC00001213

TECNOINOX RC00774000

Safety groups for pans and spare parts

3184007 PRESSURE GAUGE \varnothing 60 mm
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



TECNOINOX RC30300022



Suitable for:



Suitable for:


Selector switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.



TECNOINOX

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
back connection for thermostat




TECNOINOX RC40100006

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



TECNOINOX RCK6030007


3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Bain-marie (TECNOINOX) BM35E7



TECNOINOX RCK6030015

TECNOINOX RC00037000

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




TECNOINOX RC00070000

3057190 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 32A 600V - max 75°C
rectangular pin 4x5 mm



TECNOINOX RCK6030003

5085049 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



TECNOINOX RC40100027


5022563 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Oven under cooktop electric (TECNOINOX)
for Pasta cooker electric (TECNOINOX)
for Pot stove electric (TECNOINOX)



TECNOINOX RC01071000




3057023 **SELECTOR SWITCH 0-6 POSITIONS**
 contact capacity 32A 250V - max 150°C
 D shaft ø 6x4.6 mm




TECNOINOX RC01482000

3057024 **SELECTOR SWITCH 0-6 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm



TECNOINOX RC40100004

3057092 **SELECTOR SWITCH 0-6 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm



TECNOINOX RC00291000


3057146 **SELECTOR SWITCH 0-7 POSITIONS**
 contact capacity 16A 400V - max 150°C
 rectangular pin 4x5 mm



TECNOINOX RCK6030030

Solenoid valves

5028985 **SOLENOID VALVE RPER 158 1 WAY 180°**
 230V 50/60Hz - max. temperature 60°C
 inlet 3/4" - outlet ø 10 mm



TECNOINOX RC01964000

3120639 **ADJUSTER FOR OUTLET 0.50 L/min LIME**



3120640 **ADJUSTER FOR OUTLET 0.60 L/min GREY**



3120641 **ADJUSTER FOR OUTLET 0.90 L/min BLUE**



3120642 **ADJUSTER FOR OUTLET 1.10 L/min WHITE**



3120643 **ADJUSTER FOR OUTLET 1.70 L/min YELLOW**



3120644 **ADJUSTER FOR OUTLET 2.15 L/min VIOLETT**



3120645 **ADJUSTER FOR OUTLET 2.70 L/min BLACK**





Suitable for:

3120280 COIL CONNECTOR
cable length 1 m
max temperature 70°C



TECNOINOX



Suitable for:

5046981 OUTLET REDUCER 0.10 L/Min BROWN



5036913 OUTLET REDUCER 0.2 L/min PINK



5073916 OUTLET REDUCER 0.40L/min GREEN



5028983 OUTLET REDUCER 15 L/min RED



5039073 SOLENOID VALVE RPE153 1 WAY 180°
230V 50/60Hz - max temperature 60°C
3/4" inlet- ø 10.5 mm outlet
alimentary sealing



3120639 ADJUSTER FOR OUTLET 0.50 L/min LIME



TECNOINOX RCK6042070

3120640 ADJUSTER FOR OUTLET 0.60 L/min GREY



3120641 ADJUSTER FOR OUTLET 0.90 L/min BLUE



3120642 ADJUSTER FOR OUTLET 1.10 L/min WHITE



3120643 ADJUSTER FOR OUTLET 1.70 L/min YELLOW





Suitable for:

3120644 ADJUSTER FOR OUTLET 2.15 L/min VIOLETT



3120280 COIL CONNECTOR
cable length 1 m
max temperature 70°C



5036913 OUTLET REDUCER 0.2 L/min PINK



5028983 OUTLET REDUCER 15 L/m in RED



TECNOINOX



Suitable for:

3120645 ADJUSTER FOR OUTLET 2.70 L/min BLACK



5046981 OUTLET REDUCER 0.10 L/Min BROWN




5073916 OUTLET REDUCER 0.40L/min GREEN



Spark generators

5055779 GENERATOR 2 OUTLETS
1.5Vdc battery powered



TECNOINOX RC40200106

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



TECNOINOX RCK6041059

TECNOINOX RC00862000



Suitable for:

TECNOINOX



Suitable for:

Sparking and detection plugs

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



TECNOINOX RCK6010046
TECNOINOX RC30100054

TECNOINOX RC00120000

TECNOINOX RC30100050

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX RCK6010087

3806007 ROUND IGNITION PLUG \varnothing 6.5x45 mm
male faston M4x1 mm
overall length 60 mm



TECNOINOX RC01168000

3020128 ROUND IGNITION PLUG \varnothing 6x32 mm
connection \varnothing 2.4 mm
with silicone lead 770 mm
overall length with cable 800 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00368000

3020448 ROUND IGNITION PLUG \varnothing 6x55 mm
female connection 2.8x0.8 mm
overall length 82 mm



TECNOINOX RC00861000

3020230 ROUND IGNITION PLUG \varnothing 7x54 mm
male faston M4x1 mm
overall length 63 mm
for COOKING HOB series 700 PROTAGONISTA NUOVA
for COOKING HOB series 900 PROTAGONISTA NUOVA
for COOKING HOB series 1100 PROTAGONISTA NUOVA



TECNOINOX RCK6010061

Switches

3319012 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



TECNOINOX RC00004702

TECNOINOX RC00021000

3319780 BLOCK CONNECTION WHITE 22x30 mm





Suitable for:

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319090 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm



TECNOINOX RC00200000

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



TECNOINOX



Suitable for:

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



TECNOINOX

3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



TECNOINOX



Suitable for:

TECNOINOX



3319944 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - silk screen printing 0 - I
mounting hole 22x30 mm



TECNOINOX RC00000210

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



TECNOINOX

Suitable for:

3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



TECNOINOX


5086518 SELECTOR SWITCH BLACK 1-0-2 LOVATO
mounting hole \varnothing 22 mm
2 NO contacts



TECNOINOX RC40100026


Taps for tank refilling

5024440 KIT WATER INLET TAP \varnothing 1/2"FF
complete with bracket, knob and nuts
for Pasta cooker electric (TECNOINOX)
for Pasta cooker gas (TECNOINOX)



TECNOINOX RC00583000

5001432 SILKSCREENED BLACK RING \varnothing 75 mm
for water inlet pipe



TECNOINOX RCK5900274



Suitable for:

7111268 SPOUT CONNECTION FITTING \varnothing 3/4" F
outlet spout \varnothing 18 mm



TECNOINOX RC30200072

Suitable for:

5030949 SPOUT FITTING \varnothing 3/8" M
chrome-plated brass swivel
fixing \varnothing 1/2" M
outlet spout \varnothing 16 mm



TECNOINOX RC01756000

3242233 TAP KNOB - BLACK
D-shape hole \varnothing 9x8 mm




TECNOINOX RCK2001250

3356111 WATER INLET TAP \varnothing 1/2" FF
for Bratt pan electric (TECNOINOX) BS80FE7
BS80IE7



TECNOINOX RC30200008


3359120 WATER INLET TAP \varnothing 1/2" FF
D shaft 9x8 mm



TECNOINOX RCG7060018

TECNOINOX RCK7060018

5001432 SILKSCREENED BLACK RING \varnothing 75 mm
for water inlet pipe



TECNOINOX RCK5900274


3242233 TAP KNOB - BLACK
D-shape hole \varnothing 9x8 mm



TECNOINOX RCK2001250

Terminal blocks

7100443 TERMINAL BLOCK 3-POLES FV110 40A 450V
for cable max 6 mm²
operating temperature 150°C



TECNOINOX RC00296000

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



TECNOINOX RC00194000

TECNOINOX RC01521000

TECNOINOX RC40200016



Suitable for:


TECNOINOX



Suitable for:

Thermocouples and accessories

3440151 CONNECTOR FOR DISPLAY DEVICE M9x1



TECNOINOX RC00460000

3440019 EXTENSION FOR THERMOCOUPLE M9x1 60 cm. female nut M9x1



TECNOINOX RC01867000

3440015 INTERRUPTION CONNECTOR M9x1



TECNOINOX RC00460000

3440064 NUT FOR THERMOCOUPLE M8x1



TECNOINOX RC00865000

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



TECNOINOX RC00118000

3440079 THERMOCOUPLE M8x1 75 cm COUPLING M6x1



TECNOINOX RC00367000

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



TECNOINOX RC00864000

3440064 NUT FOR THERMOCOUPLE M8x1



TECNOINOX RC00865000

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS CONNECTOR M8x1



3440038 THERMOCOUPLE SIT M9x1 120 cm



TECNOINOX RC40400100

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



TECNOINOX RC40400100



TECNOINOX



Suitable for:

Suitable for:

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



TECNOINOX RC40400100

TECNOINOX RCK6010055

TECNOINOX RC00118000

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



TECNOINOX RCK6010055

TECNOINOX RC00118000

TECNOINOX RCK6010055

TECNOINOX RC00118000

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



TECNOINOX RCK6010057

TECNOINOX RC40400110

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



TECNOINOX RCK6010057

TECNOINOX RC40400110

TECNOINOX RCK6010057

TECNOINOX RC40400110


3440091 THERMOCOUPLE SIT QUICK M8x1 150 cm



TECNOINOX RC01483000

3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



TECNOINOX RC00118000

TECNOINOX RC00118000



Suitable for:



Suitable for:


Thermostatic gas valves

5038132 THERMOSTATIC TAP SABAF
 con microinterruttore
 temperatura di regolazione 300°C
 attacco a flangia tubo \varnothing 15 mm
 raccordo uscita M13x1 mm
 attacco termocoppia M8x1
 bulbo \varnothing 4x140 mm
 lunghezza capillare 840 mm
 perno a mezzaluna \varnothing 8x6,5 mm




TECNOINOX RC00890000

5038134 THERMOSTATIC TAP SABAF
 con microinterruttore
 temperatura di regolazione 300°C
 attacco a flangia tubo \varnothing 15 mm
 raccordo uscita M13x1 mm
 attacco termocoppia M8x1
 bulbo \varnothing 4x140 mm
 lunghezza capillare 1230 mm
 perno a mezzaluna \varnothing 8x6,5 mm



TECNOINOX RC00889000

3345018 THERMOSTATIC TAP 25ST
 operating temperature 100-300°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x75 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6.5 mm



TECNOINOX RC01133000

3348038 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 22-24-25



3348044 OLIVE FOR PIPE \varnothing 10 mm
 for model PEL 20-21-24-25



3020082 OLIVE FOR PIPE \varnothing 12 mm
 for model PEL 22-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
 for model PEL 21-22-24-25



TECNOINOX RCK7070025

3348037 OLIVE FOR PIPE \varnothing 6 mm
 for model PEL 21-22-24-25





Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm
for model PEL 22-24-25



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm
for model PEL 21-22-24-25



5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm



TECNOINOX



Suitable for:


3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm
for model PEL 20-21-24-25



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



Thermostats

3444784 SINGLE-PHASE THERMOSTAT 100-175°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1470 mm - 16A 230V
bulb \varnothing 6x130 mm



TECNOINOX RC00038000

TECNOINOX RC00779000

3444352 SINGLE-PHASE THERMOSTAT 130°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb \varnothing 6x129 mm



TECNOINOX RC00007803

TECNOINOX RC00427000



Suitable for:

TECNOINOX



3744094 SINGLE-PHASE THERMOSTAT 30-150°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1600 mm
 bulb \varnothing 3x145 mm
 for Boiling pan electric (TECNOINOX) P70IE7



TECNOINOX RC40100050


3444174 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm



TECNOINOX RC00569000

TECNOINOX RC00769000


3444376 SINGLE-PHASE THERMOSTAT 95-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1010 mm - 16A 250V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1



TECNOINOX RCK6010005

TECNOINOX RC02349000

5025572 TERMOSTATO THREE-PHASE 180°C
 manual reset
 covered capillary length 3000 mm - 20A 400V
 bulb \varnothing 4x125 mm



TECNOINOX RC40100041

3744140 TERMOSTATO THREE-PHASE 360°C
 manual reset
 covered capillary length 1490 mm
 bulb \varnothing 3x190 mm



TECNOINOX

3444239 THERMOSTAT SINGLE-PHASE 240°C
 with manual reset
 covered capillary length 860 mm - 16A 250V
 bulb \varnothing 6x77 mm - with stuffing gland fitting M10x1
 with M9x1 thermocouple interruption fitting



TECNOINOX RCK2011140

5020718 THERMOSTAT SINGLE-PHASE 240°C
 complete with cut-off thermocouple
 manual reset
 covered capillary length 860 mm - 16A 250V
 bulb \varnothing 6x77 mm - with adapter nipple gland M10x1



TECNOINOX RCK2010152

5044987 THERMOSTAT SINGLE-PHASE 40-280°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length covered 1000 mm - 16A 250V
 bulb \varnothing 3x198 mm




TECNOINOX RC01958000



Suitable for:


3444145 THERMOSTAT SINGLE-PHASE 66-324°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1600 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for OVEN



TECNOINOX RC40100042


Suitable for:

5067188 THERMOSTAT THREE PHASE 360°C
 with manual reset
 covered capillary length 1490 mm
 bulb \varnothing 4x122 mm



TECNOINOX RC01864000

5035531 THERMOSTAT THREE-PHASE 160°C
 with manual reset
 covered capillary length 900 mm - 20A 380V
 bulb \varnothing 6x89 mm
 for Bratt pan electric (TECNOINOX)
 for Pasta cooker electric (TECNOINOX)



TECNOINOX RC00001007

5056753 THERMOSTAT THREE-PHASE 50-273°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 380V
 bulb \varnothing 3x226 mm
 complete with silicone sheathing 580 mm



TECNOINOX RC01610000

3444251 THERMOSTAT 3-PHASE 100-292°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 10A 400V
 bulb \varnothing 3x220 mm
 for Fry top (TECNOINOX) - Series 700
 for Oven under cooktop (TECNOINOX) - Series 700



TECNOINOX RC0028500

TECNOINOX RC00285000


3444028 THREE-PHASE THERMOSTAT 105-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2800 mm - 10A 400V
 bulb \varnothing 4x235 mm



TECNOINOX RC00064000

TECNOINOX RC00281000

3444375 THREE-PHASE THERMOSTAT 225°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x90 mm - with adapter nipple band M10x1



TECNOINOX RCK6010037

3444143 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 1600 mm - 10A 400V
 bulb \varnothing 6x85 mm



TECNOINOX RC0045000




Suitable for:

TECNOINOX



3444368 THREE-PHASE THERMOSTAT 245°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x80 mm



TECNOINOX RC00450000

Suitable for:


3444351 THREE-PHASE THERMOSTAT 295°C
with manual reset
covered capillary length 1800 mm - 10A 400V
bulb \varnothing 4x125 mm - 10A 400V
for TECNOINOX OVEN
for EMMEPI OVEN 900-750-700-650 - FRY TOP 900-750



TECNOINOX RC00063000

TECNOINOX 81401059

3444076 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 6x130 mm
for Bain-marie (TECNOINOX) BM35E7




TECNOINOX RC00274000

3444088 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 6x140 mm - with stuffing gland fitting M9x1



TECNOINOX RC00274000

3444298 THREE-PHASE THERMOSTAT 337°C
with manual reset
covered capillary length 850 mm - 20A 400V
button bulb \varnothing 14x10 mm



TECNOINOX RC00238000

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb \varnothing 3x190 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E



TECNOINOX RC00305000

3444632 THREE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 1800 mm - 20A 300V
bulb \varnothing 4x120 mm
for Bratt pan electric (TECNOINOX)




TECNOINOX RC40100062



Timers

3446153 TIMER 15 MINUTES IT/ITS
 mechanical movement with balance wheel
 manually set mechanical timer
 manually set cycle 15 minutes
 2 poles with contact capacity 16(4)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm




TECNOINOX RC00000713

TECNOINOX RC00022000

3241161 BLACK KNOB \varnothing 40 mm
 D-shaped hole 6x4.6 mm



3446137 TIMER 15 MINUTES M2
 mechanical movement with balance wheel
 manually set mechanical timer
 manually set cycle 15 minutes
 bipolar with contact capacity 16(4)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for all models



TECNOINOX RC00022000


3241161 BLACK KNOB \varnothing 40 mm
 D-shaped hole 6x4.6 mm



3241173 BLACK KNOB \varnothing 44 mm
 D-shaped hole 6x4.6 mm



3241174 BLACK KNOB \varnothing 44 mm
 D-shaped hole 6x4.6 mm



3241377 KNOB BLACK \varnothing 50 mm 3-6-9-12-15 MINUTES
 D-shaped hole 6x4.6 mm





Suitable for:

TECNOINOX



3446008 TIMER 30 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 30 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Salamander (TECNOINOX) - Series QSEF



TECNOINOX RC01261000

Suitable for:

3446005 BLACK KNOB ABS 38x38 mm
 D-shaped hole \varnothing 6x4.6 mm
 for timer



3446007 TIMER 60 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 60 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



TECNOINOX RC00576000

3446005 BLACK KNOB ABS 38x38 mm
 D-shaped hole \varnothing 6x4.6 mm
 for timer



Wheels and accessories

7102729 HANDWHEEL \varnothing 150 mm
 central hole \varnothing 14 mm - with pin groove 24x6 mm
 complete with folding handle



TECNOINOX RCMB013600

TECNOINOX SMB013600

40C3800 HANDWHEEL \varnothing 23x65 mm
 thread M6



5012756 SCREW NUT FOR BRATT PAN \varnothing 40x40 mm



5056123 SCREW NUT FOR BRATT PAN \varnothing 40x40 mm



TECNOINOX RCSC002200



Suitable for:

5004961 SUPPORT FLANGE WITH BEARING UCF204
flange external dimensions 86x86 mm



TECNOINOX RC20400012

5012755 TILTING SCREW
total length 350 mm



TECNOINOX



Suitable for:

5012754 TILTING SCREW
total length 543 mm



5056124 TILTING SCREW \varnothing 20 mm
overall length 363 mm



TECNOINOX RCMB012800

TECNOINOX SMB012800

5067182 HANDWHEEL \varnothing 200 mm
middle hole \varnothing 20 mm - with groove 36x6 mm
completo di maniglia pieghevole



TECNOINOX RCMB063600

3522046 HANDWHEEL \varnothing 28x110 mm
thread M6



5056122 EXTENSION FOR TILTING SCREW \varnothing 20x543 mm



5012756 SCREW NUT FOR BRATT PAN \varnothing 40x40 mm



5056123 SCREW NUT FOR BRATT PAN \varnothing 40x40 mm



5004961 SUPPORT FLANGE WITH BEARING UCF204
flange external dimensions 86x86 mm



TECNOINOX RCSC002200

5012754 TILTING SCREW
total length 543 mm



TECNOINOX RC20400012

5012755 TILTING SCREW
total length 350 mm





Suitable for:

5056124 **TILTING SCREW \varnothing 20 mm**
overall length 363 mm



TECNOINOX



Suitable for:

TECNOINOX RCMB012800

TECNOINOX SMB012800

5056123 **SCREW NUT FOR BRATT PAN \varnothing 40x40 mm**



5004961 **SUPPORT FLANGE WITH BEARING UCF204**
flange external dimensions 86x86 mm



TECNOINOX RCSC002200

TECNOINOX RC20400012

5056124 **TILTING SCREW \varnothing 20 mm**
overall length 363 mm



TECNOINOX RCMB012800

TECNOINOX SMB012800

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com