



# Spare parts for the professional sector: Cooking equipment



Suitable for:

# THERMA



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# THERMA

Suitable for:



## Drain taps and accessories

**3356173 DRAIN TAP  $\varnothing$  1"1/2F**  
 complete with food grease tube  
 GASKET SEAL  
 fixed connection  $\varnothing$  1"1/2F  
 made of STAINLESS steel  
 IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004  
 FOODSAFE



**3356162  $\varnothing$  1"1/2F DRAIN TAP REPAIR SET**  
 for drain tap



THERMA 19003246

**3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**  
 length 50 mt  
 suitable to hot and cold drinking water, gas  
 replaces pastes, hemp and sealing tapes  
 it allows the repositioning of couplings  
 in compliance with the latest regulations  
 Drinking water (Italian certification by C.S.A.,  
 according to standard KTW and WRC approved)  
 gas - water IMQ-UNICIG.  
 compliant with UNI EN 51-2 class Arp  
 approved by DVGW and DIN 30660



**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature  $-45^{\circ}/+120^{\circ}$   
 beige color - NSF H1 certified  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline



**3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m**  
 length 150 metri  
 suitable for hot / cold drinking water. gas  
 replaces pastes, hemp and sealing tapes  
 it allows the correct replacement of fittings  
 compliant with the latest regulatory requirements  
 Drinking water (C.S.A. italian certified.  
 in line with KTW standard and WRC approved )  
 IMQ-UNICIG gas-water,  
 compliant with UNI EN 51-2 class Arp  
 DVGW and DIN 30660 approved



**3180039 VASELINE WURTH 750 g**  
 for lubrication of food processing machines  
 it protects chromed and rubber parts from  
 weather factors, moisture resistant,  
 operating temperature from  $-10^{\circ}\text{C}$  up to  $+120^{\circ}\text{C}$   
 from  $+50^{\circ}\text{C}$  to  $+120^{\circ}\text{C}$  the grease becomes oily





## Feet

- 3313075** ADJUSTABLE PLASTIC FOOT  $\varnothing$  26,5 mm  
for tubular 35x35 mm  
adjustable height 34÷68 mm  
max capacity 90 Kg



THERMA

## Gas burners

- 3023203** BURNER  $\varnothing$  50x410 mm  
overall length 475 mm  
made of stainless steel



- 3023202** AIR ADJUSTER  $\varnothing$  40 mm  
internal hole  $\varnothing$  10 mm  
height 13 mm - 8 holes



THERMA 11061201

## Gas taps and accessories

- 40KI367** GAS TAP 21/S  
with pilot flame  
flange connection pipe  $\varnothing$  21 mm  
outlet fitting M16x1.5 mm  
with flow regulator  
thermocouple connection M8x1  
pin length 45/19 mm  
D-shaped pin  $\varnothing$  6x4.6 mm




THERMA


- 7102841** BODY FITTING TAP  
 $\varnothing$  pipe 10 mm  
thread  $\varnothing$  3/8" F - M16x1 mm  
for taps PEL 20S-21S



- 3348219** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 45/20 mm upper/lower  
for model PEL 21




- 3348220** CAP WITH PIN  $\varnothing$  6x4.6 mm  
pin length 30/23 mm upper/lower  
for model PEL 21






Suitable for:

**3348221 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 30/17,5 mm upper/lower  
for model PEL 21



**3348238 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin 35/15 mm upper/lower  
for model PEL 21S




**3348236 FLANGIA WITH PRESSURE FITTING  $\varnothing$  16/10 mm**  
thread M16x1,5 mm - M10x1,25 mm  
for model PEL 21S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22




**3182011 MAGNETIC UNIT PEL SMALL HEAD**  
head  $\varnothing$  15 mm - end piece  $\varnothing$  11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110




# THERMA

Suitable for:

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



**3348243 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22/15 mm right/lef  
for model PEL 21S



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182022 MAGNETIC GROUP PEL SMALL HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  11.5 mm - length 44mm



**3348044 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 20-21-24-25





Suitable for:

**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25




**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5 mm  
for model PEL 20-21-24-25



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



**3348253 GAS TAP 22S/O**  
with pilot flame  
with horizontal flange  
fittings M20x1.5 mm  
with flowrate adjuster  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  6x4.6 mm



THERMA

**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 26 mm  
for model PEL 22



## THERMA

Suitable for:

**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25




**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm



**3348229 CAP WITH PIN  $\varnothing$  10 mm**  
pin length 31 mm  
for model PEL 22S/O



**3348245 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 34/26 mm upper/lower  
for model PEL 22S









Suitable for:


**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
pin length 26 mm  
for model PEL 22



**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 39/7 mm upper/lower  
for model PEL 22



**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



# THERMA

Suitable for:

**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
pin length 35/21 mm upper/lower  
for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
without adjustment  
thread M20x1.5 mm  
for model PEL 22S



**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22





Suitable for:

**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24




# THERMA



Suitable for:

**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25




**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348032 PIPE FITTING  $\varnothing$  12 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25



**3348029 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1 mm  
for model PEL 21-22-24-25



**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



**5014757 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1 mm






Suitable for:

# THERMA



Suitable for:

**2110454 GAS TAP 22S/V**  
 with pilot flame  
 with vertical flange  
 fittings M20x1.5 mm  
 with flow regulator  
 thermocouple fitting M8x1  
 D-shaped pin  $\varnothing$  6x4.6 mm



**3348229 CAP WITH PIN  $\varnothing$  10 mm**  
 pin length 31 mm  
 for model PEL 22S/0



THERMA 19012964

**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 26 mm  
 for model PEL 22



**3348245 CAP WITH PIN  $\varnothing$  10x8 mm**  
 pin length 34/26 mm upper/lower  
 for model PEL 22S



**3348019 CAP WITH PIN  $\varnothing$  10x9 mm**  
 pin length 26 mm  
 for model PEL 22




**3348231 CAP WITH PIN  $\varnothing$  6x4.6 mm**  
 pin length 35/21 mm upper/lower  
 for model PEL 22




**3348232 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 39/7 mm upper/lower  
 for model PEL 22



**3348213 FLANGE  $\varnothing$  12/10 mm**  
 without adjustment  
 thread M20x1.5 mm  
 for model PEL 22S



**3348023 FLANGE HORIZONTAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22



**3348025 FLANGE HORIZONTAL CONICAL  $\varnothing$  12/10 mm**  
 thread M20x1.5  
 for model PEL 22








Suitable for:


**3348024 FLANGE VERTICAL  $\varnothing$  12/10 mm**  
thread M20x1.5  
for model PEL 22



**3348058 MAGNET PROTECTION NUT M8x1**  
thread M18x1 mm  
for model PEL 20-21-22



**3182009 MAGNETIC UNIT PEL BIG HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm  
for PEL tap model 22-24



**3348038 OLIVE FOR PIPE  $\varnothing$  10 mm**  
for model PEL 22-24-25



**3348036 OLIVE FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22-24-25



**3348230 PIN FOT GAS TAP  $\varnothing$  6x4.6 mm**  
pin length 45/20 mm rh/lh  
for model PEL 22




## THERMA

Suitable for:

**3348214 FLANGIA WITH PRESSURE FITTING  $\varnothing$  12/10 mm**  
thread M20x1.5 mm  
for model PEL 22S



**3348059 MAGNET PROTECTION NUT M9x1**  
thread M18x1mm  
for model PEL 20-21-22



**3182021 MAGNETIC UNIT PEL LARGE HEAD**  
head  $\varnothing$  15.5 mm - end piece  $\varnothing$  14 mm - length 44 mm



**3020082 OLIVE FOR PIPE  $\varnothing$  12 mm**  
for model PEL 22-24-25



**3348037 OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22-24-25



**3348031 PIPE FITTING  $\varnothing$  10 mm**  
thread M20x1.5 mm  
for model PEL 22-24-25





Suitable for:

**3348032** PIPE FITTING  $\varnothing$  12 mm  
thread M20x1.5 mm  
for model PEL 22-24-25



**3020078** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1



# THERMA

Suitable for:

**3348029** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1 mm  
for model PEL 21-22-24-25



**5014757** PIPE FITTING  $\varnothing$  6 mm  
thread M10x1 mm



## Heating elements

**3755314** HEATING ELEMENT 1160W 400V  
length 295 mm - width 245 mm  
total height 103 mm  
for BAINMARIE ELECTRIC HLE249/259  
for Fry top electric (THERMA)



THERMA 18002166

**3755313** HEATING ELEMENT 1335W 400V  
length 327 mm - width 270 mm  
total length 97 mm  
for BAINMARIE ELECTRIC HLE249/259  
for Fry top electric (THERMA)



THERMA 18002165

**3755312** HEATING ELEMENT 1505W 400V  
length 350 mm - width 305 mm  
total length 83 mm  
for Fry top electric (THERMA)



THERMA 18002164

**3755315** HEATING ELEMENT 2400W 400V  
length 610 mm - width 315 mm  
couplings M14x1.5 mm  
operating ambient: dry  
for Bain-marie electric (THERMA)



THERMA 18011702

**40K4745** HEATING ELEMENT 3000W 230V  
length 500 mm - width 160 mm  
height 45 mm - complete with cables



THERMA 18001114

Suitable for:

**3755212 HEATING ELEMENT 6000W 230V**  
 immersed depth 465 mm  
 flange  $\varnothing$  ext. 63 mm




Suitable for:

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



THERMA

**3755311 RESISTENZA 2100W 400V**  
 length 260 mm - width 220 mm  
 height 25 mm - couplings M14x1.5 mm  
 for Salamander electric (THERMA)



THERMA 18001705

## Knobs


**40K5583 KNOB BLUE CONTROL PANEL  $\varnothing$  20 mm**  
 D-shaped hole 6x4.6 mm



THERMA 19006975

## Probes

**2110738 PROBE PROTECTION  $\varnothing$  12x39 mm**  
 internal  $\varnothing$  7/4 mm - thread M6x1



THERMA 18025413

**40K5154 TEMPERATURE PROBE 2000 mm**  
 2-wire probe with faston  
 bulb 6x10x22 mm




THERMA 18025572

**40K5055 THERMOCOUPLE PROBE TCK 2500 mm**  
 2-wire probe  
 bulb  $\varnothing$  4x33 mm - bayonet fixing



THERMA 18025412

**40K5058 THERMOCOUPLE PROBE TCK 2600 mm**  
 2-wire probe  
 bulb  $\varnothing$  4x70 mm - bayonet fixing



THERMA 18025415



Suitable for:

# THERMA



Suitable for:

## Relays

**3351004 POWER RELAY FINDER 56.32.8.230.0040**  
230V 50/60Hz  
2 changeover contacts 12A



THERMA 18005327


## Selector switches

**40K5063 KIT SELECTOR SWITCH 0-1 POSITIONS**  
complete with potentiometer and cables  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




THERMA 18025422

**40K5163 KIT SELECTOR SWITCH 0-1 POSITIONS**  
complete with potentiometer and cables  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



THERMA 18025583

**3057255 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



THERMA 18005012

## Solenoid valves

**40K5119 SOLENOID VALVE INVENSYS 2 WAY 90°**  
230V 50/60Hz - max temperature 90°C  
inlet 3/4" - two outlets  $\varnothing$  10.5 mm  
1 outlet with blue adjuster



THERMA 18025506


**3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU**  
flow rate 1.2 L/min - tolerance +/- 25%





## Thermocouples and accessories

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS  
CONNECTOR M8x1**



THERMA 19012635

**3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1**




**3440064 NUT FOR THERMOCOUPLE M8x1**



THERMA 19012635


**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS  
CONNECTOR M8x1**



THERMA 19012635


## Thermostats

**40H9835 SINGLE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length covered 1430 mm  
bulb  $\varnothing$  4x111 mm



THERMA 18015423

**3444506 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x150 mm  
for Boiling pan (THERMA)  
for Fryer (THERMA)



THERMA





Suitable for:

# THERMA



Suitable for:

## 3444505 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1440 mm - 10A 400V  
bulb  $\varnothing$  4X292 mm  
for Hot plate (THERMA)





















THERMA

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
  -  **LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
  -  **LF SPARE PARTS INC. USA**  
**Legal address:**  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
**Business/Mailing address:**  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
  -  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
  -  **POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)