



# Spare parts for the professional sector: Food processing equipment



Suitable for:

# ABM



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

**ABM**



Suitable for:

## Accident prevention devices-protections

### 9014171 CARRIAGE PROTECTION OF POLYCARBONATE


max overall dimensions 235x235 mm  
holes mounting distance 156 mm  
for Slicer (ABM) 935G



ABM

### 9716010 CARRIAGE PROTECTION OF POLYCARBONATE

max overall dimensions 180x220 mm  
holes mounting distance 165 mm  
for Slicer (ABM)



ABM

## Bearings

### 9004011 BEARING 607 ZZ MOUNTED ON BUSHING

external PTFE bushing  
external  $\varnothing$  24 mm - internal  $\varnothing$  7 mm - thickness 7 mm  
for Slicer (ABM)



ABM

## Belts

### 9003536 BELT DENTATA 8x475 mm Li for Slicer (ABM) AS275V - AS300V



ABM

### 9003659 MULTIGRIP BELT TB2 330 H16 7 GROOVES for Slicer (ABM)



ABM

### 9003504 TOOTHED BELT 6x280 mm for Slicer (ABM)



ABM

### 9003542 TOOTHED BELT 8x710 mm T28 for Slicer (ABM) 330 - 350V



ABM



Suitable for:

**9003529 V-BELT 8x355 mm**  
model T14  
for Slicer (ABM) 250AGS - 275AGS - 300I



ABM

Suitable for:

**9003531 V-BELT 8x400 mm**  
model T15 3/4  
for Slicer (ABM) AGS330 - AGS350S - 935S



ABM

**9003534 V-BELT 8x430 mm T17**  
for Slicer (ABM) AS300V - AS350V - 835 - 837



ABM

**9003535 V-BELT 8x450 mm T17 3/4**  
for Slicer (ABM) 275 - 300M



ABM

**9003537 V-BELT 8x530 mm**  
model T20 3/4  
for Slicer (ABM) 330 - 350 - 370V - 835 - 837  
937



ABM


**9003539 V-BELT 8x575 mm**  
model T23  
for Slicer (ABM) AS330 - 350



ABM

## Blades for meat slicer

**9006510 BLADE  $\varnothing$  220-40-3-180 MOD.C**  
B = outer  $\varnothing$  220 mm  
D = central hole  $\varnothing$  40 mm  
C = blade inner  $\varnothing$  180 mm  
3x fastening screws  
C45 forged steel



ABM

**9006520 BLADE  $\varnothing$  275-40-4-218 MOD.C**  
B = outer  $\varnothing$  275 mm  
D = central hole  $\varnothing$  40 mm  
C = blade inner  $\varnothing$  218 mm  
4x fastening screws  
100CR6 forged steel



ABM




Suitable for:

# ABM



## 9006527 BLADE $\varnothing$ 300-40-4-254 MOD.C

B = outer  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade inner  $\varnothing$  254 mm  
4x fastening screws  
C45 forged steel



ABM

## 9006528 BLADE $\varnothing$ 300-57-4-254 MOD.C


B = outer  $\varnothing$  300 mm  
D = central hole  $\varnothing$  57 mm  
C = blade inner  $\varnothing$  254 mm  
4x fastening screws  
100CR6 forged steel



ABM G9320

## 9006538 BLADE $\varnothing$ 350-57-4-280 MOD.C


B = outer  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade inner  $\varnothing$  280 mm  
4x fastening screws  
100CR6 forged steel



ABM

## 9006545 BLADE $\varnothing$ 370-57-4-300 MOD.C

B = outer  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade inner  $\varnothing$  300 mm  
4x fastening screws  
100CR6 forged steel



ABM

## 9006558 BLADE 300-40-4-254 MOD.C W/EXTRACT.HOLES

B = outer  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade inner  $\varnothing$  254 mm  
4x fastening screws  
with extraction holes  
C45 forged steel



ABM

## 9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES

B = outer  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade inner  $\varnothing$  270 mm  
4x fastening screws  
with extraction holes  
100CR6 forged steel



ABM

## 9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = outer  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade inner  $\varnothing$  280 mm  
4x fastening screws  
with extraction holes  
100CR6 forged steel



ABM

## 9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES


B = outer  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade inner  $\varnothing$  300 mm  
4x fastening screws  
with extraction holes  
100CR6 forged steel



ABM

**9006535 ST. STEEL BLADE  $\varnothing$  330-57-4-270 MOD.C**

B = external  $\varnothing$  330 mm  
 D = central hole  $\varnothing$  57 mm  
 C = blade internal  $\varnothing$  270 mm  
 4 fastening screws  
 100CR6 forged stainless steel



ABM

**9006503 WHEEL TYPE BLADE  $\varnothing$  330-25.4 mm MOD.A**

external  $\varnothing$  330 mm  
 central hole  $\varnothing$  25.4 mm  
 forged steel 100CR6



ABM

## Bushings

**9002550 GLACIER BUSH  $\varnothing$  22-19x22 mm**

external  $\varnothing$  22 mm  
 internal  $\varnothing$  19 mm  
 height 22 mm  
 for Slicer (ABM) AGS300



ABM

**9002500 GLACIER BUSH  $\varnothing$  25-22x25 mm**

external  $\varnothing$  25 mm  
 internal  $\varnothing$  22 mm  
 height 25 mm



ABM Z9BMV

## Eccentrics

**9707021 ECCENTRIC ABM OF ALUMINIUM  $\varnothing$  86 mm**

internal hole 18 mm - overall height 35 mm  
 grooving 8 mm  
 for Slicer (ABM) 2350S - 800G - 800V - 835 - 837



ABM Z9CAM

## Emeries for blades

**9013003 CUP GRINDERS 40-12-8**

A = external  $\varnothing$  40 mm  
 B = hole  $\varnothing$  12 mm  
 H = height 8 mm  
 COARSE GRAIN



ABM

**9013220 EMERY WHEEL WITH STEP AND DRUM 50-8-8**

A = external  $\varnothing$  50 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 8 mm  
 COARSE GRAIN  
 for Slicer (ABM) AGS350



ABM




Suitable for:

# ABM



## 5033433 RIMMED GRINDER 45-10-8

A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  10 mm  
H = height 8 mm  
COARSE GRAIN



ABM

Suitable for:

## 9013202 RIMMED GRINDERS WITH DRUM 40-6-7.8


A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  6 mm  
H = height 7.8 mm  
COARSE GRAIN



ABM

## 9013209 RIMMED GRINDERS WITH DRUM 45-6-8

A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  6 mm  
H = height 8 mm  
FINE GRAIN



ABM

## 9013210 RIMMED GRINDERS WITH DRUM 45-6-8


A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  6 mm  
H = height 8 mm  
COARSE GRAIN



ABM

## 9013219 RIMMED GRINDERS WITH DRUM 50-8-8


A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  8 mm  
H = height 8 mm  
FINE GRAIN  
for Slicer (ABM) AGS350



ABM

## 9013105 RIMMED GRINDERS 40-10-8

A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  10 mm  
H = height 8 mm  
FINE GRAIN  
for Slicer (ABM) 900



ABM

## 9251004 RIMMED GRINDERS 45-10-7


A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  10 mm  
H = height 7 mm  
FINE GRAIN



ABM

## 9013128 RIMMED GRINDERS 50-6-9

A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  6 mm  
H = height 9 mm  
COARSE GRAIN



ABM

**9013152 RIMMED GRINDERS 52-10-8**

A = external  $\varnothing$  52 mm  
B = hole  $\varnothing$  10 mm  
H = height 8 mm  
COARSE GRAIN  
for Slicer (ABM) 90




ABM

**9013148 STEPPED EMERY WHEEL 45-6-8**

A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  6 mm  
H = height 8 mm  
FINE GRAIN  
for Slicer (ABM) AGS350



ABM

**Gear Protectors****9010001 GEAR PROTECTION BIZERBA**

ABM

**Knives for meat mincers****9014601 STAINLESS STEEL KNIFE F/MEAT MINCER 12**

model ENTERPRISE 12 self-sharpening  
external  $\varnothing$  60 mm - square hole 12x12 mm



ABM P251236

**Knobs****9007462 ADJUSTABLE KNOB BLACK  $\varnothing$  18x163 mm**

pin  $\varnothing$  18x103 mm  
knob  $\varnothing$  67 mm  
mounting frame  $\varnothing$  68 mm



ABM



Suitable for:

**ABM**



Suitable for:

## Microswitches, magnetic

- 9014014 MAGNETIC MICROSWITCH  $\varnothing$  6x29 mm**  
 0.5A 250V - contact NO  
 with cable length 750 mm  
 for Slicer (ABM) B1200 - F2000 - F3000 - F4000  
 HB3000



ABM Z9AMR

## Pins

- 9011000 PIN FOR SLICER BLADE COVER**  
 square part 12x12 mm - hole  $\varnothing$  8 mm  
 fastening thread M12 - overall height 16 mm  
 for Slicer (ABM) 300 - 370 - 937



ABM

- 9011001 PIN FOR SLICER BLADE COVER**  
 square part 15x15 mm - hole  $\varnothing$  8 mm  
 fastening thread M12 - overall height 23 mm  
 for Slicer (ABM) 350 - 370



ABM

## Slice protectors

- 9009500 SLICE GUARD FOR SLICER OF ST. STEEL**  
 external dimensions 100x118 mm  
 distance between holes 70 mm  
 for Slicer (ABM) AGS250 - AGS275 - AGS300



ABM

## Switches

- 9014112 PROTECTION FOR OVAL PUSH-BUTTON**  
 in silicone rubber  
 external dimensions 58x34 mm  
 for PUSH-BUTTON PANEL with touch-sensitive STOP  
 for PUSH-BUTTON PANEL NEW TYPE



ABM P930125





Suitable for:

**ABM**



Suitable for:

## Tie rods for blade cover

**9013536** **BLADE COVER TIE ROD SHAFT 140mm PITCH M8**  
for Slicer (ABM) AG250



ABM

**9013532** **BLADE COVER TIE ROD SHAFT 195mm PITCH M6**  
micro support  $\varnothing$  10x70 mm



ABM

**9714010** **BLADE COVER TIE ROD SHAFT 170mm PITCH M8**  
micro support  $\varnothing$  12x30 mm  
for Slicer (ABM) 350 - 370



ABM

**9013539** **SHAFT BLADE COVER TIE ROD 170mm PITCH M8**  
micro-insert  $\varnothing$  12x25 mm  
for Slicer (ABM) AS350 - AS370



ABM

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)