



Spare parts for the professional sector:  
**Food processing equipment**



Suitable for:

**ATOMA**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# ATOMA



Suitable for:

## Accident prevention devices-protections

**9014155 BLACK ARM HANDLE**  $\varnothing$  30 mm  
thread  $\varnothing$  10 mm - clamp  $\varnothing$  64 mm




ATOMA

**40KM447 CARRIAGE PROTECTION OF POLYCARBONATE**  
max overall dimensions 155x230 mm  
holes mounting distance 85 mm



ATOMA 4090343

**40PR242 CARRIAGE PROTECTION OF POLYCARBONATE**  
max overall dimensions 150x255 mm  
holes mounting distance 85 mm



ATOMA 4101055

**9716013 CARRIAGE PROTECTION OF POLYCARBONATE**  
max overall dimensions 155x240 mm  
holes mounting distance 85 mm



ATOMA


**9716083 CARRIAGE PROTECTION OF POLYCARBONATE**  
max overall dimensions 280x280 mm  
fastening holes mounting distance 210 mm



ATOMA

## Belts

**5087382 BELT MULTIGRIP TB2 380 H16 7 GROOVES**



ATOMA 3030123

**4033722 BELT MULTIGRIP TB2 430 H24 11 GROOVES**



ATOMA 3030126

**9003663 MULTIGRIP BELT TB2 380 H20 9 GROOVES**



ATOMA 3030124

**9062037 MULTIGRIP BELT TB2 430 H16 7 GROOVES**  
for Slicer (ATOMA)



ATOMA

Suitable for:

**9003664 MULTIGRIP BELT 400 TB2 H16 7 GROOVES**



ATOMA 3030129

Suitable for:

**9003507 V-BELT 6x330 mm**  
model Y352  
for Slicer (ATOMA)



ATOMA

## Blade protectors for slicers


**9706001 BLADE COVER ATOMA EUR 350**  
external  $\varnothing$  417 mm - internal  $\varnothing$  for blade 280 mm  
internal thread  $\varnothing$  7 mm



ATOMA

## Blades for meat slicer

**9006509 BLADE  $\varnothing$  220-25,4-4-180 MOD.C**  
B = outer  $\varnothing$  220 mm  
D = central hole  $\varnothing$  25.4 mm  
C = blade inner  $\varnothing$  180 mm  
4x fastening screws  
100CR6 forged steel



ATOMA

**9006528 BLADE  $\varnothing$  300-57-4-254 MOD.C**  
B = outer  $\varnothing$  300 mm  
D = central hole  $\varnothing$  57 mm  
C = blade inner  $\varnothing$  254 mm  
4x fastening screws  
100CR6 forged steel



ATOMA

**9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES**  
B = outer  $\varnothing$  300 mm  
D = central hole  $\varnothing$  57 mm  
C = blade inner  $\varnothing$  254 mm  
4x fastening screws  
with extraction holes  
100CR6 forged steel



ATOMA 3024111

**9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES**  
B = outer  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade inner  $\varnothing$  280 mm  
4x fastening screws  
with extraction holes  
100CR6 forged steel



ATOMA 3026111



Suitable for:

# ATOMA



Suitable for:

## Bushings

**40KM445 BUSHING FOR BLADE COVER SHAFT  $\varnothing$  30x22 mm**  
 $\varnothing$  int. 12/20 mm



ATOMA 4100059

**40KJ008 GLACER  $\varnothing$  23-20x20 mm**  
outer  $\varnothing$  23 mm  
inner  $\varnothing$  20 mm  
height 20 mm



ATOMA 232020

**40PR727 GLACER  $\varnothing$  23-20x25 mm**  
 $\varnothing$  ext. 23 mm  
 $\varnothing$  int. 20 mm  
h 25 mm



ATOMA 3030812

**5064772 GLACER  $\varnothing$  27-24x30 mm**  
external  $\varnothing$  27 mm  
internal  $\varnothing$  24 mm  
height 30 mm



ATOMA 3030801

**40PR007 SPACER  $\varnothing$  27/20x53 mm**



ATOMA 4100155

## Eccentrics

**9707022 ECCENTRIC ATOMA PLASTIC  $\varnothing$  70 mm**  
internal hole  $\varnothing$  11 mm - grooving 10 mm  
for Slicer (ATOMA)



ATOMA

**40PR201 ECCENTRIC ELECTROLUX  $\varnothing$  100 mm**  
middle hole  $\varnothing$  11 mm - groove 10 mm  
with external plates for block



ATOMA 4090163

**40PRN28 PLASTIC ECCENTRIC ELECTROLUX  $\varnothing$  60mm**  
int. hole  $\varnothing$  10 mm - grooving 8 mm




ATOMA 4090145F



## Electronic boards

**9390062 ELECTRONIC POWER BOARD 220V**  
external dimensions 90x50 mm



ATOMA 300CE677

ATOMA 3040658

**9390049 3-PHASE ELECTRON.CIRCUIT BOARD 230/400V**  
external dimensions 137x58 mm



ATOMA

## Emeries for blades

**9013006 CUP GRINDERS 45-6-15**  
A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  6 mm  
H = height 15 mm  
COARSE GRAIN



ATOMA 3030716

**9013211 RIMMED GRINDERS WITH DRUM 46-8-8**  
A = external  $\varnothing$  46 mm  
B = hole  $\varnothing$  8 mm  
H = height 8 mm  
FINE GRAIN



ATOMA 3040704

**9013213 RIMMED GRINDERS WITH DRUM 50-6-8**  
A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  6 mm  
H = height 8 mm  
FINE GRAIN



ATOMA

**9013221 RIMMED GRINDERS WITH DRUM 50-9.6-10**  
A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  9.6 mm  
H = height 10 mm  
FINE GRAIN  
giant type



ATOMA

**9013138 RIMMED GRINDERS 50-10-10**  
A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  10 mm  
H = height 10 mm  
FINE GRAIN



ATOMA

**9013021 RIMMED GRINDERS 51-9.6-12**  
A = external  $\varnothing$  51 mm  
B = hole  $\varnothing$  9.6 mm  
H = height 12 mm  
COARSE GRAIN



ATOMA



Suitable for:

# ATOMA



Suitable for:

## Feet

### 40KM513 SUCTION FOOT WITH SHAFT M8

length 13 mm  
basis  $\varnothing$  45x30 mm



ATOMA 3030403

## Gaskets and seals

### 40KM512 RING EPDM $\varnothing$ 40x24x5 mm



ATOMA 3030504

## Gears

### 5055772 GEAR 30 TEETH OF BAKELITE

external  $\varnothing$  59 mm  
internal  $\varnothing$  35 mm  
height 19 mm  
with 6 couplings  
gear protection  $\varnothing$  5 mm



ATOMA 4080221

### 9005505

### 30-TOOTH GEAR IN BAKELITE

external  $\varnothing$  59 mm  
internal  $\varnothing$  35 mm  
height 20 mm  
with 5 couplings  
gear protection  $\varnothing$  10 mm  
for Slicer (ATOMA)



ATOMA

### 9005024 30-TOOTH GEAR IN PTFE

external  $\varnothing$  59 mm  
internal  $\varnothing$  32 mm  
height 19 mm  
5 fittings



ATOMA 4080219



## Ironmongery (screws, nuts, washers)


**4033973 PIN ARM HOLDER**  $\varnothing 25/11 \times 21$  mm  
central hole threaded MA8



ATOMA 300CE311

ATOMA 4100171

**40U2128 WASHER**  $\varnothing 25 \times 1.5$  mm  
 $\varnothing$  int. 12 mm



ATOMA 700263F

## Knobs

**9007451 ADJUSTABLE KNOB BLACK HOLE**  $\varnothing 12$  mm  
no shaft  
knob  $\varnothing 65$  mm  
cover  $\varnothing 72$  mm  
for Slicer (ATOMA)




ATOMA 2V30005

**9007452 ADJUSTABLE KNOB BLACK HOLE**  $\varnothing 12$  mm  
without pin  
knob  $\varnothing 72$  mm  
mounting frame  $\varnothing 70$  mm



ATOMA 2V30012

**5025189 BLOCK FOR KNOB PIN COMPLETE**  
thread  $\varnothing 28$  mm -  $\varnothing 32/26$  mm  
overall length 51 mm



ATOMA 203V009

**40PR789 BUSHING OF BRASS KNOB M20 HOLE**  $\varnothing 12$  mm



ATOMA 4100066

**4033767 KNOB WATCH BLACK**  $\varnothing 12 \times 82$  mm  
pin  $\varnothing 12 \times 30$  mm  
knob  $\varnothing 65$  mm  
plate  $\varnothing 71$  mm



ATOMA 2V30006



Suitable for:


# ATOMA



Suitable for:

## Sharpeners

- 9701003** **BLADE SHARPENER ATOMA 350-370**  
with cover  
for Slicer (ATOMA) ECO300



ATOMA

## Sliding rods

- 4037326** **SLIDING ROD SUPPORT**  
internal hole  $\varnothing$  for sliding rod 24 mm



ATOMA 403A003

## Springs


- 40PR318** **SPRING FOR MOTOR**  
 $\varnothing$  exte. 22 mm  
 $\varnothing$  int. 17 mm  
h 23 mm



ATOMA 3031272

## Switches

- 9014068** **BUTTON PANEL O-I BLACK-WHITE 16A 250V**  
GIOVENZANA - 1 normally closed contact  
1 normally open contact  
with indicator light  
mounting hole  $\varnothing$  22 mm



ATOMA 3040165

- 40U2140** **PROTECTION BOX 143x70x50 mm**



ATOMA 4090135



## Tie rods for blade cover

**9714021** BLADE COV.TIE ROD SHAFT 235 mm PITCH M10  
micro support  $\varnothing$  15x14 mm  
for Slicer (ATOMA) EUR350



ATOMA

## Watertight seals and rings

**40KM518** SEALING RING 52x30x7 mm



ATOMA 3030202

**40KM517** SEALING RING 52x34x8 mm



ATOMA 3030203

**40U2028** SEALING RING 85x60x10 mm  
double lip retainer



ATOMA 3030216

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)