



Spare parts for the professional sector:
Food processing equipment



Suitable for:

GENERAL MACHINE



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

Suitable for:

Accident prevention devices-protections

9716028 CARRIAGE GUARD
 max.overall dimensions 155x275 mm
 distance between holes 68 mm
 for Slicer (GENERAL MACHINE) GTL370



GENERAL MACHINE

Bearings

9004011 BEARING 607 ZZ MOUNTED ON BUSHING
 external PTFE bushing
 external \varnothing 24 mm - internal \varnothing 7 mm -thickness 7 mm
 for Slicer (GENERAL MACHINE)



GENERAL MACHINE

9004000 BEARING 608 ZZ NSK
 external \varnothing 22 mm - internal \varnothing 8 mm -thickness 7 mm
 for Slicer (GENERAL MACHINE)



GENERAL MACHINE

Belts

9062020 BELT MULTIGRIP TB2 330 H12 5 GROOVES
 for Slicer (GENERAL MACHINE) 250I



GENERAL MACHINE

9062095 MULTIGRIP BELT TB2 330 H22 10 GROOVES
 for Slicer (GENERAL MACHINE) 300 - 330 - 350I



GENERAL MACHINE

9003663 MULTIGRIP BELT TB2 380 H20 9 GROOVES
 for Slicer (GENERAL MACHINE) 350I



GENERAL MACHINE

9003665 MULTIGRIP BELT 430 TB2 H20 9 GROOVES
 for Slicer (GENERAL MACHINE) 350V



GENERAL MACHINE

9003528 V-BELT 8x315 mm T12 1/5
 for Slicer (GENERAL MACHINE) 300 - 330 - 350GLS



GENERAL MACHINE

Blades for meat slicer

9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES

B = external \varnothing 300 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 254 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



GENERAL MACHINE

9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES

B = external \varnothing 330 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 270 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



GENERAL MACHINE

9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = external \varnothing 350 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 280 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



GENERAL MACHINE

9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES


B = external \varnothing 370 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 300 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



GENERAL MACHINE

9006510 ST. STEEL BLADE \varnothing 220-40-3-180 MOD.C


B = external \varnothing 220 mm
 D = central hole \varnothing 40 mm
 C = blade internal \varnothing 180 mm
 3 fastening screws
 100CR6 forged stainless steel



GENERAL MACHINE

9006520 ST. STEEL BLADE \varnothing 275-40-4-218 MOD.C


B = external \varnothing 275 mm
 D = central hole \varnothing 40 mm
 C = blade internal \varnothing 218 mm
 4 fastening screws
 100CR6 forged stainless steel



GENERAL MACHINE

9006525 ST. STEEL BLADE \varnothing 300-40-3-254 MOD.C

B = external \varnothing 300 mm
 D = central hole \varnothing 40 mm
 C = blade internal \varnothing 254 mm
 3 fastening screws
 100CR6 forged stainless steel



GENERAL MACHINE

9006528 ST. STEEL BLADE \varnothing 300-57-4-254 MOD.C

B = external \varnothing 300 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 254 mm
 4 fastening screws
 100CR6 forged stainless steel



GENERAL MACHINE



GENERAL MACHINE



Suitable for:

9006535 ST. STEEL BLADE \varnothing 330-57-4-270 MOD.C

B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
100CR6 forged stainless steel




GENERAL MACHINE

Suitable for:

9006538 ST. STEEL BLADE \varnothing 350-57-4-280 MOD.C


B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
100CR6 forged stainless steel



GENERAL MACHINE

9006545 ST. STEEL BLADE \varnothing 370-57-4-300 MOD.C


B = external \varnothing 370 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 300 mm
4 fastening screws
100CR6 forged stainless steel



GENERAL MACHINE

9006547 ST. STEEL BLADE \varnothing 385-57-4-315 MOD.C

B = external \varnothing 385 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 315 mm
4 fastening screws
100CR6 forged stainless steel



GENERAL MACHINE

Eccentrics

9707009 PLASTIC ECCENTRIC GENERAL \varnothing 87 mm internal hole \varnothing 14 mm - groove 8 mm with external stopping notch for Slicer (GENERAL MACHINE) 350S - 370S



GENERAL MACHINE

9707012 PLASTIC ECCENTRIC GENERAL \varnothing 90 mm internal hole 14 mm - groove 8 mm for Slicer (GENERAL MACHINE) ASE370 - 370AC 370AS



GENERAL MACHINE

9005008 PLASTIC ECCENTRIC REGINA \varnothing 70 mm internal hole \varnothing 14 mm - grooving 9 mm



GENERAL MACHINE

Electronic printed-circuit boards

- 9390063 ELECTRONIC POWER BOARD 230/400V**
 external dimensions 116x108 mm
 for Slicer (GENERAL MACHINE) - Series GLE
 Series GLS



GENERAL MACHINE

Emeries for blades

- 9013201 CUP GRINDERS 51-8-12**
 A = external \varnothing 51 mm
 B = hole \varnothing 8 mm
 H = height 12 mm
 COARSE GRAIN



GENERAL MACHINE

- 9013201 RIMMED GRINDERS WITH DRUM 40-6-7.8**
 A = external \varnothing 40 mm
 B = hole \varnothing 6 mm
 H = height 7.8 mm
 FINE GRAIN



GENERAL MACHINE

- 9013202 RIMMED GRINDERS WITH DRUM 40-6-7.8**
 A = external \varnothing 40 mm
 B = hole \varnothing 6 mm
 H = height 7.8 mm
 COARSE GRAIN



GENERAL MACHINE

- 9013209 RIMMED GRINDERS WITH DRUM 45-6-8**
 A = external \varnothing 45 mm
 B = hole \varnothing 6 mm
 H = height 8 mm
 FINE GRAIN
 for Slicer (GENERAL MACHINE) GL - GLS - GXL



GENERAL MACHINE

- 9013210 RIMMED GRINDERS WITH DRUM 45-6-8**
 A = external \varnothing 45 mm
 B = hole \varnothing 6 mm
 H = height 8 mm
 COARSE GRAIN
 for Slicer (GENERAL MACHINE) GL - GLS - GXL



GENERAL MACHINE

- 9013123 RIMMED GRINDERS 45-8-7**
 A = external \varnothing 45 mm
 B = hole \varnothing 8 mm
 H = height 7 mm
 FINE GRAIN



GENERAL MACHINE



Suitable for:

Suitable for:

Gears

- 9005525 27-TEETH GEAR IN NYLON**
 external \varnothing 61 mm
 internal \varnothing 36 mm
 height 20 mm
 with 6 couplings
 gear protection \varnothing 6 mm
 for Slicer (GENERAL MACHINE)



GENERAL MACHINE

Knobs

- 9242056 ADJUSTABLE KNOB BLACK \varnothing 12x82 mm**
 pin \varnothing 12x32 mm
 knob \varnothing 47 mm
 mounting frame \varnothing 60 mm



GENERAL MACHINE

- 9007450 ADJUSTABLE KNOB BLACK \varnothing 14x134 mm**
 pin \varnothing 14x74 mm
 knob \varnothing 66 mm
 mounting frame \varnothing 68 mm
 clockwise numbering



GENERAL MACHINE

- 9241018 ADJUSTABLE KNOB BLACK \varnothing 14x158 mm**
 pin \varnothing 14x93 mm
 knob \varnothing 67 mm
 mounting frame \varnothing 68 mm
 for Slicer (GENERAL MACHINE)



GENERAL MACHINE

Pins

- 9011012 PIN FOR SLICER BLADE COVER**
 hexagonal part side 13 mm - hole \varnothing 8 mm
 fastening thread M8 - overall height 25 mm
 for Slicer (GENERAL MACHINE) 350 - 370



GENERAL MACHINE



Protection plates

9007002 NEUTRAL TIMER BEZEL

top \varnothing 68.5 mm
bottom \varnothing 39 mm
central hole 18 mm
height 23 mm



GENERAL MACHINE

Switches

9319718 PUSH-BUTT.PANEL 2 BUT.ON-OFF GREEN-BLACK

16(4)A 250V
1 normally closed contact
1 normally open contact
mounting hole 22x30 mm
for Slicer (GENERAL MACHINE)



GENERAL MACHINE

Tie rods for blade cover

9714008 BLADE COVER TIE ROD PIN 150 mm PITCH M6
for Slicer (GENERAL MACHINE) 220 - 250 - 300



GENERAL MACHINE

9013532 BLADE COVER TIE ROD SHAFT 195mm PITCH M6
micro support \varnothing 10x70 mm



GENERAL MACHINE

9714013 BLADE COVER TIE ROD SHAFT 195mm PITCH M8
micro support \varnothing 13x55 mm
for Slicer (GENERAL MACHINE) 300 - 330G



GENERAL MACHINE

9013533 BLADE COVER TIE ROD SHAFT 217mm PITCH M6
for Slicer (GENERAL MACHINE) 350G - 370G



GENERAL MACHINE

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com