



Spare parts for the professional sector:
Food processing equipment



Suitable for:

KOLOSSAL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:


KOLOSSAL



Suitable for:

Accident prevention devices-protections

9014174 CARRIAGE PROTECTION OF POLYCARBONATE
max.overall dimensions 250x150 mm
for Slicer (KOLOSSAL) 30I - 35I - 350CE
for Slicer (KOLOSSAL) MANCONI MASTER 350IM 300IK



KOLOSSAL 0607848810

9716031 CARRIAGE PROTECTION OF POLYCARBONATE
max.overall dimensions 240x195 mm
for Slicer (KOLOSSAL) 250VCE



KOLOSSAL

Bearings

9004011 BEARING 607 ZZ MOUNTED ON BUSHING
external PTFE bushing
external \varnothing 24 mm - internal \varnothing 7 mm -thickness 7 mm
for Slicer (KOLOSSAL)



KOLOSSAL

Belts

9003504 V-BELT 6x280 mm



KOLOSSAL LF-9003503

Blade protectors for slicers

3710002 BLADE COVER KOLOSSAL 350 VERSION NO CE
external \varnothing 360 mm - internal \varnothing for blade 280 mm
internal thread \varnothing 8 mm
for Slicer (KOLOSSAL) 350I - 350V



KOLOSSAL



Blades for meat slicer

9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES

B = external \varnothing 300 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 254 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



KOLOSSAL

9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES


B = external \varnothing 330 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 270 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



KOLOSSAL

9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES


B = external \varnothing 350 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 280 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



KOLOSSAL

9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES


B = external \varnothing 370 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 300 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



KOLOSSAL

9006509 ST. STEEL BLADE \varnothing 220-25.4-4-180 MOD.C


B = external \varnothing 220 mm
 D = central hole \varnothing 25.4 mm
 C = blade internal \varnothing 180 mm
 4 fastening screws
 100CR6 forged stainless steel



KOLOSSAL

9006520 ST. STEEL BLADE \varnothing 275-40-4-218 MOD.C

B = external \varnothing 275 mm
 D = central hole \varnothing 40 mm
 C = blade internal \varnothing 218 mm
 4 fastening screws
 100CR6 forged stainless steel



KOLOSSAL

9006528 ST. STEEL BLADE \varnothing 300-57-4-254 MOD.C


B = external \varnothing 300 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 254 mm
 4 fastening screws
 100CR6 forged stainless steel



KOLOSSAL

9006535 ST. STEEL BLADE \varnothing 330-57-4-270 MOD.C

B = external \varnothing 330 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 270 mm
 4 fastening screws
 100CR6 forged stainless steel



KOLOSSAL




Suitable for:

KOLOSSAL



9006538 ST. STEEL BLADE ø 350-57-4-280 MOD.C

B = external ø 350 mm
D = central hole ø 57 mm
C = blade internal ø 280 mm
4 fastening screws
100CR6 forged stainless steel



KOLOSSAL

Suitable for:

9006540 ST. STEEL BLADE ø 350-57-4-306 MOD.C

B = external ø 350 mm
D = central hole ø 57 mm
C = blade internal ø 306 mm
4 fastening screws
100CR6 forged stainless steel



KOLOSSAL 0621840290

9006545 ST. STEEL BLADE ø 370-57-4-300 MOD.C


B = external ø 370 mm
D = central hole ø 57 mm
C = blade internal ø 300 mm
4 fastening screws
100CR6 forged stainless steel



KOLOSSAL

9006546 ST. STEEL BLADE ø 380-57-4-310 MOD.C

B = external ø 380 mm
D = central hole ø 57 mm
C = blade internal ø 310 mm
4 fastening screws
100CR6 forged stainless steel



KOLOSSAL

Bushings

9002561 GLACIER BUSH ø 14-12x25 mm

external ø 14 mm
internal ø 12 mm
height 25 mm



KOLOSSAL

9002553 GLACIER BUSH ø 19-17x15 mm

external ø 19 mm
internal ø 17 mm
height 15 mm



KOLOSSAL

9002531 NYLON BUSHING ø 17-12x30 mm

external ø 17 mm
internal ø 12 mm.
height 30 mm



KOLOSSAL



Castors, rollers and accessories

- 9004024** NYLON WHEEL \varnothing 24-8x6 mm
 external \varnothing 24 mm
 internal \varnothing 8 mm
 height 6 mm



KOLOSSAL

Covers for sharpener

- 9002705** SLANT COVER KOLOSSAL 30-35-38
 aluminium made
 for Slicer (KOLOSSAL) NG - VI - 30INCLINATA
 35INCLINATA - 38INCLINATA



KOLOSSAL

Eccentrics

- 9005014** ECCENTRIC KOLOSSAL PLASTIC \varnothing 74 mm
 internal hole \varnothing 12 mm - groove 8 mm
 for Slicer (KOLOSSAL) 250K - 250M



KOLOSSAL

- 9005019** NYLON ECCENTRIC KOLOSSAL \varnothing 80 mm
 internal hole \varnothing 12 mm - groove 8 mm
 with external stopping notch
 for Slicer (KOLOSSAL) 250V - 350I - 380I



KOLOSSAL

Electronic printed-circuit boards

- 9390048** 3-PHASE ELECTRON.CIRCUIT BOARD 230/400V
 external dimensions 111x70 mm
 for Slicer (KOLOSSAL)



KOLOSSAL



Suitable for:

KOLOSSAL



Suitable for:

Emeries for blades

9013010 CUP GRINDERS 45-8-12
 A = external \varnothing 45 mm
 B = hole \varnothing 8 mm
 H = height 12 mm
 COARSE GRAIN
 for Slicer (KOLOSSAL) MIP350




KOLOSSAL

9013020 CUP GRINDERS 51-8-12
 A = external \varnothing 51 mm
 B = hole \varnothing 8 mm
 H = height 12 mm
 COARSE GRAIN
 for Slicer (KOLOSSAL) MIP330 - MIP350




KOLOSSAL

9731004 CUP GRINDERS 51-8-12
 A = external \varnothing 51 mm
 B = hole \varnothing 8 mm
 H = height 12 mm
 COARSE GRAIN
 for Slicer (KOLOSSAL) NG



KOLOSSAL

9013201 RIMMED GRINDERS WITH DRUM 40-6-7.8
 A = external \varnothing 40 mm
 B = hole \varnothing 6 mm
 H = height 7.8 mm
 FINE GRAIN




KOLOSSAL

9013209 RIMMED GRINDERS WITH DRUM 45-6-8
 A = external \varnothing 45 mm
 B = hole \varnothing 6 mm
 H = height 8 mm
 FINE GRAIN



KOLOSSAL

9013223 RIMMED GRINDERS WITH DRUM 54-8-8
 A = external \varnothing 54 mm
 B = hole \varnothing 8 mm
 H = height 8 mm
 FINE GRAIN
 giant type
 for Slicer (KOLOSSAL) IK - MASTER - MIP - OSP
 for Slicer (KOLOSSAL) 300IK



KOLOSSAL

9013100 RIMMED GRINDERS 40-6-10
 A = external \varnothing 40 mm
 B = hole \varnothing 6 mm
 H = height 10 mm
 FINE GRAIN



KOLOSSAL

KOLOSSAL LF-9251014

9013123 RIMMED GRINDERS 45-8-7
 A = external \varnothing 45 mm
 B = hole \varnothing 8 mm
 H = height 7 mm
 FINE GRAIN



KOLOSSAL



Suitable for:

9013135 RIMMED GRINDERS 50-8-8

A = external \varnothing 50 mm
 B = hole \varnothing 8 mm
 H = height 8 mm
 FINE GRAIN



KOLOSSAL

Suitable for:

9013136 RIMMED GRINDERS 50-8-8

A = external \varnothing 50 mm
 B = hole \varnothing 8 mm
 H = height 8 mm
 COARSE GRAIN



KOLOSSAL

9013151 RIMMED GRINDERS 51-8-7.5

A = external \varnothing 51 mm
 B = hole \varnothing 8 mm
 H = height 7.5 mm
 FINE GRAIN



KOLOSSAL LF-9013133

KOLOSSAL

Gears

9005525 27-TEETH GEAR IN NYLON

external \varnothing 61 mm
 internal \varnothing 36 mm
 height 20 mm
 with 6 couplings
 gear protection \varnothing 6 mm



KOLOSSAL

9005526 27-TOOTH GEAR IN PTFE

external \varnothing 63 mm
 internal \varnothing 36 mm
 height 20 mm
 6 fittings
 gear protection \varnothing 6 mm
 for Slicer (KOLOSSAL)



KOLOSSAL

9005513 31-TOOTH GEAR IN PTFE

external \varnothing 63 mm
 internal \varnothing 36 mm
 height 20 mm
 6 fittings
 gear protection \varnothing 6 mm
 for Slicer (KOLOSSAL)



KOLOSSAL



Suitable for:

KOLOSSAL



Suitable for:

Handles

9014156 PLATE-PUSHING HANDLE 135 mm
distance between mounting holes 16 mm
for Slicer (KOLOSSAL) BV



KOLOSSAL

Knobs

9007457 ADJUSTABLE KNOB BLACK \varnothing 17x105 mm
pin \varnothing 17x20 mm with reduction to \varnothing 12x22 mm
knob \varnothing 66 mm
mounting frame \varnothing 69 mm
for Slicer (KOLOSSAL)



KOLOSSAL

Microswitches, mechanical

3240123 MICROSWITCH ROLD VRSRB1DA1
16A 250V



KOLOSSAL 0611022200

9240002 MICROSWITCH SAIA-BURGESS XP52-Z51
16A 250V



KOLOSSAL 0611022200

Pins

9011012 PIN FOR SLICER BLADE COVER
hexagonal part side 13 mm - hole \varnothing 8 mm
fastening thread M8 - overall height 25 mm
for Slicer (KOLOSSAL) 350 - 380



KOLOSSAL

9011013 PIN FOR SLICER BLADE COVER
hexagonal part side 11 mm - hole \varnothing 6 mm
fastening thread M8 - overall height 17 mm
for Slicer (KOLOSSAL) 250I - 300I



KOLOSSAL

Suitable for:

Suitable for:

9010501 PLATE RELEASING PIN 45 mm
thread \varnothing 12 mm
for Slicer (KOLOSSAL)



KOLOSSAL

Rotary switches


9006082 BIPOLAR SWITCH 16A 600V
contact capacity 16A 600V - max 60/75°C
shaft 7x8 mm
input connection 1-3
output connection 2-4



KOLOSSAL LF-5100877

Sharpeners

9701018 BLADE SHARPENER KOLOSSAL 300-350-IEV
without cover
for Slicer (KOLOSSAL) 300I&V - 350I&V



KOLOSSAL LF-9000053

Springs

9008503 CONICAL SPRING FOR RUBBERPIECE
external \varnothing 17/10.5 mm
internal \varnothing 13/6.5 mm
height 48 mm



KOLOSSAL

9008505 RUBBER BUFFER FOR CONICAL SPRING
coupling \varnothing 13x10 mm
overall length 18 mm



KOLOSSAL



Suitable for:

KOLOSSAL



Suitable for:

Switches

9319056 RUBBER PUSH-BUTTON PROTECTION \varnothing 31 mm
height 20 mm



KOLOSSAL 0607866090

Tie rods for blade cover

9013544 BLADE COVER TIE ROD SHAFT 185mm PITCH M8
for Slicer (KOLOSSAL) 350V



KOLOSSAL

9013543 BLADE COVER TIE ROD SHAFT 190mm PITCH M6
for Slicer (KOLOSSAL) 300I



KOLOSSAL

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com