



Spare parts for the professional sector: Food processing equipment



Suitable for:

RGV



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

RGV



Suitable for:

Accident prevention devices-protections

9014155 BLACK ARM HANDLE \varnothing 30 mm
thread \varnothing 10 mm - clamp \varnothing 64 mm
for Slicer (RGV) DOLLYVS350/S - PROFVS350/F



RGV 00000000298

RGV 00000000452

9716006 CARRIAGE PROTECTION OF POLYCARBONATE
max.overall dimensions 150x180 mm
distance between holes 110 mm
for Slicer (RGV) DOLLY275A - DOLLY300 - DOLLY300S
LADY275A



RGV 162

9716007 CARRIAGE PROTECTION OF POLYCARBONATE
max.overall dimensions 145x195 mm
distance between holes 105 mm
for Slicer (RGV) DOLLY250 - DOLLY250S - LADY220
LADY250 - LADY275 - LUSS0220 - LUSS0250
LUSS0275



RGV 00000000924

9716020 CARRIAGE PROTECTION OF POLYCARBONATE
max.overall dimensions 140x230 mm
distance between holes 112 mm
for Slicer (RGV)



RGV

9716021 CARRIAGE PROTECTION OF POLYCARBONATE
max.overall dimensions 150x210 mm
distance between holes 112 mm
for Slicer (RGV) 350S



RGV 588

Bearings

1063901 BEARING 6204 DDU NSK
external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm



RGV 00000000632

D063052 BEARING 6204-2RS SKF
single box packaging



RGV 00000000632

Belts

9003659 MULTIGRIP BELT TB2 330 H16 7 GROOVES

for Slicer (RGV) 250 - 250S

for Slicer (RGV) 250/S CEV+BLC



RGV 861

Blades for meat slicer

9006515 BLADE OF ST./STEEL Ø 250-40-3-210 MOD.C

B = external Ø 250 mm

D = central hole Ø 40 mm

C = blade inner Ø 210 mm

height 17.5 mm

fastening screws n.3

forged stainless steel 100CR6



RGV 00000000142

9006508 ST. STEEL BLADE Ø 195-30-3-155 MOD.C


B = external Ø 195 mm

D = central hole Ø 30 mm

C = blade internal Ø 155 mm

3 fastening screws

100CR6 forged stainless steel



RGV

9006510 ST. STEEL BLADE Ø 220-40-3-180 MOD.C


B = external Ø 220 mm

D = central hole Ø 40 mm

C = blade internal Ø 180 mm

3 fastening screws

100CR6 forged stainless steel



RGV 00000000855

9006518 ST. STEEL BLADE Ø 275-40-3-218 MOD.C


B = external Ø 275 mm

D = central hole Ø 40 mm

C = blade internal Ø 218 mm

3 fastening screws

100CR6 forged stainless steel



RGV 00000000713

9006523 ST. STEEL BLADE Ø 300-40-3-245 MOD.C

B = external Ø 300 mm

D = central hole Ø 40 mm

C = blade internal Ø 245 mm

3 fastening screws

100CR6 forged stainless steel

for Slicer (RGV) DOLLY300/S



RGV 1205

RGV 636

9006524 ST. STEEL BLADE Ø 300-40-3-250 MOD.C


B = external Ø 300 mm

D = central hole Ø 40 mm

C = blade internal Ø 250 mm

3 fastening screws

100CR6 forged stainless steel



RGV 00000000636



Suitable for:


RGV



Suitable for:

9006538 ST. STEEL BLADE ø 350-57-4-280 MOD.C

B = external ø 350 mm
D = central hole ø 57 mm
C = blade internal ø 280 mm
4 fastening screws
100CR6 forged stainless steel



RGV

Bushings

5061162 GLACER ø 23-20x20 mm

external ø 23 mm
internal ø 20 mm
height 20 mm



RGV 00000000639

9002500 GLACIER BUSH ø 25-22x25 mm

external ø 25 mm
internal ø 22 mm
height 25 mm
for Slicer (RGV) DOLLY350/S



RGV 00000000586

Capacitors, electrical

3068014 CAPACITOR DUCATI µF 8 450V 50/60Hz

operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations
for Slicer (RGV) DOLLY250 - DOLLY250S



RGV 182

3068079 CAPACITOR ELECTRICAL 8µF

450V 50/60Hz - ø 30xh71 mm
for Slicer (RGV) DOLLY250 - DOLLY250S



RGV 182

Eccentrics

9005012 PLASTIC ECCENTRIC ø 75 mm
internal hole ø 18 mm - grooving 8 mm
for Slicer (RGV)



RGV

9707011 PLASTIC ECCENTRIC RGV ø 51 mm
internal hole ø 12 mm - grooving 6 mm
for Slicer (RGV) 220 - 250 - 275



RGV 830

Electronic printed-circuit boards

9390062 ELECTRONIC POWER BOARD 220V
external dimensions 90x50 mm
for Slicer (RGV)




RGV

9390201 PROTECTION CIRCUIT BOARD KIT 220V
external dimensions 52x50xh23 mm
complete with cables
for Slicer (RGV) DOLLY275 - DOLLY300S
for Slicer (RGV) DOLLY350/A - 25SPEC ED RED CEV
250/S



RGV 00000000297

3390328 SINGLE-PHASE PUSH-BUTTON PANEL KIT
external dim. 75x33 mm
complete with quick connection push-button
for Slicer (RGV) DOLLY330 - DOLLY350 - DOLLY370
300/S
for Slicer (RGV) 300/S



RGV 00000000359

9014026 SINGLE-PHASE PUSH-BUTTON PANEL KIT 0.5HP
external dimensions 115x38 mm
complete with quick connection push-button
for small SLICER



RGV

Emeries for blades

9013020 CUP GRINDERS 51-8-12
A = external \varnothing 51 mm
B = hole \varnothing 8 mm
H = height 12 mm
COARSE GRAIN
for Slicer (RGV) 350



RGV

9013029 CUP GRINDERS 51-8-12
A = external \varnothing 51 mm
B = hole \varnothing 8 mm
H = height 12 mm
FINE GRAIN
for Slicer (RGV) DOLLY300S



RGV 721

9013201 RIMMED GRINDERS WITH DRUM 40-6-7.8
A = external \varnothing 40 mm
B = hole \varnothing 6 mm
H = height 7.8 mm
FINE GRAIN
for Slicer (RGV) 250



RGV

9013202 RIMMED GRINDERS WITH DRUM 40-6-7.8
A = external \varnothing 40 mm
B = hole \varnothing 6 mm
H = height 7.8 mm
COARSE GRAIN
for Slicer (RGV) 250



RGV



Suitable for:

RGV



9013209 RIMMED GRINDERS WITH DRUM 45-6-8

A = external \varnothing 45 mm
B = hole \varnothing 6 mm
H = height 8 mm
FINE GRAIN
for Slicer (RGV) 250A - 350



RGV

9013210 RIMMED GRINDERS WITH DRUM 45-6-8

A = external \varnothing 45 mm
B = hole \varnothing 6 mm
H = height 8 mm
COARSE GRAIN
for Slicer (RGV) 250A - 350



RGV

9013214 RIMMED GRINDERS WITH DRUM 50-6-8

A = external \varnothing 50 mm
B = hole \varnothing 6 mm
H = height 8 mm
COARSE GRAIN
for Slicer (RGV) 350



RGV

9013135 RIMMED GRINDERS 50-8-8

A = external \varnothing 50 mm
B = hole \varnothing 8 mm
H = height 8 mm
FINE GRAIN



RGV

9013151 RIMMED GRINDERS 51-8-7.5

A = external \varnothing 51 mm
B = hole \varnothing 8 mm
H = height 7.5 mm
FINE GRAIN



RGV 720

Feet

9012018 SUCTION FOOT WITH SHAFT M8

length 8 mm
base \varnothing 47x33 mm
for Slicer (RGV) 300 - 300S



RGV




Knobs

9242056 ADJUSTABLE KNOB BLACK \varnothing 12x82 mm
pin \varnothing 12x32 mm
knob \varnothing 47 mm
mounting frame \varnothing 60 mm
for Slicer (RGV)



RGV

9007505 ADJUSTABLE KNOB BLACK \varnothing 14x125 mm
pin \varnothing 14x55 mm
knob \varnothing 62 mm
mounting frame \varnothing 70 mm



RGV

9007500 ADJUSTABLE KNOB BLACK \varnothing 18x110 mm
pin \varnothing 18x50 mm
knob \varnothing 66 mm
mounting frame \varnothing 69 mm



RGV 0000000631

9007526 BLACK KNOB \varnothing 50 mm PITCH M8
without pin




RGV

9007509 BLACK KNOB FOR CARRIAGE \varnothing 66 mm M12
without pin



RGV 0000000629

5030602 KNOB BLACK \varnothing 28x75 mm PASO MA6
for Slicer (RGV) LADY22 - LADY25GL - LUSSO22
LUSSO25G/A - OLIMPIA22 - OLIMPIA25



RGV 0000000825

Meat hold arm

5033216 MEAT-HOLDING ARM
for Slicer (RGV) LUSSO195GL



RGV 00000009201

9703044 MEAT-HOLDING ARM
locking pin external \varnothing 22 mm
locking pin internal \varnothing 12 mm
for Slicer (RGV) DOLLY300CE - DOLLY350CE



RGV 9686



Suitable for:

RGV



Suitable for:

- 9703048 MEAT-HOLDING ARM**
locking pin external \varnothing 21 mm
locking pin internal \varnothing 12 mm
for Slicer (RGV) DOLLY250 - DOLLY250/S




RGV 00000000327

RGV 9206

Motors

- 9240078 MOTOR H40-510 230V 50Hz**
1.15A - 1380rpm - capacitor 8 μ F
shaft \varnothing 15 mm - 10 grooves
for Slicer (RGV) DOLLY250 - DOLLY250S
for Slicer (RGV) 250/S CEV+BLC



RGV 00000000510

RGV 510

- 9240079 MOTOR H70-681 230V 50Hz**
1.7A - 1380rpm
shaft \varnothing 15x30 mm
fixing plate 50x17 mm - thread M5
for Slicer (RGV) DOLLY300 - DOLLY300S



RGV 9680

Sharpeners

- 9000042 BLADE SHARPENER RGV**
with knob - without cover



RGV 9168

Slice protectors

- 5030604 ALUMIN.BUTTON F/SLICE PROT./MEAT HOLDER**
external \varnothing 14 mm - \varnothing thread 6 mm - height 13 mm
for Slicer (RGV) LADY22GL - LADY25GL - LUSS022ACE
LUSS022GCE - LUSS025ACE - LUSS025GCE



RGV 00000000623

Switches

9319104 CHANGEOVER SWIT. 2 KEYS ON-OFF GREEN-BLA

16A 250V - with led indicator lamp white
1 contact NC
1 contact NO
mounting hole 22x30 mm
for Slicer (RGV)



RGV R.G.V.

9319095 PROTECTION FOR OVAL PUSH-BUTTON

length 55 mm - width 30 mm - height 26 mm
for Slicer (RGV) DOLLY250 - DOLLY250S - DOLLY300S



RGV 00000000285

9014112 PROTECTION FOR OVAL PUSH-BUTTON

in silicone rubber
external dimensions 58x34 mm
for PUSH-BUTTON PANEL with touch-sensitive STOP
for PUSH-BUTTON PANEL NEW TYPE
for Slicer (RGV) DOLLY300/S



RGV 653

9319095 PROTECTION FOR OVAL PUSH-BUTTON


length 55 mm - width 30 mm - height 26 mm
for Slicer (RGV) DOLLY250 - DOLLY250S - DOLLY300S



RGV 00000000285

9014068 PUSH-BUTT.PANEL 0-1 WHITE-BLACK 16A 250V

GIOVENZANA - 1 normally closed contact
1 normally open contact
with indicator lamp
mounting hole \varnothing 22 mm



RGV 00000000651

9319715 PUSH-BUTT.PANEL 2 BUT. I-O WHITE-BLACK

16(4)A 250V
1 normally closed contact
1 normally open contact
mounting hole 22x30 mm
for Slicer (RGV) DOLLY300S - DOLLY350A
for Slicer (RGV) DOLLY350/A - GFS1025 - GFS1030
250/S CEV+BLC300S



RGV 00000000296

9319095 PROTECTION FOR OVAL PUSH-BUTTON

length 55 mm - width 30 mm - height 26 mm
for Slicer (RGV) DOLLY250 - DOLLY250S - DOLLY300S



RGV 00000000285



Suitable for:

RGV



9319717 PUSH-BUTT.PANEL 2 BUTT. I-STOP GREEN-RED
16(4)A 250V
1 normally closed contact
1 normally open contact
mounting hole 22x30 mm
for Slicer (RGV)



RGV

Suitable for:

9319095 PROTECTION FOR OVAL PUSH-BUTTON
length 55 mm - width 30 mm - height 26 mm
for Slicer (RGV) DOLLY250 - DOLLY250S - DOLLY300S



RGV 00000000285

9319712 PUSH-BUTT.PANEL 2 BUTT. STOP-I GREEN-RED
16(4)A 250V
1 normally closed contact
1 normally open contact
mounting hole 22x30 mm
for Slicer (RGV)



RGV

9319095 PROTECTION FOR OVAL PUSH-BUTTON
length 55 mm - width 30 mm - height 26 mm
for Slicer (RGV) DOLLY250 - DOLLY250S - DOLLY300S



RGV 00000000285

Tie rods for blade cover

9013531 BLADE COVER TIE ROD SHAFT 146mm PITCH M6
for Slicer (RGV) DOLLY250 - DOLLY250/S



RGV 817

9013528 BLADE COVER TIE ROD SHAFT 155mm PITCH M6
for Slicer (RGV) DOLLY250 - DOLLY250/S



RGV 777

9714023 BLADE COVER TIE ROD SHAFT 175mm PITCH M6
micro support ø 10x50 mm
for Slicer (RGV) 350S









RGV

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|--|
|  LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com |  LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es |
|  LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com |  LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk |
|  EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com |  LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch |
|  LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de |  LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk |
|  LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com |  LF Central Est Europe S.r.o. CZECH REPUBLIC
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz |
|  OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru |  LF SPARE PARTS INC. USA
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis |
-
- | | |
|--|---|
|  AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com |  LATIN AMERICA AND THE CARRIBEANS
www.lfrepuestos-horeca724.es
export@lfrepuestos.es |
|  AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at |  POLAND
www.lfspareparts724.pl
info@lfspareparts.pl |
|  BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com |  SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com |
|  BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com |  TURKEY
www.lfyedekparca724.com
export@lfspareparts.com |