



Spare parts for the professional sector:
Food processing equipment



Suitable for:

SAMMIC



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:


SAMMIC



Suitable for:

Abrasive discs for potato peeler

9735027 **ABRASIVE DISC FOR POTATO PEELER \varnothing 328 mm**
fixing hole \varnothing 16 mm - con pin groove 6x28 mm
for Potato peeler (SAMMIC) PP-12 - PP-6 - PPC-12
PPC-6




SAMMIC 2003698

SAMMIC 2003740

SAMMIC 2003755


9735028 **ABRASIVE DISC FOR POTATO PEELER \varnothing 385 mm**
fixing hole \varnothing 20 mm - with pin groove 8x30 mm
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15
for Potato peeler (SAMMIC) PI-20



SAMMIC 2001203

SAMMIC 2001417

9735050 **DICING DISC VEG. CHOPPER 10x10x10 mm**
external dimensions 215x223 mm
for VEGETABLE CHOPPER CA400



SAMMIC 1010330

9735051 **DICING DISC VEG. CHOPPER 16x16x16 mm**
external dimensions 215x223 mm
for VEGETABLE CHOPPER CA400




SAMMIC 1010335

9735052 **DICING DISC VEG. CHOPPER 20x20x20 mm**
external dimensions 215x223 mm
for VEGETABLE CHOPPER CA400




SAMMIC 1010332

9735055 **DICING DISC VEG. CHOPPER 20x20x20 mm**
external dimensions 210x230 mm
for VEGETABLE CHOPPER




SAMMIC 1010290

9735054 **DICING DISC VEG. CHOPPER 8x8x8 mm**
external dimensions 210x230 mm
for VEGETABLE CHOPPER



SAMMIC 1010280

9100048 **EJECTOR DISC FOR VEGETABLE CHOPPER**
external \varnothing 188 mm - fitting \varnothing 28x23 mm
for Vegetables/mozzarella cutter (SAMMIC) CA-300
CA-400



SAMMIC 2050621

Suitable for:

9710035 FC SMOOTH BLADE
 max. overall dimensions 93x30 mm
 distance between mounting holes 82 mm
 for Vegetables/mozzarella cutter (SAMMIC) CA-300
 CA-400



SAMMIC 2019078

Suitable for:

9710036 FCC SMOOTH BLADE
 max. overall dimensions 114x53 mm
 for Vegetables/mozzarella cutter (SAMMIC) CA-300
 CA-400



SAMMIC 2019080

9710034 FCE SMOOTH BLADE COUPLE
 max. overall dimensions 88x30 mm
 distance between mounting holes 75 mm
 for Vegetables/mozzarella cutter (SAMMIC) CA-300
 CA-400



SAMMIC 2019072

9735046 GRATING DISC FOR VEGETABLE CHOPPER FCO2
 external \varnothing 205 mm - fixing hole \varnothing 19 mm
 for VEGETABLE CHOPPER



SAMMIC 1010295

9735047 GRATING DISC FOR VEGETABLE CHOPPER FCO3
 external \varnothing 205 mm - fixing hole \varnothing 19 mm
 for VEGETABLE CHOPPER



SAMMIC 1010300

5060401 GRATING DISC FOR VEGETABLE CHOPPER FR-7
 external \varnothing 205 mm - middle hole \varnothing 19 mm



SAMMIC 1010313

5050967 GRATING DISC FOR VEGETABLE CHOPPER Z2
 external \varnothing 205 mm - fixing hole \varnothing 19 mm
 for VEGETABLE CHOPPER



SAMMIC 1010253

SAMMIC 1010310

5046950 GRATING DISC FOR VEGETABLE CHOPPER Z3
 external \varnothing 205 mm - fixing hole \varnothing 19 mm
 for VEGETABLE CHOPPER



SAMMIC 1010255

SAMMIC 1010311

5049217 GRATING DISC FOR VEGETABLE CHOPPER Z4
 external \varnothing 205 mm - fixing hole \varnothing 19 mm
 for VEGETABLE CHOPPER



SAMMIC 1010257

SAMMIC 1010312

5037580 KNIFE FOR SLICES \varnothing 210 mm
 lower coupling \varnothing 15 mm
 square upper coupling 10x10 mm



SAMMIC 2052245




Suitable for:

SAMMIC



9735056 POTATO PEELER KNIVES DISK \varnothing 395 mm
boss external \varnothing 45.5 mm
for POTATO PEELER PE15



SAMMIC 200004

Suitable for:

9735048 SLICING DISC VEG. CHOPPER CURVED SL. 2mm
external \varnothing 205 mm - fixing hole \varnothing 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010225

SAMMIC 1010406


9735049 SLICING DISC VEG. CHOPPER CURVED SL. 5mm
external \varnothing 205 mm - fixing hole \varnothing 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010232

SAMMIC 1010404

9735040 SLICING DISC VEGETABLE CHOPPER 1 mm
external \varnothing 205 mm - fixing hole \varnothing 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010215

9735039 SLICING DISC VEGETABLE CHOPPER 14 mm
external \varnothing 205 mm - fixing hole \varnothing 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010250

9735041 SLICING DISC VEGETABLE CHOPPER 2 mm
external \varnothing 205 mm - fixing hole \varnothing 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010220

5046949 SLICING DISC VEGETABLE CHOPPER 3 mm
external \varnothing 205 mm - fixing hole \varnothing 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010222


9735038 SLICING DISC VEGETABLE CHOPPER 8 mm
external \varnothing 205 mm - fixing hole \varnothing 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010240

SAMMIC 1010400

9735045 STICK-CUTT. DISC VEG. CHOPPER 10x10 mm
external dimensions 210x230 mm
for VEGETABLE CHOPPER



SAMMIC 1010275

9735053 STICK-CUTT. DISC VEG. CHOPPER 10x10 mm
external dimensions 215x223 mm
for VEGETABLE CHOPPER CA400



SAMMIC 1010340



Suitable for:


5039585 **STICK-CUTT. DISC VEG. CHOPPER 2x2 mm**
external \varnothing 205 mm - fixing hole \varnothing 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010205

Suitable for:

5049214 **STICK-CUTT. DISC VEG. CHOPPER 4x4 mm**
external \varnothing 205 mm - fixing hole \varnothing 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010210

9735043 **STICK-CUTT. DISC VEG. CHOPPER 6x6 mm**
external dimensions 210x230 mm
for VEGETABLE CHOPPER



SAMMIC 1010265

9735042 **STICK-CUTT. DISC VEG. CHOPPER 8x8 mm**
external \varnothing 205 mm - fixing hole \varnothing 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010208

SAMMIC 1010405


9735044 **STICK-CUTT. DISC VEG. CHOPPER 8x8 mm**
external dimensions 210x230 mm
for VEGETABLE CHOPPER



SAMMIC 1010270


Abrasive sheets & clothes potato peelers

9736007 **ABRASIVE BLADE FOR POTATO PEELER**
height 185 mm - length 1000 mm
for Potato peeler (SAMMIC) M-10



SAMMIC 2009233

9736009 **ABRASIVE BLADE FOR POTATO PEELER**
height 225 mm - length 1440 mm
for Potato peeler (SAMMIC) M-25 - M-25T



SAMMIC 2009216

Accident prevention devices-protections

9716030 **CARRIAGE PROTECTION OF POLYCARBONATE**
max. overall dimensions 195x225 mm
distance between holes 110 mm
for Slicer (SAMMIC) GC-220 - GC-250 - GC-275
GC-300



SAMMIC 6052645

9716071 **CARRIAGE PROTECTION OF POLYCARBONATE**
max. overall dimensions 195x225 mm
bottom width 150 mm
distance between holes 112 mm
for Slicer (SAMMIC) GCP-300 - GCP-350



SAMMIC 6052649



Suitable for:

SAMMIC



Suitable for:


Bearings

3063092 ABRASIVE DISC BEARINGS POTATO PEELER KIT
for Potato peeler (SAMMIC) M-10 - M-15 - PE15




SAMMIC 2009231

9063009 BEARING 6004 ZZ NSK
external \varnothing 42 mm - intern. \varnothing 20 mm - thickness 12



SAMMIC SL0073

3063017 BEARING 6203 DDU NSK
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm



SAMMIC SL0131

D063051 BEARING 6203-2RS SKF
single box packaging



SAMMIC SL0131

9063025 BEARINGS KIT 6201/6203 2RSH
3 bearings SKF 6201 2RSH
1 bearing SKF 6203 2RSH
for Planetary machine (SAMMIC) BM-5



SAMMIC 2509367

9063023 BEARINGS KIT 6206/6006 2RS
2 bearings SKF 6206 2RS1 - 1 bearing 6006 NSE
plus bushing
for Planetary machine (SAMMIC) BM-22



SAMMIC 2509149

5031172 THRUST BEARING 51205 JFK
external \varnothing 47mm - internal \varnothing 25mm - thickness 15mm



SAMMIC 6056210

Belts

9062020 BELT MULTIGRIP TB2 330 H12 5 GROOVES
for Slicer (SAMMIC) GC-220 - GC-250



SAMMIC 6052518

9062064 MULTIGRIP BELT J 1065 H23 9 GROOVES
for Planetary machine (SAMMIC) BE-20



SAMMIC 2504632



SAMMIC



Suitable for:

9062029 MULTIGRIP BELT J 483 H19 7 GROOVES
for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2050618

9062071 MULTIGRIP BELT J 508 H14 5 GROOVES
for Cutter (SAMMIC) SK-3



SAMMIC 2052110

9062072 MULTIGRIP BELT J 813 H16 6 GROOVES
for Planetary machine (SAMMIC) BE-10



SAMMIC 2504446

9062068 MULTIGRIP BELT J 864 H35 14 GROOVES
for Potato peeler (SAMMIC) M-25 - M-26



SAMMIC 2000300

9003659 MULTIGRIP BELT TB2 330 H16 7 GROOVES
for Slicer (SAMMIC) GC-275



SAMMIC 6052520

Suitable for:

9720007 MULTIGRIP BELT J 483 H28 11 GROOVES
for Vegetables/mozzarella cutter (SAMMIC) CA-400



SAMMIC 2050619

9720003 MULTIGRIP BELT J 559 H28 11 GROOVES
for Potato peeler (SAMMIC) M-10 - M-15 - PE15



SAMMIC 2001277

9062059 MULTIGRIP BELT J 864 H 14 5 GROOVES
for Cutter (SAMMIC) SK-5 - SK-8



SAMMIC 2052740

9062066 MULTIGRIP BELT J 895 H16 6 GROOVES
for Potato peeler (SAMMIC) PP-12 - PP-6 - PPC-12
PPC-6



SAMMIC 2003733

SAMMIC 2003866

9003660 MULTIGRIP BELT TB2 345 H16 7 GROOVES
for Slicer (SAMMIC) GC-300



SAMMIC 6052527



Suitable for:

SAMMIC



9062069 TOOTHED BELT 137NV 1120W25 H26
for Planetary machine (SAMMIC) BM-41 - BM-42



SAMMIC 2503368

9062070 TOOTHED BELT 180 XL 050 H13
for Potato peeler (SAMMIC) M-5



SAMMIC 2003918

9062073 TOOTHED BELT 21X6870SVX
for Planetary machine (SAMMIC) BM-11 - BM-21
BM-22



SAMMIC 2502625

9100063 TOOTHED BELT 240 XL 050 H13
for Planetary machine (SAMMIC) BM-5



SAMMIC 2502217

Blade protectors for slicers


3716005 BLADE COVER SAMMIC GC300
external \varnothing 315 mm - internal \varnothing for blade 245 mm
thread external \varnothing 15 mm - \varnothing thread internal 5 mm
for Slicer (SAMMIC) GC-300



SAMMIC 6052534


Blades for bone saws

9016007 BONE BAND SAW DIAMOND BLADE 1550xh16 mm
6 mm teething distance
diamond points



SAMMIC 6150006

9016019 BONE BAND SAW DIAMOND BLADE 1820xh16 mm
6 mm teething distance
diamond points



SAMMIC 6150018

Blades for cutters

9750008 FLAT BLADE GROUP WITH DRUM
boss \varnothing 40 mm - overall height 120 mm
for CUTTER SKE3



SAMMIC 2052664

9750011 FLAT BLADE GROUP WITH DRUM
boss \varnothing 40 mm - overall height 115 mm
for CUTTER SK3



SAMMIC 2052666

Suitable for:

9750009 KNURLED BLADE GROUP WITH DRUM
thin teeth - boss \varnothing 40 mm - overall height 120 mm
for CUTTER SKE3



SAMMIC 2052630

Suitable for:

9750012 KNURLED BLADE GROUP WITH DRUM
thin teeth - boss \varnothing 40 mm - overall height 115 mm
for CUTTER SK3



SAMMIC 2052617

9750010 PERFORATED BLADE GROUP WITH DRUM
boss \varnothing 40 mm - overall height 115 mm
for CUTTER SK3



SAMMIC 2052668

9750013 PERFORATED BLADE GROUP WITH DRUM
boss \varnothing 60 mm - overall height 120 mm
for CUTTER SK5-SK8



SAMMIC 2052785


9710039 SMOOTH BLADE COUPLE
length 148 mm - middle hole \varnothing 42 mm
mounting hole diagonal distance 51 mm
for Cutter (SAMMIC) SK-5 - SK-8 - SKE-5 - SKE-8



SAMMIC 2052817

Blades for meat slicer

9006518 ST. STEEL BLADE \varnothing 275-40-3-218 MOD.C
B = external \varnothing 275 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 218 mm
3 fastening screws
100CR6 forged stainless steel



SAMMIC 6052554



Suitable for:

SAMMIC



Suitable for:

Bodies

9242072 BLUE MOTOR PROTECTION CASING KIT
for Mixer (SAMMIC) BM-350 - BM-550 - BM-750
TR-350 - TR-550 - TR-750



SAMMIC SM4039110

SAMMIC 4039110

9242073 BLUE MOTOR PROTECTION CASING KIT
for Mixer (SAMMIC) TR-350



SAMMIC 4039111

5037305 MOTOR PROTECTING CASING RED
for Mixer (SAMMIC) TR-350 - TR-550 - TR-750



SAMMIC 4039032

3340052 RED MOTOR CASE
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039033

5032610 RED MOTOR PROTECTION CASING KIT
for Mixer (SAMMIC) TR-250



SAMMIC 4039084

Cable glands

3050143 CABLE GLAND PG13.5



SAMMIC 2059118

SAMMIC 2313453

Capacitors, electrical

9068004 CAPACITOR μ F 30 450V 50/60Hz
operating temperature -25+85°C



SAMMIC 2149003

SAMMIC 2149405

3068063 CAPACITOR μ F 48 250V 50/60Hz
for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2003778

Suitable for:


3068062 CAPACITOR μF 8 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 with cable length 90 mm
 for Slicer (SAMMIC) GC-220 - GC-250 - GC-275
 GC-300



SAMMIC 6052509

Suitable for:

3068010 CAPACITOR DUCATI μF 6.3 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and EEC 92/31 regulat



SAMMIC 4420032

3068016 CAPACITOR DUCATI $10\mu\text{F}$ 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 2050610

3068019 CAPACITOR DUCATI $12.5\mu\text{F}$ 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 2302620

3068024 CAPACITOR DUCATI $16\mu\text{F}$ 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 6054512

3068080 CAPACITOR ELECTRICAL $10\mu\text{F}$
 450V 50/60Hz - \varnothing 30xh71 mm



SAMMIC 2050610

3068081 CAPACITOR ELECTRICAL $12.5\mu\text{F}$
 450V 50/60Hz - \varnothing 35xh71 mm



SAMMIC 2302620

3068083 CAPACITOR ELECTRICAL $16\mu\text{F}$
 450V 50/60Hz - \varnothing 35xh71 mm



SAMMIC 6054512

3068097 CAPACITOR ELECTRICAL $6.3\mu\text{F}$
 450V 50/60Hz - \varnothing 30xh51 mm



SAMMIC 4420032



Suitable for:

SAMMIC



Suitable for:

Contactors

3454042 CONTACTOR ABB AF09-30-01-13
 9A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact
 for Vegetables/mozzarella cutter (SAMMIC) CA-300
 CA-400



SAMMIC 2059435

SAMMIC 2600121

3454046 CONTACTOR ABB AF16-40-00-13
 30A - coil 100/250V 50/60Hz
 4 normally open contacts
 for Vacuum packer (SAMMIC) V-821SG



SAMMIC 2300135

SAMMIC 2319447

3351019 THERMAL RELAY ABB TA25DU
 7.5÷11A
 1 normally open contact
 1 normally closed contact
 for Vacuum packer (SAMMIC) V-821SG



SAMMIC 2141177

3454045 CONTACTOR ABB A9-40-00
 9A 400V 4Kw - coil 230V 50/60Hz
 4 normally open contacts
 for Planetary machine (SAMMIC) BM-22 - BM-22C
 BM-22H
 for Potato peeler (SAMMIC) M-10
 for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2600123

SAMMIC 2600124

SAMMIC 4038058

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



SAMMIC 00006280

3351019 THERMAL RELAY ABB TA25DU
 7.5÷11A
 1 normally open contact
 1 normally closed contact
 for Vacuum packer (SAMMIC) V-821SG



SAMMIC 2141177



Couplings

5029090 ADAPTOR SHAFT \varnothing 10x68 mm
for Mixer (SAMMIC) TR/BM-330



SAMMIC 4031314

3710003 BLADE BOTTOM LOCK KIT
for Mixer (SAMMIC) TR-350 - TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039034

3710004 BLADE BOTTOM LOCK KIT
for Mixer (SAMMIC) TR-350 - TR/BM-350 - TR/BM-550
TR/BM-750




SAMMIC 4039031

5033428 BLADE BOTTOM LOCK KIT
for Mixer (SAMMIC) TR-250



SAMMIC 4039089

9718072 BLADE BOTTOM LOCK KIT
for Mixer (SAMMIC) TR-330 - TRC-330



SAMMIC 4039037

9191017 COUPLING KIT
external \varnothing 25/17.5 mm - overall height 30/16 mm
for MIXER TR/BM330



SAMMIC 4039060

5026381 KIT GASKETS - BEARINGS
for MIXER TR/BM330



SAMMIC 4039092

5036010 KIT SNAP-IN COUPLING 3-PIECE
external \varnothing 16 mm - overall height 36 mm
for Mixer (SAMMIC) TR-250



SAMMIC 4039094

5031188 MALE/FEMALE COUPLING KIT
external \varnothing 23/17.5 mm - overall height 23/17 mm
for Mixer (SAMMIC) TR



SAMMIC 4039005

5026380 SHAFT WITH COUPLING KIT
overall height 380 mm - male coupling
for Mixer (SAMMIC) TR/BM-330



SAMMIC 4030640



Suitable for:

SAMMIC



9191016 SHAFT WITH COUPLING KIT
external \varnothing 26 mm - overall height 70 mm
for MIXER TR/BM 350/550/750



SAMMIC 4039007

Suitable for:

3191001 SHAFT/MOTOR COUPLING KIT
external \varnothing 20 mm - overall height 41.5 mm
for Mixer (SAMMIC) TR-350 - TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039012

Drain assembly

3120522 SUCTION ASSEMBLY
with gasket
fitting \varnothing 40 mm - external outlet \varnothing 30 mm
internal outlet \varnothing 25 mm - overall height 73 mm



SAMMIC 2149096

Electrical cables

9050002 POWER SUPPLY CABLE 2x1.5 mm²
with plug SCHUKO - with grommet
overall length 1900 mm
for Mixer (SAMMIC) BM-330 - TR-330 - TR/BM-330
TRC-330 - TRL-330



SAMMIC 4039062

9050003 POWER SUPPLY CABLE 2x1.5 mm²
with plug SCHUKO - with grommet
overall length 1900 mm
for Mixer (SAMMIC) TR-250




SAMMIC 4039086

5028446 POWER SUPPLY CABLE 2x1,5 mm²
with SCHUKO plug - with fairlead
overall length 4000 mm



SAMMIC 4039011

3050150 POWER SUPPLY CABLE 3x1.5 mm²
with plug SCHUKO
overall length 2500 mm



SAMMIC SL1671



Electronic printed-circuit boards


5063049 ADJUSTER PC BOARD 230V
with cables
external dimensions 93x90 mm



SAMMIC 2003941

SAMMIC 2502376

9390043 CONTROL PC BOARD 103x64 mm
for Planetary machine (SAMMIC) BE-10 - BE-20
BE-40 - BM-22 - BM-22C



SAMMIC 2509450

9390042 KIT CONTROL PC BOARD
complete with controller, cable and board
external large board dimensions 138x42 mm
external small board dimensions 42x20 mm
for Mixer (SAMMIC)
since 1/06/05 TR/BM-350 - TR/BM-550 - TR/BM-750



SAMMIC 4031159

9390044 KIT CONTROL PC BOARD
complete with controller, cable and board
external large board dimensions 130x42 mm
external small board dimensions 42x20 mm
for Mixer (SAMMIC)
till 1/06/05 TR/BM-350 - TR/BM-550 - TR/BM-750



SAMMIC 4031156

3390314 KIT CONTROL PC BOARD 230V
complete with controller, cable and board
external large board dimensions 130x43 mm
external small board dimensions 43x21 mm
for Mixer (SAMMIC) TR-350 - TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4031110

9014049 MOTHERBOARD 230/400V
external dimensions 102x95 mm




SAMMIC SL0883

9319069 PUSH-BUTTON PANEL KIT 81x50 mm
complete with diaphragm, cable and potentiometer
for Planetary machine (SAMMIC) BM-5



SAMMIC 2509361

9390080 SPEED CONTROL BOARD 102x93 mm
for Cutter (SAMMIC) SK-5 - SK-8 - SKE-5 - SKE-8



SAMMIC 2052725



Suitable for:

SAMMIC



9390039 SPEED CONTROL CIRCUIT BOARD KIT 45x40 mm
complete with potentiometer
for Mixer (SAMMIC) TR-250 - TR/BM-250



SAMMIC 4039123

Suitable for:

9390006 3-PHASE ELECTRONIC CIRCUIT BOARD KIT
complete with cables and push-buttons



SAMMIC SL0934

Emeries for blades


3251001 RIMMED GRINDER WITH DRUM (PAIR)
consists of 2 pieces:
1 rimmed grinder with hub
A= \varnothing 45 mm
B= \varnothing 6 mm
H= height 8 mm
FINE GRAIN
1 rimmed grinder with hub
A= \varnothing 45 mm
B= \varnothing 5 mm
H= height 8 mm
COARSE GRAIN
for Slicer (SAMMIC) GC-275 - GC-300



SAMMIC 6052599

Equipment, complete

5057113 BLADE FOR TIN OPENER
length 42.5 mm - width 16 mm
height 2.5 mm
for Can openers (SAMMIC) EZ-3



SAMMIC 6040020

5059305 WHEEL THOOTHED KIT \varnothing 39x8x10 mm
pin \varnothing 5x40 mm
for Can openers (SAMMIC) EZ-3



SAMMIC 6040035

Feet

3313102 FOOT WITH PIN KIT M5 - 4 PCS
length 13 mm - overall length 43 mm
base \varnothing 36x30 mm
for Slicer (SAMMIC) GC-220 - GC-250 - GC-275
GC-300



SAMMIC 6052638

3313104 FOOT WITH PIN KIT M6 - 4 PCS
length 12 mm
basis \varnothing 29x20 mm



SAMMIC 2009229

SAMMIC 2059159



Filters

3160486 VACUUM PUMP AIR FILTER 40 m3
for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2149078

Fuses

3049013 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 1A
for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2149131

9049001 FUSE HOLDER 6.3A 250V
mounting hole \varnothing 12.5 mm



SAMMIC 2150102

Gaskets and seals

9186046 COVER GASKET 1300 mm
section 15x10 mm
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2001325

9186047 COVER GASKET 1800 mm
cross-section 15x10 mm
for Potato peeler (SAMMIC) M-25



SAMMIC 2001323

3786534 COVER GASKET 2048 mm
cross-section 11x7 mm
for Vacuum packer (SAMMIC) V-426 - V-641T



SAMMIC 2149075

SAMMIC 2149217

3786540 COVER GASKET 3015 mm
cross-section 13x11 mm
for Vacuum packer (SAMMIC) V-821LLSG - V-821SG



SAMMIC 2149159

9186063 COVER GASKET 480 mm
section 15x7 mm
for CUTTER SK3-SKE3 since 2009



SAMMIC 2052091

9186062 COVER GASKET 720 mm
section 15x7 mm
for CUTTER SK5-SKE5-SK8-SKE8 since 2009



SAMMIC 2053242



Suitable for:

SAMMIC



9186064 DOOR GASKET
circumference 500 mm - cross-section \varnothing 10 mm
for Potato peeler (SAMMIC) M-5



SAMMIC 2003915

SAMMIC 2003935

Suitable for:

9186009 DOOR GASKET KIT 760 mm
complete with fitting adhesive tube
cross-section \varnothing 15 mm
for Potato peeler (SAMMIC) M-10 - M-15 - M-25
M-26 - PE-15 - PP-12 - PP-6 - PPC-12 - PPC-6



SAMMIC 2009150


7100901 GASKET FOR COVER 1800 mm
silk screen print "cup" switch
for Cutter (SAMMIC) SK-3 - SK-5 - SK-8
for Vacuum packer (SAMMIC) SV-204T - SV-306T
SV-308T - SV-310S - SV-310T - V-401SGA
V-402SG - V-402T - V-410SG - V-410T - V-420SA
V-420SGA - V-420T - V-421SG - V-421T



SAMMIC 2149004

SAMMIC 2149144


3786541 GASKET MADE OF SILICONE 3000 mm
section 25x9 mm
for VACUUM PACKAGING MACHINE V821SGI100



SAMMIC 2141701

SAMMIC 2149582

3786539 SILICONE GASKET 400 mm
cross-section 16x8 mm
for Vacuum packer (SAMMIC) V-641T - V402SG
V421SG



SAMMIC 2149031

SAMMIC 2149202

Gears

5039227 DRUM FOR TRANSMISSION SHAFT KIT
with screws and washers
with gasket \varnothing 102x56x1,5 mm
fastening flange \varnothing 105 mm
boss overall height 90 mm



SAMMIC 2009311

5028497 GEAR FOR WHISK HOLDER \varnothing 44 mm
internal \varnothing 12 mm - number of teeth 20
for Planetary machine (SAMMIC) BM-5 - BM-5E



SAMMIC 2502270

Suitable for:

7106397 KIT TRANSMISSION SHAFT 270 mm
the kit includes:
2 bearings - 1 flange - 1 seeger - 1 bushing
1 sealing ring - 1 rod - 1 key



SAMMIC 2039002

Suitable for:

5050965 MOTOR TRANSMISSION SHAFT KIT 121 mm
the kit includes:
2 bearings - 2 seeger - 1 bushing - 1 key
1 sealing ring



SAMMIC 2059012

3702008 POTATO PEELER TRANSMISSION SHAFT SET
complete with bearings, screws, and seeger ring
for Potato peeler (SAMMIC) M-10



SAMMIC 2009227

5028291 SHAFT GEAR \varnothing 32 mm
internal \varnothing 11 mm - teeth n. 14



SAMMIC 2502288

5039226 TOOL SHAFT KIT 152 mm
the kit includes:
2 bearings - 1 flange - 1 seeger - 1 plug
1 key - 1 sealing ring



SAMMIC 2009301

9212021 WHISK GEAR KIT
external \varnothing 45 mm - overall height 77 mm
for Mixer (SAMMIC) TR-250



SAMMIC 4039019

Handles

3242696 CARRIAGE HANDLE DISTANCE BW HOLES 110 mm
overall length 130 mm - width 42 mm
 \varnothing thread 6 mm



SAMMIC 6052610

3388008 POTATO PEELER COVER HANDLE
length 208 mm
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2009204

9242008 POTATO PEELER SHUTTER HANDLE
overall width 215 mm
for Potato peeler (SAMMIC) PPC12 - PPC6 - PP12
PP6



SAMMIC 2009308

9242021 POTATO PEELER SHUTTER HANDLE
overall width 220 mm
for Potato peeler (SAMMIC) M25 - M26



SAMMIC 2009212



Suitable for:

SAMMIC



Suitable for:

Heating elements

5032818 HEATING ELEMENT 450W 230V
length 145 mm - width 185 mm
with cables



SAMMIC 2150090

5035030 WELDING HEATING ELEMENT KIT
with PTFE band length 465 mm
with PTFE band height 60 mm
with heating element length 885 mm



SAMMIC 2149115

SAMMIC 2149408

3455328 WELDING HEATING ELEMENT SET
with PTFE band length 1030 mm
with PTFE band height 50 mm
with heating element length 400 mm
for Vacuum packer (SAMMIC) V-641T



SAMMIC 2149017

3455329 WELDING HEATING ELEMENT SET
with PTFE band length 1050 mm
with PTFE band height 50 mm
with heating element length 854 mm
for Vacuum packer (SAMMIC) V-821SGI100



SAMMIC 2149175

3455330 WELDING HEATING ELEMENT SET
with PTFE band length 660 mm
with PTFE band height 50 mm
with heating element length 416 mm
for Vacuum packer (SAMMIC) V-402SG - V-421SG



SAMMIC 2149203

Immersion arms for mixers

9740076 BLENDING ARM COMPLETE 415 mm
complete of mixer blade
for Mixer (SAMMIC) TR-330



SAMMIC 4030020

9740074 BLENDING ARM COMPLETE 425 mm
complete of mixer blade
for Mixer (SAMMIC) TR-350 - TR/BM-350



SAMMIC 3030150

Suitable for:

Suitable for:

9740073 BLENDING ARM COMPLETE 500 mm
complete with mixer blade
for Mixer (SAMMIC) TR-350 - TR-550



SAMMIC 3030155

Ironmongery (screws,nuts,washers)

3528071 COVER CLOSING SCREW SET
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2009203

9742007 FEATHER KEY ST. STEEL C40 5x5x20 mm
UNI 6604/A - DIN 6685/A



SAMMIC SL0010

Knives for meat mincers

9014602 STAINLESS STEEL KNIFE F/MEAT MINCER 22
model ENTERPRISE 22 self-sharpening
external \varnothing 73 mm - square hole 13x13 mm



SAMMIC 2051015

9014603 STAINLESS STEEL KNIFE F/MEAT MINCER 32
model ENTERPRISE 32 self-sharpening
external \varnothing 90 mm - square hole 15x15 mm



SAMMIC 2052015

Knives for mixers

9718068 MIXER BLADE
for Mixer (SAMMIC) TR-250 - TR/BM-250



SAMMIC 4031006

9718069 MIXER BLADE
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4031276

9718070 MIXER BLADE
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4031228

9718071 MIXER BLADE
for Mixer (SAMMIC) BM-330 - TR-330 - TR/BM-330
TRC-330 - TRL-330



SAMMIC 4600420



Suitable for:

SAMMIC



Suitable for:

Knobs

9007007 ADJUSTABLE KNOB BLACK \varnothing 12x81 mm
with eccentric
pin \varnothing 12x30 mm
knob \varnothing 44 mm
mounting frame \varnothing 50 mm
for Slicer (SAMMIC) GC-220



SAMMIC 6052612

9007009 ADJUSTABLE KNOB BLACK \varnothing 12x86 mm
with eccentric
pin \varnothing 12x23 mm
knob \varnothing 55 mm
mounting frame \varnothing 62 mm
for Slicer (SAMMIC) GC-300



SAMMIC 6052613

9007008 ADJUSTABLE KNOB BLACK \varnothing 12x93 mm
with eccentric
pin \varnothing 12x30 mm
knob \varnothing 55 mm
mounting frame \varnothing 62 mm
for Slicer (SAMMIC) GC-250 - GC-275



SAMMIC 6052614

3242698 BLACK KNOB \varnothing 28x95 mm PITCH M8
for Slicer (SAMMIC) GC-220 - GC-250 - GC-275
GC-300



SAMMIC 6052627

9241035 BLACK KNOB \varnothing 44.5 mm PITCH M8
without pin
for Slicer (SAMMIC) CP-250



SAMMIC 2052252

3242697 BLACK KNOB \varnothing 54 mm PITCH M9
for Slicer (SAMMIC) GC-250 - GC-275 - GC-300



SAMMIC 6052636

5033715 KNOB BLACK DISK LOCKING \varnothing 58 mm
with pin pitch M12
with pin length 38 mm



SAMMIC 2000135

3241796 KNOB KIT RED AND BLACK \varnothing 40 mm
square hole 6x6 mm
for Potato peeler (SAMMIC) M-10 - M-15 - M-25
M-26 - PE15 - PP-12
for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2309024

SAMMIC 2309580



Labels for control panels

3319692 CONTROL BOARD
 dimensions 267x85 mm
 for Vacuum packer (SAMMIC) V-641T



SAMMIC 2140617

5036527 LID FOR MOTOR WITH SILK-SCREEN PRINTING
 external dimensions 285x200 mm
 for Potato peeler (SAMMIC) PP12



SAMMIC 2009303

Lids

9734041 COVER FOR POTATO PEELER ø 186 mm
 complete with knob
 for Potato peeler (SAMMIC) PP-12 - PP-6 - PPC-12
 PPC-6



SAMMIC 2009317


9734042 COVER FOR POTATO PEELER ø 330 mm
 for Potato peeler (SAMMIC) M-5



SAMMIC 2003909

SAMMIC 2003939

9734043 COVER FOR POTATO PEELER ø 433 mm
 completo di guarnizione, magnete e tubo
 for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2001241

SAMMIC 2009240

3528071 COVER CLOSING SCREW SET
 for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2009203

9734044 COVER FOR POTATO PEELER ø 595 mm
 for Potato peeler (SAMMIC) M-25 - M-26



SAMMIC 2009210

3324011 PIN FOR COVER LOCK 265 mm
 complete with 2 seeger rings
 for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2009226

9734005 POLYCARBONATE COVER FOR TANK
 width 375 mm - overall length 390 mm



SAMMIC SL0006

9734006 POLYCARBONATE COVER FOR TANK
 width 415 mm - overall length 485 mm



SAMMIC SL0065




Suitable for:

SAMMIC



Suitable for:

5031490 TANK PROTECTION OF PLASTIC
width 225 mm - overall length 227 mm
overall height 102 mm



SAMMIC 2502296

SAMMIC 2509372

Lubricants

9709001 OIL FOR VACUUM MACHINES 1L



SAMMIC 2149049

SAMMIC 2149103

Magnets

1737001 MAGNET \varnothing 27x9 mm
for Mixer (SAMMIC) TR-BM-750 - TR/BM-350
TR/BM-550



SAMMIC 4039105

9240056 MAGNET RECTANGULAR M303
40x13x8 mm
for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2050639

3240148 MAGNET 63x19x11 mm



SAMMIC 2310472

SAMMIC 2319428

Meat rammers

3715001 MASHER F/ VEGETABLE HOLDING LEVER
for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2050606

9715004 MEAT MINCER MASHER \varnothing 40x95 mm
solid
for Meat mincer (SAMMIC) PS-12



SAMMIC 2051147

Suitable for:

Suitable for:

9014162 MEAT MINCER MASHER \varnothing 51x150 mm
empty inside
for Meat mincer (SAMMIC) PS-22 - PS-32



SAMMIC 2051007

Microswitches, mechanical

9240050 KIT MICROSWITCH OMRON
16A 250V
for Planetary machine (SAMMIC) BE-20



SAMMIC 2509446

9240054 KIT MICROSWITCH OMRON
16A 250V
for Planetary machine (SAMMIC) BE-20




SAMMIC 2509438

9240058 KIT MICROSWITCH OMRON
16A 250V
for Planetary machine (SAMMIC) BE-10



SAMMIC 2509420

3240820 MICROSWITCH ELECTRICA NR48W5
1NO + 1NC 16A 250V



SAMMIC 6420114


1240016 MICROSWITCH HONEYWELL V5B010CB3E
16A 250V
for Planetary machine (SAMMIC) BM-11 - BM-22
BM-22C - BM-42 - BM-5



SAMMIC 2509124

SAMMIC 2509359

3803041 MICROSWITCH SAIA-BURGESS
mod. XGG2-88-J26Z1
16A 250V - lever 43x7 mm
for Vacuum packer (SAMMIC) V-641SG - V-641T
V-821LLSG - V-821SG




SAMMIC 2140540

9240053 MICROSWITCH 16A 250V
for Planetary machine (SAMMIC) BE-10



SAMMIC 2509419

9240055 MICROSWITCH 16A 250V
for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2059018



Suitable for:

SAMMIC



Suitable for:

Microswitches,magnetic

3240216 MAGNETIC MICROSWITCH E5221V
 0.04A 250V - contact NO - head 40x13x8 mm
 with cable length 1900 mm
 for Potato peeler (SAMMIC) M-10 - M-15 - M-25
 PE-15
 for Vegetables/mozzarella cutter (SAMMIC) CA-300
 CA-400



SAMMIC 2009205

SAMMIC 2050705

SAMMIC 2059013

9240060 MICROSWITCH MAGNETIC ø 10x33 mm
 0.04A 250V 50W - contact NO
 with cable length 1500 mm
 for Cutter (SAMMIC) SK-3 - SK-5 - SK-8



SAMMIC 2502294

SAMMIC 2509357


Motors

5036011 CHARCOAL WITH SPRING FOR MOTOR - 2 PCS
 charcoal overall length 13 mm
 charcoal width 6 mm
 charcoal thickness 6 mm - spring ø 6x23 mm
 for Mixer (SAMMIC) TR-250 - TR/BM-250



SAMMIC 4039082

9240065 CHARCOAL WITH SPRING FOR MOTOR 4PCS
 length 29 mm - width 11 mm - height 6 mm
 for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
 TR/BM-750



SAMMIC 4039029

3340083 MOTOR 0.3KW 220V
 for Slicer (SAMMIC) GC-250 - GC-275 - GC-300




SAMMIC 6052626

5029614 MOTOR 230V 50Hz
 shaft ø 6 mm - length 120 mm
 width 70 mm



SAMMIC 4039088

5064381 MOTOR 230V 50Hz
 ø shaft 8 mm - length 195 mm
 width 70 mm



SAMMIC 2509376



Pistons

- 3321005 PISTON CYLINDER WELDING DIAPHRAGM**
for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2140531

Plates for mincers

- 9015753 INOX PLATE MOD.B98/32/3 UNGER**
model B98/32 UNGER self-sharpening
ejection hole \varnothing 3 mm
external \varnothing 97.7 mm - central hole \varnothing 26,2 mm



SAMMIC 2051774

- 9015736 INOX PLATE MOD.H82/22/4.5 UNGER**
model H82/22 UNGER self-sharpening
ejection hole \varnothing 4.5 mm
external \varnothing 81.6 mm - central hole \varnothing 22,2 mm



SAMMIC 2051525

- 9015747 INOX PLATE MOD.H82/22/8 UNGER**
model H82/22 UNGER self-sharpening
ejection hole \varnothing 8 mm
external \varnothing 81.6 mm - central hole \varnothing 22,2 mm



SAMMIC 2051527

- 9015514 SELF-SHARPENING ST. STEEL PLATE 12/4.5**
model 12 ENTERPRISE self-sharpening
outlet holes \varnothing 4.5 mm
external \varnothing 69.6 mm - central hole \varnothing 10,2 mm



SAMMIC 2011525

- 9015526 SELF-SHARPENING ST. STEEL PLATE 22/4.5**
model 22 ENTERPRISE self-sharpening
outlet holes \varnothing 4.5 mm
external \varnothing 82.7 mm - central hole \varnothing 11,4 mm



SAMMIC 2051014

- 9015536 SELF-SHARPENING ST. STEEL PLATE 32/3**
model 32 ENTERPRISE self-sharpening
outlet holes \varnothing 3 mm
external \varnothing 99.7 mm - central hole \varnothing 13,3 mm



SAMMIC 2052051



Suitable for:

SAMMIC



9015538 SELF-SHARPENING ST. STEEL PLATE 32/4.5
model 32 ENTERPRISE self-sharpening
outlet holes \varnothing 4.5 mm
external \varnothing 99.7 mm - central hole \varnothing 13,3 mm



SAMMIC 2052014

9015515 SELF-SHARPENING STAIN. STEEL PLATE 12/6
model 12 ENTERPRISE self-sharpening
outlet holes \varnothing 6 mm
external \varnothing 69.6 mm - central hole \varnothing 10,2 mm



SAMMIC 2011527

9015516 SELF-SHARPENING STAIN. STEEL PLATE 12/8
model 12 ENTERPRISE self-sharpening
outlet holes \varnothing 8 mm
external \varnothing 69.6 mm - central hole \varnothing 10,2 mm



SAMMIC 2011530

9015524 SELF-SHARPENING STAIN. STEEL PLATE 22/3
model 22 ENTERPRISE self-sharpening
outlet holes \varnothing 3 mm
external \varnothing 82.7 mm - central hole \varnothing 11,4 mm



SAMMIC 2051051

9015527 SELF-SHARPENING STAIN. STEEL PLATE 22/6
model 22 ENTERPRISE self-sharpening
outlet holes \varnothing 6 mm
external \varnothing 82.7 mm - central hole \varnothing 11,4 mm



SAMMIC 2051052

9015528 SELF-SHARPENING STAIN. STEEL PLATE 22/8
model 22 ENTERPRISE self-sharpening
outlet holes \varnothing 8 mm
external \varnothing 82.7 mm - central hole \varnothing 11,4 mm



SAMMIC 2051053

9015541 SELF-SHARPENING STAIN. STEEL PLATE 32/10
model 32 ENTERPRISE self-sharpening
outlet holes \varnothing 10 mm
external \varnothing 99.7 mm - central hole \varnothing 13,3 mm



SAMMIC 2052054

9015540 SELF-SHARPENING STAIN. STEEL PLATE 32/8
model 32 ENTERPRISE self-sharpening
outlet holes \varnothing 8 mm
external \varnothing 99.7 mm - central hole \varnothing 13,3 mm



SAMMIC 2052053

9015539 ST. STEEL PLATE MOD.32/6 SELF-SHARPENING
model 32 ENTERPRISE self-sharpening
ejection holes \varnothing 6 mm
external \varnothing 99.7 mm - central hole \varnothing 13.3 mm



SAMMIC 2052052

9015756 STAIN.ST. PLATE MOD.B98/32/4.5 UNGER
model B98/32 UNGER self-sharpening
ejection holes \varnothing 4.5 mm
external \varnothing 97.7 mm - central hole \varnothing 26.2 mm



SAMMIC 2051775

Suitable for:

9015758 STAIN.STEEL PLATE MOD.B98/32/6 UNGER
 model B98/32 UNGER self-sharpening
 ejection holes \varnothing 6 mm
 external \varnothing 97.7 mm - central hole \varnothing 26,2 mm



SAMMIC 2051776

Suitable for:

9015759 STAIN.STEEL PLATE MOD.B98/32/8 UNGER
 model B98/32 UNGER self-sharpening
 ejection holes \varnothing 8 mm
 external \varnothing 97.7 mm - central hole \varnothing 26,2 mm



SAMMIC 2051777

9015733 STAIN.STEEL PLATE MOD.H82/22/3 UNGER
 model H82/22 UNGER self-sharpening
 ejection holes \varnothing 3 mm
 external \varnothing 81.6 mm - central hole \varnothing 22,2 mm



SAMMIC 2051524

9015738 STAIN.STEEL PLATE MOD.H82/22/6 UNGER
 model H82/22 UNGER self-sharpening
 ejection holes \varnothing 6 mm
 external \varnothing 81.6 mm - central hole \varnothing 22,2 mm



SAMMIC 2051526


Potentiometers

9057015 COMPLETE POTENTIOMETER
 with cable length 750 mm
 shaft \varnothing 6 mm
 for Cutter (SAMMIC) SK-3 - SK-5 - SK-8



SAMMIC 2052705

5061033 POTENTIOMETER COMPLETE
 with knob \varnothing 23 mm
 with cable length 730 mm



SAMMIC 2502335

Pressure gauges

3160487 AIR PRESSURE GAUGE \varnothing 45 mm
 with hose-end fitting \varnothing 1/8" F - \varnothing 7 mm
 manometer casing \varnothing 40 mm - fitting \varnothing 1/8" M
 scale -1-0 bar



SAMMIC 2149118

SAMMIC 2149299



Suitable for:

SAMMIC



Suitable for:

Pulleys

5058598 ASSEMBLY PULLEY UPPER \varnothing 117 mm
hole for shaft \varnothing 18 mm - with key slot
overall height 75 mm



SAMMIC 2509142

3318017 COMPLETE PULLEY GROUP
for blade 3 holes distance 46 mm
pulley external \varnothing 78 mm
blade fastening \varnothing 40 mm
shaft length 175 mm
for Slicer (SAMMIC) GC-250 - GC-275 - GC-300



SAMMIC 6052667

5064292 PULLEY UPPER \varnothing 208 mm
hole for bearing \varnothing 35 mm



SAMMIC 6150074

5054549 TOOL SHAFT PULLEY \varnothing 120 mm
height 25 mm



SAMMIC 2502274

Relays


3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



SAMMIC 25130102

Rotary switches

3319700 SELECTOR SWITCH ON/OFF 16A 250V
for knob \varnothing 41 mm
D-shaped pin \varnothing 6x4,6 mm



SAMMIC 2149015

3241796 KNOB KIT RED AND BLACK \varnothing 40 mm
square hole 6x6 mm
for Potato peeler (SAMMIC) M-10 - M-15 - M-25
M-26 - PE15 - PP-12
for Vacuum packer (SAMMIC) V-641T - V-821SG




SAMMIC 2309024

SAMMIC 2309580

Suitable for:

Suitable for:

3319699 **SELECTOR SWITCH 0-1 POSIT. SINGLE PHASE**
 contact capacity 16A 690V - max 60/75°C
 square pin 5x5 mm



SAMMIC 6052581

Scrolls

9719001 **COMPLETE ALUMINIUM SCROLL 12 SAMMIC**
 scroll \varnothing 53x165 mm - clamp \varnothing 20 mm
 fitting pin length 28 mm
 for Meat mincer (SAMMIC) PS-12



SAMMIC 2051130

9719002 **COMPLETE ALUMINIUM SCROLL 22 SAMMIC**
 scroll \varnothing 63x150 mm - clamp \varnothing 40 mm
 for Meat mincer (SAMMIC) PS-22



SAMMIC 2051445

9719003 **COMPLETE ALUMINIUM SCROLL 32 SAMMIC**
 scroll \varnothing 77x170 mm - clamp \varnothing 40 mm
 for Meat mincer (SAMMIC) PS-32



SAMMIC 2051747

Sharpeners

3701004 **BLADE SHARPENER SAMMIC**
 with cover
 for Slicer (SAMMIC) GC-275 - GC-300



SAMMIC 6052502



Suitable for:

SAMMIC



Suitable for:

Shock absorbers

3007031 SHOCK ABSORBER FOR LID 0300N
082309
overall length 160 mm
for Vacuum packer (SAMMIC) V-402SG - V-421SG



SAMMIC 2141551

SAMMIC 2141581

3007032 SHOCK ABSORBER FOR LID 0500N
084093
overall length 260 mm
for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2140960

SAMMIC 2140961

Solenoid valves

3120521 DECOMPRESSION SOLENOID VALVE \varnothing 1/2"FF
with fitting and filter
230V 50/60Hz - coil model BP242C-12



SAMMIC 2149303

Switches

9319061 BLACK BIPOLAR PUSH-BUTTON 8A 250V
for Mixer (SAMMIC) TR-250 - TR/BM-250



SAMMIC 4031030

9319038 BLACK PUSH-BUTTON PROTECTION CAPS KIT
for Mixer (SAMMIC) TR-250



SAMMIC 4039083

3319709 BLACK PUSH-BUTTON 5A 300V ABB
1 normally open contact
mounting hole \varnothing 22 mm
for Planetary machine (SAMMIC) BM-22 - BM-22C
BM-22H



SAMMIC 2500491

SAMMIC 2502960

9319066 BLACK SINGLE-POLE SWITCH 10A 250V
with push-button cap
mounting hole 13x20 mm
for Cutter (SAMMIC) SK-3 - SK-5 - SK-8



SAMMIC 2052736

Suitable for:


9319103 CONTROL PANEL PROTECTION KIT BLUE BUTT.
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039112


Suitable for:

9319064 DIGITAL PUSH-BUT.PANEL O-I-ARROW-DISPLAY
external sizes 130x123 mm
with cables
for Planetary machine (SAMMIC) BE-10 - BE-20
BE-40 - BM-22 - BM-22C




SAMMIC 2504482

9319019 FLUSH PUSH-BUTTON BLACK SIMB. "O"
MOELLER-EATON - 1 contact NC
mounting hole \varnothing 22 mm



SAMMIC SL0807

9319025 PUSH-BUTTON PANEL O-I GREEN-RED
6A 250V ABB - with push-button cap
1 contact NC
1 contact NO
mounting hole \varnothing 22 mm
for Potato peeler (SAMMIC) PP-12 - PP-6 - PPC-12
PPC-6



SAMMIC 2009329

5061412 PUSH-BUTTON PANEL O-I GREEN-RED 16A 230V
with push-button cover
2 contacts NO
mounting hole 46x22 mm
for Slicer (SAMMIC) GC300



SAMMIC 6052583

9319068 PUSH-BUTTON 1-POLE BLACK 10A 250V
max. temperature 100°C
mounting hole 13x20 mm
for Cutter (SAMMIC) SK-3 - SK-5 - SK-8
for Potato peeler (SAMMIC) M-5



SAMMIC 2052737

9319067 RED BUTTON CONTROL PROTECTION SET
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039014

9319063 START PUSH-BUTTON BLACK 5A 300V ABB
2 contacts NO
mounting hole \varnothing 22 mm
for Planetary machine (SAMMIC) BM-11
for Potato peeler (SAMMIC) M-10 - M-15 - M-25
M-26 - PE-15
for Vegetables/mozzarella cutter (SAMMIC) CA-300
CA-400



SAMMIC 2500635



Suitable for:

9319062 STOP PUSH-BUTTON RED 5A 300V ABB
 1 contact NC
 mounting hole \varnothing 22 mm
 for Potato peeler (SAMMIC) M-10 - M-15 - PE-15
 for Vegetables/mozzarella cutter (SAMMIC) CA-300




SAMMIC 2500493

SAMMIC 2600145

Suitable for:

3319670 SWITCH BIPOLAR WHITE 16A 250V
 with indicator light - 2 contacts NO
 mounting hole 22x30 mm
 for Vacuum packer (SAMMIC) SV-306T - SV-308T
 SV-310S - SV-310T - SV-408T - SV-410T
 SV-418T - SV-420T - SV-520T - SV-604CCS
 SV-604S - SV-606CCS - SV-606S - SV-806LLS
 SV-806T - SV-810LLS - SV-810S - SV-810T



SAMMIC 2310403

SAMMIC 2319215

9319060 SWITCH 2 POLE ORANGE 12A 250V
 mounting hole 13x20 mm
 for Cutter (SAMMIC) SK-3 - SK-5 - SK-8
 for Potato peeler (SAMMIC) M-5



SAMMIC 2052735

Tapes

3180047 PTFE BAND HEIGHT 60 mm - 854 mm
 for SAMMIC VACUUM PACKING MACHINE V821SG1100



SAMMIC 2141772

SAMMIC 2149002

Tie rods for blade cover

9013505 BLADE COVER TIE ROD SHAFT 170mm PITCH M6
 micro support \varnothing 10x59 mm
 for Slicer (SAMMIC) GC-220 - GC-250 - GC-275
 GC-300



SAMMIC 6052619



Timers

9446005 TIMER KIT 6 MINUTES 1-POLE M2
 complete with knob
 manually set mechanical timer
 6 minutes manually set cycle
 contact capacity 13A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Potato peeler (SAMMIC) M-10 - M-15 - M-25
 M-26 - PE-15 - PP-12 - PP-6 - PPC-12 - PPC-6



SAMMIC 2009211

3241796 KNOB KIT RED AND BLACK \varnothing 40 mm
 square hole 6x6 mm
 for Potato peeler (SAMMIC) M-10 - M-15 - M-25
 M-26 - PE15 - PP-12
 for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2309024

SAMMIC 2309580

9446015 TIMER 30 MINUTES KIT
 complete with knob
 manually set mechanical timer
 30 minutes manually set cycle
 contact capacity 13A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Planetary machine (SAMMIC) BM-22 - BM-22C
 BM-42
 for Potato peeler (SAMMIC) M-5



SAMMIC 2509157

Tool holder shafts

5029209 SHAFT FOR ARM
 external \varnothing 10 mm - overall length 380 mm
 for MIXER TR/BM 350/550/750



SAMMIC 4031216

SAMMIC 4031217

5031691 SHAFT FOR ARM
 external \varnothing 10 mm - overall length 266 mm
 for MIXER TR250




SAMMIC 4031026

9742017 TOOL SHAFT
 supplied with bearings and assembly kit
 for Planetary machine (SAMMIC) BM-22 - BM-22C
 BM-22H



SAMMIC 2509175

9742015 TOOL SHAFT 140 mm
 supplied with bearings and assembly kit
 for Planetary machine (SAMMIC) BM-11



SAMMIC 2509310



Suitable for:

SAMMIC

Suitable for:



Wheels and accessories

5029439 FLANGE F/SUPPORT WITH BEARING UCF205

external size flange 95x95 mm
for Kneader (SAMMIC)



SAMMIC 6504593

Whisks, hooks and flat beaters

9740061 ALUMINIUM BEATER WIDTH 130 mm
total height with coupling 205 mm
for Planetary machine (SAMMIC) BM-5



SAMMIC 2502340

9740064 ALUMINIUM BEATER WIDTH 158 mm
total height with coupling 275 mm
for Planetary machine (SAMMIC) BE-10 - BM-11



SAMMIC 2504030

SAMMIC 2509428

9740070 ALUMINIUM BEATER WIDTH 197 mm
total height with coupling 325 mm
for Planetary machine (SAMMIC) BE-20



SAMMIC 2509465

9740067 ALUMINIUM BEATER WIDTH 207 mm
total height with coupling 335 mm
for Planetary machine (SAMMIC) BM-22



SAMMIC 2504293

9740063 ALUMINIUM HOOK WITH ADJUSTABLE \emptyset
total height with coupling 270 mm
for Planetary machine (SAMMIC) BE-10 - BM-11



SAMMIC 2503966

SAMMIC 2509429

9740066 ALUMINIUM HOOK WITH ADJUSTABLE \emptyset
total height with coupling 325 mm
for Planetary machine (SAMMIC) BM-22 - BM-22C



SAMMIC 2504290

SAMMIC 2504292

9740069 ALUMINIUM HOOK WITH ADJUSTABLE \emptyset
total height with coupling 325 mm
for Planetary machine (SAMMIC) BE-20



SAMMIC 2509463

9191015 ARM/MOTOR COUPLING
total height 83 mm
for MIXER TR/BM 350-550-750



SAMMIC 4031202

SAMMIC 4039126



Suitable for:

5026379 BOTTOM BELL COUPLING
overall height 70 mm
for MIXER TR/BM



SAMMIC 4039065

Suitable for:

9740059 COMPLETE MIXER WHISK
overall height fitting included 365 mm
for Mixer (SAMMIC) BM-330




SAMMIC 4519005

5027606 GEAR BOX WHISK SUPPORT
overall height 125 mm
for MIXER TR/BM



SAMMIC 4039077

9740068 METAL WHISK WITH THREADS \varnothing 2.5 mm
total height with coupling 335 mm
for Planetary machine (SAMMIC) BM-22 - BM-22C



SAMMIC 2504296


SAMMIC 2509550

9740071 METAL WHISK WITH THREADS \varnothing 2.5 mm
total height with coupling 325 mm
for Planetary machine (SAMMIC) BE-20



SAMMIC 2509467


9740065 METAL WHISK WITH THREADS \varnothing 2.5 mm
total height with coupling 275 mm
for Planetary machine (SAMMIC) BE-10 - BM-11



SAMMIC 2503995

SAMMIC 2509427

9740062 METAL WHISK WITH WIRES \varnothing 2 mm
total height with coupling 200 mm
for Planetary machine (SAMMIC) BM-5



SAMMIC 2502310

SAMMIC 2509553

9740056 MIXER WHISK
total height 195 mm
for Mixer (SAMMIC) TR-250 - TR/BM-250



SAMMIC 4031860

9740057 MIXER WHISK
total height 275 mm
for Mixer (SAMMIC) BM-330 - TR/BM-330



SAMMIC 4600340

9740058 MIXER WHISK
total height 275 mm
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4031338



SAMMIC



Suitable for:

5032066 TOOL ARM CAP
for Mixer (SAMMIC) TR-330 - TRC-330



SAMMIC 4039015

Suitable for:

5025183 WHISK REDUCER
overall height 70 mm
for MIXER TR/BM



SAMMIC 4039075

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com